

# Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.2.1-a+b-cos-<sup>m</sup>-c+d-cos-<sup>n</sup>

Nasser M. Abbasi

July 17, 2021

Compiled on July 17, 2021 at 7:04am

## Contents

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Introduction</b>   | <b>3</b>   |
| 1.1      | Listing of CAS systems tested . . . . .                                   | 3          |
| 1.2      | Results . . . . .   | 3          |
| 1.3      | Performance . . . . .   | 7          |
| 1.4      | list of integrals that has no closed form antiderivative . . . . .        | 8          |
| 1.5      | list of integrals solved by CAS but has no known antiderivative . . . . . | 8          |
| 1.6      | list of integrals solved by CAS but failed verification . . . . .         | 8          |
| 1.7      | Timing . . . . .  | 9          |
| 1.8      | Verification . . . . .  | 9          |
| 1.9      | Important notes about some of the results . . . . .                       | 9          |
| 1.9.1    | Important note about Maxima results . . . . .                             | 9          |
| 1.9.2    | Important note about FriCAS and Giac/XCAS results . . . . .               | 10         |
| 1.9.3    | Important note about finding leaf size of antiderivative . . . . .        | 10         |
| 1.9.4    | Important note about Mupad results . . . . .                              | 11         |
| 1.10     | Design of the test system . . . . .                                       | 11         |
| <b>2</b> | <b>detailed summary tables of results</b>                                 | <b>13</b>  |
| 2.1      | List of integrals sorted by grade for each CAS . . . . .                  | 13         |
| 2.1.1    | Rubi . . . . .  | 13         |
| 2.1.2    | Mathematica . . . . .   | 14         |
| 2.1.3    | Maple . . . . .   | 15         |
| 2.1.4    | Maxima . . . . .  | 15         |
| 2.1.5    | FriCAS . . . . .  | 16         |
| 2.1.6    | Sympy . . . . .   | 17         |
| 2.1.7    | Giac . . . . .  | 18         |
| 2.1.8    | Mupad . . . . .   | 19         |
| 2.2      | Detailed conclusion table per each integral for all CAS systems . . . . . | 21         |
| 2.3      | Detailed conclusion table specific for Rubi results . . . . .             | 176        |
| <b>3</b> | <b>Listing of integrals</b>   | <b>203</b> |
| 3.1      | $\int \cos^5(c + dx)(a + a \cos(c + dx)) dx$ . . . . .                    | 203        |
| 3.2      | $\int \cos^4(c + dx)(a + a \cos(c + dx)) dx$ . . . . .                    | 206        |
| 3.3      | $\int \cos^3(c + dx)(a + a \cos(c + dx)) dx$ . . . . .                    | 209        |
| 3.4      | $\int \cos^2(c + dx)(a + a \cos(c + dx)) dx$ . . . . .                    | 212        |
| 3.5      | $\int \cos(c + dx)(a + a \cos(c + dx)) dx$ . . . . .                      | 215        |
| 3.6      | $\int (a + a \cos(c + dx)) dx$ . . . . .                                  | 217        |

|      |   |     |
|------|---|-----|
| 3.7  | $\int (a + a \cos(c + dx)) \sec(c + dx) dx$       | 219 |
| 3.8  | $\int (a + a \cos(c + dx)) \sec^2(c + dx) dx$     | 221 |
| 3.9  | $\int (a + a \cos(c + dx)) \sec^3(c + dx) dx$     | 224 |
| 3.10 | $\int (a + a \cos(c + dx)) \sec^4(c + dx) dx$     | 227 |
| 3.11 | $\int (a + a \cos(c + dx)) \sec^5(c + dx) dx$     | 230 |
| 3.12 | $\int (a + a \cos(c + dx)) \sec^6(c + dx) dx$     | 233 |
| 3.13 | $\int \cos^4(c + dx)(a + a \cos(c + dx))^2 dx$    | 236 |
| 3.14 | $\int \cos^3(c + dx)(a + a \cos(c + dx))^2 dx$    | 239 |
| 3.15 | $\int \cos^2(c + dx)(a + a \cos(c + dx))^2 dx$    | 242 |
| 3.16 | $\int \cos(c + dx)(a + a \cos(c + dx))^2 dx$      | 245 |
| 3.17 | $\int (a + a \cos(c + dx))^2 dx$                  | 248 |
| 3.18 | $\int (a + a \cos(c + dx))^2 \sec(c + dx) dx$     | 250 |
| 3.19 | $\int (a + a \cos(c + dx))^2 \sec^2(c + dx) dx$   | 253 |
| 3.20 | $\int (a + a \cos(c + dx))^2 \sec^3(c + dx) dx$   | 256 |
| 3.21 | $\int (a + a \cos(c + dx))^2 \sec^4(c + dx) dx$   | 259 |
| 3.22 | $\int (a + a \cos(c + dx))^2 \sec^5(c + dx) dx$   | 262 |
| 3.23 | $\int \cos^3(c + dx)(a + a \cos(c + dx))^3 dx$    | 265 |
| 3.24 | $\int \cos^2(c + dx)(a + a \cos(c + dx))^3 dx$    | 268 |
| 3.25 | $\int \cos(c + dx)(a + a \cos(c + dx))^3 dx$      | 271 |
| 3.26 | $\int (a + a \cos(c + dx))^3 dx$                  | 274 |
| 3.27 | $\int (a + a \cos(c + dx))^3 \sec(c + dx) dx$     | 277 |
| 3.28 | $\int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx$   | 280 |
| 3.29 | $\int (a + a \cos(c + dx))^3 \sec^3(c + dx) dx$   | 283 |
| 3.30 | $\int (a + a \cos(c + dx))^3 \sec^4(c + dx) dx$   | 286 |
| 3.31 | $\int (a + a \cos(c + dx))^3 \sec^5(c + dx) dx$   | 289 |
| 3.32 | $\int (a + a \cos(c + dx))^3 \sec^6(c + dx) dx$   | 292 |
| 3.33 | $\int \cos^2(c + dx)(a + a \cos(c + dx))^4 dx$    | 295 |
| 3.34 | $\int \cos(c + dx)(a + a \cos(c + dx))^4 dx$      | 298 |
| 3.35 | $\int (a + a \cos(c + dx))^4 dx$                  | 301 |
| 3.36 | $\int (a + a \cos(c + dx))^4 \sec(c + dx) dx$     | 304 |
| 3.37 | $\int (a + a \cos(c + dx))^4 \sec^2(c + dx) dx$   | 307 |
| 3.38 | $\int (a + a \cos(c + dx))^4 \sec^3(c + dx) dx$   | 310 |
| 3.39 | $\int (a + a \cos(c + dx))^4 \sec^4(c + dx) dx$   | 313 |
| 3.40 | $\int (a + a \cos(c + dx))^4 \sec^5(c + dx) dx$   | 316 |
| 3.41 | $\int (a + a \cos(c + dx))^4 \sec^6(c + dx) dx$   | 319 |
| 3.42 | $\int (a + a \cos(c + dx))^4 \sec^7(c + dx) dx$   | 322 |
| 3.43 | $\int \frac{\cos^5(c+dx)}{a+a \cos(c+dx)} dx$     | 325 |
| 3.44 | $\int \frac{\cos^4(c+dx)}{a+a \cos(c+dx)} dx$     | 329 |
| 3.45 | $\int \frac{\cos^3(c+dx)}{a+a \cos(c+dx)} dx$     | 333 |
| 3.46 | $\int \frac{\cos^2(c+dx)}{a+a \cos(c+dx)} dx$     | 336 |
| 3.47 | $\int \frac{\cos(c+dx)}{a+a \cos(c+dx)} dx$       | 339 |
| 3.48 | $\int \frac{1}{a+a \cos(c+dx)} dx$                | 341 |
| 3.49 | $\int \frac{\sec(c+dx)}{a+a \cos(c+dx)} dx$       | 343 |
| 3.50 | $\int \frac{\sec^2(c+dx)}{a+a \cos(c+dx)} dx$     | 346 |
| 3.51 | $\int \frac{\sec^3(c+dx)}{a+a \cos(c+dx)} dx$     | 349 |
| 3.52 | $\int \frac{\sec^4(c+dx)}{a+a \cos(c+dx)} dx$     | 352 |
| 3.53 | $\int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 355 |

|      |   |     |
|------|---|-----|
| 3.54 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 359 |
| 3.55 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 362 |
| 3.56 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 366 |
| 3.57 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^2} dx$   | 369 |
| 3.58 | $\int \frac{1}{(a+a \cos(c+dx))^2} dx$            | 372 |
| 3.59 | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^2} dx$   | 375 |
| 3.60 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 378 |
| 3.61 | $\int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 382 |
| 3.62 | $\int \frac{\sec^4(c+dx)}{(a+a \cos(c+dx))^2} dx$ | 386 |
| 3.63 | $\int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 390 |
| 3.64 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 394 |
| 3.65 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 398 |
| 3.66 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 401 |
| 3.67 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^3} dx$   | 404 |
| 3.68 | $\int \frac{1}{(a+a \cos(c+dx))^3} dx$            | 407 |
| 3.69 | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^3} dx$   | 410 |
| 3.70 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 413 |
| 3.71 | $\int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$ | 417 |
| 3.72 | $\int \frac{\cos^6(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 421 |
| 3.73 | $\int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 425 |
| 3.74 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 429 |
| 3.75 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 433 |
| 3.76 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 436 |
| 3.77 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^4} dx$   | 439 |
| 3.78 | $\int \frac{1}{(a+a \cos(c+dx))^4} dx$            | 442 |
| 3.79 | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^4} dx$   | 445 |
| 3.80 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 448 |
| 3.81 | $\int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$ | 452 |
| 3.82 | $\int \frac{\cos^7(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 456 |
| 3.83 | $\int \frac{\cos^6(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 460 |
| 3.84 | $\int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 464 |
| 3.85 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 468 |
| 3.86 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 472 |
| 3.87 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^5} dx$ | 476 |
| 3.88 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^5} dx$   | 479 |
| 3.89 | $\int \frac{1}{(a+a \cos(c+dx))^5} dx$            | 482 |

|       |   |     |
|-------|---|-----|
| 3.90  | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^5} dx$       | 485 |
| 3.91  | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^5} dx$     | 489 |
| 3.92  | $\int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^5} dx$     | 493 |
| 3.93  | $\int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^6} dx$     | 497 |
| 3.94  | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^6} dx$     | 501 |
| 3.95  | $\int \cos^4(c+dx)\sqrt{a+a \cos(c+dx)} dx$           | 505 |
| 3.96  | $\int \cos^3(c+dx)\sqrt{a+a \cos(c+dx)} dx$           | 508 |
| 3.97  | $\int \cos^2(c+dx)\sqrt{a+a \cos(c+dx)} dx$           | 511 |
| 3.98  | $\int \cos(c+dx)\sqrt{a+a \cos(c+dx)} dx$             | 514 |
| 3.99  | $\int \sqrt{a+a \cos(c+dx)} dx$                       | 517 |
| 3.100 | $\int \sqrt{a+a \cos(c+dx)} \sec(c+dx) dx$            | 519 |
| 3.101 | $\int \sqrt{a+a \cos(c+dx)} \sec^2(c+dx) dx$          | 522 |
| 3.102 | $\int \sqrt{a+a \cos(c+dx)} \sec^3(c+dx) dx$          | 526 |
| 3.103 | $\int \sqrt{a+a \cos(c+dx)} \sec^4(c+dx) dx$          | 531 |
| 3.104 | $\int \cos^3(c+dx)(a+a \cos(c+dx))^{3/2} dx$          | 537 |
| 3.105 | $\int \cos^2(c+dx)(a+a \cos(c+dx))^{3/2} dx$          | 541 |
| 3.106 | $\int \cos(c+dx)(a+a \cos(c+dx))^{3/2} dx$            | 544 |
| 3.107 | $\int (a+a \cos(c+dx))^{3/2} dx$                      | 547 |
| 3.108 | $\int (a+a \cos(c+dx))^{3/2} \sec(c+dx) dx$           | 550 |
| 3.109 | $\int (a+a \cos(c+dx))^{3/2} \sec^2(c+dx) dx$         | 554 |
| 3.110 | $\int (a+a \cos(c+dx))^{3/2} \sec^3(c+dx) dx$         | 558 |
| 3.111 | $\int (a+a \cos(c+dx))^{3/2} \sec^4(c+dx) dx$         | 563 |
| 3.112 | $\int \cos^3(c+dx)(a+a \cos(c+dx))^{5/2} dx$          | 567 |
| 3.113 | $\int \cos^2(c+dx)(a+a \cos(c+dx))^{5/2} dx$          | 571 |
| 3.114 | $\int \cos(c+dx)(a+a \cos(c+dx))^{5/2} dx$            | 574 |
| 3.115 | $\int (a+a \cos(c+dx))^{5/2} dx$                      | 577 |
| 3.116 | $\int (a+a \cos(c+dx))^{5/2} \sec(c+dx) dx$           | 580 |
| 3.117 | $\int (a+a \cos(c+dx))^{5/2} \sec^2(c+dx) dx$         | 586 |
| 3.118 | $\int (a+a \cos(c+dx))^{5/2} \sec^3(c+dx) dx$         | 590 |
| 3.119 | $\int (a+a \cos(c+dx))^{5/2} \sec^4(c+dx) dx$         | 596 |
| 3.120 | $\int (a+a \cos(c+dx))^{5/2} \sec^5(c+dx) dx$         | 603 |
| 3.121 | $\int (a+a \cos(c+dx))^{7/2} dx$                      | 607 |
| 3.122 | $\int \frac{\cos^4(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 610 |
| 3.123 | $\int \frac{\cos^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 614 |
| 3.124 | $\int \frac{\cos^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 618 |
| 3.125 | $\int \frac{\cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$    | 621 |
| 3.126 | $\int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx$             | 624 |
| 3.127 | $\int \frac{\sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$    | 627 |
| 3.128 | $\int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 630 |
| 3.129 | $\int \frac{\sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 634 |
| 3.130 | $\int \frac{\sec^4(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$  | 639 |
| 3.131 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$ | 644 |
| 3.132 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$ | 648 |



|       |   |     |
|-------|---|-----|
| 3.133 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$         | 652 |
| 3.134 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$           | 655 |
| 3.135 | $\int \frac{1}{(a+a \cos(c+dx))^{3/2}} dx$                    | 658 |
| 3.136 | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$           | 661 |
| 3.137 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$         | 665 |
| 3.138 | $\int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$         | 669 |
| 3.139 | $\int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 674 |
| 3.140 | $\int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 678 |
| 3.141 | $\int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 682 |
| 3.142 | $\int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$           | 685 |
| 3.143 | $\int \frac{1}{(a+a \cos(c+dx))^{5/2}} dx$                    | 688 |
| 3.144 | $\int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$           | 691 |
| 3.145 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 695 |
| 3.146 | $\int \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx)) dx$            | 700 |
| 3.147 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx)) dx$            | 703 |
| 3.148 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx)) dx$                   | 706 |
| 3.149 | $\int \frac{a+a \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx$            | 709 |
| 3.150 | $\int \frac{a+a \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$     | 712 |
| 3.151 | $\int \frac{a+a \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx$     | 715 |
| 3.152 | $\int \frac{a+a \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)} dx$     | 718 |
| 3.153 | $\int \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2 dx$          | 722 |
| 3.154 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2 dx$          | 725 |
| 3.155 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2 dx$                 | 728 |
| 3.156 | $\int \frac{(a+a \cos(c+dx))^2}{\sqrt{\cos(c+dx)}} dx$        | 731 |
| 3.157 | $\int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)} dx$ | 734 |
| 3.158 | $\int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 737 |
| 3.159 | $\int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{7}{2}}(c+dx)} dx$ | 740 |
| 3.160 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3 dx$          | 744 |
| 3.161 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3 dx$                 | 747 |
| 3.162 | $\int \frac{(a+a \cos(c+dx))^3}{\sqrt{\cos(c+dx)}} dx$        | 750 |
| 3.163 | $\int \frac{(a+a \cos(c+dx))^3}{\cos^{\frac{3}{2}}(c+dx)} dx$ | 753 |
| 3.164 | $\int \frac{(a+a \cos(c+dx))^3}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 756 |
| 3.165 | $\int \frac{(a+a \cos(c+dx))^3}{\cos^{\frac{7}{2}}(c+dx)} dx$ | 759 |
| 3.166 | $\int \frac{(a+a \cos(c+dx))^3}{\cos^{\frac{9}{2}}(c+dx)} dx$ | 763 |

|       |  |     |
|-------|--|-----|
| 3.167 | $\int \cos^3(c+dx)(a+a\cos(c+dx))^4 dx$                | 767 |
| 3.168 | $\int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^4 dx$           | 770 |
| 3.169 | $\int \frac{(a+a\cos(c+dx))^4}{\sqrt{\cos(c+dx)}} dx$  | 773 |
| 3.170 | $\int \frac{(a+a\cos(c+dx))^4}{\cos^3(c+dx)} dx$       | 776 |
| 3.171 | $\int \frac{(a+a\cos(c+dx))^4}{\cos^5(c+dx)} dx$       | 779 |
| 3.172 | $\int \frac{(a+a\cos(c+dx))^4}{\cos^7(c+dx)} dx$       | 782 |
| 3.173 | $\int \frac{(a+a\cos(c+dx))^4}{\cos^9(c+dx)} dx$       | 786 |
| 3.174 | $\int \frac{\cos^2(c+dx)}{a+a\cos(c+dx)} dx$           | 790 |
| 3.175 | $\int \frac{\cos^3(c+dx)}{a+a\cos(c+dx)} dx$           | 793 |
| 3.176 | $\int \frac{\cos^2(c+dx)}{a+a\cos(c+dx)} dx$           | 796 |
| 3.177 | $\int \frac{\sqrt{\cos(c+dx)}}{a+a\cos(c+dx)} dx$      | 799 |
| 3.178 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx$   | 802 |
| 3.179 | $\int \frac{1}{\cos^3(c+dx)(a+a\cos(c+dx))} dx$        | 805 |
| 3.180 | $\int \frac{1}{\cos^5(c+dx)(a+a\cos(c+dx))} dx$        | 808 |
| 3.181 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx$       | 811 |
| 3.182 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx$       | 815 |
| 3.183 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx$       | 819 |
| 3.184 | $\int \frac{\cos^3(c+dx)}{(a+a\cos(c+dx))^2} dx$       | 822 |
| 3.185 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^2} dx$  | 826 |
| 3.186 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx$ | 829 |
| 3.187 | $\int \frac{1}{\cos^3(c+dx)(a+a\cos(c+dx))^2} dx$      | 832 |
| 3.188 | $\int \frac{1}{\cos^5(c+dx)(a+a\cos(c+dx))^2} dx$      | 836 |
| 3.189 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx$       | 840 |
| 3.190 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx$       | 844 |
| 3.191 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx$       | 848 |
| 3.192 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx$       | 852 |
| 3.193 | $\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx$       | 856 |
| 3.194 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^3} dx$  | 860 |
| 3.195 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^3} dx$ | 863 |
| 3.196 | $\int \frac{1}{\cos^3(c+dx)(a+a\cos(c+dx))^3} dx$      | 867 |

|       |  |     |
|-------|--|-----|
| 3.197 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$             | 871 |
| 3.198 | $\int \cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \cos(c+dx)} dx$                    | 875 |
| 3.199 | $\int \cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \cos(c+dx)} dx$                    | 879 |
| 3.200 | $\int \sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)} dx$                           | 883 |
| 3.201 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$                  | 886 |
| 3.202 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$           | 889 |
| 3.203 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$           | 891 |
| 3.204 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{7}{2}}(c+dx)} dx$           | 894 |
| 3.205 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{9}{2}}(c+dx)} dx$           | 897 |
| 3.206 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{3}{2}} dx$           | 900 |
| 3.207 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{\frac{3}{2}} dx$                  | 904 |
| 3.208 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\sqrt{\cos(c+dx)}} dx$         | 908 |
| 3.209 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 911 |
| 3.210 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 915 |
| 3.211 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 918 |
| 3.212 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 921 |
| 3.213 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{5}{2}} dx$           | 924 |
| 3.214 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{\frac{5}{2}} dx$                  | 931 |
| 3.215 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\sqrt{\cos(c+dx)}} dx$         | 935 |
| 3.216 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 939 |
| 3.217 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 943 |
| 3.218 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 947 |
| 3.219 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 950 |
| 3.220 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{11}{2}}(c+dx)} dx$ | 953 |
| 3.221 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{5}{4}}(c+dx)} dx$  | 957 |
| 3.222 | $\int \frac{\sqrt{a+a \cos(e+fx)}}{\sqrt{\cos(e+fx)}} dx$                  | 960 |
| 3.223 | $\int \frac{\sqrt{a-a \cos(e+fx)}}{\sqrt{-\cos(e+fx)}} dx$                 | 963 |
| 3.224 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$           | 966 |
| 3.225 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$           | 970 |
| 3.226 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$                  | 974 |
| 3.227 | $\int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx$                 | 977 |

|       |   |      |
|-------|---|------|
| 3.228 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx$          | 980  |
| 3.229 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx$          | 983  |
| 3.230 | $\int \frac{1}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx$          | 987  |
| 3.231 | $\int \frac{\cos^2(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$                        | 991  |
| 3.232 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$            | 995  |
| 3.233 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx$                   | 998  |
| 3.234 | $\int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{1+\cos(c+dx)}} dx$                  | 1001 |
| 3.235 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{1+\cos(c+dx)}} dx$           | 1004 |
| 3.236 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{1+\cos(c+dx)}} dx$           | 1007 |
| 3.237 | $\int \frac{1}{\cos^{\frac{7}{2}}(c+dx)\sqrt{1+\cos(c+dx)}} dx$           | 1011 |
| 3.238 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{3}{2}}} dx$  | 1015 |
| 3.239 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{3}{2}}} dx$  | 1019 |
| 3.240 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^{\frac{3}{2}}} dx$         | 1023 |
| 3.241 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{\frac{3}{2}}} dx$        | 1026 |
| 3.242 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} dx$ | 1029 |
| 3.243 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} dx$ | 1033 |
| 3.244 | $\int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx$  | 1037 |
| 3.245 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx$  | 1042 |
| 3.246 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx$  | 1046 |
| 3.247 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx$         | 1050 |
| 3.248 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{\frac{5}{2}}} dx$        | 1053 |
| 3.249 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{5}{2}}} dx$ | 1056 |
| 3.250 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{5}{2}}} dx$ | 1060 |
| 3.251 | $\int \frac{\cos^{\frac{9}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx$  | 1064 |
| 3.252 | $\int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx$  | 1069 |
| 3.253 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx$  | 1073 |
| 3.254 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx$  | 1077 |
| 3.255 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx$         | 1081 |
| 3.256 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{\frac{7}{2}}} dx$        | 1085 |
| 3.257 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{7}{2}}} dx$ | 1089 |

|       |  |      |
|-------|--|------|
| 3.258 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{7}{2}}} dx$ | 1093 |
| 3.259 | $\int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{9}{2}}} dx$  | 1098 |
| 3.260 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{9}{2}}} dx$  | 1102 |
| 3.261 | $\int \frac{1}{\sqrt{\cos(x)} \sqrt{1+\cos(x)}} dx$                        | 1106 |
| 3.262 | $\int \frac{1}{\sqrt{\cos(x)} \sqrt{a+a \cos(x)}} dx$                      | 1108 |
| 3.263 | $\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)} dx$                   | 1111 |
| 3.264 | $\int \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)} dx$                          | 1115 |
| 3.265 | $\int \frac{\sqrt{a-a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$                  | 1118 |
| 3.266 | $\int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$           | 1121 |
| 3.267 | $\int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$           | 1123 |
| 3.268 | $\int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{7}{2}}(c+dx)} dx$           | 1126 |
| 3.269 | $\int \sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx) dx$                     | 1129 |
| 3.270 | $\int \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)} dx$                            | 1133 |
| 3.271 | $\int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$                    | 1136 |
| 3.272 | $\int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$             | 1139 |
| 3.273 | $\int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$             | 1141 |
| 3.274 | $\int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{7}{2}}(c+dx)} dx$             | 1144 |
| 3.275 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{a-a \cos(c+dx)}} dx$           | 1147 |
| 3.276 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{a-a \cos(c+dx)}} dx$           | 1151 |
| 3.277 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a-a \cos(c+dx)}} dx$                  | 1155 |
| 3.278 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} dx$                | 1158 |
| 3.279 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$         | 1161 |
| 3.280 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$         | 1165 |
| 3.281 | $\int \frac{1}{\cos^{\frac{7}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$         | 1169 |
| 3.282 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{1-\cos(c+dx)}} dx$             | 1173 |
| 3.283 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{1-\cos(c+dx)}} dx$             | 1177 |
| 3.284 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1-\cos(c+dx)}} dx$                    | 1181 |
| 3.285 | $\int \frac{1}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx$                  | 1184 |
| 3.286 | $\int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} dx$           | 1187 |
| 3.287 | $\int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^{\frac{5}{2}}(c+dx)} dx$           | 1190 |
| 3.288 | $\int \cos^{\frac{4}{3}}(c+dx) \sqrt[3]{a+a \cos(c+dx)} dx$                | 1194 |

|       |  |      |
|-------|--|------|
| 3.289 | $\int \cos^{\frac{4}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx$      | 1197 |
| 3.290 | $\int \cos^{\frac{5}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx$      | 1200 |
| 3.291 | $\int (a+a\cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$           | 1203 |
| 3.292 | $\int (a+a\cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$           | 1206 |
| 3.293 | $\int (a+a\cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$           | 1209 |
| 3.294 | $\int (a+a\cos(c+dx)) \sqrt{\sec(c+dx)} dx$                  | 1212 |
| 3.295 | $\int \frac{a+a\cos(c+dx)}{\sqrt{\sec(c+dx)}} dx$            | 1215 |
| 3.296 | $\int \frac{a+a\cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx$     | 1218 |
| 3.297 | $\int \frac{a+a\cos(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx$     | 1221 |
| 3.298 | $\int (a+a\cos(c+dx))^2 \sec^{\frac{7}{2}}(c+dx) dx$         | 1224 |
| 3.299 | $\int (a+a\cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx) dx$         | 1228 |
| 3.300 | $\int (a+a\cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx) dx$         | 1231 |
| 3.301 | $\int (a+a\cos(c+dx))^2 \sqrt{\sec(c+dx)} dx$                | 1234 |
| 3.302 | $\int \frac{(a+a\cos(c+dx))^2}{\sqrt{\sec(c+dx)}} dx$        | 1237 |
| 3.303 | $\int \frac{(a+a\cos(c+dx))^2}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 1241 |
| 3.304 | $\int (a+a\cos(c+dx))^3 \sec^{\frac{9}{2}}(c+dx) dx$         | 1245 |
| 3.305 | $\int (a+a\cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx) dx$         | 1249 |
| 3.306 | $\int (a+a\cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx) dx$         | 1252 |
| 3.307 | $\int (a+a\cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx) dx$         | 1255 |
| 3.308 | $\int (a+a\cos(c+dx))^3 \sqrt{\sec(c+dx)} dx$                | 1258 |
| 3.309 | $\int \frac{(a+a\cos(c+dx))^3}{\sqrt{\sec(c+dx)}} dx$        | 1261 |
| 3.310 | $\int \frac{(a+a\cos(c+dx))^3}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 1265 |
| 3.311 | $\int (a+a\cos(c+dx))^4 \sec^{\frac{9}{2}}(c+dx) dx$         | 1269 |
| 3.312 | $\int (a+a\cos(c+dx))^4 \sec^{\frac{7}{2}}(c+dx) dx$         | 1273 |
| 3.313 | $\int (a+a\cos(c+dx))^4 \sec^{\frac{5}{2}}(c+dx) dx$         | 1277 |
| 3.314 | $\int (a+a\cos(c+dx))^4 \sec^{\frac{3}{2}}(c+dx) dx$         | 1280 |
| 3.315 | $\int (a+a\cos(c+dx))^4 \sqrt{\sec(c+dx)} dx$                | 1283 |
| 3.316 | $\int \frac{(a+a\cos(c+dx))^4}{\sqrt{\sec(c+dx)}} dx$        | 1287 |
| 3.317 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{a+a\cos(c+dx)} dx$     | 1291 |
| 3.318 | $\int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+a\cos(c+dx)} dx$     | 1295 |
| 3.319 | $\int \frac{\sqrt{\sec(c+dx)}}{a+a\cos(c+dx)} dx$            | 1299 |
| 3.320 | $\int \frac{1}{(a+a\cos(c+dx)) \sqrt{\sec(c+dx)}} dx$        | 1302 |
| 3.321 | $\int \frac{1}{(a+a\cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$ | 1305 |
| 3.322 | $\int \frac{1}{(a+a\cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$ | 1308 |
| 3.323 | $\int \frac{1}{(a+a\cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)} dx$ | 1312 |
| 3.324 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^2} dx$ | 1316 |

|       |   |      |
|-------|---|------|
| 3.325 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$                         | 1320 |
| 3.326 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$                    | 1324 |
| 3.327 | $\int \frac{1}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$                  | 1328 |
| 3.328 | $\int \frac{1}{(a+a \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$           | 1331 |
| 3.329 | $\int \frac{1}{(a+a \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$           | 1335 |
| 3.330 | $\int \frac{1}{(a+a \cos(c+dx))^2 \sec^{\frac{7}{2}}(c+dx)} dx$           | 1339 |
| 3.331 | $\int \frac{1}{(a+a \cos(c+dx))^2 \sec^{\frac{9}{2}}(c+dx)} dx$           | 1343 |
| 3.332 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$                         | 1347 |
| 3.333 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$                    | 1352 |
| 3.334 | $\int \frac{1}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$                  | 1356 |
| 3.335 | $\int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$           | 1360 |
| 3.336 | $\int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$           | 1364 |
| 3.337 | $\int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$           | 1368 |
| 3.338 | $\int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{9}{2}}(c+dx)} dx$           | 1372 |
| 3.339 | $\int \sqrt{a+a \cos(c+dx)} \sec^{\frac{9}{2}}(c+dx) dx$                  | 1376 |
| 3.340 | $\int \sqrt{a+a \cos(c+dx)} \sec^{\frac{7}{2}}(c+dx) dx$                  | 1379 |
| 3.341 | $\int \sqrt{a+a \cos(c+dx)} \sec^{\frac{5}{2}}(c+dx) dx$                  | 1382 |
| 3.342 | $\int \sqrt{a+a \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx) dx$                  | 1385 |
| 3.343 | $\int \sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)} dx$                         | 1388 |
| 3.344 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\sec(c+dx)}} dx$                 | 1391 |
| 3.345 | $\int \frac{\sqrt{a+a \cos(c+dx)}}{\sec^{\frac{3}{2}}(c+dx)} dx$          | 1394 |
| 3.346 | $\int (a+a \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{9}{2}}(c+dx) dx$         | 1398 |
| 3.347 | $\int (a+a \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{7}{2}}(c+dx) dx$         | 1402 |
| 3.348 | $\int (a+a \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{5}{2}}(c+dx) dx$         | 1405 |
| 3.349 | $\int (a+a \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{3}{2}}(c+dx) dx$         | 1408 |
| 3.350 | $\int (a+a \cos(c+dx))^{\frac{3}{2}} \sqrt{\sec(c+dx)} dx$                | 1412 |
| 3.351 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\sqrt{\sec(c+dx)}} dx$        | 1416 |
| 3.352 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 1420 |
| 3.353 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{11}{2}}(c+dx) dx$        | 1425 |
| 3.354 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{9}{2}}(c+dx) dx$         | 1429 |
| 3.355 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{7}{2}}(c+dx) dx$         | 1433 |
| 3.356 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{5}{2}}(c+dx) dx$         | 1436 |
| 3.357 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{3}{2}}(c+dx) dx$         | 1440 |
| 3.358 | $\int (a+a \cos(c+dx))^{\frac{5}{2}} \sqrt{\sec(c+dx)} dx$                | 1444 |
| 3.359 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}}{\sqrt{\sec(c+dx)}} dx$        | 1448 |

|       |  |      |
|-------|--|------|
| 3.360 | $\int \frac{(a+a \cos(c+dx))^{5/2}}{\sec^2(c+dx)} dx$        | 1453 |
| 3.361 | $\int \frac{\sec^2(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$           | 1460 |
| 3.362 | $\int \frac{\sec^2(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$           | 1464 |
| 3.363 | $\int \frac{\sec^2(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$           | 1468 |
| 3.364 | $\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx$      | 1471 |
| 3.365 | $\int \frac{1}{\sqrt{1+\cos(c+dx)} \sqrt{\sec(c+dx)}} dx$    | 1474 |
| 3.366 | $\int \frac{1}{\sqrt{1+\cos(c+dx)} \sec^2(c+dx)} dx$         | 1477 |
| 3.367 | $\int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$         | 1480 |
| 3.368 | $\int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$         | 1484 |
| 3.369 | $\int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$         | 1488 |
| 3.370 | $\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$    | 1491 |
| 3.371 | $\int \frac{1}{\sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$  | 1494 |
| 3.372 | $\int \frac{1}{\sqrt{a+a \cos(c+dx)} \sec^2(c+dx)} dx$       | 1497 |
| 3.373 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$        | 1501 |
| 3.374 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$        | 1505 |
| 3.375 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx$   | 1509 |
| 3.376 | $\int \frac{1}{(a+a \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$ | 1512 |
| 3.377 | $\int \frac{1}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$      | 1515 |
| 3.378 | $\int \frac{1}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$      | 1519 |
| 3.379 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$        | 1523 |
| 3.380 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$        | 1528 |
| 3.381 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx$   | 1532 |
| 3.382 | $\int \frac{1}{(a+a \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$ | 1536 |
| 3.383 | $\int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$      | 1540 |
| 3.384 | $\int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$      | 1544 |
| 3.385 | $\int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$      | 1549 |
| 3.386 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$        | 1554 |
| 3.387 | $\int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$        | 1559 |
| 3.388 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$   | 1564 |
| 3.389 | $\int \frac{1}{(a+a \cos(c+dx))^{7/2} \sqrt{\sec(c+dx)}} dx$ | 1568 |



|       |   |      |
|-------|---|------|
| 3.390 | $\int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)^3} dx$ | 1572 |
| 3.391 | $\int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)^5} dx$ | 1576 |
| 3.392 | $\int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)^7} dx$ | 1581 |
| 3.393 | $\int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)^9} dx$ | 1586 |
| 3.394 | $\int \frac{1}{(a+a \cos(c+dx))^{9/2} \sec^2(c+dx)^5} dx$ | 1591 |
| 3.395 | $\int \frac{1}{(a+a \cos(c+dx))^{9/2} \sec^2(c+dx)^7} dx$ | 1596 |
| 3.396 | $\int (a+a \cos(c+dx))^{3/2} \sec^5(c+dx) dx$             | 1601 |
| 3.397 | $\int \cos^m(c+dx)(a+a \cos(c+dx))^4 dx$                  | 1604 |
| 3.398 | $\int \cos^m(c+dx)(a+a \cos(c+dx))^3 dx$                  | 1607 |
| 3.399 | $\int \cos^m(c+dx)(a+a \cos(c+dx))^2 dx$                  | 1610 |
| 3.400 | $\int \cos^m(c+dx)(a+a \cos(c+dx)) dx$                    | 1613 |
| 3.401 | $\int \frac{\cos^m(c+dx)}{a+a \cos(c+dx)} dx$             | 1616 |
| 3.402 | $\int \frac{\cos^m(c+dx)}{(a+a \cos(c+dx))^2} dx$         | 1619 |
| 3.403 | $\int \cos^7(c+dx)(a+b \cos(c+dx)) dx$                    | 1622 |
| 3.404 | $\int \cos^6(c+dx)(a+b \cos(c+dx)) dx$                    | 1625 |
| 3.405 | $\int \cos^5(c+dx)(a+b \cos(c+dx)) dx$                    | 1628 |
| 3.406 | $\int \cos^4(c+dx)(a+b \cos(c+dx)) dx$                    | 1631 |
| 3.407 | $\int \cos^3(c+dx)(a+b \cos(c+dx)) dx$                    | 1634 |
| 3.408 | $\int \cos^2(c+dx)(a+b \cos(c+dx)) dx$                    | 1637 |
| 3.409 | $\int \cos(c+dx)(a+b \cos(c+dx)) dx$                      | 1640 |
| 3.410 | $\int (a+b \cos(c+dx)) dx$                                | 1642 |
| 3.411 | $\int (a+b \cos(c+dx)) \sec(c+dx) dx$                     | 1644 |
| 3.412 | $\int (a+b \cos(c+dx)) \sec^2(c+dx) dx$                   | 1646 |
| 3.413 | $\int (a+b \cos(c+dx)) \sec^3(c+dx) dx$                   | 1649 |
| 3.414 | $\int (a+b \cos(c+dx)) \sec^4(c+dx) dx$                   | 1652 |
| 3.415 | $\int (a+b \cos(c+dx)) \sec^5(c+dx) dx$                   | 1655 |
| 3.416 | $\int (a+b \cos(c+dx)) \sec^6(c+dx) dx$                   | 1658 |
| 3.417 | $\int \cos^4(c+dx)(a+b \cos(c+dx))^2 dx$                  | 1661 |
| 3.418 | $\int \cos^3(c+dx)(a+b \cos(c+dx))^2 dx$                  | 1664 |
| 3.419 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^2 dx$                  | 1667 |
| 3.420 | $\int \cos(c+dx)(a+b \cos(c+dx))^2 dx$                    | 1670 |
| 3.421 | $\int (a+b \cos(c+dx))^2 dx$                              | 1673 |
| 3.422 | $\int (a+b \cos(c+dx))^2 \sec(c+dx) dx$                   | 1675 |
| 3.423 | $\int (a+b \cos(c+dx))^2 \sec^2(c+dx) dx$                 | 1678 |
| 3.424 | $\int (a+b \cos(c+dx))^2 \sec^3(c+dx) dx$                 | 1681 |
| 3.425 | $\int (a+b \cos(c+dx))^2 \sec^4(c+dx) dx$                 | 1684 |
| 3.426 | $\int (a+b \cos(c+dx))^2 \sec^5(c+dx) dx$                 | 1687 |
| 3.427 | $\int (a+b \cos(c+dx))^2 \sec^6(c+dx) dx$                 | 1690 |
| 3.428 | $\int \cos^3(c+dx)(a+b \cos(c+dx))^3 dx$                  | 1693 |
| 3.429 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^3 dx$                  | 1697 |
| 3.430 | $\int \cos(c+dx)(a+b \cos(c+dx))^3 dx$                    | 1700 |
| 3.431 | $\int (a+b \cos(c+dx))^3 dx$                              | 1703 |
| 3.432 | $\int (a+b \cos(c+dx))^3 \sec(c+dx) dx$                   | 1706 |
| 3.433 | $\int (a+b \cos(c+dx))^3 \sec^2(c+dx) dx$                 | 1709 |
| 3.434 | $\int (a+b \cos(c+dx))^3 \sec^3(c+dx) dx$                 | 1712 |
| 3.435 | $\int (a+b \cos(c+dx))^3 \sec^4(c+dx) dx$                 | 1715 |

|       |   |      |
|-------|---|------|
| 3.436 | $\int (a + b \cos(c + dx))^3 \sec^5(c + dx) dx$   | 1718 |
| 3.437 | $\int (a + b \cos(c + dx))^3 \sec^6(c + dx) dx$   | 1722 |
| 3.438 | $\int \cos^3(c + dx)(a + b \cos(c + dx))^4 dx$    | 1726 |
| 3.439 | $\int \cos^2(c + dx)(a + b \cos(c + dx))^4 dx$    | 1730 |
| 3.440 | $\int \cos(c + dx)(a + b \cos(c + dx))^4 dx$      | 1733 |
| 3.441 | $\int (a + b \cos(c + dx))^4 dx$                  | 1736 |
| 3.442 | $\int (a + b \cos(c + dx))^4 \sec(c + dx) dx$     | 1739 |
| 3.443 | $\int (a + b \cos(c + dx))^4 \sec^2(c + dx) dx$   | 1742 |
| 3.444 | $\int (a + b \cos(c + dx))^4 \sec^3(c + dx) dx$   | 1745 |
| 3.445 | $\int (a + b \cos(c + dx))^4 \sec^4(c + dx) dx$   | 1749 |
| 3.446 | $\int (a + b \cos(c + dx))^4 \sec^5(c + dx) dx$   | 1752 |
| 3.447 | $\int (a + b \cos(c + dx))^4 \sec^6(c + dx) dx$   | 1756 |
| 3.448 | $\int (a + b \cos(c + dx))^4 \sec^7(c + dx) dx$   | 1760 |
| 3.449 | $\int \frac{\cos^5(c+dx)}{a+b \cos(c+dx)} dx$     | 1764 |
| 3.450 | $\int \frac{\cos^4(c+dx)}{a+b \cos(c+dx)} dx$     | 1769 |
| 3.451 | $\int \frac{\cos^3(c+dx)}{a+b \cos(c+dx)} dx$     | 1773 |
| 3.452 | $\int \frac{\cos^2(c+dx)}{a+b \cos(c+dx)} dx$     | 1777 |
| 3.453 | $\int \frac{\cos(c+dx)}{a+b \cos(c+dx)} dx$       | 1781 |
| 3.454 | $\int \frac{1}{a+b \cos(c+dx)} dx$                | 1784 |
| 3.455 | $\int \frac{\sec(c+dx)}{a+b \cos(c+dx)} dx$       | 1787 |
| 3.456 | $\int \frac{\sec^2(c+dx)}{a+b \cos(c+dx)} dx$     | 1790 |
| 3.457 | $\int \frac{\sec^3(c+dx)}{a+b \cos(c+dx)} dx$     | 1794 |
| 3.458 | $\int \frac{\sec^4(c+dx)}{a+b \cos(c+dx)} dx$     | 1798 |
| 3.459 | $\int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1803 |
| 3.460 | $\int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1809 |
| 3.461 | $\int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1815 |
| 3.462 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1820 |
| 3.463 | $\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^2} dx$   | 1824 |
| 3.464 | $\int \frac{1}{(a+b \cos(c+dx))^2} dx$            | 1827 |
| 3.465 | $\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^2} dx$   | 1830 |
| 3.466 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1835 |
| 3.467 | $\int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1840 |
| 3.468 | $\int \frac{\sec^4(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1846 |
| 3.469 | $\int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1852 |
| 3.470 | $\int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1860 |
| 3.471 | $\int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1867 |
| 3.472 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1873 |
| 3.473 | $\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^3} dx$   | 1877 |
| 3.474 | $\int \frac{1}{(a+b \cos(c+dx))^3} dx$            | 1881 |
| 3.475 | $\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^3} dx$   | 1885 |

|       |   |      |
|-------|---|------|
| 3.476 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1891 |
| 3.477 | $\int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 1898 |
| 3.478 | $\int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^4} dx$ | 1906 |
| 3.479 | $\int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^4} dx$ | 1915 |
| 3.480 | $\int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^4} dx$ | 1923 |
| 3.481 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^4} dx$ | 1928 |
| 3.482 | $\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^4} dx$   | 1932 |
| 3.483 | $\int \frac{1}{(a+b \cos(c+dx))^4} dx$            | 1936 |
| 3.484 | $\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^4} dx$   | 1940 |
| 3.485 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$ | 1948 |
| 3.486 | $\int \cos^3(c+dx) \sqrt{a+b \cos(c+dx)} dx$      | 1957 |
| 3.487 | $\int \cos^2(c+dx) \sqrt{a+b \cos(c+dx)} dx$      | 1961 |
| 3.488 | $\int \cos(c+dx) \sqrt{a+b \cos(c+dx)} dx$        | 1965 |
| 3.489 | $\int \sqrt{a+b \cos(c+dx)} dx$                   | 1968 |
| 3.490 | $\int \sqrt{a+b \cos(c+dx)} \sec(c+dx) dx$        | 1971 |
| 3.491 | $\int \sqrt{a+b \cos(c+dx)} \sec^2(c+dx) dx$      | 1974 |
| 3.492 | $\int \sqrt{a+b \cos(c+dx)} \sec^3(c+dx) dx$      | 1978 |
| 3.493 | $\int \cos^3(c+dx)(a+b \cos(c+dx))^{3/2} dx$      | 1983 |
| 3.494 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^{3/2} dx$      | 1988 |
| 3.495 | $\int \cos(c+dx)(a+b \cos(c+dx))^{3/2} dx$        | 1992 |
| 3.496 | $\int (a+b \cos(c+dx))^{3/2} dx$                  | 1996 |
| 3.497 | $\int (a+b \cos(c+dx))^{3/2} \sec(c+dx) dx$       | 1999 |
| 3.498 | $\int (a+b \cos(c+dx))^{3/2} \sec^2(c+dx) dx$     | 2003 |
| 3.499 | $\int (a+b \cos(c+dx))^{3/2} \sec^3(c+dx) dx$     | 2008 |
| 3.500 | $\int \cos^3(c+dx)(a+b \cos(c+dx))^{5/2} dx$      | 2013 |
| 3.501 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^{5/2} dx$      | 2018 |
| 3.502 | $\int \cos(c+dx)(a+b \cos(c+dx))^{5/2} dx$        | 2022 |
| 3.503 | $\int (a+b \cos(c+dx))^{5/2} dx$                  | 2026 |
| 3.504 | $\int (a+b \cos(c+dx))^{5/2} \sec(c+dx) dx$       | 2030 |
| 3.505 | $\int (a+b \cos(c+dx))^{5/2} \sec^2(c+dx) dx$     | 2034 |
| 3.506 | $\int (a+b \cos(c+dx))^{5/2} \sec^3(c+dx) dx$     | 2038 |
| 3.507 | $\int (a+b \cos(c+dx))^{5/2} \sec^4(c+dx) dx$     | 2043 |
| 3.508 | $\int (a+b \cos(c+dx))^{7/2} dx$                  | 2048 |
| 3.509 | $\int \cos^3(c+dx) \sqrt{3+4 \cos(c+dx)} dx$      | 2052 |
| 3.510 | $\int \cos^2(c+dx) \sqrt{3+4 \cos(c+dx)} dx$      | 2055 |
| 3.511 | $\int \cos(c+dx) \sqrt{3+4 \cos(c+dx)} dx$        | 2058 |
| 3.512 | $\int \sqrt{3+4 \cos(c+dx)} dx$                   | 2061 |
| 3.513 | $\int \sqrt{3+4 \cos(c+dx)} \sec(c+dx) dx$        | 2063 |
| 3.514 | $\int \sqrt{3+4 \cos(c+dx)} \sec^2(c+dx) dx$      | 2066 |
| 3.515 | $\int \sqrt{3+4 \cos(c+dx)} \sec^3(c+dx) dx$      | 2069 |
| 3.516 | $\int \sqrt{3-4 \cos(c+dx)} \cos^3(c+dx) dx$      | 2073 |
| 3.517 | $\int \sqrt{3-4 \cos(c+dx)} \cos^2(c+dx) dx$      | 2076 |
| 3.518 | $\int \sqrt{3-4 \cos(c+dx)} \cos(c+dx) dx$        | 2079 |
| 3.519 | $\int \sqrt{3-4 \cos(c+dx)} dx$                   | 2082 |
| 3.520 | $\int \sqrt{3-4 \cos(c+dx)} \sec(c+dx) dx$        | 2084 |
| 3.521 | $\int \sqrt{3-4 \cos(c+dx)} \sec^2(c+dx) dx$      | 2087 |
| 3.522 | $\int \sqrt{3-4 \cos(c+dx)} \sec^3(c+dx) dx$      | 2090 |

|       |   |      |
|-------|---|------|
| 3.523 | $\int \frac{\cos^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2094 |
| 3.524 | $\int \frac{\cos^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2098 |
| 3.525 | $\int \frac{\cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$    | 2102 |
| 3.526 | $\int \frac{1}{\sqrt{a+b \cos(c+dx)}} dx$             | 2105 |
| 3.527 | $\int \frac{\sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$    | 2108 |
| 3.528 | $\int \frac{\sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2111 |
| 3.529 | $\int \frac{\sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2115 |
| 3.530 | $\int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2120 |
| 3.531 | $\int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2125 |
| 3.532 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2129 |
| 3.533 | $\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$   | 2133 |
| 3.534 | $\int \frac{1}{(a+b \cos(c+dx))^{3/2}} dx$            | 2136 |
| 3.535 | $\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$   | 2139 |
| 3.536 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2143 |
| 3.537 | $\int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2148 |
| 3.538 | $\int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2153 |
| 3.539 | $\int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2158 |
| 3.540 | $\int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2163 |
| 3.541 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2167 |
| 3.542 | $\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$   | 2171 |
| 3.543 | $\int \frac{1}{(a+b \cos(c+dx))^{5/2}} dx$            | 2175 |
| 3.544 | $\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$   | 2179 |
| 3.545 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2184 |
| 3.546 | $\int \frac{1}{(a+b \cos(c+dx))^{7/2}} dx$            | 2190 |
| 3.547 | $\int \frac{\cos^3(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$  | 2194 |
| 3.548 | $\int \frac{\cos^2(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$  | 2197 |
| 3.549 | $\int \frac{\cos(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$    | 2200 |
| 3.550 | $\int \frac{1}{\sqrt{3+4 \cos(c+dx)}} dx$             | 2203 |
| 3.551 | $\int \frac{\sec(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$    | 2205 |
| 3.552 | $\int \frac{\sec^2(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$  | 2207 |
| 3.553 | $\int \frac{\sec^3(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$  | 2211 |
| 3.554 | $\int \frac{\cos^3(c+dx)}{\sqrt{3-4 \cos(c+dx)}} dx$  | 2215 |
| 3.555 | $\int \frac{\cos^2(c+dx)}{\sqrt{3-4 \cos(c+dx)}} dx$  | 2218 |
| 3.556 | $\int \frac{\cos(c+dx)}{\sqrt{3-4 \cos(c+dx)}} dx$    | 2221 |
| 3.557 | $\int \frac{1}{\sqrt{3-4 \cos(c+dx)}} dx$             | 2224 |
| 3.558 | $\int \frac{\sec(c+dx)}{\sqrt{3-4 \cos(c+dx)}} dx$    | 2226 |

|       |  |      |
|-------|--|------|
| 3.559 | $\int \frac{\sec^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$          | 2228 |
| 3.560 | $\int \frac{\sec^3(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$          | 2232 |
| 3.561 | $\int \cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx)) dx$            | 2236 |
| 3.562 | $\int \cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx)) dx$            | 2239 |
| 3.563 | $\int \sqrt{\cos(c+dx)}(A+B\cos(c+dx)) dx$                   | 2242 |
| 3.564 | $\int \frac{A+B\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx$            | 2245 |
| 3.565 | $\int \frac{A+B\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$     | 2248 |
| 3.566 | $\int \frac{\cos^{\frac{2}{5}}(c+dx)}{A+B\cos(c+dx)} dx$     | 2251 |
| 3.567 | $\int \frac{\cos^{\frac{2}{7}}(c+dx)}{A+B\cos(c+dx)} dx$     | 2254 |
| 3.568 | $\int \cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^2 dx$          | 2257 |
| 3.569 | $\int \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^2 dx$          | 2260 |
| 3.570 | $\int \sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2 dx$                 | 2263 |
| 3.571 | $\int \frac{(a+b\cos(c+dx))^2}{\sqrt{\cos(c+dx)}} dx$        | 2266 |
| 3.572 | $\int \frac{(a+b\cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)} dx$ | 2269 |
| 3.573 | $\int \frac{(a+b\cos(c+dx))^2}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 2272 |
| 3.574 | $\int \frac{(a+b\cos(c+dx))^2}{\cos^{\frac{7}{2}}(c+dx)} dx$ | 2275 |
| 3.575 | $\int \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^3 dx$          | 2278 |
| 3.576 | $\int \sqrt{\cos(c+dx)}(a+b\cos(c+dx))^3 dx$                 | 2282 |
| 3.577 | $\int \frac{(a+b\cos(c+dx))^3}{\sqrt{\cos(c+dx)}} dx$        | 2285 |
| 3.578 | $\int \frac{(a+b\cos(c+dx))^3}{\cos^{\frac{3}{2}}(c+dx)} dx$ | 2288 |
| 3.579 | $\int \frac{(a+b\cos(c+dx))^3}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 2291 |
| 3.580 | $\int \frac{(a+b\cos(c+dx))^3}{\cos^{\frac{7}{2}}(c+dx)} dx$ | 2295 |
| 3.581 | $\int \frac{(a+b\cos(c+dx))^3}{\cos^{\frac{9}{2}}(c+dx)} dx$ | 2299 |
| 3.582 | $\int \frac{\cos^{\frac{2}{5}}(c+dx)}{a+b\cos(c+dx)} dx$     | 2303 |
| 3.583 | $\int \frac{\cos^{\frac{3}{5}}(c+dx)}{a+b\cos(c+dx)} dx$     | 2307 |
| 3.584 | $\int \frac{\sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx$            | 2310 |
| 3.585 | $\int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx$         | 2313 |
| 3.586 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} dx$  | 2315 |
| 3.587 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))} dx$  | 2318 |
| 3.588 | $\int \frac{\cos^{\frac{2}{5}}(c+dx)}{(a+b\cos(c+dx))^2} dx$ | 2322 |
| 3.589 | $\int \frac{\cos^{\frac{3}{5}}(c+dx)}{(a+b\cos(c+dx))^2} dx$ | 2327 |
| 3.590 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx$ | 2331 |

|       |  |      |
|-------|--|------|
| 3.591 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^2} dx$                     | 2335 |
| 3.592 | $\int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^2} dx$                   | 2339 |
| 3.593 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$             | 2343 |
| 3.594 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$             | 2347 |
| 3.595 | $\int \frac{\cos^{\frac{2}{9}}(c+dx)}{(a+b \cos(c+dx))^3} dx$              | 2352 |
| 3.596 | $\int \frac{\cos^{\frac{2}{7}}(c+dx)}{(a+b \cos(c+dx))^3} dx$              | 2357 |
| 3.597 | $\int \frac{\cos^{\frac{2}{5}}(c+dx)}{(a+b \cos(c+dx))^3} dx$              | 2362 |
| 3.598 | $\int \frac{\cos^{\frac{2}{3}}(c+dx)}{(a+b \cos(c+dx))^3} dx$              | 2367 |
| 3.599 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^3} dx$                     | 2372 |
| 3.600 | $\int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^3} dx$                   | 2377 |
| 3.601 | $\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$             | 2382 |
| 3.602 | $\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$             | 2387 |
| 3.603 | $\int \cos^{\frac{2}{3}}(c+dx) \sqrt{a+b \cos(c+dx)} dx$                   | 2392 |
| 3.604 | $\int \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} dx$                          | 2397 |
| 3.605 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$                  | 2401 |
| 3.606 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$           | 2404 |
| 3.607 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$           | 2407 |
| 3.608 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^{\frac{7}{2}}(c+dx)} dx$           | 2411 |
| 3.609 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^{\frac{9}{2}}(c+dx)} dx$           | 2415 |
| 3.610 | $\int \cos^{\frac{2}{3}}(c+dx)(a+b \cos(c+dx))^{\frac{3}{2}} dx$           | 2420 |
| 3.611 | $\int \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{\frac{3}{2}} dx$                 | 2425 |
| 3.612 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\sqrt{\cos(c+dx)}} dx$         | 2430 |
| 3.613 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 2434 |
| 3.614 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 2438 |
| 3.615 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 2442 |
| 3.616 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 2446 |
| 3.617 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\cos^{\frac{11}{2}}(c+dx)} dx$ | 2451 |
| 3.618 | $\int \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{\frac{5}{2}} dx$                 | 2457 |
| 3.619 | $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}}}{\sqrt{\cos(c+dx)}} dx$         | 2462 |
| 3.620 | $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 2467 |
| 3.621 | $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}}}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 2472 |

|       |   |      |
|-------|---|------|
| 3.622 | $\int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$         | 2477 |
| 3.623 | $\int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$         | 2482 |
| 3.624 | $\int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$         | 2487 |
| 3.625 | $\int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$         | 2493 |
| 3.626 | $\int \frac{\cos^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$          | 2499 |
| 3.627 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$     | 2504 |
| 3.628 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$   | 2507 |
| 3.629 | $\int \frac{1}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$        | 2510 |
| 3.630 | $\int \frac{1}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$        | 2513 |
| 3.631 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$         | 2517 |
| 3.632 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$         | 2522 |
| 3.633 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$    | 2527 |
| 3.634 | $\int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{3/2}} dx$  | 2531 |
| 3.635 | $\int \frac{1}{\cos^2(c+dx) (a+b \cos(c+dx))^{3/2}} dx$       | 2534 |
| 3.636 | $\int \frac{1}{\cos^2(c+dx) (a+b \cos(c+dx))^{3/2}} dx$       | 2538 |
| 3.637 | $\int \frac{1}{\cos^2(c+dx) (a+b \cos(c+dx))^{3/2}} dx$       | 2543 |
| 3.638 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$         | 2548 |
| 3.639 | $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$         | 2554 |
| 3.640 | $\int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$    | 2558 |
| 3.641 | $\int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{5/2}} dx$  | 2563 |
| 3.642 | $\int \frac{1}{\cos^2(c+dx) (a+b \cos(c+dx))^{5/2}} dx$       | 2568 |
| 3.643 | $\int \frac{1}{\cos^2(c+dx) (a+b \cos(c+dx))^{5/2}} dx$       | 2574 |
| 3.644 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2+3 \cos(c+dx)}} dx$   | 2580 |
| 3.645 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-2+3 \cos(c+dx)}} dx$  | 2582 |
| 3.646 | $\int \frac{1}{\sqrt{2-3 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$   | 2584 |
| 3.647 | $\int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$  | 2587 |
| 3.648 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{3+2 \cos(c+dx)}} dx$   | 2590 |
| 3.649 | $\int \frac{1}{\sqrt{3-2 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$   | 2593 |
| 3.650 | $\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-3+2 \cos(c+dx)}} dx$  | 2596 |
| 3.651 | $\int \frac{1}{\sqrt{-3-2 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$  | 2599 |
| 3.652 | $\int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{2+3 \cos(c+dx)}} dx$  | 2602 |
| 3.653 | $\int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-2+3 \cos(c+dx)}} dx$ | 2605 |

|       |  |      |
|-------|--|------|
| 3.654 | $\int \frac{1}{\sqrt{2-3\cos(c+dx)}\sqrt{-\cos(c+dx)}} dx$       | 2608 |
| 3.655 | $\int \frac{1}{\sqrt{-2-3\cos(c+dx)}\sqrt{-\cos(c+dx)}} dx$      | 2610 |
| 3.656 | $\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{3+2\cos(c+dx)}} dx$       | 2612 |
| 3.657 | $\int \frac{1}{\sqrt{3-2\cos(c+dx)}\sqrt{-\cos(c+dx)}} dx$       | 2615 |
| 3.658 | $\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{-3+2\cos(c+dx)}} dx$      | 2618 |
| 3.659 | $\int \frac{1}{\sqrt{-3-2\cos(c+dx)}\sqrt{-\cos(c+dx)}} dx$      | 2621 |
| 3.660 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx$         | 2624 |
| 3.661 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx$        | 2627 |
| 3.662 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$         | 2630 |
| 3.663 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx$        | 2633 |
| 3.664 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx$         | 2636 |
| 3.665 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx$         | 2639 |
| 3.666 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx$        | 2642 |
| 3.667 | $\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx$        | 2645 |
| 3.668 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx$        | 2648 |
| 3.669 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx$       | 2651 |
| 3.670 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$        | 2654 |
| 3.671 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx$       | 2657 |
| 3.672 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx$        | 2660 |
| 3.673 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx$        | 2663 |
| 3.674 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx$       | 2666 |
| 3.675 | $\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx$       | 2669 |
| 3.676 | $\int \frac{\cos^3(c+dx)}{a+b\cos(c+dx)} dx$                     | 2672 |
| 3.677 | $\int \frac{\sqrt[3]{\cos(c+dx)}}{a+b\cos(c+dx)} dx$             | 2677 |
| 3.678 | $\int \frac{1}{\sqrt[3]{\cos(c+dx)}(a+b\cos(c+dx))} dx$          | 2682 |
| 3.679 | $\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)(a+b\cos(c+dx))} dx$      | 2687 |
| 3.680 | $\int \frac{\cos^{\frac{3}{5}}(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx$  | 2692 |
| 3.681 | $\int \frac{\cos^{\frac{4}{5}}(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx$  | 2694 |
| 3.682 | $\int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx$  | 2696 |
| 3.683 | $\int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx$  | 2698 |
| 3.684 | $\int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx$      | 2700 |
| 3.685 | $\int \frac{1}{\sqrt[3]{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} dx$     | 2702 |
| 3.686 | $\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$ | 2704 |



|       |  |      |
|-------|--|------|
| 3.687 | $\int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$ | 2706 |
| 3.688 | $\int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$ | 2708 |
| 3.689 | $\int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$ | 2710 |
| 3.690 | $\int (A+B\cos(c+dx))\sec^{\frac{7}{2}}(c+dx) dx$                | 2712 |
| 3.691 | $\int (A+B\cos(c+dx))\sec^{\frac{5}{2}}(c+dx) dx$                | 2715 |
| 3.692 | $\int (A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx) dx$                | 2718 |
| 3.693 | $\int (A+B\cos(c+dx))\sqrt{\sec(c+dx)} dx$                       | 2721 |
| 3.694 | $\int \frac{A+B\cos(c+dx)}{\sqrt{\sec(c+dx)}} dx$                | 2724 |
| 3.695 | $\int \frac{A+B\cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx$         | 2727 |
| 3.696 | $\int \frac{A+B\cos(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx$         | 2730 |
| 3.697 | $\int (a+b\cos(c+dx))^2\sec^{\frac{9}{2}}(c+dx) dx$              | 2733 |
| 3.698 | $\int (a+b\cos(c+dx))^2\sec^{\frac{7}{2}}(c+dx) dx$              | 2737 |
| 3.699 | $\int (a+b\cos(c+dx))^2\sec^{\frac{5}{2}}(c+dx) dx$              | 2741 |
| 3.700 | $\int (a+b\cos(c+dx))^2\sec^{\frac{3}{2}}(c+dx) dx$              | 2744 |
| 3.701 | $\int (a+b\cos(c+dx))^2\sqrt{\sec(c+dx)} dx$                     | 2747 |
| 3.702 | $\int \frac{(a+b\cos(c+dx))^2}{\sqrt{\sec(c+dx)}} dx$            | 2750 |
| 3.703 | $\int \frac{(a+b\cos(c+dx))^2}{\sec^{\frac{3}{2}}(c+dx)} dx$     | 2753 |
| 3.704 | $\int \frac{(a+b\cos(c+dx))^2}{\sec^{\frac{5}{2}}(c+dx)} dx$     | 2757 |
| 3.705 | $\int (a+b\cos(c+dx))^3\sec^{\frac{9}{2}}(c+dx) dx$              | 2761 |
| 3.706 | $\int (a+b\cos(c+dx))^3\sec^{\frac{7}{2}}(c+dx) dx$              | 2765 |
| 3.707 | $\int (a+b\cos(c+dx))^3\sec^{\frac{5}{2}}(c+dx) dx$              | 2769 |
| 3.708 | $\int (a+b\cos(c+dx))^3\sec^{\frac{3}{2}}(c+dx) dx$              | 2773 |
| 3.709 | $\int (a+b\cos(c+dx))^3\sqrt{\sec(c+dx)} dx$                     | 2777 |
| 3.710 | $\int \frac{(a+b\cos(c+dx))^3}{\sqrt{\sec(c+dx)}} dx$            | 2781 |
| 3.711 | $\int \frac{(a+b\cos(c+dx))^3}{\sec^{\frac{3}{2}}(c+dx)} dx$     | 2785 |
| 3.712 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{a+b\cos(c+dx)} dx$         | 2789 |
| 3.713 | $\int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+b\cos(c+dx)} dx$         | 2793 |
| 3.714 | $\int \frac{\sqrt{\sec(c+dx)}}{a+b\cos(c+dx)} dx$                | 2797 |
| 3.715 | $\int \frac{1}{(a+b\cos(c+dx))\sqrt{\sec(c+dx)}} dx$             | 2800 |
| 3.716 | $\int \frac{1}{(a+b\cos(c+dx))\sec^{\frac{3}{2}}(c+dx)} dx$      | 2803 |
| 3.717 | $\int \frac{1}{(a+b\cos(c+dx))\sec^{\frac{5}{2}}(c+dx)} dx$      | 2807 |
| 3.718 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx$     | 2811 |
| 3.719 | $\int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx$     | 2816 |
| 3.720 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+b\cos(c+dx))^2} dx$            | 2821 |

|       |   |      |
|-------|---|------|
| 3.721 | $\int \frac{1}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$                  | 2826 |
| 3.722 | $\int \frac{1}{(a+b \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$           | 2831 |
| 3.723 | $\int \frac{1}{(a+b \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$           | 2835 |
| 3.724 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$             | 2839 |
| 3.725 | $\int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$             | 2845 |
| 3.726 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$                    | 2851 |
| 3.727 | $\int \frac{1}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$                  | 2856 |
| 3.728 | $\int \frac{1}{(a+b \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$           | 2861 |
| 3.729 | $\int \frac{1}{(a+b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$           | 2866 |
| 3.730 | $\int \sqrt{a+b \cos(c+dx)} \sec^{\frac{7}{2}}(c+dx) dx$                  | 2871 |
| 3.731 | $\int \sqrt{a+b \cos(c+dx)} \sec^{\frac{5}{2}}(c+dx) dx$                  | 2876 |
| 3.732 | $\int \sqrt{a+b \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx) dx$                  | 2880 |
| 3.733 | $\int \sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)} dx$                         | 2883 |
| 3.734 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\sec(c+dx)}} dx$                 | 2886 |
| 3.735 | $\int \frac{\sqrt{a+b \cos(c+dx)}}{\sec^{\frac{3}{2}}(c+dx)} dx$          | 2891 |
| 3.736 | $\int (a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{9}{2}}(c+dx) dx$         | 2896 |
| 3.737 | $\int (a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{7}{2}}(c+dx) dx$         | 2901 |
| 3.738 | $\int (a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{5}{2}}(c+dx) dx$         | 2906 |
| 3.739 | $\int (a+b \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{3}{2}}(c+dx) dx$         | 2910 |
| 3.740 | $\int (a+b \cos(c+dx))^{\frac{3}{2}} \sqrt{\sec(c+dx)} dx$                | 2914 |
| 3.741 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\sqrt{\sec(c+dx)}} dx$        | 2918 |
| 3.742 | $\int \frac{(a+b \cos(c+dx))^{\frac{3}{2}}}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 2923 |
| 3.743 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{11}{2}}(c+dx) dx$        | 2929 |
| 3.744 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{9}{2}}(c+dx) dx$         | 2934 |
| 3.745 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{7}{2}}(c+dx) dx$         | 2939 |
| 3.746 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{5}{2}}(c+dx) dx$         | 2944 |
| 3.747 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{3}{2}}(c+dx) dx$         | 2949 |
| 3.748 | $\int (a+b \cos(c+dx))^{\frac{5}{2}} \sqrt{\sec(c+dx)} dx$                | 2954 |
| 3.749 | $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}}}{\sqrt{\sec(c+dx)}} dx$        | 2960 |
| 3.750 | $\int \frac{(a+b \cos(c+dx))^{\frac{5}{2}}}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 2966 |
| 3.751 | $\int \frac{\sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$          | 2972 |
| 3.752 | $\int \frac{\sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$          | 2976 |
| 3.753 | $\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$                 | 2979 |
| 3.754 | $\int \frac{1}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$               | 2982 |

|       |  |      |
|-------|--|------|
| 3.755 | $\int \frac{1}{\sqrt{a+b \cos(c+dx)}^3 \sec^2(c+dx)} dx$                     | 2985 |
| 3.756 | $\int \frac{1}{\sqrt{a+b \cos(c+dx)}^5 \sec^2(c+dx)} dx$                     | 2990 |
| 3.757 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$                        | 2995 |
| 3.758 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$                        | 3000 |
| 3.759 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$                   | 3004 |
| 3.760 | $\int \frac{1}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$                 | 3008 |
| 3.761 | $\int \frac{1}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$                      | 3012 |
| 3.762 | $\int \frac{1}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$                      | 3017 |
| 3.763 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$                        | 3022 |
| 3.764 | $\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$                        | 3028 |
| 3.765 | $\int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$                   | 3034 |
| 3.766 | $\int \frac{1}{(a+b \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$                 | 3039 |
| 3.767 | $\int \frac{1}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$                      | 3044 |
| 3.768 | $\int \frac{1}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$                      | 3049 |
| 3.769 | $\int \cos^m(c+dx)(a+b \cos(c+dx))^4 dx$                                     | 3055 |
| 3.770 | $\int \cos^m(c+dx)(a+b \cos(c+dx))^3 dx$                                     | 3058 |
| 3.771 | $\int \cos^m(c+dx)(a+b \cos(c+dx))^2 dx$                                     | 3061 |
| 3.772 | $\int \cos^m(c+dx)(a+b \cos(c+dx)) dx$                                       | 3064 |
| 3.773 | $\int \frac{\cos^m(c+dx)}{a+b \cos(c+dx)} dx$                                | 3066 |
| 3.774 | $\int \frac{\cos^m(c+dx)}{(a+b \cos(c+dx))^2} dx$                            | 3069 |
| 3.775 | $\int (a+b \cos(c+dx))^3 \sec^m(c+dx) dx$                                    | 3072 |
| 3.776 | $\int (a+b \cos(c+dx))^2 \sec^m(c+dx) dx$                                    | 3075 |
| 3.777 | $\int (a+b \cos(c+dx)) \sec^m(c+dx) dx$                                      | 3078 |
| 3.778 | $\int \frac{\sqrt{1-\cos(x)}}{\sqrt{a-\cos(x)}} dx$                          | 3081 |
| 3.779 | $\int \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} dx$                                 | 3084 |
| 3.780 | $\int (a+a \cos(c+dx)) \left( -\frac{B}{2} + B \cos(c+dx) \right) dx$        | 3087 |
| 3.781 | $\int (a+a \cos(c+dx))^4 \left( -\frac{4B}{5} + B \cos(c+dx) \right) dx$     | 3089 |
| 3.782 | $\int (a+a \cos(c+dx))^n \left( -\frac{Bn}{1+n} + B \cos(c+dx) \right) dx$   | 3092 |
| 3.783 | $\int \frac{-\frac{3B}{2} + B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx$            | 3095 |
| 3.784 | $\int (a+a \cos(c+dx))^{3/2} \left( -\frac{3B}{5} + B \cos(c+dx) \right) dx$ | 3098 |
| 3.785 | $\int \frac{B+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                       | 3100 |
| 3.786 | $\int \frac{-\frac{5B}{3} + B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$        | 3102 |
| 3.787 | $\int (a+a \cos(c+dx))^{2/3} (A+B \cos(c+dx)) dx$                            | 3104 |
| 3.788 | $\int \sqrt[3]{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$                          | 3107 |
| 3.789 | $\int \frac{A+B \cos(c+dx)}{\sqrt[3]{a+a \cos(c+dx)}} dx$                    | 3110 |

|       |   |      |
|-------|---|------|
| 3.790 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{2/3}} dx$             | 3113 |
| 3.791 | $\int \frac{\frac{bB}{a} + B \cos(c+dx)}{a+b \cos(c+dx)} dx$        | 3116 |
| 3.792 | $\int \frac{a+b \cos(c+dx)}{(b+a \cos(c+dx))^2} dx$                 | 3119 |
| 3.793 | $\int \frac{3+\cos(c+dx)}{2-\cos(c+dx)} dx$                         | 3121 |
| 3.794 | $\int \frac{aB+bB \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$            | 3124 |
| 3.795 | $\int (a+b \cos(c+dx))^{2/3} (A+B \cos(c+dx)) dx$                   | 3127 |
| 3.796 | $\int \sqrt[3]{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$                 | 3130 |
| 3.797 | $\int \frac{A+B \cos(c+dx)}{\sqrt[3]{a+b \cos(c+dx)}} dx$           | 3133 |
| 3.798 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{2/3}} dx$             | 3136 |
| 3.799 | $\int \cos^2(c+dx) \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$         | 3139 |
| 3.800 | $\int \cos(c+dx) \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$           | 3142 |
| 3.801 | $\int \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$                      | 3145 |
| 3.802 | $\int \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) \sec(c+dx) dx$           | 3148 |
| 3.803 | $\int \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) \sec^2(c+dx) dx$         | 3151 |
| 3.804 | $\int \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) \sec^3(c+dx) dx$         | 3154 |
| 3.805 | $\int \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) \sec^4(c+dx) dx$         | 3157 |
| 3.806 | $\int \cos(c+dx) (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$          | 3161 |
| 3.807 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$                     | 3164 |
| 3.808 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$          | 3167 |
| 3.809 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$        | 3170 |
| 3.810 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$        | 3173 |
| 3.811 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$        | 3176 |
| 3.812 | $\int (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$        | 3179 |
| 3.813 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$                     | 3183 |
| 3.814 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec(c+dx) dx$          | 3186 |
| 3.815 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$        | 3189 |
| 3.816 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$        | 3192 |
| 3.817 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$        | 3195 |
| 3.818 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$        | 3198 |
| 3.819 | $\int (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^6(c+dx) dx$        | 3201 |
| 3.820 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$  | 3205 |
| 3.821 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$  | 3208 |
| 3.822 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$    | 3211 |
| 3.823 | $\int \frac{A+B \cos(c+dx)}{\sqrt{b \cos(c+dx)}} dx$                | 3214 |
| 3.824 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{b \cos(c+dx)}} dx$   | 3217 |
| 3.825 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{b \cos(c+dx)}} dx$ | 3220 |
| 3.826 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{b \cos(c+dx)}} dx$ | 3223 |
| 3.827 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$ | 3227 |
| 3.828 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$ | 3230 |
| 3.829 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$ | 3233 |
| 3.830 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$   | 3236 |
| 3.831 | $\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{3/2}} dx$               | 3239 |
| 3.832 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{3/2}} dx$  | 3242 |

|       |   |      |
|-------|---|------|
| 3.833 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{3/2}} dx$      | 3245 |
| 3.834 | $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$       | 3249 |
| 3.835 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$       | 3252 |
| 3.836 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$       | 3255 |
| 3.837 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$       | 3258 |
| 3.838 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$         | 3261 |
| 3.839 | $\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{5/2}} dx$                     | 3264 |
| 3.840 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{5/2}} dx$        | 3267 |
| 3.841 | $\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{7/2}} dx$                     | 3271 |
| 3.842 | $\int \cos^2(c+dx) \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$               | 3274 |
| 3.843 | $\int \cos^3(c+dx) \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$               | 3287 |
| 3.844 | $\int \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx$          | 3297 |
| 3.845 | $\int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$  | 3304 |
| 3.846 | $\int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx$       | 3307 |
| 3.847 | $\int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^5(c+dx)} dx$       | 3310 |
| 3.848 | $\int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^7(c+dx)} dx$       | 3313 |
| 3.849 | $\int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^9(c+dx)} dx$       | 3316 |
| 3.850 | $\int \cos^3(c+dx) (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$              | 3320 |
| 3.851 | $\int \sqrt{\cos(c+dx)} (b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$         | 3333 |
| 3.852 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$ | 3343 |
| 3.853 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx$      | 3346 |
| 3.854 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^5(c+dx)} dx$      | 3349 |
| 3.855 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^7(c+dx)} dx$      | 3352 |
| 3.856 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^9(c+dx)} dx$      | 3355 |
| 3.857 | $\int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^{11}(c+dx)} dx$   | 3359 |
| 3.858 | $\int \sqrt{\cos(c+dx)} (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$         | 3363 |
| 3.859 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$ | 3377 |
| 3.860 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx$      | 3380 |
| 3.861 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^5(c+dx)} dx$      | 3383 |
| 3.862 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^7(c+dx)} dx$      | 3386 |
| 3.863 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^9(c+dx)} dx$      | 3389 |
| 3.864 | $\int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^{11}(c+dx)} dx$   | 3392 |

- 3.865  $\int \frac{(b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx \dots\dots\dots 3396$
- 3.866  $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3400$
- 3.867  $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3403$
- 3.868  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3406$
- 3.869  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3409$
- 3.870  $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx) \sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3412$
- 3.871  $\int \frac{A+B \cos(c+dx)}{\cos^5(c+dx) \sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3415$
- 3.872  $\int \frac{A+B \cos(c+dx)}{\cos^7(c+dx) \sqrt{b \cos(c+dx)}} dx \dots\dots\dots 3419$
- 3.873  $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3423$
- 3.874  $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3426$
- 3.875  $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3429$
- 3.876  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3432$
- 3.877  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3435$
- 3.878  $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3438$
- 3.879  $\int \frac{A+B \cos(c+dx)}{\cos^5(c+dx)(b \cos(c+dx))^{3/2}} dx \dots\dots\dots 3442$
- 3.880  $\int \frac{\cos^9(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3446$
- 3.881  $\int \frac{\cos^7(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3449$
- 3.882  $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3452$
- 3.883  $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3455$
- 3.884  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3458$
- 3.885  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3461$
- 3.886  $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(b \cos(c+dx))^{5/2}} dx \dots\dots\dots 3464$
- 3.887  $\int \cos^2(c+dx) \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) dx \dots\dots\dots 3468$
- 3.888  $\int \cos(c+dx) \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) dx \dots\dots\dots 3471$
- 3.889  $\int \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) dx \dots\dots\dots 3474$
- 3.890  $\int \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) \sec(c+dx) dx \dots\dots\dots 3476$
- 3.891  $\int \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) \sec^2(c+dx) dx \dots\dots\dots 3479$
- 3.892  $\int \sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) \sec^3(c+dx) dx \dots\dots\dots 3482$
- 3.893  $\int \cos^2(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx \dots\dots\dots 3485$
- 3.894  $\int \cos(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx \dots\dots\dots 3488$
- 3.895  $\int (b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx \dots\dots\dots 3491$
- 3.896  $\int (b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) \sec(c+dx) dx \dots\dots\dots 3493$
- 3.897  $\int (b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) \sec^2(c+dx) dx \dots\dots\dots 3496$
- 3.898  $\int (b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) \sec^3(c+dx) dx \dots\dots\dots 3499$
- 3.899  $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx \dots\dots\dots 3502$

|       |   |      |
|-------|---|------|
| 3.900 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$           | 3505 |
| 3.901 | $\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{2/3}} dx$                       | 3508 |
| 3.902 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{2/3}} dx$          | 3511 |
| 3.903 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{2/3}} dx$        | 3514 |
| 3.904 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{2/3}} dx$        | 3517 |
| 3.905 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$         | 3520 |
| 3.906 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$           | 3523 |
| 3.907 | $\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{4/3}} dx$                       | 3526 |
| 3.908 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{4/3}} dx$          | 3529 |
| 3.909 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{4/3}} dx$        | 3532 |
| 3.910 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{4/3}} dx$        | 3535 |
| 3.911 | $\int \cos^m(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$                      | 3538 |
| 3.912 | $\int \cos^2(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$                      | 3541 |
| 3.913 | $\int \cos(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$                        | 3544 |
| 3.914 | $\int (b \cos(c+dx))^n(A+B \cos(c+dx)) dx$                                  | 3547 |
| 3.915 | $\int (b \cos(c+dx))^n(A+B \cos(c+dx)) \sec(c+dx) dx$                       | 3549 |
| 3.916 | $\int (b \cos(c+dx))^n(A+B \cos(c+dx)) \sec^2(c+dx) dx$                     | 3552 |
| 3.917 | $\int (b \cos(c+dx))^n(A+B \cos(c+dx)) \sec^3(c+dx) dx$                     | 3555 |
| 3.918 | $\int (b \cos(c+dx))^n(A+B \cos(c+dx)) \sec^4(c+dx) dx$                     | 3558 |
| 3.919 | $\int \cos^{\frac{5}{2}}(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$          | 3561 |
| 3.920 | $\int \cos^{\frac{3}{2}}(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$          | 3564 |
| 3.921 | $\int \sqrt{\cos(c+dx)}(b \cos(c+dx))^n(A+B \cos(c+dx)) dx$                 | 3567 |
| 3.922 | $\int \frac{(b \cos(c+dx))^n(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$        | 3570 |
| 3.923 | $\int \frac{(b \cos(c+dx))^n(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$ | 3573 |
| 3.924 | $\int \frac{(b \cos(c+dx))^n(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 3576 |
| 3.925 | $\int \frac{(b \cos(c+dx))^n(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$ | 3579 |
| 3.926 | $\int \frac{(b \cos(c+dx))^n(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$ | 3582 |
| 3.927 | $\int \cos^m(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx$                  | 3585 |
| 3.928 | $\int \cos^m(c+dx)(b \cos(c+dx))^{2/3}(A+B \cos(c+dx)) dx$                  | 3588 |
| 3.929 | $\int \cos^m(c+dx)\sqrt[3]{b \cos(c+dx)}(A+B \cos(c+dx)) dx$                | 3591 |
| 3.930 | $\int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{\sqrt[3]{b \cos(c+dx)}} dx$       | 3594 |
| 3.931 | $\int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$         | 3597 |
| 3.932 | $\int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$         | 3600 |

|          |                                       |             |
|----------|---------------------------------------|-------------|
| <b>4</b> | <b>Listing of Grading functions</b>   | <b>3603</b> |
| 4.0.1    | Mathematica and Rubi grading function | 3603        |
| 4.0.2    | Maple grading function                | 3605        |
| 4.0.3    | Sympy grading function                | 3608        |
| 4.0.4    | SageMath grading function             | 3610        |





# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 932 ]. This is test number [ 89 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

### 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric $2F1$  functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System      | solved           | Failed          |
|-------------|------------------|-----------------|
| Rubi        | % 100.00 ( 932 ) | % 0.00 ( 0 )    |
| Mathematica | % 99.03 ( 923 )  | % 0.97 ( 9 )    |
| Maple       | % 91.63 ( 854 )  | % 8.37 ( 78 )   |
| Maxima      | % 31.22 ( 291 )  | % 68.78 ( 641 ) |
| Fricas      | % 47.53 ( 443 )  | % 52.47 ( 489 ) |
| Sympy       | % 10.19 ( 95 )   | % 89.81 ( 837 ) |
| Giac        | % 28.86 ( 269 )  | % 71.14 ( 663 ) |
| Mupad       | % 33.26 ( 310 )  | % 66.74 ( 622 ) |

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description   |
|-------|---|
| A     | Integral was solved and antiderivative is optimal in quality and leaf size.   |
| B     | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.  |
| C     | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol> |
| F     | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.  |


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


| System      | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi        | 100.00    | 0.00      | 0.00      | 0.00      |
| Mathematica | 68.03     | 5.58      | 25.43     | 0.97      |
| Maple       | 55.26     | 35.94     | 0.43      | 8.37      |
| Maxima      | 21.46     | 9.01      | 0.75      | 68.78     |
| Fricas      | 42.17     | 5.36      | 0.00      | 52.47     |
| Sympy       | 10.09     | 0.11      | 0.00      | 89.81     |
| Giac        | 22.42     | 6.44      | 0.00      | 71.14     |
| Mupad       | 1.07      | 32.19     | 0.00      | 66.74     |

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F .

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

| System      | Number failed | Percentage normal failure | Percentage time-out failure | Percentage exception failure |
|-------------|---------------|---------------------------|-----------------------------|------------------------------|
| Rubi        | 0             | 0.00 %                    | 0.00 %                      | 0.00 %                       |
| Mathematica | 9             | 88.89 %                   | 11.11 %                     | 0.00 %                       |
| Maple       | 78            | 100.00 %                  | 0.00 %                      | 0.00 %                       |
| Maxima      | 641           | 83.46 %                   | 6.40 %                      | 10.14 %                      |
| Fricas      | 489           | 87.12 %                   | 12.88 %                     | 0.00 %                       |
| Sympy       | 837           | 44.56 %                   | 55.44 %                     | 0.00 %                       |
| Giac        | 663           | 90.35 %                   | 8.14 %                      | 1.51 %                       |
| Mupad       | 622           | 100.00 %                  | 0.00 %                      | 0.00 %                       |

Table 1.4: Time and leaf size performance for each CAS


## 1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System      | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi        | 0.26            | 153.82    | 0.99            | 131.00      | 1.00              |
| Mathematica | 3.18            | 276.63    | 1.73            | 140.00      | 1.00              |
| Maple       | 0.53            | 415.19    | 2.22            | 215.00      | 1.79              |
| Maxima      | 2.06            | 373.74    | 3.28            | 118.00      | 1.26              |
| Fricas      | 1.29            | 187.62    | 1.55            | 133.00      | 1.16              |
| Sympy       | 8.16            | 201.08    | 2.20            | 124.00      | 1.83              |
| Giac        | 1.27            | 175.53    | 1.81            | 106.00      | 1.04              |
| Mupad       | 1.72            | 401.44    | 2.44            | 102.00      | 1.07              |

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





## 1.4 list of integrals that has no closed form antiderivative

{680, 681, 682, 683, 684, 685, 686, 687, 688, 689}

## 1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {22, 31, 117, 118, 119, 120, 128, 129, 130, 136, 138, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 172, 173, 213, 214, 215, 216, 217, 228, 229, 230, 231, 232, 235, 236, 237, 242, 243, 244, 249, 250, 252, 253, 254, 256, 257, 260, 269, 286, 311, 356, 357, 358, 359, 360, 361, 362, 363, 367, 368, 369, 374, 379, 380, 382, 386, 387, 390, 392, 394, 400, 607, 610, 614, 617, 618, 619, 620,

621, 622, 625, 636, 638, 639, 643, 676, 677, 678, 679, 718, 720, 721, 724, 725, 726, 728, 730, 732, 734, 735, 736, 737, 743, 744, 745, 747, 748, 749, 750, 751, 754, 756, 757, 758, 761, 762, 763, 764, 765, 766, 768, 773, 774, 795, 796, 797, 798}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

**Mupad** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int', int(expr,x)), output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate if the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are few integrals which failed due to SageMath not being able to translate the result back to SageMath syntax and not because these CAS systems were not able to do the integrations.

These will fail with error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for FriCAS and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at [https://ask.sagemath.org/question/57123/could-we-have-a-leaf\\_count-function-in-base-sagemath/](https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/)

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```



For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

## 1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives  $\sin(x)^2/2$

## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"  
*The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.  
*The following fields present only in Rubi Tables*
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

**High level overview of the CAS independent integration test build system**



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864,

865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

B grade: { }

C grade: { }

F grade: { }

## 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 23, 24, 25, 26, 27, 29, 33, 34, 35, 36, 39, 42, 43, 44, 45, 47, 48, 53, 54, 55, 56, 57, 58, 63, 64, 65, 66, 67, 68, 72, 73, 74, 75, 76, 77, 78, 79, 82, 83, 84, 85, 86, 87, 88, 89, 90, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 121, 122, 123, 124, 125, 126, 127, 131, 132, 133, 134, 135, 137, 140, 141, 142, 143, 157, 171, 185, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 218, 219, 220, 221, 222, 227, 234, 240, 241, 246, 247, 248, 253, 254, 255, 256, 259, 260, 261, 262, 266, 267, 268, 272, 273, 274, 300, 313, 327, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 364, 370, 375, 376, 381, 382, 383, 388, 389, 390, 391, 394, 395, 396, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 493, 494, 495, 496, 497, 500, 501, 502, 503, 508, 509, 510, 511, 512, 513, 516, 517, 518, 519, 520, 523, 524, 525, 526, 527, 530, 531, 532, 533, 534, 538, 539, 540, 541, 542, 543, 546, 547, 548, 549, 550, 551, 554, 555, 556, 557, 558, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 604, 605, 606, 607, 608, 611, 612, 613, 614, 615, 619, 621, 622, 627, 628, 629, 630, 633, 634, 639, 650, 651, 656, 657, 661, 662, 663, 664, 665, 667, 668, 669, 670, 671, 672, 673, 675, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 722, 723, 724, 725, 727, 729, 730, 731, 732, 733, 734, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 749, 751, 752, 753, 754, 757, 758, 759, 760, 762, 763, 764, 765, 766, 767, 769, 770, 771, 772, 775, 776, 777, 779, 780, 781, 782, 783, 784, 785, 786, 787, 789, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

B grade: { 21, 22, 28, 30, 31, 32, 37, 38, 40, 41, 46, 49, 50, 51, 52, 59, 60, 61, 62, 69, 70, 71, 80, 81, 91, 92, 139, 586, 644, 645, 646, 647, 648, 649, 652, 653, 654, 655, 658, 659, 660, 676, 677, 678, 679, 720, 721, 726, 728, 748, 773, 774 }

C grade: { 117, 118, 119, 120, 128, 129, 130, 136, 138, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 213, 214, 215, 216, 217, 223, 224, 225, 226, 228, 229, 230, 231, 232, 233, 235, 236, 237, 238, 239, 242, 243, 244, 245, 249, 250, 251, 252, 257, 258, 263, 264, 265, 269, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 291, 292, 293, 294, 295, 296, 297, 298, 299, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 356, 357, 358, 359, 360, 361, 362, 363, 365, 366, 367, 368, 369, 371, 372, 374, 377, 378, 379, 380, 384, 385, 386, 387, 392, 393, 400, 459, 491, 492, 498, 499, 504, 505, 506, 507, 514, 515, 521, 522, 528, 529, 535, 536, 537, 544, 545, 552, 553, 559, 560, 603, 609, 610, 616, 617, 618, 620, 623, 624, 625, 626, 631, 632, 635, 636, 637, 638, 640, 641, 642, 643, 666, 674, 735, 750, 755, 756, 761, 768, 778, 788, 790 }

F grade: { 288, 289, 290, 373, 397, 398, 399, 401, 402 }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 104, 105, 106, 107, 112, 113, 114, 115, 121, 122, 123, 124, 125, 131, 132, 133, 139, 140, 141, 142, 143, 146, 147, 149, 150, 153, 154, 155, 157, 160, 161, 162, 163, 167, 168, 169, 170, 174, 175, 176, 177, 178, 179, 181, 182, 183, 184, 186, 189, 190, 191, 192, 193, 194, 195, 197, 198, 199, 200, 202, 203, 204, 205, 206, 207, 210, 211, 212, 213, 214, 215, 218, 219, 220, 224, 225, 226, 227, 231, 232, 238, 239, 240, 244, 246, 247, 253, 254, 255, 259, 260, 262, 263, 264, 266, 267, 268, 269, 270, 272, 273, 274, 275, 276, 277, 278, 279, 280, 282, 283, 284, 287, 293, 294, 295, 296, 297, 300, 301, 302, 303, 307, 308, 309, 310, 314, 315, 316, 318, 319, 320, 321, 322, 323, 324, 325, 326, 328, 329, 330, 331, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 344, 345, 346, 347, 348, 350, 351, 352, 353, 354, 355, 357, 358, 359, 360, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 393, 394, 395, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 452, 453, 454, 455, 456, 459, 461, 463, 464, 466, 467, 490, 497, 504, 509, 510, 511, 513, 516, 517, 518, 520, 525, 527, 528, 533, 534, 535, 543, 546, 547, 548, 549, 554, 555, 556, 561, 564, 565, 572, 578, 583, 584, 605, 626, 627, 628, 650, 651, 656, 657, 658, 662, 663, 666, 667, 668, 669, 672, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 692, 693, 694, 695, 696, 700, 701, 702, 703, 704, 708, 709, 710, 711, 712, 715, 716, 733, 753, 754, 755, 779, 780, 783, 784, 785, 786, 793, 799, 800, 801, 802, 803, 806, 807, 808, 809, 810, 813, 814, 815, 816, 817, 820, 821, 822, 823, 824, 827, 828, 829, 830, 831, 834, 835, 836, 837, 838, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886 }

B grade: { 100, 101, 102, 103, 108, 109, 110, 111, 116, 117, 118, 119, 120, 127, 128, 129, 130, 134, 135, 136, 137, 138, 144, 145, 148, 151, 152, 156, 158, 159, 164, 165, 166, 171, 172, 173, 180, 185, 187, 188, 196, 201, 208, 209, 216, 217, 222, 223, 228, 229, 230, 233, 234, 235, 236, 237, 241, 242, 243, 245, 248, 249, 250, 251, 252, 256, 257, 258, 261, 265, 271, 281, 285, 286, 291, 292, 298, 299, 304, 305, 306, 311, 312, 313, 317, 327, 332, 343, 349, 356, 361, 362, 392, 449, 450, 451, 457, 458, 460, 462, 465, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 491, 492, 493, 494, 495, 496, 498, 499, 500, 501, 502, 503, 505, 506, 507, 508, 512, 514, 515, 519, 521, 522, 523, 524, 529, 530, 531, 532, 536, 537, 538, 539, 540, 541, 542, 544, 545, 551, 552, 553, 558, 559, 560, 562, 563, 566, 567, 568, 569, 570, 571, 573, 574, 575, 576, 577, 579, 580, 581, 582, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 652, 653, 654, 655, 659, 660, 661, 664, 665, 670, 671, 673, 674, 675, 690, 691, 697, 698, 699, 705, 706, 707, 713, 714, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 778, 781, 782, 791, 792, 794, 804, 805, 811, 812, 818, 819, 825, 826, 832, 833, 839, 840, 841 }

C grade: { 126, 526, 550, 557 }

F grade: { 221, 288, 289, 290, 396, 397, 398, 399, 400, 401, 402, 676, 677, 678, 679, 769, 770, 771, 772, 773, 774, 775, 776, 777, 787, 788, 789, 790, 795, 796, 797, 798, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 41, 43, 44, 45, 47, 48, 49, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 104, 105, 106, 107, 112, 113, 114, 115, 121, 210, 212, 218, 219, 220, 346, 348, 353, 354, 355, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438,

439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 780, 793, 842, 843, 844, 845, 846, 847, 850, 851, 852, 853, 854, 855, 858, 859, 860, 861, 862, 863, 866, 867, 868, 869, 873, 874, 875, 876, 880, 881, 882, 883 }

B grade: { 40, 42, 46, 50, 51, 52, 101, 102, 103, 109, 110, 118, 119, 126, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 213, 214, 215, 216, 217, 221, 222, 223, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 339, 340, 341, 342, 343, 344, 345, 347, 349, 350, 351, 352, 356, 357, 358, 359, 360, 396, 781, 782, 783, 784, 848, 849, 856, 857, 864, 865, 870, 871, 872, 877, 878, 879, 884, 885, 886 }

C grade: { 278, 279, 280, 281, 285, 286, 287 }

F grade: { 100, 108, 111, 116, 117, 120, 122, 123, 124, 125, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 275, 276, 277, 282, 283, 284, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 397, 398, 399, 400, 401, 402, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 785, 786, 787, 788, 789, 790, 791, 792, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 102, 103, 104, 105, 106, 107, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 130, 131, 132, 133, 138, 139, 140, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 286, 287, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 403, 404, 405, 406, 407, 408, 409, 410, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452,

453, 454, 455, 457, 458, 459, 460, 461, 463, 464, 468, 469, 472, 480, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 778, 779, 780, 782, 784, 785, 791, 792, 793, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886 }

B grade: { 7, 8, 19, 101, 108, 109, 127, 128, 129, 134, 135, 136, 137, 141, 142, 143, 144, 145, 234, 235, 261, 283, 284, 285, 411, 412, 423, 456, 462, 465, 466, 467, 470, 471, 473, 474, 475, 476, 477, 478, 479, 481, 482, 483, 484, 485, 781, 783, 786, 869 }

C grade: { }

F grade: { 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 397, 398, 399, 400, 401, 402, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 787, 788, 789, 790, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 5, 6, 7, 13, 14, 15, 16, 17, 23, 24, 25, 26, 33, 34, 35, 43, 44, 45, 46, 47, 48, 53, 54, 55, 56, 57, 58, 63, 64, 65, 66, 67, 68, 72, 73, 74, 75, 76, 77, 78, 82, 83, 84, 85, 86, 87, 88, 89, 93, 94, 403, 404, 405, 406, 407, 408, 409, 410, 417, 418, 419, 420, 421, 428, 429, 430, 431, 438, 439, 440, 441, 452, 453, 454, 682, 683, 684, 685, 686, 687, 688, 780, 781, 782, 783, 791, 793, 844, 845, 868 }

B grade: { 411 }

C grade: { }

F grade: { 8, 9, 10, 11, 12, 18, 19, 20, 21, 22, 27, 28, 29, 30, 31, 32, 36, 37, 38, 39, 40, 41, 42, 49, 50, 51, 52, 59, 60, 61, 62, 69, 70, 71, 79, 80, 81, 90, 91, 92, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, }

378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 412, 413, 414, 415, 416, 422, 423, 424, 425, 426, 427, 432, 433, 434, 435, 436, 437, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 784, 785, 786, 787, 788, 789, 790, 792, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 112, 113, 114, 115, 121, 122, 123, 124, 125, 131, 132, 133, 134, 135, 139, 140, 141, 142, 143, 144, 202, 203, 204, 205, 266, 267, 268, 272, 273, 274, 275, 276, 277, 279, 280, 281, 282, 283, 284, 285, 286, 287, 339, 340, 341, 342, 403, 404, 405, 406, 407, 408, 409, 410, 416, 417, 418, 419, 420, 421, 428, 429, 430, 431, 433, 434, 438, 439, 440, 441, 443, 444, 450, 451, 452, 454, 457, 459, 460, 462, 463, 464, 465, 467, 468, 470, 471, 472, 476, 478, 480, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 779, 780, 783, 785, 793 }

B grade: { 7, 8, 18, 19, 108, 116, 126, 127, 128, 129, 130, 136, 265, 271, 278, 411, 412, 413, 414, 415, 422, 423, 424, 425, 426, 427, 432, 435, 436, 437, 442, 445, 446, 447, 448, 449, 453, 455, 456, 458, 461, 466, 469, 473, 474, 475, 477, 479, 481, 482, 483, 484, 485, 778, 781, 782, 784, 786, 791, 792 }

C grade: { }

F grade: { 109, 110, 111, 117, 118, 119, 120, 137, 138, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 269, 270, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580,



581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 787, 788, 789, 790, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.1.8 Mupad

A grade: { 680, 681, 682, 683, 684, 685, 686, 687, 688, 689 }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 99, 124, 125, 126, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 202, 203, 204, 205, 210, 211, 212, 218, 219, 220, 221, 266, 267, 268, 272, 273, 274, 339, 340, 341, 342, 346, 347, 348, 353, 354, 355, 396, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 524, 525, 526, 548, 549, 550, 555, 556, 557, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 780, 781, 782, 783, 785, 786, 791, 792, 793, 794, 822, 823, 842, 843, 844, 845, 850, 851, 852, 853, 858, 859, 860, 861, 866, 867, 868, 873, 874, 875, 880, 881, 882 }

C grade: { }

F grade: { 95, 96, 97, 98, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 206, 207, 208, 209, 213, 214, 215, 216, 217, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 269, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 343, 344, 345, 349, 350, 351, 352, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 397, 398, 399, 400, 401, 402, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 551, 552, 553, 554, 558, 559, 560, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737,

738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 784, 787, 788, 789, 790, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 846, 847, 848, 849, 854, 855, 856, 857, 862, 863, 864, 865, 869, 870, 871, 872, 876, 877, 878, 879, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 75          | 80    | 84     | 75     | 216   | 92    | 107   |
| normalized size | 1       | 1.00  | 0.66        | 0.70  | 0.74   | 0.66   | 1.89  | 0.81  | 0.94  |
| time (sec)      | N/A     | 0.070 | 0.138       | 0.055 | 0.321  | 1.054  | 3.160 | 0.462 | 2.976 |
| Problem 2       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 92      | 92    | 65          | 70    | 69     | 64     | 168   | 77    | 93    |
| normalized size | 1       | 1.00  | 0.71        | 0.76  | 0.75   | 0.70   | 1.83  | 0.84  | 1.01  |
| time (sec)      | N/A     | 0.058 | 0.116       | 0.049 | 0.788  | 1.818  | 1.855 | 0.549 | 2.852 |
| Problem 3       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 76      | 76    | 73          | 60    | 57     | 53     | 144   | 62    | 79    |
| normalized size | 1       | 1.00  | 0.96        | 0.79  | 0.75   | 0.70   | 1.89  | 0.82  | 1.04  |
| time (sec)      | N/A     | 0.052 | 0.087       | 0.045 | 0.297  | 0.931  | 0.912 | 0.494 | 3.602 |
| Problem 4       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 54      | 54    | 57          | 49    | 46     | 42     | 92    | 47    | 55    |
| normalized size | 1       | 1.00  | 1.06        | 0.91  | 0.85   | 0.78   | 1.70  | 0.87  | 1.02  |
| time (sec)      | N/A     | 0.042 | 0.069       | 0.056 | 0.297  | 0.811  | 0.451 | 0.485 | 0.379 |
| Problem 5       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 32          | 38    | 34     | 29     | 66    | 31    | 50    |
| normalized size | 1       | 1.00  | 0.84        | 1.00  | 0.89   | 0.76   | 1.74  | 0.82  | 1.32  |
| time (sec)      | N/A     | 0.014 | 0.050       | 0.042 | 0.295  | 2.334  | 0.200 | 0.292 | 0.745 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 6       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 15      | 15    | 26          | 16    | 15     | 17     | 17    | 15    | 15    |
| normalized size | 1       | 1.00  | 1.73        | 1.07  | 1.00   | 1.13   | 1.13  | 1.00  | 1.00  |
| time (sec)      | N/A     | 0.007 | 0.006       | 0.021 | 0.377  | 0.753  | 0.115 | 0.405 | 0.311 |
| Problem 7       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | A     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 16      | 16    | 16          | 30    | 28     | 36     | 49    | 43    | 20    |
| normalized size | 1       | 1.00  | 1.00        | 1.88  | 1.75   | 2.25   | 3.06  | 2.69  | 1.25  |
| time (sec)      | N/A     | 0.020 | 0.008       | 0.071 | 0.299  | 1.676  | 4.922 | 0.476 | 0.343 |
| Problem 8       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 24      | 24    | 24          | 32    | 38     | 60     | 0     | 63    | 47    |
| normalized size | 1       | 1.00  | 1.00        | 1.33  | 1.58   | 2.50   | 0.00  | 2.62  | 1.96  |
| time (sec)      | N/A     | 0.034 | 0.010       | 0.104 | 2.228  | 1.007  | 0.000 | 0.706 | 0.385 |
| Problem 9       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 47          | 51    | 58     | 74     | 0     | 80    | 75    |
| normalized size | 1       | 1.00  | 1.00        | 1.09  | 1.23   | 1.57   | 0.00  | 1.70  | 1.60  |
| time (sec)      | N/A     | 0.048 | 0.014       | 0.104 | 0.503  | 1.633  | 0.000 | 0.610 | 0.712 |
| Problem 10      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 63      | 63    | 60          | 72    | 70     | 88     | 0     | 96    | 102   |
| normalized size | 1       | 1.00  | 0.95        | 1.14  | 1.11   | 1.40   | 0.00  | 1.52  | 1.62  |
| time (sec)      | N/A     | 0.048 | 0.146       | 0.148 | 0.443  | 1.233  | 0.000 | 0.482 | 2.038 |
| Problem 11      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 76          | 92    | 95     | 99     | 0     | 110   | 130   |
| normalized size | 1       | 1.00  | 0.89        | 1.08  | 1.12   | 1.16   | 0.00  | 1.29  | 1.53  |
| time (sec)      | N/A     | 0.062 | 0.151       | 0.149 | 0.973  | 0.871  | 0.000 | 0.523 | 3.339 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 12      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 65          | 112   | 107    | 110    | 0     | 124   | 158   |
| normalized size | 1       | 1.00  | 0.64        | 1.11  | 1.06   | 1.09   | 0.00  | 1.23  | 1.56  |
| time (sec)      | N/A     | 0.066 | 0.250       | 0.145 | 0.306  | 1.219  | 0.000 | 1.447 | 4.770 |
| Problem 13      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 129     | 129   | 73          | 121   | 121    | 89     | 343   | 106   | 121   |
| normalized size | 1       | 1.00  | 0.57        | 0.94  | 0.94   | 0.69   | 2.66  | 0.82  | 0.94  |
| time (sec)      | N/A     | 0.130 | 0.196       | 0.061 | 0.302  | 1.644  | 3.530 | 0.803 | 2.864 |
| Problem 14      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 103     | 103   | 61          | 96    | 95     | 76     | 221   | 89    | 105   |
| normalized size | 1       | 1.00  | 0.59        | 0.93  | 0.92   | 0.74   | 2.15  | 0.86  | 1.02  |
| time (sec)      | N/A     | 0.104 | 0.126       | 0.056 | 1.128  | 1.460  | 1.981 | 0.536 | 3.628 |
| Problem 15      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 87      | 87    | 53          | 90    | 83     | 63     | 211   | 72    | 89    |
| normalized size | 1       | 1.00  | 0.61        | 1.03  | 0.95   | 0.72   | 2.43  | 0.83  | 1.02  |
| time (sec)      | N/A     | 0.097 | 0.129       | 0.055 | 0.485  | 1.563  | 1.022 | 0.810 | 3.495 |
| Problem 16      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 69    | 41          | 64    | 61     | 49     | 107   | 54    | 61    |
| normalized size | 1       | 1.21  | 0.72        | 1.12  | 1.07   | 0.86   | 1.88  | 0.95  | 1.07  |
| time (sec)      | N/A     | 0.041 | 0.084       | 0.050 | 0.466  | 1.561  | 0.476 | 0.472 | 0.379 |
| Problem 17      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 45      | 45    | 34          | 52    | 45     | 36     | 78    | 38    | 57    |
| normalized size | 1       | 1.00  | 0.76        | 1.16  | 1.00   | 0.80   | 1.73  | 0.84  | 1.27  |
| time (sec)      | N/A     | 0.014 | 0.047       | 0.047 | 0.297  | 1.173  | 0.249 | 0.456 | 0.724 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 18      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 34      | 34    | 47          | 51    | 43     | 53     | 0     | 79    | 33    |
| normalized size | 1       | 1.00  | 1.38        | 1.50  | 1.26   | 1.56   | 0.00  | 2.32  | 0.97  |
| time (sec)      | N/A     | 0.058 | 0.013       | 0.097 | 0.298  | 1.428  | 0.000 | 0.661 | 0.399 |
| Problem 19      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 34      | 34    | 28          | 50    | 49     | 76     | 0     | 79    | 56    |
| normalized size | 1       | 1.00  | 0.82        | 1.47  | 1.44   | 2.24   | 0.00  | 2.32  | 1.65  |
| time (sec)      | N/A     | 0.058 | 0.015       | 0.110 | 0.989  | 1.613  | 0.000 | 0.576 | 0.390 |
| Problem 20      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 54      | 54    | 54          | 58    | 88     | 83     | 0     | 90    | 83    |
| normalized size | 1       | 1.00  | 1.00        | 1.07  | 1.63   | 1.54   | 0.00  | 1.67  | 1.54  |
| time (sec)      | N/A     | 0.079 | 0.012       | 0.130 | 0.452  | 1.339  | 0.000 | 0.759 | 0.706 |
| Problem 21      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 162         | 78    | 85     | 96     | 0     | 106   | 112   |
| normalized size | 1       | 1.00  | 2.45        | 1.18  | 1.29   | 1.45   | 0.00  | 1.61  | 1.70  |
| time (sec)      | N/A     | 0.088 | 5.785       | 0.127 | 0.348  | 1.635  | 0.000 | 0.642 | 2.008 |
| Problem 22      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 96      | 96    | 797         | 102   | 145    | 111    | 0     | 122   | 141   |
| normalized size | 1       | 1.00  | 8.30        | 1.06  | 1.51   | 1.16   | 0.00  | 1.27  | 1.47  |
| time (sec)      | N/A     | 0.108 | 6.431       | 0.135 | 0.308  | 1.895  | 0.000 | 0.675 | 3.352 |
| Problem 23      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 129     | 129   | 73          | 143   | 143    | 89     | 379   | 106   | 121   |
| normalized size | 1       | 1.00  | 0.57        | 1.11  | 1.11   | 0.69   | 2.94  | 0.82  | 0.94  |
| time (sec)      | N/A     | 0.147 | 0.185       | 0.056 | 1.975  | 0.879  | 3.653 | 0.623 | 2.869 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 24      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 105     | 105   | 63          | 121   | 117    | 76     | 272   | 88    | 105   |
| normalized size | 1       | 1.00  | 0.60        | 1.15  | 1.11   | 0.72   | 2.59  | 0.84  | 1.00  |
| time (sec)      | N/A     | 0.117 | 0.128       | 0.051 | 0.634  | 2.161  | 2.077 | 0.789 | 3.711 |
| Problem 25      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 88    | 51          | 100   | 94     | 63     | 224   | 71    | 89    |
| normalized size | 1       | 1.04  | 0.60        | 1.18  | 1.11   | 0.74   | 2.64  | 0.84  | 1.05  |
| time (sec)      | N/A     | 0.078 | 0.121       | 0.045 | 0.838  | 1.528  | 1.028 | 0.397 | 3.486 |
| Problem 26      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 63      | 63    | 44          | 74    | 70     | 50     | 121   | 55    | 63    |
| normalized size | 1       | 1.00  | 0.70        | 1.17  | 1.11   | 0.79   | 1.92  | 0.87  | 1.00  |
| time (sec)      | N/A     | 0.053 | 0.069       | 0.051 | 0.357  | 1.968  | 0.502 | 0.429 | 0.396 |
| Problem 27      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 59      | 59    | 81          | 72    | 67     | 65     | 0     | 100   | 88    |
| normalized size | 1       | 1.00  | 1.37        | 1.22  | 1.14   | 1.10   | 0.00  | 1.69  | 1.49  |
| time (sec)      | N/A     | 0.062 | 0.075       | 0.087 | 1.050  | 1.639  | 0.000 | 0.638 | 0.437 |
| Problem 28      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 48      | 48    | 211         | 65    | 64     | 91     | 0     | 80    | 57    |
| normalized size | 1       | 1.00  | 4.40        | 1.35  | 1.33   | 1.90   | 0.00  | 1.67  | 1.19  |
| time (sec)      | N/A     | 0.067 | 0.732       | 0.138 | 1.004  | 0.798  | 0.000 | 0.607 | 0.410 |
| Problem 29      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 59      | 59    | 50          | 71    | 99     | 98     | 0     | 100   | 88    |
| normalized size | 1       | 1.00  | 0.85        | 1.20  | 1.68   | 1.66   | 0.00  | 1.69  | 1.49  |
| time (sec)      | N/A     | 0.083 | 0.028       | 0.119 | 1.111  | 1.054  | 0.000 | 0.849 | 0.440 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 30      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 72      | 72    | 154         | 80    | 111    | 98     | 0     | 106   | 112   |
| normalized size | 1       | 1.00  | 2.14        | 1.11  | 1.54   | 1.36   | 0.00  | 1.47  | 1.56  |
| time (sec)      | N/A     | 0.095 | 5.403       | 0.118 | 0.308  | 0.665  | 0.000 | 0.601 | 2.039 |
| Problem 31      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 93      | 93    | 797         | 101   | 156    | 111    | 0     | 122   | 141   |
| normalized size | 1       | 1.00  | 8.57        | 1.09  | 1.68   | 1.19   | 0.00  | 1.31  | 1.52  |
| time (sec)      | N/A     | 0.117 | 6.387       | 0.132 | 1.100  | 1.026  | 0.000 | 0.831 | 3.293 |
| Problem 32      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 487         | 124   | 179    | 124    | 0     | 138   | 170   |
| normalized size | 1       | 1.00  | 4.27        | 1.09  | 1.57   | 1.09   | 0.00  | 1.21  | 1.49  |
| time (sec)      | N/A     | 0.127 | 1.433       | 0.151 | 1.025  | 0.974  | 0.000 | 0.539 | 4.626 |
| Problem 33      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 127     | 127   | 73          | 169   | 165    | 89     | 434   | 106   | 121   |
| normalized size | 1       | 1.00  | 0.57        | 1.33  | 1.30   | 0.70   | 3.42  | 0.83  | 0.95  |
| time (sec)      | N/A     | 0.157 | 0.197       | 0.053 | 1.754  | 0.908  | 3.867 | 0.558 | 2.855 |
| Problem 34      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 102     | 114   | 63          | 133   | 128    | 76     | 280   | 89    | 105   |
| normalized size | 1       | 1.12  | 0.62        | 1.30  | 1.25   | 0.75   | 2.75  | 0.87  | 1.03  |
| time (sec)      | N/A     | 0.107 | 0.147       | 0.053 | 0.302  | 0.933  | 2.167 | 0.523 | 3.685 |
| Problem 35      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 87      | 87    | 56          | 111   | 106    | 63     | 224   | 72    | 89    |
| normalized size | 1       | 1.00  | 0.64        | 1.28  | 1.22   | 0.72   | 2.57  | 0.83  | 1.02  |
| time (sec)      | N/A     | 0.081 | 0.111       | 0.053 | 0.739  | 1.027  | 1.075 | 0.708 | 3.557 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 36      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 91          | 94    | 89     | 80     | 0     | 116   | 93    |
| normalized size | 1       | 1.00  | 1.25        | 1.29  | 1.22   | 1.10   | 0.00  | 1.59  | 1.27  |
| time (sec)      | N/A     | 0.081 | 0.109       | 0.114 | 1.523  | 0.812  | 0.000 | 0.698 | 0.411 |
| Problem 37      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 241         | 86    | 85     | 105    | 0     | 129   | 117   |
| normalized size | 1       | 1.00  | 3.30        | 1.18  | 1.16   | 1.44   | 0.00  | 1.77  | 1.60  |
| time (sec)      | N/A     | 0.083 | 1.246       | 0.121 | 0.673  | 0.885  | 0.000 | 0.574 | 0.596 |
| Problem 38      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 272         | 86    | 110    | 111    | 0     | 129   | 115   |
| normalized size | 1       | 1.00  | 3.73        | 1.18  | 1.51   | 1.52   | 0.00  | 1.77  | 1.58  |
| time (sec)      | N/A     | 0.087 | 1.237       | 0.154 | 0.661  | 1.714  | 0.000 | 0.608 | 0.589 |
| Problem 39      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 61          | 93    | 120    | 110    | 0     | 116   | 117   |
| normalized size | 1       | 1.00  | 0.84        | 1.27  | 1.64   | 1.51   | 0.00  | 1.59  | 1.60  |
| time (sec)      | N/A     | 0.096 | 0.037       | 0.140 | 1.855  | 0.962  | 0.000 | 0.669 | 0.621 |
| Problem 40      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 96      | 96    | 797         | 102   | 182    | 111    | 0     | 122   | 141   |
| normalized size | 1       | 1.00  | 8.30        | 1.06  | 1.90   | 1.16   | 0.00  | 1.27  | 1.47  |
| time (sec)      | N/A     | 0.126 | 6.365       | 0.164 | 1.013  | 1.998  | 0.000 | 0.859 | 3.502 |
| Problem 41      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 498         | 123   | 190    | 124    | 0     | 138   | 170   |
| normalized size | 1       | 1.00  | 4.49        | 1.11  | 1.71   | 1.12   | 0.00  | 1.24  | 1.53  |
| time (sec)      | N/A     | 0.144 | 1.431       | 0.135 | 1.957  | 0.759  | 0.000 | 0.803 | 4.612 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 42      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 211         | 146   | 270    | 137    | 0     | 154   | 199   |
| normalized size | 1       | 1.00  | 1.55        | 1.07  | 1.99   | 1.01   | 0.00  | 1.13  | 1.46  |
| time (sec)      | N/A     | 0.182 | 0.776       | 0.210 | 1.370  | 0.780  | 0.000 | 0.706 | 3.874 |
| Problem 43      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 173         | 171   | 217    | 79     | 882   | 101   | 98    |
| normalized size | 1       | 1.00  | 1.47        | 1.45  | 1.84   | 0.67   | 7.47  | 0.86  | 0.83  |
| time (sec)      | N/A     | 0.107 | 0.321       | 0.074 | 1.240  | 1.054  | 6.506 | 0.437 | 1.943 |
| Problem 44      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 94      | 94    | 143         | 136   | 176    | 70     | 570   | 88    | 70    |
| normalized size | 1       | 1.00  | 1.52        | 1.45  | 1.87   | 0.74   | 6.06  | 0.94  | 0.74  |
| time (sec)      | N/A     | 0.092 | 0.276       | 0.071 | 1.555  | 1.101  | 3.898 | 0.685 | 0.597 |
| Problem 45      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 76      | 76    | 117         | 103   | 133    | 57     | 325   | 73    | 89    |
| normalized size | 1       | 1.00  | 1.54        | 1.36  | 1.75   | 0.75   | 4.28  | 0.96  | 1.17  |
| time (sec)      | N/A     | 0.061 | 0.231       | 0.078 | 1.334  | 1.169  | 2.320 | 0.364 | 0.409 |
| Problem 46      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | B      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 43      | 43    | 89          | 68    | 92     | 46     | 129   | 58    | 66    |
| normalized size | 1       | 1.00  | 2.07        | 1.58  | 2.14   | 1.07   | 3.00  | 1.35  | 1.53  |
| time (sec)      | N/A     | 0.080 | 0.196       | 0.054 | 2.251  | 0.999  | 1.405 | 0.451 | 0.400 |
| Problem 47      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 29      | 29    | 57          | 37    | 49     | 37     | 27    | 28    | 23    |
| normalized size | 1       | 1.00  | 1.97        | 1.28  | 1.69   | 1.28   | 0.93  | 0.97  | 0.79  |
| time (sec)      | N/A     | 0.034 | 0.072       | 0.050 | 1.223  | 0.895  | 0.751 | 0.502 | 0.331 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 48      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 22      | 22    | 17          | 17    | 23     | 22     | 20    | 16    | 16    |
| normalized size | 1       | 1.00  | 0.77        | 0.77  | 1.05   | 1.00   | 0.91  | 0.73  | 0.73  |
| time (sec)      | N/A     | 0.012 | 0.013       | 0.041 | 1.118  | 0.910  | 0.508 | 0.407 | 0.315 |
| Problem 49      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 103         | 58    | 75     | 65     | 0     | 54    | 31    |
| normalized size | 1       | 1.00  | 2.71        | 1.53  | 1.97   | 1.71   | 0.00  | 1.42  | 0.82  |
| time (sec)      | N/A     | 0.048 | 0.150       | 0.077 | 1.119  | 0.927  | 0.000 | 0.499 | 0.354 |
| Problem 50      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 53      | 53    | 188         | 99    | 119    | 97     | 0     | 84    | 67    |
| normalized size | 1       | 1.00  | 3.55        | 1.87  | 2.25   | 1.83   | 0.00  | 1.58  | 1.26  |
| time (sec)      | N/A     | 0.076 | 0.694       | 0.090 | 0.490  | 1.101  | 0.000 | 0.473 | 0.395 |
| Problem 51      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 244         | 143   | 162    | 112    | 0     | 101   | 95    |
| normalized size | 1       | 1.00  | 2.94        | 1.72  | 1.95   | 1.35   | 0.00  | 1.22  | 1.14  |
| time (sec)      | N/A     | 0.093 | 1.298       | 0.108 | 0.313  | 1.062  | 0.000 | 0.806 | 0.454 |
| Problem 52      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 103     | 103   | 368         | 183   | 205    | 124    | 0     | 114   | 96    |
| normalized size | 1       | 1.00  | 3.57        | 1.78  | 1.99   | 1.20   | 0.00  | 1.11  | 0.93  |
| time (sec)      | N/A     | 0.095 | 4.271       | 0.121 | 0.816  | 1.055  | 0.000 | 0.498 | 0.571 |
| Problem 53      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 124     | 124   | 199         | 156   | 207    | 108    | 700   | 108   | 135   |
| normalized size | 1       | 1.00  | 1.60        | 1.26  | 1.67   | 0.87   | 5.65  | 0.87  | 1.09  |
| time (sec)      | N/A     | 0.185 | 0.433       | 0.070 | 1.357  | 1.075  | 9.744 | 0.879 | 0.499 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 54      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 177         | 122   | 164    | 99     | 413   | 95    | 113   |
| normalized size | 1       | 1.00  | 1.55        | 1.07  | 1.44   | 0.87   | 3.62  | 0.83  | 0.99  |
| time (sec)      | N/A     | 0.152 | 0.289       | 0.054 | 1.351  | 1.998  | 6.124 | 0.563 | 0.453 |
| Problem 55      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 114         | 88    | 118    | 90     | 201   | 79    | 91    |
| normalized size | 1       | 1.00  | 1.42        | 1.10  | 1.48   | 1.12   | 2.51  | 0.99  | 1.14  |
| time (sec)      | N/A     | 0.170 | 0.348       | 0.062 | 1.502  | 1.345  | 3.638 | 0.460 | 0.422 |
| Problem 56      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 105         | 56    | 72     | 80     | 56    | 50    | 35    |
| normalized size | 1       | 1.00  | 1.84        | 0.98  | 1.26   | 1.40   | 0.98  | 0.88  | 0.61  |
| time (sec)      | N/A     | 0.085 | 0.225       | 0.058 | 1.001  | 0.991  | 2.019 | 0.415 | 0.358 |
| Problem 57      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 55      | 55    | 60          | 32    | 47     | 51     | 48    | 31    | 30    |
| normalized size | 1       | 1.00  | 1.09        | 0.58  | 0.85   | 0.93   | 0.87  | 0.56  | 0.55  |
| time (sec)      | N/A     | 0.038 | 0.114       | 0.050 | 0.310  | 1.527  | 1.291 | 0.451 | 0.334 |
| Problem 58      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 55      | 55    | 53          | 32    | 46     | 49     | 44    | 31    | 30    |
| normalized size | 1       | 1.00  | 0.96        | 0.58  | 0.84   | 0.89   | 0.80  | 0.56  | 0.55  |
| time (sec)      | N/A     | 0.027 | 0.048       | 0.044 | 1.101  | 1.065  | 0.895 | 0.763 | 0.334 |
| Problem 59      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 152         | 77    | 98     | 114    | 0     | 77    | 43    |
| normalized size | 1       | 1.00  | 2.30        | 1.17  | 1.48   | 1.73   | 0.00  | 1.17  | 0.65  |
| time (sec)      | N/A     | 0.112 | 0.289       | 0.088 | 0.993  | 0.896  | 0.000 | 0.436 | 0.373 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 60      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 81      | 81    | 239         | 120   | 145    | 146    | 0      | 106   | 92    |
| normalized size | 1       | 1.00  | 2.95        | 1.48  | 1.79   | 1.80   | 0.00   | 1.31  | 1.14  |
| time (sec)      | N/A     | 0.173 | 1.124       | 0.109 | 0.646  | 0.680  | 0.000  | 0.635 | 0.413 |
| Problem 61      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 119     | 119   | 292         | 162   | 190    | 162    | 0      | 122   | 122   |
| normalized size | 1       | 1.00  | 2.45        | 1.36  | 1.60   | 1.36   | 0.00   | 1.03  | 1.03  |
| time (sec)      | N/A     | 0.190 | 1.812       | 0.140 | 0.947  | 1.098  | 0.000  | 0.598 | 0.428 |
| Problem 62      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 133     | 133   | 343         | 204   | 234    | 172    | 0      | 135   | 153   |
| normalized size | 1       | 1.00  | 2.58        | 1.53  | 1.76   | 1.29   | 0.00   | 1.02  | 1.15  |
| time (sec)      | N/A     | 0.199 | 3.882       | 0.100 | 0.950  | 0.956  | 0.000  | 0.926 | 0.447 |
| Problem 63      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 153     | 153   | 173         | 141   | 184    | 135    | 473    | 113   | 137   |
| normalized size | 1       | 1.00  | 1.13        | 0.92  | 1.20   | 0.88   | 3.09   | 0.74  | 0.90  |
| time (sec)      | N/A     | 0.265 | 0.572       | 0.064 | 1.256  | 1.016  | 13.647 | 0.378 | 0.472 |
| Problem 64      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 119     | 119   | 161         | 107   | 137    | 126    | 240    | 96    | 113   |
| normalized size | 1       | 1.00  | 1.35        | 0.90  | 1.15   | 1.06   | 2.02   | 0.81  | 0.95  |
| time (sec)      | N/A     | 0.273 | 0.534       | 0.056 | 1.228  | 1.184  | 8.555  | 0.548 | 0.438 |
| Problem 65      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 96      | 96    | 154         | 75    | 92     | 116    | 75     | 68    | 81    |
| normalized size | 1       | 1.00  | 1.60        | 0.78  | 0.96   | 1.21   | 0.78   | 0.71  | 0.84  |
| time (sec)      | N/A     | 0.184 | 0.237       | 0.056 | 0.689  | 1.746  | 5.154  | 0.472 | 0.421 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 66      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 86          | 45    | 67     | 75     | 68    | 46    | 45    |
| normalized size | 1       | 1.00  | 1.04        | 0.54  | 0.81   | 0.90   | 0.82  | 0.55  | 0.54  |
| time (sec)      | N/A     | 0.094 | 0.187       | 0.048 | 1.011  | 2.212  | 3.363 | 0.514 | 0.355 |
| Problem 67      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 71          | 32    | 47     | 73     | 48    | 31    | 30    |
| normalized size | 1       | 1.00  | 0.86        | 0.39  | 0.57   | 0.88   | 0.58  | 0.37  | 0.36  |
| time (sec)      | N/A     | 0.058 | 0.137       | 0.045 | 0.482  | 0.764  | 2.279 | 0.414 | 0.338 |
| Problem 68      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 65          | 45    | 67     | 75     | 63    | 46    | 45    |
| normalized size | 1       | 1.00  | 0.78        | 0.54  | 0.81   | 0.90   | 0.76  | 0.55  | 0.54  |
| time (sec)      | N/A     | 0.046 | 0.081       | 0.041 | 0.333  | 0.772  | 1.634 | 0.463 | 0.351 |
| Problem 69      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 201         | 96    | 119    | 158    | 0     | 94    | 58    |
| normalized size | 1       | 1.00  | 2.07        | 0.99  | 1.23   | 1.63   | 0.00  | 0.97  | 0.60  |
| time (sec)      | N/A     | 0.201 | 0.483       | 0.082 | 1.119  | 1.206  | 0.000 | 0.586 | 0.405 |
| Problem 70      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 286         | 139   | 165    | 190    | 0     | 122   | 111   |
| normalized size | 1       | 1.00  | 2.55        | 1.24  | 1.47   | 1.70   | 0.00  | 1.09  | 0.99  |
| time (sec)      | N/A     | 0.279 | 1.146       | 0.082 | 1.477  | 0.891  | 0.000 | 0.520 | 0.401 |
| Problem 71      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 156     | 156   | 343         | 181   | 211    | 206    | 0     | 139   | 141   |
| normalized size | 1       | 1.00  | 2.20        | 1.16  | 1.35   | 1.32   | 0.00  | 0.89  | 0.90  |
| time (sec)      | N/A     | 0.305 | 3.852       | 0.115 | 0.959  | 1.149  | 0.000 | 0.722 | 0.393 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 72      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 184     | 184   | 289         | 160   | 204    | 171    | 530    | 128   | 159   |
| normalized size | 1       | 1.00  | 1.57        | 0.87  | 1.11   | 0.93   | 2.88   | 0.70  | 0.86  |
| time (sec)      | N/A     | 0.382 | 0.584       | 0.063 | 1.120  | 1.733  | 29.670 | 0.603 | 0.518 |
| Problem 73      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 150   | 263         | 126   | 158    | 162    | 280    | 112   | 137   |
| normalized size | 1       | 1.00  | 1.75        | 0.84  | 1.05   | 1.08   | 1.87   | 0.75  | 0.91  |
| time (sec)      | N/A     | 0.373 | 0.416       | 0.058 | 0.812  | 0.655  | 19.067 | 0.492 | 0.472 |
| Problem 74      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 127     | 127   | 224         | 94    | 112    | 152    | 95     | 83    | 102   |
| normalized size | 1       | 1.00  | 1.76        | 0.74  | 0.88   | 1.20   | 0.75   | 0.65  | 0.80  |
| time (sec)      | N/A     | 0.283 | 0.341       | 0.050 | 1.264  | 0.820  | 12.004 | 0.515 | 0.429 |
| Problem 75      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 114     | 114   | 112         | 58    | 87     | 99     | 88     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.98        | 0.51  | 0.76   | 0.87   | 0.77   | 0.52  | 0.51  |
| time (sec)      | N/A     | 0.199 | 0.271       | 0.053 | 0.864  | 0.594  | 8.349  | 0.448 | 0.387 |
| Problem 76      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 112     | 112   | 99          | 58    | 87     | 99     | 87     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.88        | 0.52  | 0.78   | 0.88   | 0.78   | 0.53  | 0.52  |
| time (sec)      | N/A     | 0.112 | 0.260       | 0.045 | 0.835  | 1.058  | 6.051  | 0.562 | 0.390 |
| Problem 77      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 112     | 112   | 87          | 58    | 87     | 99     | 85     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.78        | 0.52  | 0.78   | 0.88   | 0.76   | 0.53  | 0.52  |
| time (sec)      | N/A     | 0.078 | 0.235       | 0.044 | 1.195  | 0.915  | 4.464  | 0.559 | 0.389 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 78      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 112     | 112   | 77          | 56    | 87     | 99     | 83     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.69        | 0.50  | 0.78   | 0.88   | 0.74   | 0.53  | 0.52  |
| time (sec)      | N/A     | 0.070 | 0.165       | 0.043 | 0.997  | 0.917  | 3.423  | 0.440 | 0.380 |
| Problem 79      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 120     | 120   | 185         | 115   | 139    | 202    | 0      | 110   | 83    |
| normalized size | 1       | 1.00  | 1.54        | 0.96  | 1.16   | 1.68   | 0.00   | 0.92  | 0.69  |
| time (sec)      | N/A     | 0.287 | 0.860       | 0.088 | 1.478  | 1.039  | 0.000  | 0.693 | 0.373 |
| Problem 80      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 135     | 135   | 341         | 158   | 186    | 234    | 0      | 139   | 130   |
| normalized size | 1       | 1.00  | 2.53        | 1.17  | 1.38   | 1.73   | 0.00   | 1.03  | 0.96  |
| time (sec)      | N/A     | 0.391 | 4.148       | 0.087 | 1.474  | 0.900  | 0.000  | 0.608 | 0.420 |
| Problem 81      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 455         | 200   | 231    | 250    | 0      | 155   | 160   |
| normalized size | 1       | 1.00  | 2.46        | 1.08  | 1.25   | 1.35   | 0.00   | 0.84  | 0.86  |
| time (sec)      | N/A     | 0.432 | 6.266       | 0.111 | 1.104  | 1.087  | 0.000  | 0.878 | 0.466 |
| Problem 82      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 225     | 225   | 345         | 179   | 224    | 207    | 588    | 145   | 181   |
| normalized size | 1       | 1.00  | 1.53        | 0.80  | 1.00   | 0.92   | 2.61   | 0.64  | 0.80  |
| time (sec)      | N/A     | 0.516 | 0.781       | 0.066 | 2.430  | 0.882  | 64.315 | 1.471 | 0.583 |
| Problem 83      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 191     | 191   | 319         | 145   | 178    | 198    | 320    | 129   | 159   |
| normalized size | 1       | 1.00  | 1.67        | 0.76  | 0.93   | 1.04   | 1.68   | 0.68  | 0.83  |
| time (sec)      | N/A     | 0.490 | 0.729       | 0.058 | 0.774  | 1.188  | 42.517 | 0.743 | 0.513 |



|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 84      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 168     | 168   | 280         | 113   | 132    | 188    | 116    | 100   | 125   |
| normalized size | 1       | 1.00  | 1.67        | 0.67  | 0.79   | 1.12   | 0.69   | 0.60  | 0.74  |
| time (sec)      | N/A     | 0.392 | 0.490       | 0.054 | 0.699  | 0.706  | 28.097 | 0.551 | 0.478 |
| Problem 85      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 155     | 155   | 138         | 71    | 107    | 123    | 107    | 72    | 127   |
| normalized size | 1       | 1.00  | 0.89        | 0.46  | 0.69   | 0.79   | 0.69   | 0.46  | 0.82  |
| time (sec)      | N/A     | 0.300 | 0.277       | 0.047 | 0.992  | 1.022  | 19.963 | 1.415 | 0.432 |
| Problem 86      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 147     | 147   | 125         | 58    | 87     | 123    | 87     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.85        | 0.39  | 0.59   | 0.84   | 0.59   | 0.40  | 0.39  |
| time (sec)      | N/A     | 0.228 | 0.240       | 0.056 | 1.905  | 0.855  | 15.351 | 0.456 | 0.393 |
| Problem 87      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 139     | 139   | 110         | 45    | 67     | 123    | 68     | 46    | 45    |
| normalized size | 1       | 1.00  | 0.79        | 0.32  | 0.48   | 0.88   | 0.49   | 0.33  | 0.32  |
| time (sec)      | N/A     | 0.144 | 0.237       | 0.057 | 0.678  | 0.726  | 11.579 | 0.501 | 0.357 |
| Problem 88      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 143     | 143   | 97          | 58    | 87     | 123    | 85     | 59    | 58    |
| normalized size | 1       | 1.00  | 0.68        | 0.41  | 0.61   | 0.86   | 0.59   | 0.41  | 0.41  |
| time (sec)      | N/A     | 0.105 | 0.191       | 0.047 | 0.973  | 0.581  | 9.184  | 0.570 | 0.397 |
| Problem 89      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 143     | 143   | 89          | 71    | 107    | 123    | 102    | 72    | 127   |
| normalized size | 1       | 1.00  | 0.62        | 0.50  | 0.75   | 0.86   | 0.71   | 0.50  | 0.89  |
| time (sec)      | N/A     | 0.091 | 0.162       | 0.039 | 1.013  | 1.080  | 7.603  | 0.377 | 0.417 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 90      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 153     | 153   | 211         | 134   | 159    | 246    | 0      | 126   | 99    |
| normalized size | 1       | 1.00  | 1.38        | 0.88  | 1.04   | 1.61   | 0.00   | 0.82  | 0.65  |
| time (sec)      | N/A     | 0.377 | 1.811       | 0.095 | 0.962  | 1.244  | 0.000  | 0.788 | 0.392 |
| Problem 91      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 168     | 168   | 453         | 177   | 206    | 278    | 0      | 155   | 149   |
| normalized size | 1       | 1.00  | 2.70        | 1.05  | 1.23   | 1.65   | 0.00   | 0.92  | 0.89  |
| time (sec)      | N/A     | 0.533 | 6.367       | 0.094 | 1.058  | 1.045  | 0.000  | 0.553 | 0.448 |
| Problem 92      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | B           | A     | A      | A      | F      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 224     | 224   | 507         | 219   | 251    | 294    | 0      | 171   | 179   |
| normalized size | 1       | 1.00  | 2.26        | 0.98  | 1.12   | 1.31   | 0.00   | 0.76  | 0.80  |
| time (sec)      | N/A     | 0.540 | 6.349       | 0.111 | 0.686  | 1.144  | 0.000  | 0.788 | 0.478 |
| Problem 93      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 184     | 184   | 164         | 84    | 127    | 147    | 129    | 85    | 75    |
| normalized size | 1       | 1.00  | 0.89        | 0.46  | 0.69   | 0.80   | 0.70   | 0.46  | 0.41  |
| time (sec)      | N/A     | 0.410 | 0.363       | 0.055 | 0.673  | 0.801  | 39.013 | 0.474 | 0.882 |
| Problem 94      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176   | 151         | 84    | 127    | 147    | 124    | 85    | 151   |
| normalized size | 1       | 1.00  | 0.86        | 0.48  | 0.72   | 0.84   | 0.70   | 0.48  | 0.86  |
| time (sec)      | N/A     | 0.318 | 0.324       | 0.048 | 1.489  | 0.843  | 30.356 | 0.708 | 0.463 |
| Problem 95      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1)  | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 158     | 158   | 92          | 97    | 79     | 72     | 0      | 129   | -1    |
| normalized size | 1       | 1.00  | 0.58        | 0.61  | 0.50   | 0.46   | 0.00   | 0.82  | -0.01 |
| time (sec)      | N/A     | 0.241 | 0.277       | 0.178 | 1.132  | 0.722  | 0.000  | 0.654 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 96      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 122     | 122   | 80          | 84    | 65     | 62     | 0     | 105   | -1    |
| normalized size | 1       | 1.00  | 0.66        | 0.69  | 0.53   | 0.51   | 0.00  | 0.86  | -0.01 |
| time (sec)      | N/A     | 0.176 | 0.160       | 0.170 | 1.452  | 0.682  | 0.000 | 1.259 | 0.000 |
| Problem 97      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 86      | 86    | 68          | 71    | 51     | 52     | 0     | 81    | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.83  | 0.59   | 0.60   | 0.00  | 0.94  | -0.01 |
| time (sec)      | N/A     | 0.115 | 0.102       | 0.166 | 1.396  | 0.816  | 0.000 | 0.528 | 0.000 |
| Problem 98      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 56      | 56    | 54          | 58    | 36     | 40     | 0     | 56    | -1    |
| normalized size | 1       | 1.00  | 0.96        | 1.04  | 0.64   | 0.71   | 0.00  | 1.00  | -0.02 |
| time (sec)      | N/A     | 0.046 | 0.073       | 0.165 | 1.883  | 1.129  | 0.000 | 0.474 | 0.000 |
| Problem 99      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 26      | 26    | 29          | 43    | 20     | 32     | 0     | 30    | 33    |
| normalized size | 1       | 1.00  | 1.12        | 1.65  | 0.77   | 1.23   | 0.00  | 1.15  | 1.27  |
| time (sec)      | N/A     | 0.013 | 0.030       | 0.000 | 1.637  | 1.044  | 0.000 | 0.393 | 0.464 |
| Problem 100     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 37      | 37    | 50          | 180   | 0      | 146    | 0     | 58    | -1    |
| normalized size | 1       | 1.00  | 1.35        | 4.86  | 0.00   | 3.95   | 0.00  | 1.57  | -0.03 |
| time (sec)      | N/A     | 0.051 | 0.047       | 0.505 | 0.000  | 1.019  | 0.000 | 0.527 | 0.000 |
| Problem 101     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 62      | 62    | 79          | 379   | 1170   | 140    | 0     | 104   | -1    |
| normalized size | 1       | 1.00  | 1.27        | 6.11  | 18.87  | 2.26   | 0.00  | 1.68  | -0.02 |
| time (sec)      | N/A     | 0.104 | 0.095       | 0.476 | 2.591  | 1.279  | 0.000 | 0.752 | 0.000 |

|                 |         |       |             |       |         |        |       |       |       |
|-----------------|---------|-------|-------------|-------|---------|--------|-------|-------|-------|
| Problem 102     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B       | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 102     | 102   | 94          | 545   | 2642    | 155    | 0     | 131   | -1    |
| normalized size | 1       | 1.00  | 0.92        | 5.34  | 25.90   | 1.52   | 0.00  | 1.28  | -0.01 |
| time (sec)      | N/A     | 0.162 | 0.181       | 0.527 | 11.912  | 1.155  | 0.000 | 1.011 | 0.000 |
| Problem 103     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B       | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 138     | 138   | 109         | 709   | 5115    | 165    | 0     | 154   | -1    |
| normalized size | 1       | 1.00  | 0.79        | 5.14  | 37.07   | 1.20   | 0.00  | 1.12  | -0.01 |
| time (sec)      | N/A     | 0.218 | 0.329       | 0.575 | 171.932 | 0.743  | 0.000 | 0.687 | 0.000 |
| Problem 104     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 162     | 162   | 93          | 99    | 84      | 78     | 0     | 134   | -1    |
| normalized size | 1       | 1.00  | 0.57        | 0.61  | 0.52    | 0.48   | 0.00  | 0.83  | -0.01 |
| time (sec)      | N/A     | 0.247 | 0.263       | 0.147 | 1.053   | 1.545  | 0.000 | 0.668 | 0.000 |
| Problem 105     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 81          | 86    | 69      | 67     | 0     | 109   | -1    |
| normalized size | 1       | 1.00  | 0.70        | 0.74  | 0.59    | 0.58   | 0.00  | 0.94  | -0.01 |
| time (sec)      | N/A     | 0.141 | 0.169       | 0.155 | 1.007   | 0.990  | 0.000 | 0.639 | 0.000 |
| Problem 106     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 86      | 86    | 67          | 71    | 53      | 55     | 0     | 83    | -1    |
| normalized size | 1       | 1.00  | 0.78        | 0.83  | 0.62    | 0.64   | 0.00  | 0.97  | -0.01 |
| time (sec)      | N/A     | 0.065 | 0.100       | 0.162 | 1.127   | 0.589  | 0.000 | 0.518 | 0.000 |
| Problem 107     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD   | TBD   |
| size            | 59      | 59    | 55          | 58    | 38      | 44     | 0     | 58    | -1    |
| normalized size | 1       | 1.00  | 0.93        | 0.98  | 0.64    | 0.75   | 0.00  | 0.98  | -0.02 |
| time (sec)      | N/A     | 0.029 | 0.064       | 0.144 | 1.130   | 0.968  | 0.000 | 0.411 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 108     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | B      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 65          | 207   | 0      | 127    | 0     | 1884  | -1    |
| normalized size | 1       | 1.00  | 0.98        | 3.14  | 0.00   | 1.92   | 0.00  | 28.55 | -0.02 |
| time (sec)      | N/A     | 0.107 | 0.075       | 0.454 | 0.000  | 1.683  | 0.000 | 5.344 | 0.000 |
| Problem 109     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 65      | 65    | 81          | 381   | 1314   | 146    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.25        | 5.86  | 20.22  | 2.25   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.118 | 0.112       | 0.440 | 1.670  | 1.045  | 0.000 | 0.000 | 0.000 |
| Problem 110     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 106     | 106   | 97          | 545   | 3216   | 162    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.92        | 5.14  | 30.34  | 1.53   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.176 | 0.232       | 0.570 | 3.697  | 1.892  | 0.000 | 0.000 | 0.000 |
| Problem 111     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 144     | 144   | 110         | 710   | 0      | 173    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.76        | 4.93  | 0.00   | 1.20   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.237 | 0.348       | 0.584 | 0.000  | 0.883  | 0.000 | 0.000 | 0.000 |
| Problem 112     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 203     | 203   | 107         | 112   | 111    | 101    | 0     | 171   | -1    |
| normalized size | 1       | 1.00  | 0.53        | 0.55  | 0.55   | 0.50   | 0.00  | 0.84  | -0.00 |
| time (sec)      | N/A     | 0.363 | 0.498       | 0.183 | 1.219  | 0.981  | 0.000 | 2.026 | 0.000 |
| Problem 113     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 146     | 146   | 95          | 99    | 94     | 88     | 0     | 144   | -1    |
| normalized size | 1       | 1.00  | 0.65        | 0.68  | 0.64   | 0.60   | 0.00  | 0.99  | -0.01 |
| time (sec)      | N/A     | 0.160 | 0.288       | 0.184 | 1.177  | 0.732  | 0.000 | 1.329 | 0.000 |

|                 |         |       |             |       |         |        |       |        |       |
|-----------------|---------|-------|-------------|-------|---------|--------|-------|--------|-------|
| Problem 114     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F(-1) | A      | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 116     | 116   | 84          | 86    | 77      | 75     | 0     | 117    | -1    |
| normalized size | 1       | 1.00  | 0.72        | 0.74  | 0.66    | 0.65   | 0.00  | 1.01   | -0.01 |
| time (sec)      | N/A     | 0.087 | 0.229       | 0.143 | 0.971   | 0.605  | 0.000 | 0.643  | 0.000 |
| Problem 115     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | A       | A      | F(-1) | A      | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 89      | 89    | 71          | 73    | 60      | 62     | 0     | 90     | -1    |
| normalized size | 1       | 1.00  | 0.80        | 0.82  | 0.67    | 0.70   | 0.00  | 1.01   | -0.01 |
| time (sec)      | N/A     | 0.050 | 0.104       | 0.000 | 0.992   | 0.920  | 0.000 | 0.723  | 0.000 |
| Problem 116     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | B     | F       | A      | F(-1) | B      | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 98      | 98    | 89          | 244   | 0       | 147    | 0     | 5671   | -1    |
| normalized size | 1       | 1.00  | 0.91        | 2.49  | 0.00    | 1.50   | 0.00  | 57.87  | -0.01 |
| time (sec)      | N/A     | 0.202 | 0.510       | 0.564 | 0.000   | 1.223  | 0.000 | 56.699 | 0.000 |
| Problem 117     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | C           | B     | F(-1)   | A      | F(-1) | F(-1)  | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 92      | 92    | 1547        | 408   | 0       | 164    | 0     | 0      | -1    |
| normalized size | 1       | 1.00  | 16.82       | 4.43  | 0.00    | 1.78   | 0.00  | 0.00   | -0.01 |
| time (sec)      | N/A     | 0.198 | 36.227      | 0.479 | 0.000   | 1.199  | 0.000 | 0.000  | 0.000 |
| Problem 118     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | C           | B     | B       | A      | F(-1) | F(-1)  | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 106     | 106   | 1693        | 545   | 3667    | 170    | 0     | 0      | -1    |
| normalized size | 1       | 1.00  | 15.97       | 5.14  | 34.59   | 1.60   | 0.00  | 0.00   | -0.01 |
| time (sec)      | N/A     | 0.222 | 36.008      | 0.527 | 13.577  | 0.675  | 0.000 | 0.000  | 0.000 |
| Problem 119     | Optimal | Rubi  | Mathematica | Maple | Maxima  | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | C           | B     | B       | A      | F(-1) | F(-1)  | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD     | TBD    | TBD   | TBD    | TBD   |
| size            | 144     | 144   | 1825        | 709   | 6703    | 183    | 0     | 0      | -1    |
| normalized size | 1       | 1.00  | 12.67       | 4.92  | 46.55   | 1.27   | 0.00  | 0.00   | -0.01 |
| time (sec)      | N/A     | 0.282 | 36.113      | 0.563 | 131.605 | 0.963  | 0.000 | 0.000  | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 120     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 182     | 182   | 2069        | 872   | 0      | 196    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 11.37       | 4.79  | 0.00   | 1.08   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.345 | 35.840      | 0.598 | 0.000  | 1.475  | 0.000 | 0.000 | 0.000 |
| Problem 121     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 83          | 86    | 77     | 75     | 0     | 117   | -1    |
| normalized size | 1       | 1.00  | 0.70        | 0.72  | 0.65   | 0.63   | 0.00  | 0.98  | -0.01 |
| time (sec)      | N/A     | 0.068 | 0.240       | 0.159 | 1.066  | 0.701  | 0.000 | 0.804 | 0.000 |
| Problem 122     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 130         | 194   | 0      | 153    | 0     | 118   | -1    |
| normalized size | 1       | 1.00  | 0.75        | 1.11  | 0.00   | 0.88   | 0.00  | 0.68  | -0.01 |
| time (sec)      | N/A     | 0.372 | 0.199       | 0.460 | 0.000  | 1.293  | 0.000 | 1.249 | 0.000 |
| Problem 123     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 118         | 183   | 0      | 143    | 0     | 116   | -1    |
| normalized size | 1       | 1.00  | 0.84        | 1.31  | 0.00   | 1.02   | 0.00  | 0.83  | -0.01 |
| time (sec)      | N/A     | 0.239 | 0.167       | 0.388 | 0.000  | 0.680  | 0.000 | 1.288 | 0.000 |
| Problem 124     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 104     | 104   | 104         | 135   | 0      | 131    | 0     | 79    | 97    |
| normalized size | 1       | 1.00  | 1.00        | 1.30  | 0.00   | 1.26   | 0.00  | 0.76  | 0.93  |
| time (sec)      | N/A     | 0.125 | 0.112       | 0.288 | 0.000  | 1.145  | 0.000 | 1.675 | 0.381 |
| Problem 125     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 53          | 120   | 0      | 122    | 0     | 74    | 60    |
| normalized size | 1       | 1.00  | 0.73        | 1.64  | 0.00   | 1.67   | 0.00  | 1.01  | 0.82  |
| time (sec)      | N/A     | 0.051 | 0.045       | 0.312 | 0.000  | 1.308  | 0.000 | 1.058 | 0.396 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 126     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | C     | B      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 46      | 46    | 40          | 54    | 90     | 126    | 0     | 93    | 45    |
| normalized size | 1       | 1.00  | 0.87        | 1.17  | 1.96   | 2.74   | 0.00  | 2.02  | 0.98  |
| time (sec)      | N/A     | 0.022 | 0.012       | 0.064 | 1.309  | 0.883  | 0.000 | 0.615 | 0.357 |
| Problem 127     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | B      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 65          | 224   | 0      | 164    | 0     | 162   | -1    |
| normalized size | 1       | 1.00  | 0.76        | 2.64  | 0.00   | 1.93   | 0.00  | 1.91  | -0.01 |
| time (sec)      | N/A     | 0.114 | 0.052       | 0.608 | 0.000  | 0.734  | 0.000 | 1.869 | 0.000 |
| Problem 128     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | B      | F     | B     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 108     | 108   | 1540        | 466   | 0      | 236    | 0     | 290   | -1    |
| normalized size | 1       | 1.00  | 14.26       | 4.31  | 0.00   | 2.19   | 0.00  | 2.69  | -0.01 |
| time (sec)      | N/A     | 0.213 | 27.563      | 0.673 | 0.000  | 0.899  | 0.000 | 2.709 | 0.000 |
| Problem 129     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | B      | F     | B     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 1791        | 671   | 0      | 251    | 0     | 371   | -1    |
| normalized size | 1       | 1.00  | 12.18       | 4.56  | 0.00   | 1.71   | 0.00  | 2.52  | -0.01 |
| time (sec)      | N/A     | 0.340 | 31.172      | 0.676 | 0.000  | 0.800  | 0.000 | 2.343 | 0.000 |
| Problem 130     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F     | B     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 181     | 181   | 1921        | 875   | 0      | 263    | 0     | 451   | -1    |
| normalized size | 1       | 1.00  | 10.61       | 4.83  | 0.00   | 1.45   | 0.00  | 2.49  | -0.01 |
| time (sec)      | N/A     | 0.489 | 30.131      | 0.624 | 0.000  | 0.849  | 0.000 | 3.735 | 0.000 |
| Problem 131     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 183     | 183   | 226         | 265   | 0      | 184    | 0     | 137   | -1    |
| normalized size | 1       | 1.00  | 1.23        | 1.45  | 0.00   | 1.01   | 0.00  | 0.75  | -0.01 |
| time (sec)      | N/A     | 0.400 | 1.355       | 0.317 | 0.000  | 0.979  | 0.000 | 1.271 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 132     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 145     | 145   | 196         | 234   | 0      | 174    | 0     | 115   | -1    |
| normalized size | 1       | 1.00  | 1.35        | 1.61  | 0.00   | 1.20   | 0.00  | 0.79  | -0.01 |
| time (sec)      | N/A     | 0.261 | 0.963       | 0.319 | 0.000  | 0.680  | 0.000 | 1.348 | 0.000 |
| Problem 133     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 105     | 105   | 164         | 173   | 0      | 164    | 0     | 102   | -1    |
| normalized size | 1       | 1.00  | 1.56        | 1.65  | 0.00   | 1.56   | 0.00  | 0.97  | -0.01 |
| time (sec)      | N/A     | 0.134 | 0.464       | 0.310 | 0.000  | 0.705  | 0.000 | 2.046 | 0.000 |
| Problem 134     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 54          | 140   | 0      | 154    | 0     | 81    | -1    |
| normalized size | 1       | 1.00  | 0.70        | 1.82  | 0.00   | 2.00   | 0.00  | 1.05  | -0.01 |
| time (sec)      | N/A     | 0.059 | 0.098       | 0.302 | 0.000  | 0.877  | 0.000 | 1.434 | 0.000 |
| Problem 135     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 63          | 138   | 0      | 153    | 0     | 81    | -1    |
| normalized size | 1       | 1.00  | 0.82        | 1.79  | 0.00   | 1.99   | 0.00  | 1.05  | -0.01 |
| time (sec)      | N/A     | 0.039 | 0.068       | 0.000 | 0.000  | 1.783  | 0.000 | 1.244 | 0.000 |
| Problem 136     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | B      | F     | B     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 1787        | 290   | 0      | 254    | 0     | 189   | -1    |
| normalized size | 1       | 1.00  | 15.68       | 2.54  | 0.00   | 2.23   | 0.00  | 1.66  | -0.01 |
| time (sec)      | N/A     | 0.221 | 23.749      | 0.667 | 0.000  | 1.537  | 0.000 | 2.764 | 0.000 |
| Problem 137     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 144     | 144   | 103         | 567   | 0      | 286    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.72        | 3.94  | 0.00   | 1.99   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.374 | 0.484       | 0.628 | 0.000  | 1.212  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 138     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F     | F(-2) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 185     | 185   | 1941        | 807   | 0      | 302    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 10.49       | 4.36  | 0.00   | 1.63   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.499 | 28.429      | 1.052 | 0.000  | 1.625  | 0.000 | 0.000 | 0.000 |
| Problem 139     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 183     | 183   | 587         | 242   | 0      | 208    | 0     | 146   | -1    |
| normalized size | 1       | 1.00  | 3.21        | 1.32  | 0.00   | 1.14   | 0.00  | 0.80  | -0.01 |
| time (sec)      | N/A     | 0.412 | 6.350       | 0.321 | 0.000  | 0.834  | 0.000 | 3.961 | 0.000 |
| Problem 140     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 145     | 145   | 216         | 208   | 0      | 198    | 0     | 124   | -1    |
| normalized size | 1       | 1.00  | 1.49        | 1.43  | 0.00   | 1.37   | 0.00  | 0.86  | -0.01 |
| time (sec)      | N/A     | 0.270 | 4.046       | 0.419 | 0.000  | 1.120  | 0.000 | 3.130 | 0.000 |
| Problem 141     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | B      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 103         | 174   | 0      | 188    | 0     | 103   | -1    |
| normalized size | 1       | 1.00  | 0.96        | 1.63  | 0.00   | 1.76   | 0.00  | 0.96  | -0.01 |
| time (sec)      | N/A     | 0.137 | 1.132       | 0.356 | 0.000  | 1.044  | 0.000 | 1.860 | 0.000 |
| Problem 142     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 65          | 174   | 0      | 188    | 0     | 103   | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.63  | 0.00   | 1.76   | 0.00  | 0.96  | -0.01 |
| time (sec)      | N/A     | 0.080 | 0.249       | 0.311 | 0.000  | 1.015  | 0.000 | 1.462 | 0.000 |
| Problem 143     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 65          | 174   | 0      | 188    | 0     | 103   | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.63  | 0.00   | 1.76   | 0.00  | 0.96  | -0.01 |
| time (sec)      | N/A     | 0.063 | 0.145       | 0.302 | 0.000  | 1.196  | 0.000 | 2.360 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 144     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | B      | F     | A     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 144     | 144   | 1919        | 325   | 0      | 298    | 0     | 211   | -1    |
| normalized size | 1       | 1.00  | 13.33       | 2.26  | 0.00   | 2.07   | 0.00  | 1.47  | -0.01 |
| time (sec)      | N/A     | 0.335 | 24.138      | 0.609 | 0.000  | 1.062  | 0.000 | 3.591 | 0.000 |
| Problem 145     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | B      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 2051        | 601   | 0      | 330    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 11.79       | 3.45  | 0.00   | 1.90   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.519 | 24.098      | 0.603 | 0.000  | 1.985  | 0.000 | 0.000 | 0.000 |
| Problem 146     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 490         | 270   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 4.41        | 2.43  | 0.00   | 0.00   | 0.00  | 0.00  | 0.78  |
| time (sec)      | N/A     | 0.078 | 6.169       | 0.421 | 0.000  | 0.852  | 0.000 | 0.000 | 0.764 |
| Problem 147     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 87      | 87    | 232         | 219   | 0      | 0      | 0     | 0     | 80    |
| normalized size | 1       | 1.00  | 2.67        | 2.52  | 0.00   | 0.00   | 0.00  | 0.00  | 0.92  |
| time (sec)      | N/A     | 0.067 | 5.617       | 0.547 | 0.000  | 5.958  | 0.000 | 0.000 | 0.131 |
| Problem 148     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 61      | 61    | 222         | 225   | 0      | 0      | 0     | 0     | 53    |
| normalized size | 1       | 1.00  | 3.64        | 3.69  | 0.00   | 0.00   | 0.00  | 0.00  | 0.87  |
| time (sec)      | N/A     | 0.051 | 5.006       | 0.561 | 0.000  | 0.984  | 0.000 | 0.000 | 0.121 |
| Problem 149     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 35      | 35    | 155         | 150   | 0      | 0      | 0     | 0     | 27    |
| normalized size | 1       | 1.00  | 4.43        | 4.29  | 0.00   | 0.00   | 0.00  | 0.00  | 0.77  |
| time (sec)      | N/A     | 0.039 | 24.645      | 0.404 | 0.000  | 1.975  | 0.000 | 0.000 | 0.461 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 150     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 209         | 146   | 0      | 0      | 0     | 0     | 60    |
| normalized size | 1       | 1.00  | 3.67        | 2.56  | 0.00   | 0.00   | 0.00  | 0.00  | 1.05  |
| time (sec)      | N/A     | 0.050 | 9.674       | 0.451 | 0.000  | 1.101  | 0.000 | 0.000 | 0.645 |
| Problem 151     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 444         | 369   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 5.35        | 4.45  | 0.00   | 0.00   | 0.00  | 0.00  | 1.05  |
| time (sec)      | N/A     | 0.059 | 6.154       | 0.945 | 0.000  | 1.869  | 0.000 | 0.000 | 0.780 |
| Problem 152     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 477         | 384   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 4.30        | 3.46  | 0.00   | 0.00   | 0.00  | 0.00  | 0.78  |
| time (sec)      | N/A     | 0.074 | 6.173       | 0.834 | 0.000  | 1.166  | 0.000 | 0.000 | 0.871 |
| Problem 153     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 532         | 260   | 0      | 0      | 0     | 0     | 136   |
| normalized size | 1       | 1.00  | 3.62        | 1.77  | 0.00   | 0.00   | 0.00  | 0.00  | 0.93  |
| time (sec)      | N/A     | 0.138 | 6.136       | 0.513 | 0.000  | 2.067  | 0.000 | 0.000 | 0.769 |
| Problem 154     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 500         | 272   | 0      | 0      | 0     | 0     | 129   |
| normalized size | 1       | 1.00  | 4.13        | 2.25  | 0.00   | 0.00   | 0.00  | 0.00  | 1.07  |
| time (sec)      | N/A     | 0.119 | 6.128       | 0.457 | 0.000  | 1.662  | 0.000 | 0.000 | 0.649 |
| Problem 155     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 235         | 250   | 0      | 0      | 0     | 0     | 104   |
| normalized size | 1       | 1.00  | 2.47        | 2.63  | 0.00   | 0.00   | 0.00  | 0.00  | 1.09  |
| time (sec)      | N/A     | 0.093 | 5.622       | 0.451 | 0.000  | 0.823  | 0.000 | 0.000 | 0.742 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 156     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 67      | 67    | 224         | 228   | 0      | 0      | 0     | 0     | 59    |
| normalized size | 1       | 1.00  | 3.34        | 3.40  | 0.00   | 0.00   | 0.00  | 0.00  | 0.88  |
| time (sec)      | N/A     | 0.081 | 5.115       | 0.484 | 0.000  | 2.032  | 0.000 | 0.000 | 0.680 |
| Problem 157     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 44      | 44    | 39          | 104   | 0      | 0      | 0     | 0     | 82    |
| normalized size | 1       | 1.00  | 0.89        | 2.36  | 0.00   | 0.00   | 0.00  | 0.00  | 1.86  |
| time (sec)      | N/A     | 0.080 | 0.167       | 0.500 | 0.000  | 0.913  | 0.000 | 0.000 | 0.802 |
| Problem 158     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 91      | 91    | 454         | 371   | 0      | 0      | 0     | 0     | 109   |
| normalized size | 1       | 1.00  | 4.99        | 4.08  | 0.00   | 0.00   | 0.00  | 0.00  | 1.20  |
| time (sec)      | N/A     | 0.093 | 6.156       | 0.816 | 0.000  | 0.876  | 0.000 | 0.000 | 0.867 |
| Problem 159     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 487         | 386   | 0      | 0      | 0     | 0     | 114   |
| normalized size | 1       | 1.00  | 4.02        | 3.19  | 0.00   | 0.00   | 0.00  | 0.00  | 0.94  |
| time (sec)      | N/A     | 0.119 | 6.199       | 0.818 | 0.000  | 0.918  | 0.000 | 0.000 | 0.989 |
| Problem 160     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 532         | 260   | 0      | 0      | 0     | 0     | 206   |
| normalized size | 1       | 1.00  | 3.62        | 1.77  | 0.00   | 0.00   | 0.00  | 0.00  | 1.40  |
| time (sec)      | N/A     | 0.153 | 6.137       | 0.730 | 0.000  | 1.277  | 0.000 | 0.000 | 0.782 |
| Problem 161     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 500         | 272   | 0      | 0      | 0     | 0     | 143   |
| normalized size | 1       | 1.00  | 4.13        | 2.25  | 0.00   | 0.00   | 0.00  | 0.00  | 1.18  |
| time (sec)      | N/A     | 0.128 | 6.124       | 0.515 | 0.000  | 0.546  | 0.000 | 0.000 | 0.649 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 162     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 91      | 91    | 233         | 250   | 0      | 0      | 0     | 0     | 104   |
| normalized size | 1       | 1.00  | 2.56        | 2.75  | 0.00   | 0.00   | 0.00  | 0.00  | 1.14  |
| time (sec)      | N/A     | 0.109 | 5.711       | 0.915 | 0.000  | 1.407  | 0.000 | 0.000 | 0.618 |
| Problem 163     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 91      | 91    | 240         | 172   | 0      | 0      | 0     | 0     | 104   |
| normalized size | 1       | 1.00  | 2.64        | 1.89  | 0.00   | 0.00   | 0.00  | 0.00  | 1.14  |
| time (sec)      | N/A     | 0.110 | 4.670       | 0.556 | 0.000  | 0.753  | 0.000 | 0.000 | 0.645 |
| Problem 164     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 91      | 91    | 463         | 371   | 0      | 0      | 0     | 0     | 126   |
| normalized size | 1       | 1.00  | 5.09        | 4.08  | 0.00   | 0.00   | 0.00  | 0.00  | 1.38  |
| time (sec)      | N/A     | 0.105 | 6.196       | 0.934 | 0.000  | 1.924  | 0.000 | 0.000 | 1.018 |
| Problem 165     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 485         | 386   | 0      | 0      | 0     | 0     | 154   |
| normalized size | 1       | 1.00  | 4.15        | 3.30  | 0.00   | 0.00   | 0.00  | 0.00  | 1.32  |
| time (sec)      | N/A     | 0.127 | 6.215       | 0.908 | 0.000  | 2.022  | 0.000 | 0.000 | 1.097 |
| Problem 166     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 515         | 439   | 0      | 0      | 0     | 0     | 145   |
| normalized size | 1       | 1.00  | 3.50        | 2.99  | 0.00   | 0.00   | 0.00  | 0.00  | 0.99  |
| time (sec)      | N/A     | 0.148 | 6.246       | 0.948 | 0.000  | 1.097  | 0.000 | 0.000 | 1.210 |
| Problem 167     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 173     | 173   | 271         | 273   | 0      | 0      | 0     | 0     | 221   |
| normalized size | 1       | 1.00  | 1.57        | 1.58  | 0.00   | 0.00   | 0.00  | 0.00  | 1.28  |
| time (sec)      | N/A     | 0.205 | 3.621       | 0.494 | 0.000  | 1.959  | 0.000 | 0.000 | 0.880 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 168     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 532         | 260   | 0      | 0      | 0     | 0     | 223   |
| normalized size | 1       | 1.00  | 3.62        | 1.77  | 0.00   | 0.00   | 0.00  | 0.00  | 1.52  |
| time (sec)      | N/A     | 0.164 | 6.151       | 0.543 | 0.000  | 0.656  | 0.000 | 0.000 | 0.807 |
| Problem 169     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 500         | 272   | 0      | 0      | 0     | 0     | 146   |
| normalized size | 1       | 1.00  | 4.13        | 2.25  | 0.00   | 0.00   | 0.00  | 0.00  | 1.21  |
| time (sec)      | N/A     | 0.140 | 6.168       | 0.493 | 0.000  | 1.056  | 0.000 | 0.000 | 0.705 |
| Problem 170     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 497         | 194   | 0      | 0      | 0     | 0     | 149   |
| normalized size | 1       | 1.00  | 4.18        | 1.63  | 0.00   | 0.00   | 0.00  | 0.00  | 1.25  |
| time (sec)      | N/A     | 0.122 | 6.201       | 0.523 | 0.000  | 0.901  | 0.000 | 0.000 | 0.794 |
| Problem 171     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 98      | 98    | 70          | 292   | 0      | 0      | 0     | 0     | 145   |
| normalized size | 1       | 1.00  | 0.71        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | 1.48  |
| time (sec)      | N/A     | 0.122 | 0.316       | 0.861 | 0.000  | 2.743  | 0.000 | 0.000 | 0.840 |
| Problem 172     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 283         | 386   | 0      | 0      | 0     | 0     | 202   |
| normalized size | 1       | 1.00  | 2.34        | 3.19  | 0.00   | 0.00   | 0.00  | 0.00  | 1.67  |
| time (sec)      | N/A     | 0.146 | 4.340       | 0.903 | 0.000  | 1.764  | 0.000 | 0.000 | 1.301 |
| Problem 173     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 298         | 439   | 0      | 0      | 0     | 0     | 199   |
| normalized size | 1       | 1.00  | 2.03        | 2.99  | 0.00   | 0.00   | 0.00  | 0.00  | 1.35  |
| time (sec)      | N/A     | 0.167 | 5.142       | 1.201 | 0.000  | 1.284  | 0.000 | 0.000 | 1.337 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 174     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 128     | 128   | 315         | 229   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.46        | 1.79  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.110 | 1.809       | 0.534 | 0.000  | 0.869  | 0.000 | 0.000 | 0.000 |
| Problem 175     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 100     | 100   | 289         | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.89        | 2.15  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.101 | 1.285       | 0.627 | 0.000  | 1.138  | 0.000 | 0.000 | 0.000 |
| Problem 176     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 72      | 72    | 264         | 199   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.67        | 2.76  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.086 | 2.642       | 0.614 | 0.000  | 1.499  | 0.000 | 0.000 | 0.000 |
| Problem 177     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 70      | 70    | 256         | 198   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.66        | 2.83  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.083 | 1.054       | 0.480 | 0.000  | 0.993  | 0.000 | 0.000 | 0.000 |
| Problem 178     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 70      | 70    | 257         | 200   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.67        | 2.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.085 | 1.039       | 0.484 | 0.000  | 1.224  | 0.000 | 0.000 | 0.000 |
| Problem 179     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 96      | 96    | 297         | 253   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.09        | 2.64  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.099 | 2.091       | 0.534 | 0.000  | 0.919  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 180     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 124     | 124   | 332         | 413   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.68        | 3.33  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.112 | 3.939       | 0.889 | 0.000  | 0.623  | 0.000 | 0.000 | 0.000 |
| Problem 181     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 160     | 160   | 367         | 283   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.29        | 1.77  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.219 | 2.625       | 0.536 | 0.000  | 1.165  | 0.000 | 0.000 | 0.000 |
| Problem 182     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 138     | 138   | 337         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.44        | 1.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.202 | 2.028       | 0.539 | 0.000  | 2.627  | 0.000 | 0.000 | 0.000 |
| Problem 183     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 319         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.85        | 2.29  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.184 | 2.883       | 0.559 | 0.000  | 0.667  | 0.000 | 0.000 | 0.000 |
| Problem 184     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 109     | 109   | 640         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 5.87        | 2.36  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.188 | 6.319       | 0.584 | 0.000  | 0.983  | 0.000 | 0.000 | 0.000 |
| Problem 185     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 63          | 188   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.11        | 3.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.054 | 0.215       | 0.477 | 0.000  | 0.966  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 186     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 109     | 109   | 304         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.79        | 2.36  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.184 | 2.043       | 0.515 | 0.000  | 2.006  | 0.000 | 0.000 | 0.000 |
| Problem 187     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 334         | 405   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.46        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.208 | 1.960       | 0.604 | 0.000  | 0.906  | 0.000 | 0.000 | 0.000 |
| Problem 188     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 162     | 162   | 364         | 413   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.25        | 2.55  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.239 | 5.846       | 1.028 | 0.000  | 1.032  | 0.000 | 0.000 | 0.000 |
| Problem 189     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 207     | 207   | 388         | 296   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.87        | 1.43  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.335 | 2.747       | 0.640 | 0.000  | 1.106  | 0.000 | 0.000 | 0.000 |
| Problem 190     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 181     | 181   | 369         | 283   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.04        | 1.56  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.323 | 1.896       | 0.469 | 0.000  | 1.643  | 0.000 | 0.000 | 0.000 |
| Problem 191     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 349         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.25        | 1.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.299 | 4.196       | 0.746 | 0.000  | 1.038  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 192     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 705         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.55        | 1.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.308 | 6.413       | 0.483 | 0.000  | 0.675  | 0.000 | 0.000 | 0.000 |
| Problem 193     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 334         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.15        | 1.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.304 | 3.949       | 0.521 | 0.000  | 0.558  | 0.000 | 0.000 | 0.000 |
| Problem 194     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 334         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.15        | 1.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.305 | 3.393       | 0.500 | 0.000  | 1.798  | 0.000 | 0.000 | 0.000 |
| Problem 195     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-1)  | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 705         | 268   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.55        | 1.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.312 | 6.373       | 0.604 | 0.000  | 1.419  | 0.000 | 0.000 | 0.000 |
| Problem 196     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 181     | 181   | 364         | 555   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.01        | 3.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.347 | 2.010       | 0.731 | 0.000  | 1.326  | 0.000 | 0.000 | 0.000 |
| Problem 197     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-1)  | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 207     | 207   | 394         | 453   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.90        | 2.19  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.359 | 2.643       | 1.121 | 0.000  | 2.881  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 198     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 154     | 154   | 105         | 196   | 1921   | 108    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 1.27  | 12.47  | 0.70   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.233 | 0.347       | 0.282 | 2.014  | 0.982  | 0.000 | 0.000 | 0.000 |
| Problem 199     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 91          | 161   | 1059   | 98     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 1.39  | 9.13   | 0.84   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.174 | 0.207       | 0.174 | 1.706  | 1.745  | 0.000 | 0.000 | 0.000 |
| Problem 200     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 72      | 72    | 77          | 123   | 791    | 88     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.07        | 1.71  | 10.99  | 1.22   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.116 | 0.093       | 0.183 | 1.841  | 0.891  | 0.000 | 0.000 | 0.000 |
| Problem 201     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 37      | 37    | 50          | 80    | 146    | 119    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.35        | 2.16  | 3.95   | 3.22   | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.058 | 0.048       | 0.137 | 1.729  | 1.967  | 0.000 | 0.000 | 0.000 |
| Problem 202     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 36      | 36    | 39          | 42    | 98     | 49     | 0     | 58    | 41    |
| normalized size | 1       | 1.00  | 1.08        | 1.17  | 2.72   | 1.36   | 0.00  | 1.61  | 1.14  |
| time (sec)      | N/A     | 0.057 | 0.050       | 0.152 | 1.327  | 0.790  | 0.000 | 0.780 | 0.454 |
| Problem 203     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 51          | 54    | 190    | 61     | 0     | 87    | 82    |
| normalized size | 1       | 1.00  | 0.66        | 0.70  | 2.47   | 0.79   | 0.00  | 1.13  | 1.06  |
| time (sec)      | N/A     | 0.109 | 0.089       | 0.176 | 1.436  | 0.899  | 0.000 | 0.958 | 1.270 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 204     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 115     | 115   | 66          | 64    | 237    | 71     | 0     | 116   | 132   |
| normalized size | 1       | 1.00  | 0.57        | 0.56  | 2.06   | 0.62   | 0.00  | 1.01  | 1.15  |
| time (sec)      | N/A     | 0.165 | 0.093       | 0.155 | 1.111  | 1.074  | 0.000 | 1.403 | 2.367 |
| Problem 205     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 153     | 153   | 66          | 74    | 283    | 81     | 0     | 143   | 415   |
| normalized size | 1       | 1.00  | 0.43        | 0.48  | 1.85   | 0.53   | 0.00  | 0.93  | 2.71  |
| time (sec)      | N/A     | 0.228 | 0.131       | 0.163 | 1.484  | 0.994  | 0.000 | 1.637 | 5.642 |
| Problem 206     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 160     | 160   | 106         | 197   | 1942   | 114    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.66        | 1.23  | 12.14  | 0.71   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.248 | 0.373       | 0.209 | 2.066  | 2.230  | 0.000 | 0.000 | 0.000 |
| Problem 207     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 120     | 120   | 92          | 160   | 1080   | 103    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 1.33  | 9.00   | 0.86   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.185 | 0.229       | 0.173 | 1.913  | 1.045  | 0.000 | 0.000 | 0.000 |
| Problem 208     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 79          | 168   | 803    | 90     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.05        | 2.24  | 10.71  | 1.20   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.120 | 0.111       | 0.164 | 1.965  | 1.122  | 0.000 | 0.000 | 0.000 |
| Problem 209     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 76      | 76    | 85          | 249   | 997    | 109    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 3.28  | 13.12  | 1.43   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.124 | 0.149       | 0.174 | 1.655  | 1.411  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 210     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 81      | 81    | 52          | 55    | 125    | 62     | 0     | 0     | 89    |
| normalized size | 1       | 1.00  | 0.64        | 0.68  | 1.54   | 0.77   | 0.00  | 0.00  | 1.10  |
| time (sec)      | N/A     | 0.118 | 0.117       | 0.143 | 0.732  | 5.661  | 0.000 | 0.000 | 1.217 |
| Problem 211     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 62          | 65    | 217    | 73     | 0     | 0     | 133   |
| normalized size | 1       | 1.00  | 0.51        | 0.54  | 1.79   | 0.60   | 0.00  | 0.00  | 1.10  |
| time (sec)      | N/A     | 0.173 | 0.149       | 0.137 | 1.135  | 2.164  | 0.000 | 0.000 | 2.103 |
| Problem 212     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 72          | 75    | 263    | 86     | 0     | 0     | 157   |
| normalized size | 1       | 1.00  | 0.45        | 0.47  | 1.63   | 0.53   | 0.00  | 0.00  | 0.98  |
| time (sec)      | N/A     | 0.235 | 0.223       | 0.145 | 1.202  | 0.980  | 0.000 | 0.000 | 4.588 |
| Problem 213     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 200     | 200   | 182         | 234   | 7450   | 137    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 1.17  | 37.25  | 0.68   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.358 | 4.403       | 0.237 | 3.271  | 2.616  | 0.000 | 0.000 | 0.000 |
| Problem 214     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 160     | 160   | 182         | 197   | 1964   | 124    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.14        | 1.23  | 12.28  | 0.78   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.295 | 4.300       | 0.196 | 2.231  | 1.770  | 0.000 | 0.000 | 0.000 |
| Problem 215     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 120     | 120   | 182         | 188   | 1106   | 111    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.52        | 1.57  | 9.22   | 0.92   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.232 | 4.173       | 0.196 | 1.812  | 2.009  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 216     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 182         | 269   | 973    | 127    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.60        | 2.36  | 8.54   | 1.11   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.225 | 4.244       | 0.178 | 1.816  | 1.033  | 0.000 | 0.000 | 0.000 |
| Problem 217     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 356         | 333   | 1395   | 131    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.02        | 2.82  | 11.82  | 1.11   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.226 | 9.926       | 0.187 | 1.542  | 2.381  | 0.000 | 0.000 | 0.000 |
| Problem 218     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 64          | 67    | 151    | 81     | 0     | 0     | 135   |
| normalized size | 1       | 1.00  | 0.53        | 0.55  | 1.25   | 0.67   | 0.00  | 0.00  | 1.12  |
| time (sec)      | N/A     | 0.225 | 0.180       | 0.167 | 1.366  | 1.013  | 0.000 | 0.000 | 2.140 |
| Problem 219     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 74          | 77    | 243    | 94     | 0     | 0     | 163   |
| normalized size | 1       | 1.00  | 0.46        | 0.48  | 1.51   | 0.58   | 0.00  | 0.00  | 1.01  |
| time (sec)      | N/A     | 0.286 | 5.256       | 0.140 | 0.853  | 3.811  | 0.000 | 0.000 | 4.457 |
| Problem 220     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 201     | 201   | 84          | 87    | 289    | 107    | 0     | 0     | 279   |
| normalized size | 1       | 1.00  | 0.42        | 0.43  | 1.44   | 0.53   | 0.00  | 0.00  | 1.39  |
| time (sec)      | N/A     | 0.351 | 5.352       | 0.158 | 1.155  | 1.937  | 0.000 | 0.000 | 6.415 |
| Problem 221     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | B      | A      | F     | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 51          | 0     | 121    | 50     | 0     | 0     | 42    |
| normalized size | 1       | 1.00  | 1.34        | 0.00  | 3.18   | 1.32   | 0.00  | 0.00  | 1.11  |
| time (sec)      | N/A     | 0.056 | 0.094       | 0.155 | 1.131  | 1.097  | 0.000 | 0.000 | 0.581 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 222     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 37      | 37    | 50          | 80    | 146    | 119    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.35        | 2.16  | 3.95   | 3.22   | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.060 | 0.065       | 0.105 | 1.225  | 1.141  | 0.000 | 0.000 | 0.000 |
| Problem 223     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F     | F(-2) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 188         | 91    | 420    | 164    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.95        | 2.39  | 11.05  | 4.32   | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.072 | 3.614       | 0.168 | 0.858  | 0.838  | 0.000 | 0.000 | 0.000 |
| Problem 224     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 171     | 171   | 289         | 196   | 0      | 155    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.69        | 1.15  | 0.00   | 0.91   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.420 | 1.248       | 0.214 | 0.000  | 1.700  | 0.000 | 0.000 | 0.000 |
| Problem 225     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 128     | 128   | 227         | 159   | 0      | 143    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.77        | 1.24  | 0.00   | 1.12   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.280 | 1.286       | 0.182 | 0.000  | 1.177  | 0.000 | 0.000 | 0.000 |
| Problem 226     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 161         | 125   | 0      | 89     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.69        | 1.32  | 0.00   | 0.94   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.170 | 0.437       | 0.175 | 0.000  | 1.102  | 0.000 | 0.000 | 0.000 |
| Problem 227     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 56      | 56    | 51          | 69    | 0      | 159    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 1.23  | 0.00   | 2.84   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.062 | 0.052       | 0.127 | 0.000  | 1.028  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 228     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 93      | 93    | 180         | 206   | 0      | 132    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.94        | 2.22  | 0.00   | 1.42   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.128 | 2.473       | 0.171 | 0.000  | 1.119  | 0.000 | 0.000 | 0.000 |
| Problem 229     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 473         | 274   | 0      | 145    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.61        | 2.09  | 0.00   | 1.11   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.236 | 7.671       | 0.178 | 0.000  | 2.212  | 0.000 | 0.000 | 0.000 |
| Problem 230     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 169     | 169   | 1540        | 341   | 0      | 157    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 9.11        | 2.02  | 0.00   | 0.93   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.365 | 10.018      | 0.273 | 0.000  | 2.008  | 0.000 | 0.000 | 0.000 |
| Problem 231     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 126     | 126   | 286         | 187   | 0      | 135    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.27        | 1.48  | 0.00   | 1.07   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.272 | 0.901       | 0.165 | 0.000  | 1.986  | 0.000 | 0.000 | 0.000 |
| Problem 232     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 224         | 151   | 0      | 125    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.64        | 1.78  | 0.00   | 1.47   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.187 | 0.863       | 0.137 | 0.000  | 1.474  | 0.000 | 0.000 | 0.000 |
| Problem 233     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 54      | 54    | 135         | 124   | 0      | 70     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.50        | 2.30  | 0.00   | 1.30   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.117 | 0.262       | 0.144 | 0.000  | 0.883  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 234     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 27      | 27    | 49          | 63    | 0      | 54     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.81        | 2.33  | 0.00   | 2.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.043 | 0.040       | 0.094 | 0.000  | 0.661  | 0.000 | 0.000 | 0.000 |
| Problem 235     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | B      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 62      | 62    | 178         | 210   | 0      | 121    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.87        | 3.39  | 0.00   | 1.95   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.085 | 1.795       | 0.146 | 0.000  | 2.126  | 0.000 | 0.000 | 0.000 |
| Problem 236     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 98      | 98    | 471         | 278   | 0      | 134    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.81        | 2.84  | 0.00   | 1.37   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.165 | 6.634       | 0.145 | 0.000  | 3.608  | 0.000 | 0.000 | 0.000 |
| Problem 237     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 134     | 134   | 1538        | 344   | 0      | 146    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 11.48       | 2.57  | 0.00   | 1.09   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.242 | 7.918       | 0.169 | 0.000  | 2.244  | 0.000 | 0.000 | 0.000 |
| Problem 238     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 229         | 227   | 0      | 192    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.32        | 1.30  | 0.00   | 1.10   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.425 | 5.358       | 0.184 | 0.000  | 1.741  | 0.000 | 0.000 | 0.000 |
| Problem 239     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 134     | 134   | 215         | 195   | 0      | 182    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.60        | 1.46  | 0.00   | 1.36   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.292 | 3.787       | 0.167 | 0.000  | 1.828  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 240     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 118         | 146   | 0      | 145    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.22        | 1.51  | 0.00   | 1.49   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.130 | 0.336       | 0.146 | 0.000  | 3.327  | 0.000 | 0.000 | 0.000 |
| Problem 241     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 106         | 170   | 0      | 146    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.09        | 1.75  | 0.00   | 1.51   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.129 | 0.581       | 0.142 | 0.000  | 1.143  | 0.000 | 0.000 | 0.000 |
| Problem 242     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 456         | 245   | 0      | 171    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.33        | 1.79  | 0.00   | 1.25   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.247 | 7.310       | 0.180 | 0.000  | 1.190  | 0.000 | 0.000 | 0.000 |
| Problem 243     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 589         | 313   | 0      | 185    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.33        | 1.77  | 0.00   | 1.05   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.388 | 9.235       | 0.192 | 0.000  | 1.266  | 0.000 | 0.000 | 0.000 |
| Problem 244     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 214     | 214   | 385         | 344   | 0      | 236    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.80        | 1.61  | 0.00   | 1.10   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.577 | 6.713       | 0.189 | 0.000  | 1.780  | 0.000 | 0.000 | 0.000 |
| Problem 245     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 349         | 312   | 0      | 226    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.01        | 1.79  | 0.00   | 1.30   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.440 | 6.643       | 0.174 | 0.000  | 2.027  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 246     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 149         | 214   | 0      | 180    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.09        | 1.56  | 0.00   | 1.31   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.259 | 0.816       | 0.158 | 0.000  | 0.952  | 0.000 | 0.000 | 0.000 |
| Problem 247     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 122         | 213   | 0      | 178    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.89        | 1.55  | 0.00   | 1.30   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.250 | 1.044       | 0.156 | 0.000  | 1.232  | 0.000 | 0.000 | 0.000 |
| Problem 248     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 134         | 245   | 0      | 180    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.98        | 1.79  | 0.00   | 1.31   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.261 | 1.284       | 0.174 | 0.000  | 1.119  | 0.000 | 0.000 | 0.000 |
| Problem 249     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 506         | 303   | 0      | 205    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.86        | 1.71  | 0.00   | 1.16   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.403 | 7.903       | 0.187 | 0.000  | 2.263  | 0.000 | 0.000 | 0.000 |
| Problem 250     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 639         | 377   | 0      | 219    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.94        | 1.74  | 0.00   | 1.01   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.546 | 10.789      | 0.192 | 0.000  | 1.781  | 0.000 | 0.000 | 0.000 |
| Problem 251     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 254     | 254   | 448         | 464   | 0      | 280    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.76        | 1.83  | 0.00   | 1.10   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.749 | 6.751       | 0.194 | 0.000  | 3.853  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 252     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 214     | 214   | 412         | 432   | 0      | 270    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.93        | 2.02  | 0.00   | 1.26   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.601 | 6.744       | 0.177 | 0.000  | 3.503  | 0.000 | 0.000 | 0.000 |
| Problem 253     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 176         | 280   | 0      | 214    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.99        | 1.58  | 0.00   | 1.21   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.404 | 2.676       | 0.184 | 0.000  | 1.430  | 0.000 | 0.000 | 0.000 |
| Problem 254     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 148         | 280   | 0      | 214    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 1.58  | 0.00   | 1.21   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.403 | 1.934       | 0.180 | 0.000  | 1.154  | 0.000 | 0.000 | 0.000 |
| Problem 255     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 149         | 280   | 0      | 214    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 1.58  | 0.00   | 1.21   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.403 | 2.860       | 0.169 | 0.000  | 1.135  | 0.000 | 0.000 | 0.000 |
| Problem 256     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 148         | 313   | 0      | 214    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 1.77  | 0.00   | 1.21   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.410 | 2.165       | 0.168 | 0.000  | 1.162  | 0.000 | 0.000 | 0.000 |
| Problem 257     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 559         | 377   | 0      | 239    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 1.74  | 0.00   | 1.10   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.547 | 8.441       | 0.207 | 0.000  | 0.999  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 258     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 257     | 257   | 273         | 435   | 0      | 253    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.06        | 1.69  | 0.00   | 0.98   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.703 | 8.433       | 0.207 | 0.000  | 0.977  | 0.000 | 0.000 | 0.000 |
| Problem 259     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 347         | 346   | 0      | 248    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.60        | 1.59  | 0.00   | 1.14   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.557 | 6.040       | 0.190 | 0.000  | 2.032  | 0.000 | 0.000 | 0.000 |
| Problem 260     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 158         | 346   | 0      | 248    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 1.59  | 0.00   | 1.14   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.571 | 2.214       | 0.186 | 0.000  | 1.139  | 0.000 | 0.000 | 0.000 |
| Problem 261     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 16      | 16    | 30          | 36    | 0      | 31     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.88        | 2.25  | 0.00   | 1.94   | 0.00  | 0.00  | -0.06 |
| time (sec)      | N/A     | 0.043 | 0.023       | 0.054 | 0.000  | 0.806  | 0.000 | 0.000 | 0.000 |
| Problem 262     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 41      | 41    | 32          | 42    | 0      | 105    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 1.02  | 0.00   | 2.56   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.061 | 0.020       | 0.063 | 0.000  | 0.968  | 0.000 | 0.000 | 0.000 |
| Problem 263     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 129     | 129   | 289         | 165   | 1063   | 155    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.24        | 1.28  | 8.24   | 1.20   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.192 | 4.217       | 0.205 | 1.090  | 0.613  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 264     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 264         | 94    | 795    | 142    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.11        | 1.11  | 9.35   | 1.67   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.122 | 0.751       | 0.146 | 0.977  | 0.935  | 0.000 | 0.000 | 0.000 |
| Problem 265     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 48      | 48    | 278         | 84    | 148    | 155    | 0     | 122   | -1    |
| normalized size | 1       | 1.00  | 5.79        | 1.75  | 3.08   | 3.23   | 0.00  | 2.54  | -0.02 |
| time (sec)      | N/A     | 0.066 | 0.539       | 0.118 | 1.052  | 0.951  | 0.000 | 1.046 | 0.000 |
| Problem 266     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 37      | 37    | 40          | 46    | 82     | 42     | 0     | 62    | 42    |
| normalized size | 1       | 1.00  | 1.08        | 1.24  | 2.22   | 1.14   | 0.00  | 1.68  | 1.14  |
| time (sec)      | N/A     | 0.057 | 0.047       | 0.124 | 0.627  | 2.316  | 0.000 | 1.081 | 0.794 |
| Problem 267     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 79      | 79    | 52          | 56    | 174    | 52     | 0     | 90    | 85    |
| normalized size | 1       | 1.00  | 0.66        | 0.71  | 2.20   | 0.66   | 0.00  | 1.14  | 1.08  |
| time (sec)      | N/A     | 0.116 | 0.119       | 0.132 | 0.854  | 2.979  | 0.000 | 0.963 | 1.385 |
| Problem 268     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 62          | 66    | 221    | 64     | 0     | 120   | 158   |
| normalized size | 1       | 1.00  | 0.53        | 0.56  | 1.87   | 0.54   | 0.00  | 1.02  | 1.34  |
| time (sec)      | N/A     | 0.173 | 0.148       | 0.125 | 0.978  | 0.694  | 0.000 | 2.300 | 2.890 |
| Problem 269     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 284         | 164   | 1305   | 124    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.49        | 1.44  | 11.45  | 1.09   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.154 | 0.479       | 0.148 | 0.755  | 0.865  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 270     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 72      | 72    | 252         | 94    | 966    | 111    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.50        | 1.31  | 13.42  | 1.54   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.086 | 0.733       | 0.128 | 1.028  | 0.792  | 0.000 | 0.000 | 0.000 |
| Problem 271     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 37      | 37    | 277         | 83    | 221    | 64     | 0     | 119   | -1    |
| normalized size | 1       | 1.00  | 7.49        | 2.24  | 5.97   | 1.73   | 0.00  | 3.22  | -0.03 |
| time (sec)      | N/A     | 0.043 | 0.508       | 0.087 | 1.069  | 0.868  | 0.000 | 1.402 | 0.000 |
| Problem 272     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 35      | 35    | 39          | 45    | 75     | 41     | 0     | 59    | 31    |
| normalized size | 1       | 1.00  | 1.11        | 1.29  | 2.14   | 1.17   | 0.00  | 1.69  | 0.89  |
| time (sec)      | N/A     | 0.042 | 0.040       | 0.101 | 0.783  | 0.740  | 0.000 | 0.642 | 0.872 |
| Problem 273     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 51          | 55    | 164    | 51     | 0     | 87    | 84    |
| normalized size | 1       | 1.00  | 0.68        | 0.73  | 2.19   | 0.68   | 0.00  | 1.16  | 1.12  |
| time (sec)      | N/A     | 0.085 | 0.096       | 0.107 | 0.891  | 2.046  | 0.000 | 1.409 | 1.555 |
| Problem 274     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 61          | 65    | 209    | 63     | 0     | 117   | 156   |
| normalized size | 1       | 1.00  | 0.54        | 0.58  | 1.87   | 0.56   | 0.00  | 1.04  | 1.39  |
| time (sec)      | N/A     | 0.132 | 0.115       | 0.109 | 0.655  | 1.186  | 0.000 | 0.822 | 2.004 |
| Problem 275     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 185     | 185   | 256         | 197   | 0      | 226    | 0     | 157   | -1    |
| normalized size | 1       | 1.00  | 1.38        | 1.06  | 0.00   | 1.22   | 0.00  | 0.85  | -0.01 |
| time (sec)      | N/A     | 0.445 | 1.148       | 0.165 | 0.000  | 0.797  | 0.000 | 4.296 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 276     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 228         | 167   | 0      | 212    | 0     | 131   | -1    |
| normalized size | 1       | 1.00  | 1.62        | 1.18  | 0.00   | 1.50   | 0.00  | 0.93  | -0.01 |
| time (sec)      | N/A     | 0.295 | 0.891       | 0.151 | 0.000  | 0.774  | 0.000 | 2.601 | 0.000 |
| Problem 277     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 161         | 118   | 0      | 162    | 0     | 86    | -1    |
| normalized size | 1       | 1.00  | 1.50        | 1.10  | 0.00   | 1.51   | 0.00  | 0.80  | -0.01 |
| time (sec)      | N/A     | 0.180 | 0.383       | 0.110 | 0.000  | 0.915  | 0.000 | 1.935 | 0.000 |
| Problem 278     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | C      | A      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 58      | 58    | 118         | 77    | 209    | 144    | 0     | 137   | -1    |
| normalized size | 1       | 1.00  | 2.03        | 1.33  | 3.60   | 2.48   | 0.00  | 2.36  | -0.02 |
| time (sec)      | N/A     | 0.067 | 0.327       | 0.136 | 1.359  | 1.325  | 0.000 | 0.764 | 0.000 |
| Problem 279     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | C      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 157         | 160   | 351    | 152    | 0     | 68    | -1    |
| normalized size | 1       | 1.00  | 1.65        | 1.68  | 3.69   | 1.60   | 0.00  | 0.72  | -0.01 |
| time (sec)      | N/A     | 0.133 | 0.385       | 0.145 | 0.997  | 0.581  | 0.000 | 0.773 | 0.000 |
| Problem 280     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | C      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 171         | 171   | 504    | 165    | 0     | 90    | -1    |
| normalized size | 1       | 1.00  | 1.27        | 1.27  | 3.73   | 1.22   | 0.00  | 0.67  | -0.01 |
| time (sec)      | N/A     | 0.251 | 0.321       | 0.168 | 1.187  | 1.025  | 0.000 | 0.730 | 0.000 |
| Problem 281     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | C      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 173     | 173   | 218         | 305   | 692    | 177    | 0     | 136   | -1    |
| normalized size | 1       | 1.00  | 1.26        | 1.76  | 4.00   | 1.02   | 0.00  | 0.79  | -0.01 |
| time (sec)      | N/A     | 0.401 | 0.661       | 0.198 | 0.983  | 0.908  | 0.000 | 1.279 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 282     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 255         | 194   | 0      | 239    | 0     | 162   | -1    |
| normalized size | 1       | 1.00  | 1.58        | 1.20  | 0.00   | 1.48   | 0.00  | 1.01  | -0.01 |
| time (sec)      | N/A     | 0.302 | 0.195       | 0.147 | 0.000  | 0.932  | 0.000 | 1.809 | 0.000 |
| Problem 283     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 227         | 166   | 0      | 225    | 0     | 141   | -1    |
| normalized size | 1       | 1.00  | 1.92        | 1.41  | 0.00   | 1.91   | 0.00  | 1.19  | -0.01 |
| time (sec)      | N/A     | 0.214 | 0.215       | 0.133 | 0.000  | 1.293  | 0.000 | 1.746 | 0.000 |
| Problem 284     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 160         | 117   | 0      | 170    | 0     | 105   | -1    |
| normalized size | 1       | 1.00  | 1.88        | 1.38  | 0.00   | 2.00   | 0.00  | 1.24  | -0.01 |
| time (sec)      | N/A     | 0.129 | 0.119       | 0.097 | 0.000  | 1.203  | 0.000 | 1.796 | 0.000 |
| Problem 285     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | C      | B      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 110         | 84    | 248    | 84     | 0     | 79    | -1    |
| normalized size | 1       | 1.00  | 2.34        | 1.79  | 5.28   | 1.79   | 0.00  | 1.68  | -0.02 |
| time (sec)      | N/A     | 0.048 | 0.136       | 0.128 | 0.995  | 0.817  | 0.000 | 0.617 | 0.000 |
| Problem 286     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | C      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 152         | 159   | 400    | 144    | 0     | 72    | -1    |
| normalized size | 1       | 1.00  | 1.83        | 1.92  | 4.82   | 1.73   | 0.00  | 0.87  | -0.01 |
| time (sec)      | N/A     | 0.093 | 0.172       | 0.133 | 1.021  | 0.841  | 0.000 | 0.639 | 0.000 |
| Problem 287     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | C      | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 122     | 122   | 170         | 170   | 563    | 157    | 0     | 89    | -1    |
| normalized size | 1       | 1.00  | 1.39        | 1.39  | 4.61   | 1.29   | 0.00  | 0.73  | -0.01 |
| time (sec)      | N/A     | 0.182 | 0.280       | 0.148 | 1.014  | 0.886  | 0.000 | 0.785 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 288     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 78      | 78    | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.108 | 15.608      | 0.130 | 0.000  | 1.011  | 0.000 | 0.000 | 0.000 |
| Problem 289     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F(-1)  | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 79      | 79    | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.122 | 3.425       | 0.139 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 290     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 79      | 79    | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.121 | 2.703       | 0.129 | 0.000  | 1.452  | 0.000 | 0.000 | 0.000 |
| Problem 291     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 151     | 151   | 268         | 384   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.77        | 2.54  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.111 | 1.629       | 0.792 | 0.000  | 1.410  | 0.000 | 0.000 | 0.000 |
| Problem 292     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 123     | 123   | 255         | 369   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.07        | 3.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 1.150       | 0.981 | 0.000  | 1.075  | 0.000 | 0.000 | 0.000 |
| Problem 293     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 124         | 146   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.28        | 1.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.087 | 1.353       | 0.609 | 0.000  | 2.623  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 294     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 141         | 150   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.88        | 2.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.076 | 1.112       | 0.513 | 0.000  | 0.794  | 0.000 | 0.000 | 0.000 |
| Problem 295     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 140         | 225   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.39        | 2.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.090 | 1.295       | 0.508 | 0.000  | 1.956  | 0.000 | 0.000 | 0.000 |
| Problem 296     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 127     | 127   | 224         | 219   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.76        | 1.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.100 | 0.943       | 0.494 | 0.000  | 0.949  | 0.000 | 0.000 | 0.000 |
| Problem 297     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 151     | 151   | 198         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.31        | 1.79  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.113 | 2.158       | 0.546 | 0.000  | 4.012  | 0.000 | 0.000 | 0.000 |
| Problem 298     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 261         | 386   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.62        | 2.40  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.147 | 1.872       | 1.025 | 0.000  | 0.689  | 0.000 | 0.000 | 0.000 |
| Problem 299     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 250         | 371   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.91        | 2.83  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.134 | 1.359       | 0.984 | 0.000  | 1.890  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 300     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 64      | 64    | 48          | 104   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 1.62  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.108 | 0.143       | 0.553 | 0.000  | 1.062  | 0.000 | 0.000 | 0.000 |
| Problem 301     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 127         | 228   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.19        | 2.13  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.122 | 1.050       | 0.466 | 0.000  | 2.126  | 0.000 | 0.000 | 0.000 |
| Problem 302     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 136         | 250   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.01        | 1.85  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.138 | 1.513       | 0.752 | 0.000  | 1.475  | 0.000 | 0.000 | 0.000 |
| Problem 303     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 149         | 272   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.93        | 1.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.151 | 1.710       | 0.597 | 0.000  | 2.203  | 0.000 | 0.000 | 0.000 |
| Problem 304     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 187     | 187   | 279         | 439   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.49        | 2.35  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.233 | 2.755       | 1.051 | 0.000  | 1.145  | 0.000 | 0.000 | 0.000 |
| Problem 305     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 259         | 386   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.65        | 2.46  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.206 | 1.901       | 0.951 | 0.000  | 0.943  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 306     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 157         | 371   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.20        | 2.83  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.180 | 0.971       | 0.877 | 0.000  | 1.969  | 0.000 | 0.000 | 0.000 |
| Problem 307     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 135         | 172   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.03        | 1.31  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.176 | 1.308       | 0.755 | 0.000  | 2.242  | 0.000 | 0.000 | 0.000 |
| Problem 308     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 137         | 250   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.05        | 1.91  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.178 | 1.280       | 0.556 | 0.000  | 1.134  | 0.000 | 0.000 | 0.000 |
| Problem 309     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 146         | 272   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 1.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.209 | 1.800       | 0.707 | 0.000  | 0.897  | 0.000 | 0.000 | 0.000 |
| Problem 310     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 187     | 187   | 156         | 260   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 1.39  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.235 | 2.288       | 0.602 | 0.000  | 1.111  | 0.000 | 0.000 | 0.000 |
| Problem 311     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 187     | 187   | 271         | 439   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.45        | 2.35  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.253 | 2.032       | 1.022 | 0.000  | 1.038  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 312     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 278         | 386   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.73        | 2.40  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.227 | 2.495       | 1.081 | 0.000  | 1.560  | 0.000 | 0.000 | 0.000 |
| Problem 313     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 70          | 292   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.59        | 2.47  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.211 | 0.340       | 0.825 | 0.000  | 1.451  | 0.000 | 0.000 | 0.000 |
| Problem 314     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 159     | 159   | 150         | 194   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.94        | 1.22  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.212 | 1.500       | 0.680 | 0.000  | 1.933  | 0.000 | 0.000 | 0.000 |
| Problem 315     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 146         | 272   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 1.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.227 | 1.560       | 0.539 | 0.000  | 1.445  | 0.000 | 0.000 | 0.000 |
| Problem 316     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 187     | 187   | 156         | 260   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 1.39  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.255 | 2.119       | 0.582 | 0.000  | 0.960  | 0.000 | 0.000 | 0.000 |
| Problem 317     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 164     | 164   | 285         | 413   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.74        | 2.52  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.168 | 3.287       | 0.898 | 0.000  | 0.957  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 318     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 256         | 253   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.88        | 1.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.154 | 1.959       | 0.657 | 0.000  | 1.090  | 0.000 | 0.000 | 0.000 |
| Problem 319     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 110     | 110   | 180         | 200   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.64        | 1.82  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.144 | 1.017       | 0.519 | 0.000  | 1.166  | 0.000 | 0.000 | 0.000 |
| Problem 320     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 110     | 110   | 181         | 198   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.65        | 1.80  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.139 | 0.961       | 0.605 | 0.000  | 1.093  | 0.000 | 0.000 | 0.000 |
| Problem 321     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 311         | 199   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.78        | 1.78  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.141 | 1.695       | 0.529 | 0.000  | 0.984  | 0.000 | 0.000 | 0.000 |
| Problem 322     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 312         | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.23        | 1.54  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.162 | 4.117       | 0.831 | 0.000  | 0.883  | 0.000 | 0.000 | 0.000 |
| Problem 323     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 168     | 168   | 341         | 229   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.03        | 1.36  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.170 | 2.693       | 0.589 | 0.000  | 1.039  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 324     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 202     | 202   | 287         | 413   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.42        | 2.04  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.273 | 2.444       | 0.992 | 0.000  | 1.020  | 0.000 | 0.000 | 0.000 |
| Problem 325     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 252         | 405   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.43        | 2.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.251 | 1.303       | 0.746 | 0.000  | 1.025  | 0.000 | 0.000 | 0.000 |
| Problem 326     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 149     | 149   | 242         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.62        | 1.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.240 | 1.215       | 0.649 | 0.000  | 1.497  | 0.000 | 0.000 | 0.000 |
| Problem 327     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 98          | 188   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.27        | 2.44  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 0.367       | 0.564 | 0.000  | 0.928  | 0.000 | 0.000 | 0.000 |
| Problem 328     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 149     | 149   | 239         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.60        | 1.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.238 | 1.387       | 0.689 | 0.000  | 1.468  | 0.000 | 0.000 | 0.000 |
| Problem 329     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 152     | 152   | 259         | 257   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.70        | 1.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.240 | 1.994       | 0.648 | 0.000  | 1.030  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 330     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 178     | 178   | 257         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.44        | 1.52  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.264 | 1.812       | 0.644 | 0.000  | 0.729  | 0.000 | 0.000 | 0.000 |
| Problem 331     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 200     | 200   | 271         | 283   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.36        | 1.42  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.281 | 1.844       | 0.669 | 0.000  | 1.491  | 0.000 | 0.000 | 0.000 |
| Problem 332     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 221     | 221   | 363         | 555   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.64        | 2.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.372 | 2.312       | 0.909 | 0.000  | 1.084  | 0.000 | 0.000 | 0.000 |
| Problem 333     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 195     | 195   | 274         | 268   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.41        | 1.37  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.360 | 2.354       | 0.556 | 0.000  | 0.986  | 0.000 | 0.000 | 0.000 |
| Problem 334     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 195     | 195   | 363         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.86        | 1.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.350 | 2.094       | 0.631 | 0.000  | 0.709  | 0.000 | 0.000 | 0.000 |
| Problem 335     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 195     | 195   | 363         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.86        | 1.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.345 | 2.003       | 0.639 | 0.000  | 0.975  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 336     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 195     | 195   | 272         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.39        | 1.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.356 | 3.043       | 0.657 | 0.000  | 1.107  | 0.000 | 0.000 | 0.000 |
| Problem 337     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 195     | 195   | 378         | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.94        | 1.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.359 | 2.154       | 0.891 | 0.000  | 1.066  | 0.000 | 0.000 | 0.000 |
| Problem 338     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 221     | 221   | 285         | 283   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.29        | 1.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.381 | 2.324       | 0.778 | 0.000  | 1.448  | 0.000 | 0.000 | 0.000 |
| Problem 339     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 153     | 153   | 71          | 82    | 283    | 81     | 0     | 143   | 163   |
| normalized size | 1       | 1.00  | 0.46        | 0.54  | 1.85   | 0.53   | 0.00  | 0.93  | 1.07  |
| time (sec)      | N/A     | 0.282 | 0.211       | 0.225 | 1.016  | 0.984  | 0.000 | 1.163 | 5.191 |
| Problem 340     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 115     | 115   | 61          | 72    | 237    | 71     | 0     | 116   | 134   |
| normalized size | 1       | 1.00  | 0.53        | 0.63  | 2.06   | 0.62   | 0.00  | 1.01  | 1.17  |
| time (sec)      | N/A     | 0.221 | 0.127       | 0.212 | 0.981  | 1.033  | 0.000 | 0.586 | 1.839 |
| Problem 341     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 51          | 62    | 190    | 59     | 0     | 87    | 84    |
| normalized size | 1       | 1.00  | 0.66        | 0.81  | 2.47   | 0.77   | 0.00  | 1.13  | 1.09  |
| time (sec)      | N/A     | 0.159 | 0.102       | 0.197 | 1.123  | 0.791  | 0.000 | 0.620 | 0.785 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 342     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 36      | 36    | 39          | 50    | 98     | 40     | 0     | 58    | 43    |
| normalized size | 1       | 1.00  | 1.08        | 1.39  | 2.72   | 1.11   | 0.00  | 1.61  | 1.19  |
| time (sec)      | N/A     | 0.103 | 0.068       | 0.198 | 1.243  | 1.000  | 0.000 | 0.942 | 0.294 |
| Problem 343     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 70          | 100   | 146    | 119    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.23        | 1.75  | 2.56   | 2.09   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.108 | 0.087       | 0.233 | 1.460  | 1.197  | 0.000 | 0.000 | 0.000 |
| Problem 344     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 92      | 92    | 97          | 132   | 791    | 88     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.05        | 1.43  | 8.60   | 0.96   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.163 | 0.129       | 0.219 | 1.632  | 0.755  | 0.000 | 0.000 | 0.000 |
| Problem 345     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 111         | 169   | 1059   | 108    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.82        | 1.24  | 7.79   | 0.79   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.227 | 0.263       | 0.242 | 1.641  | 1.225  | 0.000 | 0.000 | 0.000 |
| Problem 346     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 72          | 83    | 263    | 86     | 0     | 0     | 221   |
| normalized size | 1       | 1.00  | 0.45        | 0.52  | 1.63   | 0.53   | 0.00  | 0.00  | 1.37  |
| time (sec)      | N/A     | 0.308 | 0.280       | 0.197 | 1.245  | 0.656  | 0.000 | 0.000 | 4.145 |
| Problem 347     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 62          | 73    | 217    | 73     | 0     | 0     | 135   |
| normalized size | 1       | 1.00  | 0.51        | 0.60  | 1.79   | 0.60   | 0.00  | 0.00  | 1.12  |
| time (sec)      | N/A     | 0.239 | 0.189       | 0.195 | 0.962  | 0.692  | 0.000 | 0.000 | 1.626 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 348     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 81      | 81    | 52          | 63    | 125    | 60     | 0     | 0     | 91    |
| normalized size | 1       | 1.00  | 0.64        | 0.78  | 1.54   | 0.74   | 0.00  | 0.00  | 1.12  |
| time (sec)      | N/A     | 0.175 | 0.138       | 0.184 | 1.008  | 0.896  | 0.000 | 0.000 | 0.791 |
| Problem 349     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 96      | 96    | 85          | 168   | 997    | 91     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.89        | 1.75  | 10.39  | 0.95   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.186 | 0.180       | 0.216 | 1.346  | 1.166  | 0.000 | 0.000 | 0.000 |
| Problem 350     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 99          | 130   | 803    | 90     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.04        | 1.37  | 8.45   | 0.95   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.178 | 0.152       | 0.221 | 1.264  | 1.068  | 0.000 | 0.000 | 0.000 |
| Problem 351     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 111         | 170   | 1080   | 112    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 1.21  | 7.71   | 0.80   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.238 | 0.250       | 0.237 | 1.567  | 1.141  | 0.000 | 0.000 | 0.000 |
| Problem 352     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 180     | 180   | 126         | 205   | 1942   | 123    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.70        | 1.14  | 10.79  | 0.68   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.305 | 0.546       | 0.257 | 1.863  | 0.799  | 0.000 | 0.000 | 0.000 |
| Problem 353     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 201     | 201   | 84          | 95    | 289    | 107    | 0     | 0     | 306   |
| normalized size | 1       | 1.00  | 0.42        | 0.47  | 1.44   | 0.53   | 0.00  | 0.00  | 1.52  |
| time (sec)      | N/A     | 0.414 | 5.383       | 0.207 | 1.021  | 0.830  | 0.000 | 0.000 | 4.848 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 354     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 161     | 161   | 74          | 85    | 243    | 94     | 0     | 0     | 227   |
| normalized size | 1       | 1.00  | 0.46        | 0.53  | 1.51   | 0.58   | 0.00  | 0.00  | 1.41  |
| time (sec)      | N/A     | 0.347 | 5.358       | 0.199 | 1.040  | 1.054  | 0.000 | 0.000 | 4.205 |
| Problem 355     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 64          | 75    | 151    | 81     | 0     | 0     | 137   |
| normalized size | 1       | 1.00  | 0.53        | 0.62  | 1.25   | 0.67   | 0.00  | 0.00  | 1.13  |
| time (sec)      | N/A     | 0.285 | 0.283       | 0.187 | 0.823  | 1.025  | 0.000 | 0.000 | 1.623 |
| Problem 356     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 138     | 138   | 404         | 268   | 1395   | 128    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.93        | 1.94  | 10.11  | 0.93   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.288 | 6.315       | 0.224 | 1.808  | 1.053  | 0.000 | 0.000 | 0.000 |
| Problem 357     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 134     | 134   | 202         | 186   | 973    | 111    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.51        | 1.39  | 7.26   | 0.83   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.282 | 3.003       | 0.224 | 1.570  | 0.790  | 0.000 | 0.000 | 0.000 |
| Problem 358     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 202         | 166   | 1106   | 120    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.44        | 1.19  | 7.90   | 0.86   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.292 | 3.014       | 0.241 | 1.737  | 1.001  | 0.000 | 0.000 | 0.000 |
| Problem 359     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 180     | 180   | 202         | 207   | 1964   | 133    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 1.15  | 10.91  | 0.74   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.361 | 3.115       | 0.253 | 1.709  | 0.819  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 360     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | B      | A      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 220     | 220   | 202         | 242   | 7450   | 146    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.92        | 1.10  | 33.86  | 0.66   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.419 | 3.098       | 0.268 | 2.144  | 0.780  | 0.000 | 0.000 | 0.000 |
| Problem 361     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 154     | 154   | 1540        | 294   | 0      | 130    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 10.00       | 1.91  | 0.00   | 0.84   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.284 | 7.813       | 0.224 | 0.000  | 1.250  | 0.000 | 0.000 | 0.000 |
| Problem 362     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 473         | 228   | 0      | 114    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.01        | 1.93  | 0.00   | 0.97   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.201 | 6.606       | 0.216 | 0.000  | 1.097  | 0.000 | 0.000 | 0.000 |
| Problem 363     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 82      | 82    | 178         | 144   | 0      | 86     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.17        | 1.76  | 0.00   | 1.05   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.119 | 1.953       | 0.180 | 0.000  | 1.692  | 0.000 | 0.000 | 0.000 |
| Problem 364     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 68          | 82    | 0      | 39     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.45        | 1.74  | 0.00   | 0.83   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.079 | 0.107       | 0.186 | 0.000  | 1.044  | 0.000 | 0.000 | 0.000 |
| Problem 365     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 94      | 94    | 171         | 134   | 0      | 70     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.82        | 1.43  | 0.00   | 0.74   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.154 | 0.599       | 0.207 | 0.000  | 1.094  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 366     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 125     | 125   | 257         | 159   | 0      | 125    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.06        | 1.27  | 0.00   | 1.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.227 | 0.877       | 0.220 | 0.000  | 0.933  | 0.000 | 0.000 | 0.000 |
| Problem 367     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 189     | 189   | 1542        | 294   | 0      | 141    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 8.16        | 1.56  | 0.00   | 0.75   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.421 | 7.761       | 0.250 | 0.000  | 1.234  | 0.000 | 0.000 | 0.000 |
| Problem 368     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 151     | 151   | 475         | 227   | 0      | 125    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.15        | 1.50  | 0.00   | 0.83   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.291 | 6.632       | 0.228 | 0.000  | 0.720  | 0.000 | 0.000 | 0.000 |
| Problem 369     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 113     | 113   | 180         | 142   | 0      | 98     | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.59        | 1.26  | 0.00   | 0.87   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.180 | 1.873       | 0.213 | 0.000  | 1.879  | 0.000 | 0.000 | 0.000 |
| Problem 370     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 56      | 76    | 71          | 88    | 0      | 144    | 0     | 0     | -1    |
| normalized size | 1       | 1.36  | 1.27        | 1.57  | 0.00   | 2.57   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.115 | 0.095       | 0.209 | 0.000  | 1.177  | 0.000 | 0.000 | 0.000 |
| Problem 371     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 105     | 135   | 173         | 134   | 0      | 89     | 0     | 0     | -1    |
| normalized size | 1       | 1.29  | 1.65        | 1.28  | 0.00   | 0.85   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.252 | 0.254       | 0.218 | 0.000  | 1.155  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 372     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 168     | 168   | 259         | 167   | 0      | 143    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.54        | 0.99  | 0.00   | 0.85   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.386 | 0.450       | 0.224 | 0.000  | 0.937  | 0.000 | 0.000 | 0.000 |
| Problem 373     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F(-1)       | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 0           | 258   | 0      | 161    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 1.31  | 0.00   | 0.82   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.511 | 0.000       | 0.215 | 0.000  | 1.072  | 0.000 | 0.000 | 0.000 |
| Problem 374     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 458         | 184   | 0      | 136    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.92        | 1.17  | 0.00   | 0.87   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.353 | 6.508       | 0.202 | 0.000  | 1.117  | 0.000 | 0.000 | 0.000 |
| Problem 375     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 99          | 151   | 0      | 126    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 1.29  | 0.00   | 1.08   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.219 | 0.523       | 0.204 | 0.000  | 1.002  | 0.000 | 0.000 | 0.000 |
| Problem 376     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 140         | 156   | 0      | 125    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.20        | 1.33  | 0.00   | 1.07   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.216 | 0.456       | 0.207 | 0.000  | 1.342  | 0.000 | 0.000 | 0.000 |
| Problem 377     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 316         | 203   | 0      | 182    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.82        | 1.17  | 0.00   | 1.05   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.396 | 6.541       | 0.209 | 0.000  | 1.418  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 378     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 214     | 214   | 316         | 235   | 0      | 201    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.48        | 1.10  | 0.00   | 0.94   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.548 | 6.570       | 0.218 | 0.000  | 1.214  | 0.000 | 0.000 | 0.000 |
| Problem 379     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 237     | 237   | 641         | 316   | 0      | 195    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.70        | 1.33  | 0.00   | 0.82   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.640 | 8.110       | 0.236 | 0.000  | 0.982  | 0.000 | 0.000 | 0.000 |
| Problem 380     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 508         | 258   | 0      | 170    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 1.31  | 0.00   | 0.86   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.495 | 6.815       | 0.224 | 0.000  | 0.886  | 0.000 | 0.000 | 0.000 |
| Problem 381     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 131         | 222   | 0      | 169    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 1.41  | 0.00   | 1.08   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.352 | 0.939       | 0.209 | 0.000  | 1.096  | 0.000 | 0.000 | 0.000 |
| Problem 382     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 122         | 221   | 0      | 167    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 1.41  | 0.00   | 1.06   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.350 | 0.689       | 0.227 | 0.000  | 1.197  | 0.000 | 0.000 | 0.000 |
| Problem 383     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 164         | 222   | 0      | 169    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.04        | 1.41  | 0.00   | 1.08   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.352 | 0.695       | 0.222 | 0.000  | 1.042  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 384     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 214     | 214   | 373         | 320   | 0      | 235    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.74        | 1.50  | 0.00   | 1.10   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.528 | 2.248       | 0.224 | 0.000  | 1.535  | 0.000 | 0.000 | 0.000 |
| Problem 385     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 254     | 254   | 412         | 352   | 0      | 245    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.62        | 1.39  | 0.00   | 0.96   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.666 | 3.233       | 0.236 | 0.000  | 1.798  | 0.000 | 0.000 | 0.000 |
| Problem 386     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 277     | 277   | 696         | 390   | 0      | 229    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.51        | 1.41  | 0.00   | 0.83   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.780 | 8.396       | 0.253 | 0.000  | 1.247  | 0.000 | 0.000 | 0.000 |
| Problem 387     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-1)  | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 237     | 237   | 561         | 326   | 0      | 204    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.37        | 1.38  | 0.00   | 0.86   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.631 | 6.924       | 0.241 | 0.000  | 1.066  | 0.000 | 0.000 | 0.000 |
| Problem 388     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 153         | 288   | 0      | 203    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 1.46  | 0.00   | 1.03   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.481 | 3.775       | 0.222 | 0.000  | 1.077  | 0.000 | 0.000 | 0.000 |
| Problem 389     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 125         | 288   | 0      | 203    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.63        | 1.46  | 0.00   | 1.03   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.481 | 1.180       | 0.224 | 0.000  | 1.259  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 390     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 153         | 288   | 0      | 203    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 1.46  | 0.00   | 1.03   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.497 | 3.687       | 0.222 | 0.000  | 1.899  | 0.000 | 0.000 | 0.000 |
| Problem 391     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 196         | 288   | 0      | 203    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.99        | 1.46  | 0.00   | 1.03   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.485 | 4.389       | 0.211 | 0.000  | 1.226  | 0.000 | 0.000 | 0.000 |
| Problem 392     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 254     | 254   | 454         | 440   | 0      | 279    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.79        | 1.73  | 0.00   | 1.10   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.668 | 6.794       | 0.257 | 0.000  | 2.292  | 0.000 | 0.000 | 0.000 |
| Problem 393     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 294     | 294   | 460         | 472   | 0      | 289    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.56        | 1.61  | 0.00   | 0.98   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.817 | 3.484       | 0.257 | 0.000  | 2.379  | 0.000 | 0.000 | 0.000 |
| Problem 394     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 237     | 237   | 163         | 354   | 0      | 237    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 1.49  | 0.00   | 1.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.631 | 4.352       | 0.250 | 0.000  | 1.031  | 0.000 | 0.000 | 0.000 |
| Problem 395     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 237     | 237   | 395         | 354   | 0      | 237    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.67        | 1.49  | 0.00   | 1.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.636 | 6.095       | 0.252 | 0.000  | 1.156  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 396     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | B      | A      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 51          | 0     | 121    | 41     | 0     | 0     | 44    |
| normalized size | 1       | 1.00  | 1.34        | 0.00  | 3.18   | 1.08   | 0.00  | 0.00  | 1.16  |
| time (sec)      | N/A     | 0.118 | 0.117       | 0.226 | 1.010  | 1.089  | 0.000 | 0.000 | 0.736 |
| Problem 397     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 302     | 302   | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.531 | 3.058       | 3.820 | 0.000  | 1.133  | 0.000 | 0.000 | 0.000 |
| Problem 398     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 232     | 232   | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.308 | 1.271       | 2.712 | 0.000  | 1.086  | 0.000 | 0.000 | 0.000 |
| Problem 399     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 173     | 173   | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.139 | 0.525       | 3.568 | 0.000  | 0.757  | 0.000 | 0.000 | 0.000 |
| Problem 400     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 208         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.59        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 1.021       | 1.041 | 0.000  | 1.409  | 0.000 | 0.000 | 0.000 |
| Problem 401     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F     | F(-2) | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 156     | 156   | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.126 | 0.866       | 0.817 | 0.000  | 1.056  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 402     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | F           | F     | F      | F      | F     | F(-2) | F     |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 229     | 229   | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.305 | 1.113       | 0.399 | 0.000  | 1.053  | 0.000 | 0.000 | 0.000 |
| Problem 403     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 150     | 150   | 135         | 100   | 105    | 97     | 286   | 122   | 175   |
| normalized size | 1       | 1.00  | 0.90        | 0.67  | 0.70   | 0.65   | 1.91  | 0.81  | 1.17  |
| time (sec)      | N/A     | 0.102 | 0.198       | 0.040 | 0.361  | 1.125  | 8.965 | 1.291 | 3.229 |
| Problem 404     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 128     | 128   | 89          | 90    | 94     | 86     | 238   | 107   | 154   |
| normalized size | 1       | 1.00  | 0.70        | 0.70  | 0.73   | 0.67   | 1.86  | 0.84  | 1.20  |
| time (sec)      | N/A     | 0.086 | 0.186       | 0.037 | 0.465  | 0.913  | 5.396 | 0.597 | 3.245 |
| Problem 405     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 78          | 80    | 84     | 75     | 216   | 92    | 115   |
| normalized size | 1       | 1.00  | 0.68        | 0.70  | 0.74   | 0.66   | 1.89  | 0.81  | 1.01  |
| time (sec)      | N/A     | 0.082 | 0.099       | 0.045 | 0.578  | 0.991  | 3.267 | 0.499 | 0.659 |
| Problem 406     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 92      | 92    | 89          | 70    | 69     | 64     | 168   | 77    | 115   |
| normalized size | 1       | 1.00  | 0.97        | 0.76  | 0.75   | 0.70   | 1.83  | 0.84  | 1.25  |
| time (sec)      | N/A     | 0.064 | 0.130       | 0.040 | 0.467  | 0.764  | 1.863 | 0.475 | 4.255 |
| Problem 407     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 76      | 76    | 73          | 60    | 57     | 53     | 144   | 62    | 75    |
| normalized size | 1       | 1.00  | 0.96        | 0.79  | 0.75   | 0.70   | 1.89  | 0.82  | 0.99  |
| time (sec)      | N/A     | 0.059 | 0.094       | 0.043 | 0.899  | 1.028  | 0.919 | 0.490 | 0.578 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 408     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 54      | 54    | 57          | 49    | 46     | 42     | 92    | 47    | 55    |
| normalized size | 1       | 1.00  | 1.06        | 0.91  | 0.85   | 0.78   | 1.70  | 0.87  | 1.02  |
| time (sec)      | N/A     | 0.047 | 0.064       | 0.039 | 0.504  | 1.194  | 0.462 | 0.444 | 0.580 |
| Problem 409     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 38      | 38    | 35          | 38    | 34     | 29     | 66    | 31    | 31    |
| normalized size | 1       | 1.00  | 0.92        | 1.00  | 0.89   | 0.76   | 1.74  | 0.82  | 0.82  |
| time (sec)      | N/A     | 0.015 | 0.062       | 0.042 | 0.655  | 0.901  | 0.198 | 0.432 | 0.525 |
| Problem 410     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 15      | 15    | 26          | 16    | 15     | 17     | 17    | 15    | 17    |
| normalized size | 1       | 1.00  | 1.73        | 1.07  | 1.00   | 1.13   | 1.13  | 1.00  | 1.13  |
| time (sec)      | N/A     | 0.009 | 0.006       | 0.015 | 0.674  | 0.761  | 0.118 | 0.331 | 0.466 |
| Problem 411     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | B     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 16      | 16    | 16          | 30    | 28     | 36     | 49    | 43    | 57    |
| normalized size | 1       | 1.00  | 1.00        | 1.88  | 1.75   | 2.25   | 3.06  | 2.69  | 3.56  |
| time (sec)      | N/A     | 0.023 | 0.006       | 0.063 | 0.322  | 0.889  | 4.981 | 0.747 | 0.535 |
| Problem 412     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 24      | 24    | 24          | 32    | 38     | 60     | 0     | 63    | 47    |
| normalized size | 1       | 1.00  | 1.00        | 1.33  | 1.58   | 2.50   | 0.00  | 2.62  | 1.96  |
| time (sec)      | N/A     | 0.037 | 0.008       | 0.073 | 0.702  | 1.005  | 0.000 | 0.533 | 0.514 |
| Problem 413     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 47          | 51    | 58     | 74     | 0     | 105   | 81    |
| normalized size | 1       | 1.00  | 1.00        | 1.09  | 1.23   | 1.57   | 0.00  | 2.23  | 1.72  |
| time (sec)      | N/A     | 0.049 | 0.015       | 0.078 | 0.342  | 0.939  | 0.000 | 0.611 | 1.132 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 414     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 63      | 63    | 60          | 72    | 70     | 88     | 0     | 122   | 111   |
| normalized size | 1       | 1.00  | 0.95        | 1.14  | 1.11   | 1.40   | 0.00  | 1.94  | 1.76  |
| time (sec)      | N/A     | 0.053 | 0.169       | 0.082 | 0.532  | 0.787  | 0.000 | 0.517 | 2.337 |
| Problem 415     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 76          | 92    | 95     | 99     | 0     | 164   | 150   |
| normalized size | 1       | 1.00  | 0.89        | 1.08  | 1.12   | 1.16   | 0.00  | 1.93  | 1.76  |
| time (sec)      | N/A     | 0.065 | 0.230       | 0.091 | 0.634  | 1.035  | 0.000 | 0.693 | 3.076 |
| Problem 416     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 88          | 112   | 107    | 110    | 0     | 178   | 180   |
| normalized size | 1       | 1.00  | 0.87        | 1.11  | 1.06   | 1.09   | 0.00  | 1.76  | 1.78  |
| time (sec)      | N/A     | 0.070 | 0.334       | 0.086 | 0.692  | 1.001  | 0.000 | 0.533 | 3.121 |
| Problem 417     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 150     | 150   | 123         | 120   | 120    | 110    | 343   | 127   | 143   |
| normalized size | 1       | 1.00  | 0.82        | 0.80  | 0.80   | 0.73   | 2.29  | 0.85  | 0.95  |
| time (sec)      | N/A     | 0.106 | 0.309       | 0.046 | 0.528  | 0.976  | 4.021 | 0.547 | 0.668 |
| Problem 418     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 85          | 95    | 94     | 86     | 221   | 102   | 117   |
| normalized size | 1       | 1.00  | 0.77        | 0.86  | 0.85   | 0.77   | 1.99  | 0.92  | 1.05  |
| time (sec)      | N/A     | 0.108 | 0.139       | 0.042 | 0.343  | 0.955  | 2.021 | 0.549 | 0.609 |
| Problem 419     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 86          | 89    | 82     | 77     | 211   | 82    | 93    |
| normalized size | 1       | 1.00  | 0.85        | 0.88  | 0.81   | 0.76   | 2.09  | 0.81  | 0.92  |
| time (sec)      | N/A     | 0.092 | 0.161       | 0.048 | 0.834  | 0.817  | 1.060 | 0.461 | 0.599 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 420     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 71      | 71    | 59          | 63    | 60     | 52     | 107   | 60    | 72    |
| normalized size | 1       | 1.00  | 0.83        | 0.89  | 0.85   | 0.73   | 1.51  | 0.85  | 1.01  |
| time (sec)      | N/A     | 0.050 | 0.152       | 0.039 | 0.689  | 0.721  | 0.483 | 0.679 | 0.552 |
| Problem 421     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 50      | 50    | 46          | 51    | 44     | 40     | 78    | 43    | 42    |
| normalized size | 1       | 1.00  | 0.92        | 1.02  | 0.88   | 0.80   | 1.56  | 0.86  | 0.84  |
| time (sec)      | N/A     | 0.015 | 0.075       | 0.036 | 0.774  | 0.910  | 0.254 | 0.476 | 0.533 |
| Problem 422     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 33      | 33    | 46          | 49    | 42     | 52     | 0     | 78    | 73    |
| normalized size | 1       | 1.00  | 1.39        | 1.48  | 1.27   | 1.58   | 0.00  | 2.36  | 2.21  |
| time (sec)      | N/A     | 0.062 | 0.013       | 0.079 | 0.601  | 1.139  | 0.000 | 0.545 | 0.553 |
| Problem 423     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 33      | 33    | 32          | 49    | 48     | 74     | 0     | 77    | 181   |
| normalized size | 1       | 1.00  | 0.97        | 1.48  | 1.45   | 2.24   | 0.00  | 2.33  | 5.48  |
| time (sec)      | N/A     | 0.066 | 0.084       | 0.079 | 0.421  | 0.912  | 0.000 | 0.650 | 0.570 |
| Problem 424     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 59      | 59    | 67          | 78    | 87     | 93     | 0     | 127   | 99    |
| normalized size | 1       | 1.00  | 1.14        | 1.32  | 1.47   | 1.58   | 0.00  | 2.15  | 1.68  |
| time (sec)      | N/A     | 0.078 | 0.014       | 0.096 | 0.570  | 0.889  | 0.000 | 0.625 | 1.166 |
| Problem 425     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 71          | 89    | 84     | 100    | 0     | 178   | 141   |
| normalized size | 1       | 1.00  | 0.89        | 1.11  | 1.05   | 1.25   | 0.00  | 2.22  | 1.76  |
| time (sec)      | N/A     | 0.089 | 0.224       | 0.106 | 0.334  | 1.096  | 0.000 | 0.559 | 2.592 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 426     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 110     | 110   | 82          | 142   | 144    | 133    | 0     | 258   | 184   |
| normalized size | 1       | 1.00  | 0.75        | 1.29  | 1.31   | 1.21   | 0.00  | 2.35  | 1.67  |
| time (sec)      | N/A     | 0.095 | 0.278       | 0.099 | 0.672  | 0.667  | 0.000 | 0.626 | 3.103 |
| Problem 427     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 118         | 157   | 132    | 136    | 0     | 272   | 221   |
| normalized size | 1       | 1.00  | 0.87        | 1.16  | 0.98   | 1.01   | 0.00  | 2.01  | 1.64  |
| time (sec)      | N/A     | 0.108 | 0.556       | 0.098 | 0.553  | 1.428  | 0.000 | 0.613 | 3.230 |
| Problem 428     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 170     | 193   | 159         | 145   | 145    | 132    | 393   | 150   | 380   |
| normalized size | 1       | 1.14  | 0.94        | 0.85  | 0.85   | 0.78   | 2.31  | 0.88  | 2.24  |
| time (sec)      | N/A     | 0.215 | 0.325       | 0.044 | 0.614  | 1.035  | 3.932 | 0.593 | 2.104 |
| Problem 429     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 180     | 180   | 130         | 123   | 119    | 110    | 284   | 124   | 319   |
| normalized size | 1       | 1.00  | 0.72        | 0.68  | 0.66   | 0.61   | 1.58  | 0.69  | 1.77  |
| time (sec)      | N/A     | 0.221 | 0.326       | 0.044 | 0.666  | 1.450  | 2.175 | 0.572 | 2.045 |
| Problem 430     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 121     | 121   | 100         | 102   | 95     | 84     | 233   | 96    | 279   |
| normalized size | 1       | 1.00  | 0.83        | 0.84  | 0.79   | 0.69   | 1.93  | 0.79  | 2.31  |
| time (sec)      | N/A     | 0.116 | 0.269       | 0.043 | 0.364  | 1.378  | 1.078 | 0.510 | 1.952 |
| Problem 431     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 76      | 90    | 80          | 76    | 72     | 66     | 128   | 72    | 77    |
| normalized size | 1       | 1.18  | 1.05        | 1.00  | 0.95   | 0.87   | 1.68  | 0.95  | 1.01  |
| time (sec)      | N/A     | 0.069 | 0.125       | 0.038 | 0.614  | 0.695  | 0.522 | 0.397 | 0.602 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 432     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 105         | 90    | 69     | 72     | 0     | 137   | 123   |
| normalized size | 1       | 1.00  | 1.44        | 1.23  | 0.95   | 0.99   | 0.00  | 1.88  | 1.68  |
| time (sec)      | N/A     | 0.115 | 0.137       | 0.077 | 0.345  | 0.854  | 0.000 | 0.514 | 0.718 |
| Problem 433     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 68      | 68    | 88          | 68    | 66     | 94     | 0     | 129   | 97    |
| normalized size | 1       | 1.00  | 1.29        | 1.00  | 0.97   | 1.38   | 0.00  | 1.90  | 1.43  |
| time (sec)      | N/A     | 0.122 | 0.348       | 0.084 | 0.886  | 1.078  | 0.000 | 0.582 | 0.624 |
| Problem 434     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 79      | 79    | 55          | 95    | 101    | 112    | 0     | 143   | 136   |
| normalized size | 1       | 1.00  | 0.70        | 1.20  | 1.28   | 1.42   | 0.00  | 1.81  | 1.72  |
| time (sec)      | N/A     | 0.134 | 0.177       | 0.096 | 0.625  | 1.125  | 0.000 | 0.704 | 0.670 |
| Problem 435     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 109     | 109   | 70          | 118   | 113    | 126    | 0     | 205   | 157   |
| normalized size | 1       | 1.00  | 0.64        | 1.08  | 1.04   | 1.16   | 0.00  | 1.88  | 1.44  |
| time (sec)      | N/A     | 0.182 | 0.256       | 0.098 | 0.833  | 1.080  | 0.000 | 0.549 | 2.634 |
| Problem 436     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 133     | 133   | 90          | 160   | 158    | 140    | 0     | 330   | 224   |
| normalized size | 1       | 1.00  | 0.68        | 1.20  | 1.19   | 1.05   | 0.00  | 2.48  | 1.68  |
| time (sec)      | N/A     | 0.203 | 0.420       | 0.112 | 0.803  | 1.044  | 0.000 | 0.686 | 4.221 |
| Problem 437     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 169     | 169   | 120         | 206   | 181    | 170    | 0     | 367   | 260   |
| normalized size | 1       | 1.00  | 0.71        | 1.22  | 1.07   | 1.01   | 0.00  | 2.17  | 1.54  |
| time (sec)      | N/A     | 0.217 | 0.899       | 0.115 | 0.652  | 0.893  | 0.000 | 0.656 | 4.223 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 438     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 247     | 247   | 181         | 190   | 192    | 171    | 495   | 197   | 476   |
| normalized size | 1       | 1.00  | 0.73        | 0.77  | 0.78   | 0.69   | 2.00  | 0.80  | 1.93  |
| time (sec)      | N/A     | 0.401 | 0.411       | 0.046 | 0.664  | 0.891  | 6.451 | 0.653 | 2.074 |
| Problem 439     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 235     | 235   | 156         | 174   | 170    | 150    | 459   | 168   | 214   |
| normalized size | 1       | 1.00  | 0.66        | 0.74  | 0.72   | 0.64   | 1.95  | 0.71  | 0.91  |
| time (sec)      | N/A     | 0.320 | 0.437       | 0.050 | 0.583  | 0.810  | 4.021 | 0.595 | 0.835 |
| Problem 440     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 170     | 170   | 133         | 138   | 133    | 121    | 301   | 134   | 363   |
| normalized size | 1       | 1.00  | 0.78        | 0.81  | 0.78   | 0.71   | 1.77  | 0.79  | 2.14  |
| time (sec)      | N/A     | 0.204 | 0.486       | 0.040 | 0.674  | 1.044  | 2.250 | 0.642 | 2.037 |
| Problem 441     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 104         | 116   | 111    | 96     | 240   | 107   | 123   |
| normalized size | 1       | 1.00  | 0.76        | 0.85  | 0.81   | 0.70   | 1.75  | 0.78  | 0.90  |
| time (sec)      | N/A     | 0.147 | 0.205       | 0.041 | 0.697  | 0.775  | 1.109 | 0.537 | 0.657 |
| Problem 442     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 128         | 131   | 95     | 98     | 0     | 212   | 158   |
| normalized size | 1       | 1.00  | 1.20        | 1.22  | 0.89   | 0.92   | 0.00  | 1.98  | 1.48  |
| time (sec)      | N/A     | 0.228 | 0.156       | 0.082 | 0.681  | 1.149  | 0.000 | 0.591 | 0.824 |
| Problem 443     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 119         | 109   | 90     | 116    | 0     | 170   | 150   |
| normalized size | 1       | 1.00  | 1.04        | 0.96  | 0.79   | 1.02   | 0.00  | 1.49  | 1.32  |
| time (sec)      | N/A     | 0.234 | 0.658       | 0.089 | 0.632  | 1.219  | 0.000 | 0.555 | 0.715 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 444     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 108     | 108   | 174         | 114   | 115    | 130    | 0     | 177   | 152   |
| normalized size | 1       | 1.00  | 1.61        | 1.06  | 1.06   | 1.20   | 0.00  | 1.64  | 1.41  |
| time (sec)      | N/A     | 0.252 | 2.441       | 0.101 | 0.858  | 0.751  | 0.000 | 0.861 | 0.720 |
| Problem 445     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 115     | 115   | 77          | 135   | 125    | 138    | 0     | 221   | 185   |
| normalized size | 1       | 1.00  | 0.67        | 1.17  | 1.09   | 1.20   | 0.00  | 1.92  | 1.61  |
| time (sec)      | N/A     | 0.252 | 0.387       | 0.099 | 0.631  | 1.227  | 0.000 | 0.619 | 0.775 |
| Problem 446     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 154     | 154   | 101         | 188   | 187    | 163    | 0     | 360   | 245   |
| normalized size | 1       | 1.00  | 0.66        | 1.22  | 1.21   | 1.06   | 0.00  | 2.34  | 1.59  |
| time (sec)      | N/A     | 0.336 | 0.487       | 0.110 | 0.978  | 0.915  | 0.000 | 0.696 | 4.293 |
| Problem 447     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 188     | 188   | 125         | 225   | 195    | 182    | 0     | 461   | 304   |
| normalized size | 1       | 1.00  | 0.66        | 1.20  | 1.04   | 0.97   | 0.00  | 2.45  | 1.62  |
| time (sec)      | N/A     | 0.361 | 0.746       | 0.125 | 1.201  | 1.097  | 0.000 | 0.718 | 4.456 |
| Problem 448     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 222     | 222   | 154         | 302   | 275    | 217    | 0     | 592   | 370   |
| normalized size | 1       | 1.00  | 0.69        | 1.36  | 1.24   | 0.98   | 0.00  | 2.67  | 1.67  |
| time (sec)      | N/A     | 0.380 | 1.008       | 0.115 | 0.762  | 1.099  | 0.000 | 0.783 | 4.308 |
| Problem 449     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 193     | 193   | 153         | 672   | 0      | 479    | 0     | 393   | 474   |
| normalized size | 1       | 1.00  | 0.79        | 3.48  | 0.00   | 2.48   | 0.00  | 2.04  | 2.46  |
| time (sec)      | N/A     | 0.545 | 0.638       | 0.063 | 0.000  | 1.717  | 0.000 | 0.622 | 1.720 |

|                 |         |       |             |       |        |        |         |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|-------|
| Problem 450     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1)   | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 148     | 148   | 122         | 367   | 0      | 400    | 0       | 249   | 203   |
| normalized size | 1       | 1.00  | 0.82        | 2.48  | 0.00   | 2.70   | 0.00    | 1.68  | 1.37  |
| time (sec)      | N/A     | 0.327 | 0.331       | 0.058 | 0.000  | 1.175  | 0.000   | 0.478 | 1.178 |
| Problem 451     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1)   | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 110     | 110   | 97          | 222   | 0      | 334    | 0       | 177   | 168   |
| normalized size | 1       | 1.00  | 0.88        | 2.02  | 0.00   | 3.04   | 0.00    | 1.61  | 1.53  |
| time (sec)      | N/A     | 0.184 | 0.236       | 0.063 | 0.000  | 0.968  | 0.000   | 0.527 | 1.069 |
| Problem 452     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | A       | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 76      | 76    | 72          | 102   | 0      | 269    | 1744    | 126   | 190   |
| normalized size | 1       | 1.00  | 0.95        | 1.34  | 0.00   | 3.54   | 22.95   | 1.66  | 2.50  |
| time (sec)      | N/A     | 0.119 | 0.142       | 0.046 | 0.000  | 1.097  | 122.504 | 0.545 | 0.905 |
| Problem 453     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | A       | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 59      | 59    | 58          | 67    | 0      | 223    | 320     | 240   | 99    |
| normalized size | 1       | 1.00  | 0.98        | 1.14  | 0.00   | 3.78   | 5.42    | 4.07  | 1.68  |
| time (sec)      | N/A     | 0.056 | 0.091       | 0.049 | 0.000  | 1.227  | 24.697  | 0.547 | 0.776 |
| Problem 454     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | A       | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 49      | 49    | 48          | 44    | 0      | 175    | 172     | 78    | 43    |
| normalized size | 1       | 1.00  | 0.98        | 0.90  | 0.00   | 3.57   | 3.51    | 1.59  | 0.88  |
| time (sec)      | N/A     | 0.031 | 0.036       | 0.037 | 0.000  | 1.134  | 4.024   | 0.459 | 0.517 |
| Problem 455     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F       | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   | TBD   |
| size            | 68      | 68    | 102         | 88    | 0      | 278    | 0       | 119   | 99    |
| normalized size | 1       | 1.00  | 1.50        | 1.29  | 0.00   | 4.09   | 0.00    | 1.75  | 1.46  |
| time (sec)      | N/A     | 0.072 | 0.082       | 0.070 | 0.000  | 1.077  | 0.000   | 0.897 | 0.836 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 456     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 115         | 134   | 0      | 382    | 0     | 153   | 324   |
| normalized size | 1       | 1.00  | 1.35        | 1.58  | 0.00   | 4.49   | 0.00  | 1.80  | 3.81  |
| time (sec)      | N/A     | 0.130 | 0.378       | 0.084 | 0.000  | 1.299  | 0.000 | 0.638 | 1.045 |
| Problem 457     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 238         | 262   | 0      | 459    | 0     | 211   | 1087  |
| normalized size | 1       | 1.00  | 2.00        | 2.20  | 0.00   | 3.86   | 0.00  | 1.77  | 9.13  |
| time (sec)      | N/A     | 0.324 | 1.057       | 0.106 | 0.000  | 1.684  | 0.000 | 0.741 | 1.764 |
| Problem 458     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 258         | 400   | 0      | 535    | 0     | 286   | 991   |
| normalized size | 1       | 1.00  | 1.64        | 2.55  | 0.00   | 3.41   | 0.00  | 1.82  | 6.31  |
| time (sec)      | N/A     | 0.522 | 2.463       | 0.110 | 0.000  | 1.349  | 0.000 | 0.665 | 2.676 |
| Problem 459     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F(-2)  | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 266     | 266   | 176         | 504   | 0      | 747    | 0     | 333   | 3852  |
| normalized size | 1       | 1.00  | 0.66        | 1.89  | 0.00   | 2.81   | 0.00  | 1.25  | 14.48 |
| time (sec)      | N/A     | 0.723 | 0.902       | 0.071 | 0.000  | 1.298  | 0.000 | 0.932 | 7.205 |
| Problem 460     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 166     | 213   | 144         | 358   | 0      | 651    | 0     | 262   | 3751  |
| normalized size | 1       | 1.28  | 0.87        | 2.16  | 0.00   | 3.92   | 0.00  | 1.58  | 22.60 |
| time (sec)      | N/A     | 0.429 | 0.783       | 0.063 | 0.000  | 1.054  | 0.000 | 0.565 | 7.039 |
| Problem 461     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 113         | 238   | 0      | 554    | 0     | 847   | 3180  |
| normalized size | 1       | 1.00  | 0.73        | 1.54  | 0.00   | 3.57   | 0.00  | 5.46  | 20.52 |
| time (sec)      | N/A     | 0.256 | 0.734       | 0.063 | 0.000  | 1.739  | 0.000 | 1.116 | 6.124 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 462     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 108     | 108   | 103         | 200   | 0      | 470    | 0     | 175   | 2872  |
| normalized size | 1       | 1.00  | 0.95        | 1.85  | 0.00   | 4.35   | 0.00  | 1.62  | 26.59 |
| time (sec)      | N/A     | 0.143 | 0.406       | 0.056 | 0.000  | 1.410  | 0.000 | 0.577 | 6.208 |
| Problem 463     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 83          | 116   | 0      | 321    | 0     | 135   | 99    |
| normalized size | 1       | 1.00  | 0.98        | 1.36  | 0.00   | 3.78   | 0.00  | 1.59  | 1.16  |
| time (sec)      | N/A     | 0.069 | 0.238       | 0.048 | 0.000  | 1.003  | 0.000 | 0.625 | 0.738 |
| Problem 464     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 86      | 86    | 84          | 116   | 0      | 320    | 0     | 135   | 99    |
| normalized size | 1       | 1.00  | 0.98        | 1.35  | 0.00   | 3.72   | 0.00  | 1.57  | 1.15  |
| time (sec)      | N/A     | 0.055 | 0.188       | 0.041 | 0.000  | 1.352  | 0.000 | 0.496 | 0.707 |
| Problem 465     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 146         | 221   | 0      | 592    | 0     | 198   | 2886  |
| normalized size | 1       | 1.00  | 1.24        | 1.87  | 0.00   | 5.02   | 0.00  | 1.68  | 24.46 |
| time (sec)      | N/A     | 0.219 | 0.371       | 0.088 | 0.000  | 1.857  | 0.000 | 0.703 | 5.977 |
| Problem 466     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 163         | 271   | 0      | 750    | 0     | 332   | 3176  |
| normalized size | 1       | 1.00  | 1.05        | 1.75  | 0.00   | 4.84   | 0.00  | 2.14  | 20.49 |
| time (sec)      | N/A     | 0.407 | 0.966       | 0.094 | 0.000  | 2.113  | 0.000 | 0.703 | 5.920 |
| Problem 467     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 285         | 401   | 0      | 899    | 0     | 293   | 3699  |
| normalized size | 1       | 1.00  | 1.31        | 1.85  | 0.00   | 4.14   | 0.00  | 1.35  | 17.05 |
| time (sec)      | N/A     | 0.681 | 5.522       | 0.128 | 0.000  | 3.271  | 0.000 | 0.963 | 6.927 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 468     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 270     | 270   | 499         | 535   | 0      | 1001   | 0     | 368   | 3843  |
| normalized size | 1       | 1.00  | 1.85        | 1.98  | 0.00   | 3.71   | 0.00  | 1.36  | 14.23 |
| time (sec)      | N/A     | 0.967 | 6.154       | 0.124 | 0.000  | 2.774  | 0.000 | 1.389 | 7.093 |
| Problem 469     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 300     | 300   | 199         | 802   | 0      | 1161   | 0     | 1735  | 5962  |
| normalized size | 1       | 1.00  | 0.66        | 2.67  | 0.00   | 3.87   | 0.00  | 5.78  | 19.87 |
| time (sec)      | N/A     | 0.783 | 2.019       | 0.069 | 0.000  | 1.205  | 0.000 | 1.888 | 8.670 |
| Problem 470     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 221     | 221   | 177         | 679   | 0      | 1029   | 0     | 354   | 5350  |
| normalized size | 1       | 1.00  | 0.80        | 3.07  | 0.00   | 4.66   | 0.00  | 1.60  | 24.21 |
| time (sec)      | N/A     | 0.488 | 1.484       | 0.071 | 0.000  | 1.321  | 0.000 | 1.135 | 8.232 |
| Problem 471     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 179     | 179   | 149         | 639   | 0      | 913    | 0     | 319   | 5102  |
| normalized size | 1       | 1.00  | 0.83        | 3.57  | 0.00   | 5.10   | 0.00  | 1.78  | 28.50 |
| time (sec)      | N/A     | 0.304 | 1.125       | 0.063 | 0.000  | 1.092  | 0.000 | 1.043 | 8.801 |
| Problem 472     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 149     | 149   | 115         | 400   | 0      | 587    | 0     | 250   | 203   |
| normalized size | 1       | 1.00  | 0.77        | 2.68  | 0.00   | 3.94   | 0.00  | 1.68  | 1.36  |
| time (sec)      | N/A     | 0.173 | 0.552       | 0.051 | 0.000  | 0.819  | 0.000 | 0.738 | 2.987 |
| Problem 473     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 134     | 134   | 115         | 475   | 0      | 555    | 0     | 271   | 207   |
| normalized size | 1       | 1.00  | 0.86        | 3.54  | 0.00   | 4.14   | 0.00  | 2.02  | 1.54  |
| time (sec)      | N/A     | 0.123 | 0.384       | 0.051 | 0.000  | 0.862  | 0.000 | 0.632 | 3.151 |

|                 |         |       |             |       |        |        |       |       |        |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|--------|
| Problem 474     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 133     | 133   | 113         | 400   | 0      | 585    | 0     | 251   | 203    |
| normalized size | 1       | 1.00  | 0.85        | 3.01  | 0.00   | 4.40   | 0.00  | 1.89  | 1.53   |
| time (sec)      | N/A     | 0.110 | 0.399       | 0.047 | 0.000  | 0.790  | 0.000 | 0.535 | 2.880  |
| Problem 475     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 182     | 182   | 192         | 660   | 0      | 1142   | 0     | 344   | 5090   |
| normalized size | 1       | 1.00  | 1.05        | 3.63  | 0.00   | 6.27   | 0.00  | 1.89  | 27.97  |
| time (sec)      | N/A     | 0.456 | 1.140       | 0.096 | 0.000  | 2.757  | 0.000 | 1.272 | 9.058  |
| Problem 476     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 232     | 232   | 205         | 712   | 0      | 1346   | 0     | 380   | 5347   |
| normalized size | 1       | 1.00  | 0.88        | 3.07  | 0.00   | 5.80   | 0.00  | 1.64  | 23.05  |
| time (sec)      | N/A     | 0.784 | 4.211       | 0.105 | 0.000  | 2.503  | 0.000 | 1.282 | 8.453  |
| Problem 477     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 305     | 305   | 427         | 845   | 0      | 1524   | 0     | 801   | 5910   |
| normalized size | 1       | 1.00  | 1.40        | 2.77  | 0.00   | 5.00   | 0.00  | 2.63  | 19.38  |
| time (sec)      | N/A     | 1.078 | 6.183       | 0.136 | 0.000  | 6.036  | 0.000 | 1.523 | 9.160  |
| Problem 478     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 307     | 307   | 240         | 1396  | 0      | 1593   | 0     | 563   | 7494   |
| normalized size | 1       | 1.00  | 0.78        | 4.55  | 0.00   | 5.19   | 0.00  | 1.83  | 24.41  |
| time (sec)      | N/A     | 0.900 | 5.781       | 0.075 | 0.000  | 1.268  | 0.000 | 1.325 | 9.895  |
| Problem 479     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 250     | 250   | 227         | 1356  | 0      | 1445   | 0     | 531   | 7247   |
| normalized size | 1       | 1.00  | 0.91        | 5.42  | 0.00   | 5.78   | 0.00  | 2.12  | 28.99  |
| time (sec)      | N/A     | 0.571 | 2.733       | 0.075 | 0.000  | 1.294  | 0.000 | 2.111 | 12.371 |

|                 |         |       |             |       |        |        |       |       |        |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|--------|
| Problem 480     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 222     | 222   | 158         | 776   | 0      | 893    | 0     | 399   | 378    |
| normalized size | 1       | 1.00  | 0.71        | 3.50  | 0.00   | 4.02   | 0.00  | 1.80  | 1.70   |
| time (sec)      | N/A     | 0.337 | 1.234       | 0.063 | 0.000  | 1.004  | 0.000 | 1.883 | 4.211  |
| Problem 481     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 206     | 206   | 162         | 930   | 0      | 893    | 0     | 427   | 381    |
| normalized size | 1       | 1.00  | 0.79        | 4.51  | 0.00   | 4.33   | 0.00  | 2.07  | 1.85   |
| time (sec)      | N/A     | 0.281 | 1.195       | 0.054 | 0.000  | 0.918  | 0.000 | 1.122 | 4.149  |
| Problem 482     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 192     | 192   | 164         | 931   | 0      | 891    | 0     | 427   | 382    |
| normalized size | 1       | 1.00  | 0.85        | 4.85  | 0.00   | 4.64   | 0.00  | 2.22  | 1.99   |
| time (sec)      | N/A     | 0.226 | 1.060       | 0.054 | 0.000  | 0.703  | 0.000 | 0.954 | 4.253  |
| Problem 483     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 184     | 184   | 159         | 776   | 0      | 895    | 0     | 399   | 378    |
| normalized size | 1       | 1.00  | 0.86        | 4.22  | 0.00   | 4.86   | 0.00  | 2.17  | 2.05   |
| time (sec)      | N/A     | 0.217 | 0.917       | 0.054 | 0.000  | 1.022  | 0.000 | 0.749 | 4.123  |
| Problem 484     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 251     | 251   | 274         | 1377  | 0      | 1815   | 0     | 554   | 7235   |
| normalized size | 1       | 1.00  | 1.09        | 5.49  | 0.00   | 7.23   | 0.00  | 2.21  | 28.82  |
| time (sec)      | N/A     | 0.788 | 3.073       | 0.102 | 0.000  | 5.129  | 0.000 | 1.663 | 12.506 |
| Problem 485     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad  |
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     | B      |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD    |
| size            | 308     | 308   | 416         | 1429  | 0      | 2048   | 0     | 587   | 7490   |
| normalized size | 1       | 1.00  | 1.35        | 4.64  | 0.00   | 6.65   | 0.00  | 1.91  | 24.32  |
| time (sec)      | N/A     | 1.270 | 6.226       | 0.121 | 0.000  | 6.321  | 0.000 | 1.630 | 9.946  |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 486     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 264     | 264   | 214         | 827   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.81        | 3.13  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.412 | 1.141       | 1.088 | 0.000  | 1.464  | 0.000 | 0.000 | 0.000 |
| Problem 487     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 207     | 207   | 180         | 665   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.87        | 3.21  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.284 | 0.861       | 0.825 | 0.000  | 0.838  | 0.000 | 0.000 | 0.000 |
| Problem 488     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 162     | 162   | 137         | 452   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 2.79  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.173 | 0.555       | 0.740 | 0.000  | 0.871  | 0.000 | 0.000 | 0.000 |
| Problem 489     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 57          | 170   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.00        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.039 | 0.059       | 0.000 | 0.000  | 0.750  | 0.000 | 0.000 | 0.000 |
| Problem 490     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 118     | 118   | 81          | 194   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 1.64  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.226 | 2.180       | 1.089 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 491     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 307         | 622   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.56        | 3.16  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.498 | 7.328       | 0.826 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 492     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 262     | 262   | 515         | 977   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.97        | 3.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.731 | 6.495       | 0.908 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 493     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 314     | 314   | 262         | 995   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 3.17  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.518 | 1.357       | 0.875 | 0.000  | 1.251  | 0.000 | 0.000 | 0.000 |
| Problem 494     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 258     | 258   | 214         | 827   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 3.21  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.391 | 1.154       | 0.701 | 0.000  | 1.332  | 0.000 | 0.000 | 0.000 |
| Problem 495     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 199     | 199   | 174         | 663   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.87        | 3.33  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.248 | 0.782       | 0.756 | 0.000  | 0.868  | 0.000 | 0.000 | 0.000 |
| Problem 496     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 134         | 450   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 2.87  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.169 | 0.546       | 0.000 | 0.000  | 0.783  | 0.000 | 0.000 | 0.000 |
| Problem 497     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 179     | 179   | 107         | 249   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.60        | 1.39  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.314 | 2.299       | 0.716 | 0.000  | 3.558  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 498     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 209     | 209   | 363         | 740   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.74        | 3.54  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.542 | 11.177      | 0.776 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 499     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 255     | 255   | 508         | 980   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.99        | 3.84  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.763 | 6.453       | 0.867 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 500     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 371     | 371   | 268         | 1140  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.72        | 3.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.629 | 1.206       | 0.993 | 0.000  | 1.384  | 0.000 | 0.000 | 0.000 |
| Problem 501     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 308     | 308   | 263         | 995   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.509 | 1.378       | 0.946 | 0.000  | 1.292  | 0.000 | 0.000 | 0.000 |
| Problem 502     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 249     | 249   | 214         | 827   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.86        | 3.32  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.360 | 0.883       | 0.853 | 0.000  | 1.187  | 0.000 | 0.000 | 0.000 |
| Problem 503     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 197     | 197   | 177         | 662   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.90        | 3.36  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.261 | 0.774       | 0.856 | 0.000  | 1.425  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 504     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 222     | 222   | 379         | 528   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.71        | 2.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.586 | 1.761       | 0.768 | 0.000  | 2.711  | 0.000 | 0.000 | 0.000 |
| Problem 505     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 222     | 222   | 390         | 960   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.76        | 4.32  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.592 | 2.194       | 0.845 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 506     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 270     | 270   | 395         | 1134  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.46        | 4.20  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.877 | 2.646       | 0.962 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 507     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 323     | 323   | 434         | 1742  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.34        | 5.39  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.169 | 4.123       | 1.110 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 508     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 246     | 246   | 211         | 824   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.86        | 3.35  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.375 | 1.098       | 0.915 | 0.000  | 1.421  | 0.000 | 0.000 | 0.000 |
| Problem 509     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 138     | 138   | 92          | 275   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 1.99  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.185 | 0.245       | 0.648 | 0.000  | 0.808  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 510     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 105     | 105   | 81          | 253   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 2.41  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.138 | 0.140       | 0.657 | 0.000  | 1.297  | 0.000 | 0.000 | 0.000 |
| Problem 511     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 78      | 78    | 69          | 231   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.88        | 2.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.063       | 0.617 | 0.000  | 1.236  | 0.000 | 0.000 | 0.000 |
| Problem 512     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 23      | 23    | 23          | 137   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.00        | 5.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.012 | 0.024       | 0.415 | 0.000  | 1.158  | 0.000 | 0.000 | 0.000 |
| Problem 513     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 48      | 48    | 41          | 158   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 3.29  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.087 | 0.051       | 0.549 | 0.000  | 2.655  | 0.000 | 0.000 | 0.000 |
| Problem 514     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 157         | 350   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.65        | 3.68  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.246 | 1.121       | 0.795 | 0.000  | 1.586  | 0.000 | 0.000 | 0.000 |
| Problem 515     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 194         | 408   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.44        | 3.02  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.364 | 1.268       | 0.954 | 0.000  | 1.838  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 516     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 114         | 276   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.81        | 1.97  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.187 | 0.208       | 0.754 | 0.000  | 1.843  | 0.000 | 0.000 | 0.000 |
| Problem 517     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 104         | 253   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.97        | 2.36  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.138 | 0.207       | 0.724 | 0.000  | 0.978  | 0.000 | 0.000 | 0.000 |
| Problem 518     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 94          | 231   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.18        | 2.89  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.097       | 0.739 | 0.000  | 1.093  | 0.000 | 0.000 | 0.000 |
| Problem 519     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 24      | 24    | 44          | 138   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.83        | 5.75  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.011 | 0.031       | 0.460 | 0.000  | 1.767  | 0.000 | 0.000 | 0.000 |
| Problem 520     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 50      | 50    | 61          | 159   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.22        | 3.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.088 | 0.062       | 0.796 | 0.000  | 2.531  | 0.000 | 0.000 | 0.000 |
| Problem 521     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 98      | 98    | 178         | 351   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.82        | 3.58  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.249 | 1.467       | 0.877 | 0.000  | 1.771  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 522     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 138     | 138   | 237         | 408   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.72        | 2.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.374 | 1.884       | 1.043 | 0.000  | 1.764  | 0.000 | 0.000 | 0.000 |
| Problem 523     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 215     | 215   | 182         | 665   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 3.09  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.287 | 0.914       | 0.825 | 0.000  | 1.538  | 0.000 | 0.000 | 0.000 |
| Problem 524     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 165     | 165   | 137         | 453   | 0      | 0      | 0     | 0     | 116   |
| normalized size | 1       | 1.00  | 0.83        | 2.75  | 0.00   | 0.00   | 0.00  | 0.00  | 0.70  |
| time (sec)      | N/A     | 0.188 | 0.616       | 0.944 | 0.000  | 0.944  | 0.000 | 0.000 | 0.564 |
| Problem 525     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 122     | 122   | 86          | 220   | 0      | 0      | 0     | 0     | 80    |
| normalized size | 1       | 1.00  | 0.70        | 1.80  | 0.00   | 0.00   | 0.00  | 0.00  | 0.66  |
| time (sec)      | N/A     | 0.108 | 2.416       | 0.773 | 0.000  | 0.718  | 0.000 | 0.000 | 0.660 |
| Problem 526     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | C     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 57          | 75    | 0      | 0      | 0     | 0     | 52    |
| normalized size | 1       | 1.00  | 1.00        | 1.32  | 0.00   | 0.00   | 0.00  | 0.00  | 0.91  |
| time (sec)      | N/A     | 0.037 | 0.045       | 0.102 | 0.000  | 1.077  | 0.000 | 0.000 | 0.599 |
| Problem 527     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 58      | 58    | 58          | 166   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.00        | 2.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.126 | 0.087       | 0.596 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 528     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 206     | 206   | 310         | 532   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.50        | 2.58  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.492 | 8.500       | 1.160 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 529     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 268     | 268   | 518         | 710   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.93        | 2.65  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.713 | 6.397       | 0.989 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 530     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 326     | 326   | 242         | 1285  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 3.94  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.513 | 1.313       | 1.132 | 0.000  | 0.980  | 0.000 | 0.000 | 0.000 |
| Problem 531     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 257     | 257   | 197         | 984   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 3.83  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.344 | 0.881       | 1.003 | 0.000  | 1.417  | 0.000 | 0.000 | 0.000 |
| Problem 532     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 186     | 186   | 159         | 530   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 2.85  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.232 | 0.700       | 0.939 | 0.000  | 1.600  | 0.000 | 0.000 | 0.000 |
| Problem 533     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 170     | 170   | 137         | 373   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.81        | 2.19  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.182 | 0.528       | 0.982 | 0.000  | 1.292  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 534     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 106     | 106   | 83          | 217   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 2.05  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.065 | 0.206       | 0.793 | 0.000  | 1.193  | 0.000 | 0.000 | 0.000 |
| Problem 535     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 402         | 376   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.28        | 2.14  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.394 | 5.191       | 0.922 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 536     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 277     | 277   | 441         | 894   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.59        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.780 | 4.147       | 2.025 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 537     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 345     | 345   | 597         | 1542  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.73        | 4.47  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.082 | 6.483       | 2.392 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 538     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 436     | 436   | 272         | 1684  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 3.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.862 | 1.991       | 4.373 | 0.000  | 2.460  | 0.000 | 0.000 | 0.000 |
| Problem 539     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 345     | 345   | 237         | 1291  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 3.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.570 | 1.642       | 3.383 | 0.000  | 1.639  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 540     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 281     | 281   | 188         | 907   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.379 | 1.273       | 2.878 | 0.000  | 1.605  | 0.000 | 0.000 | 0.000 |
| Problem 541     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 263     | 263   | 175         | 846   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 3.22  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.337 | 1.150       | 2.853 | 0.000  | 1.773  | 0.000 | 0.000 | 0.000 |
| Problem 542     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 243     | 243   | 154         | 742   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.63        | 3.05  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.272 | 1.003       | 2.727 | 0.000  | 1.359  | 0.000 | 0.000 | 0.000 |
| Problem 543     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 221     | 221   | 158         | 489   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.71        | 2.21  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.232 | 0.934       | 1.655 | 0.000  | 1.528  | 0.000 | 0.000 | 0.000 |
| Problem 544     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 320     | 320   | 464         | 845   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.45        | 2.64  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.871 | 4.801       | 2.718 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 545     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 380     | 380   | 638         | 1320  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.68        | 3.47  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.100 | 6.579       | 3.606 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 546     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 282     | 282   | 189         | 616   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 2.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.358 | 1.418       | 2.355 | 0.000  | 2.823  | 0.000 | 0.000 | 0.000 |
| Problem 547     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 81          | 231   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 2.08  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.150 | 0.184       | 0.757 | 0.000  | 1.913  | 0.000 | 0.000 | 0.000 |
| Problem 548     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 78      | 78    | 70          | 231   | 0      | 0      | 0     | 0     | 78    |
| normalized size | 1       | 1.00  | 0.90        | 2.96  | 0.00   | 0.00   | 0.00  | 0.00  | 1.00  |
| time (sec)      | N/A     | 0.102 | 0.083       | 0.594 | 0.000  | 1.506  | 0.000 | 0.000 | 0.090 |
| Problem 549     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 51      | 51    | 43          | 155   | 0      | 0      | 0     | 0     | 54    |
| normalized size | 1       | 1.00  | 0.84        | 3.04  | 0.00   | 0.00   | 0.00  | 0.00  | 1.06  |
| time (sec)      | N/A     | 0.052 | 0.060       | 0.609 | 0.000  | 1.461  | 0.000 | 0.000 | 0.628 |
| Problem 550     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | C     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 23      | 23    | 23          | 23    | 0      | 0      | 0     | 0     | 39    |
| normalized size | 1       | 1.00  | 1.00        | 1.00  | 0.00   | 0.00   | 0.00  | 0.00  | 1.70  |
| time (sec)      | N/A     | 0.012 | 0.030       | 0.017 | 0.000  | 1.101  | 0.000 | 0.000 | 0.573 |
| Problem 551     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 24      | 24    | 24          | 138   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.00        | 5.75  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.039 | 0.053       | 0.483 | 0.000  | 2.124  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 552     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 158         | 350   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.56        | 3.47  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.256 | 1.176       | 0.839 | 0.000  | 2.266  | 0.000 | 0.000 | 0.000 |
| Problem 553     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 137     | 137   | 195         | 408   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.42        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.371 | 1.323       | 0.839 | 0.000  | 2.276  | 0.000 | 0.000 | 0.000 |
| Problem 554     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 113     | 113   | 102         | 254   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.90        | 2.25  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.150 | 0.170       | 0.633 | 0.000  | 1.162  | 0.000 | 0.000 | 0.000 |
| Problem 555     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 94          | 232   | 0      | 0      | 0     | 0     | 78    |
| normalized size | 1       | 1.00  | 1.18        | 2.90  | 0.00   | 0.00   | 0.00  | 0.00  | 0.98  |
| time (sec)      | N/A     | 0.102 | 0.125       | 0.677 | 0.000  | 1.300  | 0.000 | 0.000 | 0.089 |
| Problem 556     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 53      | 53    | 60          | 158   | 0      | 0      | 0     | 0     | 52    |
| normalized size | 1       | 1.00  | 1.13        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | 0.98  |
| time (sec)      | N/A     | 0.050 | 0.074       | 0.729 | 0.000  | 0.742  | 0.000 | 0.000 | 0.140 |
| Problem 557     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | C     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 24      | 24    | 44          | 54    | 0      | 0      | 0     | 0     | 39    |
| normalized size | 1       | 1.00  | 1.83        | 2.25  | 0.00   | 0.00   | 0.00  | 0.00  | 1.62  |
| time (sec)      | N/A     | 0.012 | 0.038       | 0.066 | 0.000  | 1.205  | 0.000 | 0.000 | 0.570 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 558     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 25      | 25    | 45          | 139   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.80        | 5.56  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.039 | 0.065       | 0.593 | 0.000  | 2.840  | 0.000 | 0.000 | 0.000 |
| Problem 559     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 104     | 104   | 179         | 351   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.72        | 3.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.251 | 1.517       | 0.828 | 0.000  | 1.643  | 0.000 | 0.000 | 0.000 |
| Problem 560     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 236         | 408   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.69        | 2.91  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.366 | 1.901       | 1.058 | 0.000  | 1.628  | 0.000 | 0.000 | 0.000 |
| Problem 561     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 77          | 290   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 0.69        | 2.61  | 0.00   | 0.00   | 0.00  | 0.00  | 0.78  |
| time (sec)      | N/A     | 0.075 | 0.528       | 0.713 | 0.000  | 2.929  | 0.000 | 0.000 | 0.962 |
| Problem 562     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 87      | 87    | 66          | 262   | 0      | 0      | 0     | 0     | 80    |
| normalized size | 1       | 1.00  | 0.76        | 3.01  | 0.00   | 0.00   | 0.00  | 0.00  | 0.92  |
| time (sec)      | N/A     | 0.060 | 0.245       | 0.738 | 0.000  | 1.564  | 0.000 | 0.000 | 0.740 |
| Problem 563     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 61      | 61    | 53          | 229   | 0      | 0      | 0     | 0     | 53    |
| normalized size | 1       | 1.00  | 0.87        | 3.75  | 0.00   | 0.00   | 0.00  | 0.00  | 0.87  |
| time (sec)      | N/A     | 0.051 | 0.114       | 0.641 | 0.000  | 2.042  | 0.000 | 0.000 | 0.653 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 564     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 35      | 35    | 35          | 152   | 0      | 0      | 0     | 0     | 33    |
| normalized size | 1       | 1.00  | 1.00        | 4.34  | 0.00   | 0.00   | 0.00  | 0.00  | 0.94  |
| time (sec)      | N/A     | 0.039 | 0.068       | 0.689 | 0.000  | 1.893  | 0.000 | 0.000 | 0.260 |
| Problem 565     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 57      | 57    | 51          | 148   | 0      | 0      | 0     | 0     | 60    |
| normalized size | 1       | 1.00  | 0.89        | 2.60  | 0.00   | 0.00   | 0.00  | 0.00  | 1.05  |
| time (sec)      | N/A     | 0.048 | 0.145       | 0.735 | 0.000  | 0.979  | 0.000 | 0.000 | 0.973 |
| Problem 566     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 65          | 397   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 0.78        | 4.78  | 0.00   | 0.00   | 0.00  | 0.00  | 1.05  |
| time (sec)      | N/A     | 0.059 | 0.424       | 1.594 | 0.000  | 1.305  | 0.000 | 0.000 | 1.231 |
| Problem 567     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 111     | 111   | 95          | 502   | 0      | 0      | 0     | 0     | 87    |
| normalized size | 1       | 1.00  | 0.86        | 4.52  | 0.00   | 0.00   | 0.00  | 0.00  | 0.78  |
| time (sec)      | N/A     | 0.074 | 0.318       | 1.830 | 0.000  | 1.256  | 0.000 | 0.000 | 1.461 |
| Problem 568     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 160     | 160   | 113         | 398   | 0      | 0      | 0     | 0     | 135   |
| normalized size | 1       | 1.00  | 0.71        | 2.49  | 0.00   | 0.00   | 0.00  | 0.00  | 0.84  |
| time (sec)      | N/A     | 0.120 | 0.803       | 0.797 | 0.000  | 2.058  | 0.000 | 0.000 | 1.044 |
| Problem 569     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 98          | 362   | 0      | 0      | 0     | 0     | 128   |
| normalized size | 1       | 1.00  | 0.73        | 2.68  | 0.00   | 0.00   | 0.00  | 0.00  | 0.95  |
| time (sec)      | N/A     | 0.104 | 0.633       | 0.746 | 0.000  | 1.538  | 0.000 | 0.000 | 0.890 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 570     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 79          | 321   | 0      | 0      | 0     | 0     | 102   |
| normalized size | 1       | 1.00  | 0.78        | 3.18  | 0.00   | 0.00   | 0.00  | 0.00  | 1.01  |
| time (sec)      | N/A     | 0.090 | 0.322       | 0.694 | 0.000  | 0.854  | 0.000 | 0.000 | 1.006 |
| Problem 571     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 72      | 72    | 64          | 283   | 0      | 0      | 0     | 0     | 76    |
| normalized size | 1       | 1.00  | 0.89        | 3.93  | 0.00   | 0.00   | 0.00  | 0.00  | 1.06  |
| time (sec)      | N/A     | 0.084 | 0.165       | 0.797 | 0.000  | 1.157  | 0.000 | 0.000 | 0.941 |
| Problem 572     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 68      | 68    | 62          | 202   | 0      | 0      | 0     | 0     | 81    |
| normalized size | 1       | 1.00  | 0.91        | 2.97  | 0.00   | 0.00   | 0.00  | 0.00  | 1.19  |
| time (sec)      | N/A     | 0.086 | 0.299       | 0.692 | 0.000  | 0.747  | 0.000 | 0.000 | 1.134 |
| Problem 573     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 73          | 514   | 0      | 0      | 0     | 0     | 108   |
| normalized size | 1       | 1.00  | 0.77        | 5.41  | 0.00   | 0.00   | 0.00  | 0.00  | 1.14  |
| time (sec)      | N/A     | 0.095 | 0.620       | 1.580 | 0.000  | 1.036  | 0.000 | 0.000 | 1.240 |
| Problem 574     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 124         | 660   | 0      | 0      | 0     | 0     | 113   |
| normalized size | 1       | 1.00  | 0.92        | 4.89  | 0.00   | 0.00   | 0.00  | 0.00  | 0.84  |
| time (sec)      | N/A     | 0.106 | 0.397       | 2.086 | 0.000  | 1.091  | 0.000 | 0.000 | 1.385 |
| Problem 575     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 194     | 194   | 137         | 470   | 0      | 0      | 0     | 0     | 178   |
| normalized size | 1       | 1.00  | 0.71        | 2.42  | 0.00   | 0.00   | 0.00  | 0.00  | 0.92  |
| time (sec)      | N/A     | 0.220 | 1.030       | 0.749 | 0.000  | 1.582  | 0.000 | 0.000 | 1.046 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 576     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 159     | 159   | 110         | 421   | 0      | 0      | 0     | 0     | 146   |
| normalized size | 1       | 1.00  | 0.69        | 2.65  | 0.00   | 0.00   | 0.00  | 0.00  | 0.92  |
| time (sec)      | N/A     | 0.202 | 0.792       | 0.744 | 0.000  | 1.151  | 0.000 | 0.000 | 0.938 |
| Problem 577     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 84          | 376   | 0      | 0      | 0     | 0     | 125   |
| normalized size | 1       | 1.00  | 0.72        | 3.24  | 0.00   | 0.00   | 0.00  | 0.00  | 1.08  |
| time (sec)      | N/A     | 0.177 | 0.401       | 0.685 | 0.000  | 1.827  | 0.000 | 0.000 | 0.876 |
| Problem 578     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 124     | 124   | 86          | 303   | 0      | 0      | 0     | 0     | 124   |
| normalized size | 1       | 1.00  | 0.69        | 2.44  | 0.00   | 0.00   | 0.00  | 0.00  | 1.00  |
| time (sec)      | N/A     | 0.188 | 0.560       | 0.800 | 0.000  | 1.300  | 0.000 | 0.000 | 0.930 |
| Problem 579     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 120     | 120   | 85          | 631   | 0      | 0      | 0     | 0     | 128   |
| normalized size | 1       | 1.00  | 0.71        | 5.26  | 0.00   | 0.00   | 0.00  | 0.00  | 1.07  |
| time (sec)      | N/A     | 0.190 | 1.329       | 1.642 | 0.000  | 1.175  | 0.000 | 0.000 | 1.638 |
| Problem 580     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 149     | 149   | 125         | 738   | 0      | 0      | 0     | 0     | 156   |
| normalized size | 1       | 1.00  | 0.84        | 4.95  | 0.00   | 0.00   | 0.00  | 0.00  | 1.05  |
| time (sec)      | N/A     | 0.211 | 0.958       | 2.068 | 0.000  | 0.851  | 0.000 | 0.000 | 1.738 |
| Problem 581     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 194     | 194   | 177         | 847   | 0      | 0      | 0     | 0     | 147   |
| normalized size | 1       | 1.00  | 0.91        | 4.37  | 0.00   | 0.00   | 0.00  | 0.00  | 0.76  |
| time (sec)      | N/A     | 0.233 | 0.813       | 2.599 | 0.000  | 0.872  | 0.000 | 0.000 | 2.001 |

|                 |         |       |             |       |        |         |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|-------|
| Problem 582     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 158         | 516   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.41        | 4.61  | 0.00   | 0.00    | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.391 | 2.044       | 0.866 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 583     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F       | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 81          | 227   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.08        | 3.03  | 0.00   | 0.00    | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.163 | 0.304       | 0.790 | 0.000  | 152.496 | 0.000 | 0.000 | 0.000 |
| Problem 584     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 53      | 53    | 48          | 188   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 3.55  | 0.00   | 0.00    | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.101 | 0.076       | 0.675 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 585     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 29      | 29    | 29          | 150   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.00        | 5.17  | 0.00   | 0.00    | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.045 | 0.080       | 0.631 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 586     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 195         | 354   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.53        | 4.60  | 0.00   | 0.00    | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.238 | 3.111       | 0.944 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 587     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 128     | 128   | 210         | 452   | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.64        | 3.53  | 0.00   | 0.00    | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.546 | 4.585       | 1.959 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 588     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 245     | 245   | 266         | 1070  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.09        | 4.37  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.705 | 1.957       | 2.591 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 589     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 185     | 185   | 251         | 815   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.36        | 4.41  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.459 | 1.849       | 2.239 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 590     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 194         | 794   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.19        | 4.87  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.384 | 3.402       | 1.808 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 591     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 148     | 148   | 229         | 713   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.55        | 4.82  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.397 | 3.700       | 1.912 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 592     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 238         | 612   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.52        | 3.90  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.436 | 3.512       | 1.361 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 593     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 278         | 874   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.28        | 4.03  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.683 | 3.135       | 2.492 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |         |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|-------|
| Problem 594     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 281     | 281   | 294         | 1008  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.05        | 3.59  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.995 | 3.572       | 3.361 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 595     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 346     | 346   | 354         | 2194  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.02        | 6.34  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.039 | 3.230       | 3.687 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 596     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F       | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 282     | 282   | 309         | 1935  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.10        | 6.86  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.774 | 3.007       | 3.520 | 0.000  | 160.504 | 0.000 | 0.000 | 0.000 |
| Problem 597     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 264     | 264   | 284         | 1914  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.08        | 7.25  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.777 | 2.171       | 3.079 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 598     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 244     | 244   | 272         | 1836  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.11        | 7.52  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.657 | 2.069       | 3.046 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |
| Problem 599     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)   | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   | TBD   |
| size            | 250     | 250   | 291         | 1736  | 0      | 0       | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.16        | 6.94  | 0.00   | 0.00    | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.682 | 3.067       | 2.955 | 0.000  | 0.000   | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 600     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 261     | 261   | 301         | 1176  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.15        | 4.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.775 | 2.999       | 1.915 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 601     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 328     | 328   | 334         | 1992  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.02        | 6.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.071 | 3.621       | 3.708 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 602     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 395     | 395   | 349         | 2128  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.88        | 5.39  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.350 | 5.957       | 5.452 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 603     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 438     | 438   | 1152        | 1233  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.63        | 2.82  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.922 | 17.595      | 0.274 | 0.000  | 88.706 | 0.000 | 0.000 | 0.000 |
| Problem 604     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 371     | 371   | 314         | 801   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 2.16  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.575 | 7.065       | 0.269 | 0.000  | 3.067  | 0.000 | 0.000 | 0.000 |
| Problem 605     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 137         | 197   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.01        | 1.46  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.071 | 1.275       | 0.219 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 606     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 229     | 229   | 203         | 789   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.89        | 3.45  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.263 | 3.456       | 0.248 | 0.000  | 1.409  | 0.000 | 0.000 | 0.000 |
| Problem 607     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 271     | 271   | 247         | 880   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.91        | 3.25  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.402 | 7.868       | 0.298 | 0.000  | 1.903  | 0.000 | 0.000 | 0.000 |
| Problem 608     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 329     | 329   | 453         | 1555  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.38        | 4.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.646 | 13.293      | 0.265 | 0.000  | 2.515  | 0.000 | 0.000 | 0.000 |
| Problem 609     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 389     | 389   | 1304        | 1826  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.35        | 4.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.924 | 6.233       | 0.309 | 0.000  | 1.586  | 0.000 | 0.000 | 0.000 |
| Problem 610     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 508     | 508   | 1189        | 1683  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.34        | 3.31  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.257 | 19.590      | 0.259 | 0.000  | 3.292  | 0.000 | 0.000 | 0.000 |
| Problem 611     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 433     | 433   | 437         | 1421  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.01        | 3.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.170 | 12.274      | 0.186 | 0.000  | 3.992  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 612     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 375     | 375   | 339         | 1003  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.90        | 2.67  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.642 | 7.575       | 0.270 | 0.000  | 1.294  | 0.000 | 0.000 | 0.000 |
| Problem 613     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 337     | 337   | 357         | 1183  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.06        | 3.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.471 | 13.127      | 0.225 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 614     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 277     | 277   | 256         | 1075  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.92        | 3.88  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.435 | 4.980       | 0.264 | 0.000  | 1.408  | 0.000 | 0.000 | 0.000 |
| Problem 615     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 325     | 325   | 443         | 1539  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.36        | 4.74  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.661 | 13.522      | 0.217 | 0.000  | 1.032  | 0.000 | 0.000 | 0.000 |
| Problem 616     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 387     | 387   | 1302        | 1827  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.36        | 4.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.949 | 6.261       | 0.272 | 0.000  | 0.683  | 0.000 | 0.000 | 0.000 |
| Problem 617     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 454     | 454   | 1368        | 2503  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.01        | 5.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.318 | 6.296       | 0.415 | 0.000  | 0.762  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 618     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 506     | 506   | 1203        | 1866  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.38        | 3.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.356 | 19.063      | 0.247 | 0.000  | 2.227  | 0.000 | 0.000 | 0.000 |
| Problem 619     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 443     | 443   | 329         | 1629  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 3.68  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.003 | 6.617       | 0.209 | 0.000  | 3.671  | 0.000 | 0.000 | 0.000 |
| Problem 620     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 445     | 445   | 1185        | 1626  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.66        | 3.65  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.010 | 18.189      | 0.195 | 0.000  | 56.373 | 0.000 | 0.000 | 0.000 |
| Problem 621     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 392     | 392   | 328         | 1485  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 3.79  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.739 | 7.044       | 0.283 | 0.000  | 61.289 | 0.000 | 0.000 | 0.000 |
| Problem 622     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 338     | 338   | 427         | 1750  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.26        | 5.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.765 | 11.796      | 0.223 | 0.000  | 1.111  | 0.000 | 0.000 | 0.000 |
| Problem 623     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 387     | 387   | 1302        | 1827  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.36        | 4.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.044 | 6.297       | 0.275 | 0.000  | 0.845  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 624     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 454     | 454   | 1368        | 2504  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.01        | 5.52  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.409 | 6.308       | 0.375 | 0.000  | 0.937  | 0.000 | 0.000 | 0.000 |
| Problem 625     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 522     | 522   | 1431        | 2789  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.74        | 5.34  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.775 | 6.347       | 0.594 | 0.000  | 0.738  | 0.000 | 0.000 | 0.000 |
| Problem 626     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 379     | 414   | 479         | 622   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.09  | 1.26        | 1.64  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.736 | 4.456       | 0.252 | 0.000  | 1.371  | 0.000 | 0.000 | 0.000 |
| Problem 627     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 130         | 159   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 1.37  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.068 | 0.924       | 0.246 | 0.000  | 65.069 | 0.000 | 0.000 | 0.000 |
| Problem 628     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 109     | 109   | 170         | 123   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.56        | 1.13  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.071 | 1.403       | 0.214 | 0.000  | 0.964  | 0.000 | 0.000 | 0.000 |
| Problem 629     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 224     | 224   | 211         | 612   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.94        | 2.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.234 | 4.957       | 0.235 | 0.000  | 2.339  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 630     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 274     | 274   | 371         | 883   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.35        | 3.22  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.404 | 13.968      | 0.325 | 0.000  | 1.840  | 0.000 | 0.000 | 0.000 |
| Problem 631     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 465     | 465   | 1201        | 1661  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 3.57  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.986 | 6.223       | 0.220 | 0.000  | 3.017  | 0.000 | 0.000 | 0.000 |
| Problem 632     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 387     | 387   | 985         | 1206  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.55        | 3.12  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.503 | 17.734      | 0.249 | 0.000  | 81.385 | 0.000 | 0.000 | 0.000 |
| Problem 633     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 266     | 266   | 196         | 809   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 3.04  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.335 | 4.817       | 0.211 | 0.000  | 1.995  | 0.000 | 0.000 | 0.000 |
| Problem 634     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 267     | 267   | 202         | 830   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.76        | 3.11  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.388 | 5.793       | 0.230 | 0.000  | 1.218  | 0.000 | 0.000 | 0.000 |
| Problem 635     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 285     | 285   | 1233        | 1452  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.33        | 5.09  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.461 | 6.284       | 0.250 | 0.000  | 0.984  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 636     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 357     | 357   | 1269        | 1781  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.55        | 4.99  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.724 | 6.359       | 0.222 | 0.000  | 0.840  | 0.000 | 0.000 | 0.000 |
| Problem 637     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 433     | 433   | 1314        | 2478  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.03        | 5.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.057 | 6.384       | 0.267 | 0.000  | 1.349  | 0.000 | 0.000 | 0.000 |
| Problem 638     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 497     | 497   | 1282        | 3911  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 7.87  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.064 | 6.305       | 0.271 | 0.000  | 62.141 | 0.000 | 0.000 | 0.000 |
| Problem 639     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 342     | 342   | 277         | 1782  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.81        | 5.21  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.610 | 6.379       | 0.297 | 0.000  | 1.047  | 0.000 | 0.000 | 0.000 |
| Problem 640     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 359     | 359   | 1273        | 2417  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.55        | 6.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.642 | 6.253       | 0.212 | 0.000  | 2.170  | 0.000 | 0.000 | 0.000 |
| Problem 641     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 381     | 381   | 1296        | 2743  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.40        | 7.20  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.732 | 6.279       | 0.289 | 0.000  | 1.126  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 642     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 398     | 398   | 1321        | 3693  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.32        | 9.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.813 | 6.398       | 0.272 | 0.000  | 2.247  | 0.000 | 0.000 | 0.000 |
| Problem 643     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 473     | 473   | 1351        | 4189  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.86        | 8.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.173 | 6.490       | 0.319 | 0.000  | 1.303  | 0.000 | 0.000 | 0.000 |
| Problem 644     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 32      | 32    | 131         | 115   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.09        | 3.59  | 0.00   | 0.00   | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.059 | 3.660       | 0.202 | 0.000  | 0.719  | 0.000 | 0.000 | 0.000 |
| Problem 645     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 25      | 25    | 156         | 107   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 6.24        | 4.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.053 | 0.935       | 0.187 | 0.000  | 1.878  | 0.000 | 0.000 | 0.000 |
| Problem 646     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 56      | 56    | 143         | 119   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.55        | 2.12  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.117 | 1.102       | 0.184 | 0.000  | 1.422  | 0.000 | 0.000 | 0.000 |
| Problem 647     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 49      | 49    | 153         | 132   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.12        | 2.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.110 | 1.521       | 0.192 | 0.000  | 1.947  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 648     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 58      | 58    | 140         | 116   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.41        | 2.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.053 | 1.051       | 0.215 | 0.000  | 1.612  | 0.000 | 0.000 | 0.000 |
| Problem 649     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 60      | 60    | 144         | 125   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.40        | 2.08  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.066 | 1.043       | 0.194 | 0.000  | 0.885  | 0.000 | 0.000 | 0.000 |
| Problem 650     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 84      | 84    | 144         | 123   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.71        | 1.46  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.124 | 1.256       | 0.198 | 0.000  | 1.636  | 0.000 | 0.000 | 0.000 |
| Problem 651     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 82      | 82    | 153         | 137   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.87        | 1.67  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.115 | 1.058       | 0.201 | 0.000  | 1.308  | 0.000 | 0.000 | 0.000 |
| Problem 652     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 54      | 54    | 150         | 122   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.78        | 2.26  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.101 | 0.614       | 0.187 | 0.000  | 0.765  | 0.000 | 0.000 | 0.000 |
| Problem 653     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 158         | 109   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.36        | 2.32  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.104 | 0.401       | 0.190 | 0.000  | 0.999  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 654     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 34      | 34    | 145         | 121   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 4.26        | 3.56  | 0.00   | 0.00   | 0.00  | 0.00  | -0.03 |
| time (sec)      | N/A     | 0.055 | 0.553       | 0.165 | 0.000  | 0.808  | 0.000 | 0.000 | 0.000 |
| Problem 655     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 27      | 27    | 155         | 129   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 5.74        | 4.78  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.055 | 0.494       | 0.181 | 0.000  | 0.735  | 0.000 | 0.000 | 0.000 |
| Problem 656     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 154         | 127   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.92        | 1.59  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.105 | 0.615       | 0.160 | 0.000  | 0.657  | 0.000 | 0.000 | 0.000 |
| Problem 657     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 82      | 82    | 146         | 107   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.78        | 1.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.106 | 0.483       | 0.126 | 0.000  | 0.864  | 0.000 | 0.000 | 0.000 |
| Problem 658     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 62      | 62    | 160         | 98    | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 1.58  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.056 | 0.689       | 0.120 | 0.000  | 1.510  | 0.000 | 0.000 | 0.000 |
| Problem 659     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 60      | 60    | 155         | 128   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.58        | 2.13  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.056 | 0.461       | 0.168 | 0.000  | 1.423  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 660     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 175         | 142   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.27        | 1.84  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.049 | 2.841       | 0.209 | 0.000  | 1.950  | 0.000 | 0.000 | 0.000 |
| Problem 661     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 140         | 132   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.87        | 1.76  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.059 | 0.692       | 0.182 | 0.000  | 2.193  | 0.000 | 0.000 | 0.000 |
| Problem 662     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 99      | 99    | 145         | 144   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.46        | 1.45  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.116 | 1.767       | 0.192 | 0.000  | 1.205  | 0.000 | 0.000 | 0.000 |
| Problem 663     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 155         | 161   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.53        | 1.59  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.102 | 2.051       | 0.185 | 0.000  | 1.563  | 0.000 | 0.000 | 0.000 |
| Problem 664     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 73      | 73    | 115         | 144   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.58        | 1.97  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.047 | 1.439       | 0.178 | 0.000  | 1.474  | 0.000 | 0.000 | 0.000 |
| Problem 665     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 117         | 153   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.56        | 2.04  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.049 | 0.841       | 0.175 | 0.000  | 0.857  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 666     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 99      | 99    | 135         | 158   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.36        | 1.60  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.100 | 0.985       | 0.179 | 0.000  | 1.062  | 0.000 | 0.000 | 0.000 |
| Problem 667     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 113         | 168   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.16        | 1.73  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.103 | 0.600       | 0.175 | 0.000  | 1.326  | 0.000 | 0.000 | 0.000 |
| Problem 668     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 99      | 99    | 194         | 159   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.96        | 1.61  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.099 | 0.766       | 0.171 | 0.000  | 1.695  | 0.000 | 0.000 | 0.000 |
| Problem 669     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 142         | 142   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.46        | 1.46  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.098 | 0.224       | 0.187 | 0.000  | 1.382  | 0.000 | 0.000 | 0.000 |
| Problem 670     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 147         | 154   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.91        | 2.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.052 | 0.509       | 0.172 | 0.000  | 1.295  | 0.000 | 0.000 | 0.000 |
| Problem 671     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 79      | 79    | 156         | 164   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.97        | 2.08  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.054 | 0.509       | 0.184 | 0.000  | 1.403  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 672     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 95      | 95    | 117         | 168   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.23        | 1.77  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.100 | 0.503       | 0.175 | 0.000  | 1.070  | 0.000 | 0.000 | 0.000 |
| Problem 673     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 119         | 180   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.23        | 1.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.101 | 0.223       | 0.171 | 0.000  | 1.545  | 0.000 | 0.000 | 0.000 |
| Problem 674     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 77      | 77    | 140         | 152   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.82        | 1.97  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.053 | 0.159       | 0.171 | 0.000  | 2.048  | 0.000 | 0.000 | 0.000 |
| Problem 675     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 115         | 164   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.53        | 2.19  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.053 | 0.305       | 0.175 | 0.000  | 3.856  | 0.000 | 0.000 | 0.000 |
| Problem 676     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 4614        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 26.22       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.199 | 21.701      | 0.087 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 677     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 4613        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 26.21       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.185 | 21.328      | 0.088 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 678     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 4605        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 26.16       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.186 | 21.337      | 0.147 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 679     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 4608        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 26.18       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.185 | 21.203      | 0.161 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 680     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.054 | 33.561      | 0.204 | 0.000  | 5.659  | 0.000 | 0.000 | 0.000 |
| Problem 681     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.054 | 80.140      | 0.199 | 0.000  | 5.216  | 0.000 | 0.000 | 0.000 |
| Problem 682     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.055 | 19.413      | 0.166 | 0.000  | 3.567  | 0.000 | 0.000 | 0.000 |
| Problem 683     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.055 | 9.177       | 0.156 | 0.000  | 3.796  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 684     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.054 | 2.743       | 0.167 | 0.000  | 1.966  | 0.000 | 0.000 | 0.000 |
| Problem 685     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.053 | 1.931       | 0.157 | 0.000  | 3.121  | 0.000 | 0.000 | 0.000 |
| Problem 686     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.053 | 0.534       | 0.161 | 0.000  | 1.107  | 0.000 | 0.000 | 0.000 |
| Problem 687     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.053 | 82.317      | 0.151 | 0.000  | 0.963  | 0.000 | 0.000 | 0.000 |
| Problem 688     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.054 | 29.301      | 0.153 | 0.000  | 1.502  | 0.000 | 0.000 | 0.000 |
| Problem 689     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A     | A     |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 28      | 0     | 0           | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 0.00  | 0.00        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.04 |
| time (sec)      | N/A     | 0.054 | 86.229      | 0.146 | 0.000  | 1.761  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 690     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 151     | 151   | 97          | 502   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.64        | 3.32  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.112 | 0.347       | 2.184 | 0.000  | 1.408  | 0.000 | 0.000 | 0.000 |
| Problem 691     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 123     | 123   | 85          | 397   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.096 | 0.239       | 1.912 | 0.000  | 1.483  | 0.000 | 0.000 | 0.000 |
| Problem 692     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 97      | 97    | 71          | 148   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 1.53  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.111       | 0.744 | 0.000  | 1.360  | 0.000 | 0.000 | 0.000 |
| Problem 693     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 75      | 75    | 52          | 152   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.03  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.076 | 0.074       | 0.774 | 0.000  | 1.051  | 0.000 | 0.000 | 0.000 |
| Problem 694     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 76          | 229   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 2.27  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.087 | 0.139       | 0.738 | 0.000  | 1.009  | 0.000 | 0.000 | 0.000 |
| Problem 695     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 127     | 127   | 88          | 262   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.06  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.103 | 0.323       | 0.862 | 0.000  | 1.012  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 696     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 151     | 151   | 99          | 290   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.66        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.114 | 0.565       | 0.740 | 0.000  | 1.716  | 0.000 | 0.000 | 0.000 |
| Problem 697     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 200     | 200   | 139         | 689   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.70        | 3.44  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.166 | 0.872       | 2.776 | 0.000  | 1.229  | 0.000 | 0.000 | 0.000 |
| Problem 698     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 175     | 175   | 126         | 660   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.72        | 3.77  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.157 | 1.313       | 2.471 | 0.000  | 0.842  | 0.000 | 0.000 | 0.000 |
| Problem 699     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 93          | 514   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 3.81  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.136 | 0.336       | 1.935 | 0.000  | 0.624  | 0.000 | 0.000 | 0.000 |
| Problem 700     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 108     | 108   | 83          | 202   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 1.87  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.130 | 0.198       | 0.909 | 0.000  | 1.647  | 0.000 | 0.000 | 0.000 |
| Problem 701     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 87          | 283   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 2.53  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.132 | 0.187       | 0.806 | 0.000  | 1.318  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 702     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 100         | 321   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.71        | 2.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.144 | 0.455       | 0.784 | 0.000  | 2.375  | 0.000 | 0.000 | 0.000 |
| Problem 703     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 175     | 175   | 120         | 362   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.164 | 0.682       | 0.895 | 0.000  | 2.518  | 0.000 | 0.000 | 0.000 |
| Problem 704     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 200     | 200   | 135         | 398   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 1.99  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.174 | 1.109       | 1.176 | 0.000  | 2.339  | 0.000 | 0.000 | 0.000 |
| Problem 705     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 234     | 234   | 191         | 847   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.82        | 3.62  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.269 | 1.198       | 3.344 | 0.000  | 0.959  | 0.000 | 0.000 | 0.000 |
| Problem 706     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 189     | 189   | 134         | 738   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.71        | 3.90  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.238 | 1.673       | 2.566 | 0.000  | 2.336  | 0.000 | 0.000 | 0.000 |
| Problem 707     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 160     | 160   | 106         | 631   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.66        | 3.94  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.231 | 0.506       | 2.233 | 0.000  | 1.147  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 708     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 166     | 166   | 108         | 303   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 1.83  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.229 | 0.631       | 0.955 | 0.000  | 0.625  | 0.000 | 0.000 | 0.000 |
| Problem 709     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 156     | 156   | 106         | 376   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 2.41  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.223 | 0.467       | 1.094 | 0.000  | 1.148  | 0.000 | 0.000 | 0.000 |
| Problem 710     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 199     | 199   | 132         | 421   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.66        | 2.12  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.248 | 0.956       | 0.928 | 0.000  | 1.153  | 0.000 | 0.000 | 0.000 |
| Problem 711     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 234     | 234   | 159         | 470   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 2.01  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.277 | 1.238       | 1.018 | 0.000  | 1.083  | 0.000 | 0.000 | 0.000 |
| Problem 712     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 188     | 188   | 165         | 452   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.88        | 2.40  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.547 | 3.020       | 2.224 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 713     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 83          | 354   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.71        | 3.03  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.209 | 5.160       | 1.051 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 714     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 49      | 49    | 63          | 150   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.29        | 3.06  | 0.00   | 0.00   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.131 | 0.336       | 0.828 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 715     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 93      | 93    | 47          | 188   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.51        | 2.02  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.187 | 0.244       | 0.902 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 716     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 176         | 227   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.30        | 1.68  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.236 | 6.519       | 1.203 | 0.000  | 80.170 | 0.000 | 0.000 | 0.000 |
| Problem 717     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 172     | 172   | 196         | 516   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.14        | 3.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.391 | 6.787       | 1.026 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 718     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 341     | 341   | 655         | 1008  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.92        | 2.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.966 | 6.798       | 3.864 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 719     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 277     | 277   | 351         | 874   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.27        | 3.16  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.711 | 4.626       | 2.563 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 720     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 217     | 217   | 584         | 612   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.69        | 2.82  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.435 | 6.670       | 1.681 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 721     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 208     | 208   | 574         | 713   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.76        | 3.43  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.420 | 6.673       | 2.306 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 722     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 223     | 223   | 250         | 794   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 3.56  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.412 | 5.644       | 1.972 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 723     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 245     | 245   | 319         | 815   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.30        | 3.33  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.474 | 6.429       | 2.402 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 724     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 455     | 455   | 747         | 2128  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.64        | 4.68  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.451 | 6.834       | 5.951 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 725     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 388     | 388   | 723         | 1992  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.86        | 5.13  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.032 | 6.897       | 4.537 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 726     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F(-1)  | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 321     | 321   | 694         | 1176  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.16        | 3.66  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.770 | 6.768       | 2.151 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 727     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 317     | 317   | 395         | 1736  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.25        | 5.48  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.752 | 5.983       | 3.828 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 728     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 302     | 302   | 665         | 1836  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.20        | 6.08  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.696 | 6.750       | 3.508 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 729     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 319     | 319   | 280         | 1914  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.88        | 6.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.685 | 5.657       | 3.459 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 730     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 369     | 369   | 353         | 1563  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.96        | 4.24  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.753 | 13.078      | 0.246 | 0.000  | 1.345  | 0.000 | 0.000 | 0.000 |
| Problem 731     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 311     | 311   | 301         | 888   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.97        | 2.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.502 | 10.993      | 0.286 | 0.000  | 1.156  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 732     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 269     | 269   | 215         | 797   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.80        | 2.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.360 | 6.049       | 0.254 | 0.000  | 1.261  | 0.000 | 0.000 | 0.000 |
| Problem 733     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 155     | 155   | 146         | 199   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.94        | 1.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.143 | 1.364       | 0.238 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 734     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 431     | 431   | 565         | 803   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.31        | 1.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.650 | 13.852      | 0.345 | 0.000  | 2.105  | 0.000 | 0.000 | 0.000 |
| Problem 735     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 498     | 498   | 1113        | 1241  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.23        | 2.49  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.991 | 18.157      | 0.274 | 0.000  | 59.854 | 0.000 | 0.000 | 0.000 |
| Problem 736     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 427     | 427   | 441         | 1835  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.03        | 4.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.050 | 13.881      | 0.293 | 0.000  | 0.873  | 0.000 | 0.000 | 0.000 |
| Problem 737     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 365     | 365   | 345         | 1547  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.95        | 4.24  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.759 | 11.870      | 0.264 | 0.000  | 0.832  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 738     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 317     | 317   | 291         | 1085  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.92        | 3.42  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.526 | 7.216       | 0.315 | 0.000  | 0.880  | 0.000 | 0.000 | 0.000 |
| Problem 739     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 397     | 397   | 639         | 1191  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.61        | 3.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.556 | 17.488      | 0.277 | 0.000  | 48.678 | 0.000 | 0.000 | 0.000 |
| Problem 740     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 435     | 435   | 322         | 1005  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 2.31  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.715 | 11.669      | 0.333 | 0.000  | 53.097 | 0.000 | 0.000 | 0.000 |
| Problem 741     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 493     | 493   | 845         | 1423  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.71        | 2.89  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.270 | 17.804      | 0.278 | 0.000  | 2.388  | 0.000 | 0.000 | 0.000 |
| Problem 742     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 568     | 568   | 961         | 1691  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.69        | 2.98  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.356 | 17.623      | 0.307 | 0.000  | 2.603  | 0.000 | 0.000 | 0.000 |
| Problem 743     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 494     | 494   | 521         | 2512  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.05        | 5.09  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.518 | 16.292      | 0.373 | 0.000  | 1.263  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 744     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 427     | 427   | 443         | 1835  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.04        | 4.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.167 | 13.831      | 0.277 | 0.000  | 0.830  | 0.000 | 0.000 | 0.000 |
| Problem 745     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 378     | 378   | 376         | 1758  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.99        | 4.65  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.865 | 15.169      | 0.290 | 0.000  | 0.863  | 0.000 | 0.000 | 0.000 |
| Problem 746     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 452     | 452   | 399         | 1493  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.88        | 3.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.824 | 11.995      | 0.352 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 747     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 505     | 505   | 736         | 1631  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.46        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.107 | 16.679      | 0.219 | 0.000  | 67.251 | 0.000 | 0.000 | 0.000 |
| Problem 748     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 503     | 503   | 3679        | 1631  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 7.31        | 3.24  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.101 | 22.320      | 0.239 | 0.000  | 59.196 | 0.000 | 0.000 | 0.000 |
| Problem 749     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 566     | 566   | 970         | 1868  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.71        | 3.30  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.451 | 17.705      | 0.299 | 0.000  | 1.786  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 750     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 638     | 638   | 1642        | 2327  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.57        | 3.65  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.883 | 16.608      | 0.437 | 0.000  | 2.919  | 0.000 | 0.000 | 0.000 |
| Problem 751     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 314     | 314   | 322         | 891   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.03        | 2.84  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.485 | 14.044      | 0.326 | 0.000  | 1.268  | 0.000 | 0.000 | 0.000 |
| Problem 752     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 264     | 264   | 296         | 620   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 2.35  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.309 | 12.595      | 0.235 | 0.000  | 0.633  | 0.000 | 0.000 | 0.000 |
| Problem 753     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 129     | 129   | 103         | 125   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.80        | 0.97  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.131 | 0.873       | 0.292 | 0.000  | 0.514  | 0.000 | 0.000 | 0.000 |
| Problem 754     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 146         | 143   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.07        | 1.05  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.132 | 1.793       | 0.221 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 755     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 474     | 474   | 507         | 630   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.07        | 1.33  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.796 | 12.101      | 0.282 | 0.000  | 2.130  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 756     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 505     | 505   | 1153        | 1248  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.28        | 2.47  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.954 | 18.920      | 0.285 | 0.000  | 0.000  | 0.000 | 0.000 | 0.000 |
| Problem 757     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 397     | 397   | 440         | 1789  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.11        | 4.51  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.823 | 14.443      | 0.198 | 0.000  | 1.365  | 0.000 | 0.000 | 0.000 |
| Problem 758     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 325     | 325   | 369         | 1457  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.14        | 4.48  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.549 | 12.131      | 0.273 | 0.000  | 1.334  | 0.000 | 0.000 | 0.000 |
| Problem 759     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 307     | 307   | 237         | 832   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 2.71  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.479 | 8.457       | 0.314 | 0.000  | 2.248  | 0.000 | 0.000 | 0.000 |
| Problem 760     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 306     | 306   | 235         | 811   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 2.65  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.419 | 4.018       | 0.289 | 0.000  | 1.517  | 0.000 | 0.000 | 0.000 |
| Problem 761     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 447     | 447   | 1175        | 1214  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 2.63        | 2.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.595 | 18.054      | 0.367 | 0.000  | 61.423 | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 762     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 525     | 525   | 1025        | 1675  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.95        | 3.19  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.091 | 15.194      | 0.249 | 0.000  | 40.816 | 0.000 | 0.000 | 0.000 |
| Problem 763     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 513     | 513   | 546         | 4197  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.06        | 8.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.302 | 17.547      | 0.270 | 0.000  | 1.045  | 0.000 | 0.000 | 0.000 |
| Problem 764     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 438     | 438   | 525         | 3701  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.20        | 8.45  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.925 | 17.266      | 0.291 | 0.000  | 0.841  | 0.000 | 0.000 | 0.000 |
| Problem 765     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 421     | 421   | 471         | 2745  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.12        | 6.52  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.844 | 14.454      | 0.306 | 0.000  | 0.824  | 0.000 | 0.000 | 0.000 |
| Problem 766     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 399     | 399   | 455         | 2419  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.14        | 6.06  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.758 | 13.505      | 0.274 | 0.000  | 0.690  | 0.000 | 0.000 | 0.000 |
| Problem 767     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 382     | 382   | 359         | 1790  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.94        | 4.69  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.729 | 8.405       | 0.341 | 0.000  | 0.560  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 768     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 557     | 557   | 1716        | 3920  | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 3.08        | 7.04  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 1.213 | 14.454      | 0.281 | 0.000  | 45.658 | 0.000 | 0.000 | 0.000 |
| Problem 769     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 330     | 330   | 242         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.674 | 1.779       | 1.542 | 0.000  | 1.004  | 0.000 | 0.000 | 0.000 |
| Problem 770     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 250     | 250   | 197         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.317 | 0.905       | 1.296 | 0.000  | 0.890  | 0.000 | 0.000 | 0.000 |
| Problem 771     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 179     | 179   | 168         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.94        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.128 | 0.357       | 1.120 | 0.000  | 1.000  | 0.000 | 0.000 | 0.000 |
| Problem 772     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 112         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.170       | 1.063 | 0.000  | 0.992  | 0.000 | 0.000 | 0.000 |
| Problem 773     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 190     | 190   | 6703        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 35.28       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.233 | 24.616      | 0.770 | 0.000  | 0.896  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 774     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | B           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 294     | 294   | 7214        | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 24.54       | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.354 | 26.460      | 0.426 | 0.000  | 0.836  | 0.000 | 0.000 | 0.000 |
| Problem 775     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 282     | 282   | 222         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.424 | 0.882       | 1.509 | 0.000  | 0.975  | 0.000 | 0.000 | 0.000 |
| Problem 776     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 200     | 200   | 159         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.80        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.189 | 0.343       | 1.296 | 0.000  | 1.894  | 0.000 | 0.000 | 0.000 |
| Problem 777     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 143     | 143   | 107         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.112 | 0.200       | 1.096 | 0.000  | 0.751  | 0.000 | 0.000 | 0.000 |
| Problem 778     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | B     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 26      | 26    | 47          | 67    | 0      | 30     | 0     | 71    | -1    |
| normalized size | 1       | 1.00  | 1.81        | 2.58  | 0.00   | 1.15   | 0.00  | 2.73  | -0.04 |
| time (sec)      | N/A     | 0.078 | 0.080       | 0.193 | 0.000  | 1.848  | 0.000 | 0.534 | 0.000 |
| Problem 779     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 65      | 65    | 64          | 67    | 0      | 32     | 0     | 46    | -1    |
| normalized size | 1       | 1.00  | 0.98        | 1.03  | 0.00   | 0.49   | 0.00  | 0.71  | -0.02 |
| time (sec)      | N/A     | 0.100 | 0.072       | 0.141 | 0.000  | 1.468  | 0.000 | 0.863 | 0.000 |

|                 |         |       |             |       |        |        |       |        |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|--------|-------|
| Problem 780     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 37      | 37    | 29          | 51    | 45     | 24     | 87    | 30     | 25    |
| normalized size | 1       | 1.00  | 0.78        | 1.38  | 1.22   | 0.65   | 2.35  | 0.81   | 0.68  |
| time (sec)      | N/A     | 0.020 | 0.060       | 0.053 | 0.318  | 0.744  | 0.277 | 0.496  | 0.630 |
| Problem 781     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | B     | B      | B      | A     | B      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 26      | 26    | 31          | 150   | 144    | 70     | 333   | 88     | 29    |
| normalized size | 1       | 1.00  | 1.19        | 5.77  | 5.54   | 2.69   | 12.81 | 3.38   | 1.12  |
| time (sec)      | N/A     | 0.031 | 0.214       | 0.056 | 0.345  | 0.820  | 2.459 | 0.400  | 0.677 |
| Problem 782     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | B     | B      | A      | A     | B      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 28      | 28    | 28          | 74    | 143    | 27     | 114   | 1370   | 28    |
| normalized size | 1       | 1.00  | 1.00        | 2.64  | 5.11   | 0.96   | 4.07  | 48.93  | 1.00  |
| time (sec)      | N/A     | 0.045 | 0.204       | 0.374 | 0.633  | 1.440  | 4.992 | 55.249 | 0.892 |
| Problem 783     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | B      | B      | A     | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 26      | 26    | 27          | 48    | 115    | 56     | 80    | 47     | 33    |
| normalized size | 1       | 1.00  | 1.04        | 1.85  | 4.42   | 2.15   | 3.08  | 1.81   | 1.27  |
| time (sec)      | N/A     | 0.033 | 0.128       | 0.072 | 0.337  | 0.752  | 2.375 | 0.357  | 0.640 |
| Problem 784     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | B      | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 28      | 28    | 45          | 48    | 92     | 36     | 0     | 86     | -1    |
| normalized size | 1       | 1.00  | 1.61        | 1.71  | 3.29   | 1.29   | 0.00  | 3.07   | -0.04 |
| time (sec)      | N/A     | 0.042 | 0.115       | 0.301 | 0.535  | 1.032  | 0.000 | 0.455  | 0.000 |
| Problem 785     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac   | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | A      | F     | A      | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD    | TBD   |
| size            | 26      | 26    | 33          | 43    | 0      | 36     | 0     | 35     | 37    |
| normalized size | 1       | 1.00  | 1.27        | 1.65  | 0.00   | 1.38   | 0.00  | 1.35   | 1.42  |
| time (sec)      | N/A     | 0.016 | 0.048       | 0.227 | 0.000  | 0.970  | 0.000 | 0.960  | 0.742 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 786     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F(-1)  | B      | F(-1)  | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 28          | 48    | 0      | 68     | 0      | 59    | 85    |
| normalized size | 1       | 1.00  | 1.00        | 1.71  | 0.00   | 2.43   | 0.00   | 2.11  | 3.04  |
| time (sec)      | N/A     | 0.042 | 0.076       | 0.202 | 0.000  | 0.956  | 0.000  | 1.827 | 5.331 |
| Problem 787     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F      | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 104     | 104   | 164         | 0     | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 1.58        | 0.00  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.082 | 0.658       | 0.226 | 0.000  | 0.905  | 0.000  | 0.000 | 0.000 |
| Problem 788     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | C           | F     | F      | F      | F      | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 102     | 102   | 213         | 0     | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 2.09        | 0.00  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.079 | 3.531       | 0.200 | 0.000  | 1.095  | 0.000  | 0.000 | 0.000 |
| Problem 789     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F      | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 133         | 0     | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 1.32        | 0.00  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.077 | 0.272       | 0.245 | 0.000  | 1.086  | 0.000  | 0.000 | 0.000 |
| Problem 790     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | C           | F     | F      | F      | F      | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 105     | 105   | 197         | 0     | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 1.88        | 0.00  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.089 | 1.420       | 0.171 | 0.000  | 1.048  | 0.000  | 0.000 | 0.000 |
| Problem 791     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | A      | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 63      | 63    | 64          | 117   | 0      | 194    | 235    | 281   | 93    |
| normalized size | 1       | 1.00  | 1.02        | 1.86  | 0.00   | 3.08   | 3.73   | 4.46  | 1.48  |
| time (sec)      | N/A     | 0.093 | 0.134       | 0.090 | 0.000  | 3.912  | 32.916 | 0.741 | 0.937 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 792     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 22      | 22    | 22          | 51    | 0      | 22     | 0     | 50    | 37    |
| normalized size | 1       | 1.00  | 1.00        | 2.32  | 0.00   | 1.00   | 0.00  | 2.27  | 1.68  |
| time (sec)      | N/A     | 0.031 | 0.105       | 0.062 | 0.000  | 0.824  | 0.000 | 1.091 | 0.845 |
| Problem 793     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A     | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 47      | 47    | 31          | 39    | 52     | 43     | 56    | 72    | 74    |
| normalized size | 1       | 1.00  | 0.66        | 0.83  | 1.11   | 0.91   | 1.19  | 1.53  | 1.57  |
| time (sec)      | N/A     | 0.067 | 0.064       | 0.096 | 0.429  | 1.880  | 2.424 | 0.329 | 0.667 |
| Problem 794     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 58      | 58    | 58          | 171   | 0      | 0      | 0     | 0     | 56    |
| normalized size | 1       | 1.00  | 1.00        | 2.95  | 0.00   | 0.00   | 0.00  | 0.00  | 0.97  |
| time (sec)      | N/A     | 0.045 | 0.075       | 0.983 | 0.000  | 0.914  | 0.000 | 0.000 | 1.035 |
| Problem 795     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 229     | 229   | 259         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.13        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.223 | 2.110       | 0.186 | 0.000  | 1.199  | 0.000 | 0.000 | 0.000 |
| Problem 796     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 229     | 229   | 253         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 1.10        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.189 | 1.916       | 0.176 | 0.000  | 0.995  | 0.000 | 0.000 | 0.000 |
| Problem 797     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 226     | 226   | 189         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.183 | 0.463       | 0.249 | 0.000  | 1.069  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 798     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 226     | 226   | 188         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.00 |
| time (sec)      | N/A     | 0.185 | 0.476       | 0.204 | 0.000  | 0.892  | 0.000 | 0.000 | 0.000 |
| Problem 799     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 168     | 168   | 100         | 299   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.60        | 1.78  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.142 | 0.584       | 0.875 | 0.000  | 0.946  | 0.000 | 0.000 | 0.000 |
| Problem 800     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 139     | 139   | 91          | 271   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 1.95  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.117 | 0.309       | 0.894 | 0.000  | 2.358  | 0.000 | 0.000 | 0.000 |
| Problem 801     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 108     | 108   | 75          | 238   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.20  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.111       | 0.984 | 0.000  | 2.176  | 0.000 | 0.000 | 0.000 |
| Problem 802     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 80      | 80    | 55          | 161   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.01  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.087 | 0.086       | 0.936 | 0.000  | 0.934  | 0.000 | 0.000 | 0.000 |
| Problem 803     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 105     | 105   | 73          | 213   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.70        | 2.03  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.117 | 0.190       | 0.986 | 0.000  | 1.341  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 804     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 136     | 136   | 85          | 453   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 3.33  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.131 | 0.265       | 1.091 | 0.000  | 1.043  | 0.000 | 0.000 | 0.000 |
| Problem 805     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 169     | 169   | 107         | 575   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.63        | 3.40  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.163 | 0.490       | 2.368 | 0.000  | 0.730  | 0.000 | 0.000 | 0.000 |
| Problem 806     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 169     | 169   | 103         | 301   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.78  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.139 | 0.302       | 0.794 | 0.000  | 0.762  | 0.000 | 0.000 | 0.000 |
| Problem 807     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 88          | 273   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.63        | 1.95  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.104 | 0.053       | 0.874 | 0.000  | 0.954  | 0.000 | 0.000 | 0.000 |
| Problem 808     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 76          | 240   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 2.14  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.104 | 0.043       | 0.902 | 0.000  | 1.076  | 0.000 | 0.000 | 0.000 |
| Problem 809     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 83      | 83    | 57          | 163   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 1.96  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.101 | 0.067       | 0.849 | 0.000  | 2.298  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 810     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 110     | 110   | 73          | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.66        | 1.95  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.120 | 0.150       | 1.017 | 0.000  | 3.150  | 0.000 | 0.000 | 0.000 |
| Problem 811     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 87          | 455   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 3.23  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.141 | 0.160       | 0.968 | 0.000  | 0.925  | 0.000 | 0.000 | 0.000 |
| Problem 812     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 174     | 174   | 107         | 576   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 3.31  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.157 | 0.285       | 2.370 | 0.000  | 0.858  | 0.000 | 0.000 | 0.000 |
| Problem 813     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 171     | 171   | 100         | 301   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.58        | 1.76  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.120 | 0.064       | 0.898 | 0.000  | 2.221  | 0.000 | 0.000 | 0.000 |
| Problem 814     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 145     | 145   | 89          | 273   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.88  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.123 | 0.065       | 0.960 | 0.000  | 1.164  | 0.000 | 0.000 | 0.000 |
| Problem 815     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 78          | 240   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 2.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.114 | 0.046       | 0.879 | 0.000  | 1.174  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 816     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 54          | 163   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.64        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.099 | 0.104       | 0.808 | 0.000  | 2.036  | 0.000 | 0.000 | 0.000 |
| Problem 817     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 73          | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.120 | 0.214       | 0.987 | 0.000  | 1.094  | 0.000 | 0.000 | 0.000 |
| Problem 818     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 143     | 143   | 87          | 455   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 3.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.138 | 0.211       | 1.135 | 0.000  | 1.040  | 0.000 | 0.000 | 0.000 |
| Problem 819     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 102         | 578   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.58        | 3.28  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.162 | 0.286       | 2.435 | 0.000  | 0.812  | 0.000 | 0.000 | 0.000 |
| Problem 820     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 173     | 173   | 101         | 298   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.58        | 1.72  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.135 | 0.453       | 0.956 | 0.000  | 1.229  | 0.000 | 0.000 | 0.000 |
| Problem 821     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 144     | 144   | 88          | 270   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.88  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.113 | 0.206       | 0.958 | 0.000  | 1.091  | 0.000 | 0.000 | 0.000 |

| Problem 822     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 113     | 113   | 78          | 237   | 0      | 0      | 0     | 0     | 94    |
| normalized size | 1       | 1.00  | 0.69        | 2.10  | 0.00   | 0.00   | 0.00  | 0.00  | 0.83  |
| time (sec)      | N/A     | 0.093 | 0.058       | 1.010 | 0.000  | 0.666  | 0.000 | 0.000 | 0.282 |

| Problem 823     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 82      | 82    | 54          | 160   | 0      | 0      | 0     | 0     | 48    |
| normalized size | 1       | 1.00  | 0.66        | 1.95  | 0.00   | 0.00   | 0.00  | 0.00  | 0.59  |
| time (sec)      | N/A     | 0.068 | 0.054       | 0.901 | 0.000  | 1.195  | 0.000 | 0.000 | 0.342 |

| Problem 824     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 106     | 106   | 73          | 212   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.69        | 2.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.103 | 0.103       | 1.158 | 0.000  | 0.880  | 0.000 | 0.000 | 0.000 |

| Problem 825     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 135     | 135   | 84          | 405   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 3.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.130 | 0.160       | 2.308 | 0.000  | 0.929  | 0.000 | 0.000 | 0.000 |

| Problem 826     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 168     | 168   | 101         | 578   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.60        | 3.44  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.154 | 0.256       | 2.598 | 0.000  | 1.147  | 0.000 | 0.000 | 0.000 |

| Problem 827     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 104         | 301   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.59        | 1.71  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.135 | 0.169       | 1.083 | 0.000  | 1.081  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 828     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 88          | 273   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.60        | 1.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.113 | 0.146       | 0.990 | 0.000  | 1.805  | 0.000 | 0.000 | 0.000 |
| Problem 829     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 75          | 240   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 2.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.094 | 0.098       | 0.940 | 0.000  | 0.988  | 0.000 | 0.000 | 0.000 |
| Problem 830     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 57          | 163   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.077 | 0.053       | 0.853 | 0.000  | 0.869  | 0.000 | 0.000 | 0.000 |
| Problem 831     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 76          | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.089 | 0.075       | 1.000 | 0.000  | 0.990  | 0.000 | 0.000 | 0.000 |
| Problem 832     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 87          | 455   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 3.25  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.127 | 0.076       | 1.057 | 0.000  | 1.051  | 0.000 | 0.000 | 0.000 |
| Problem 833     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 171     | 171   | 104         | 578   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 3.38  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.160 | 0.112       | 2.731 | 0.000  | 1.135  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 834     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 176     | 176   | 104         | 301   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.59        | 1.71  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.134 | 0.095       | 0.931 | 0.000  | 0.949  | 0.000 | 0.000 | 0.000 |
| Problem 835     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 147     | 147   | 91          | 273   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.62        | 1.86  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.114 | 0.089       | 0.921 | 0.000  | 0.916  | 0.000 | 0.000 | 0.000 |
| Problem 836     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 78          | 240   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 2.07  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.091 | 0.082       | 1.052 | 0.000  | 0.934  | 0.000 | 0.000 | 0.000 |
| Problem 837     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 85      | 85    | 57          | 163   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.075 | 0.053       | 0.995 | 0.000  | 1.058  | 0.000 | 0.000 | 0.000 |
| Problem 838     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 76          | 215   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 1.92  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 0.068       | 1.108 | 0.000  | 0.916  | 0.000 | 0.000 | 0.000 |
| Problem 839     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 143     | 143   | 87          | 455   | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 3.18  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.102 | 0.068       | 1.056 | 0.000  | 0.962  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 840     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1)  | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 173     | 173   | 104         | 578   | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 0.60        | 3.34  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.144 | 0.079       | 2.531 | 0.000  | 0.569  | 0.000  | 0.000 | 0.000 |
| Problem 841     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | B     | F      | F      | F(-1)  | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176   | 104         | 578   | 0      | 0      | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 0.59        | 3.28  | 0.00   | 0.00   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.119 | 0.076       | 2.507 | 0.000  | 0.833  | 0.000  | 0.000 | 0.000 |
| Problem 842     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1)  | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 172     | 172   | 81          | 91    | 93     | 252    | 0      | 0     | 105   |
| normalized size | 1       | 1.00  | 0.47        | 0.53  | 0.54   | 1.47   | 0.00   | 0.00  | 0.61  |
| time (sec)      | N/A     | 0.069 | 0.174       | 0.325 | 0.714  | 0.844  | 0.000  | 0.000 | 2.297 |
| Problem 843     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1)  | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 136     | 136   | 69          | 74    | 68     | 230    | 0      | 0     | 92    |
| normalized size | 1       | 1.00  | 0.51        | 0.54  | 0.50   | 1.69   | 0.00   | 0.00  | 0.68  |
| time (sec)      | N/A     | 0.055 | 0.129       | 0.261 | 0.728  | 1.316  | 0.000  | 0.000 | 1.245 |
| Problem 844     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 98      | 98    | 57          | 55    | 40     | 204    | 99     | 0     | 79    |
| normalized size | 1       | 1.00  | 0.58        | 0.56  | 0.41   | 2.08   | 1.01   | 0.00  | 0.81  |
| time (sec)      | N/A     | 0.022 | 0.116       | 0.211 | 0.652  | 0.682  | 40.283 | 0.000 | 0.822 |
| Problem 845     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 59      | 59    | 42          | 39    | 40     | 181    | 46     | 0     | 35    |
| normalized size | 1       | 1.00  | 0.71        | 0.66  | 0.68   | 3.07   | 0.78   | 0.00  | 0.59  |
| time (sec)      | N/A     | 0.012 | 0.053       | 0.180 | 0.602  | 0.941  | 12.093 | 0.000 | 0.291 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 846     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 60      | 60    | 40          | 54    | 92     | 210    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 0.90  | 1.53   | 3.50   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.026 | 0.035       | 0.161 | 0.587  | 1.859  | 0.000 | 0.000 | 0.000 |
| Problem 847     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 68      | 68    | 50          | 59    | 120    | 205    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 0.87  | 1.76   | 3.01   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.041 | 0.051       | 0.171 | 0.651  | 0.963  | 0.000 | 0.000 | 0.000 |
| Problem 848     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 65          | 120   | 716    | 225    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.12  | 6.69   | 2.10   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.054 | 0.113       | 0.227 | 0.709  | 1.018  | 0.000 | 0.000 | 0.000 |
| Problem 849     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 145     | 145   | 76          | 139   | 957    | 253    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.52        | 0.96  | 6.60   | 1.74   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.061 | 0.318       | 0.236 | 0.716  | 1.069  | 0.000 | 0.000 | 0.000 |
| Problem 850     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 177     | 177   | 81          | 91    | 100    | 261    | 0     | 0     | 106   |
| normalized size | 1       | 1.00  | 0.46        | 0.51  | 0.56   | 1.47   | 0.00  | 0.00  | 0.60  |
| time (sec)      | N/A     | 0.069 | 0.163       | 0.263 | 0.748  | 1.134  | 0.000 | 0.000 | 1.910 |
| Problem 851     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 140     | 140   | 69          | 74    | 74     | 237    | 0     | 0     | 93    |
| normalized size | 1       | 1.00  | 0.49        | 0.53  | 0.53   | 1.69   | 0.00  | 0.00  | 0.66  |
| time (sec)      | N/A     | 0.056 | 0.136       | 0.233 | 1.071  | 1.020  | 0.000 | 0.000 | 1.226 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 852     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 101     | 101   | 58          | 55    | 43     | 209    | 0     | 0     | 50    |
| normalized size | 1       | 1.00  | 0.57        | 0.54  | 0.43   | 2.07   | 0.00  | 0.00  | 0.50  |
| time (sec)      | N/A     | 0.023 | 0.045       | 0.190 | 1.014  | 1.987  | 0.000 | 0.000 | 0.517 |
| Problem 853     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 61      | 61    | 42          | 39    | 40     | 184    | 0     | 0     | 36    |
| normalized size | 1       | 1.00  | 0.69        | 0.64  | 0.66   | 3.02   | 0.00  | 0.00  | 0.59  |
| time (sec)      | N/A     | 0.013 | 0.069       | 0.183 | 1.144  | 0.820  | 0.000 | 0.000 | 0.854 |
| Problem 854     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 62      | 62    | 40          | 54    | 95     | 212    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 0.87  | 1.53   | 3.42   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.026 | 0.045       | 0.150 | 1.254  | 1.096  | 0.000 | 0.000 | 0.000 |
| Problem 855     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 70      | 70    | 50          | 59    | 123    | 208    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.71        | 0.84  | 1.76   | 2.97   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.041 | 0.056       | 0.155 | 1.130  | 1.216  | 0.000 | 0.000 | 0.000 |
| Problem 856     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 110     | 110   | 65          | 120   | 747    | 232    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.59        | 1.09  | 6.79   | 2.11   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.055 | 0.095       | 0.171 | 1.271  | 1.095  | 0.000 | 0.000 | 0.000 |
| Problem 857     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 149     | 149   | 77          | 139   | 992    | 260    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.52        | 0.93  | 6.66   | 1.74   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.063 | 0.045       | 0.203 | 1.132  | 1.036  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 858     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-2) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 187     | 187   | 81          | 91    | 110    | 279    | 0     | 0     | 108   |
| normalized size | 1       | 1.00  | 0.43        | 0.49  | 0.59   | 1.49   | 0.00  | 0.00  | 0.58  |
| time (sec)      | N/A     | 0.072 | 0.198       | 0.255 | 0.655  | 1.025  | 0.000 | 0.000 | 2.192 |
| Problem 859     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 148     | 148   | 69          | 74    | 82     | 251    | 0     | 0     | 64    |
| normalized size | 1       | 1.00  | 0.47        | 0.50  | 0.55   | 1.70   | 0.00  | 0.00  | 0.43  |
| time (sec)      | N/A     | 0.056 | 0.157       | 0.218 | 0.664  | 1.009  | 0.000 | 0.000 | 0.713 |
| Problem 860     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 57          | 55    | 47     | 219    | 0     | 0     | 52    |
| normalized size | 1       | 1.00  | 0.53        | 0.51  | 0.44   | 2.05   | 0.00  | 0.00  | 0.49  |
| time (sec)      | N/A     | 0.024 | 0.147       | 0.166 | 0.646  | 2.472  | 0.000 | 0.000 | 1.045 |
| Problem 861     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 65      | 65    | 42          | 39    | 40     | 190    | 0     | 0     | 38    |
| normalized size | 1       | 1.00  | 0.65        | 0.60  | 0.62   | 2.92   | 0.00  | 0.00  | 0.58  |
| time (sec)      | N/A     | 0.014 | 0.083       | 0.141 | 0.583  | 1.969  | 0.000 | 0.000 | 1.041 |
| Problem 862     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 40          | 54    | 99     | 216    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 0.82  | 1.50   | 3.27   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.026 | 0.065       | 0.188 | 0.589  | 1.694  | 0.000 | 0.000 | 0.000 |
| Problem 863     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 74      | 74    | 50          | 59    | 127    | 214    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 0.80  | 1.72   | 2.89   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.043 | 0.092       | 0.160 | 0.647  | 1.428  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |        |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|-------|
| Problem 864     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1)  | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116   | 65          | 121   | 803    | 242    | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 0.56        | 1.04  | 6.92   | 2.09   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.057 | 0.153       | 0.181 | 0.696  | 0.939  | 0.000  | 0.000 | 0.000 |
| Problem 865     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1)  | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 157     | 157   | 76          | 139   | 1060   | 274    | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 0.48        | 0.89  | 6.75   | 1.75   | 0.00   | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.195       | 0.211 | 0.701  | 1.034  | 0.000  | 0.000 | 0.000 |
| Problem 866     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1)  | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 136     | 136   | 69          | 74    | 68     | 236    | 0      | 0     | 95    |
| normalized size | 1       | 1.00  | 0.51        | 0.54  | 0.50   | 1.74   | 0.00   | 0.00  | 0.70  |
| time (sec)      | N/A     | 0.056 | 0.110       | 0.264 | 0.669  | 2.003  | 0.000  | 0.000 | 1.822 |
| Problem 867     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1)  | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 98      | 98    | 57          | 55    | 40     | 210    | 0      | 0     | 82    |
| normalized size | 1       | 1.00  | 0.58        | 0.56  | 0.41   | 2.14   | 0.00   | 0.00  | 0.84  |
| time (sec)      | N/A     | 0.024 | 0.092       | 0.227 | 0.664  | 0.945  | 0.000  | 0.000 | 1.369 |
| Problem 868     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 59      | 59    | 42          | 39    | 40     | 187    | 46     | 0     | 61    |
| normalized size | 1       | 1.00  | 0.71        | 0.66  | 0.68   | 3.17   | 0.78   | 0.00  | 1.03  |
| time (sec)      | N/A     | 0.013 | 0.046       | 0.184 | 0.594  | 0.933  | 12.676 | 0.000 | 0.537 |
| Problem 869     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | B      | F      | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   | TBD   |
| size            | 60      | 60    | 40          | 54    | 92     | 215    | 0      | 0     | -1    |
| normalized size | 1       | 1.00  | 0.67        | 0.90  | 1.53   | 3.58   | 0.00   | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.026 | 0.037       | 0.183 | 0.592  | 1.107  | 0.000  | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 870     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 68      | 68    | 50          | 59    | 125    | 211    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.74        | 0.87  | 1.84   | 3.10   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.042 | 0.051       | 0.173 | 0.672  | 1.058  | 0.000 | 0.000 | 0.000 |
| Problem 871     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 65          | 120   | 722    | 231    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 1.12  | 6.75   | 2.16   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.055 | 0.074       | 0.196 | 0.710  | 0.878  | 0.000 | 0.000 | 0.000 |
| Problem 872     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 145     | 145   | 76          | 139   | 957    | 259    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.52        | 0.96  | 6.60   | 1.79   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.065 | 0.090       | 0.215 | 0.705  | 0.851  | 0.000 | 0.000 | 0.000 |
| Problem 873     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 148     | 148   | 69          | 74    | 68     | 236    | 0     | 0     | 95    |
| normalized size | 1       | 1.00  | 0.47        | 0.50  | 0.46   | 1.59   | 0.00  | 0.00  | 0.64  |
| time (sec)      | N/A     | 0.056 | 0.086       | 0.216 | 0.694  | 1.177  | 0.000 | 0.000 | 1.566 |
| Problem 874     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 57          | 55    | 40     | 210    | 0     | 0     | 82    |
| normalized size | 1       | 1.00  | 0.53        | 0.51  | 0.37   | 1.96   | 0.00  | 0.00  | 0.77  |
| time (sec)      | N/A     | 0.023 | 0.103       | 0.174 | 0.678  | 1.161  | 0.000 | 0.000 | 0.688 |
| Problem 875     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 65      | 65    | 42          | 39    | 40     | 187    | 0     | 0     | 61    |
| normalized size | 1       | 1.00  | 0.65        | 0.60  | 0.62   | 2.88   | 0.00  | 0.00  | 0.94  |
| time (sec)      | N/A     | 0.014 | 0.048       | 0.166 | 0.598  | 1.101  | 0.000 | 0.000 | 1.021 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 876     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 40          | 54    | 92     | 215    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.61        | 0.82  | 1.39   | 3.26   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.027 | 0.047       | 0.158 | 0.601  | 1.189  | 0.000 | 0.000 | 0.000 |
| Problem 877     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 74      | 74    | 50          | 59    | 133    | 211    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 0.80  | 1.80   | 2.85   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.042 | 0.063       | 0.190 | 0.674  | 0.732  | 0.000 | 0.000 | 0.000 |
| Problem 878     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 65          | 121   | 739    | 231    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.56        | 1.04  | 6.37   | 1.99   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.056 | 0.072       | 0.175 | 0.703  | 0.885  | 0.000 | 0.000 | 0.000 |
| Problem 879     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 76          | 139   | 983    | 259    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.48        | 0.89  | 6.26   | 1.65   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.106       | 0.199 | 0.716  | 0.899  | 0.000 | 0.000 | 0.000 |
| Problem 880     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 148     | 148   | 72          | 74    | 68     | 236    | 0     | 0     | 95    |
| normalized size | 1       | 1.00  | 0.49        | 0.50  | 0.46   | 1.59   | 0.00  | 0.00  | 0.64  |
| time (sec)      | N/A     | 0.057 | 0.074       | 0.214 | 0.669  | 0.810  | 0.000 | 0.000 | 1.559 |
| Problem 881     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 107     | 107   | 60          | 55    | 40     | 210    | 0     | 0     | 82    |
| normalized size | 1       | 1.00  | 0.56        | 0.51  | 0.37   | 1.96   | 0.00  | 0.00  | 0.77  |
| time (sec)      | N/A     | 0.024 | 0.060       | 0.176 | 0.676  | 1.025  | 0.000 | 0.000 | 0.700 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 882     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 65      | 65    | 45          | 39    | 40     | 187    | 0     | 0     | 61    |
| normalized size | 1       | 1.00  | 0.69        | 0.60  | 0.62   | 2.88   | 0.00  | 0.00  | 0.94  |
| time (sec)      | N/A     | 0.014 | 0.051       | 0.147 | 0.598  | 1.534  | 0.000 | 0.000 | 0.481 |
| Problem 883     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 66      | 66    | 43          | 54    | 92     | 215    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.65        | 0.82  | 1.39   | 3.26   | 0.00  | 0.00  | -0.02 |
| time (sec)      | N/A     | 0.027 | 0.037       | 0.144 | 0.604  | 0.872  | 0.000 | 0.000 | 0.000 |
| Problem 884     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 74      | 74    | 50          | 59    | 133    | 211    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.68        | 0.80  | 1.80   | 2.85   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.041 | 0.054       | 0.167 | 0.657  | 0.925  | 0.000 | 0.000 | 0.000 |
| Problem 885     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 65          | 120   | 757    | 231    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.56        | 1.03  | 6.53   | 1.99   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.056 | 0.078       | 0.199 | 0.693  | 0.887  | 0.000 | 0.000 | 0.000 |
| Problem 886     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 76          | 139   | 1033   | 259    | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.48        | 0.89  | 6.58   | 1.65   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.106       | 0.201 | 0.705  | 0.944  | 0.000 | 0.000 | 0.000 |
| Problem 887     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 94          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.075 | 0.180       | 0.395 | 0.000  | 0.990  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 888     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.074 | 0.147       | 0.291 | 0.000  | 0.616  | 0.000 | 0.000 | 0.000 |
| Problem 889     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 86          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.72        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.061 | 0.087       | 0.158 | 0.000  | 0.557  | 0.000 | 0.000 | 0.000 |
| Problem 890     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 86          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.079 | 0.102       | 0.275 | 0.000  | 0.701  | 0.000 | 0.000 | 0.000 |
| Problem 891     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 86          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.090 | 0.131       | 0.260 | 0.000  | 0.644  | 0.000 | 0.000 | 0.000 |
| Problem 892     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 94          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.80        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.091 | 0.094       | 0.255 | 0.000  | 1.672  | 0.000 | 0.000 | 0.000 |
| Problem 893     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 94          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.074 | 0.214       | 0.362 | 0.000  | 0.955  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 894     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.074 | 0.195       | 0.299 | 0.000  | 0.629  | 0.000 | 0.000 | 0.000 |
| Problem 895     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 86          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.72        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.049       | 0.143 | 0.000  | 0.779  | 0.000 | 0.000 | 0.000 |
| Problem 896     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 116     | 116   | 87          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.080 | 0.014       | 0.229 | 0.000  | 0.809  | 0.000 | 0.000 | 0.000 |
| Problem 897     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 112     | 112   | 88          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.096 | 0.026       | 0.243 | 0.000  | 0.674  | 0.000 | 0.000 | 0.000 |
| Problem 898     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 115     | 115   | 88          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.77        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.098 | 0.115       | 0.271 | 0.000  | 0.770  | 0.000 | 0.000 | 0.000 |
| Problem 899     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 94          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.076 | 0.182       | 0.330 | 0.000  | 0.908  | 0.000 | 0.000 | 0.000 |



|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 900     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.070 | 0.023       | 0.252 | 0.000  | 0.915  | 0.000 | 0.000 | 0.000 |
| Problem 901     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 85          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.067 | 0.016       | 0.121 | 0.000  | 0.811  | 0.000 | 0.000 | 0.000 |
| Problem 902     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 85          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.085 | 0.072       | 0.200 | 0.000  | 0.771  | 0.000 | 0.000 | 0.000 |
| Problem 903     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 0.156       | 0.234 | 0.000  | 0.704  | 0.000 | 0.000 | 0.000 |
| Problem 904     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.76        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.100 | 0.150       | 0.282 | 0.000  | 1.093  | 0.000 | 0.000 | 0.000 |
| Problem 905     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 94          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.073 | 0.183       | 0.326 | 0.000  | 0.651  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 906     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 119     | 119   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.073 | 0.092       | 0.321 | 0.000  | 0.616  | 0.000 | 0.000 | 0.000 |
| Problem 907     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 85          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.73        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.064 | 0.126       | 0.107 | 0.000  | 0.776  | 0.000 | 0.000 | 0.000 |
| Problem 908     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 86          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.75        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.153       | 0.190 | 0.000  | 0.820  | 0.000 | 0.000 | 0.000 |
| Problem 909     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 114     | 114   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.78        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 0.203       | 0.224 | 0.000  | 0.576  | 0.000 | 0.000 | 0.000 |
| Problem 910     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 117     | 117   | 89          | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.76        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.098 | 0.196       | 0.251 | 0.000  | 0.652  | 0.000 | 0.000 | 0.000 |
| Problem 911     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 157     | 157   | 130         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.084 | 0.268       | 1.685 | 0.000  | 0.658  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 912     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 120         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.099 | 0.314       | 1.636 | 0.000  | 0.691  | 0.000 | 0.000 | 0.000 |
| Problem 913     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 118         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.095 | 0.252       | 1.178 | 0.000  | 0.766  | 0.000 | 0.000 | 0.000 |
| Problem 914     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 112         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.79        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.080 | 0.177       | 1.163 | 0.000  | 0.646  | 0.000 | 0.000 | 0.000 |
| Problem 915     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 132     | 132   | 109         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.094 | 0.199       | 0.894 | 0.000  | 0.787  | 0.000 | 0.000 | 0.000 |
| Problem 916     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 131     | 131   | 109         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.114 | 0.192       | 1.085 | 0.000  | 0.936  | 0.000 | 0.000 | 0.000 |
| Problem 917     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 139     | 139   | 118         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.117 | 0.180       | 1.370 | 0.000  | 0.748  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 918     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 141     | 141   | 118         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.119 | 0.179       | 0.817 | 0.000  | 0.772  | 0.000 | 0.000 | 0.000 |
| Problem 919     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.095 | 0.452       | 0.335 | 0.000  | 0.903  | 0.000 | 0.000 | 0.000 |
| Problem 920     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.091 | 0.358       | 0.279 | 0.000  | 0.846  | 0.000 | 0.000 | 0.000 |
| Problem 921     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.086 | 0.259       | 0.257 | 0.000  | 0.786  | 0.000 | 0.000 | 0.000 |
| Problem 922     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.085 | 0.236       | 0.211 | 0.000  | 0.670  | 0.000 | 0.000 | 0.000 |
| Problem 923     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 133         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.82        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.088 | 0.267       | 0.233 | 0.000  | 0.981  | 0.000 | 0.000 | 0.000 |

|                 |         |       |             |       |        |        |       |       |       |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| Problem 924     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.096 | 0.232       | 0.205 | 0.000  | 0.670  | 0.000 | 0.000 | 0.000 |
| Problem 925     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.091 | 0.237       | 0.199 | 0.000  | 0.986  | 0.000 | 0.000 | 0.000 |
| Problem 926     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 163     | 163   | 138         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.85        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.091 | 0.236       | 0.214 | 0.000  | 0.502  | 0.000 | 0.000 | 0.000 |
| Problem 927     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 169     | 169   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.83        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.099 | 0.515       | 0.243 | 0.000  | 0.747  | 0.000 | 0.000 | 0.000 |
| Problem 928     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 167     | 167   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.095 | 0.321       | 0.243 | 0.000  | 0.902  | 0.000 | 0.000 | 0.000 |
| Problem 929     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 167     | 167   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.086 | 0.307       | 0.220 | 0.000  | 0.825  | 0.000 | 0.000 | 0.000 |

| Problem 930     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 167     | 167   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.087 | 0.320       | 0.188 | 0.000  | 0.875  | 0.000 | 0.000 | 0.000 |

| Problem 931     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 167     | 167   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.84        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.088 | 0.310       | 0.186 | 0.000  | 0.689  | 0.000 | 0.000 | 0.000 |

| Problem 932     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  | Mupad |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|-------|
| grade           | A       | A     | A           | F     | F      | F      | F     | F     | F     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   | TBD   |
| size            | 171     | 171   | 140         | 0     | 0      | 0      | 0     | 0     | -1    |
| normalized size | 1       | 1.00  | 0.82        | 0.00  | 0.00   | 0.00   | 0.00  | 0.00  | -0.01 |
| time (sec)      | N/A     | 0.097 | 0.344       | 0.198 | 0.000  | 0.871  | 0.000 | 0.000 | 0.000 |

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [503] had the largest ratio of [.5000]

Table 2.1: Rubi specific breakdown of results for each integral

| # | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|---|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1 | A     | 7                    | 4                      | 1.00                                | 19                  | 0.210   |
| 2 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 3 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 4 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 5 | A     | 1                    | 1                      | 1.00                                | 17                  | 0.059   |
| 6 | A     | 2                    | 1                      | 1.00                                | 10                  | 0.100   |
| 7 | A     | 2                    | 2                      | 1.00                                | 17                  | 0.118   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 8  | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 9  | A     | 5                    | 5                      | 1.00                                | 19                  | 0.263   |
| 10 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 11 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 12 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 13 | A     | 11                   | 4                      | 1.00                                | 21                  | 0.190   |
| 14 | A     | 9                    | 4                      | 1.00                                | 21                  | 0.190   |
| 15 | A     | 9                    | 4                      | 1.00                                | 21                  | 0.190   |
| 16 | A     | 2                    | 2                      | 1.21                                | 19                  | 0.105   |
| 17 | A     | 1                    | 1                      | 1.00                                | 12                  | 0.083   |
| 18 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 19 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 20 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 21 | A     | 8                    | 5                      | 1.00                                | 21                  | 0.238   |
| 22 | A     | 9                    | 4                      | 1.00                                | 21                  | 0.190   |
| 23 | A     | 13                   | 4                      | 1.00                                | 21                  | 0.190   |
| 24 | A     | 11                   | 4                      | 1.00                                | 21                  | 0.190   |
| 25 | A     | 8                    | 6                      | 1.04                                | 19                  | 0.316   |
| 26 | A     | 7                    | 5                      | 1.00                                | 12                  | 0.417   |
| 27 | A     | 6                    | 5                      | 1.00                                | 19                  | 0.263   |
| 28 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 29 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 30 | A     | 9                    | 5                      | 1.00                                | 21                  | 0.238   |
| 31 | A     | 11                   | 5                      | 1.00                                | 21                  | 0.238   |
| 32 | A     | 11                   | 4                      | 1.00                                | 21                  | 0.190   |
| 33 | A     | 15                   | 4                      | 1.00                                | 21                  | 0.190   |
| 34 | A     | 11                   | 6                      | 1.12                                | 19                  | 0.316   |
| 35 | A     | 10                   | 5                      | 1.00                                | 12                  | 0.417   |
| 36 | A     | 8                    | 6                      | 1.00                                | 19                  | 0.316   |
| 37 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 38 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 39 | A     | 9                    | 5                      | 1.00                                | 21                  | 0.238   |
| 40 | A     | 12                   | 5                      | 1.00                                | 21                  | 0.238   |
| 41 | A     | 13                   | 5                      | 1.00                                | 21                  | 0.238   |
| 42 | A     | 15                   | 4                      | 1.00                                | 21                  | 0.190   |
| 43 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 44 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 45 | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 46 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 47 | A     | 2                    | 2                      | 1.00                                | 19                  | 0.105   |
| 48 | A     | 1                    | 1                      | 1.00                                | 12                  | 0.083   |
| 49 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 50 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 51 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 52 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 53 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 54 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 55 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 56 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 57 | A     | 2                    | 2                      | 1.00                                | 19                  | 0.105   |
| 58 | A     | 2                    | 2                      | 1.00                                | 12                  | 0.167   |
| 59 | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 60 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 61 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 62 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 63 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 64 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 65 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 66 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 67 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 68 | A     | 3                    | 2                      | 1.00                                | 12                  | 0.167   |
| 69 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 70 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 71 | A     | 8                    | 7                      | 1.00                                | 21                  | 0.333   |
| 72 | A     | 5                    | 3                      | 1.00                                | 21                  | 0.143   |
| 73 | A     | 8                    | 7                      | 1.00                                | 21                  | 0.333   |
| 74 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 75 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 76 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 77 | A     | 4                    | 3                      | 1.00                                | 19                  | 0.158   |
| 78 | A     | 4                    | 2                      | 1.00                                | 12                  | 0.167   |
| 79 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 80  | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 81  | A     | 9                    | 7                      | 1.00                                | 21                  | 0.333   |
| 82  | A     | 6                    | 3                      | 1.00                                | 21                  | 0.143   |
| 83  | A     | 9                    | 7                      | 1.00                                | 21                  | 0.333   |
| 84  | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 85  | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 86  | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 87  | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 88  | A     | 5                    | 3                      | 1.00                                | 19                  | 0.158   |
| 89  | A     | 5                    | 2                      | 1.00                                | 12                  | 0.167   |
| 90  | A     | 7                    | 4                      | 1.00                                | 19                  | 0.210   |
| 91  | A     | 9                    | 6                      | 1.00                                | 21                  | 0.286   |
| 92  | A     | 10                   | 7                      | 1.00                                | 21                  | 0.333   |
| 93  | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 94  | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 95  | A     | 5                    | 4                      | 1.00                                | 23                  | 0.174   |
| 96  | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 97  | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 98  | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 99  | A     | 1                    | 1                      | 1.00                                | 14                  | 0.071   |
| 100 | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 101 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 102 | A     | 4                    | 3                      | 1.00                                | 23                  | 0.130   |
| 103 | A     | 5                    | 3                      | 1.00                                | 23                  | 0.130   |
| 104 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 105 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 106 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 107 | A     | 2                    | 2                      | 1.00                                | 14                  | 0.143   |
| 108 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 109 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 110 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 111 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 112 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 113 | A     | 5                    | 4                      | 1.00                                | 23                  | 0.174   |
| 114 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 115 | A     | 3                    | 2                      | 1.00                                | 14                  | 0.143   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 116 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 117 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 118 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 119 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 120 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 121 | A     | 4                    | 2                      | 1.00                                | 14                  | 0.143   |
| 122 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 123 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 124 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 125 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 126 | A     | 2                    | 2                      | 1.00                                | 14                  | 0.143   |
| 127 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 128 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 129 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 130 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 131 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 132 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 133 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 134 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 135 | A     | 3                    | 3                      | 1.00                                | 14                  | 0.214   |
| 136 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 137 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 138 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 139 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 140 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 141 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 142 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 143 | A     | 4                    | 3                      | 1.00                                | 14                  | 0.214   |
| 144 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 145 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 146 | A     | 6                    | 4                      | 1.00                                | 21                  | 0.190   |
| 147 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 148 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 149 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 150 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 151 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 152 | A     | 6                    | 4                      | 1.00                                | 21                  | 0.190   |
| 153 | A     | 10                   | 4                      | 1.00                                | 23                  | 0.174   |
| 154 | A     | 9                    | 4                      | 1.00                                | 23                  | 0.174   |
| 155 | A     | 7                    | 4                      | 1.00                                | 23                  | 0.174   |
| 156 | A     | 6                    | 4                      | 1.00                                | 23                  | 0.174   |
| 157 | A     | 6                    | 4                      | 1.00                                | 23                  | 0.174   |
| 158 | A     | 7                    | 4                      | 1.00                                | 23                  | 0.174   |
| 159 | A     | 9                    | 4                      | 1.00                                | 23                  | 0.174   |
| 160 | A     | 12                   | 4                      | 1.00                                | 23                  | 0.174   |
| 161 | A     | 10                   | 4                      | 1.00                                | 23                  | 0.174   |
| 162 | A     | 8                    | 4                      | 1.00                                | 23                  | 0.174   |
| 163 | A     | 8                    | 5                      | 1.00                                | 23                  | 0.217   |
| 164 | A     | 8                    | 4                      | 1.00                                | 23                  | 0.174   |
| 165 | A     | 10                   | 4                      | 1.00                                | 23                  | 0.174   |
| 166 | A     | 12                   | 4                      | 1.00                                | 23                  | 0.174   |
| 167 | A     | 16                   | 4                      | 1.00                                | 23                  | 0.174   |
| 168 | A     | 13                   | 4                      | 1.00                                | 23                  | 0.174   |
| 169 | A     | 11                   | 4                      | 1.00                                | 23                  | 0.174   |
| 170 | A     | 10                   | 5                      | 1.00                                | 23                  | 0.217   |
| 171 | A     | 10                   | 5                      | 1.00                                | 23                  | 0.217   |
| 172 | A     | 11                   | 4                      | 1.00                                | 23                  | 0.174   |
| 173 | A     | 13                   | 4                      | 1.00                                | 23                  | 0.174   |
| 174 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 175 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 176 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 177 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 178 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 179 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 180 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 181 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 182 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 183 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 184 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 185 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 186 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 187 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 188 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 189 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 190 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 191 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 192 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 193 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 194 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 195 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 196 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 197 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 198 | A     | 5                    | 3                      | 1.00                                | 25                  | 0.120   |
| 199 | A     | 4                    | 3                      | 1.00                                | 25                  | 0.120   |
| 200 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 201 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 202 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 203 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 204 | A     | 3                    | 2                      | 1.00                                | 25                  | 0.080   |
| 205 | A     | 4                    | 2                      | 1.00                                | 25                  | 0.080   |
| 206 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 207 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 208 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 209 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 210 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 211 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 212 | A     | 5                    | 4                      | 1.00                                | 25                  | 0.160   |
| 213 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 214 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 215 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 216 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 217 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 218 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 219 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 220 | A     | 5                    | 4                      | 1.00                                | 25                  | 0.160   |
| 221 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 222 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 223 | A     | 2                    | 2                      | 1.00                                | 28                  | 0.071   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 224 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 225 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 226 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 227 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 228 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 229 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 230 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 231 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 232 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 233 | A     | 5                    | 4                      | 1.00                                | 23                  | 0.174   |
| 234 | A     | 2                    | 2                      | 1.00                                | 23                  | 0.087   |
| 235 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 236 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 237 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 238 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 239 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 240 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 241 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 242 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 243 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 244 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 245 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 246 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 247 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 248 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 249 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 250 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 251 | A     | 9                    | 8                      | 1.00                                | 25                  | 0.320   |
| 252 | A     | 8                    | 7                      | 1.00                                | 25                  | 0.280   |
| 253 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 254 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 255 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 256 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 257 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 258 | A     | 8                    | 6                      | 1.00                                | 25                  | 0.240   |
| 259 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 260 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 261 | A     | 2                    | 2                      | 1.00                                | 15                  | 0.133   |
| 262 | A     | 2                    | 2                      | 1.00                                | 17                  | 0.118   |
| 263 | A     | 4                    | 3                      | 1.00                                | 26                  | 0.115   |
| 264 | A     | 3                    | 3                      | 1.00                                | 26                  | 0.115   |
| 265 | A     | 2                    | 2                      | 1.00                                | 26                  | 0.077   |
| 266 | A     | 1                    | 1                      | 1.00                                | 26                  | 0.038   |
| 267 | A     | 2                    | 2                      | 1.00                                | 26                  | 0.077   |
| 268 | A     | 3                    | 2                      | 1.00                                | 26                  | 0.077   |
| 269 | A     | 4                    | 3                      | 1.00                                | 25                  | 0.120   |
| 270 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 271 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 272 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 273 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 274 | A     | 3                    | 2                      | 1.00                                | 25                  | 0.080   |
| 275 | A     | 7                    | 7                      | 1.00                                | 26                  | 0.269   |
| 276 | A     | 6                    | 6                      | 1.00                                | 26                  | 0.231   |
| 277 | A     | 5                    | 5                      | 1.00                                | 26                  | 0.192   |
| 278 | A     | 2                    | 2                      | 1.00                                | 26                  | 0.077   |
| 279 | A     | 4                    | 4                      | 1.00                                | 26                  | 0.154   |
| 280 | A     | 5                    | 5                      | 1.00                                | 26                  | 0.192   |
| 281 | A     | 6                    | 5                      | 1.00                                | 26                  | 0.192   |
| 282 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 283 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 284 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 285 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 286 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 287 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 288 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 289 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 290 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 291 | A     | 9                    | 6                      | 1.00                                | 21                  | 0.286   |
| 292 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 293 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 294 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 295 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 296 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 297 | A     | 9                    | 6                      | 1.00                                | 21                  | 0.286   |
| 298 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 299 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 300 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 301 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 302 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 303 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 304 | A     | 17                   | 6                      | 1.00                                | 23                  | 0.261   |
| 305 | A     | 15                   | 6                      | 1.00                                | 23                  | 0.261   |
| 306 | A     | 13                   | 6                      | 1.00                                | 23                  | 0.261   |
| 307 | A     | 13                   | 7                      | 1.00                                | 23                  | 0.304   |
| 308 | A     | 13                   | 6                      | 1.00                                | 23                  | 0.261   |
| 309 | A     | 15                   | 6                      | 1.00                                | 23                  | 0.261   |
| 310 | A     | 17                   | 6                      | 1.00                                | 23                  | 0.261   |
| 311 | A     | 19                   | 6                      | 1.00                                | 23                  | 0.261   |
| 312 | A     | 17                   | 6                      | 1.00                                | 23                  | 0.261   |
| 313 | A     | 16                   | 7                      | 1.00                                | 23                  | 0.304   |
| 314 | A     | 16                   | 7                      | 1.00                                | 23                  | 0.304   |
| 315 | A     | 17                   | 6                      | 1.00                                | 23                  | 0.261   |
| 316 | A     | 19                   | 6                      | 1.00                                | 23                  | 0.261   |
| 317 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 318 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 319 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 320 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 321 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 322 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 323 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 324 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 325 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 326 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 327 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 328 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 329 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 330 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 331 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 332 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 333 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 334 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 335 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 336 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 337 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 338 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 339 | A     | 5                    | 3                      | 1.00                                | 25                  | 0.120   |
| 340 | A     | 4                    | 3                      | 1.00                                | 25                  | 0.120   |
| 341 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 342 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 343 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 344 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 345 | A     | 5                    | 4                      | 1.00                                | 25                  | 0.160   |
| 346 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 347 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 348 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 349 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 350 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 351 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 352 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 353 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 354 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 355 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 356 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 357 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 358 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 359 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 360 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 361 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 362 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 363 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 364 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 365 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 366 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 367 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 368 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 369 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 370 | A     | 3                    | 3                      | 1.36                                | 25                  | 0.120   |
| 371 | A     | 6                    | 6                      | 1.29                                | 25                  | 0.240   |
| 372 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 373 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 374 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 375 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 376 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 377 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 378 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 379 | A     | 8                    | 7                      | 1.00                                | 25                  | 0.280   |
| 380 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 381 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 382 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 383 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 384 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 385 | A     | 9                    | 9                      | 1.00                                | 25                  | 0.360   |
| 386 | A     | 9                    | 7                      | 1.00                                | 25                  | 0.280   |
| 387 | A     | 8                    | 7                      | 1.00                                | 25                  | 0.280   |
| 388 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 389 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 390 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 391 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 392 | A     | 9                    | 8                      | 1.00                                | 25                  | 0.320   |
| 393 | A     | 10                   | 9                      | 1.00                                | 25                  | 0.360   |
| 394 | A     | 8                    | 7                      | 1.00                                | 25                  | 0.280   |
| 395 | A     | 8                    | 7                      | 1.00                                | 25                  | 0.280   |
| 396 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 397 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 398 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 399 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 400 | A     | 3                    | 2                      | 1.00                                | 19                  | 0.105   |
| 401 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 402 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 403 | A     | 8                    | 4                      | 1.00                                | 19                  | 0.210   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 404 | A     | 7                    | 4                      | 1.00                                | 19                  | 0.210   |
| 405 | A     | 7                    | 4                      | 1.00                                | 19                  | 0.210   |
| 406 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 407 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 408 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 409 | A     | 1                    | 1                      | 1.00                                | 17                  | 0.059   |
| 410 | A     | 2                    | 1                      | 1.00                                | 10                  | 0.100   |
| 411 | A     | 2                    | 2                      | 1.00                                | 17                  | 0.118   |
| 412 | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 413 | A     | 5                    | 5                      | 1.00                                | 19                  | 0.263   |
| 414 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 415 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 416 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 417 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 418 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 419 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 420 | A     | 2                    | 2                      | 1.00                                | 19                  | 0.105   |
| 421 | A     | 1                    | 1                      | 1.00                                | 12                  | 0.083   |
| 422 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 423 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 424 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 425 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 426 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 427 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 428 | A     | 8                    | 6                      | 1.14                                | 21                  | 0.286   |
| 429 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 430 | A     | 3                    | 2                      | 1.00                                | 19                  | 0.105   |
| 431 | A     | 2                    | 2                      | 1.18                                | 12                  | 0.167   |
| 432 | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 433 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 434 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 435 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 436 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 437 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 438 | A     | 9                    | 7                      | 1.00                                | 21                  | 0.333   |
| 439 | A     | 5                    | 3                      | 1.00                                | 21                  | 0.143   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 440 | A     | 4                    | 2                      | 1.00                                | 19                  | 0.105   |
| 441 | A     | 3                    | 3                      | 1.00                                | 12                  | 0.250   |
| 442 | A     | 5                    | 5                      | 1.00                                | 19                  | 0.263   |
| 443 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 444 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 445 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 446 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 447 | A     | 8                    | 8                      | 1.00                                | 21                  | 0.381   |
| 448 | A     | 8                    | 7                      | 1.00                                | 21                  | 0.333   |
| 449 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 450 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 451 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 452 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 453 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 454 | A     | 2                    | 2                      | 1.00                                | 12                  | 0.167   |
| 455 | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 456 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 457 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 458 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 459 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 460 | A     | 6                    | 6                      | 1.28                                | 21                  | 0.286   |
| 461 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 462 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 463 | A     | 4                    | 4                      | 1.00                                | 19                  | 0.210   |
| 464 | A     | 4                    | 4                      | 1.00                                | 12                  | 0.333   |
| 465 | A     | 5                    | 5                      | 1.00                                | 19                  | 0.263   |
| 466 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 467 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 468 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 469 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 470 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 471 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 472 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 473 | A     | 5                    | 4                      | 1.00                                | 19                  | 0.210   |
| 474 | A     | 5                    | 5                      | 1.00                                | 12                  | 0.417   |
| 475 | A     | 6                    | 6                      | 1.00                                | 19                  | 0.316   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 476 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 477 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 478 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 479 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 480 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 481 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 482 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 483 | A     | 6                    | 5                      | 1.00                                | 12                  | 0.417   |
| 484 | A     | 7                    | 6                      | 1.00                                | 19                  | 0.316   |
| 485 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 486 | A     | 8                    | 8                      | 1.00                                | 23                  | 0.348   |
| 487 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 488 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 489 | A     | 2                    | 2                      | 1.00                                | 14                  | 0.143   |
| 490 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 491 | A     | 9                    | 9                      | 1.00                                | 23                  | 0.391   |
| 492 | A     | 10                   | 10                     | 1.00                                | 23                  | 0.435   |
| 493 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 494 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 495 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 496 | A     | 6                    | 6                      | 1.00                                | 14                  | 0.429   |
| 497 | A     | 8                    | 8                      | 1.00                                | 21                  | 0.381   |
| 498 | A     | 9                    | 9                      | 1.00                                | 23                  | 0.391   |
| 499 | A     | 10                   | 10                     | 1.00                                | 23                  | 0.435   |
| 500 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 501 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 502 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 503 | A     | 7                    | 7                      | 1.00                                | 14                  | 0.500   |
| 504 | A     | 9                    | 9                      | 1.00                                | 21                  | 0.429   |
| 505 | A     | 9                    | 9                      | 1.00                                | 23                  | 0.391   |
| 506 | A     | 10                   | 10                     | 1.00                                | 23                  | 0.435   |
| 507 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 508 | A     | 8                    | 7                      | 1.00                                | 14                  | 0.500   |
| 509 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 510 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 511 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 512 | A     | 1                    | 1                      | 1.00                                | 14                  | 0.071   |
| 513 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 514 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 515 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 516 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 517 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 518 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 519 | A     | 1                    | 1                      | 1.00                                | 14                  | 0.071   |
| 520 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 521 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 522 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 523 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 524 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 525 | A     | 5                    | 5                      | 1.00                                | 21                  | 0.238   |
| 526 | A     | 2                    | 2                      | 1.00                                | 14                  | 0.143   |
| 527 | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 528 | A     | 9                    | 9                      | 1.00                                | 23                  | 0.391   |
| 529 | A     | 10                   | 10                     | 1.00                                | 23                  | 0.435   |
| 530 | A     | 8                    | 8                      | 1.00                                | 23                  | 0.348   |
| 531 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 532 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 533 | A     | 6                    | 6                      | 1.00                                | 21                  | 0.286   |
| 534 | A     | 4                    | 4                      | 1.00                                | 14                  | 0.286   |
| 535 | A     | 7                    | 7                      | 1.00                                | 21                  | 0.333   |
| 536 | A     | 10                   | 10                     | 1.00                                | 23                  | 0.435   |
| 537 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 538 | A     | 9                    | 9                      | 1.00                                | 23                  | 0.391   |
| 539 | A     | 8                    | 8                      | 1.00                                | 23                  | 0.348   |
| 540 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 541 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 542 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 543 | A     | 7                    | 7                      | 1.00                                | 14                  | 0.500   |
| 544 | A     | 10                   | 10                     | 1.00                                | 21                  | 0.476   |
| 545 | A     | 11                   | 11                     | 1.00                                | 23                  | 0.478   |
| 546 | A     | 8                    | 7                      | 1.00                                | 14                  | 0.500   |
| 547 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 548 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 549 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 550 | A     | 1                    | 1                      | 1.00                                | 14                  | 0.071   |
| 551 | A     | 1                    | 1                      | 1.00                                | 21                  | 0.048   |
| 552 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 553 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 554 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 555 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 556 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 557 | A     | 1                    | 1                      | 1.00                                | 14                  | 0.071   |
| 558 | A     | 1                    | 1                      | 1.00                                | 21                  | 0.048   |
| 559 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 560 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 561 | A     | 6                    | 4                      | 1.00                                | 21                  | 0.190   |
| 562 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 563 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 564 | A     | 3                    | 3                      | 1.00                                | 21                  | 0.143   |
| 565 | A     | 4                    | 4                      | 1.00                                | 21                  | 0.190   |
| 566 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 567 | A     | 6                    | 4                      | 1.00                                | 21                  | 0.190   |
| 568 | A     | 7                    | 5                      | 1.00                                | 23                  | 0.217   |
| 569 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 570 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 571 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 572 | A     | 4                    | 4                      | 1.00                                | 23                  | 0.174   |
| 573 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 574 | A     | 6                    | 5                      | 1.00                                | 23                  | 0.217   |
| 575 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 576 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 577 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 578 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 579 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 580 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 581 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 582 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 583 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 584 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 585 | A     | 1                    | 1                      | 1.00                                | 23                  | 0.043   |
| 586 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 587 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 588 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 589 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 590 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 591 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 592 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 593 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 594 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 595 | A     | 8                    | 8                      | 1.00                                | 23                  | 0.348   |
| 596 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 597 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 598 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 599 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 600 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 601 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 602 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 603 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 604 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 605 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 606 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 607 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 608 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 609 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 610 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 611 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 612 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 613 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 614 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 615 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 616 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 617 | A     | 7                    | 5                      | 1.00                                | 25                  | 0.200   |
| 618 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 619 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 620 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 621 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 622 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 623 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 624 | A     | 7                    | 5                      | 1.00                                | 25                  | 0.200   |
| 625 | A     | 8                    | 5                      | 1.00                                | 25                  | 0.200   |
| 626 | A     | 8                    | 8                      | 1.09                                | 25                  | 0.320   |
| 627 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 628 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 629 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 630 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 631 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 632 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 633 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 634 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 635 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 636 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 637 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 638 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 639 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 640 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 641 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 642 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 643 | A     | 6                    | 5                      | 1.00                                | 25                  | 0.200   |
| 644 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 645 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 646 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 647 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 648 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 649 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 650 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 651 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 652 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 653 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 654 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 655 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 656 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 657 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 658 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 659 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 660 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 661 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 662 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 663 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 664 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 665 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 666 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 667 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 668 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 669 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 670 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 671 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 672 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 673 | A     | 2                    | 2                      | 1.00                                | 27                  | 0.074   |
| 674 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 675 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 676 | A     | 5                    | 3                      | 1.00                                | 23                  | 0.130   |
| 677 | A     | 5                    | 3                      | 1.00                                | 23                  | 0.130   |
| 678 | A     | 5                    | 3                      | 1.00                                | 23                  | 0.130   |
| 679 | A     | 5                    | 3                      | 1.00                                | 23                  | 0.130   |
| 680 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 681 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 682 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 683 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 684 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 685 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 686 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 687 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 688 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 689 | A     | 0                    | 0                      | 0.00                                | 0                   | 0.000   |
| 690 | A     | 9                    | 6                      | 1.00                                | 21                  | 0.286   |
| 691 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 692 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 693 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 694 | A     | 7                    | 6                      | 1.00                                | 21                  | 0.286   |
| 695 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 696 | A     | 9                    | 6                      | 1.00                                | 21                  | 0.286   |
| 697 | A     | 10                   | 7                      | 1.00                                | 23                  | 0.304   |
| 698 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 699 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 700 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 701 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 702 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 703 | A     | 9                    | 7                      | 1.00                                | 23                  | 0.304   |
| 704 | A     | 10                   | 7                      | 1.00                                | 23                  | 0.304   |
| 705 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 706 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 707 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 708 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 709 | A     | 8                    | 7                      | 1.00                                | 23                  | 0.304   |
| 710 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 711 | A     | 10                   | 8                      | 1.00                                | 23                  | 0.348   |
| 712 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 713 | A     | 7                    | 7                      | 1.00                                | 23                  | 0.304   |
| 714 | A     | 3                    | 3                      | 1.00                                | 23                  | 0.130   |
| 715 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 716 | A     | 9                    | 8                      | 1.00                                | 23                  | 0.348   |
| 717 | A     | 10                   | 9                      | 1.00                                | 23                  | 0.391   |
| 718 | A     | 12                   | 10                     | 1.00                                | 23                  | 0.435   |
| 719 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 720 | A     | 10                   | 9                      | 1.00                                | 23                  | 0.391   |
| 721 | A     | 10                   | 9                      | 1.00                                | 23                  | 0.391   |
| 722 | A     | 10                   | 9                      | 1.00                                | 23                  | 0.391   |
| 723 | A     | 10                   | 9                      | 1.00                                | 23                  | 0.391   |
| 724 | A     | 13                   | 11                     | 1.00                                | 23                  | 0.478   |
| 725 | A     | 12                   | 11                     | 1.00                                | 23                  | 0.478   |
| 726 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 727 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 728 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 729 | A     | 11                   | 10                     | 1.00                                | 23                  | 0.435   |
| 730 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 731 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 732 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 733 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 734 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 735 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 736 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 737 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 738 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 739 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 740 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 741 | A     | 9                    | 9                      | 1.00                                | 25                  | 0.360   |
| 742 | A     | 9                    | 9                      | 1.00                                | 25                  | 0.360   |
| 743 | A     | 8                    | 6                      | 1.00                                | 25                  | 0.240   |
| 744 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |
| 745 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 746 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 747 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 748 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 749 | A     | 9                    | 9                      | 1.00                                | 25                  | 0.360   |
| 750 | A     | 10                   | 9                      | 1.00                                | 25                  | 0.360   |
| 751 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 752 | A     | 4                    | 4                      | 1.00                                | 25                  | 0.160   |
| 753 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 754 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 755 | A     | 9                    | 9                      | 1.00                                | 25                  | 0.360   |
| 756 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 757 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 758 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 759 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 760 | A     | 5                    | 5                      | 1.00                                | 25                  | 0.200   |
| 761 | A     | 7                    | 7                      | 1.00                                | 25                  | 0.280   |
| 762 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 763 | A     | 7                    | 6                      | 1.00                                | 25                  | 0.240   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 764 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 765 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 766 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 767 | A     | 6                    | 6                      | 1.00                                | 25                  | 0.240   |
| 768 | A     | 8                    | 8                      | 1.00                                | 25                  | 0.320   |
| 769 | A     | 6                    | 5                      | 1.00                                | 21                  | 0.238   |
| 770 | A     | 5                    | 4                      | 1.00                                | 21                  | 0.190   |
| 771 | A     | 4                    | 3                      | 1.00                                | 21                  | 0.143   |
| 772 | A     | 3                    | 2                      | 1.00                                | 19                  | 0.105   |
| 773 | A     | 5                    | 3                      | 1.00                                | 21                  | 0.143   |
| 774 | A     | 8                    | 3                      | 1.00                                | 21                  | 0.143   |
| 775 | A     | 8                    | 6                      | 1.00                                | 21                  | 0.286   |
| 776 | A     | 7                    | 5                      | 1.00                                | 21                  | 0.238   |
| 777 | A     | 6                    | 4                      | 1.00                                | 19                  | 0.210   |
| 778 | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 779 | A     | 3                    | 3                      | 1.00                                | 19                  | 0.158   |
| 780 | A     | 1                    | 1                      | 1.00                                | 25                  | 0.040   |
| 781 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 782 | A     | 1                    | 1                      | 1.00                                | 31                  | 0.032   |
| 783 | A     | 1                    | 1                      | 1.00                                | 27                  | 0.037   |
| 784 | A     | 1                    | 1                      | 1.00                                | 29                  | 0.034   |
| 785 | A     | 2                    | 2                      | 1.00                                | 25                  | 0.080   |
| 786 | A     | 1                    | 1                      | 1.00                                | 29                  | 0.034   |
| 787 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 788 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 789 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 790 | A     | 3                    | 3                      | 1.00                                | 25                  | 0.120   |
| 791 | A     | 3                    | 3                      | 1.00                                | 28                  | 0.107   |
| 792 | A     | 2                    | 2                      | 1.00                                | 23                  | 0.087   |
| 793 | A     | 2                    | 2                      | 1.00                                | 21                  | 0.095   |
| 794 | A     | 3                    | 3                      | 1.00                                | 28                  | 0.107   |
| 795 | A     | 7                    | 4                      | 1.00                                | 25                  | 0.160   |
| 796 | A     | 7                    | 4                      | 1.00                                | 25                  | 0.160   |
| 797 | A     | 7                    | 4                      | 1.00                                | 25                  | 0.160   |
| 798 | A     | 7                    | 4                      | 1.00                                | 25                  | 0.160   |
| 799 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 800 | A     | 8                    | 7                      | 1.00                                | 29                  | 0.241   |
| 801 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 802 | A     | 6                    | 6                      | 1.00                                | 29                  | 0.207   |
| 803 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 804 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 805 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 806 | A     | 9                    | 7                      | 1.00                                | 29                  | 0.241   |
| 807 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 808 | A     | 7                    | 7                      | 1.00                                | 29                  | 0.241   |
| 809 | A     | 6                    | 6                      | 1.00                                | 31                  | 0.194   |
| 810 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 811 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 812 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 813 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 814 | A     | 8                    | 7                      | 1.00                                | 29                  | 0.241   |
| 815 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 816 | A     | 6                    | 6                      | 1.00                                | 31                  | 0.194   |
| 817 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 818 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 819 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 820 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 821 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 822 | A     | 7                    | 7                      | 1.00                                | 29                  | 0.241   |
| 823 | A     | 5                    | 5                      | 1.00                                | 23                  | 0.217   |
| 824 | A     | 7                    | 7                      | 1.00                                | 29                  | 0.241   |
| 825 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 826 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 827 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 828 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |
| 829 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 830 | A     | 6                    | 6                      | 1.00                                | 29                  | 0.207   |
| 831 | A     | 6                    | 6                      | 1.00                                | 23                  | 0.261   |
| 832 | A     | 8                    | 7                      | 1.00                                | 29                  | 0.241   |
| 833 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 834 | A     | 9                    | 7                      | 1.00                                | 31                  | 0.226   |
| 835 | A     | 8                    | 7                      | 1.00                                | 31                  | 0.226   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 836 | A     | 7                    | 7                      | 1.00                                | 31                  | 0.226   |
| 837 | A     | 6                    | 6                      | 1.00                                | 31                  | 0.194   |
| 838 | A     | 7                    | 7                      | 1.00                                | 29                  | 0.241   |
| 839 | A     | 7                    | 6                      | 1.00                                | 23                  | 0.261   |
| 840 | A     | 9                    | 7                      | 1.00                                | 29                  | 0.241   |
| 841 | A     | 8                    | 6                      | 1.00                                | 23                  | 0.261   |
| 842 | A     | 7                    | 5                      | 1.00                                | 33                  | 0.152   |
| 843 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 844 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 845 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 846 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 847 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 848 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |
| 849 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 850 | A     | 7                    | 5                      | 1.00                                | 33                  | 0.152   |
| 851 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 852 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 853 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 854 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 855 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 856 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |
| 857 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 858 | A     | 7                    | 5                      | 1.00                                | 33                  | 0.152   |
| 859 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 860 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 861 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 862 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 863 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 864 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |
| 865 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 866 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 867 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 868 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 869 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 870 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 871 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 872 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 873 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 874 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 875 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 876 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 877 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 878 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |
| 879 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 880 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 881 | A     | 2                    | 2                      | 1.00                                | 33                  | 0.061   |
| 882 | A     | 3                    | 2                      | 1.00                                | 33                  | 0.061   |
| 883 | A     | 3                    | 3                      | 1.00                                | 33                  | 0.091   |
| 884 | A     | 5                    | 5                      | 1.00                                | 33                  | 0.152   |
| 885 | A     | 6                    | 6                      | 1.00                                | 33                  | 0.182   |
| 886 | A     | 6                    | 5                      | 1.00                                | 33                  | 0.152   |
| 887 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 888 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 889 | A     | 3                    | 2                      | 1.00                                | 23                  | 0.087   |
| 890 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 891 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 892 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 893 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 894 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 895 | A     | 3                    | 2                      | 1.00                                | 23                  | 0.087   |
| 896 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 897 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 898 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 899 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 900 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 901 | A     | 3                    | 2                      | 1.00                                | 23                  | 0.087   |
| 902 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 903 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 904 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 905 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 906 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 907 | A     | 3                    | 2                      | 1.00                                | 23                  | 0.087   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 908 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 909 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 910 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 911 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 912 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 913 | A     | 4                    | 3                      | 1.00                                | 27                  | 0.111   |
| 914 | A     | 3                    | 2                      | 1.00                                | 21                  | 0.095   |
| 915 | A     | 4                    | 3                      | 1.00                                | 27                  | 0.111   |
| 916 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 917 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 918 | A     | 4                    | 3                      | 1.00                                | 29                  | 0.103   |
| 919 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 920 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 921 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 922 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 923 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 924 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 925 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 926 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 927 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 928 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 929 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 930 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 931 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |
| 932 | A     | 4                    | 3                      | 1.00                                | 31                  | 0.097   |



# Chapter 3

## Listing of integrals

### 3.1 $\int \cos^5(c + dx)(a + a \cos(c + dx)) dx$

Optimal. Leaf size=114

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5a \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5a \sin(c + dx) \cos(c + dx)}{24d}$$

[Out] 5/16\*a\*x+a\*sin(d\*x+c)/d+5/16\*a\*cos(d\*x+c)\*sin(d\*x+c)/d+5/24\*a\*cos(d\*x+c)^3\*sin(d\*x+c)/d+1/6\*a\*cos(d\*x+c)^5\*sin(d\*x+c)/d-2/3\*a\*sin(d\*x+c)^3/d+1/5\*a\*sin(d\*x+c)^5/d

Rubi [A] time = 0.07, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2633, 2635, 8}

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5a \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5a \sin(c + dx) \cos(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5\*(a + a\*Cos[c + d\*x]),x]

[Out] (5\*a\*x)/16 + (a\*Sin[c + d\*x])/d + (5\*a\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (5\*a\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (a\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(6\*d) - (2\*a\*Sin[c + d\*x]^3)/(3\*d) + (a\*Sin[c + d\*x]^5)/(5\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rubi steps

$$\begin{aligned} \int \cos^5(c + dx)(a + a \cos(c + dx)) dx &= a \int \cos^5(c + dx) dx + a \int \cos^6(c + dx) dx \\ &= \frac{a \cos^5(c + dx) \sin(c + dx)}{6d} + \frac{1}{6}(5a) \int \cos^4(c + dx) dx - \frac{a \operatorname{Subst}\left(\int (1 - u^2)^2 du\right)}{6d} \\ &= \frac{a \sin(c + dx)}{d} + \frac{5a \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{a \cos^5(c + dx) \sin(c + dx)}{6d} \\ &= \frac{a \sin(c + dx)}{d} + \frac{5a \cos(c + dx) \sin(c + dx)}{16d} + \frac{5a \cos^3(c + dx) \sin(c + dx)}{24d} \\ &= \frac{5ax}{16} + \frac{a \sin(c + dx)}{d} + \frac{5a \cos(c + dx) \sin(c + dx)}{16d} + \frac{5a \cos^3(c + dx) \sin(c + dx)}{24d} \end{aligned}$$

**Mathematica** [A] time = 0.14, size = 75, normalized size = 0.66

$$\frac{a(192 \sin^5(c + dx) - 640 \sin^3(c + dx) + 960 \sin(c + dx) + 5(45 \sin(2(c + dx)) + 9 \sin(4(c + dx)) + \sin(6(c + dx))))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*(960\*Sin[c + d\*x] - 640\*Sin[c + d\*x]^3 + 192\*Sin[c + d\*x]^5 + 5\*(60\*c + 60\*d\*x + 45\*Sin[2\*(c + d\*x)] + 9\*Sin[4\*(c + d\*x)] + Sin[6\*(c + d\*x)])))/(960\*d)

**fricas** [A] time = 1.05, size = 75, normalized size = 0.66

$$\frac{75 adx + (40 a \cos(dx + c)^5 + 48 a \cos(dx + c)^4 + 50 a \cos(dx + c)^3 + 64 a \cos(dx + c)^2 + 75 a \cos(dx + c) + 128 a) \sin(dx + c)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/240\*(75\*a\*d\*x + (40\*a\*cos(d\*x + c)^5 + 48\*a\*cos(d\*x + c)^4 + 50\*a\*cos(d\*x + c)^3 + 64\*a\*cos(d\*x + c)^2 + 75\*a\*cos(d\*x + c) + 128\*a)\*sin(d\*x + c))/d

**giac** [A] time = 0.46, size = 92, normalized size = 0.81

$$\frac{5}{16} ax + \frac{a \sin(6 dx + 6 c)}{192 d} + \frac{a \sin(5 dx + 5 c)}{80 d} + \frac{3 a \sin(4 dx + 4 c)}{64 d} + \frac{5 a \sin(3 dx + 3 c)}{48 d} + \frac{15 a \sin(2 dx + 2 c)}{64 d} + \frac{5 a \sin(dx + c)}{16 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 5/16\*a\*x + 1/192\*a\*sin(6\*d\*x + 6\*c)/d + 1/80\*a\*sin(5\*d\*x + 5\*c)/d + 3/64\*a\*sin(4\*d\*x + 4\*c)/d + 5/48\*a\*sin(3\*d\*x + 3\*c)/d + 15/64\*a\*sin(2\*d\*x + 2\*c)/d + 5/8\*a\*sin(d\*x + c)/d

**maple** [A] time = 0.06, size = 80, normalized size = 0.70

$$\frac{a \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{a \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+a*cos(d*x+c)),x)`

[Out] `1/d*(a*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+1/5*a*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c))`

**maxima** [A] time = 0.32, size = 84, normalized size = 0.74

$$\frac{64(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))a - 5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+c))}{960d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `1/960*(64*(3*sin(d*x+c)^5 - 10*sin(d*x+c)^3 + 15*sin(d*x+c))*a - 5*(4*sin(2*d*x+2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x+4*c) - 48*sin(2*d*x+2*c))*a)/d`

**mupad** [B] time = 2.98, size = 107, normalized size = 0.94

$$\frac{5ax}{16} + \frac{\frac{5a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}{8} + \frac{39a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{8} + \frac{133a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{20} + \frac{283a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \frac{107a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24} + \frac{27a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^5*(a+a*cos(c+d*x)),x)`

[Out] `(5*a*x)/16 + ((27*a*tan(c/2+(d*x)/2))/8 + (107*a*tan(c/2+(d*x)/2)^3)/24 + (283*a*tan(c/2+(d*x)/2)^5)/20 + (133*a*tan(c/2+(d*x)/2)^7)/20 + (39*a*tan(c/2+(d*x)/2)^9)/8 + (5*a*tan(c/2+(d*x)/2)^11)/8)/(d*(tan(c/2+(d*x)/2)^2+1)^6)`

**sympy** [A] time = 3.16, size = 216, normalized size = 1.89

$$\left\{ \begin{array}{l} \frac{5ax \sin^6(c+dx)}{16} + \frac{15ax \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{15ax \sin^2(c+dx) \cos^4(c+dx)}{16} + \frac{5ax \cos^6(c+dx)}{16} + \frac{5a \sin^5(c+dx) \cos(c+dx)}{16d} + \frac{8a \sin^5(c+dx)}{15d} \\ x(a \cos(c) + a) \cos^5(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**5*(a+a*cos(d*x+c)),x)`

[Out] `Piecewise((5*a*x*sin(c+d*x)**6/16 + 15*a*x*sin(c+d*x)**4*cos(c+d*x)**2/16 + 15*a*x*sin(c+d*x)**2*cos(c+d*x)**4/16 + 5*a*x*cos(c+d*x)**6/16 + 5*a*sin(c+d*x)**5*cos(c+d*x)/(16*d) + 8*a*sin(c+d*x)**5/(15*d) + 5*a*sin(c+d*x)**3*cos(c+d*x)**3/(6*d) + 4*a*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + 11*a*sin(c+d*x)*cos(c+d*x)**5/(16*d) + a*sin(c+d*x)*cos(c+d*x)**4/d, Ne(d, 0)), (x*(a*cos(c)+a)*cos(c)**5, True))`

### 3.2 $\int \cos^4(c + dx)(a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=92

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8}$$

[Out]  $3/8*a*x+a*\sin(d*x+c)/d+3/8*a*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a*\cos(d*x+c)^3*\sin(d*x+c)/d-2/3*a*\sin(d*x+c)^3/d+1/5*a*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.06, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2635, 8, 2633}

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4\*(a + a\*Cos[c + d\*x]),x]

[Out]  $(3*a*x)/8 + (a*\sin[c + d*x])/d + (3*a*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (2*a*\sin[c + d*x]^3)/(3*d) + (a*\sin[c + d*x]^5)/(5*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + a \cos(c + dx)) dx &= a \int \cos^4(c + dx) dx + a \int \cos^5(c + dx) dx \\ &= \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4}(3a) \int \cos^2(c + dx) dx - \frac{a \text{Subst}\left(\int (1 - 2x^2) dx\right)}{4d} \\ &= \frac{a \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{3ax}{8} + \frac{a \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 65, normalized size = 0.71

$$\frac{a \left( 96 \sin^5(c + dx) - 320 \sin^3(c + dx) + 480 \sin(c + dx) + 15(12(c + dx) + 8 \sin(2(c + dx)) + \sin(4(c + dx))) \right)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*(480\*Sin[c + d\*x] - 320\*Sin[c + d\*x]^3 + 96\*Sin[c + d\*x]^5 + 15\*(12\*(c + d\*x) + 8\*Sin[2\*(c + d\*x)] + Sin[4\*(c + d\*x)])))/(480\*d)

**fricas [A]** time = 1.82, size = 64, normalized size = 0.70

$$\frac{45 adx + \left( 24 a \cos(dx + c)^4 + 30 a \cos(dx + c)^3 + 32 a \cos(dx + c)^2 + 45 a \cos(dx + c) + 64 a \right) \sin(dx + c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(45\*a\*d\*x + (24\*a\*cos(d\*x + c)^4 + 30\*a\*cos(d\*x + c)^3 + 32\*a\*cos(d\*x + c)^2 + 45\*a\*cos(d\*x + c) + 64\*a)\*sin(d\*x + c))/d

**giac [A]** time = 0.55, size = 77, normalized size = 0.84

$$\frac{3}{8} ax + \frac{a \sin(5 dx + 5 c)}{80 d} + \frac{a \sin(4 dx + 4 c)}{32 d} + \frac{5 a \sin(3 dx + 3 c)}{48 d} + \frac{a \sin(2 dx + 2 c)}{4 d} + \frac{5 a \sin(dx + c)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 3/8\*a\*x + 1/80\*a\*sin(5\*d\*x + 5\*c)/d + 1/32\*a\*sin(4\*d\*x + 4\*c)/d + 5/48\*a\*sin(3\*d\*x + 3\*c)/d + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + 5/8\*a\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 70, normalized size = 0.76

$$\frac{a \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + a \left( \frac{\left( \cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c)),x)

[Out] 1/d\*(1/5\*a\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+a\*(1/4\*(cos(d\*x+c))^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)

**maxima [A]** time = 0.79, size = 69, normalized size = 0.75

$$\frac{32 \left( 3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) a + 15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c))}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/480\*(32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*a + 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a)/d

**mupad [B]** time = 2.85, size = 93, normalized size = 1.01

$$\frac{3ax}{8} + \frac{\frac{3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{4} + \frac{13a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{6} + \frac{116a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} + \frac{19a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6} + \frac{13a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4*(a + a*cos(c + d*x)),x)`

[Out] `(3*a*x)/8 + ((13*a*tan(c/2 + (d*x)/2))/4 + (19*a*tan(c/2 + (d*x)/2)^3)/6 + (116*a*tan(c/2 + (d*x)/2)^5)/15 + (13*a*tan(c/2 + (d*x)/2)^7)/6 + (3*a*tan(c/2 + (d*x)/2)^9)/4)/(d*(tan(c/2 + (d*x)/2)^2 + 1)^5)`

**sympy [A]** time = 1.86, size = 168, normalized size = 1.83

$$\left\{ \begin{array}{l} \frac{3ax \sin^4(c+dx)}{8} + \frac{3ax \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3ax \cos^4(c+dx)}{8} + \frac{8a \sin^5(c+dx)}{15d} + \frac{4a \sin^3(c+dx) \cos^2(c+dx)}{3d} + \frac{3a \sin^3(c+dx) \cos(c+dx)}{8d} + \\ x(a \cos(c) + a) \cos^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+a*cos(d*x+c)),x)`

[Out] `Piecewise((3*a*x*sin(c + d*x)**4/8 + 3*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*a*x*cos(c + d*x)**4/8 + 8*a*sin(c + d*x)**5/(15*d) + 4*a*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 3*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + a*sin(c + d*x)*cos(c + d*x)**4/d + 5*a*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a*cos(c) + a)*cos(c)**4, True))`

### 3.3 $\int \cos^3(c + dx)(a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=76

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8}$$

[Out]  $3/8*a*x+a*\sin(d*x+c)/d+3/8*a*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a*\cos(d*x+c)^3*\sin(d*x+c)/d-1/3*a*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.05, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2633, 2635, 8}

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x]),x]

[Out]  $(3*a*x)/8 + (a*\sin[c + d*x])/d + (3*a*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (a*\sin[c + d*x]^3)/(3*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \cos(c + dx)) dx &= a \int \cos^3(c + dx) dx + a \int \cos^4(c + dx) dx \\ &= \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4}(3a) \int \cos^2(c + dx) dx - \frac{a \operatorname{Subst}\left(\int (1 - x^2)^{\frac{3}{2}} dx, x, \cos(c + dx)\right)}{4d} \\ &= \frac{a \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{3ax}{8} + \frac{a \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \end{aligned}$$

**Mathematica** [A] time = 0.09, size = 73, normalized size = 0.96

$$\frac{3a(c+dx)}{8d} - \frac{a \sin^3(c+dx)}{3d} + \frac{a \sin(c+dx)}{d} + \frac{a \sin(2(c+dx))}{4d} + \frac{a \sin(4(c+dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x]),x]

[Out] (3\*a\*(c + d\*x))/(8\*d) + (a\*Sin[c + d\*x])/d - (a\*Sin[c + d\*x]^3)/(3\*d) + (a\*Sin[2\*(c + d\*x)])/(4\*d) + (a\*Sin[4\*(c + d\*x)])/(32\*d)

**fricas** [A] time = 0.93, size = 53, normalized size = 0.70

$$\frac{9 \, a \, dx + \left( 6 \, a \, \cos(dx + c)^3 + 8 \, a \, \cos(dx + c)^2 + 9 \, a \, \cos(dx + c) + 16 \, a \right) \sin(dx + c)}{24 \, d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/24\*(9\*a\*d\*x + (6\*a\*cos(d\*x + c)^3 + 8\*a\*cos(d\*x + c)^2 + 9\*a\*cos(d\*x + c) + 16\*a)\*sin(d\*x + c))/d

**giac** [A] time = 0.49, size = 62, normalized size = 0.82

$$\frac{3}{8} a x + \frac{a \sin(4 dx + 4 c)}{32 d} + \frac{a \sin(3 dx + 3 c)}{12 d} + \frac{a \sin(2 dx + 2 c)}{4 d} + \frac{3 a \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 3/8\*a\*x + 1/32\*a\*sin(4\*d\*x + 4\*c)/d + 1/12\*a\*sin(3\*d\*x + 3\*c)/d + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + 3/4\*a\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 60, normalized size = 0.79

$$\frac{a \left( \frac{\left( \cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a(2+\cos^2(dx+c)) \sin(dx+c)}{3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c)),x)

[Out] 1/d\*(a\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*a\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**maxima** [A] time = 0.30, size = 57, normalized size = 0.75

$$\frac{32 \left( \sin(dx + c)^3 - 3 \sin(dx + c) \right) a - 3(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) a}{96 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/96\*(32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a - 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a)/d



**mupad [B]** time = 3.60, size = 79, normalized size = 1.04

$$\frac{3ax}{8} + \frac{\frac{3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{49a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{31a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} + \frac{13a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^3*(a + a*cos(c + d*x)),x)`

[Out] `(3*a*x)/8 + ((13*a*tan(c/2 + (d*x)/2))/4 + (31*a*tan(c/2 + (d*x)/2)^3)/12 + (49*a*tan(c/2 + (d*x)/2)^5)/12 + (3*a*tan(c/2 + (d*x)/2)^7)/4)/(d*(tan(c/2 + (d*x)/2)^2 + 1)^4)`

**sympy [A]** time = 0.91, size = 144, normalized size = 1.89

$$\left\{ \begin{array}{l} \frac{3ax \sin^4(c+dx)}{8} + \frac{3ax \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3ax \cos^4(c+dx)}{8} + \frac{3a \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{2a \sin^3(c+dx)}{3d} + \frac{5a \sin(c+dx) \cos^3(c+dx)}{8d} \\ x(a \cos(c) + a) \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*cos(d*x+c)),x)`

[Out] `Piecewise((3*a*x*sin(c + d*x)**4/8 + 3*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*a*x*cos(c + d*x)**4/8 + 3*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*a*sin(c + d*x)**3/(3*d) + 5*a*sin(c + d*x)*cos(c + d*x)**3/(8*d) + a*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(a*cos(c) + a)*cos(c)**3, True))`

### 3.4 $\int \cos^2(c + dx)(a + a \cos(c + dx)) dx$

Optimal. Leaf size=54

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2}$$

[Out] 1/2\*a\*x+a\*sin(d\*x+c)/d+1/2\*a\*cos(d\*x+c)\*sin(d\*x+c)/d-1/3\*a\*sin(d\*x+c)^3/d

**Rubi [A]** time = 0.04, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2635, 8, 2633}

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*x)/2 + (a\*Sin[c + d\*x])/d + (a\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) - (a\*Sin[c + d\*x]^3)/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx)) dx &= a \int \cos^2(c + dx) dx + a \int \cos^3(c + dx) dx \\ &= \frac{a \cos(c + dx) \sin(c + dx)}{2d} + \frac{1}{2}a \int 1 dx - \frac{a \text{Subst}\left(\int (1 - x^2) dx, x, -\sin\right)}{d} \\ &= \frac{ax}{2} + \frac{a \sin(c + dx)}{d} + \frac{a \cos(c + dx) \sin(c + dx)}{2d} - \frac{a \sin^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 57, normalized size = 1.06

$$\frac{a(c + dx)}{2d} - \frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{a \sin(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x]),x]

[Out] (a\*(c + d\*x))/(2\*d) + (a\*sin[c + d\*x])/d - (a\*sin[c + d\*x]^3)/(3\*d) + (a\*sin[2\*(c + d\*x)])/(4\*d)

**fricas** [A] time = 0.81, size = 42, normalized size = 0.78

$$\frac{3 a d x + \left(2 a \cos (d x + c)^2 + 3 a \cos (d x + c) + 4 a\right) \sin (d x + c)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/6\*(3\*a\*d\*x + (2\*a\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + 4\*a)\*sin(d\*x + c))/d

**giac** [A] time = 0.48, size = 47, normalized size = 0.87

$$\frac{1}{2} a x + \frac{a \sin (3 d x + 3 c)}{12 d} + \frac{a \sin (2 d x + 2 c)}{4 d} + \frac{3 a \sin (d x + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*a\*x + 1/12\*a\*sin(3\*d\*x + 3\*c)/d + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + 3/4\*a\*sin(d\*x + c)/d

**maple** [A] time = 0.06, size = 49, normalized size = 0.91

$$\frac{\frac{a(2+\cos^2(dx+c))\sin(dx+c)}{3} + a\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c)),x)

[Out] 1/d\*(1/3\*a\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.30, size = 46, normalized size = 0.85

$$\frac{4\left(\sin (d x + c)^3 - 3 \sin (d x + c)\right) a - 3(2 d x + 2 c + \sin (2 d x + 2 c)) a}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/12\*(4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a - 3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a)/d

**mupad** [B] time = 0.38, size = 55, normalized size = 1.02

$$\frac{a x}{2} + \frac{2 a \sin (c + d x)}{3 d} + \frac{a \cos (c + d x) \sin (c + d x)}{2 d} + \frac{a \cos (c + d x)^2 \sin (c + d x)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x)),x)

[Out]  $(a*x)/2 + (2*a*\sin(c + d*x))/(3*d) + (a*\cos(c + d*x)*\sin(c + d*x))/(2*d) + (a*\cos(c + d*x)^2*\sin(c + d*x))/(3*d)$

sympy [A] time = 0.45, size = 92, normalized size = 1.70

$$\begin{cases} \frac{ax \sin^2(c+dx)}{2} + \frac{ax \cos^2(c+dx)}{2} + \frac{2a \sin^3(c+dx)}{3d} + \frac{a \sin(c+dx) \cos^2(c+dx)}{d} + \frac{a \sin(c+dx) \cos(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a \cos(c) + a) \cos^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c)),x)`

[Out] `Piecewise((a*x*sin(c + d*x)**2/2 + a*x*cos(c + d*x)**2/2 + 2*a*sin(c + d*x)**3/(3*d) + a*sin(c + d*x)*cos(c + d*x)**2/d + a*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(a*cos(c) + a)*cos(c)**2, True))`

### 3.5 $\int \cos(c + dx)(a + a \cos(c + dx)) dx$

Optimal. Leaf size=38

$$\frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2}$$

[Out]  $1/2*a*x+a*\sin(d*x+c)/d+1/2*a*\cos(d*x+c)*\sin(d*x+c)/d$

**Rubi [A]** time = 0.01, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {2734}

$$\frac{a \sin(c + dx)}{d} + \frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*x)/2 + (a\*Sin[c + d\*x])/d + (a\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rubi steps

$$\int \cos(c + dx)(a + a \cos(c + dx)) dx = \frac{ax}{2} + \frac{a \sin(c + dx)}{d} + \frac{a \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.05, size = 32, normalized size = 0.84

$$\frac{a(2(c + dx) + 4 \sin(c + dx) + \sin(2(c + dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*(2\*(c + d\*x) + 4\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]))/(4\*d)

**fricas [A]** time = 2.33, size = 29, normalized size = 0.76

$$\frac{adx + (a \cos(dx + c) + 2a) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $1/2*(a*d*x + (a*\cos(d*x + c) + 2*a)*\sin(d*x + c))/d$

**giac [A]** time = 0.29, size = 31, normalized size = 0.82

$$\frac{1}{2}ax + \frac{a \sin(2dx + 2c)}{4d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*a\*x + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + a\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 38, normalized size = 1.00

$$\frac{a \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \sin(dx+c) a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c)),x)

[Out] 1/d\*(a\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+sin(d\*x+c)\*a)

**maxima** [A] time = 0.29, size = 34, normalized size = 0.89

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))a + 4 a \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/4\*((2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a + 4\*a\*sin(d\*x + c))/d

**mupad** [B] time = 0.75, size = 50, normalized size = 1.32

$$\frac{a x}{2} + \frac{a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 3 a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x)),x)

[Out] (a\*x)/2 + (3\*a\*tan(c/2 + (d\*x)/2) + a\*tan(c/2 + (d\*x)/2)^3)/(d\*(tan(c/2 + (d\*x)/2)^2 + 1)^2)

**sympy** [A] time = 0.20, size = 66, normalized size = 1.74

$$\begin{cases} \frac{ax \sin^2(c+dx)}{2} + \frac{ax \cos^2(c+dx)}{2} + \frac{a \sin(c+dx) \cos(c+dx)}{2d} + \frac{a \sin(c+dx)}{d} & \text{for } d \neq 0 \\ x(a \cos(c) + a) \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c)),x)

[Out] Piecewise((a\*x\*sin(c + d\*x)\*\*2/2 + a\*x\*cos(c + d\*x)\*\*2/2 + a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + a\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(a\*cos(c) + a)\*cos(c), True))

### 3.6 $\int (a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=15

$$\frac{a \sin(c + dx)}{d} + ax$$

[Out] a\*x+a\*sin(d\*x+c)/d

**Rubi [A]** time = 0.01, antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {2637}

$$\frac{a \sin(c + dx)}{d} + ax$$

Antiderivative was successfully verified.

[In] Int[a + a\*Cos[c + d\*x],x]

[Out] a\*x + (a\*Sin[c + d\*x])/d

**Rule 2637**

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /;  
FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int (a + a \cos(c + dx)) dx &= ax + a \int \cos(c + dx) dx \\ &= ax + \frac{a \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 26, normalized size = 1.73

$$\frac{a \sin(c) \cos(dx)}{d} + \frac{a \cos(c) \sin(dx)}{d} + ax$$

Antiderivative was successfully verified.

[In] Integrate[a + a\*Cos[c + d\*x],x]

[Out] a\*x + (a\*Cos[d\*x]\*Sin[c])/d + (a\*Cos[c]\*Sin[d\*x])/d

**fricas [A]** time = 0.75, size = 17, normalized size = 1.13

$$\frac{adx + a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+a\*cos(d\*x+c),x, algorithm="fricas")

[Out] (a\*d\*x + a\*sin(d\*x + c))/d

**giac [A]** time = 0.40, size = 15, normalized size = 1.00

$$ax + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+a\*cos(d\*x+c),x, algorithm="giac")

[Out] a\*x + a\*sin(d\*x + c)/d

**maple** [A] time = 0.02, size = 16, normalized size = 1.07

$$ax + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+a\*cos(d\*x+c),x)

[Out] a\*x+a\*sin(d\*x+c)/d

**maxima** [A] time = 0.38, size = 15, normalized size = 1.00

$$ax + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+a\*cos(d\*x+c),x, algorithm="maxima")

[Out] a\*x + a\*sin(d\*x + c)/d

**mupad** [B] time = 0.31, size = 15, normalized size = 1.00

$$ax + \frac{a \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + a\*cos(c + d\*x),x)

[Out] a\*x + (a\*sin(c + d\*x))/d

**sympy** [A] time = 0.11, size = 17, normalized size = 1.13

$$ax + a \begin{cases} \frac{\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+a\*cos(d\*x+c),x)

[Out] a\*x + a\*Piecewise((sin(c + d\*x)/d, Ne(d, 0)), (x\*cos(c), True))



### 3.7 $\int (a + a \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=16

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + ax$$

[Out] a\*x+a\*arctanh(sin(d\*x+c))/d

**Rubi [A]** time = 0.02, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {2735, 3770}

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + ax$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] a\*x + (a\*ArcTanh[Sin[c + d\*x]])/d

**Rule 2735**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rule 3770**

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec(c + dx) dx &= ax + a \int \sec(c + dx) dx \\ &= ax + \frac{a \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 16, normalized size = 1.00

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + ax$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] a\*x + (a\*ArcTanh[Sin[c + d\*x]])/d

**fricas [B]** time = 1.68, size = 36, normalized size = 2.25

$$\frac{2 adx + a \log(\sin(dx + c) + 1) - a \log(-\sin(dx + c) + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out]  $1/2*(2*a*d*x + a*\log(\sin(d*x + c) + 1) - a*\log(-\sin(d*x + c) + 1))/d$

**giac** [B] time = 0.48, size = 43, normalized size = 2.69

$$\frac{(dx + c)a + a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out]  $((d*x + c)*a + a*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - a*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)))/d$

**maple** [A] time = 0.07, size = 30, normalized size = 1.88

$$ax + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{ca}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out]  $a*x + 1/d*a*\ln(\sec(d*x+c) + \tan(d*x+c)) + 1/d*c*a$

**maxima** [A] time = 0.30, size = 28, normalized size = 1.75

$$\frac{(dx + c)a + a \log(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out]  $((d*x + c)*a + a*\log(\sec(d*x + c) + \tan(d*x + c)))/d$

**mupad** [B] time = 0.34, size = 20, normalized size = 1.25

$$ax + \frac{2a \operatorname{atanh} \left( \tan \left( \frac{c}{2} + \frac{dx}{2} \right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x),x)

[Out]  $a*x + (2*a*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d$

**sympy** [A] time = 4.92, size = 49, normalized size = 3.06

$$ax + a \left( \begin{array}{l} \left( \frac{x \tan(c) \sec(c)}{\tan(c) + \sec(c)} + \frac{x \sec^2(c)}{\tan(c) + \sec(c)} \right) \text{ for } d = 0 \\ \frac{\log(\tan(c + dx) + \sec(c + dx))}{d} \text{ otherwise} \end{array} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out]  $a*x + a*\text{Piecewise}((x*\tan(c)*\sec(c)/(\tan(c) + \sec(c)) + x*\sec(c)**2/(\tan(c) + \sec(c))), \text{Eq}(d, 0)), (\log(\tan(c + d*x) + \sec(c + d*x))/d, \text{True}))$

### 3.8 $\int (a + a \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=24

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] a\*arctanh(sin(d\*x+c))/d+a\*tan(d\*x+c)/d

**Rubi [A]** time = 0.03, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 8, 3770}

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/d + (a\*Tan[c + d\*x])/d

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^2(c + dx) dx &= a \int \sec(c + dx) dx + a \int \sec^2(c + dx) dx \\ &= \frac{a \tanh^{-1}(\sin(c + dx))}{d} - \frac{a \text{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= \frac{a \tanh^{-1}(\sin(c + dx))}{d} + \frac{a \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 24, normalized size = 1.00

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/d + (a\*Tan[c + d\*x])/d

**fricas** [B] time = 1.01, size = 60, normalized size = 2.50

$$\frac{a \cos(dx + c) \log(\sin(dx + c) + 1) - a \cos(dx + c) \log(-\sin(dx + c) + 1) + 2a \sin(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(a\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - a\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*a\*sin(d\*x + c))/(d\*cos(d\*x + c))

**giac** [B] time = 0.71, size = 63, normalized size = 2.62

$$\frac{a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] (a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*a\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1))/d

**maple** [A] time = 0.10, size = 32, normalized size = 1.33

$$\frac{a \tan(dx + c)}{d} + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] a\*tan(d\*x+c)/d+1/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima** [A] time = 2.23, size = 38, normalized size = 1.58

$$\frac{a(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2a \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(a\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*a\*tan(d\*x + c))/d

**mupad** [B] time = 0.39, size = 47, normalized size = 1.96

$$\frac{2a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{2a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^2,x)

[Out]  $(2*a*atanh(\tan(c/2 + (d*x)/2)))/d - (2*a*\tan(c/2 + (d*x)/2))/(d*(\tan(c/2 + (d*x)/2)^2 - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sec^2(c + dx) dx + \int \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] a\*(Integral(cos(c + d\*x)\*sec(c + d\*x)\*\*2, x) + Integral(sec(c + d\*x)\*\*2, x))

### 3.9 $\int (a + a \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=47

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $1/2*a*\arctanh(\sin(d*x+c))/d+a*\tan(d*x+c)/d+1/2*a*\sec(d*x+c)*\tan(d*x+c)/d$

**Rubi [A]** time = 0.05, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {2748, 3768, 3770, 3767, 8}

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3, x]$

[Out]  $(a*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (a*\text{Tan}[c + d*x])/d + (a*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2748

$\text{Int}[(b_.*\sin[(e_.) + (f_.)*(x_)])^{(m_)}*((c_.) + (d_.*\sin[(e_.) + (f_.)*(x_)])], x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)]^{(n_)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_)}], x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^3(c + dx) dx &= a \int \sec^2(c + dx) dx + a \int \sec^3(c + dx) dx \\ &= \frac{a \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2}a \int \sec(c + dx) dx - \frac{a \text{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx)}{d} + \frac{a \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 47, normalized size = 1.00

$$\frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*Tan[c + d\*x])/d + (a\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**fricas** [A] time = 1.63, size = 74, normalized size = 1.57

$$\frac{a \cos(dx + c)^2 \log(\sin(dx + c) + 1) - a \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(2a \cos(dx + c) + a) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(a\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - a\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(2\*a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac** [A] time = 0.61, size = 80, normalized size = 1.70

$$\frac{a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(a\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*a\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2)/d

**maple** [A] time = 0.10, size = 51, normalized size = 1.09

$$\frac{a \tan(dx + c)}{d} + \frac{a \sec(dx + c) \tan(dx + c)}{2d} + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] a\*tan(d\*x+c)/d+1/2\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima** [A] time = 0.50, size = 58, normalized size = 1.23

$$\frac{a\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)\right) - 4a \tan(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] -1/4\*(a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 4\*a\*tan(d\*x + c))/d

**mupad [B]** time = 0.71, size = 75, normalized size = 1.60

$$\frac{3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)} + \frac{a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^3,x)

[Out] (3\*a\*tan(c/2 + (d\*x)/2) - a\*tan(c/2 + (d\*x)/2)^3)/(d\*(tan(c/2 + (d\*x)/2)^4 - 2\*tan(c/2 + (d\*x)/2)^2 + 1)) + (a\*atanh(tan(c/2 + (d\*x)/2)))/d

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sec^3(c + dx) dx + \int \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] a\*(Integral(cos(c + d\*x)\*sec(c + d\*x)\*\*3, x) + Integral(sec(c + d\*x)\*\*3, x))



### 3.10 $\int (a + a \cos(c + dx)) \sec^4(c + dx) dx$

Optimal. Leaf size=63

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $1/2*a*\operatorname{arctanh}(\sin(d*x+c))/d+a*\tan(d*x+c)/d+1/2*a*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 3768, 3770}

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^4, x]$

[Out]  $(a*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (a*\text{Tan}[c + d*x])/d + (a*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\text{csc}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_*) + (d_*)*(x_*)]*(b_*))^{(n_*)}, x\_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_*) + (d_*)*(x_*)], x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^4(c + dx) dx &= a \int \sec^3(c + dx) dx + a \int \sec^4(c + dx) dx \\ &= \frac{a \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2}a \int \sec(c + dx) dx - \frac{a \text{Subst}\left(\int (1 + x^2)\right)}{2d} \\ &= \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx)}{d} + \frac{a \sec(c + dx) \tan(c + dx)}{2d} + \frac{a}{2d} \int \sec(c + dx) dx \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 60, normalized size = 0.95

$$\frac{a \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d

**fricas [A]** time = 1.23, size = 88, normalized size = 1.40

$$\frac{3 a \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3 a \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left( 4 a \cos(dx + c)^2 + 3 a \cos(dx + c) \right)}{12 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(3\*a\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*a\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(4\*a\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + 2\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [A]** time = 0.48, size = 96, normalized size = 1.52

$$\frac{3 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 3 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 4 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 9 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)^3}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(3\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(3\*a\*tan(1/2\*d\*x + 1/2\*c)^5 - 4\*a\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*a\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3)/d

**maple [A]** time = 0.15, size = 72, normalized size = 1.14

$$\frac{a \sec(dx + c) \tan(dx + c)}{2d} + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2a \tan(dx + c)}{3d} + \frac{a \tan(dx + c) (\sec^2(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 1/2\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))+2/3\*a\*tan(d\*x+c)/d+1/3/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^2

**maxima [A]** time = 0.44, size = 70, normalized size = 1.11

$$\frac{4 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) a - 3 a \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out]  $1/12*(4*(\tan(dx + c)^3 + 3*\tan(dx + c))*a - 3*a*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)))/d$

**mupad [B]** time = 2.04, size = 102, normalized size = 1.62

$$\frac{a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{4a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))/cos(c + d*x)^4, x)`

[Out]  $(a*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d - (3*a*\tan(c/2 + (d*x)/2) - (4*a*\tan(c/2 + (d*x)/2)^3)/3 + a*\tan(c/2 + (d*x)/2)^5/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sec^4(c + dx) dx + \int \sec^4(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*sec(d*x+c)**4, x)`

[Out] `a*(Integral(cos(c + d*x)*sec(c + d*x)**4, x) + Integral(sec(c + d*x)**4, x))`

### 3.11 $\int (a + a \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=85

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx) \sec(c + dx)}{8d}$$

[Out]  $3/8*a*\arctanh(\sin(d*x+c))/d+a*\tan(d*x+c)/d+3/8*a*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a*\sec(d*x+c)^3*\tan(d*x+c)/d+1/3*a*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.06, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3768, 3770, 3767}

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out]  $(3*a*\text{ArcTanh}[\text{Sin}[c + d*x]])/(8*d) + (a*\text{Tan}[c + d*x])/d + (3*a*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(8*d) + (a*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(4*d) + (a*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_))\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^5(c + dx) dx &= a \int \sec^4(c + dx) dx + a \int \sec^5(c + dx) dx \\ &= \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4}(3a) \int \sec^3(c + dx) dx - \frac{a \text{Subst}\left(\int (1 + x^2)^{3/2} dx\right)}{4d} \\ &= \frac{a \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} + \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{a \text{Subst}\left(\int (1 + x^2)^{3/2} dx\right)}{4d} \\ &= \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} + \frac{a \text{Subst}\left(\int (1 + x^2)^{3/2} dx\right)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 76, normalized size = 0.89

$$\frac{a \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \left( \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) \right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d) + (3\*a\*(ArcTanh[Sin[c + d\*x]] + Sec[c + d\*x]\*Tan[c + d\*x]))/(8\*d) + (a\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d

**fricas [A]** time = 0.87, size = 99, normalized size = 1.16

$$\frac{9 a \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 9 a \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(16 a \cos(dx + c)^3 + 9 a \cos(dx + c)^2 + 8 a \cos(dx + c) + 6 a) \sin(dx + c)}{48 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(9\*a\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 9\*a\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(16\*a\*cos(d\*x + c)^3 + 9\*a\*cos(d\*x + c)^2 + 8\*a\*cos(d\*x + c) + 6\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**giac [A]** time = 0.52, size = 110, normalized size = 1.29

$$\frac{9 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 9 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 9 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 - 49 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 + 31 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 9 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1 \right)^4}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] 1/24\*(9\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 9\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(9\*a\*tan(1/2\*d\*x + 1/2\*c)^7 - 49\*a\*tan(1/2\*d\*x + 1/2\*c)^5 + 31\*a\*tan(1/2\*d\*x + 1/2\*c)^3 - 9\*a\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^4)/d

**maple [A]** time = 0.15, size = 92, normalized size = 1.08

$$\frac{2a \tan(dx + c)}{3d} + \frac{a \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{a (\sec^3(dx + c)) \tan(dx + c)}{4d} + \frac{3a \sec(dx + c) \tan(dx + c)}{8d} + \frac{3a \tan^3(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 2/3\*a\*tan(d\*x+c)/d+1/3/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^2+1/4\*a\*sec(d\*x+c)^3\*tan(d\*x+c)/d+3/8\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+3/8/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima [A]** time = 0.97, size = 95, normalized size = 1.12

$$\frac{16 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) a - 3 a \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) \right)}{48 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{48} \cdot (16 \cdot (\tan(dx + c))^3 + 3 \cdot \tan(dx + c)) \cdot a - 3 \cdot a \cdot (2 \cdot (3 \cdot \sin(dx + c))^3 - 5 \cdot \sin(dx + c)) / (\sin(dx + c)^4 - 2 \cdot \sin(dx + c)^2 + 1) - 3 \cdot \log(\sin(dx + c) + 1) + 3 \cdot \log(\sin(dx + c) - 1)) / d$

**mupad [B]** time = 3.34, size = 130, normalized size = 1.53

$$\frac{-\frac{3a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{49a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} - \frac{31a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} + \frac{13a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)} + \frac{3a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))/cos(c + d*x)^5, x)`

[Out]  $((13 \cdot a \cdot \tan(c/2 + (dx)/2))/4 - (31 \cdot a \cdot \tan(c/2 + (dx)/2)^3)/12 + (49 \cdot a \cdot \tan(c/2 + (dx)/2)^5)/12 - (3 \cdot a \cdot \tan(c/2 + (dx)/2)^7)/4) / (d \cdot (6 \cdot \tan(c/2 + (dx)/2)^4 - 4 \cdot \tan(c/2 + (dx)/2)^2 - 4 \cdot \tan(c/2 + (dx)/2)^6 + \tan(c/2 + (dx)/2)^8 + 1)) + (3 \cdot a \cdot \operatorname{atanh}(\tan(c/2 + (dx)/2))) / (4 \cdot d)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sec^5(c + dx) dx + \int \sec^5(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*sec(d*x+c)**5, x)`

[Out] `a*(Integral(cos(c + d*x)*sec(c + d*x)**5, x) + Integral(sec(c + d*x)**5, x))`

### 3.12 $\int (a + a \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=101

$$\frac{a \tan^5(c + dx)}{5d} + \frac{2a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx)}{4d}$$

[Out]  $3/8*a*\operatorname{arctanh}(\sin(d*x+c))/d+a*\tan(d*x+c)/d+3/8*a*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a*\sec(d*x+c)^3*\tan(d*x+c)/d+2/3*a*\tan(d*x+c)^3/d+1/5*a*\tan(d*x+c)^5/d$

**Rubi [A]** time = 0.07, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 3768, 3770}

$$\frac{a \tan^5(c + dx)}{5d} + \frac{2a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^6, x]$

[Out]  $(3*a*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (a*\operatorname{Tan}[c + d*x])/d + (3*a*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d) + (2*a*\operatorname{Tan}[c + d*x]^3)/(3*d) + (a*\operatorname{Tan}[c + d*x]^5)/(5*d)$

#### Rule 2748

$\operatorname{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /;$   $\operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)]^{(n_)}], x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{c, d\}, x] \ \&\& \ \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.)*(x_.)]*(b_.)^{(n_)}], x\_Symbol] \rightarrow -\operatorname{Simp}[(b*\operatorname{Cos}[c + d*x])*(b*\operatorname{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \operatorname{Dist}[(b^2*(n - 2))/(n - 1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{(n - 2)}, x], x] /;$   $\operatorname{FreeQ}\{b, c, d\}, x] \ \&\& \ \operatorname{GtQ}[n, 1] \ \&\& \ \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /;$   $\operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^6(c + dx) dx &= a \int \sec^5(c + dx) dx + a \int \sec^6(c + dx) dx \\ &= \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4}(3a) \int \sec^3(c + dx) dx - \frac{a \operatorname{Subst}\left(\int (1 + x^2)^{(n/2 - 1)} dx\right)}{4d} \\ &= \frac{a \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} + \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} \end{aligned}$$

**Mathematica** [A] time = 0.25, size = 65, normalized size = 0.64

$$\frac{a \left( 45 \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left( 24 \tan^4(c + dx) + 80 \tan^2(c + dx) + 30 \sec^3(c + dx) + 45 \sec(c + dx) \right) \right)}{120d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (a\*(45\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(120 + 45\*Sec[c + d\*x] + 30\*Sec[c + d\*x]^3 + 80\*Tan[c + d\*x]^2 + 24\*Tan[c + d\*x]^4)))/(120\*d)

**fricas** [A] time = 1.22, size = 110, normalized size = 1.09

$$\frac{45 a \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 45 a \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2 \left( 64 a \cos(dx + c)^4 + 45 a \cos(dx + c)^3 + 32 a \cos(dx + c)^2 + 30 a \cos(dx + c) + 24 a \right) \sin(dx + c)}{240 d \cos(dx + c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/240\*(45\*a\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 45\*a\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(64\*a\*cos(d\*x + c)^4 + 45\*a\*cos(d\*x + c)^3 + 32\*a\*cos(d\*x + c)^2 + 30\*a\*cos(d\*x + c) + 24\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

**giac** [A] time = 1.45, size = 124, normalized size = 1.23

$$\frac{45 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 45 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 45 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 - 130 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 464 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 190 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 195 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{120 d}}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/120\*(45\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 45\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(45\*a\*tan(1/2\*d\*x + 1/2\*c)^9 - 130\*a\*tan(1/2\*d\*x + 1/2\*c)^7 + 464\*a\*tan(1/2\*d\*x + 1/2\*c)^5 - 190\*a\*tan(1/2\*d\*x + 1/2\*c)^3 + 195\*a\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^5/d

**maple** [A] time = 0.14, size = 112, normalized size = 1.11

$$\frac{a \left( \sec^3(dx + c) \right) \tan(dx + c)}{4d} + \frac{3a \sec(dx + c) \tan(dx + c)}{8d} + \frac{3a \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{8a \tan(dx + c)}{15d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out] 1/4\*a\*sec(d\*x+c)^3\*tan(d\*x+c)/d+3/8\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+3/8/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))+8/15\*a\*tan(d\*x+c)/d+1/5/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^4+4/15/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^2

**maxima** [A] time = 0.31, size = 107, normalized size = 1.06

$$\frac{16 \left( 3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) a - 15 a \left( \frac{2 \left( 3 \sin(dx+c)^3 - 5 \sin(dx+c) \right)}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx + c) + 1) \right)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/240\*(16\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*a - 15\*a\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)))/d

**mupad [B]** time = 4.77, size = 158, normalized size = 1.56

$$\frac{3 a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{d x}{2}\right)\right)}{4 d} - \frac{\frac{3 a \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^9}{4} - \frac{13 a \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^7}{6} + \frac{116 a \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^5}{15} - \frac{19 a \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^3}{6} + \frac{13 a \tan\left(\frac{c}{2} + \frac{d x}{2}\right)}{4}}{d \left(\tan\left(\frac{c}{2} + \frac{d x}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^6 - 10 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{d x}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^6,x)

[Out] (3\*a\*atanh(tan(c/2 + (d\*x)/2)))/(4\*d) - ((13\*a\*tan(c/2 + (d\*x)/2))/4 - (19\*a\*tan(c/2 + (d\*x)/2)^3)/6 + (116\*a\*tan(c/2 + (d\*x)/2)^5)/15 - (13\*a\*tan(c/2 + (d\*x)/2)^7)/6 + (3\*a\*tan(c/2 + (d\*x)/2)^9)/4)/(d\*(5\*tan(c/2 + (d\*x)/2)^2 - 10\*tan(c/2 + (d\*x)/2)^4 + 10\*tan(c/2 + (d\*x)/2)^6 - 5\*tan(c/2 + (d\*x)/2)^8 + tan(c/2 + (d\*x)/2)^10 - 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sec^6(c + dx) dx + \int \sec^6(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] a\*(Integral(cos(c + d\*x)\*sec(c + d\*x)\*\*6, x) + Integral(sec(c + d\*x)\*\*6, x))

### 3.13 $\int \cos^4(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=129

$$\frac{2a^2 \sin^5(c + dx)}{5d} - \frac{4a^2 \sin^3(c + dx)}{3d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{11a^2 \sin(c + dx) \cos^3(c + dx)}{24d} + \dots$$

[Out]  $11/16*a^2*x+2*a^2*\sin(d*x+c)/d+11/16*a^2*\cos(d*x+c)*\sin(d*x+c)/d+11/24*a^2*\cos(d*x+c)^3*\sin(d*x+c)/d+1/6*a^2*\cos(d*x+c)^5*\sin(d*x+c)/d-4/3*a^2*\sin(d*x+c)^3/d+2/5*a^2*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.13, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2635, 8, 2633}

$$\frac{2a^2 \sin^5(c + dx)}{5d} - \frac{4a^2 \sin^3(c + dx)}{3d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{11a^2 \sin(c + dx) \cos^3(c + dx)}{24d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4\*(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(11*a^2*x)/16 + (2*a^2*\sin[c + d*x])/d + (11*a^2*\cos[c + d*x]*\sin[c + d*x])/(16*d) + (11*a^2*\cos[c + d*x]^3*\sin[c + d*x])/(24*d) + (a^2*\cos[c + d*x]^5*\sin[c + d*x])/(6*d) - (4*a^2*\sin[c + d*x]^3)/(3*d) + (2*a^2*\sin[c + d*x]^5)/(5*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+a\cos(c+dx))^2 dx &= \int (a^2 \cos^4(c+dx) + 2a^2 \cos^5(c+dx) + a^2 \cos^6(c+dx)) dx \\
&= a^2 \int \cos^4(c+dx) dx + a^2 \int \cos^6(c+dx) dx + (2a^2) \int \cos^5(c+dx) dx \\
&= \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{4d} + \frac{a^2 \cos^5(c+dx) \sin(c+dx)}{6d} + \frac{1}{4} (3a^2) \\
&= \frac{2a^2 \sin(c+dx)}{d} + \frac{3a^2 \cos(c+dx) \sin(c+dx)}{8d} + \frac{11a^2 \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{3a^2 x}{8} + \frac{2a^2 \sin(c+dx)}{d} + \frac{11a^2 \cos(c+dx) \sin(c+dx)}{16d} + \frac{11a^2 \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{11a^2 x}{16} + \frac{2a^2 \sin(c+dx)}{d} + \frac{11a^2 \cos(c+dx) \sin(c+dx)}{16d} + \frac{11a^2 \cos^3(c+dx) \sin(c+dx)}{24d}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 73, normalized size = 0.57

$$\frac{a^2(1200 \sin(c+dx) + 465 \sin(2(c+dx)) + 200 \sin(3(c+dx)) + 75 \sin(4(c+dx)) + 24 \sin(5(c+dx)) + 5 \sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4\*(a + a\*Cos[c + d\*x])^2,x]

[Out] (a^2\*(660\*d\*x + 1200\*Sin[c + d\*x] + 465\*Sin[2\*(c + d\*x)] + 200\*Sin[3\*(c + d\*x)] + 75\*Sin[4\*(c + d\*x)] + 24\*Sin[5\*(c + d\*x)] + 5\*Sin[6\*(c + d\*x)]))/(960\*d)

**fricas [A]** time = 1.64, size = 89, normalized size = 0.69

$$\frac{165 a^2 dx + (40 a^2 \cos(dx+c)^5 + 96 a^2 \cos(dx+c)^4 + 110 a^2 \cos(dx+c)^3 + 128 a^2 \cos(dx+c)^2 + 165 a^2 \cos(dx+c) + 256 a^2) \sin(dx+c)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/240\*(165\*a^2\*d\*x + (40\*a^2\*cos(d\*x + c)^5 + 96\*a^2\*cos(d\*x + c)^4 + 110\*a^2\*cos(d\*x + c)^3 + 128\*a^2\*cos(d\*x + c)^2 + 165\*a^2\*cos(d\*x + c) + 256\*a^2)\*sin(d\*x + c))/d

**giac [A]** time = 0.80, size = 106, normalized size = 0.82

$$\frac{11}{16} a^2 x + \frac{a^2 \sin(6 dx + 6 c)}{192 d} + \frac{a^2 \sin(5 dx + 5 c)}{40 d} + \frac{5 a^2 \sin(4 dx + 4 c)}{64 d} + \frac{5 a^2 \sin(3 dx + 3 c)}{24 d} + \frac{31 a^2 \sin(2 dx + 2 c)}{64 d} + \frac{5 a^2 \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 11/16\*a^2\*x + 1/192\*a^2\*sin(6\*d\*x + 6\*c)/d + 1/40\*a^2\*sin(5\*d\*x + 5\*c)/d + 5/64\*a^2\*sin(4\*d\*x + 4\*c)/d + 5/24\*a^2\*sin(3\*d\*x + 3\*c)/d + 31/64\*a^2\*sin(2\*d\*x + 2\*c)/d + 5/4\*a^2\*sin(d\*x + c)/d

**maple [A]** time = 0.06, size = 121, normalized size = 0.94

$$\frac{a^2 \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{2a^2 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + a^2 \left( \frac{\cos^3(dx+c) + 3 \cos(dx+c) + 2}{4} \right) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*cos(d*x+c))^2,x)`

[Out]  $\frac{1}{d} \cdot (a^2 \cdot (\frac{1}{6} \cdot (\cos(dx+c))^5 + \frac{5}{4} \cdot (\cos(dx+c))^3 + \frac{15}{8} \cdot \cos(dx+c)) \cdot \sin(dx+c) + 5 \cdot 16 \cdot dx + \frac{5}{16} \cdot c) + \frac{2}{5} \cdot a^2 \cdot (\frac{8}{3} + \cos(dx+c)^4 + \frac{4}{3} \cdot \cos(dx+c)^2) \cdot \sin(dx+c) + a^2 \cdot (\frac{1}{4} \cdot (\cos(dx+c))^3 + \frac{3}{2} \cdot \cos(dx+c)) \cdot \sin(dx+c) + \frac{3}{8} \cdot dx + \frac{3}{8} \cdot c)$

**maxima** [A] time = 0.30, size = 121, normalized size = 0.94

$$\frac{128 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a^2 - 5 \left( 4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+2c) \right)}{960d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out]  $\frac{1}{960} \cdot (128 \cdot (3 \cdot \sin(dx+c)^5 - 10 \cdot \sin(dx+c)^3 + 15 \cdot \sin(dx+c)) \cdot a^2 - 5 \cdot (4 \cdot \sin(2dx+2c)^3 - 60 \cdot dx - 60 \cdot c - 9 \cdot \sin(4dx+2c) - 48 \cdot \sin(2dx+2c)) \cdot a^2 + 30 \cdot (12 \cdot dx + 12 \cdot c + \sin(4dx+4c) + 8 \cdot \sin(2dx+2c)) \cdot a^2) / d$

**mupad** [B] time = 2.86, size = 121, normalized size = 0.94

$$\frac{11 a^2 x}{16} + \frac{\frac{11 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}{8} + \frac{187 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{24} + \frac{331 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{20} + \frac{501 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \frac{87 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{8} + \frac{53 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^4*(a+a*cos(c+d*x))^2,x)`

[Out]  $\frac{11 \cdot a^2 \cdot x}{16} + \frac{(87 \cdot a^2 \cdot \tan(c/2 + (dx)/2)^3)/8 + (501 \cdot a^2 \cdot \tan(c/2 + (dx)/2)^5)/20 + (331 \cdot a^2 \cdot \tan(c/2 + (dx)/2)^7)/20 + (187 \cdot a^2 \cdot \tan(c/2 + (dx)/2)^9)/24 + (11 \cdot a^2 \cdot \tan(c/2 + (dx)/2)^{11})/8 + (53 \cdot a^2 \cdot \tan(c/2 + (dx)/2))/8}{d \cdot (\tan(c/2 + (dx)/2)^2 + 1)^6}$

**sympy** [A] time = 3.53, size = 343, normalized size = 2.66

$$\left\{ \begin{array}{l} \frac{5a^2x \sin^6(c+dx)}{16} + \frac{15a^2x \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{3a^2x \sin^4(c+dx)}{8} + \frac{15a^2x \sin^2(c+dx) \cos^4(c+dx)}{16} + \frac{3a^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{5a^2x}{16} \\ x(a \cos(c) + a)^2 \cos^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+a*cos(d*x+c))**2,x)`

[Out] `Piecewise((5*a**2*x*sin(c+d*x)**6/16 + 15*a**2*x*sin(c+d*x)**4*cos(c+d*x)**2/16 + 3*a**2*x*sin(c+d*x)**4/8 + 15*a**2*x*sin(c+d*x)**2*cos(c+d*x)**4/16 + 3*a**2*x*sin(c+d*x)**2*cos(c+d*x)**2/4 + 5*a**2*x*cos(c+d*x)**6/16 + 3*a**2*x*cos(c+d*x)**4/8 + 5*a**2*sin(c+d*x)**5*cos(c+d*x)/(16*d) + 16*a**2*sin(c+d*x)**5/(15*d) + 5*a**2*sin(c+d*x)**3*cos(c+d*x)**3/(6*d) + 8*a**2*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + 3*a**2*sin(c+d*x)**3*cos(c+d*x)/(8*d) + 11*a**2*sin(c+d*x)*cos(c+d*x)**5/(16*d) + 2*a**2*sin(c+d*x)*cos(c+d*x)**4/d + 5*a**2*sin(c+d*x)*cos(c+d*x)**3/(8*d), Ne(d, 0)), (x*(a*cos(c) + a)**2*cos(c)**4, True))`

### 3.14 $\int \cos^3(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=103

$$\frac{a^2 \sin^5(c + dx)}{5d} - \frac{a^2 \sin^3(c + dx)}{d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^3(c + dx)}{2d} + \frac{3a^2 \sin(c + dx) \cos(c + dx)}{4d} + \dots$$

[Out]  $3/4*a^2*x+2*a^2*\sin(d*x+c)/d+3/4*a^2*\cos(d*x+c)*\sin(d*x+c)/d+1/2*a^2*\cos(d*x+c)^3*\sin(d*x+c)/d-a^2*\sin(d*x+c)^3/d+1/5*a^2*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2633, 2635, 8}

$$\frac{a^2 \sin^5(c + dx)}{5d} - \frac{a^2 \sin^3(c + dx)}{d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^3(c + dx)}{2d} + \frac{3a^2 \sin(c + dx) \cos(c + dx)}{4d} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(3*a^2*x)/4 + (2*a^2*\sin[c + d*x])/d + (3*a^2*\cos[c + d*x]*\sin[c + d*x])/(4*d) + (a^2*\cos[c + d*x]^3*\sin[c + d*x])/(2*d) - (a^2*\sin[c + d*x]^3)/d + (a^2*\sin[c + d*x]^5)/(5*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\cos(c+dx))^2 dx &= \int (a^2 \cos^3(c+dx) + 2a^2 \cos^4(c+dx) + a^2 \cos^5(c+dx)) dx \\
&= a^2 \int \cos^3(c+dx) dx + a^2 \int \cos^5(c+dx) dx + (2a^2) \int \cos^4(c+dx) dx \\
&= \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{2d} + \frac{1}{2} (3a^2) \int \cos^2(c+dx) dx - \frac{a^2 \text{Subst}(\int)}{2d} \\
&= \frac{2a^2 \sin(c+dx)}{d} + \frac{3a^2 \cos(c+dx) \sin(c+dx)}{4d} + \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{2d} \\
&= \frac{3a^2 x}{4} + \frac{2a^2 \sin(c+dx)}{d} + \frac{3a^2 \cos(c+dx) \sin(c+dx)}{4d} + \frac{a^2 \cos^3(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 61, normalized size = 0.59

$$\frac{a^2(110 \sin(c+dx) + 40 \sin(2(c+dx)) + 15 \sin(3(c+dx)) + 5 \sin(4(c+dx)) + \sin(5(c+dx)) + 60dx)}{80d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^2,x]

[Out] (a^2\*(60\*d\*x + 110\*Sin[c + d\*x] + 40\*Sin[2\*(c + d\*x)] + 15\*Sin[3\*(c + d\*x)] + 5\*Sin[4\*(c + d\*x)] + Sin[5\*(c + d\*x)])/(80\*d)

**fricas [A]** time = 1.46, size = 76, normalized size = 0.74

$$\frac{15 a^2 dx + (4 a^2 \cos(dx+c)^4 + 10 a^2 \cos(dx+c)^3 + 12 a^2 \cos(dx+c)^2 + 15 a^2 \cos(dx+c) + 24 a^2) \sin(dx+c)}{20 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/20\*(15\*a^2\*d\*x + (4\*a^2\*cos(d\*x + c)^4 + 10\*a^2\*cos(d\*x + c)^3 + 12\*a^2\*cos(d\*x + c)^2 + 15\*a^2\*cos(d\*x + c) + 24\*a^2)\*sin(d\*x + c))/d

**giac [A]** time = 0.54, size = 89, normalized size = 0.86

$$\frac{3}{4} a^2 x + \frac{a^2 \sin(5 dx + 5 c)}{80 d} + \frac{a^2 \sin(4 dx + 4 c)}{16 d} + \frac{3 a^2 \sin(3 dx + 3 c)}{16 d} + \frac{a^2 \sin(2 dx + 2 c)}{2 d} + \frac{11 a^2 \sin(dx + c)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 3/4\*a^2\*x + 1/80\*a^2\*sin(5\*d\*x + 5\*c)/d + 1/16\*a^2\*sin(4\*d\*x + 4\*c)/d + 3/16\*a^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*a^2\*sin(2\*d\*x + 2\*c)/d + 11/8\*a^2\*sin(d\*x + c)/d

**maple [A]** time = 0.06, size = 96, normalized size = 0.93

$$\frac{a^2 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + 2a^2 \left( \frac{\left( \cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^2(2+\cos^2(dx+c)) \sin(dx+c)}{3}$$


---


$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^2,x)

[Out]  $1/d*(1/5*a^2*(8/3+\cos(d*x+c))^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+2*a^2*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*(2+\cos(d*x+c)^2)*\sin(d*x+c)$

**maxima** [A] time = 1.13, size = 95, normalized size = 0.92

$$\frac{16(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))a^2 - 80(\sin(dx + c)^3 - 3 \sin(dx + c))a^2 + 15(12 dx + 12c + \sin(4dx + 4c))a^2}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $1/240*(16*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*a^2 - 80*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*a^2 + 15*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^2)/d$

**mupad** [B] time = 3.63, size = 105, normalized size = 1.02

$$\frac{3a^2x \frac{3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{2} + 7a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \frac{72a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{5} + 9a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \frac{13a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^2,x)

[Out]  $(3*a^2*x)/4 + (9*a^2*\tan(c/2 + (d*x)/2)^3 + (72*a^2*\tan(c/2 + (d*x)/2)^5)/5 + 7*a^2*\tan(c/2 + (d*x)/2)^7 + (3*a^2*\tan(c/2 + (d*x)/2)^9)/2 + (13*a^2*\tan(c/2 + (d*x)/2))/2)/(d*(\tan(c/2 + (d*x)/2)^2 + 1)^5)$

**sympy** [A] time = 1.98, size = 221, normalized size = 2.15

$$\left\{ \begin{array}{l} \frac{3a^2x \sin^4(c+dx)}{4} + \frac{3a^2x \sin^2(c+dx) \cos^2(c+dx)}{2} + \frac{3a^2x \cos^4(c+dx)}{4} + \frac{8a^2 \sin^5(c+dx)}{15d} + \frac{4a^2 \sin^3(c+dx) \cos^2(c+dx)}{3d} + \frac{3a^2 \sin^3(c+dx) \cos(c+dx)}{4d} \\ x(a \cos(c) + a)^2 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((3\*a\*\*2\*x\*sin(c + d\*x)\*\*4/4 + 3\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/2 + 3\*a\*\*2\*x\*cos(c + d\*x)\*\*4/4 + 8\*a\*\*2\*sin(c + d\*x)\*\*5/(15\*d) + 4\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(4\*d) + 2\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(4\*d) + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*2\*cos(c)\*\*3, True))

### 3.15 $\int \cos^2(c + dx)(a + a \cos(c + dx))^2 dx$

Optimal. Leaf size=87

$$-\frac{2a^2 \sin^3(c + dx)}{3d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{7a^2 \sin(c + dx) \cos(c + dx)}{8d} + \frac{7a^2 x}{8}$$

[Out]  $7/8*a^2*x+2*a^2*\sin(d*x+c)/d+7/8*a^2*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a^2*\cos(d*x+c)^3*\sin(d*x+c)/d-2/3*a^2*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.10, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2635, 8, 2633}

$$-\frac{2a^2 \sin^3(c + dx)}{3d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{7a^2 \sin(c + dx) \cos(c + dx)}{8d} + \frac{7a^2 x}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(7*a^2*x)/8 + (2*a^2*\sin[c + d*x])/d + (7*a^2*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a^2*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (2*a^2*\sin[c + d*x]^3)/(3*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.))\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps



$$\begin{aligned}
\int \cos^2(c+dx)(a+a\cos(c+dx))^2 dx &= \int (a^2 \cos^2(c+dx) + 2a^2 \cos^3(c+dx) + a^2 \cos^4(c+dx)) dx \\
&= a^2 \int \cos^2(c+dx) dx + a^2 \int \cos^4(c+dx) dx + (2a^2) \int \cos^3(c+dx) dx \\
&= \frac{a^2 \cos(c+dx) \sin(c+dx)}{2d} + \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{4d} + \frac{1}{2} a^2 \int 1 dx \\
&= \frac{a^2 x}{2} + \frac{2a^2 \sin(c+dx)}{d} + \frac{7a^2 \cos(c+dx) \sin(c+dx)}{8d} + \frac{a^2 \cos^3(c+dx)}{4d} \\
&= \frac{7a^2 x}{8} + \frac{2a^2 \sin(c+dx)}{d} + \frac{7a^2 \cos(c+dx) \sin(c+dx)}{8d} + \frac{a^2 \cos^3(c+dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 53, normalized size = 0.61

$$\frac{a^2(144 \sin(c+dx) + 48 \sin(2(c+dx)) + 16 \sin(3(c+dx)) + 3 \sin(4(c+dx)) + 84dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^2,x]

[Out] (a^2\*(84\*d\*x + 144\*Sin[c + d\*x] + 48\*Sin[2\*(c + d\*x)] + 16\*Sin[3\*(c + d\*x)] + 3\*Sin[4\*(c + d\*x)]))/(96\*d)

**fricas [A]** time = 1.56, size = 63, normalized size = 0.72

$$\frac{21 a^2 dx + (6 a^2 \cos(dx+c)^3 + 16 a^2 \cos(dx+c)^2 + 21 a^2 \cos(dx+c) + 32 a^2) \sin(dx+c)}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/24\*(21\*a^2\*d\*x + (6\*a^2\*cos(d\*x + c)^3 + 16\*a^2\*cos(d\*x + c)^2 + 21\*a^2\*cos(d\*x + c) + 32\*a^2)\*sin(d\*x + c))/d

**giac [A]** time = 0.81, size = 72, normalized size = 0.83

$$\frac{7}{8} a^2 x + \frac{a^2 \sin(4 dx + 4 c)}{32 d} + \frac{a^2 \sin(3 dx + 3 c)}{6 d} + \frac{a^2 \sin(2 dx + 2 c)}{2 d} + \frac{3 a^2 \sin(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 7/8\*a^2\*x + 1/32\*a^2\*sin(4\*d\*x + 4\*c)/d + 1/6\*a^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*a^2\*sin(2\*d\*x + 2\*c)/d + 3/2\*a^2\*sin(d\*x + c)/d

**maple [A]** time = 0.06, size = 90, normalized size = 1.03

$$\frac{a^2 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{2a^2(2+\cos^2(dx+c)) \sin(dx+c)}{3} + a^2 \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2,x)

[Out] 1/d\*(a^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+2/3\*a^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.48, size = 83, normalized size = 0.95

$$\frac{64(\sin(dx+c)^3 - 3\sin(dx+c))a^2 - 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))a^2 - 24(2dx + 2c + \sin(2dx + 2c))a^2}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/96\*(64\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^2 - 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a^2 - 24\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^2)/d

**mupad** [B] time = 3.50, size = 89, normalized size = 1.02

$$\frac{7a^2x}{8} + \frac{7a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{77a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{83a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} + \frac{25a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}$$

$$d\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 1\right)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^2,x)

[Out] (7\*a^2\*x)/8 + ((83\*a^2\*tan(c/2 + (d\*x)/2)^3)/12 + (77\*a^2\*tan(c/2 + (d\*x)/2)^5)/12 + (7\*a^2\*tan(c/2 + (d\*x)/2)^7)/4 + (25\*a^2\*tan(c/2 + (d\*x)/2))/4)/(d\*(tan(c/2 + (d\*x)/2)^2 + 1)^4)

**sympy** [A] time = 1.02, size = 211, normalized size = 2.43

$$\left\{ \begin{array}{l} \frac{3a^2x \sin^4(c+dx)}{8} + \frac{3a^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{a^2x \sin^2(c+dx)}{2} + \frac{3a^2x \cos^4(c+dx)}{8} + \frac{a^2x \cos^2(c+dx)}{2} + \frac{3a^2 \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{4a^2}{8d} \\ x(a \cos(c) + a)^2 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise(((3\*a\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + 3\*a\*\*2\*x\*cos(c + d\*x)\*\*4/8 + a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + 3\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 4\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + 5\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 2\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*2\*cos(c)\*\*2, True))

### 3.16 $\int \cos(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=57

$$-\frac{a^2 \sin^3(c + dx)}{3d} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos(c + dx)}{d} + a^2 x$$

[Out]  $a^2 x + 2 a^2 \sin(d x + c) / d + a^2 \cos(d x + c) \sin(d x + c) / d - 1 / 3 a^2 \sin(d x + c)^3 / d$

**Rubi [A]** time = 0.04, antiderivative size = 69, normalized size of antiderivative = 1.21, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2751, 2644}

$$\frac{4a^2 \sin(c + dx)}{3d} + \frac{a^2 \sin(c + dx) \cos(c + dx)}{3d} + a^2 x + \frac{\sin(c + dx)(a \cos(c + dx) + a)^2}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^2,x]

[Out]  $a^2 x + (4 a^2 \sin[c + d x]) / (3 d) + (a^2 \cos[c + d x] \sin[c + d x]) / (3 d) + ((a + a \cos[c + d x])^2 \sin[c + d x]) / (3 d)$

#### Rule 2644

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^2, x\_Symbol] := Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^2 dx &= \frac{(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{2}{3} \int (a + a \cos(c + dx))^2 dx \\ &= a^2 x + \frac{4a^2 \sin(c + dx)}{3d} + \frac{a^2 \cos(c + dx) \sin(c + dx)}{3d} + \frac{(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 41, normalized size = 0.72

$$\frac{a^2(21 \sin(c + dx) + 6 \sin(2(c + dx)) + \sin(3(c + dx)) + 12dx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(a^2(12 d x + 21 \sin[c + d x] + 6 \sin[2(c + d x)] + \sin[3(c + d x)])) / (12 d)$

**fricas [A]** time = 1.56, size = 49, normalized size = 0.86

$$\frac{3 a^2 dx + (a^2 \cos(dx + c)^2 + 3 a^2 \cos(dx + c) + 5 a^2) \sin(dx + c)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*(3\*a^2\*d\*x + (a^2\*cos(d\*x + c)^2 + 3\*a^2\*cos(d\*x + c) + 5\*a^2)\*sin(d\*x + c))/d

**giac** [A] time = 0.47, size = 54, normalized size = 0.95

$$a^2x + \frac{a^2 \sin(3dx + 3c)}{12d} + \frac{a^2 \sin(2dx + 2c)}{2d} + \frac{7a^2 \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] a^2\*x + 1/12\*a^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*a^2\*sin(2\*d\*x + 2\*c)/d + 7/4\*a^2\*sin(d\*x + c)/d

**maple** [A] time = 0.05, size = 64, normalized size = 1.12

$$\frac{\frac{a^2(2+\cos^2(dx+c))\sin(dx+c)}{3} + 2a^2\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + a^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^2,x)

[Out] 1/d\*(1/3\*a^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+2\*a^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^2\*sin(d\*x+c))

**maxima** [A] time = 0.47, size = 61, normalized size = 1.07

$$\frac{2(\sin(dx + c)^3 - 3 \sin(dx + c))a^2 - 3(2dx + 2c + \sin(2dx + 2c))a^2 - 6a^2 \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/6\*(2\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^2 - 3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^2 - 6\*a^2\*sin(d\*x + c))/d

**mupad** [B] time = 0.38, size = 61, normalized size = 1.07

$$a^2x + \frac{5a^2 \sin(c + dx)}{3d} + \frac{a^2 \cos(c + dx)^2 \sin(c + dx)}{3d} + \frac{a^2 \cos(c + dx) \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^2,x)

[Out] a^2\*x + (5\*a^2\*sin(c + d\*x))/(3\*d) + (a^2\*cos(c + d\*x)^2\*sin(c + d\*x))/(3\*d) + (a^2\*cos(c + d\*x)\*sin(c + d\*x))/d

**sympy** [A] time = 0.48, size = 107, normalized size = 1.88

$$\left\{ \begin{array}{l} a^2x \sin^2(c + dx) + a^2x \cos^2(c + dx) + \frac{2a^2 \sin^3(c+dx)}{3d} + \frac{a^2 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{a^2 \sin(c+dx) \cos(c+dx)}{d} + \frac{a^2 \sin(c+dx)}{d} \\ x(a \cos(c) + a)^2 \cos(c) \end{array} \right. \text{ for } \text{ot}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))**2,x)
```

```
[Out] Piecewise((a**2*x*sin(c + d*x)**2 + a**2*x*cos(c + d*x)**2 + 2*a**2*sin(c +  
d*x)**3/(3*d) + a**2*sin(c + d*x)*cos(c + d*x)**2/d + a**2*sin(c + d*x)*co  
s(c + d*x)/d + a**2*sin(c + d*x)/d, Ne(d, 0)), (x*(a*cos(c) + a)**2*cos(c),  
True))
```

### 3.17 $\int (a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=45

$$\frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos(c + dx)}{2d} + \frac{3a^2 x}{2}$$

[Out]  $3/2*a^2*x+2*a^2*\sin(d*x+c)/d+1/2*a^2*\cos(d*x+c)*\sin(d*x+c)/d$

**Rubi [A]** time = 0.01, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {2644}

$$\frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \sin(c + dx) \cos(c + dx)}{2d} + \frac{3a^2 x}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2,x]

[Out] (3\*a^2\*x)/2 + (2\*a^2\*Sin[c + d\*x])/d + (a^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

**Rule 2644**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^2, x\_Symbol] := Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

**Rubi steps**

$$\int (a + a \cos(c + dx))^2 dx = \frac{3a^2 x}{2} + \frac{2a^2 \sin(c + dx)}{d} + \frac{a^2 \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.05, size = 34, normalized size = 0.76

$$\frac{a^2(6(c + dx) + 8 \sin(c + dx) + \sin(2(c + dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2,x]

[Out] (a^2\*(6\*(c + d\*x) + 8\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]))/(4\*d)

**fricas [A]** time = 1.17, size = 36, normalized size = 0.80

$$\frac{3 a^2 dx + (a^2 \cos(dx + c) + 4 a^2) \sin(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/2\*(3\*a^2\*d\*x + (a^2\*cos(d\*x + c) + 4\*a^2)\*sin(d\*x + c))/d

**giac [A]** time = 0.46, size = 38, normalized size = 0.84

$$\frac{3}{2} a^2 x + \frac{a^2 \sin(2 dx + 2 c)}{4 d} + \frac{2 a^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $3/2*a^2*x + 1/4*a^2*\sin(2*d*x + 2*c)/d + 2*a^2*\sin(d*x + c)/d$

**maple** [A] time = 0.05, size = 52, normalized size = 1.16

$$\frac{a^2 \left( \frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2a^2 \sin(dx+c) + a^2(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2,x)

[Out]  $1/d*(a^2*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+2*a^2*\sin(d*x+c)+a^2*(d*x+c))$

**maxima** [A] time = 0.30, size = 45, normalized size = 1.00

$$a^2x + \frac{(2dx + 2c + \sin(2dx + 2c))a^2}{4d} + \frac{2a^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $a^2*x + 1/4*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^2/d + 2*a^2*\sin(d*x + c)/d$

**mupad** [B] time = 0.72, size = 57, normalized size = 1.27

$$\frac{3a^2x}{2} + \frac{3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 5a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2,x)

[Out]  $(3*a^2*x)/2 + (3*a^2*\tan(c/2 + (d*x)/2)^3 + 5*a^2*\tan(c/2 + (d*x)/2))/(d*(\tan(c/2 + (d*x)/2)^2 + 1)^2)$

**sympy** [A] time = 0.25, size = 78, normalized size = 1.73

$$\begin{cases} \frac{a^2x \sin^2(c+dx)}{2} + \frac{a^2x \cos^2(c+dx)}{2} + a^2x + \frac{a^2 \sin(c+dx)\cos(c+dx)}{2d} + \frac{2a^2 \sin(c+dx)}{d} & \text{for } d \neq 0 \\ x(a \cos(c) + a)^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + a\*\*2\*x + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*a\*\*2\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*2, True))

### 3.18 $\int (a + a \cos(c + dx))^2 \sec(c + dx) dx$

Optimal. Leaf size=34

$$\frac{a^2 \sin(c + dx)}{d} + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + 2a^2x$$

[Out]  $2a^2x + a^2 \operatorname{arctanh}(\sin(dx+c))/d + a^2 \sin(dx+c)/d$

**Rubi [A]** time = 0.06, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2746, 2735, 3770}

$$\frac{a^2 \sin(c + dx)}{d} + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + 2a^2x$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x],x]

[Out]  $2a^2x + (a^2 \operatorname{ArcTanh}[\sin[c + d*x]])/d + (a^2 \sin[c + d*x])/d$

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2746

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x])/(d\*f), x] + Dist[1/d, Int[Simp[a^2\*d - b\*(b\*c - 2\*a\*d)\*Sin[e + f\*x], x]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 \sec(c + dx) dx &= \frac{a^2 \sin(c + dx)}{d} + \int (a^2 + 2a^2 \cos(c + dx)) \sec(c + dx) dx \\ &= 2a^2x + \frac{a^2 \sin(c + dx)}{d} + a^2 \int \sec(c + dx) dx \\ &= 2a^2x + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 47, normalized size = 1.38

$$\frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \sin(c) \cos(dx)}{d} + \frac{a^2 \cos(c) \sin(dx)}{d} + 2a^2x$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x],x]



[Out]  $2a^2x + (a^2 \operatorname{ArcTanh}[\sin(c + dx)])/d + (a^2 \cos[dx] \sin[c])/d + (a^2 \cos[c] \sin[dx])/d$

**fricas** [A] time = 1.43, size = 53, normalized size = 1.56

$$\frac{4a^2 dx + a^2 \log(\sin(dx + c) + 1) - a^2 \log(-\sin(dx + c) + 1) + 2a^2 \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*sec(d*x+c),x, algorithm="fricas")`

[Out]  $1/2*(4a^2 dx + a^2 \log(\sin(dx + c) + 1) - a^2 \log(-\sin(dx + c) + 1) + 2a^2 \sin(dx + c))/d$

**giac** [B] time = 0.66, size = 79, normalized size = 2.32

$$\frac{2(dx + c)a^2 + a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*sec(d*x+c),x, algorithm="giac")`

[Out]  $(2*(dx + c)*a^2 + a^2 \log(\operatorname{abs}(\tan(1/2*dx + 1/2*c) + 1)) - a^2 \log(\operatorname{abs}(\tan(1/2*dx + 1/2*c) - 1)) + 2*a^2 \tan(1/2*dx + 1/2*c)/(\tan(1/2*dx + 1/2*c)^2 + 1))/d$

**maple** [A] time = 0.10, size = 51, normalized size = 1.50

$$2a^2x + \frac{a^2 \sin(dx + c)}{d} + \frac{a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{2a^2c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*sec(d*x+c),x)`

[Out]  $2a^2x + a^2 \sin(dx + c)/d + 1/d * a^2 \ln(\sec(dx + c) + \tan(dx + c)) + 2/d * a^2 c$

**maxima** [A] time = 0.30, size = 43, normalized size = 1.26

$$\frac{2(dx + c)a^2 + a^2 \log(\sec(dx + c) + \tan(dx + c)) + a^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*sec(d*x+c),x, algorithm="maxima")`

[Out]  $(2*(dx + c)*a^2 + a^2 \log(\sec(dx + c) + \tan(dx + c)) + a^2 \sin(dx + c))/d$

**mupad** [B] time = 0.40, size = 33, normalized size = 0.97

$$2a^2x + \frac{a^2 \left(2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) + \sin(c + dx)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^2/cos(c + d*x),x)`

[Out]  $2a^2x + (a^2*(2*\operatorname{atanh}(\tan(c/2 + (d*x)/2)) + \sin(c + d*x)))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int 2 \cos(c + dx) \sec(c + dx) dx + \int \cos^2(c + dx) \sec(c + dx) dx + \int \sec(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*sec(d\*x+c),x)

[Out] a\*\*2\*(Integral(2\*cos(c + d\*x)\*sec(c + d\*x), x) + Integral(cos(c + d\*x)\*\*2\*sec(c + d\*x), x) + Integral(sec(c + d\*x), x))

### 3.19 $\int (a + a \cos(c + dx))^2 \sec^2(c + dx) dx$

Optimal. Leaf size=34

$$\frac{a^2 \tan(c + dx)}{d} + \frac{2a^2 \tanh^{-1}(\sin(c + dx))}{d} + a^2 x$$

[Out]  $a^2 x + 2 a^2 \operatorname{arctanh}(\sin(dx+c))/d + a^2 \tan(dx+c)/d$

**Rubi [A]** time = 0.06, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 3770, 3767, 8}

$$\frac{a^2 \tan(c + dx)}{d} + \frac{2a^2 \tanh^{-1}(\sin(c + dx))}{d} + a^2 x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a \cos[c + d*x])^2 \sec[c + d*x]^2, x]$

[Out]  $a^2 x + (2 a^2 \operatorname{ArcTanh}[\sin[c + d*x]])/d + (a^2 \tan[c + d*x])/d$

Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2757

$\text{Int}[(d \sin[e] + f x)^n (a + b \sin[e + f x])^m, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b \sin[e + f x])^m (d \sin[e + f x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x \} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{RationalQ}[n]$

Rule 3767

$\text{Int}[\csc[c + d x] (1 + x^2)^{n/2 - 1}, x\_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], \text{Cot}[c + d x], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rule 3770

$\text{Int}[\csc[c + d x], x\_Symbol] \rightarrow -\text{Simp}[\operatorname{ArcTanh}[\cos[c + d x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 \sec^2(c + dx) dx &= \int (a^2 + 2a^2 \sec(c + dx) + a^2 \sec^2(c + dx)) dx \\ &= a^2 x + a^2 \int \sec^2(c + dx) dx + (2a^2) \int \sec(c + dx) dx \\ &= a^2 x + \frac{2a^2 \tanh^{-1}(\sin(c + dx))}{d} - \frac{a^2 \operatorname{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= a^2 x + \frac{2a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 28, normalized size = 0.82

$$a^2 \left( \frac{\tan(c + dx)}{d} + \frac{2 \tanh^{-1}(\sin(c + dx))}{d} + x \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^2\*Sec[c + d\*x]^2,x]

[Out] a^2\*(x + (2\*ArcTanh[Sin[c + d\*x]])/d + Tan[c + d\*x]/d)

**fricas** [B] time = 1.61, size = 76, normalized size = 2.24

$$\frac{a^2 dx \cos(dx + c) + a^2 \cos(dx + c) \log(\sin(dx + c) + 1) - a^2 \cos(dx + c) \log(-\sin(dx + c) + 1) + a^2 \sin(dx + c)}{d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] (a^2\*d\*x\*cos(d\*x + c) + a^2\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - a^2\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + a^2\*sin(d\*x + c))/(d\*cos(d\*x + c))

**giac** [B] time = 0.58, size = 79, normalized size = 2.32

$$\frac{(dx + c)a^2 + 2a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] ((d\*x + c)\*a^2 + 2\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 2\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*a^2\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1))/d

**maple** [A] time = 0.11, size = 50, normalized size = 1.47

$$a^2 x + \frac{2a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2 \tan(dx + c)}{d} + \frac{a^2 c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x)

[Out] a^2\*x+2/d\*a^2\*ln(sec(d\*x+c)+tan(d\*x+c))+a^2\*tan(d\*x+c)/d+1/d\*a^2\*c

**maxima** [A] time = 0.99, size = 49, normalized size = 1.44

$$\frac{(dx + c)a^2 + a^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + a^2 \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] ((d\*x + c)\*a^2 + a^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + a^2\*tan(d\*x + c))/d

**mupad** [B] time = 0.39, size = 56, normalized size = 1.65

$$a^2 x + \frac{4a^2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{2a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^2/cos(c + d*x)^2,x)
```

```
[Out] a^2*x + (4*a^2*atanh(tan(c/2 + (d*x)/2)))/d - (2*a^2*tan(c/2 + (d*x)/2))/(d*(tan(c/2 + (d*x)/2)^2 - 1))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$a^2 \left( \int 2 \cos(c + dx) \sec^2(c + dx) dx + \int \cos^2(c + dx) \sec^2(c + dx) dx + \int \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2*sec(d*x+c)**2,x)
```

```
[Out] a**2*(Integral(2*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(cos(c + d*x)**2*sec(c + d*x)**2, x) + Integral(sec(c + d*x)**2, x))
```

### 3.20 $\int (a + a \cos(c + dx))^2 \sec^3(c + dx) dx$

**Optimal.** Leaf size=54

$$\frac{2a^2 \tan(c + dx)}{d} + \frac{3a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $3/2*a^2*\operatorname{arctanh}(\sin(d*x+c))/d+2*a^2*\tan(d*x+c)/d+1/2*a^2*\sec(d*x+c)*\tan(d*x+c)/d$

**Rubi [A]** time = 0.08, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3770, 3767, 8, 3768}

$$\frac{2a^2 \tan(c + dx)}{d} + \frac{3a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^2*Sec[c + d*x]^3,x]`

[Out]  $(3*a^2*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*d) + (2*a^2*\operatorname{Tan}[c + d*x])/d + (a^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*d)$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 2757

`Int[((d_)*sin[(e_) + (f_)*(x_)])^(n_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Int[ExpandTrig[(a + b*sin[e + f*x])^m*(d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]`

#### Rule 3767

`Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sec^3(c + dx) dx &= \int (a^2 \sec(c + dx) + 2a^2 \sec^2(c + dx) + a^2 \sec^3(c + dx)) dx \\
&= a^2 \int \sec(c + dx) dx + a^2 \int \sec^3(c + dx) dx + (2a^2) \int \sec^2(c + dx) dx \\
&= \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} a^2 \int \sec(c + dx) dx \\
&= \frac{3a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.01, size = 54, normalized size = 1.00

$$\frac{2a^2 \tan(c + dx)}{d} + \frac{3a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3,x]

[Out] (3\*a^2\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (2\*a^2\*Tan[c + d\*x])/d + (a^2\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**fricas [A]** time = 1.34, size = 83, normalized size = 1.54

$$\frac{3a^2 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - 3a^2 \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(4a^2 \cos(dx + c) + a^2)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(3\*a^2\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - 3\*a^2\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(4\*a^2\*cos(d\*x + c) + a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [A]** time = 0.76, size = 90, normalized size = 1.67

$$\frac{3a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(3a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 5a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(3\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(3\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 5\*a^2\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2/d

**maple [A]** time = 0.13, size = 58, normalized size = 1.07

$$\frac{3a^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2a^2 \tan(dx + c)}{d} + \frac{a^2 \sec(dx + c) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x)

[Out]  $\frac{3}{2} \frac{a^2 \ln(\sec(dx+c) + \tan(dx+c)) + 2a^2 \tan(dx+c)/d + \frac{1}{2} a^2 \sec(dx+c) \tan(dx+c)}{d}$

**maxima** [A] time = 0.45, size = 88, normalized size = 1.63

$$\frac{a^2 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 2a^2 (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) - 8a^2 \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out]  $\frac{-1/4 * (a^2 * (2 * \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 2 * a^2 * (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) - 8 * a^2 * \tan(dx+c))}{d}$

**mupad** [B] time = 0.71, size = 83, normalized size = 1.54

$$\frac{3a^2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{3a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 - 5a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2/cos(c + d\*x)^3,x)

[Out]  $\frac{(3a^2 * \operatorname{atanh}(\tan(c/2 + (dx)/2)))}{d} - \frac{(3a^2 * \tan(c/2 + (dx)/2)^3 - 5a^2 * \tan(c/2 + (dx)/2))}{d * (\tan(c/2 + (dx)/2)^4 - 2 * \tan(c/2 + (dx)/2)^2 + 1)}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int 2 \cos(c + dx) \sec^3(c + dx) dx + \int \cos^2(c + dx) \sec^3(c + dx) dx + \int \sec^3(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*3,x)

[Out]  $a^2 * (\operatorname{Integral}(2 * \cos(c + d*x) * \sec(c + d*x)^3, x) + \operatorname{Integral}(\cos(c + d*x)^2 * \sec(c + d*x)^3, x) + \operatorname{Integral}(\sec(c + d*x)^3, x))$



### 3.21 $\int (a + a \cos(c + dx))^2 \sec^4(c + dx) dx$

**Optimal.** Leaf size=66

$$\frac{a^2 \tan^3(c + dx)}{3d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{d}$$

[Out]  $a^2 \operatorname{arctanh}(\sin(dx+c))/d + 2a^2 \tan(dx+c)/d + a^2 \sec(dx+c) \tan(dx+c)/d + 1/3 a^2 \tan(dx+c)^3/d$

**Rubi [A]** time = 0.09, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3767, 8, 3768, 3770}

$$\frac{a^2 \tan^3(c + dx)}{3d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a \cos[c + dx])^2 \sec^4[c + dx], x]$

[Out]  $(a^2 \operatorname{ArcTanh}[\sin[c + dx]])/d + (2a^2 \tan[c + dx])/d + (a^2 \sec[c + dx] \tan[c + dx])/d + (a^2 \tan[c + dx]^3)/(3d)$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2757

$\text{Int}[(d \sin[e] + f x)^n (a + b \sin[e + f x])^m, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b \sin[e + f x])^m (d \sin[e + f x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rule 3767

$\text{Int}[\csc[c + dx] (c + dx)^n, x\_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \cot[c + dx]], x] /; \text{FreeQ}\{c, d\}, x \ \&\& \ \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\csc[c + dx] + d x)(b)^n, x\_Symbol] \rightarrow -\text{Simp}[(b \cos[c + dx])^n (b \csc[c + dx])^{n-1} / (d(n-1)), x] + \text{Dist}[(b^2(n-2)) / (n-1), \text{Int}[(b \csc[c + dx])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\csc[c + dx] (c + dx), x\_Symbol] \rightarrow -\text{Simp}[\operatorname{ArcTanh}[\cos[c + dx]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sec^4(c + dx) dx &= \int (a^2 \sec^2(c + dx) + 2a^2 \sec^3(c + dx) + a^2 \sec^4(c + dx)) dx \\
&= a^2 \int \sec^2(c + dx) dx + a^2 \int \sec^4(c + dx) dx + (2a^2) \int \sec^3(c + dx) dx \\
&= \frac{a^2 \sec(c + dx) \tan(c + dx)}{d} + a^2 \int \sec(c + dx) dx - \frac{a^2 \operatorname{Subst}(\int 1 dx, x, -)}{d} \\
&= \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [B]** time = 5.78, size = 162, normalized size = 2.45

$$\frac{a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \left(-2 \tan(c) \cos(c + dx) - \sec(c)(-4 \sin(2c + dx) + 3 \sin(c + 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4,x]

[Out] -1/48\*(a^2\*(1 + Cos[c + d\*x])^2\*Sec[(c + d\*x)/2]^4\*Sec[c + d\*x]^3\*(12\*Cos[c + d\*x]^3\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) - Sec[c]\*(13\*Sin[d\*x] - 4\*Sin[2\*c + d\*x] + 3\*Sin[c + 2\*d\*x] + 3\*Sin[3\*c + 2\*d\*x] + 5\*Sin[2\*c + 3\*d\*x]) - 2\*Cos[c + d\*x]\*Tan[c])/d

**fricas [A]** time = 1.63, size = 96, normalized size = 1.45

$$\frac{3 a^2 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3 a^2 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(5 a^2 \cos(dx + c)^2 + 3 a^2 \cos(dx + c)) \log(\sin(dx + c) + 1) - 2(5 a^2 \cos(dx + c)^2 + 3 a^2 \cos(dx + c)) \log(-\sin(dx + c) + 1)}{6 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/6\*(3\*a^2\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*a^2\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(5\*a^2\*cos(d\*x + c)^2 + 3\*a^2\*cos(d\*x + c) + a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [A]** time = 0.64, size = 106, normalized size = 1.61

$$\frac{3 a^2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 3 a^2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(3 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 8 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^3}}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/3\*(3\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(3\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 8\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*a^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1^3)/d

**maple [A]** time = 0.13, size = 78, normalized size = 1.18

$$\frac{5 a^2 \tan(dx + c)}{3 d} + \frac{a^2 \sec(dx + c) \tan(dx + c)}{d} + \frac{a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2 (\sec^2(dx + c)) \tan(dx + c)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2*sec(d*x+c)^4,x)`

[Out]  $5/3*a^2*\tan(d*x+c)/d+a^2*\sec(d*x+c)*\tan(d*x+c)/d+1/d*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+1/3*a^2*\sec(d*x+c)^2*\tan(d*x+c)/d$

**maxima** [A] time = 0.35, size = 85, normalized size = 1.29

$$\frac{2\left(\tan(dx+c)^3+3\tan(dx+c)\right)a^2-3a^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)+6a^2\tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*sec(d*x+c)^4,x, algorithm="maxima")`

[Out]  $1/6*(2*(\tan(d*x+c)^3+3*\tan(d*x+c))*a^2-3*a^2*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1)-\log(\sin(d*x+c)+1)+\log(\sin(d*x+c)-1))+6*a^2*\tan(d*x+c))/d$

**mupad** [B] time = 2.01, size = 112, normalized size = 1.70

$$\frac{2a^2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{2a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{16a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 6a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(c+d*x))^2/cos(c+d*x)^4,x)`

[Out]  $(2*a^2*\operatorname{atanh}(\tan(c/2+(d*x)/2)))/d-(2*a^2*\tan(c/2+(d*x)/2)^5-(16*a^2*\tan(c/2+(d*x)/2)^3)/3+6*a^2*\tan(c/2+(d*x)/2))/(d*(3*\tan(c/2+(d*x)/2)^2-3*\tan(c/2+(d*x)/2)^4+\tan(c/2+(d*x)/2)^6-1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int 2 \cos(c+dx) \sec^4(c+dx) dx + \int \cos^2(c+dx) \sec^4(c+dx) dx + \int \sec^4(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*sec(d*x+c)**4,x)`

[Out]  $a**2*(\operatorname{Integral}(2*\cos(c+d*x)*\sec(c+d*x)**4,x)+\operatorname{Integral}(\cos(c+d*x)**2*\sec(c+d*x)**4,x)+\operatorname{Integral}(\sec(c+d*x)**4,x))$

### 3.22 $\int (a + a \cos(c + dx))^2 \sec^5(c + dx) dx$

**Optimal.** Leaf size=96

$$\frac{2a^2 \tan^3(c + dx)}{3d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{7a^2 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{7a^2 \tan(c + dx) \sec(c + dx)}{8d}$$

[Out]  $7/8*a^2*\arctanh(\sin(d*x+c))/d+2*a^2*\tan(d*x+c)/d+7/8*a^2*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a^2*\sec(d*x+c)^3*\tan(d*x+c)/d+2/3*a^2*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.11, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 3768, 3770, 3767}

$$\frac{2a^2 \tan^3(c + dx)}{3d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{7a^2 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{7a^2 \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^2*Sec[c + d*x]^5,x]`

[Out]  $(7*a^2*\text{ArcTanh}[\text{Sin}[c + d*x]])/(8*d) + (2*a^2*\text{Tan}[c + d*x])/d + (7*a^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(8*d) + (a^2*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(4*d) + (2*a^2*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2757

`Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Int[ExpandTrig[(a + b*sin[e + f*x])^m*(d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sec^5(c + dx) dx &= \int (a^2 \sec^3(c + dx) + 2a^2 \sec^4(c + dx) + a^2 \sec^5(c + dx)) dx \\
&= a^2 \int \sec^3(c + dx) dx + a^2 \int \sec^5(c + dx) dx + (2a^2) \int \sec^4(c + dx) dx \\
&= \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{2} a^2 \int \sec^2(c + dx) dx \\
&= \frac{a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{7a^2 \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{7a^2 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{2a^2 \tan(c + dx)}{d} + \frac{7a^2 \sec(c + dx) \tan(c + dx)}{8d}
\end{aligned}$$

**Mathematica [B]** time = 6.43, size = 797, normalized size = 8.30

$$\frac{7(\cos(c + dx)a + a)^2 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{32d} + \frac{7(\cos(c + dx)a + a)^2 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{32d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^5,x]

[Out] 
$$\begin{aligned}
&(-7*(a + a*\text{Cos}[c + d*x])^2*\text{Log}[\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2]]*\text{Sec}[c/2 + (d*x)/2]^4)/(32*d) + (7*(a + a*\text{Cos}[c + d*x])^2*\text{Log}[\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2]]*\text{Sec}[c/2 + (d*x)/2]^4)/(32*d) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4)/(64*d*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^4) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Sin}[(d*x)/2])/(12*d*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^3) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*(29*\text{Cos}[c/2] - 13*\text{Sin}[c/2]))/(192*d*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^2) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Sin}[(d*x)/2])/(3*d*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])) - ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4)/(64*d*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^4) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Sin}[(d*x)/2])/(12*d*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^3) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*(-29*\text{Cos}[c/2] - 13*\text{Sin}[c/2]))/(192*d*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^2) + ((a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Sin}[(d*x)/2])/(3*d*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2]))
\end{aligned}$$

**fricas [A]** time = 1.89, size = 111, normalized size = 1.16

$$\frac{21 a^2 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 21 a^2 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(32 a^2 \cos(dx + c)^3 + 48 d \cos(dx + c)^4)}{48 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 
$$\frac{1}{48}*(21*a^2*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 21*a^2*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) + 2*(32*a^2*\cos(d*x + c)^3 + 21*a^2*\cos(d*x + c)^2 + 16*a^2*\cos(d*x + c) + 6*a^2)*\sin(d*x + c))/(d*\cos(d*x + c)^4)$$

**giac [A]** time = 0.68, size = 122, normalized size = 1.27

$$\frac{21 a^2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 21 a^2 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(21 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 77 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 83 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 7 a^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2}}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24}*(21*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 21*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(21*a^2*\tan(1/2*d*x + 1/2*c)^7 - 77*a^2*\tan(1/2*d*x + 1/2*c)^5 + 83*a^2*\tan(1/2*d*x + 1/2*c)^3 - 75*a^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

**maple [A]** time = 0.14, size = 102, normalized size = 1.06

$$\frac{7a^2 \sec(dx+c) \tan(dx+c)}{8d} + \frac{7a^2 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{4a^2 \tan(dx+c)}{3d} + \frac{2a^2 (\sec^2(dx+c)) \tan(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x)

[Out]  $\frac{7}{8}*a^2*\sec(d*x+c)*\tan(d*x+c)/d + \frac{7}{8}/d*a^2*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{4}{3}*a^2*\tan(d*x+c)/d + \frac{2}{3}*a^2*\sec(d*x+c)^2*\tan(d*x+c)/d + \frac{1}{4}*a^2*\sec(d*x+c)^3*\tan(d*x+c)/d$

**maxima [A]** time = 0.31, size = 145, normalized size = 1.51

$$\frac{32 (\tan(dx+c)^3 + 3 \tan(dx+c)) a^2 - 3 a^2 \left( \frac{2 (3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)}{48 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{48}*(32*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^2 - 3*a^2*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 12*a^2*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)))/d$

**mupad [B]** time = 3.35, size = 141, normalized size = 1.47

$$\frac{7a^2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4d} - \frac{\frac{7a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} - \frac{77a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{83a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} - \frac{25a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2/cos(c + d\*x)^5,x)

[Out]  $\frac{(7*a^2*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(4*d) - ((83*a^2*\tan(c/2 + (d*x)/2)^3)/12 - (77*a^2*\tan(c/2 + (d*x)/2)^5)/12 + (7*a^2*\tan(c/2 + (d*x)/2)^7)/4 - (25*a^2*\tan(c/2 + (d*x)/2))/4)/(d*(6*\tan(c/2 + (d*x)/2)^4 - 4*\tan(c/2 + (d*x)/2)^2 - 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1)}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

### 3.23 $\int \cos^3(c + dx)(a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=129

$$\frac{3a^3 \sin^5(c + dx)}{5d} - \frac{7a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{a^3 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{23a^3 \sin(c + dx) \cos^3(c + dx)}{24d}$$

[Out]  $\frac{23}{16}a^3x + 4a^3\sin(dx+c)/d + 23/16a^3\cos(dx+c)*\sin(dx+c)/d + 23/24a^3\cos(dx+c)^3*\sin(dx+c)/d + 1/6a^3\cos(dx+c)^5*\sin(dx+c)/d - 7/3a^3\sin(dx+c)^3/d + 3/5a^3\sin(dx+c)^5/d$

**Rubi [A]** time = 0.15, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2633, 2635, 8}

$$\frac{3a^3 \sin^5(c + dx)}{5d} - \frac{7a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{a^3 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{23a^3 \sin(c + dx) \cos^3(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*cos[c + d\*x])^3,x]

[Out]  $(23*a^3*x)/16 + (4*a^3*\sin[c + d*x])/d + (23*a^3*\cos[c + d*x]*\sin[c + d*x])/(16*d) + (23*a^3*\cos[c + d*x]^3*\sin[c + d*x])/(24*d) + (a^3*\cos[c + d*x]^5*\sin[c + d*x])/(6*d) - (7*a^3*\sin[c + d*x]^3)/(3*d) + (3*a^3*\sin[c + d*x]^5)/(5*d)$

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x]\*(b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2757**

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

**Rubi steps**

$$\begin{aligned}
\int \cos^3(c+dx)(a+a\cos(c+dx))^3 dx &= \int (a^3 \cos^3(c+dx) + 3a^3 \cos^4(c+dx) + 3a^3 \cos^5(c+dx) + a^3 \cos^6(c+dx)) dx \\
&= a^3 \int \cos^3(c+dx) dx + a^3 \int \cos^6(c+dx) dx + (3a^3) \int \cos^4(c+dx) dx \\
&= \frac{3a^3 \cos^3(c+dx) \sin(c+dx)}{4d} + \frac{a^3 \cos^5(c+dx) \sin(c+dx)}{6d} + \frac{1}{6} (5a^3) \int \cos^2(c+dx) dx \\
&= \frac{4a^3 \sin(c+dx)}{d} + \frac{9a^3 \cos(c+dx) \sin(c+dx)}{8d} + \frac{23a^3 \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{9a^3 x}{8} + \frac{4a^3 \sin(c+dx)}{d} + \frac{23a^3 \cos(c+dx) \sin(c+dx)}{16d} + \frac{23a^3 \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{23a^3 x}{16} + \frac{4a^3 \sin(c+dx)}{d} + \frac{23a^3 \cos(c+dx) \sin(c+dx)}{16d} + \frac{23a^3 \cos^3(c+dx) \sin(c+dx)}{24d}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 73, normalized size = 0.57

$$\frac{a^3(2520 \sin(c+dx) + 945 \sin(2(c+dx)) + 380 \sin(3(c+dx)) + 135 \sin(4(c+dx)) + 36 \sin(5(c+dx)) + 5 \sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d\*x]^3\*(a+a\*cos[c+d\*x])^3,x]

[Out] (a^3\*(1380\*d\*x + 2520\*Sin[c+d\*x] + 945\*Sin[2\*(c+d\*x)] + 380\*Sin[3\*(c+d\*x)] + 135\*Sin[4\*(c+d\*x)] + 36\*Sin[5\*(c+d\*x)] + 5\*Sin[6\*(c+d\*x)]))/960\*d)

**fricas [A]** time = 0.88, size = 89, normalized size = 0.69

$$\frac{345 a^3 dx + (40 a^3 \cos(dx+c)^5 + 144 a^3 \cos(dx+c)^4 + 230 a^3 \cos(dx+c)^3 + 272 a^3 \cos(dx+c)^2 + 345 a^3 \cos(dx+c) + 544 a^3 \sin(dx+c))}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/240\*(345\*a^3\*d\*x + (40\*a^3\*cos(d\*x+c)^5 + 144\*a^3\*cos(d\*x+c)^4 + 230\*a^3\*cos(d\*x+c)^3 + 272\*a^3\*cos(d\*x+c)^2 + 345\*a^3\*cos(d\*x+c) + 544\*a^3\*sin(d\*x+c))/d)

**giac [A]** time = 0.62, size = 106, normalized size = 0.82

$$\frac{23}{16} a^3 x + \frac{a^3 \sin(6dx+6c)}{192d} + \frac{3a^3 \sin(5dx+5c)}{80d} + \frac{9a^3 \sin(4dx+4c)}{64d} + \frac{19a^3 \sin(3dx+3c)}{48d} + \frac{63a^3 \sin(2dx+2c)}{64d} + \frac{21a^3 \sin(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 23/16\*a^3\*x + 1/192\*a^3\*sin(6\*d\*x + 6\*c)/d + 3/80\*a^3\*sin(5\*d\*x + 5\*c)/d + 9/64\*a^3\*sin(4\*d\*x + 4\*c)/d + 19/48\*a^3\*sin(3\*d\*x + 3\*c)/d + 63/64\*a^3\*sin(2\*d\*x + 2\*c)/d + 21/8\*a^3\*sin(d\*x + c)/d

**maple [A]** time = 0.06, size = 143, normalized size = 1.11

$$\frac{a^3 \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{3a^3 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + 3a^3 \left( \frac{\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2}}{4} \right) \sin(dx+c)}{d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*cos(d*x+c))^3,x)`

[Out]  $\frac{1}{d} \left( a^3 \left( \frac{1}{6} \cos^5(d*x+c) + \frac{5}{4} \cos^3(d*x+c) + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d*x + \frac{5}{16} c \right) + \frac{3}{5} a^3 \left( \frac{8}{3} \cos^4(d*x+c) + \frac{4}{3} \cos^2(d*x+c) \right) \sin(d*x+c) + 3 a^3 \left( \frac{1}{4} \cos^3(d*x+c) + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d*x + \frac{3}{8} c + \frac{1}{3} a^3 \left( 2 \cos^2(d*x+c) \right) \sin(d*x+c) \right)$

**maxima** [A] time = 1.97, size = 143, normalized size = 1.11

$192 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a^3 - 5 \left( 4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx) \right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^3,x, algorithm="maxima")`

[Out]  $\frac{1}{960} \left( 192 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a^3 - 5 \left( 4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) a^3 - 320 \left( \sin^3(dx+c) - 3 \sin(dx+c) \right) a^3 + 90 \left( 12 dx + 12 c + \sin(4dx+4c) + 8 \sin(2dx+2c) \right) a^3 \right) / d$

**mupad** [B] time = 2.87, size = 121, normalized size = 0.94

$$\frac{23 a^3 x}{16} + \frac{\frac{23 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}{8} + \frac{391 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{24} + \frac{759 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{20} + \frac{969 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \frac{211 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{8} + \frac{105 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^3*(a+a*cos(c+d*x))^3,x)`

[Out]  $\frac{(23 a^3 x)/16 + ((211 a^3 \tan(c/2 + (d*x)/2)^3)/8 + (969 a^3 \tan(c/2 + (d*x)/2)^5)/20 + (759 a^3 \tan(c/2 + (d*x)/2)^7)/20 + (391 a^3 \tan(c/2 + (d*x)/2)^9)/24 + (23 a^3 \tan(c/2 + (d*x)/2)^{11})/8 + (105 a^3 \tan(c/2 + (d*x)/2)))/8}{(d * (\tan(c/2 + (d*x)/2)^2 + 1)^6)}$

**sympy** [A] time = 3.65, size = 379, normalized size = 2.94

$$\left\{ \begin{array}{l} \frac{5 a^3 x \sin^6(c+dx)}{16} + \frac{15 a^3 x \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{9 a^3 x \sin^4(c+dx)}{8} + \frac{15 a^3 x \sin^2(c+dx) \cos^4(c+dx)}{16} + \frac{9 a^3 x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{5 a^3 x \cos^6(c+dx)}{16} + \frac{15 a^3 x \cos^4(c+dx)}{8} + \frac{9 a^3 x \cos^2(c+dx)}{4} + \frac{5 a^3 x}{16} \\ x (a \cos(c) + a)^3 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**3,x)`

[Out] `Piecewise((5*a**3*x*sin(c+d*x)**6/16 + 15*a**3*x*sin(c+d*x)**4*cos(c+d*x)**2/16 + 9*a**3*x*sin(c+d*x)**4/8 + 15*a**3*x*sin(c+d*x)**2*cos(c+d*x)**4/16 + 9*a**3*x*sin(c+d*x)**2*cos(c+d*x)**2/4 + 5*a**3*x*cos(c+d*x)**6/16 + 9*a**3*x*cos(c+d*x)**4/8 + 5*a**3*sin(c+d*x)**5*cos(c+d*x)/(16*d) + 8*a**3*sin(c+d*x)**5/(5*d) + 5*a**3*sin(c+d*x)**3*cos(c+d*x)**3/(6*d) + 4*a**3*sin(c+d*x)**3*cos(c+d*x)**2/d + 9*a**3*sin(c+d*x)**3*cos(c+d*x)/(8*d) + 2*a**3*sin(c+d*x)**3/(3*d) + 11*a**3*sin(c+d*x)*cos(c+d*x)**5/(16*d) + 3*a**3*sin(c+d*x)*cos(c+d*x)**4/d + 15*a**3*sin(c+d*x)*cos(c+d*x)**3/(8*d) + a**3*sin(c+d*x)*cos(c+d*x)**2/d, Ne(d, 0)), (x*(a*cos(c) + a)**3*cos(c)**3, True))`

### 3.24 $\int \cos^2(c + dx)(a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=105

$$\frac{a^3 \sin^5(c + dx)}{5d} - \frac{5a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{3a^3 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{13a^3 \sin(c + dx) \cos(c + dx)}{8d} +$$

[Out]  $13/8*a^3*x+4*a^3*\sin(d*x+c)/d+13/8*a^3*\cos(d*x+c)*\sin(d*x+c)/d+3/4*a^3*\cos(d*x+c)^3*\sin(d*x+c)/d-5/3*a^3*\sin(d*x+c)^3/d+1/5*a^3*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.12, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2635, 8, 2633}

$$\frac{a^3 \sin^5(c + dx)}{5d} - \frac{5a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{3a^3 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{13a^3 \sin(c + dx) \cos(c + dx)}{8d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^3,x]

[Out]  $(13*a^3*x)/8 + (4*a^3*\sin[c + d*x])/d + (13*a^3*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (3*a^3*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (5*a^3*\sin[c + d*x]^3)/(3*d) + (a^3*\sin[c + d*x]^5)/(5*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.))\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+a\cos(c+dx))^3 dx &= \int (a^3 \cos^2(c+dx) + 3a^3 \cos^3(c+dx) + 3a^3 \cos^4(c+dx) + a^3 \cos^5(c+dx)) dx \\
&= a^3 \int \cos^2(c+dx) dx + a^3 \int \cos^5(c+dx) dx + (3a^3) \int \cos^3(c+dx) dx \\
&= \frac{a^3 \cos(c+dx) \sin(c+dx)}{2d} + \frac{3a^3 \cos^3(c+dx) \sin(c+dx)}{4d} + \frac{1}{2} a^3 \int 1 dx \\
&= \frac{a^3 x}{2} + \frac{4a^3 \sin(c+dx)}{d} + \frac{13a^3 \cos(c+dx) \sin(c+dx)}{8d} + \frac{3a^3 \cos^3(c+dx) \sin(c+dx)}{4d} \\
&= \frac{13a^3 x}{8} + \frac{4a^3 \sin(c+dx)}{d} + \frac{13a^3 \cos(c+dx) \sin(c+dx)}{8d} + \frac{3a^3 \cos^3(c+dx) \sin(c+dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 63, normalized size = 0.60

$$\frac{a^3(1380 \sin(c+dx) + 480 \sin(2(c+dx)) + 170 \sin(3(c+dx)) + 45 \sin(4(c+dx)) + 6 \sin(5(c+dx)) + 780dx)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^3,x]

[Out] (a^3\*(780\*d\*x + 1380\*Sin[c + d\*x] + 480\*Sin[2\*(c + d\*x)] + 170\*Sin[3\*(c + d\*x)] + 45\*Sin[4\*(c + d\*x)] + 6\*Sin[5\*(c + d\*x)]))/(480\*d)

**fricas [A]** time = 2.16, size = 76, normalized size = 0.72

$$\frac{195 a^3 dx + (24 a^3 \cos(dx+c)^4 + 90 a^3 \cos(dx+c)^3 + 152 a^3 \cos(dx+c)^2 + 195 a^3 \cos(dx+c) + 304 a^3) \sin(dx+c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/120\*(195\*a^3\*d\*x + (24\*a^3\*cos(d\*x + c)^4 + 90\*a^3\*cos(d\*x + c)^3 + 152\*a^3\*cos(d\*x + c)^2 + 195\*a^3\*cos(d\*x + c) + 304\*a^3)\*sin(d\*x + c))/d

**giac [A]** time = 0.79, size = 88, normalized size = 0.84

$$\frac{13}{8} a^3 x + \frac{a^3 \sin(5 dx + 5 c)}{80 d} + \frac{3 a^3 \sin(4 dx + 4 c)}{32 d} + \frac{17 a^3 \sin(3 dx + 3 c)}{48 d} + \frac{a^3 \sin(2 dx + 2 c)}{d} + \frac{23 a^3 \sin(dx + c)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 13/8\*a^3\*x + 1/80\*a^3\*sin(5\*d\*x + 5\*c)/d + 3/32\*a^3\*sin(4\*d\*x + 4\*c)/d + 17/48\*a^3\*sin(3\*d\*x + 3\*c)/d + a^3\*sin(2\*d\*x + 2\*c)/d + 23/8\*a^3\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 121, normalized size = 1.15

$$\frac{a^3 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + 3a^3 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + a^3 (2 + \cos^2(dx+c)) \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3,x)

[Out]  $1/d*(1/5*a^3*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+3*a^3*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+a^3*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a^3*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c))$

**maxima [A]** time = 0.63, size = 117, normalized size = 1.11

$$\frac{32 \left( 3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) a^3 - 480 \left( \sin(dx + c)^3 - 3 \sin(dx + c) \right) a^3 + 45 (12 dx + 12 c)}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^3,x, algorithm="maxima")`

[Out]  $1/480*(32*(3*\sin(dx + c)^5 - 10*\sin(dx + c)^3 + 15*\sin(dx + c))*a^3 - 480*(\sin(dx + c)^3 - 3*\sin(dx + c))*a^3 + 45*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^3 + 120*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^3)/d$

**mupad [B]** time = 3.71, size = 105, normalized size = 1.00

$$\frac{13 a^3 x}{8} + \frac{\frac{13 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{4} + \frac{91 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{6} + \frac{416 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} + \frac{133 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6} + \frac{51 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^3,x)`

[Out]  $(13*a^3*x)/8 + ((133*a^3*\tan(c/2 + (d*x)/2)^3)/6 + (416*a^3*\tan(c/2 + (d*x)/2)^5)/15 + (91*a^3*\tan(c/2 + (d*x)/2)^7)/6 + (13*a^3*\tan(c/2 + (d*x)/2)^9)/4 + (51*a^3*\tan(c/2 + (d*x)/2))/4)/(d*(\tan(c/2 + (d*x)/2)^2 + 1)^5)$

**sympy [A]** time = 2.08, size = 272, normalized size = 2.59

$$\left\{ \begin{array}{l} \frac{9a^3x \sin^4(c+dx)}{8} + \frac{9a^3x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{a^3x \sin^2(c+dx)}{2} + \frac{9a^3x \cos^4(c+dx)}{8} + \frac{a^3x \cos^2(c+dx)}{2} + \frac{8a^3 \sin^5(c+dx)}{15d} + \frac{4a^3 \sin^3(c+dx)}{3d} \\ x(a \cos(c) + a)^3 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**3,x)`

[Out] `Piecewise((9*a**3*x*sin(c + d*x)**4/8 + 9*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + a**3*x*sin(c + d*x)**2/2 + 9*a**3*x*cos(c + d*x)**4/8 + a**3*x*cos(c + d*x)**2/2 + 8*a**3*sin(c + d*x)**5/(15*d) + 4*a**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*a**3*sin(c + d*x)**3/d + a**3*sin(c + d*x)*cos(c + d*x)**4/d + 15*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 3*a**3*sin(c + d*x)*cos(c + d*x)**2/d + a**3*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(a*cos(c) + a)**3*cos(c)**2, True))`

### 3.25 $\int \cos(c + dx)(a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=85

$$-\frac{a^3 \sin^3(c + dx)}{d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{a^3 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{15a^3 \sin(c + dx) \cos(c + dx)}{8d} + \frac{15a^3 x}{8}$$

[Out]  $15/8*a^3*x+4*a^3*\sin(d*x+c)/d+15/8*a^3*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a^3*\cos(d*x+c)^3*\sin(d*x+c)/d-a^3*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.08, antiderivative size = 88, normalized size of antiderivative = 1.04, number of steps used = 8, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{a^3 \sin^3(c + dx)}{4d} + \frac{3a^3 \sin(c + dx)}{d} + \frac{9a^3 \sin(c + dx) \cos(c + dx)}{8d} + \frac{15a^3 x}{8} + \frac{\sin(c + dx)(a \cos(c + dx) + a)^3}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^3,x]

[Out]  $(15*a^3*x)/8 + (3*a^3*\sin[c + d*x])/d + (9*a^3*\cos[c + d*x]*\sin[c + d*x])/(8*d) + ((a + a*\cos[c + d*x])^3*\sin[c + d*x])/(4*d) - (a^3*\sin[c + d*x]^3)/(4*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[SIN[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2645

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*SIN[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned}
\int \cos(c+dx)(a+a\cos(c+dx))^3 dx &= \frac{(a+a\cos(c+dx))^3 \sin(c+dx)}{4d} + \frac{3}{4} \int (a+a\cos(c+dx))^3 dx \\
&= \frac{(a+a\cos(c+dx))^3 \sin(c+dx)}{4d} + \frac{3}{4} \int (a^3 + 3a^3 \cos(c+dx) + 3a^3 \cos^2(c+dx) + a^3 \cos^3(c+dx)) dx \\
&= \frac{3a^3x}{4} + \frac{(a+a\cos(c+dx))^3 \sin(c+dx)}{4d} + \frac{1}{4} (3a^3) \int \cos^3(c+dx) dx + \frac{1}{4} \int (a^3 + 3a^3 \cos(c+dx) + 3a^3 \cos^2(c+dx)) dx \\
&= \frac{3a^3x}{4} + \frac{9a^3 \sin(c+dx)}{4d} + \frac{9a^3 \cos(c+dx) \sin(c+dx)}{8d} + \frac{(a+a\cos(c+dx))^3 \sin(c+dx)}{4d} \\
&= \frac{15a^3x}{8} + \frac{3a^3 \sin(c+dx)}{d} + \frac{9a^3 \cos(c+dx) \sin(c+dx)}{8d} + \frac{(a+a\cos(c+dx))^3 \sin(c+dx)}{4d}
\end{aligned}$$

**Mathematica** [A] time = 0.12, size = 51, normalized size = 0.60

$$\frac{a^3(104 \sin(c+dx) + 32 \sin(2(c+dx)) + 8 \sin(3(c+dx)) + \sin(4(c+dx)) + 60dx)}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^3,x]

[Out] (a^3\*(60\*d\*x + 104\*Sin[c + d\*x] + 32\*Sin[2\*(c + d\*x)] + 8\*Sin[3\*(c + d\*x)] + Sin[4\*(c + d\*x)]))/(32\*d)

**fricas** [A] time = 1.53, size = 63, normalized size = 0.74

$$\frac{15a^3dx + (2a^3 \cos(dx+c)^3 + 8a^3 \cos(dx+c)^2 + 15a^3 \cos(dx+c) + 24a^3) \sin(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/8\*(15\*a^3\*d\*x + (2\*a^3\*cos(d\*x + c)^3 + 8\*a^3\*cos(d\*x + c)^2 + 15\*a^3\*cos(d\*x + c) + 24\*a^3)\*sin(d\*x + c))/d

**giac** [A] time = 0.40, size = 71, normalized size = 0.84

$$\frac{15}{8} a^3 x + \frac{a^3 \sin(4dx+4c)}{32d} + \frac{a^3 \sin(3dx+3c)}{4d} + \frac{a^3 \sin(2dx+2c)}{d} + \frac{13a^3 \sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 15/8\*a^3\*x + 1/32\*a^3\*sin(4\*d\*x + 4\*c)/d + 1/4\*a^3\*sin(3\*d\*x + 3\*c)/d + a^3\*sin(2\*d\*x + 2\*c)/d + 13/4\*a^3\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 100, normalized size = 1.18

$$\frac{a^3 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + a^3 (2 + \cos^2(dx+c)) \sin(dx+c) + 3a^3 \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3,x)

[Out]  $1/d*(a^3*(1/4*(\cos(dx+c)^3+3/2*\cos(dx+c))*\sin(dx+c)+3/8*d*x+3/8*c)+a^3*(2+\cos(dx+c)^2)*\sin(dx+c)+3*a^3*(1/2*\cos(dx+c)*\sin(dx+c)+1/2*d*x+1/2*c)+a^3*\sin(dx+c))$

**maxima** [A] time = 0.84, size = 94, normalized size = 1.11

$$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))a^3 - (12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))a^3 - 24(2dx + 2c)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(a+a*cos(dx+c))^3,x, algorithm="maxima")`

[Out]  $-1/32*(32*(\sin(dx+c)^3 - 3*\sin(dx+c))*a^3 - (12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^3 - 24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^3 - 32*a^3*\sin(dx+c))/d$

**mupad** [B] time = 3.49, size = 89, normalized size = 1.05

$$\frac{15a^3x}{8} + \frac{15a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{55a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{4} + \frac{73a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{4} + \frac{49a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}$$

$$d\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + dx)*(a + a*cos(c + dx))^3,x)`

[Out]  $(15*a^3*x)/8 + ((73*a^3*\tan(c/2 + (d*x)/2)^3)/4 + (55*a^3*\tan(c/2 + (d*x)/2)^5)/4 + (15*a^3*\tan(c/2 + (d*x)/2)^7)/4 + (49*a^3*\tan(c/2 + (d*x)/2))/4)/(d*(\tan(c/2 + (d*x)/2)^2 + 1)^4)$

**sympy** [A] time = 1.03, size = 224, normalized size = 2.64

$$\left\{ \begin{array}{l} \frac{3a^3x \sin^4(c+dx)}{8} + \frac{3a^3x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3a^3x \sin^2(c+dx)}{2} + \frac{3a^3x \cos^4(c+dx)}{8} + \frac{3a^3x \cos^2(c+dx)}{2} + \frac{3a^3 \sin^3(c+dx) \cos(c+dx)}{8d} \\ x(a \cos(c) + a)^3 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(a+a*cos(dx+c))**3,x)`

[Out] `Piecewise((3*a**3*x*sin(c + d*x)**4/8 + 3*a**3*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*a**3*x*sin(c + d*x)**2/2 + 3*a**3*x*cos(c + d*x)**4/8 + 3*a**3*x*cos(c + d*x)**2/2 + 3*a**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 2*a**3*sin(c + d*x)**3/d + 5*a**3*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 3*a**3*sin(c + d*x)*cos(c + d*x)**2/d + 3*a**3*sin(c + d*x)*cos(c + d*x)/(2*d) + a**3*sin(c + d*x)/d, Ne(d, 0)), (x*(a*cos(c) + a)**3*cos(c), True))`

### 3.26 $\int (a + a \cos(c + dx))^3 dx$

Optimal. Leaf size=63

$$-\frac{a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{3a^3 \sin(c + dx) \cos(c + dx)}{2d} + \frac{5a^3 x}{2}$$

[Out]  $5/2*a^3*x+4*a^3*\sin(d*x+c)/d+3/2*a^3*\cos(d*x+c)*\sin(d*x+c)/d-1/3*a^3*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2645, 2637, 2635, 8, 2633}

$$-\frac{a^3 \sin^3(c + dx)}{3d} + \frac{4a^3 \sin(c + dx)}{d} + \frac{3a^3 \sin(c + dx) \cos(c + dx)}{2d} + \frac{5a^3 x}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3,x]

[Out]  $(5*a^3*x)/2 + (4*a^3*\sin[c + d*x])/d + (3*a^3*\cos[c + d*x]*\sin[c + d*x])/(2*d) - (a^3*\sin[c + d*x]^3)/(3*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2645

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

#### Rubi steps



$$\begin{aligned}
\int (a + a \cos(c + dx))^3 dx &= \int (a^3 + 3a^3 \cos(c + dx) + 3a^3 \cos^2(c + dx) + a^3 \cos^3(c + dx)) dx \\
&= a^3 x + a^3 \int \cos^3(c + dx) dx + (3a^3) \int \cos(c + dx) dx + (3a^3) \int \cos^2(c + dx) dx \\
&= a^3 x + \frac{3a^3 \sin(c + dx)}{d} + \frac{3a^3 \cos(c + dx) \sin(c + dx)}{2d} + \frac{1}{2} (3a^3) \int 1 dx - \frac{a^3 \text{Subst}}{3d} \\
&= \frac{5a^3 x}{2} + \frac{4a^3 \sin(c + dx)}{d} + \frac{3a^3 \cos(c + dx) \sin(c + dx)}{2d} - \frac{a^3 \sin^3(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 44, normalized size = 0.70

$$\frac{a^3(45 \sin(c + dx) + 9 \sin(2(c + dx)) + \sin(3(c + dx)) + 30c + 30dx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3,x]

[Out] (a^3\*(30\*c + 30\*d\*x + 45\*Sin[c + d\*x] + 9\*Sin[2\*(c + d\*x)] + Sin[3\*(c + d\*x)]))/(12\*d)

**fricas [A]** time = 1.97, size = 50, normalized size = 0.79

$$\frac{15 a^3 dx + (2 a^3 \cos(dx + c)^2 + 9 a^3 \cos(dx + c) + 22 a^3) \sin(dx + c)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/6\*(15\*a^3\*d\*x + (2\*a^3\*cos(d\*x + c)^2 + 9\*a^3\*cos(d\*x + c) + 22\*a^3)\*sin(d\*x + c))/d

**giac [A]** time = 0.43, size = 55, normalized size = 0.87

$$\frac{5}{2} a^3 x + \frac{a^3 \sin(3 dx + 3 c)}{12 d} + \frac{3 a^3 \sin(2 dx + 2 c)}{4 d} + \frac{15 a^3 \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 5/2\*a^3\*x + 1/12\*a^3\*sin(3\*d\*x + 3\*c)/d + 3/4\*a^3\*sin(2\*d\*x + 2\*c)/d + 15/4\*a^3\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 74, normalized size = 1.17

$$\frac{\frac{a^3(2+\cos^2(dx+c))\sin(dx+c)}{3} + 3a^3\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + 3a^3\sin(dx+c) + a^3(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3,x)

[Out] 1/d\*(1/3\*a^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*a^3\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+3\*a^3\*sin(d\*x+c)+a^3\*(d\*x+c))

**maxima [A]** time = 0.36, size = 70, normalized size = 1.11

$$a^3 x - \frac{(\sin(dx + c)^3 - 3 \sin(dx + c))a^3}{3d} + \frac{3(2dx + 2c + \sin(2dx + 2c))a^3}{4d} + \frac{3a^3 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $a^3x - \frac{1}{3}(\sin(dx + c)^3 - 3\sin(dx + c))\frac{a^3}{d} + \frac{3}{4}(2dx + 2c + \sin(2dx + 2c))\frac{a^3}{d} + 3a^3\frac{\sin(dx + c)}{d}$

**mupad [B]** time = 0.40, size = 63, normalized size = 1.00

$$\frac{5a^3x}{2} + \frac{11a^3\sin(c+dx)}{3d} + \frac{a^3\cos(c+dx)^2\sin(c+dx)}{3d} + \frac{3a^3\cos(c+dx)\sin(c+dx)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3,x)

[Out]  $(5a^3x)/2 + (11a^3\sin(c + dx))/(3d) + (a^3\cos(c + dx)^2\sin(c + dx))/(3d) + (3a^3\cos(c + dx)\sin(c + dx))/(2d)$

**sympy [A]** time = 0.50, size = 121, normalized size = 1.92

$$\left\{ \begin{array}{l} \frac{3a^3x\sin^2(c+dx)}{2} + \frac{3a^3x\cos^2(c+dx)}{2} + a^3x + \frac{2a^3\sin^3(c+dx)}{3d} + \frac{a^3\sin(c+dx)\cos^2(c+dx)}{d} + \frac{3a^3\sin(c+dx)\cos(c+dx)}{2d} + \frac{3a^3\sin(c+dx)}{d} \\ x(a\cos(c) + a)^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3,x)

[Out] Piecewise((3\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + 3\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + a\*\*3\*x + 2\*a\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 3\*a\*\*3\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*3, True))

### 3.27 $\int (a + a \cos(c + dx))^3 \sec(c + dx) dx$

Optimal. Leaf size=59

$$\frac{3a^3 \sin(c + dx)}{d} + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^3 \sin(c + dx) \cos(c + dx)}{2d} + \frac{7a^3 x}{2}$$

[Out]  $7/2*a^3*x+a^3*\operatorname{arctanh}(\sin(d*x+c))/d+3*a^3*\sin(d*x+c)/d+1/2*a^3*\cos(d*x+c)*\sin(d*x+c)/d$

**Rubi [A]** time = 0.06, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {2757, 2637, 2635, 8, 3770}

$$\frac{3a^3 \sin(c + dx)}{d} + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^3 \sin(c + dx) \cos(c + dx)}{2d} + \frac{7a^3 x}{2}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^3*Sec[c + d*x],x]`

[Out]  $(7*a^3*x)/2 + (a^3*\operatorname{ArcTanh}[\sin[c + d*x]])/d + (3*a^3*\sin[c + d*x])/d + (a^3*\cos[c + d*x]*\sin[c + d*x])/(2*d)$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 2635

`Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2637

`Int[sin[Pi/2 + (c_) + (d_)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2757

`Int[((d_)*sin[(e_) + (f_)*(x_)])^(n_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Int[ExpandTrig[(a + b*sin[e + f*x])^m*(d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]`

#### Rule 3770

`Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec(c + dx) dx &= \int (3a^3 + 3a^3 \cos(c + dx) + a^3 \cos^2(c + dx) + a^3 \sec(c + dx)) dx \\
&= 3a^3x + a^3 \int \cos^2(c + dx) dx + a^3 \int \sec(c + dx) dx + (3a^3) \int \cos(c + dx) dx \\
&= 3a^3x + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{3a^3 \sin(c + dx)}{d} + \frac{a^3 \cos(c + dx) \sin(c + dx)}{2d} \\
&= \frac{7a^3x}{2} + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{3a^3 \sin(c + dx)}{d} + \frac{a^3 \cos(c + dx) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica** [A] time = 0.07, size = 81, normalized size = 1.37

$$\frac{a^3 \left( 12 \sin(c + dx) + \sin(2(c + dx)) - 4 \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 4 \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x], x]

[Out] (a^3\*(14\*d\*x - 4\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 4\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 12\*Sin[c + d\*x] + Sin[2\*(c + d\*x)])/(4\*d)

**fricas** [A] time = 1.64, size = 65, normalized size = 1.10

$$\frac{7a^3dx + a^3 \log(\sin(dx + c) + 1) - a^3 \log(-\sin(dx + c) + 1) + (a^3 \cos(dx + c) + 6a^3) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/2\*(7\*a^3\*d\*x + a^3\*log(sin(d\*x + c) + 1) - a^3\*log(-sin(d\*x + c) + 1) + (a^3\*cos(d\*x + c) + 6\*a^3)\*sin(d\*x + c))/d

**giac** [A] time = 0.64, size = 100, normalized size = 1.69

$$\frac{7(dx + c)a^3 + 2a^3 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 2a^3 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2 \left( 5a^3 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 7a^3 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 1 \right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c),x, algorithm="giac")

[Out] 1/2\*(7\*(d\*x + c)\*a^3 + 2\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 2\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(5\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 7\*a^3\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2)/d

**maple** [A] time = 0.09, size = 72, normalized size = 1.22

$$\frac{a^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{7a^3x}{2} + \frac{7a^3c}{2d} + \frac{3a^3 \sin(dx + c)}{d} + \frac{a^3 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c), x)

[Out] 1/2\*a^3\*cos(d\*x+c)\*sin(d\*x+c)/d+7/2\*a^3\*x+7/2/d\*a^3\*c+3\*a^3\*sin(d\*x+c)/d+1/d\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima [A]** time = 1.05, size = 67, normalized size = 1.14

$$\frac{(2dx + 2c + \sin(2dx + 2c))a^3 + 12(dx + c)a^3 + 4a^3 \log(\sec(dx + c) + \tan(dx + c)) + 12a^3 \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c),x, algorithm="maxima")

[Out] 1/4\*((2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^3 + 12\*(d\*x + c)\*a^3 + 4\*a^3\*log(sec(d\*x + c) + tan(d\*x + c)) + 12\*a^3\*sin(d\*x + c))/d

**mupad [B]** time = 0.44, size = 88, normalized size = 1.49

$$\frac{7a^3x}{2} + \frac{2a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{5a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 7a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x),x)

[Out] (7\*a^3\*x)/2 + (2\*a^3\*atanh(tan(c/2 + (d\*x)/2)))/d + (5\*a^3\*tan(c/2 + (d\*x)/2)^3 + 7\*a^3\*tan(c/2 + (d\*x)/2))/(d\*(2\*tan(c/2 + (d\*x)/2)^2 + tan(c/2 + (d\*x)/2)^4 + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int 3 \cos(c + dx) \sec(c + dx) dx + \int 3 \cos^2(c + dx) \sec(c + dx) dx + \int \cos^3(c + dx) \sec(c + dx) dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c),x)

[Out] a\*\*3\*(Integral(3\*cos(c + d\*x)\*sec(c + d\*x), x) + Integral(3\*cos(c + d\*x)\*\*2\*sec(c + d\*x), x) + Integral(cos(c + d\*x)\*\*3\*sec(c + d\*x), x) + Integral(sec(c + d\*x), x))

### 3.28 $\int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx$

Optimal. Leaf size=48

$$\frac{a^3 \sin(c + dx)}{d} + \frac{a^3 \tan(c + dx)}{d} + \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{d} + 3a^3 x$$

[Out]  $3a^3x + 3a^3 \operatorname{arctanh}(\sin(dx+c))/d + a^3 \sin(dx+c)/d + a^3 \tan(dx+c)/d$

**Rubi [A]** time = 0.07, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 2637, 3770, 3767, 8}

$$\frac{a^3 \sin(c + dx)}{d} + \frac{a^3 \tan(c + dx)}{d} + \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{d} + 3a^3 x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a \cos[c + d*x])^3 \sec[c + d*x]^2, x]$

[Out]  $3a^3x + (3a^3 \operatorname{ArcTanh}[\sin[c + d*x]])/d + (a^3 \sin[c + d*x])/d + (a^3 \tan[c + d*x])/d$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow \text{Simp}[\sin[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2757

$\text{Int}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rule 3767

$\text{Int}[\csc[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

#### Rule 3770

$\text{Int}[\csc[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx &= \int (3a^3 + a^3 \cos(c + dx) + 3a^3 \sec(c + dx) + a^3 \sec^2(c + dx)) dx \\ &= 3a^3 x + a^3 \int \cos(c + dx) dx + a^3 \int \sec^2(c + dx) dx + (3a^3) \int \sec(c + dx) dx \\ &= 3a^3 x + \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^3 \sin(c + dx)}{d} - \frac{a^3 \text{Subst}(\int 1 dx, x, -\cos(c + dx))}{d} \\ &= 3a^3 x + \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^3 \sin(c + dx)}{d} + \frac{a^3 \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [B]** time = 0.73, size = 211, normalized size = 4.40

$$\frac{1}{8}a^3(\cos(c+dx)+1)^3 \sec^6\left(\frac{1}{2}(c+dx)\right) \left( \frac{\sin(c)\cos(dx)}{d} + \frac{\cos(c)\sin(dx)}{d} + \frac{\sin\left(\frac{dx}{2}\right)}{d\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right)\left(\cos\left(\frac{1}{2}(c+dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^2,x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*(3\*x - (3\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/d + (3\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/d + (Cos[d\*x]\*Sin[c])/d + (Cos[c]\*Sin[d\*x])/d + Sin[(d\*x)/2]/(d\*(Cos[c/2] - Sin[c/2]))\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) + Sin[(d\*x)/2]/(d\*(Cos[c/2] + Sin[c/2]))\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))/8

**fricas [A]** time = 0.80, size = 91, normalized size = 1.90

$$\frac{6a^3dx \cos(dx+c) + 3a^3 \cos(dx+c) \log(\sin(dx+c)+1) - 3a^3 \cos(dx+c) \log(-\sin(dx+c)+1) + 2(a^3 \cos(dx+c) + a^3 \sin(dx+c))}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(6\*a^3\*d\*x\*cos(d\*x+c) + 3\*a^3\*cos(d\*x+c)\*log(sin(d\*x+c)+1) - 3\*a^3\*cos(d\*x+c)\*log(-sin(d\*x+c)+1) + 2\*(a^3\*cos(d\*x+c) + a^3)\*sin(d\*x+c))/(d\*cos(d\*x+c))

**giac [A]** time = 0.61, size = 80, normalized size = 1.67

$$\frac{3(dx+c)a^3 + 3a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{4a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] (3\*(d\*x+c)\*a^3 + 3\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 4\*a^3\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^4 - 1))/d

**maple [A]** time = 0.14, size = 65, normalized size = 1.35

$$3a^3x + \frac{3a^3 \ln(\sec(dx+c) + \tan(dx+c))}{d} + \frac{a^3 \sin(dx+c)}{d} + \frac{a^3 \tan(dx+c)}{d} + \frac{3a^3c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x)

[Out] 3\*a^3\*x+3/d\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))+a^3\*sin(d\*x+c)/d+a^3\*tan(d\*x+c)/d+3/d\*a^3\*c

**maxima [A]** time = 1.00, size = 64, normalized size = 1.33

$$\frac{6(dx+c)a^3 + 3a^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2a^3 \sin(dx+c) + 2a^3 \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(6\*(d\*x + c)\*a^3 + 3\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*a^3\*sin(d\*x + c) + 2\*a^3\*tan(d\*x + c))/d

**mupad [B]** time = 0.41, size = 57, normalized size = 1.19

$$3a^3x + \frac{6a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{4a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^2,x)

[Out] 3\*a^3\*x + (6\*a^3\*atanh(tan(c/2 + (d\*x)/2)))/d - (4\*a^3\*tan(c/2 + (d\*x)/2))/(d\*(tan(c/2 + (d\*x)/2)^4 - 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int 3 \cos(c + dx) \sec^2(c + dx) dx + \int 3 \cos^2(c + dx) \sec^2(c + dx) dx + \int \cos^3(c + dx) \sec^2(c + dx) dx + \int \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*2,x)

[Out] a\*\*3\*(Integral(3\*cos(c + d\*x)\*sec(c + d\*x)\*\*2, x) + Integral(3\*cos(c + d\*x)\*\*2\*sec(c + d\*x)\*\*2, x) + Integral(cos(c + d\*x)\*\*3\*sec(c + d\*x)\*\*2, x) + Integral(sec(c + d\*x)\*\*2, x))



### 3.29 $\int (a + a \cos(c + dx))^3 \sec^3(c + dx) dx$

Optimal. Leaf size=59

$$\frac{3a^3 \tan(c + dx)}{d} + \frac{7a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^3 \tan(c + dx) \sec(c + dx)}{2d} + a^3 x$$

[Out] a^3\*x+7/2\*a^3\*arctanh(sin(d\*x+c))/d+3\*a^3\*tan(d\*x+c)/d+1/2\*a^3\*sec(d\*x+c)\*tan(d\*x+c)/d

**Rubi [A]** time = 0.08, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3770, 3767, 8, 3768}

$$\frac{3a^3 \tan(c + dx)}{d} + \frac{7a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^3 \tan(c + dx) \sec(c + dx)}{2d} + a^3 x$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^3,x]

[Out] a^3\*x + (7\*a^3\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (3\*a^3\*Tan[c + d\*x])/d + (a^3\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2757

Int[((d\_)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((a\_) + (b\_)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec^3(c + dx) dx &= \int (a^3 + 3a^3 \sec(c + dx) + 3a^3 \sec^2(c + dx) + a^3 \sec^3(c + dx)) dx \\
&= a^3 x + a^3 \int \sec^3(c + dx) dx + (3a^3) \int \sec(c + dx) dx + (3a^3) \int \sec^2(c + dx) dx \\
&= a^3 x + \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} a^3 \int \sec^2(c + dx) dx \\
&= a^3 x + \frac{7a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{3a^3 \tan(c + dx)}{d} + \frac{a^3 \sec(c + dx) \tan(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.03, size = 50, normalized size = 0.85

$$a^3 \left( \frac{3 \tan(c + dx)}{d} + \frac{7 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{\tan(c + dx) \sec(c + dx)}{2d} + x \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^3,x]

[Out] a^3\*(x + (7\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (3\*Tan[c + d\*x])/d + (Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d))

**fricas [A]** time = 1.05, size = 98, normalized size = 1.66

$$\frac{4 a^3 dx \cos(dx + c)^2 + 7 a^3 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - 7 a^3 \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(6 a^3 \cos(dx + c) + a^3) \sin(dx + c)}{4 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(4\*a^3\*d\*x\*cos(d\*x + c)^2 + 7\*a^3\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - 7\*a^3\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(6\*a^3\*cos(d\*x + c) + a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [A]** time = 0.85, size = 100, normalized size = 1.69

$$\frac{2(dx + c)a^3 + 7a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 7a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(5a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(2\*(d\*x + c)\*a^3 + 7\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 7\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(5\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 7\*a^3\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2/d

**maple [A]** time = 0.12, size = 71, normalized size = 1.20

$$a^3 x + \frac{a^3 c}{d} + \frac{7a^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{3a^3 \tan(dx + c)}{d} + \frac{a^3 \sec(dx + c) \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x)

[Out]  $a^3 x + 1/d a^3 c + 7/2/d a^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3 a^3 \tan(dx+c)/d + 1/2 a^3 \sec(dx+c) \tan(dx+c)/d$

**maxima** [A] time = 1.11, size = 99, normalized size = 1.68

$$\frac{4(dx+c)a^3 - a^3 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 6a^3 (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 12a^3 \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out]  $1/4*(4*(d*x+c)*a^3 - a^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1) - \log(\sin(d*x+c)+1) + \log(\sin(d*x+c)-1)) + 6*a^3*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 12*a^3*\tan(d*x+c))/d$

**mupad** [B] time = 0.44, size = 88, normalized size = 1.49

$$a^3 x + \frac{7a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{5a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 - 7a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^3,x)

[Out]  $a^3 x + (7*a^3*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d - (5*a^3*\tan(c/2 + (d*x)/2)^3 - 7*a^3*\tan(c/2 + (d*x)/2))/(d*(\tan(c/2 + (d*x)/2)^4 - 2*\tan(c/2 + (d*x)/2)^2 + 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int 3 \cos(c+dx) \sec^3(c+dx) dx + \int 3 \cos^2(c+dx) \sec^3(c+dx) dx + \int \cos^3(c+dx) \sec^3(c+dx) dx + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*3,x)

[Out]  $a**3*(\operatorname{Integral}(3*\cos(c+d*x)*\sec(c+d*x)**3, x) + \operatorname{Integral}(3*\cos(c+d*x)**2*\sec(c+d*x)**3, x) + \operatorname{Integral}(\cos(c+d*x)**3*\sec(c+d*x)**3, x) + \operatorname{Integral}(\sec(c+d*x)**3, x))$

### 3.30 $\int (a + a \cos(c + dx))^3 \sec^4(c + dx) dx$

**Optimal.** Leaf size=72

$$\frac{a^3 \tan^3(c + dx)}{3d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{5a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{3a^3 \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $5/2*a^3*\text{arctanh}(\sin(d*x+c))/d+4*a^3*\tan(d*x+c)/d+3/2*a^3*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a^3*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.10, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3770, 3767, 8, 3768}

$$\frac{a^3 \tan^3(c + dx)}{3d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{5a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{3a^3 \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^3*Sec[c + d*x]^4,x]`

[Out]  $(5*a^3*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (4*a^3*\text{Tan}[c + d*x])/d + (3*a^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a^3*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 2757

`Int[((d_)*sin[(e_) + (f_)*(x_)])^(n_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Int[ExpandTrig[(a + b*sin[e + f*x])^m*(d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]`

#### Rule 3767

`Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_) + (d_)*(x_)]*(b_))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec^4(c + dx) dx &= \int (a^3 \sec(c + dx) + 3a^3 \sec^2(c + dx) + 3a^3 \sec^3(c + dx) + a^3 \sec^4(c + dx)) dx \\
&= a^3 \int \sec(c + dx) dx + a^3 \int \sec^4(c + dx) dx + (3a^3) \int \sec^2(c + dx) dx \\
&= \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{3a^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} (3a^3) \int \sec^2(c + dx) dx \\
&= \frac{5a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{3a^3 \sec(c + dx) \tan(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 5.40, size = 154, normalized size = 2.14

$$a^3 \sec^6\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^3 \left(-4 \tan(c) \cos(c + dx) - \sec(c)(-20 \sin(2c + dx) + 9 \sin(c + 2dx) + 9 \sin(3c + 2dx) + 22 \sin(2c + 3dx)) - 4 \cos(c + dx) \tan(c)\right) / d$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^4,x]

[Out] -1/192\*(a^3\*Sec[(c + d\*x)/2]^6\*(1 + Sec[c + d\*x])^3\*(60\*Cos[c + d\*x]^3\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) - Sec[c]\*(50\*Sin[d\*x] - 20\*Sin[2\*c + d\*x] + 9\*Sin[c + 2\*d\*x] + 9\*Sin[3\*c + 2\*d\*x] + 22\*Sin[2\*c + 3\*d\*x]) - 4\*Cos[c + d\*x]\*Tan[c]))/d

**fricas [A]** time = 0.66, size = 98, normalized size = 1.36

$$\frac{15 a^3 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 15 a^3 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(22 a^3 \cos(dx + c)^2 + 9 a^3 \cos(dx + c) + 2 a^3) \sin(dx + c)}{12 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(15\*a^3\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 15\*a^3\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(22\*a^3\*cos(d\*x + c)^2 + 9\*a^3\*cos(d\*x + c) + 2\*a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [A]** time = 0.60, size = 106, normalized size = 1.47

$$\frac{15 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 15 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(15 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 40 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 33 a^3\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)^3}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(15\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 15\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(15\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 40\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 33\*a^3\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

**maple [A]** time = 0.12, size = 80, normalized size = 1.11

$$\frac{5a^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{11a^3 \tan(dx + c)}{3d} + \frac{3a^3 \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^3 \tan(dx + c) (\sec^2(dx + c) + \tan^2(dx + c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x)

[Out]  $5/2/d*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+11/3*a^3*\tan(d*x+c)/d+3/2*a^3*\sec(d*x+c)*\tan(d*x+c)/d+1/3/d*a^3*\tan(d*x+c)*\sec(d*x+c)^2$

**maxima [A]** time = 0.31, size = 111, normalized size = 1.54

$$\frac{4\left(\tan(dx+c)^3+3\tan(dx+c)\right)a^3-9a^3\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)+6a^3\left(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1)\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out]  $1/12*(4*(\tan(dx+c)^3+3*\tan(dx+c))*a^3-9*a^3*(2*\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+6*a^3*(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+36*a^3*\tan(dx+c))/d$

**mupad [B]** time = 2.04, size = 112, normalized size = 1.56

$$\frac{5a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{5a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{40a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 11a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^4,x)

[Out]  $(5*a^3*\operatorname{atanh}(\tan(c/2+(d*x)/2)))/d - (5*a^3*\tan(c/2+(d*x)/2)^5 - (40*a^3*\tan(c/2+(d*x)/2)^3)/3 + 11*a^3*\tan(c/2+(d*x)/2))/(d*(3*\tan(c/2+(d*x)/2)^2 - 3*\tan(c/2+(d*x)/2)^4 + \tan(c/2+(d*x)/2)^6 - 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

### 3.31 $\int (a + a \cos(c + dx))^3 \sec^5(c + dx) dx$

**Optimal.** Leaf size=93

$$\frac{a^3 \tan^3(c + dx)}{d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{15a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{15a^3 \tan(c + dx) \sec(c + dx)}{8d}$$

[Out]  $15/8*a^3*\operatorname{arctanh}(\sin(d*x+c))/d+4*a^3*\tan(d*x+c)/d+15/8*a^3*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a^3*\sec(d*x+c)^3*\tan(d*x+c)/d+a^3*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.12, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3767, 8, 3768, 3770}

$$\frac{a^3 \tan^3(c + dx)}{d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{15a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{15a^3 \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^5, x]$

[Out]  $(15*a^3*\text{ArcTanh}[\text{Sin}[c + d*x]])/(8*d) + (4*a^3*\text{Tan}[c + d*x])/d + (15*a^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(8*d) + (a^3*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(4*d) + (a^3*\text{Tan}[c + d*x]^3)/d$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2757

$\text{Int}(((d\_)*\sin[(e\_)] + (f\_)*(x\_)))^{(n\_)}*((a\_)] + (b\_)*\sin[(e\_)] + (f\_)*(x\_))^{(m\_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rule 3767

$\text{Int}[\text{csc}[(c\_)] + (d\_)*(x\_)]^{(n\_)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x\} \ \&\& \ \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c\_)] + (d\_)*(x\_)]*(b\_))^{(n\_)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[(c\_)] + (d\_)*(x\_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x\}$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec^5(c + dx) dx &= \int (a^3 \sec^2(c + dx) + 3a^3 \sec^3(c + dx) + 3a^3 \sec^4(c + dx) + a^3 \sec^5(c + dx)) dx \\
&= a^3 \int \sec^2(c + dx) dx + a^3 \int \sec^5(c + dx) dx + (3a^3) \int \sec^3(c + dx) dx \\
&= \frac{3a^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} (3a^3) \int \sec^3(c + dx) dx \\
&= \frac{3a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{15a^3 \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{15a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{15a^3 \sec(c + dx) \tan(c + dx)}{8d}
\end{aligned}$$

**Mathematica [B]** time = 6.39, size = 797, normalized size = 8.57

$$\frac{15(\cos(c + dx)a + a)^3 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{64d} + \frac{15(\cos(c + dx)a + a)^3 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{64d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^5,x]

[Out] (-15\*(a + a\*Cos[c + d\*x])^3\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^6)/(64\*d) + (15\*(a + a\*Cos[c + d\*x])^3\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^6)/(64\*d) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6)/(128\*d\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^4) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(16\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(19\*Cos[c/2] - 11\*Sin[c/2]))/(128\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + (3\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(8\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])) - ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6)/(128\*d\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^4) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(16\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-19\*Cos[c/2] - 11\*Sin[c/2]))/(128\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2) + (3\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(8\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]))

**fricas [A]** time = 1.03, size = 111, normalized size = 1.19

$$\frac{15 a^3 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 15 a^3 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(24 a^3 \cos(dx + c)^3 + 15 a^3 \cos(dx + c)^2 + 8 a^3 \cos(dx + c) + 2 a^3) \sin(dx + c)}{16 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/16\*(15\*a^3\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 15\*a^3\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(24\*a^3\*cos(d\*x + c)^3 + 15\*a^3\*cos(d\*x + c)^2 + 8\*a^3\*cos(d\*x + c) + 2\*a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**giac [A]** time = 0.83, size = 122, normalized size = 1.31

$$\frac{15 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 15 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(15 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 55 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 73 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 15 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^2}}{8 d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{8}*(15*a^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 15*a^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 2*(15*a^3*\tan(1/2*d*x + 1/2*c)^7 - 55*a^3*\tan(1/2*d*x + 1/2*c)^5 + 73*a^3*\tan(1/2*d*x + 1/2*c)^3 - 49*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

**maple [A]** time = 0.13, size = 101, normalized size = 1.09

$$\frac{3a^3 \tan(dx+c)}{d} + \frac{15a^3 \sec(dx+c) \tan(dx+c)}{8d} + \frac{15a^3 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{a^3 \tan(dx+c) (\sec^2(dx+c) - 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x)

[Out]  $3*a^3*\tan(d*x+c)/d+15/8*a^3*\sec(d*x+c)*\tan(d*x+c)/d+15/8/d*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*a^3*\tan(d*x+c)*\sec(d*x+c)^2+1/4*a^3*\sec(d*x+c)^3*\tan(d*x+c)/d$

**maxima [A]** time = 1.10, size = 156, normalized size = 1.68

$$\frac{16(\tan(dx+c)^3 + 3 \tan(dx+c))a^3 - a^3 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{16}*(16*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^3 - a^3*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 12*a^3*(2*\sin(d*x + c))/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 16*a^3*\tan(d*x + c))/d$

**mupad [B]** time = 3.29, size = 141, normalized size = 1.52

$$\frac{15a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4d} - \frac{\frac{15a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} - \frac{55a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{4} + \frac{73a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{4} - \frac{49a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^5,x)

[Out]  $(15*a^3*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(4*d) - ((73*a^3*\tan(c/2 + (d*x)/2)^3)/4 - (55*a^3*\tan(c/2 + (d*x)/2)^5)/4 + (15*a^3*\tan(c/2 + (d*x)/2)^7)/4 - (49*a^3*\tan(c/2 + (d*x)/2))/4)/(d*(6*\tan(c/2 + (d*x)/2)^4 - 4*\tan(c/2 + (d*x)/2)^2 - 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

### 3.32 $\int (a + a \cos(c + dx))^3 \sec^6(c + dx) dx$

**Optimal.** Leaf size=114

$$\frac{a^3 \tan^5(c + dx)}{5d} + \frac{5a^3 \tan^3(c + dx)}{3d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{13a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{13a^3}{8d}$$

[Out]  $13/8*a^3*\operatorname{arctanh}(\sin(d*x+c))/d+4*a^3*\tan(d*x+c)/d+13/8*a^3*\sec(d*x+c)*\tan(d*x+c)/d+3/4*a^3*\sec(d*x+c)^3*\tan(d*x+c)/d+5/3*a^3*\tan(d*x+c)^3/d+1/5*a^3*\tan(d*x+c)^5/d$

**Rubi [A]** time = 0.13, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 3768, 3770, 3767}

$$\frac{a^3 \tan^5(c + dx)}{5d} + \frac{5a^3 \tan^3(c + dx)}{3d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{13a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a^3 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{13a^3}{8d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^3*\operatorname{Sec}[c + d*x]^6, x]$

[Out]  $(13*a^3*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (4*a^3*\operatorname{Tan}[c + d*x])/d + (13*a^3*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (3*a^3*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d) + (5*a^3*\operatorname{Tan}[c + d*x]^3)/(3*d) + (a^3*\operatorname{Tan}[c + d*x]^5)/(5*d)$

#### Rule 2757

$\operatorname{Int}[(d*\sin[e] + f*x)^n*(a + b*\sin[e] + f*x)^m, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrig}[(a + b*\sin[e] + f*x)^m*(d*\sin[e] + f*x)^n, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[c] + d*x]^n, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{-1}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \operatorname{Cot}[c + d*x]], x] /;$  FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[c] + d*x)^n*(b*\cos[c + d*x])^m, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*\cos[c + d*x])^m*(b*\operatorname{Csc}[c + d*x])^{n-1}/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{n-2}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[c] + d*x], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec^6(c + dx) dx &= \int (a^3 \sec^3(c + dx) + 3a^3 \sec^4(c + dx) + 3a^3 \sec^5(c + dx) + a^3 \sec^6(c + dx)) dx \\
&= a^3 \int \sec^3(c + dx) dx + a^3 \int \sec^6(c + dx) dx + (3a^3) \int \sec^4(c + dx) dx \\
&= \frac{a^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{3a^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{2} a^3 \int \sec^2(c + dx) dx \\
&= \frac{a^3 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{13a^3 \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{13a^3 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{4a^3 \tan(c + dx)}{d} + \frac{13a^3 \sec(c + dx) \tan(c + dx)}{8d}
\end{aligned}$$

**Mathematica [B]** time = 1.43, size = 487, normalized size = 4.27

$$\frac{a^3 \sec(c) \sec^5(c + dx) (1440 \sin(2c + dx) - 1500 \sin(c + 2dx) - 1500 \sin(3c + 2dx) - 3040 \sin(2c + 3dx) - 390 \sin(3c + 4dx) - 390 \sin(5c + 4dx) - 608 \sin(4c + 5dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^6,x]

[Out] -1/3840\*(a^3\*Sec[c]\*Sec[c + d\*x]^5\*(975\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 975\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 195\*Cos[4\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 195\*Cos[6\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 1950\*Cos[d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + 1950\*Cos[2\*c + d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) - 975\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 975\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 195\*Cos[4\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 195\*Cos[6\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 4640\*Sin[d\*x] + 1440\*Sin[2\*c + d\*x] - 1500\*Sin[c + 2\*d\*x] - 1500\*Sin[3\*c + 2\*d\*x] - 3040\*Sin[2\*c + 3\*d\*x] - 390\*Sin[3\*c + 4\*d\*x] - 390\*Sin[5\*c + 4\*d\*x] - 608\*Sin[4\*c + 5\*d\*x]))/d

**fricas [A]** time = 0.97, size = 124, normalized size = 1.09

$$\frac{195 a^3 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 195 a^3 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(304 a^3 \cos(dx + c)^4 + 195 a^3 \cos(dx + c)^3 + 152 a^3 \cos(dx + c)^2 + 90 a^3 \cos(dx + c) + 24 a^3) \sin(dx + c)}{240 d \cos(dx + c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/240\*(195\*a^3\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 195\*a^3\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(304\*a^3\*cos(d\*x + c)^4 + 195\*a^3\*cos(d\*x + c)^3 + 152\*a^3\*cos(d\*x + c)^2 + 90\*a^3\*cos(d\*x + c) + 24\*a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

**giac [A]** time = 0.54, size = 138, normalized size = 1.21

$$\frac{195 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 195 a^3 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(195 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 - 910 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 2730 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 2520 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 1260 a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 180 a^3\right)}{120 d}}{120 d}$$

120 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x, algorithm="giac")

[Out]  $\frac{1}{120}*(195*a^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 195*a^3*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 2*(195*a^3*\tan(1/2*d*x + 1/2*c)^9 - 910*a^3*\tan(1/2*d*x + 1/2*c)^7 + 1664*a^3*\tan(1/2*d*x + 1/2*c)^5 - 1330*a^3*\tan(1/2*d*x + 1/2*c)^3 + 765*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^5/d$

**maple** [A] time = 0.15, size = 124, normalized size = 1.09

$$\frac{13a^3 \sec(dx+c) \tan(dx+c)}{8d} + \frac{13a^3 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{38a^3 \tan(dx+c)}{15d} + \frac{19a^3 \tan(dx+c) (\sec^2(dx+c) + \tan^2(dx+c))}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x)

[Out]  $\frac{13}{8}a^3*\sec(d*x+c)*\tan(d*x+c)/d + \frac{13}{8}a^3*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{38}{15}a^3*\tan(d*x+c)/d + \frac{19}{15}a^3*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{3}{4}a^3*\sec(d*x+c)^3*\tan(d*x+c)/d + \frac{1}{5}a^3*\tan(d*x+c)*\sec(d*x+c)^4$

**maxima** [A] time = 1.03, size = 179, normalized size = 1.57

$$16 \left( 3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) a^3 + 240 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a^3 - 45 a^3 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) - 60 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out]  $\frac{1}{240}*(16*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*a^3 + 240*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^3 - 45*a^3*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1) - 60*a^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1))))/d$

**mupad** [B] time = 4.63, size = 170, normalized size = 1.49

$$\frac{13a^3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4d} - \frac{\frac{13a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{4} - \frac{91a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{6} + \frac{416a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} - \frac{133a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6} + \frac{51a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{6}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^6,x)

[Out]  $\frac{13*a^3*\operatorname{atanh}(\tan(c/2 + (d*x)/2))}{4*d} - \frac{(416*a^3*\tan(c/2 + (d*x)/2)^5)/15 - (133*a^3*\tan(c/2 + (d*x)/2)^3)/6 - (91*a^3*\tan(c/2 + (d*x)/2)^7)/6 + (13*a^3*\tan(c/2 + (d*x)/2)^9)/4 + (51*a^3*\tan(c/2 + (d*x)/2))/4}{d*(5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} - 1)}$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

### 3.33 $\int \cos^2(c + dx)(a + a \cos(c + dx))^4 dx$

Optimal. Leaf size=127

$$\frac{4a^4 \sin^5(c + dx)}{5d} - \frac{4a^4 \sin^3(c + dx)}{d} + \frac{8a^4 \sin(c + dx)}{d} + \frac{a^4 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{41a^4 \sin(c + dx) \cos^3(c + dx)}{24d}$$

[Out]  $49/16*a^4*x+8*a^4*\sin(d*x+c)/d+49/16*a^4*\cos(d*x+c)*\sin(d*x+c)/d+41/24*a^4*\cos(d*x+c)^3*\sin(d*x+c)/d+1/6*a^4*\cos(d*x+c)^5*\sin(d*x+c)/d-4*a^4*\sin(d*x+c)^3/d+4/5*a^4*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.16, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 2635, 8, 2633}

$$\frac{4a^4 \sin^5(c + dx)}{5d} - \frac{4a^4 \sin^3(c + dx)}{d} + \frac{8a^4 \sin(c + dx)}{d} + \frac{a^4 \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{41a^4 \sin(c + dx) \cos^3(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x])^4,x]

[Out]  $(49*a^4*x)/16 + (8*a^4*\sin[c + d*x])/d + (49*a^4*\cos[c + d*x]*\sin[c + d*x])/(16*d) + (41*a^4*\cos[c + d*x]^3*\sin[c + d*x])/(24*d) + (a^4*\cos[c + d*x]^5*\sin[c + d*x])/(6*d) - (4*a^4*\sin[c + d*x]^3)/d + (4*a^4*\sin[c + d*x]^5)/(5*d)$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x]\*(b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + a \cos(c + dx))^4 dx &= \int (a^4 \cos^2(c + dx) + 4a^4 \cos^3(c + dx) + 6a^4 \cos^4(c + dx) + 4a^4 \cos^5(c + dx) + a^4 \cos^6(c + dx)) dx \\
&= a^4 \int \cos^2(c + dx) dx + a^4 \int \cos^6(c + dx) dx + (4a^4) \int \cos^3(c + dx) dx \\
&= \frac{a^4 \cos(c + dx) \sin(c + dx)}{2d} + \frac{3a^4 \cos^3(c + dx) \sin(c + dx)}{2d} + \frac{a^4 \cos^5(c + dx) \sin(c + dx)}{2d} \\
&= \frac{a^4 x}{2} + \frac{8a^4 \sin(c + dx)}{d} + \frac{11a^4 \cos(c + dx) \sin(c + dx)}{4d} + \frac{41a^4 \cos^3(c + dx) \sin(c + dx)}{24d} \\
&= \frac{11a^4 x}{4} + \frac{8a^4 \sin(c + dx)}{d} + \frac{49a^4 \cos(c + dx) \sin(c + dx)}{16d} + \frac{41a^4 \cos^3(c + dx) \sin(c + dx)}{24d} \\
&= \frac{49a^4 x}{16} + \frac{8a^4 \sin(c + dx)}{d} + \frac{49a^4 \cos(c + dx) \sin(c + dx)}{16d} + \frac{41a^4 \cos^3(c + dx) \sin(c + dx)}{24d}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 73, normalized size = 0.57

$$\frac{a^4(5280 \sin(c + dx) + 1905 \sin(2(c + dx)) + 720 \sin(3(c + dx)) + 225 \sin(4(c + dx)) + 48 \sin(5(c + dx)) + 5 \sin(6(c + dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^4,x]

[Out] (a^4\*(2940\*d\*x + 5280\*Sin[c + d\*x] + 1905\*Sin[2\*(c + d\*x)] + 720\*Sin[3\*(c + d\*x)] + 225\*Sin[4\*(c + d\*x)] + 48\*Sin[5\*(c + d\*x)] + 5\*Sin[6\*(c + d\*x)]))/(960\*d)

**fricas [A]** time = 0.91, size = 89, normalized size = 0.70

$$\frac{735 a^4 dx + (40 a^4 \cos(dx + c)^5 + 192 a^4 \cos(dx + c)^4 + 410 a^4 \cos(dx + c)^3 + 576 a^4 \cos(dx + c)^2 + 735 a^4 \cos(dx + c) + 1152 a^4 \sin(dx + c))}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/240\*(735\*a^4\*d\*x + (40\*a^4\*cos(d\*x + c)^5 + 192\*a^4\*cos(d\*x + c)^4 + 410\*a^4\*cos(d\*x + c)^3 + 576\*a^4\*cos(d\*x + c)^2 + 735\*a^4\*cos(d\*x + c) + 1152\*a^4\*sin(d\*x + c))/d

**giac [A]** time = 0.56, size = 106, normalized size = 0.83

$$\frac{49}{16} a^4 x + \frac{a^4 \sin(6 dx + 6 c)}{192 d} + \frac{a^4 \sin(5 dx + 5 c)}{20 d} + \frac{15 a^4 \sin(4 dx + 4 c)}{64 d} + \frac{3 a^4 \sin(3 dx + 3 c)}{4 d} + \frac{127 a^4 \sin(2 dx + 2 c)}{64 d} + \frac{11 a^4 \sin(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 49/16\*a^4\*x + 1/192\*a^4\*sin(6\*d\*x + 6\*c)/d + 1/20\*a^4\*sin(5\*d\*x + 5\*c)/d + 15/64\*a^4\*sin(4\*d\*x + 4\*c)/d + 3/4\*a^4\*sin(3\*d\*x + 3\*c)/d + 127/64\*a^4\*sin(2\*d\*x + 2\*c)/d + 11/2\*a^4\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 169, normalized size = 1.33

$$\frac{a^4 \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4a^4 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + 6a^4 \left( \frac{\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2}}{4} \right) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^2*(a+a*\cos(dx+c))^4,x)$

[Out]  $\frac{1}{d}*(a^4*(\frac{1}{6}*(\cos(dx+c))^5+\frac{5}{4}*\cos(dx+c)^3+\frac{15}{8}*\cos(dx+c))*\sin(dx+c)+\frac{5}{16}*dx+\frac{5}{16}*c)+\frac{4}{5}*a^4*(\frac{8}{3}+\cos(dx+c)^4+\frac{4}{3}*\cos(dx+c)^2)*\sin(dx+c)+6*a^4*(\frac{1}{4}*(\cos(dx+c)^3+\frac{3}{2}*\cos(dx+c))*\sin(dx+c)+\frac{3}{8}*dx+\frac{3}{8}*c)+\frac{4}{3}*a^4*(2+\cos(dx+c)^2)*\sin(dx+c)+a^4*(\frac{1}{2}*\cos(dx+c)*\sin(dx+c)+\frac{1}{2}*dx+\frac{1}{2}*c))$

**maxima** [A] time = 1.75, size = 165, normalized size = 1.30

$\frac{256(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))a^4 - 5(4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c))a^4}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^2*(a+a*\cos(dx+c))^4,x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{960}*(256*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*a^4 - 5*(4*\sin(2dx+2c)^3 - 60*dx - 60*c - 9*\sin(4dx+4c) - 48*\sin(2dx+2c))*a^4 - 1280*(\sin(dx+c)^3 - 3*\sin(dx+c))*a^4 + 180*(12*dx + 12*c + \sin(4dx+4c) + 8*\sin(2dx+2c))*a^4 + 240*(2*dx + 2*c + \sin(2dx+2c))*a^4)/d$

**mupad** [B] time = 2.85, size = 121, normalized size = 0.95

$\frac{49 a^4 x}{16} + \frac{49 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}{8} + \frac{833 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{24} + \frac{1617 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{20} + \frac{1967 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \frac{1471 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24} + \frac{207 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8}$   
 $d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^6$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(c+dx)^2*(a+a*\cos(c+dx))^4,x)$

[Out]  $\frac{(49*a^4*x)/16 + ((1471*a^4*\tan(c/2 + (dx)/2)^3)/24 + (1967*a^4*\tan(c/2 + (dx)/2)^5)/20 + (1617*a^4*\tan(c/2 + (dx)/2)^7)/20 + (833*a^4*\tan(c/2 + (dx)/2)^9)/24 + (49*a^4*\tan(c/2 + (dx)/2)^11)/8 + (207*a^4*\tan(c/2 + (dx)/2))/8)/(d*(\tan(c/2 + (dx)/2)^2 + 1)^6}$

**sympy** [A] time = 3.87, size = 434, normalized size = 3.42

$\left\{ \begin{array}{l} \frac{5a^4x \sin^6(c+dx)}{16} + \frac{15a^4x \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{9a^4x \sin^4(c+dx)}{4} + \frac{15a^4x \sin^2(c+dx) \cos^4(c+dx)}{16} + \frac{9a^4x \sin^2(c+dx) \cos^2(c+dx)}{2} + \frac{a^4}{d} \\ x(a \cos(c) + a)^4 \cos^2(c) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)**2*(a+a*\cos(dx+c))**4,x)$

[Out]  $\text{Piecewise}((5*a**4*x*\sin(c+dx)**6/16 + 15*a**4*x*\sin(c+dx)**4*\cos(c+dx)**2/16 + 9*a**4*x*\sin(c+dx)**4/4 + 15*a**4*x*\sin(c+dx)**2*\cos(c+dx)**4/16 + 9*a**4*x*\sin(c+dx)**2*\cos(c+dx)**2/2 + a**4*x*\sin(c+dx)**2/2 + 5*a**4*x*\cos(c+dx)**6/16 + 9*a**4*x*\cos(c+dx)**4/4 + a**4*x*\cos(c+dx)**2/2 + 5*a**4*\sin(c+dx)**5*\cos(c+dx)/(16*d) + 32*a**4*\sin(c+dx)**5/(15*d) + 5*a**4*\sin(c+dx)**3*\cos(c+dx)**3/(6*d) + 16*a**4*\sin(c+dx)**3*\cos(c+dx)**2/(3*d) + 9*a**4*\sin(c+dx)**3*\cos(c+dx)/(4*d) + 8*a**4*\sin(c+dx)**3/(3*d) + 11*a**4*\sin(c+dx)*\cos(c+dx)**5/(16*d) + 4*a**4*\sin(c+dx)*\cos(c+dx)**4/d + 15*a**4*\sin(c+dx)*\cos(c+dx)**3/(4*d) + 4*a**4*\sin(c+dx)*\cos(c+dx)**2/d + a**4*\sin(c+dx)*\cos(c+dx)/(2*d), Ne(d, 0)), (x*(a*cos(c) + a)**4*cos(c)**2, True))$

### 3.34 $\int \cos(c + dx)(a + a \cos(c + dx))^4 dx$

**Optimal.** Leaf size=102

$$\frac{a^4 \sin^5(c + dx)}{5d} - \frac{8a^4 \sin^3(c + dx)}{3d} + \frac{8a^4 \sin(c + dx)}{d} + \frac{a^4 \sin(c + dx) \cos^3(c + dx)}{d} + \frac{7a^4 \sin(c + dx) \cos(c + dx)}{2d} + \frac{7a^4 x}{2}$$

[Out]  $7/2*a^4*x+8*a^4*\sin(d*x+c)/d+7/2*a^4*\cos(d*x+c)*\sin(d*x+c)/d+a^4*\cos(d*x+c)^3*\sin(d*x+c)/d-8/3*a^4*\sin(d*x+c)^3/d+1/5*a^4*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.11, antiderivative size = 114, normalized size of antiderivative = 1.12, number of steps used = 11, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{16a^4 \sin^3(c + dx)}{15d} + \frac{32a^4 \sin(c + dx)}{5d} + \frac{a^4 \sin(c + dx) \cos^3(c + dx)}{5d} + \frac{27a^4 \sin(c + dx) \cos(c + dx)}{10d} + \frac{7a^4 x}{2} + \frac{\sin(c + dx)}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^4,x]

[Out]  $(7*a^4*x)/2 + (32*a^4*\sin[c + d*x])/(5*d) + (27*a^4*\cos[c + d*x]*\sin[c + d*x])/(10*d) + (a^4*\cos[c + d*x]^3*\sin[c + d*x])/(5*d) + ((a + a*\cos[c + d*x])^4*\sin[c + d*x])/(5*d) - (16*a^4*\sin[c + d*x]^3)/(15*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2645

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]



Rubi steps

$$\begin{aligned}
\int \cos(c+dx)(a+a\cos(c+dx))^4 dx &= \frac{(a+a\cos(c+dx))^4 \sin(c+dx)}{5d} + \frac{4}{5} \int (a+a\cos(c+dx))^4 dx \\
&= \frac{(a+a\cos(c+dx))^4 \sin(c+dx)}{5d} + \frac{4}{5} \int (a^4 + 4a^4 \cos(c+dx) + 6a^4 \cos^2(c+dx) + 4a^4 \cos^3(c+dx) + a^4 \cos^4(c+dx)) dx \\
&= \frac{4a^4 x}{5} + \frac{(a+a\cos(c+dx))^4 \sin(c+dx)}{5d} + \frac{1}{5} (4a^4) \int \cos^4(c+dx) dx \\
&= \frac{4a^4 x}{5} + \frac{16a^4 \sin(c+dx)}{5d} + \frac{12a^4 \cos(c+dx) \sin(c+dx)}{5d} + \frac{a^4 \cos^3(c+dx)}{3d} \\
&= \frac{16a^4 x}{5} + \frac{32a^4 \sin(c+dx)}{5d} + \frac{27a^4 \cos(c+dx) \sin(c+dx)}{10d} + \frac{a^4 \cos^3(c+dx)}{3d} \\
&= \frac{7a^4 x}{2} + \frac{32a^4 \sin(c+dx)}{5d} + \frac{27a^4 \cos(c+dx) \sin(c+dx)}{10d} + \frac{a^4 \cos^3(c+dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 63, normalized size = 0.62

$$\frac{a^4(1470 \sin(c+dx) + 480 \sin(2(c+dx)) + 145 \sin(3(c+dx)) + 30 \sin(4(c+dx)) + 3 \sin(5(c+dx)) + 840dx)}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^4, x]

[Out] (a^4\*(840\*d\*x + 1470\*Sin[c + d\*x] + 480\*Sin[2\*(c + d\*x)] + 145\*Sin[3\*(c + d\*x)] + 30\*Sin[4\*(c + d\*x)] + 3\*Sin[5\*(c + d\*x)])/(240\*d)

**fricas [A]** time = 0.93, size = 76, normalized size = 0.75

$$\frac{105 a^4 dx + (6 a^4 \cos(dx+c)^4 + 30 a^4 \cos(dx+c)^3 + 68 a^4 \cos(dx+c)^2 + 105 a^4 \cos(dx+c) + 166 a^4) \sin(dx+c)}{30 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/30\*(105\*a^4\*d\*x + (6\*a^4\*cos(d\*x + c)^4 + 30\*a^4\*cos(d\*x + c)^3 + 68\*a^4\*cos(d\*x + c)^2 + 105\*a^4\*cos(d\*x + c) + 166\*a^4)\*sin(d\*x + c))/d

**giac [A]** time = 0.52, size = 89, normalized size = 0.87

$$\frac{7}{2} a^4 x + \frac{a^4 \sin(5 dx + 5 c)}{80 d} + \frac{a^4 \sin(4 dx + 4 c)}{8 d} + \frac{29 a^4 \sin(3 dx + 3 c)}{48 d} + \frac{2 a^4 \sin(2 dx + 2 c)}{d} + \frac{49 a^4 \sin(dx + c)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 7/2\*a^4\*x + 1/80\*a^4\*sin(5\*d\*x + 5\*c)/d + 1/8\*a^4\*sin(4\*d\*x + 4\*c)/d + 29/48\*a^4\*sin(3\*d\*x + 3\*c)/d + 2\*a^4\*sin(2\*d\*x + 2\*c)/d + 49/8\*a^4\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 133, normalized size = 1.30

$$\frac{a^4 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + 4a^4 \left( \frac{\left( \cos^3(dx+c) + \frac{3\cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + 2a^4 (2 + \cos^2(dx+c)) \sin(dx+c)$$


---


$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+a*cos(d*x+c))^4,x)`

[Out]  $\frac{1}{d} \left( \frac{1}{5} a^4 \left( \frac{8}{3} + \cos(d*x+c)^4 + \frac{4}{3} \cos(d*x+c)^2 \right) \sin(d*x+c) + 4 a^4 \left( \frac{1}{4} (\cos(d*x+c)^3 + \frac{3}{2} \cos(d*x+c)) \sin(d*x+c) + \frac{3}{8} d*x + \frac{3}{8} c \right) + 2 a^4 (2 + \cos(d*x+c)^2) \sin(d*x+c) + 4 a^4 \left( \frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d*x + \frac{1}{2} c \right) + a^4 \sin(d*x+c) \right)$

**maxima** [A] time = 0.30, size = 128, normalized size = 1.25

$$\frac{8 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a^4 - 240 \left( \sin(dx+c)^3 - 3 \sin(dx+c) \right) a^4 + 15 (12 dx + 12c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))^4,x, algorithm="maxima")`

[Out]  $\frac{1}{120} \left( 8 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a^4 - 240 \left( \sin(dx+c)^3 - 3 \sin(dx+c) \right) a^4 + 15 \left( 12 d*x + 12 c + \sin(4 d*x + 4 c) + 8 \sin(2 d*x + 2 c) \right) a^4 + 120 \left( 2 d*x + 2 c + \sin(2 d*x + 2 c) \right) a^4 + 120 a^4 \sin(dx+c) \right) / d$

**mupad** [B] time = 3.69, size = 105, normalized size = 1.03

$$\frac{7 a^4 x + \frac{7 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{2} + \frac{98 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{3} + \frac{896 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} + \frac{158 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 25 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)*(a+a*cos(c+d*x))^4,x)`

[Out]  $\frac{(7 a^4 x)/2 + ((158 a^4 \tan(c/2 + (d*x)/2)^3)/3 + (896 a^4 \tan(c/2 + (d*x)/2)^5)/15 + (98 a^4 \tan(c/2 + (d*x)/2)^7)/3 + 7 a^4 \tan(c/2 + (d*x)/2)^9 + 25 a^4 \tan(c/2 + (d*x)/2)) / (d (\tan(c/2 + (d*x)/2)^2 + 1)^5)}$

**sympy** [A] time = 2.17, size = 280, normalized size = 2.75

$$\left\{ \begin{array}{l} \frac{3 a^4 x \sin^4(c+dx)}{2} + 3 a^4 x \sin^2(c+dx) \cos^2(c+dx) + 2 a^4 x \sin^2(c+dx) + \frac{3 a^4 x \cos^4(c+dx)}{2} + 2 a^4 x \cos^2(c+dx) + \frac{8 a^4 \sin^4(c)}{2} \\ x (a \cos(c) + a)^4 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((3*a**4*x*sin(c+d*x)**4/2 + 3*a**4*x*sin(c+d*x)**2*cos(c+d*x)**2 + 2*a**4*x*sin(c+d*x)**2 + 3*a**4*x*cos(c+d*x)**4/2 + 2*a**4*x*cos(c+d*x)**2 + 8*a**4*sin(c+d*x)**5/(15*d) + 4*a**4*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + 3*a**4*sin(c+d*x)**3*cos(c+d*x)/(2*d) + 4*a**4*sin(c+d*x)**3/d + a**4*sin(c+d*x)*cos(c+d*x)**4/d + 5*a**4*sin(c+d*x)*cos(c+d*x)**3/(2*d) + 6*a**4*sin(c+d*x)*cos(c+d*x)**2/d + 2*a**4*sin(c+d*x)*cos(c+d*x)/d + a**4*sin(c+d*x)/d, Ne(d, 0)), (x*(a*cos(c) + a)**4*cos(c), True))`

### 3.35 $\int (a + a \cos(c + dx))^4 dx$

**Optimal.** Leaf size=87

$$-\frac{4a^4 \sin^3(c + dx)}{3d} + \frac{8a^4 \sin(c + dx)}{d} + \frac{a^4 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{27a^4 \sin(c + dx) \cos(c + dx)}{8d} + \frac{35a^4 x}{8}$$

[Out]  $35/8*a^4*x+8*a^4*\sin(d*x+c)/d+27/8*a^4*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a^4*\cos(d*x+c)^3*\sin(d*x+c)/d-4/3*a^4*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.08, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2645, 2637, 2635, 8, 2633}

$$-\frac{4a^4 \sin^3(c + dx)}{3d} + \frac{8a^4 \sin(c + dx)}{d} + \frac{a^4 \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{27a^4 \sin(c + dx) \cos(c + dx)}{8d} + \frac{35a^4 x}{8}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4,x]

[Out]  $(35*a^4*x)/8 + (8*a^4*\sin[c + d*x])/d + (27*a^4*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a^4*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (4*a^4*\sin[c + d*x]^3)/(3*d)$

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2645

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 dx &= \int (a^4 + 4a^4 \cos(c + dx) + 6a^4 \cos^2(c + dx) + 4a^4 \cos^3(c + dx) + a^4 \cos^4(c + dx)) dx \\
&= a^4 x + a^4 \int \cos^4(c + dx) dx + (4a^4) \int \cos(c + dx) dx + (4a^4) \int \cos^3(c + dx) dx + (6a^4) \int \cos^2(c + dx) dx \\
&= a^4 x + \frac{4a^4 \sin(c + dx)}{d} + \frac{3a^4 \cos(c + dx) \sin(c + dx)}{d} + \frac{a^4 \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{3a^4 \cos^2(c + dx) \sin(c + dx)}{4d} \\
&= 4a^4 x + \frac{8a^4 \sin(c + dx)}{d} + \frac{27a^4 \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^4 \cos^3(c + dx) \sin(c + dx)}{4d} \\
&= \frac{35a^4 x}{8} + \frac{8a^4 \sin(c + dx)}{d} + \frac{27a^4 \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^4 \cos^3(c + dx) \sin(c + dx)}{4d}
\end{aligned}$$

**Mathematica** [A] time = 0.11, size = 56, normalized size = 0.64

$$\frac{a^4(672 \sin(c + dx) + 168 \sin(2(c + dx)) + 32 \sin(3(c + dx)) + 3 \sin(4(c + dx)) + 420c + 420dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4,x]

[Out] (a^4\*(420\*c + 420\*d\*x + 672\*Sin[c + d\*x] + 168\*Sin[2\*(c + d\*x)] + 32\*Sin[3\*(c + d\*x)] + 3\*Sin[4\*(c + d\*x)]))/(96\*d)

**fricas** [A] time = 1.03, size = 63, normalized size = 0.72

$$\frac{105 a^4 dx + (6 a^4 \cos(dx + c)^3 + 32 a^4 \cos(dx + c)^2 + 81 a^4 \cos(dx + c) + 160 a^4) \sin(dx + c)}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/24\*(105\*a^4\*d\*x + (6\*a^4\*cos(d\*x + c)^3 + 32\*a^4\*cos(d\*x + c)^2 + 81\*a^4\*cos(d\*x + c) + 160\*a^4)\*sin(d\*x + c))/d

**giac** [A] time = 0.71, size = 72, normalized size = 0.83

$$\frac{35}{8} a^4 x + \frac{a^4 \sin(4 dx + 4 c)}{32 d} + \frac{a^4 \sin(3 dx + 3 c)}{3 d} + \frac{7 a^4 \sin(2 dx + 2 c)}{4 d} + \frac{7 a^4 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 35/8\*a^4\*x + 1/32\*a^4\*sin(4\*d\*x + 4\*c)/d + 1/3\*a^4\*sin(3\*d\*x + 3\*c)/d + 7/4\*a^4\*sin(2\*d\*x + 2\*c)/d + 7\*a^4\*sin(d\*x + c)/d

**maple** [A] time = 0.05, size = 111, normalized size = 1.28

$$\frac{a^4 \left( \frac{(\cos^3(dx+c) + \frac{3 \cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{4a^4(2+\cos^2(dx+c)) \sin(dx+c)}{3} + 6a^4 \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 4a^4 \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4,x)

[Out] 1/d\*(a^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4/3\*a^4\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+6\*a^4\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*a^4\*sin(d\*x+c)+a^4\*(d\*x+c))

**maxima [A]** time = 0.74, size = 106, normalized size = 1.22

$$a^4 x - \frac{4(\sin(dx+c)^3 - 3\sin(dx+c))a^4}{3d} + \frac{(12dx+12c + \sin(4dx+4c) + 8\sin(2dx+2c))a^4}{32d} + \frac{3(2dx+2c + \sin(4dx+4c) + 8\sin(2dx+2c))a^4}{32d} + \frac{3(2dx+2c + \sin(2dx+2c))a^4}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] a^4\*x - 4/3\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^4/d + 1/32\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a^4/d + 3/2\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^4/d + 4\*a^4\*sin(d\*x + c)/d

**mupad [B]** time = 3.56, size = 89, normalized size = 1.02

$$\frac{35a^4x}{8} + \frac{\frac{35a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{385a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{511a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} + \frac{93a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4,x)

[Out] (35\*a^4\*x)/8 + ((511\*a^4\*tan(c/2 + (d\*x)/2)^3)/12 + (385\*a^4\*tan(c/2 + (d\*x)/2)^5)/12 + (35\*a^4\*tan(c/2 + (d\*x)/2)^7)/4 + (93\*a^4\*tan(c/2 + (d\*x)/2)))/4)/(d\*(tan(c/2 + (d\*x)/2)^2 + 1)^4)

**sympy [A]** time = 1.08, size = 224, normalized size = 2.57

$$\left\{ \begin{array}{l} \frac{3a^4x \sin^4(c+dx)}{8} + \frac{3a^4x \sin^2(c+dx) \cos^2(c+dx)}{4} + 3a^4x \sin^2(c+dx) + \frac{3a^4x \cos^4(c+dx)}{8} + 3a^4x \cos^2(c+dx) + a^4x + \frac{3a^4 \sin^4(c)}{8} \\ x(a \cos(c) + a)^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((3\*a\*\*4\*x\*sin(c + d\*x)\*\*4/8 + 3\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*a\*\*4\*x\*sin(c + d\*x)\*\*2 + 3\*a\*\*4\*x\*cos(c + d\*x)\*\*4/8 + 3\*a\*\*4\*x\*cos(c + d\*x)\*\*2 + a\*\*4\*x + 3\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 8\*a\*\*4\*sin(c + d\*x)\*\*3/(3\*d) + 5\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 4\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)/d + 4\*a\*\*4\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*4, True))

### 3.36 $\int (a + a \cos(c + dx))^4 \sec(c + dx) dx$

**Optimal.** Leaf size=73

$$-\frac{a^4 \sin^3(c + dx)}{3d} + \frac{7a^4 \sin(c + dx)}{d} + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^4 \sin(c + dx) \cos(c + dx)}{d} + 6a^4 x$$

[Out]  $6a^4x + a^4 \arctanh(\sin(dx+c))/d + 7a^4 \sin(dx+c)/d + 2a^4 \cos(dx+c) \sin(dx+c)/d - 1/3 a^4 \sin(dx+c)^3/d$

**Rubi [A]** time = 0.08, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {2757, 2637, 2635, 8, 2633, 3770}

$$-\frac{a^4 \sin^3(c + dx)}{3d} + \frac{7a^4 \sin(c + dx)}{d} + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^4 \sin(c + dx) \cos(c + dx)}{d} + 6a^4 x$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x],x]

[Out]  $6a^4x + (a^4 \text{ArcTanh}[\text{Sin}[c + d*x]])/d + (7a^4 \text{Sin}[c + d*x])/d + (2a^4 \text{Cos}[c + d*x] \text{Sin}[c + d*x])/d - (a^4 \text{Sin}[c + d*x]^3)/(3d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.))\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec(c + dx) dx &= \int (4a^4 + 6a^4 \cos(c + dx) + 4a^4 \cos^2(c + dx) + a^4 \cos^3(c + dx) + a^4 \sec(c + dx)) dx \\
&= 4a^4 x + a^4 \int \cos^3(c + dx) dx + a^4 \int \sec(c + dx) dx + (4a^4) \int \cos^2(c + dx) dx \\
&= 4a^4 x + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{6a^4 \sin(c + dx)}{d} + \frac{2a^4 \cos(c + dx) \sin(c + dx)}{d} \\
&= 6a^4 x + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{7a^4 \sin(c + dx)}{d} + \frac{2a^4 \cos(c + dx) \sin(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 91, normalized size = 1.25

$$\frac{a^4 \left( 81 \sin(c + dx) + 12 \sin(2(c + dx)) + \sin(3(c + dx)) - 12 \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 12 \log \left( \cos \left( \frac{1}{2}(c + dx) \right) + \sin \left( \frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x], x]

[Out] (a^4\*(72\*d\*x - 12\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 12\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 81\*Sin[c + d\*x] + 12\*Sin[2\*(c + d\*x)] + Sin[3\*(c + d\*x)])/(12\*d)

**fricas [A]** time = 0.81, size = 80, normalized size = 1.10

$$\frac{36 a^4 dx + 3 a^4 \log(\sin(dx + c) + 1) - 3 a^4 \log(-\sin(dx + c) + 1) + 2(a^4 \cos(dx + c)^2 + 6 a^4 \cos(dx + c) + 2 a^4)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c), x, algorithm="fricas")

[Out] 1/6\*(36\*a^4\*d\*x + 3\*a^4\*log(sin(d\*x + c) + 1) - 3\*a^4\*log(-sin(d\*x + c) + 1) + 2\*(a^4\*cos(d\*x + c)^2 + 6\*a^4\*cos(d\*x + c) + 20\*a^4)\*sin(d\*x + c))/d

**giac [A]** time = 0.70, size = 116, normalized size = 1.59

$$\frac{18(dx + c)a^4 + 3a^4 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3a^4 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2 \left( 15a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 + 38a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^4 + 27a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 27a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right)^2 + 1}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c), x, algorithm="giac")

[Out] 1/3\*(18\*(d\*x + c)\*a^4 + 3\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(15\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 38\*a^4\*tan(1/2\*d\*x + 1/2\*c)^4 + 27\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 27\*a^4\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^3/d

**maple [A]** time = 0.11, size = 94, normalized size = 1.29

$$\frac{\sin(dx + c) \left( \cos^2(dx + c) \right) a^4}{3d} + \frac{20a^4 \sin(dx + c)}{3d} + \frac{2a^4 \cos(dx + c) \sin(dx + c)}{d} + 6a^4 x + \frac{6a^4 c}{d} + \frac{a^4 \ln(\sec(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c), x)

[Out]  $\frac{1}{3} \frac{1}{d} \sin(dx+c) \cos(dx+c)^2 a^4 + \frac{20}{3} a^4 \sin(dx+c) / d + 2 a^4 \cos(dx+c) \sin(dx+c) / d + 6 a^4 x + 6 / d a^4 c + 1 / d a^4 \ln(\sec(dx+c) + \tan(dx+c))$

**maxima** [A] time = 1.52, size = 89, normalized size = 1.22

$$\frac{(\sin(dx+c)^3 - 3 \sin(dx+c)) a^4 - 3(2dx+2c+\sin(2dx+2c)) a^4 - 12(dx+c) a^4 - 3 a^4 \log(\sec(dx+c) + \tan(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c),x, algorithm="maxima")

[Out]  $-\frac{1}{3} ((\sin(dx+c)^3 - 3 \sin(dx+c)) a^4 - 3(2dx+2c+\sin(2dx+2c)) a^4 - 12(dx+c) a^4 - 3 a^4 \log(\sec(dx+c) + \tan(dx+c)) - 18 a^4 \sin(dx+c)) / d$

**mupad** [B] time = 0.41, size = 93, normalized size = 1.27

$$6 a^4 x + \frac{20 a^4 \sin(c+dx)}{3d} + \frac{2 a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{a^4 \cos(c+dx)^2 \sin(c+dx)}{3d} + \frac{2 a^4 \cos(c+dx) \sin(c+dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x),x)

[Out]  $6 a^4 x + (20 a^4 \sin(c+dx)) / (3d) + (2 a^4 \operatorname{atanh}(\sin(c/2 + (dx)/2) / \cos(c/2 + (dx)/2))) / d + (a^4 \cos(c+dx)^2 \sin(c+dx)) / (3d) + (2 a^4 \cos(c+dx) \sin(c+dx)) / d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^4 \left( \int 4 \cos(c+dx) \sec(c+dx) dx + \int 6 \cos^2(c+dx) \sec(c+dx) dx + \int 4 \cos^3(c+dx) \sec(c+dx) dx + \int \cos^4(c+dx) \sec(c+dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c),x)

[Out]  $a^4 * (\operatorname{Integral}(4 \cos(c+dx) \sec(c+dx), x) + \operatorname{Integral}(6 \cos(c+dx)^2 \sec(c+dx), x) + \operatorname{Integral}(4 \cos(c+dx)^3 \sec(c+dx), x) + \operatorname{Integral}(\cos(c+dx)^4 \sec(c+dx), x) + \operatorname{Integral}(\sec(c+dx), x))$



### 3.37 $\int (a + a \cos(c + dx))^4 \sec^2(c + dx) dx$

**Optimal.** Leaf size=73

$$\frac{4a^4 \sin(c + dx)}{d} + \frac{a^4 \tan(c + dx)}{d} + \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^4 \sin(c + dx) \cos(c + dx)}{2d} + \frac{13a^4 x}{2}$$

[Out]  $13/2*a^4*x+4*a^4*\arctanh(\sin(d*x+c))/d+4*a^4*\sin(d*x+c)/d+1/2*a^4*\cos(d*x+c)*\sin(d*x+c)/d+a^4*\tan(d*x+c)/d$

**Rubi [A]** time = 0.08, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2757, 2637, 2635, 8, 3770, 3767}

$$\frac{4a^4 \sin(c + dx)}{d} + \frac{a^4 \tan(c + dx)}{d} + \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^4 \sin(c + dx) \cos(c + dx)}{2d} + \frac{13a^4 x}{2}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^2,x]

[Out]  $(13*a^4*x)/2 + (4*a^4*\text{ArcTanh}[\text{Sin}[c + d*x]])/d + (4*a^4*\text{Sin}[c + d*x])/d + (a^4*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d) + (a^4*\text{Tan}[c + d*x])/d$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2637

Int[sin[Pi/2 + (c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_) ]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_) ], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^2(c + dx) dx &= \int (6a^4 + 4a^4 \cos(c + dx) + a^4 \cos^2(c + dx) + 4a^4 \sec(c + dx) + a^4 \sec^2(c + dx)) dx \\
&= 6a^4 x + a^4 \int \cos^2(c + dx) dx + a^4 \int \sec^2(c + dx) dx + (4a^4) \int \cos(c + dx) dx \\
&= 6a^4 x + \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{4a^4 \sin(c + dx)}{d} + \frac{a^4 \cos(c + dx) \sin(c + dx)}{2d} \\
&= \frac{13a^4 x}{2} + \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{4a^4 \sin(c + dx)}{d} + \frac{a^4 \cos(c + dx) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 1.25, size = 241, normalized size = 3.30

$$\frac{1}{64} a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \frac{16 \sin(c) \cos(dx)}{d} + \frac{\sin(2c) \cos(2dx)}{d} + \frac{16 \cos(c) \sin(dx)}{d} + \frac{\cos(2c) \sin(2dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^2,x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*(26\*x - (16\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/d + (16\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/d + (16\*Cos[d\*x]\*Sin[c])/d + (Cos[2\*d\*x]\*Sin[2\*c])/d + (16\*Cos[c]\*Sin[d\*x])/d + (Cos[2\*c]\*Sin[2\*d\*x])/d + (4\*Sin[(d\*x)/2])/(d\*(Cos[c/2] - Sin[c/2]))\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (4\*Sin[(d\*x)/2])/(d\*(Cos[c/2] + Sin[c/2]))\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])))/64

**fricas [A]** time = 0.89, size = 105, normalized size = 1.44

$$\frac{13 a^4 dx \cos(dx + c) + 4 a^4 \cos(dx + c) \log(\sin(dx + c) + 1) - 4 a^4 \cos(dx + c) \log(-\sin(dx + c) + 1) + (a^4 \cos(dx + c))^2}{2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(13\*a^4\*d\*x\*cos(d\*x + c) + 4\*a^4\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - 4\*a^4\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + (a^4\*cos(d\*x + c))^2 + 8\*a^4\*cos(d\*x + c) + 2\*a^4)\*sin(d\*x + c)/(d\*cos(d\*x + c))

**giac [A]** time = 0.57, size = 129, normalized size = 1.77

$$\frac{13(dx + c)a^4 + 8a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 8a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{4a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} + \frac{2\left(7a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 1/2\*(13\*(d\*x + c)\*a^4 + 8\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 8\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 4\*a^4\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1) + 2\*(7\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*a^4\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2/d

**maple [A]** time = 0.12, size = 86, normalized size = 1.18

$$\frac{a^4 \cos(dx + c) \sin(dx + c)}{2d} + \frac{13a^4 x}{2} + \frac{13a^4 c}{2d} + \frac{4a^4 \sin(dx + c)}{d} + \frac{4a^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^4 \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^4*sec(d*x+c)^2,x)`

[Out]  $1/2*a^4*cos(d*x+c)*sin(d*x+c)/d+13/2*a^4*x+13/2/d*a^4*c+4*a^4*sin(d*x+c)/d+4/d*a^4*ln(sec(d*x+c)+tan(d*x+c))+a^4*tan(d*x+c)/d$

**maxima** [A] time = 0.67, size = 85, normalized size = 1.16

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))a^4 + 24 (dx + c)a^4 + 8 a^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 16 a^4 \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^2,x, algorithm="maxima")`

[Out]  $1/4*((2*d*x + 2*c + \sin(2*d*x + 2*c))*a^4 + 24*(d*x + c)*a^4 + 8*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 16*a^4*\sin(d*x + c) + 4*a^4*\tan(d*x + c))/d$

**mupad** [B] time = 0.60, size = 117, normalized size = 1.60

$$\frac{13 a^4 x}{2} + \frac{8 a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{-5 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + 2 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 11 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(-\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^4/cos(c + d*x)^2,x)`

[Out]  $(13*a^4*x)/2 + (8*a^4*atanh(tan(c/2 + (d*x)/2)))/d + (2*a^4*tan(c/2 + (d*x)/2)^3 - 5*a^4*tan(c/2 + (d*x)/2)^5 + 11*a^4*tan(c/2 + (d*x)/2))/(d*(tan(c/2 + (d*x)/2)^2 - tan(c/2 + (d*x)/2)^4 - tan(c/2 + (d*x)/2)^6 + 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^4 \left( \int 4 \cos(c + dx) \sec^2(c + dx) dx + \int 6 \cos^2(c + dx) \sec^2(c + dx) dx + \int 4 \cos^3(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**4*sec(d*x+c)**2,x)`

[Out]  $a**4*(Integral(4*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(6*cos(c + d*x)**2*sec(c + d*x)**2, x) + Integral(4*cos(c + d*x)**3*sec(c + d*x)**2, x) + Integral(cos(c + d*x)**4*sec(c + d*x)**2, x) + Integral(sec(c + d*x)**2, x))$

### 3.38 $\int (a + a \cos(c + dx))^4 \sec^3(c + dx) dx$

**Optimal.** Leaf size=73

$$\frac{a^4 \sin(c + dx)}{d} + \frac{4a^4 \tan(c + dx)}{d} + \frac{13a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4 \tan(c + dx) \sec(c + dx)}{2d} + 4a^4 x$$

[Out]  $4a^4x + 13/2a^4 \arctanh(\sin(dx+c))/d + a^4 \sin(dx+c)/d + 4a^4 \tan(dx+c)/d + 1/2a^4 \sec(dx+c) \tan(dx+c)/d$

**Rubi [A]** time = 0.09, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2757, 2637, 3770, 3767, 8, 3768}

$$\frac{a^4 \sin(c + dx)}{d} + \frac{4a^4 \tan(c + dx)}{d} + \frac{13a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4 \tan(c + dx) \sec(c + dx)}{2d} + 4a^4 x$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^3,x]

[Out]  $4a^4x + (13a^4 \text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (a^4 \text{Sin}[c + d*x])/d + (4a^4 \text{Tan}[c + d*x])/d + (a^4 \text{Sec}[c + d*x] \text{Tan}[c + d*x])/(2*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Csc[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^3(c + dx) dx &= \int (4a^4 + a^4 \cos(c + dx) + 6a^4 \sec(c + dx) + 4a^4 \sec^2(c + dx) + a^4 \sec^3(c + dx)) dx \\
&= 4a^4 x + a^4 \int \cos(c + dx) dx + a^4 \int \sec^3(c + dx) dx + (4a^4) \int \sec^2(c + dx) dx \\
&= 4a^4 x + \frac{6a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^4 \sin(c + dx)}{d} + \frac{a^4 \sec(c + dx) \tan(c + dx)}{2d} \\
&= 4a^4 x + \frac{13a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4 \sin(c + dx)}{d} + \frac{4a^4 \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [B]** time = 1.24, size = 272, normalized size = 3.73

$$\frac{1}{64} a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \frac{4 \sin(c) \cos(dx)}{d} + \frac{4 \cos(c) \sin(dx)}{d} + \frac{16 \sin\left(\frac{dx}{2}\right)}{d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^3,x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*(16\*x - (26\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/d + (26\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/d + (4\*Cos[d\*x]\*Sin[c])/d + (4\*Cos[c]\*Sin[d\*x])/d + 1/(d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) + (16\*Sin[(d\*x)/2])/(d\*(Cos[c/2] - Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) - 1/(d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) + (16\*Sin[(d\*x)/2])/(d\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])))/64

**fricas [A]** time = 1.71, size = 111, normalized size = 1.52

$$\frac{16 a^4 dx \cos(dx + c)^2 + 13 a^4 \cos(dx + c)^2 \log(\sin(dx + c) + 1) - 13 a^4 \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 8 a^4 \cos(dx + c) + a^4 \sin(dx + c)}{4 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(16\*a^4\*d\*x\*cos(d\*x + c)^2 + 13\*a^4\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - 13\*a^4\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(2\*a^4\*cos(d\*x + c)^2 + 8\*a^4\*cos(d\*x + c) + a^4)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [A]** time = 0.61, size = 129, normalized size = 1.77

$$\frac{8(dx + c)a^4 + 13a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 13a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{4a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} - \frac{2\left(7a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a^4\right)}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(8\*(d\*x + c)\*a^4 + 13\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 13\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 4\*a^4\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 + 1) - 2\*(7\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 9\*a^4\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2/d

**maple [A]** time = 0.15, size = 86, normalized size = 1.18

$$\frac{a^4 \sin(dx+c)}{d} + 4a^4 x + \frac{4a^4 c}{d} + \frac{13a^4 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{4a^4 \tan(dx+c)}{d} + \frac{a^4 \sec(dx+c) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x)

[Out] a^4\*sin(d\*x+c)/d+4\*a^4\*x+4/d\*a^4\*c+13/2/d\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*a^4\*tan(d\*x+c)/d+1/2\*a^4\*sec(d\*x+c)\*tan(d\*x+c)/d

**maxima [A]** time = 0.66, size = 110, normalized size = 1.51

$$\frac{16(dx+c)a^4 - a^4 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 12a^4 (\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 1/4\*(16\*(d\*x+c)\*a^4 - a^4\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2-1) - log(sin(d\*x+c)+1) + log(sin(d\*x+c)-1)) + 12\*a^4\*(log(sin(d\*x+c)+1) - log(sin(d\*x+c)-1)) + 4\*a^4\*sin(d\*x+c) + 16\*a^4\*tan(d\*x+c))/d

**mupad [B]** time = 0.59, size = 115, normalized size = 1.58

$$4a^4 x + \frac{13a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{5a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + 2a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 - 11a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( -\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(c+d\*x))^4/cos(c+d\*x)^3,x)

[Out] 4\*a^4\*x + (13\*a^4\*atanh(tan(c/2 + (d\*x)/2)))/d + (2\*a^4\*tan(c/2 + (d\*x)/2)^3 + 5\*a^4\*tan(c/2 + (d\*x)/2)^5 - 11\*a^4\*tan(c/2 + (d\*x)/2))/(d\*(tan(c/2 + (d\*x)/2)^2 + tan(c/2 + (d\*x)/2)^4 - tan(c/2 + (d\*x)/2)^6 - 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

### 3.39 $\int (a + a \cos(c + dx))^4 \sec^4(c + dx) dx$

**Optimal.** Leaf size=73

$$\frac{a^4 \tan^3(c + dx)}{3d} + \frac{7a^4 \tan(c + dx)}{d} + \frac{6a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^4 \tan(c + dx) \sec(c + dx)}{d} + a^4 x$$

[Out]  $a^4 x + 6 a^4 \operatorname{arctanh}(\sin(dx+c))/d + 7 a^4 \tan(dx+c)/d + 2 a^4 \sec(dx+c) \tan(dx+c)/d + 1/3 a^4 \tan(dx+c)^3/d$

**Rubi [A]** time = 0.10, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3770, 3767, 8, 3768}

$$\frac{a^4 \tan^3(c + dx)}{3d} + \frac{7a^4 \tan(c + dx)}{d} + \frac{6a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^4 \tan(c + dx) \sec(c + dx)}{d} + a^4 x$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^4*Sec[c + d*x]^4,x]`

[Out]  $a^4 x + (6 a^4 \operatorname{ArcTanh}[\sin[c + d x]])/d + (7 a^4 \tan[c + d x])/d + (2 a^4 \sec[c + d x] \tan[c + d x])/d + (a^4 \tan[c + d x]^3)/(3 d)$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 2757

`Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Int[ExpandTrig[(a + b*sin[e + f*x])^m*(d*sin[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^4(c + dx) dx &= \int (a^4 + 4a^4 \sec(c + dx) + 6a^4 \sec^2(c + dx) + 4a^4 \sec^3(c + dx) + a^4 \sec^4(c + dx)) dx \\
&= a^4 x + a^4 \int \sec^4(c + dx) dx + (4a^4) \int \sec(c + dx) dx + (4a^4) \int \sec^3(c + dx) dx \\
&= a^4 x + \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2a^4 \sec(c + dx) \tan(c + dx)}{d} + (2a^4) \int \sec^2(c + dx) dx \\
&= a^4 x + \frac{6a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{7a^4 \tan(c + dx)}{d} + \frac{2a^4 \sec(c + dx) \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.04, size = 61, normalized size = 0.84

$$a^4 \left( \frac{\tan^3(c + dx)}{3d} + \frac{7 \tan(c + dx)}{d} + \frac{6 \tanh^{-1}(\sin(c + dx))}{d} + \frac{2 \tan(c + dx) \sec(c + dx)}{d} + x \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^4,x]

[Out] a^4\*(x + (6\*ArcTanh[Sin[c + d\*x]])/d + (7\*Tan[c + d\*x])/d + (2\*Sec[c + d\*x]\*Tan[c + d\*x])/d + Tan[c + d\*x]^3/(3\*d))

**fricas [A]** time = 0.96, size = 110, normalized size = 1.51

$$\frac{3a^4 dx \cos(dx + c)^3 + 9a^4 \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 9a^4 \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + (20a^4 \cos(dx + c)^2 + 6a^4 \cos(dx + c) + a^4) \sin(dx + c)}{3d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/3\*(3\*a^4\*d\*x\*cos(d\*x + c)^3 + 9\*a^4\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 9\*a^4\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + (20\*a^4\*cos(d\*x + c)^2 + 6\*a^4\*cos(d\*x + c) + a^4)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [A]** time = 0.67, size = 116, normalized size = 1.59

$$\frac{3(dx + c)a^4 + 18a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 18a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(15a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 38a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 27a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^5}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/3\*(3\*(d\*x + c)\*a^4 + 18\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 18\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(15\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 - 38\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 27\*a^4\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

**maple [A]** time = 0.14, size = 93, normalized size = 1.27

$$a^4 x + \frac{a^4 c}{d} + \frac{6a^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{20a^4 \tan(dx + c)}{3d} + \frac{2a^4 \sec(dx + c) \tan(dx + c)}{d} + \frac{a^4 \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x)



[Out]  $a^4x + 1/d*a^4*c + 6/d*a^4*\ln(\sec(dx+c) + \tan(dx+c)) + 20/3*a^4*\tan(dx+c)/d + 2*a^4*\sec(dx+c)*\tan(dx+c)/d + 1/3/d*a^4*\tan(dx+c)*\sec(dx+c)^2$

**maxima** [A] time = 1.86, size = 120, normalized size = 1.64

$$\frac{(\tan(dx+c)^3 + 3 \tan(dx+c))a^4 + 3(dx+c)a^4 - 3a^4\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^4\*sec(dx+c)^4,x, algorithm="maxima")

[Out]  $1/3*((\tan(dx+c)^3 + 3*\tan(dx+c))*a^4 + 3*(dx+c)*a^4 - 3*a^4*(2*\sin(dx+c)/(\sin(dx+c)^2-1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) + 6*a^4*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 18*a^4*\tan(dx+c))/d$

**mupad** [B] time = 0.62, size = 117, normalized size = 1.60

$$a^4x + \frac{12a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{10a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{76a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 18a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + dx))^4/cos(c + dx)^4,x)

[Out]  $a^4x + (12*a^4*\operatorname{atanh}(\tan(c/2 + (dx)/2)))/d - (10*a^4*\tan(c/2 + (dx)/2)^5 - (76*a^4*\tan(c/2 + (dx)/2)^3)/3 + 18*a^4*\tan(c/2 + (dx)/2))/(d*(3*\tan(c/2 + (dx)/2)^2 - 3*\tan(c/2 + (dx)/2)^4 + \tan(c/2 + (dx)/2)^6 - 1))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*4\*sec(dx+c)\*\*4,x)

[Out] Timed out

### 3.40 $\int (a + a \cos(c + dx))^4 \sec^5(c + dx) dx$

**Optimal.** Leaf size=96

$$\frac{4a^4 \tan^3(c + dx)}{3d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{35a^4 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{27a^4 \tan(c + dx) \sec(c + dx)}{8d}$$

[Out]  $35/8*a^4*\operatorname{arctanh}(\sin(d*x+c))/d+8*a^4*\tan(d*x+c)/d+27/8*a^4*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a^4*\sec(d*x+c)^3*\tan(d*x+c)/d+4/3*a^4*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.13, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3770, 3767, 8, 3768}

$$\frac{4a^4 \tan^3(c + dx)}{3d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{35a^4 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{27a^4 \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4*\text{Sec}[c + d*x]^5, x]$

[Out]  $(35*a^4*\text{ArcTanh}[\text{Sin}[c + d*x]])/(8*d) + (8*a^4*\text{Tan}[c + d*x])/d + (27*a^4*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(8*d) + (a^4*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(4*d) + (4*a^4*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2757

$\text{Int}[(d*\sin[e] + f*x)^n*(a + b*\sin[e + f*x])^m, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rule 3767

$\text{Int}[\text{csc}[c] + d*(x)]^n, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x \ \&\& \ \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[c] + d*(x))*b]^n, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[c] + d*(x)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^5(c + dx) dx &= \int (a^4 \sec(c + dx) + 4a^4 \sec^2(c + dx) + 6a^4 \sec^3(c + dx) + 4a^4 \sec^4(c + dx) + a^4 \sec^5(c + dx)) dx \\
&= a^4 \int \sec(c + dx) dx + a^4 \int \sec^5(c + dx) dx + (4a^4) \int \sec^2(c + dx) dx + (6a^4) \int \sec^3(c + dx) dx + a^4 \int \sec^4(c + dx) dx \\
&= \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{3a^4 \sec(c + dx) \tan(c + dx)}{d} + \frac{a^4 \sec^3(c + dx) \tan(c + dx)}{3d} \\
&= \frac{4a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{27a^4 \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{35a^4 \tanh^{-1}(\sin(c + dx))}{8d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{27a^4 \sec(c + dx) \tan(c + dx)}{8d}
\end{aligned}$$

**Mathematica [B]** time = 6.37, size = 797, normalized size = 8.30

$$\frac{35(\cos(c + dx)a + a)^4 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{128d} + \frac{35(\cos(c + dx)a + a)^4 \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \sec^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^5,x]

[Out] (-35\*(a + a\*Cos[c + d\*x])^4\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^8)/(128\*d) + (35\*(a + a\*Cos[c + d\*x])^4\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^8)/(128\*d) + ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8)/(256\*d\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^4) + ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*Sin[(d\*x)/2])/(24\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*(97\*Cos[c/2] - 65\*Sin[c/2]))/(768\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + (5\*(a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*Sin[(d\*x)/2])/(12\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])) - ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8)/(256\*d\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^4) + ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*Sin[(d\*x)/2])/(24\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*(-97\*Cos[c/2] - 65\*Sin[c/2]))/(768\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2) + (5\*(a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*Sin[(d\*x)/2])/(12\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]))

**fricas [A]** time = 2.00, size = 111, normalized size = 1.16

$$\frac{105 a^4 \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 105 a^4 \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(160 a^4 \cos(dx + c)^3 + 81 a^4 \cos(dx + c)^2 + 32 a^4 \cos(dx + c) + 6 a^4) \sin(dx + c)}{48 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(105\*a^4\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 105\*a^4\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(160\*a^4\*cos(d\*x + c)^3 + 81\*a^4\*cos(d\*x + c)^2 + 32\*a^4\*cos(d\*x + c) + 6\*a^4)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**giac [A]** time = 0.86, size = 122, normalized size = 1.27

$$\frac{105 a^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 105 a^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2\left(105 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 385 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 385 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 105 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)^4 \left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^4}}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24}*(105*a^4*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 1)) - 105*a^4*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) - 1)) - 2*(105*a^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^7 - 385*a^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^5 + 511*a^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 - 279*a^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)))/(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^2 - 1)^4/d$

**maple [A]** time = 0.16, size = 102, normalized size = 1.06

$$\frac{35a^4 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{20a^4 \tan(dx+c)}{3d} + \frac{27a^4 \sec(dx+c) \tan(dx+c)}{8d} + \frac{4a^4 \tan(dx+c) (\sec^2(dx+c) - 1)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x)

[Out]  $35/8/d*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+20/3*a^4*\tan(d*x+c)/d+27/8*a^4*\sec(d*x+c)*\tan(d*x+c)/d+4/3/d*a^4*\tan(d*x+c)*\sec(d*x+c)^2+1/4*a^4*\sec(d*x+c)^3*\tan(d*x+c)/d$

**maxima [B]** time = 1.01, size = 182, normalized size = 1.90

$$64 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a^4 - 3 a^4 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{48}*(64*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^4 - 3*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 72*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 24*a^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 192*a^4*\tan(d*x + c))/d$

**mapad [B]** time = 3.50, size = 141, normalized size = 1.47

$$\frac{35 a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4 d} - \frac{\frac{35 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} - \frac{385 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{511 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} - \frac{93 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^5,x)

[Out]  $(35*a^4*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(4*d) - ((511*a^4*\tan(c/2 + (d*x)/2)^3)/12 - (385*a^4*\tan(c/2 + (d*x)/2)^5)/12 + (35*a^4*\tan(c/2 + (d*x)/2)^7)/4 - (93*a^4*\tan(c/2 + (d*x)/2))/4)/(d*(6*\tan(c/2 + (d*x)/2)^4 - 4*\tan(c/2 + (d*x)/2)^2 - 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

### 3.41 $\int (a + a \cos(c + dx))^4 \sec^6(c + dx) dx$

**Optimal.** Leaf size=111

$$\frac{a^4 \tan^5(c + dx)}{5d} + \frac{8a^4 \tan^3(c + dx)}{3d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{7a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4 \tan(c + dx) \sec^3(c + dx)}{d} + \frac{7a^4 \sec^5(c + dx)}{5d}$$

[Out]  $7/2*a^4*\operatorname{arctanh}(\sin(d*x+c))/d+8*a^4*\tan(d*x+c)/d+7/2*a^4*\sec(d*x+c)*\tan(d*x+c)/d+a^4*\sec(d*x+c)^3*\tan(d*x+c)/d+8/3*a^4*\tan(d*x+c)^3/d+1/5*a^4*\tan(d*x+c)^5/d$

**Rubi [A]** time = 0.14, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2757, 3767, 8, 3768, 3770}

$$\frac{a^4 \tan^5(c + dx)}{5d} + \frac{8a^4 \tan^3(c + dx)}{3d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{7a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^4 \tan(c + dx) \sec^3(c + dx)}{d} + \frac{7a^4 \sec^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^4*\operatorname{Sec}[c + d*x]^6, x]$

[Out]  $(7*a^4*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*d) + (8*a^4*\operatorname{Tan}[c + d*x])/d + (7*a^4*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*d) + (a^4*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/d + (8*a^4*\operatorname{Tan}[c + d*x]^3)/(3*d) + (a^4*\operatorname{Tan}[c + d*x]^5)/(5*d)$

#### Rule 8

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

#### Rule 2757

$\operatorname{Int}[(d*\sin[e] + f*x)^n*(a + b*\sin[e] + f*x)^m, x\_Symbol] \rightarrow \operatorname{Int}[\operatorname{ExpandTrig}[(a + b*\sin[e] + f*x)^m*(d*\sin[e] + f*x)^n, x], x] /; \operatorname{FreeQ}\{a, b, d, e, f, n\}, x \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{IGTQ}[m, 0] \ \&\& \operatorname{RationalQ}[n]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[c] + d*(x)]^n, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{-1}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x \ \&\& \operatorname{IGTQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[c] + d*(x))*(b)]^n, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*\operatorname{Cos}[c + d*x])*(b*\operatorname{Csc}[c + d*x])^{n-1}/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{n-2}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x \ \&\& \operatorname{GtQ}[n, 1] \ \&\& \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[c] + d*(x)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^6(c + dx) dx &= \int (a^4 \sec^2(c + dx) + 4a^4 \sec^3(c + dx) + 6a^4 \sec^4(c + dx) + 4a^4 \sec^5(c + dx) + a^4 \sec^6(c + dx)) dx \\
&= a^4 \int \sec^2(c + dx) dx + a^4 \int \sec^6(c + dx) dx + (4a^4) \int \sec^3(c + dx) dx \\
&= \frac{2a^4 \sec(c + dx) \tan(c + dx)}{d} + \frac{a^4 \sec^3(c + dx) \tan(c + dx)}{d} + (2a^4) \int \sec^3(c + dx) dx \\
&= \frac{2a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{7a^4 \sec(c + dx) \tan(c + dx)}{2d} \\
&= \frac{7a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{7a^4 \sec(c + dx) \tan(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 1.43, size = 498, normalized size = 4.49

$$a^4 \sec(c) \sec^5(c + dx) \left( 960 \sin(2c + dx) - 660 \sin(c + 2dx) - 660 \sin(3c + 2dx) - 1600 \sin(2c + 3dx) + 60 \sin(4c + 3dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^6,x]

[Out] -1/960\*(a^4\*Sec[c]\*Sec[c + d\*x]^5\*(525\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 525\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 105\*Cos[4\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 105\*Cos[6\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 1050\*Cos[d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + 1050\*Cos[2\*c + d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) - 525\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 525\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 105\*Cos[4\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 105\*Cos[6\*c + 5\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 2360\*Sin[d\*x] + 960\*Sin[2\*c + d\*x] - 660\*Sin[c + 2\*d\*x] - 660\*Sin[3\*c + 2\*d\*x] - 1600\*Sin[2\*c + 3\*d\*x] + 60\*Sin[4\*c + 3\*d\*x] - 210\*Sin[3\*c + 4\*d\*x] - 210\*Sin[5\*c + 4\*d\*x] - 332\*Sin[4\*c + 5\*d\*x]))/d

**fricas [A]** time = 0.76, size = 124, normalized size = 1.12

$$105 a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 105 a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2 \left( 166 a^4 \cos(dx + c)^4 - 60 d \cos(dx + c)^5 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/60\*(105\*a^4\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 105\*a^4\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(166\*a^4\*cos(d\*x + c)^4 + 105\*a^4\*cos(d\*x + c)^3 + 68\*a^4\*cos(d\*x + c)^2 + 30\*a^4\*cos(d\*x + c) + 6\*a^4)\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

**giac [A]** time = 0.80, size = 138, normalized size = 1.24

$$105 a^4 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 a^4 \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 105 a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 - 490 a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 840 a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 420 a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 105 a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{30 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="giac")

[Out]  $\frac{1}{30}*(105*a^4*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 105*a^4*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 2*(105*a^4*\tan(1/2*d*x + 1/2*c)^9 - 490*a^4*\tan(1/2*d*x + 1/2*c)^7 + 896*a^4*\tan(1/2*d*x + 1/2*c)^5 - 790*a^4*\tan(1/2*d*x + 1/2*c)^3 + 375*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^5/d$

**maple [A]** time = 0.14, size = 123, normalized size = 1.11

$$\frac{83a^4 \tan(dx+c)}{15d} + \frac{7a^4 \sec(dx+c) \tan(dx+c)}{2d} + \frac{7a^4 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{34a^4 \tan(dx+c) (\sec^2(dx+c) - 1)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x)

[Out]  $83/15*a^4*\tan(d*x+c)/d+7/2*a^4*\sec(d*x+c)*\tan(d*x+c)/d+7/2/d*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+34/15/d*a^4*\tan(d*x+c)*\sec(d*x+c)^2+a^4*\sec(d*x+c)^3*\tan(d*x+c)/d+1/5/d*a^4*\tan(d*x+c)*\sec(d*x+c)^4$

**maxima [A]** time = 1.96, size = 190, normalized size = 1.71

$$4 \left( 3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) a^4 + 120 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a^4 - 15 a^4 \left( \frac{2(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) - 60 \tan(dx+c) \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out]  $\frac{1}{60}*(4*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*a^4 + 120*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^4 - 15*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 60*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 60*a^4*\tan(d*x + c))/d$

**mupad [B]** time = 4.61, size = 170, normalized size = 1.53

$$\frac{7a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{7a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 - \frac{98a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{3} + \frac{896a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} - \frac{158a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 25a^4}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^6,x)

[Out]  $(7*a^4*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d - ((896*a^4*\tan(c/2 + (d*x)/2)^5)/15 - (158*a^4*\tan(c/2 + (d*x)/2)^3)/3 - (98*a^4*\tan(c/2 + (d*x)/2)^7)/3 + 7*a^4*\tan(c/2 + (d*x)/2)^9 + 25*a^4*\tan(c/2 + (d*x)/2))/(d*(5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} - 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

### 3.42 $\int (a + a \cos(c + dx))^4 \sec^7(c + dx) dx$

Optimal. Leaf size=136

$$\frac{4a^4 \tan^5(c + dx)}{5d} + \frac{4a^4 \tan^3(c + dx)}{d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{49a^4 \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4 \tan(c + dx) \sec^5(c + dx)}{6d} + \frac{41a^4 \sec^3(c + dx) \tan(c + dx)}{24d}$$

[Out]  $49/16*a^4*\arctanh(\sin(d*x+c))/d+8*a^4*\tan(d*x+c)/d+49/16*a^4*\sec(d*x+c)*\tan(d*x+c)/d+41/24*a^4*\sec(d*x+c)^3*\tan(d*x+c)/d+1/6*a^4*\sec(d*x+c)^5*\tan(d*x+c)/d+4*a^4*\tan(d*x+c)^3/d+4/5*a^4*\tan(d*x+c)^5/d$

**Rubi [A]** time = 0.18, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2757, 3768, 3770, 3767}

$$\frac{4a^4 \tan^5(c + dx)}{5d} + \frac{4a^4 \tan^3(c + dx)}{d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{49a^4 \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4 \tan(c + dx) \sec^5(c + dx)}{6d} + \frac{41a^4 \sec^3(c + dx) \tan(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^7,x]

[Out]  $(49*a^4*\text{ArcTanh}[\text{Sin}[c + d*x]])/(16*d) + (8*a^4*\text{Tan}[c + d*x])/d + (49*a^4*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(16*d) + (41*a^4*\text{Sec}[c + d*x]^3*\text{Tan}[c + d*x])/(24*d) + (a^4*\text{Sec}[c + d*x]^5*\text{Tan}[c + d*x])/(6*d) + (4*a^4*\text{Tan}[c + d*x]^3)/d + (4*a^4*\text{Tan}[c + d*x]^5)/(5*d)$

#### Rule 2757

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*Csc[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^7(c + dx) dx &= \int (a^4 \sec^3(c + dx) + 4a^4 \sec^4(c + dx) + 6a^4 \sec^5(c + dx) + 4a^4 \sec^6(c + dx) + a^4 \sec^7(c + dx)) dx \\
&= a^4 \int \sec^3(c + dx) dx + a^4 \int \sec^7(c + dx) dx + (4a^4) \int \sec^4(c + dx) dx + (6a^4) \int \sec^5(c + dx) dx + (4a^4) \int \sec^6(c + dx) dx \\
&= \frac{a^4 \sec(c + dx) \tan(c + dx)}{2d} + \frac{3a^4 \sec^3(c + dx) \tan(c + dx)}{2d} + \frac{a^4 \sec^5(c + dx) \tan(c + dx)}{4d} \\
&= \frac{a^4 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{11a^4 \sec(c + dx) \tan(c + dx)}{4d} \\
&= \frac{11a^4 \tanh^{-1}(\sin(c + dx))}{4d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{49a^4 \sec(c + dx) \tan(c + dx)}{16d} \\
&= \frac{49a^4 \tanh^{-1}(\sin(c + dx))}{16d} + \frac{8a^4 \tan(c + dx)}{d} + \frac{49a^4 \sec(c + dx) \tan(c + dx)}{16d}
\end{aligned}$$

**Mathematica [A]** time = 0.78, size = 211, normalized size = 1.55

$$\frac{a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) \left(23520 \cos^6(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{480 d \cos^6(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*Sec[c + d*x]^7,x]
[Out] -1/122880*(a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*Sec[c + d*x]^6*(23520*Cos[c + d*x]^6*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(-11520*Sin[c] + 3750*Sin[d*x] + 3750*Sin[2*c + d*x] + 15360*Sin[c + 2*d*x] - 1920*Sin[3*c + 2*d*x] + 3845*Sin[2*c + 3*d*x] + 3845*Sin[4*c + 3*d*x] + 6912*Sin[3*c + 4*d*x] + 735*Sin[4*c + 5*d*x] + 735*Sin[6*c + 5*d*x] + 1152*Sin[5*c + 6*d*x])))/d
```

**fricas [A]** time = 0.78, size = 137, normalized size = 1.01

$$\frac{735 a^4 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 735 a^4 \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2 \left(1152 a^4 \cos(dx + c)^6 \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - 1152 a^4 \cos(dx + c)^6 \log\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)\right)}{480 d \cos^6(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^7,x, algorithm="fricas")
[Out] 1/480*(735*a^4*cos(d*x + c)^6*log(sin(d*x + c) + 1) - 735*a^4*cos(d*x + c)^6*log(-sin(d*x + c) + 1) + 2*(1152*a^4*cos(d*x + c)^5 + 735*a^4*cos(d*x + c)^4 + 576*a^4*cos(d*x + c)^3 + 410*a^4*cos(d*x + c)^2 + 192*a^4*cos(d*x + c) + 40*a^4)*sin(d*x + c))/(d*cos(d*x + c)^6)
```

**giac [A]** time = 0.71, size = 154, normalized size = 1.13

$$\frac{735 a^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 735 a^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2 \left(735 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^{11} - 4165 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 11520 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 11520 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 4165 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 735 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{240 d \cos^6(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^7,x, algorithm="giac")
[Out] 1/240*(735*a^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 735*a^4*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(735*a^4*tan(1/2*d*x + 1/2*c)^11 - 4165*a^4*tan(1/2*d*x + 1/2*c)^9 + 11520*a^4*tan(1/2*d*x + 1/2*c)^7 - 11520*a^4*tan(1/2*d*x + 1/2*c)^5 + 4165*a^4*tan(1/2*d*x + 1/2*c)^3 - 735*a^4*tan(1/2*d*x + 1/2*c)))/d
```

$*dx + 1/2*c)^9 + 9702*a^4*\tan(1/2*d*x + 1/2*c)^7 - 11802*a^4*\tan(1/2*d*x + 1/2*c)^5 + 7355*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3105*a^4*\tan(1/2*d*x + 1/2*c) / ((\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d$

**maple [A]** time = 0.21, size = 146, normalized size = 1.07

$$\frac{49a^4 \sec(dx+c) \tan(dx+c)}{16d} + \frac{49a^4 \ln(\sec(dx+c) + \tan(dx+c))}{16d} + \frac{24a^4 \tan(dx+c)}{5d} + \frac{12a^4 \tan(dx+c) (\sec^2(dx+c) - 1)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^4*sec(d*x+c)^7,x)`

[Out]  $49/16*a^4*\sec(d*x+c)*\tan(d*x+c)/d+49/16/d*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+24/5*a^4*\tan(d*x+c)/d+12/5/d*a^4*\tan(d*x+c)*\sec(d*x+c)^2+41/24*a^4*\sec(d*x+c)^3*\tan(d*x+c)/d+4/5/d*a^4*\tan(d*x+c)*\sec(d*x+c)^4+1/6*a^4*\sec(d*x+c)^5*\tan(d*x+c)/d$

**maxima [B]** time = 1.37, size = 270, normalized size = 1.99

$$128(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))a^4 + 640(\tan(dx+c)^3 + 3 \tan(dx+c))a^4 - 5a^4 \left( \frac{2(15 \sin(dx+c)^5 - 40 \sin(dx+c)^3 + 33 \sin(dx+c))}{(\sin(dx+c)^6 - 3 \sin(dx+c)^4 + 3 \sin(dx+c)^2 - 1) - 15 \log(\sin(dx+c) + 1) + 15 \log(\sin(dx+c) - 1)} - 180a^4(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 120a^4(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^7,x, algorithm="maxima")`

[Out]  $1/480*(128*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*a^4 + 40*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^4 - 5*a^4*(2*(15*\sin(d*x + c)^5 - 40*\sin(d*x + c)^3 + 33*\sin(d*x + c))/(\sin(d*x + c)^6 - 3*\sin(d*x + c)^4 + 3*\sin(d*x + c)^2 - 1) - 15*\log(\sin(d*x + c) + 1) + 15*\log(\sin(d*x + c) - 1)) - 180*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 120*a^4*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)))/d$

**mupad [B]** time = 3.87, size = 199, normalized size = 1.46

$$\frac{49a^4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{8d} - \frac{\frac{49a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}{8} - \frac{833a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{24} + \frac{1617a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{20} - \frac{1967a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20} + \frac{1471a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24} - \frac{(1471a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3)/24 - (1967a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5)/20 + (1617a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7)/20 - (833a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9)/24 + (49a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11})/8 - (207a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right))/8}{d*(15*\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 6*\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 20*\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 15*\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 6*\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^4/cos(c + d*x)^7,x)`

[Out]  $(49*a^4*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(8*d) - ((1471*a^4*\tan(c/2 + (d*x)/2)^3)/24 - (1967*a^4*\tan(c/2 + (d*x)/2)^5)/20 + (1617*a^4*\tan(c/2 + (d*x)/2)^7)/20 - (833*a^4*\tan(c/2 + (d*x)/2)^9)/24 + (49*a^4*\tan(c/2 + (d*x)/2)^{11})/8 - (207*a^4*\tan(c/2 + (d*x)/2))/8)/(d*(15*\tan(c/2 + (d*x)/2)^4 - 6*\tan(c/2 + (d*x)/2)^2 - 20*\tan(c/2 + (d*x)/2)^6 + 15*\tan(c/2 + (d*x)/2)^8 - 6*\tan(c/2 + (d*x)/2)^{10} + \tan(c/2 + (d*x)/2)^{12} + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**4*sec(d*x+c)**7,x)`

[Out] Timed out

$$3.43 \quad \int \frac{\cos^5(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{4 \sin^3(c+dx)}{3ad} - \frac{4 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} + \frac{5 \sin(c+dx) \cos^3(c+dx)}{4ad} + \frac{15 \sin(c+dx) \cos(c+dx)}{8ad}$$

[Out] 15/8\*x/a-4\*sin(d\*x+c)/a/d+15/8\*cos(d\*x+c)\*sin(d\*x+c)/a/d+5/4\*cos(d\*x+c)^3\*sin(d\*x+c)/a/d-cos(d\*x+c)^4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))+4/3\*sin(d\*x+c)^3/a/d

**Rubi [A]** time = 0.11, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2767, 2748, 2633, 2635, 8}

$$\frac{4 \sin^3(c+dx)}{3ad} - \frac{4 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} + \frac{5 \sin(c+dx) \cos^3(c+dx)}{4ad} + \frac{15 \sin(c+dx) \cos(c+dx)}{8ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x]),x]

[Out] (15\*x)/(8\*a) - (4\*Sin[c + d\*x])/(a\*d) + (15\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*a\*d) + (5\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(4\*a\*d) - (Cos[c + d\*x]^4\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])) + (4\*Sin[c + d\*x]^3)/(3\*a\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2767

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*Sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \cos^3(c+dx)(4a-5a\cos(c+dx)) dx}{a^2} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{4\int \cos^3(c+dx) dx}{a} + \frac{5\int \cos^4(c+dx) dx}{a} \\
&= \frac{5\cos^3(c+dx)\sin(c+dx)}{4ad} - \frac{\cos^4(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{15\int \cos^2(c+dx) dx}{4a} + \frac{4\text{Subst}}{d(a+a\cos(c+dx))} \\
&= -\frac{4\sin(c+dx)}{ad} + \frac{15\cos(c+dx)\sin(c+dx)}{8ad} + \frac{5\cos^3(c+dx)\sin(c+dx)}{4ad} - \frac{\cos^4(c+dx)}{d(a+a\cos(c+dx))} \\
&= \frac{15x}{8a} - \frac{4\sin(c+dx)}{ad} + \frac{15\cos(c+dx)\sin(c+dx)}{8ad} + \frac{5\cos^3(c+dx)\sin(c+dx)}{4ad} - \frac{\cos^4(c+dx)}{d(a+a\cos(c+dx))}
\end{aligned}$$

**Mathematica** [A] time = 0.32, size = 173, normalized size = 1.47

$$\sec\left(\frac{c}{2}\right)\sec\left(\frac{1}{2}(c+dx)\right)\left(-168\sin\left(c+\frac{dx}{2}\right)-120\sin\left(c+\frac{3dx}{2}\right)-120\sin\left(2c+\frac{3dx}{2}\right)+40\sin\left(2c+\frac{5dx}{2}\right)+40\sin\left(3c+\frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x]),x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]\*(360\*d\*x\*Cos[(d\*x)/2] + 360\*d\*x\*Cos[c + (d\*x)/2] - 552\*Sin[(d\*x)/2] - 168\*Sin[c + (d\*x)/2] - 120\*Sin[c + (3\*d\*x)/2] - 120\*Sin[2\*c + (3\*d\*x)/2] + 40\*Sin[2\*c + (5\*d\*x)/2] + 40\*Sin[3\*c + (5\*d\*x)/2] - 5\*Sin[3\*c + (7\*d\*x)/2] - 5\*Sin[4\*c + (7\*d\*x)/2] + 3\*Sin[4\*c + (9\*d\*x)/2] + 3\*Sin[5\*c + (9\*d\*x)/2]))/(384\*a\*d)

**fricas** [A] time = 1.05, size = 79, normalized size = 0.67

$$\frac{45 dx \cos(dx + c) + 45 dx + (6 \cos(dx + c)^4 - 2 \cos(dx + c)^3 + 13 \cos(dx + c)^2 - 19 \cos(dx + c) - 64) \sin(dx + c)}{24(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/24\*(45\*d\*x\*cos(d\*x + c) + 45\*d\*x + (6\*cos(d\*x + c)^4 - 2\*cos(d\*x + c)^3 + 13\*cos(d\*x + c)^2 - 19\*cos(d\*x + c) - 64)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [A] time = 0.44, size = 101, normalized size = 0.86

$$\frac{\frac{45(dx+c)}{a} - \frac{24 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a} - \frac{2\left(75 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 115 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 109 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 21 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^4 a}}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/24\*(45\*(d\*x + c)/a - 24\*tan(1/2\*d\*x + 1/2\*c)/a - 2\*(75\*tan(1/2\*d\*x + 1/2\*c)^7 + 115\*tan(1/2\*d\*x + 1/2\*c)^5 + 109\*tan(1/2\*d\*x + 1/2\*c)^3 + 21\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^4\*a)/d

**maple [A]** time = 0.07, size = 171, normalized size = 1.45

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{25\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{4ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4} - \frac{115\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{12ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4} - \frac{109\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{12ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4} - \frac{7\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5/(a+a*cos(d*x+c)), x)`

[Out]  $-1/a/d*\tan(1/2*d*x+1/2*c)-25/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7-115/12/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5-109/12/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3-7/4/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)+15/4/a/d*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima [A]** time = 1.24, size = 217, normalized size = 1.84

$$\frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{109 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{115 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{75 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a + \frac{4a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4a \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{a \sin(dx+c)^8}{(\cos(dx+c)+1)^8}} - \frac{45 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{12 \sin(dx+c)}{a(\cos(dx+c)+1)}$$

12d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5/(a+a*cos(d*x+c)), x, algorithm="maxima")`

[Out]  $-1/12*((21*\sin(d*x + c)/(\cos(d*x + c) + 1) + 109*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 115*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 75*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a + 4*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + a*\sin(d*x + c)^8/(\cos(d*x + c) + 1)^8) - 45*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 12*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

**mupad [B]** time = 1.94, size = 98, normalized size = 0.83

$$\frac{15x}{8a} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} - \frac{\frac{25 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{4} + \frac{115 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{12} + \frac{109 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{12} + \frac{7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4}}{ad\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^5/(a + a*cos(c + d*x)), x)`

[Out]  $(15*x)/(8*a) - \tan(c/2 + (d*x)/2)/(a*d) - ((7*\tan(c/2 + (d*x)/2))/4 + (109*\tan(c/2 + (d*x)/2)^3)/12 + (115*\tan(c/2 + (d*x)/2)^5)/12 + (25*\tan(c/2 + (d*x)/2)^7)/4)/(a*d*(\tan(c/2 + (d*x)/2)^2 + 1)^4$

**sympy [A]** time = 6.51, size = 882, normalized size = 7.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**5/(a+a*cos(d*x+c)), x)`

[Out] `Piecewise((45*d*x*tan(c/2 + d*x/2)**8/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 180*d*x*tan(c/2 + d*x/2)**6/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 +`

```

d*x/2)**2 + 24*a*d) + 270*d*x*tan(c/2 + d*x/2)**4/(24*a*d*tan(c/2 + d*x/2)*
*8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(
c/2 + d*x/2)**2 + 24*a*d) + 180*d*x*tan(c/2 + d*x/2)**2/(24*a*d*tan(c/2 + d
*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*
d*tan(c/2 + d*x/2)**2 + 24*a*d) + 45*d*x/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a
*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x
/2)**2 + 24*a*d) - 24*tan(c/2 + d*x/2)**9/(24*a*d*tan(c/2 + d*x/2)**8 + 96*
a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*
x/2)**2 + 24*a*d) - 246*tan(c/2 + d*x/2)**7/(24*a*d*tan(c/2 + d*x/2)**8 + 9
6*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 +
d*x/2)**2 + 24*a*d) - 374*tan(c/2 + d*x/2)**5/(24*a*d*tan(c/2 + d*x/2)**8 +
96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2
+ d*x/2)**2 + 24*a*d) - 314*tan(c/2 + d*x/2)**3/(24*a*d*tan(c/2 + d*x/2)**8
+ 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/
2 + d*x/2)**2 + 24*a*d) - 66*tan(c/2 + d*x/2)/(24*a*d*tan(c/2 + d*x/2)**8 +
96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2
+ d*x/2)**2 + 24*a*d), Ne(d, 0)), (x*cos(c)**5/(a*cos(c) + a), True))

```

$$3.44 \quad \int \frac{\cos^4(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=94

$$-\frac{4 \sin^3(c+dx)}{3ad} + \frac{4 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^3(c+dx)}{d(a \cos(c+dx) + a)} - \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} - \frac{3x}{2a}$$

[Out]  $-3/2*x/a+4*\sin(d*x+c)/a/d-3/2*\cos(d*x+c)*\sin(d*x+c)/a/d-\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))-4/3*\sin(d*x+c)^3/a/d$

Rubi [A] time = 0.09, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2767, 2748, 2635, 8, 2633}

$$-\frac{4 \sin^3(c+dx)}{3ad} + \frac{4 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^3(c+dx)}{d(a \cos(c+dx) + a)} - \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} - \frac{3x}{2a}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*cos[c + d\*x]),x]

[Out]  $(-3*x)/(2*a) + (4*\sin[c + d*x])/(a*d) - (3*\cos[c + d*x]*\sin[c + d*x])/(2*a*d) - (\cos[c + d*x]^3*\sin[c + d*x])/(d*(a + a*\cos[c + d*x])) - (4*\sin[c + d*x]^3)/(3*a*d)$

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x] \* (b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2767

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \cos^2(c+dx)(3a-4a\cos(c+dx)) dx}{a^2} \\
&= -\frac{\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{3\int \cos^2(c+dx) dx}{a} + \frac{4\int \cos^3(c+dx) dx}{a} \\
&= -\frac{3\cos(c+dx)\sin(c+dx)}{2ad} - \frac{\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{3\int 1 dx}{2a} - \frac{4\text{Subst}\left(\int (1-x^2)\right)}{2a} \\
&= -\frac{3x}{2a} + \frac{4\sin(c+dx)}{ad} - \frac{3\cos(c+dx)\sin(c+dx)}{2ad} - \frac{\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{4\sin^3(c+dx)}{3ad}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 143, normalized size = 1.52

$$\frac{\sec\left(\frac{c}{2}\right)\sec\left(\frac{1}{2}(c+dx)\right)\left(21\sin\left(c+\frac{dx}{2}\right)+18\sin\left(c+\frac{3dx}{2}\right)+18\sin\left(2c+\frac{3dx}{2}\right)-2\sin\left(2c+\frac{5dx}{2}\right)-2\sin\left(3c+\frac{5dx}{2}\right)\right)}{48ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x]), x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]\*(-36\*d\*x\*Cos[(d\*x)/2] - 36\*d\*x\*Cos[c + (d\*x)/2] + 69\*Sin[(d\*x)/2] + 21\*Sin[c + (d\*x)/2] + 18\*Sin[c + (3\*d\*x)/2] + 18\*Sin[2\*c + (3\*d\*x)/2] - 2\*Sin[2\*c + (5\*d\*x)/2] - 2\*Sin[3\*c + (5\*d\*x)/2] + Sin[3\*c + (7\*d\*x)/2] + Sin[4\*c + (7\*d\*x)/2]))/(48\*a\*d)

**fricas [A]** time = 1.10, size = 70, normalized size = 0.74

$$\frac{9 dx \cos(dx+c) + 9 dx - (2 \cos(dx+c)^3 - \cos(dx+c)^2 + 7 \cos(dx+c) + 16) \sin(dx+c)}{6(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] -1/6\*(9\*d\*x\*cos(d\*x + c) + 9\*d\*x - (2\*cos(d\*x + c)^3 - cos(d\*x + c)^2 + 7\*cos(d\*x + c) + 16)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 0.69, size = 88, normalized size = 0.94

$$\frac{\frac{9(dx+c)}{a} - \frac{6 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} - \frac{2\left(15 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 16 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)^3 a}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] -1/6\*(9\*(d\*x + c)/a - 6\*tan(1/2\*d\*x + 1/2\*c)/a - 2\*(15\*tan(1/2\*d\*x + 1/2\*c)^5 + 16\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^3\*a)/d

**maple [A]** time = 0.07, size = 136, normalized size = 1.45

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{5\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{16\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{3 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4/(a+a*cos(d*x+c)),x)`

[Out]  $1/a/d*\tan(1/2*d*x+1/2*c)+5/a/d/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5+16/3/a/d/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3+3/a/d/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)-3/a/d*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 1.55, size = 176, normalized size = 1.87

$$\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a + \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)}$$

$3d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $1/3*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a + 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) - 9*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + 3*\sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

**mupad** [B] time = 0.60, size = 70, normalized size = 0.74

$$\frac{\frac{15 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{3 \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{4} - \frac{\sin\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{12} + \frac{\sin\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{24}}{ad \cos\left(\frac{c}{2} + \frac{dx}{2}\right)} - \frac{3x}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4/(a + a*cos(c + d*x)),x)`

[Out]  $((15*\sin(c/2 + (d*x)/2))/8 + (3*\sin((3*c)/2 + (3*d*x)/2))/4 - \sin((5*c)/2 + (5*d*x)/2)/12 + \sin((7*c)/2 + (7*d*x)/2)/24)/(a*d*\cos(c/2 + (d*x)/2)) - (3*x)/(2*a)$

**sympy** [A] time = 3.90, size = 570, normalized size = 6.06

$$\left\{ \begin{array}{l} \frac{9dx \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{6ad \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right) + 18ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 18ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6ad} - \frac{27dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{6ad \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right) + 18ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 18ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6ad} - \frac{x \cos^4(c)}{a \cos(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+a*cos(d*x+c)),x)`

[Out]  $\text{Piecewise}\left(\left(-9*d*x*\tan(c/2 + d*x/2)**6/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) - 27*d*x*\tan(c/2 + d*x/2)**4/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) - 27*d*x*\tan(c/2 + d*x/2)**2/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) - 9*d*x/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) + 6*\tan(c/2 + d*x/2)**7/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) + 48*\tan(c/2 + d*x/2)**5/(6*a*d*\tan(c/2 + d*x/2)**6 + 18*a*d*\tan(c/2 + d*x/2)**4 + 18*a*d*\tan(c/2 + d*x/2)**2 + 6*a*d) + 50*\tan(c/2 + d*x/2)**3/(6*a*d*$

```

an(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**
2 + 6*a*d) + 24*tan(c/2 + d*x/2)/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/
2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d), Ne(d, 0)), (x*cos(c)**
4/(a*cos(c) + a), True))

```

$$3.45 \quad \int \frac{\cos^3(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=76

$$-\frac{2 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^2(c+dx)}{d(a \cos(c+dx)+a)} + \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} + \frac{3x}{2a}$$

[Out]  $3/2*x/a-2*\sin(d*x+c)/a/d+3/2*\cos(d*x+c)*\sin(d*x+c)/a/d-\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))$

**Rubi [A]** time = 0.06, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2767, 2734}

$$-\frac{2 \sin(c+dx)}{ad} - \frac{\sin(c+dx) \cos^2(c+dx)}{d(a \cos(c+dx)+a)} + \frac{3 \sin(c+dx) \cos(c+dx)}{2ad} + \frac{3x}{2a}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x]),x]

[Out]  $(3*x)/(2*a) - (2*\sin[c + d*x])/(a*d) + (3*\cos[c + d*x]*\sin[c + d*x])/(2*a*d) - (\cos[c + d*x]^2*\sin[c + d*x])/(d*(a + a*\cos[c + d*x]))$

Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2767

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*Sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{a+a \cos(c+dx)} dx &= -\frac{\cos^2(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} - \frac{\int \cos(c+dx)(2a-3a \cos(c+dx)) dx}{a^2} \\ &= \frac{3x}{2a} - \frac{2 \sin(c+dx)}{ad} + \frac{3 \cos(c+dx) \sin(c+dx)}{2ad} - \frac{\cos^2(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 117, normalized size = 1.54

$$\frac{\sec\left(\frac{c}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) \left(-4 \sin\left(c+\frac{dx}{2}\right) - 3 \sin\left(c+\frac{3dx}{2}\right) - 3 \sin\left(2c+\frac{3dx}{2}\right) + \sin\left(2c+\frac{5dx}{2}\right) + \sin\left(3c+\frac{5dx}{2}\right)\right)}{16ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x]),x]

[Out]  $(\text{Sec}[c/2] * \text{Sec}[(c + d*x)/2] * (12*d*x*\text{Cos}[(d*x)/2] + 12*d*x*\text{Cos}[c + (d*x)/2] - 20*\text{Sin}[(d*x)/2] - 4*\text{Sin}[c + (d*x)/2] - 3*\text{Sin}[c + (3*d*x)/2] - 3*\text{Sin}[2*c + (3*d*x)/2] + \text{Sin}[2*c + (5*d*x)/2] + \text{Sin}[3*c + (5*d*x)/2])) / (16*a*d)$

**fricas** [A] time = 1.17, size = 57, normalized size = 0.75

$$\frac{3 dx \cos(dx + c) + 3 dx + (\cos(dx + c)^2 - \cos(dx + c) - 4) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/2*(3*d*x*\cos(d*x + c) + 3*d*x + (\cos(d*x + c)^2 - \cos(d*x + c) - 4)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

**giac** [A] time = 0.36, size = 73, normalized size = 0.96

$$\frac{\frac{3(dx+c)}{a} - \frac{2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a} - \frac{2\left(3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="giac")`

[Out]  $1/2*(3*(d*x + c)/a - 2*\tan(1/2*d*x + 1/2*c)/a - 2*(3*\tan(1/2*d*x + 1/2*c)^3 + \tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*a))/d$

**maple** [A] time = 0.08, size = 103, normalized size = 1.36

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{3\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} + \frac{3 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3/(a+a*cos(d*x+c)),x)`

[Out]  $-1/a/d*\tan(1/2*d*x+1/2*c)-3/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3-1/a/d/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)+3/a/d*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 1.33, size = 133, normalized size = 1.75

$$\frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $-((\sin(d*x + c)/(\cos(d*x + c) + 1) + 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a + 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a + \sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

**mupad [B]** time = 0.41, size = 89, normalized size = 1.17

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) - \frac{3 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)(c+dx)}{2} + 3 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{a d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x)), x)

[Out] -(sin(c/2 + (d\*x)/2) - (3\*cos(c/2 + (d\*x)/2)\*(c + d\*x))/2 + 3\*cos(c/2 + (d\*x)/2)^2\*sin(c/2 + (d\*x)/2) - 2\*cos(c/2 + (d\*x)/2)^4\*sin(c/2 + (d\*x)/2))/(a\*d\*cos(c/2 + (d\*x)/2))

**sympy [A]** time = 2.32, size = 325, normalized size = 4.28

$$\left\{ \begin{array}{l} \frac{3dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} + \frac{6dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} + \frac{3dx}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 4ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 2ad} - \frac{1}{2ad \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)} \\ \frac{x \cos^3(c)}{a \cos(c) + a} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c)), x)

[Out] Piecewise((3\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 6\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 3\*d\*x/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 2\*tan(c/2 + d\*x/2)\*\*5/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 10\*tan(c/2 + d\*x/2)\*\*3/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 4\*tan(c/2 + d\*x/2)/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d), Ne(d, 0)), (x\*cos(c)\*\*3/(a\*cos(c) + a), True))

$$3.46 \quad \int \frac{\cos^2(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=43

$$\frac{\sin(c+dx)}{ad} + \frac{\sin(c+dx)}{ad(\cos(c+dx)+1)} - \frac{x}{a}$$

[Out]  $-x/a + \sin(d*x+c)/a/d + \sin(d*x+c)/a/d/(1+\cos(d*x+c))$

**Rubi [A]** time = 0.08, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2746, 12, 2735, 2648}

$$\frac{\sin(c+dx)}{ad} + \frac{\sin(c+dx)}{ad(\cos(c+dx)+1)} - \frac{x}{a}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2/(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $-(x/a) + \text{Sin}[c + d*x]/(a*d) + \text{Sin}[c + d*x]/(a*d*(1 + \text{Cos}[c + d*x]))$

#### Rule 12

$\text{Int}[(a_*)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)*(v_)] /; \text{FreeQ}[b, x]$

#### Rule 2648

$\text{Int}[((a_*) + (b_*)*\text{sin}[(c_*) + (d_*)*(x_)])^{-1}, x\_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/(d*(b + a*\text{Sin}[c + d*x])), x] /; \text{FreeQ}[\{a, b, c, d\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

#### Rule 2735

$\text{Int}[((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_)])/((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 2746

$\text{Int}[((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_)])^2/((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x])/(d*f), x] + \text{Dist}[1/d, \text{Int}[\text{Simp}[a^2*d - b*(b*c - 2*a*d)*\text{Sin}[e + f*x], x]/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{a+a \cos(c+dx)} dx &= \frac{\sin(c+dx)}{ad} - \frac{\int \frac{a \cos(c+dx)}{a+a \cos(c+dx)} dx}{a} \\ &= \frac{\sin(c+dx)}{ad} - \int \frac{\cos(c+dx)}{a+a \cos(c+dx)} dx \\ &= -\frac{x}{a} + \frac{\sin(c+dx)}{ad} + \int \frac{1}{a+a \cos(c+dx)} dx \\ &= -\frac{x}{a} + \frac{\sin(c+dx)}{ad} + \frac{\sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [B]** time = 0.20, size = 89, normalized size = 2.07

$$\frac{\sec\left(\frac{c}{2}\right)\sec\left(\frac{1}{2}(c+dx)\right)\left(\sin\left(c+\frac{dx}{2}\right)+\sin\left(c+\frac{3dx}{2}\right)+\sin\left(2c+\frac{3dx}{2}\right)-2dx\cos\left(c+\frac{dx}{2}\right)+5\sin\left(\frac{dx}{2}\right)-2dx\cos\left(\frac{dx}{2}\right)\right)}{4ad}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x]),x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]\*(-2\*d\*x\*Cos[(d\*x)/2] - 2\*d\*x\*Cos[c + (d\*x)/2] + 5\*Sin[(d\*x)/2] + Sin[c + (d\*x)/2] + Sin[c + (3\*d\*x)/2] + Sin[2\*c + (3\*d\*x)/2]))/(4\*a\*d)

**fricas [A]** time = 1.00, size = 46, normalized size = 1.07

$$\frac{dx \cos(dx + c) + dx - (\cos(dx + c) + 2) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] -(d\*x\*cos(d\*x + c) + d\*x - (cos(d\*x + c) + 2)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 0.45, size = 58, normalized size = 1.35

$$\frac{\frac{dx+c}{a} - \frac{\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a} - \frac{2 \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] -((d\*x + c)/a - tan(1/2\*d\*x + 1/2\*c)/a - 2\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)\*a))/d

**maple [A]** time = 0.05, size = 68, normalized size = 1.58

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+a\*cos(d\*x+c)),x)

[Out] 1/a/d\*tan(1/2\*d\*x+1/2\*c)+2/a/d\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)-2/a/d\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima [B]** time = 2.25, size = 92, normalized size = 2.14

$$\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $-(2*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a - 2*\sin(d*x + c)/((a + a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))/d$

**mupad [B]** time = 0.40, size = 66, normalized size = 1.53

$$\frac{2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + (-c - dx) \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{a d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + a*cos(c + d*x)),x)`

[Out]  $(\sin(c/2 + (d*x)/2) - \cos(c/2 + (d*x)/2)*(c + d*x) + 2*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2))/(a*d*\cos(c/2 + (d*x)/2))$

**sympy [A]** time = 1.41, size = 129, normalized size = 3.00

$$\left\{ \begin{array}{ll} -\frac{dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{a \cos(c) + a} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*cos(d*x+c)),x)`

[Out]  $\text{Piecewise}((-d*x*\tan(c/2 + d*x/2)**2/(a*d*\tan(c/2 + d*x/2)**2 + a*d) - d*x/(a*d*\tan(c/2 + d*x/2)**2 + a*d) + \tan(c/2 + d*x/2)**3/(a*d*\tan(c/2 + d*x/2)**2 + a*d) + 3*\tan(c/2 + d*x/2)/(a*d*\tan(c/2 + d*x/2)**2 + a*d), \text{Ne}(d, 0)), (x*\cos(c)**2/(a*\cos(c) + a), \text{True}))$



$$3.47 \quad \int \frac{\cos(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=29

$$\frac{x}{a} - \frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

[Out] x/a-sin(d\*x+c)/d/(a+a\*cos(d\*x+c))

**Rubi [A]** time = 0.03, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2735, 2648}

$$\frac{x}{a} - \frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*Cos[c + d\*x]),x]

[Out] x/a - Sin[c + d\*x]/(d\*(a + a\*Cos[c + d\*x]))

**Rule 2648**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2735**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(c+dx)}{a+a \cos(c+dx)} dx &= \frac{x}{a} - \int \frac{1}{a+a \cos(c+dx)} dx \\ &= \frac{x}{a} - \frac{\sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 57, normalized size = 1.97

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \left(dx \cos\left(\frac{1}{2}(c+dx)\right) - \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right)\right)}{ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x]),x]

[Out] (2\*Cos[(c + d\*x)/2]\*(d\*x\*Cos[(c + d\*x)/2] - Sec[c/2]\*Sin[(d\*x)/2]))/(a\*d\*(1 + Cos[c + d\*x]))

**fricas [A]** time = 0.89, size = 37, normalized size = 1.28

$$\frac{dx \cos(dx+c) + dx - \sin(dx+c)}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] (d\*x\*cos(d\*x + c) + d\*x - sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [A] time = 0.50, size = 28, normalized size = 0.97

$$\frac{\frac{dx+c}{a} - \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] ((d\*x + c)/a - tan(1/2\*d\*x + 1/2\*c)/a)/d

**maple** [A] time = 0.05, size = 37, normalized size = 1.28

$$-\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c)),x)

[Out] -1/a/d\*tan(1/2\*d\*x+1/2\*c)+2/a/d\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 1.22, size = 49, normalized size = 1.69

$$\frac{\frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] (2\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a - sin(d\*x + c)/(a\*(cos(d\*x + c) + 1)))/d

**mupad** [B] time = 0.33, size = 23, normalized size = 0.79

$$\frac{x}{a} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + a\*cos(c + d\*x)),x)

[Out] x/a - tan(c/2 + (d\*x)/2)/(a\*d)

**sympy** [A] time = 0.75, size = 27, normalized size = 0.93

$$\begin{cases} \frac{x}{a} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} & \text{for } d \neq 0 \\ \frac{x \cos(c)}{a \cos(c) + a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c)),x)

[Out] Piecewise((x/a - tan(c/2 + d\*x/2)/(a\*d), Ne(d, 0)), (x\*cos(c)/(a\*cos(c) + a), True))

$$3.48 \quad \int \frac{1}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=22

$$\frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

[Out] sin(d\*x+c)/d/(a+a\*cos(d\*x+c))

**Rubi [A]** time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {2648}

$$\frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-1), x]

[Out] Sin[c + d\*x]/(d\*(a + a\*Cos[c + d\*x]))

**Rule 2648**

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rubi steps**

$$\int \frac{1}{a+a \cos(c+dx)} dx = \frac{\sin(c+dx)}{d(a+a \cos(c+dx))}$$

**Mathematica [A]** time = 0.01, size = 17, normalized size = 0.77

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-1), x]

[Out] Tan[(c + d\*x)/2]/(a\*d)

**fricas [A]** time = 0.91, size = 22, normalized size = 1.00

$$\frac{\sin(dx+c)}{ad \cos(dx+c)+ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] sin(d\*x + c)/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 0.41, size = 16, normalized size = 0.73

$$\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] tan(1/2\*d\*x + 1/2\*c)/(a\*d)

**maple** [A] time = 0.04, size = 17, normalized size = 0.77

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c)),x)

[Out] 1/a/d\*tan(1/2\*d\*x+1/2\*c)

**maxima** [A] time = 1.12, size = 23, normalized size = 1.05

$$\frac{\sin(dx + c)}{ad(\cos(dx + c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] sin(d\*x + c)/(a\*d\*(cos(d\*x + c) + 1))

**mupad** [B] time = 0.31, size = 16, normalized size = 0.73

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x)),x)

[Out] tan(c/2 + (d\*x)/2)/(a\*d)

**sympy** [A] time = 0.51, size = 20, normalized size = 0.91

$$\begin{cases} \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} & \text{for } d \neq 0 \\ \frac{x}{a \cos(c) + a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c)),x)

[Out] Piecewise((tan(c/2 + d\*x/2)/(a\*d), Ne(d, 0)), (x/(a\*cos(c) + a), True))

$$3.49 \quad \int \frac{\sec(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=38

$$\frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

[Out] arctanh(sin(d\*x+c))/a/d-sin(d\*x+c)/d/(a+a\*cos(d\*x+c))

**Rubi [A]** time = 0.05, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2747, 3770, 2648}

$$\frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\sin(c+dx)}{d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x]),x]

[Out] ArcTanh[Sin[c + d\*x]]/(a\*d) - Sin[c + d\*x]/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2747

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{a+a \cos(c+dx)} dx &= \frac{\int \sec(c+dx) dx}{a} - \int \frac{1}{a+a \cos(c+dx)} dx \\ &= \frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [B]** time = 0.15, size = 103, normalized size = 2.71

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \left( \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c+dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right) - \cos\left(\frac{1}{2}(c+dx)\right)\right) \right)}{ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + a\*Cos[c + d\*x]),x]

[Out]  $(-2*\text{Cos}[(c + d*x)/2]*(\text{Cos}[(c + d*x)/2]*(\text{Log}[\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2]) - \text{Log}[\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2]]) + \text{Sec}[c/2]*\text{Sin}[(d*x)/2]))/(a*d*(1 + \text{Cos}[c + d*x]))$

**fricas** [A] time = 0.93, size = 65, normalized size = 1.71

$$\frac{(\cos(dx + c) + 1) \log(\sin(dx + c) + 1) - (\cos(dx + c) + 1) \log(-\sin(dx + c) + 1) - 2 \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/2*((\cos(d*x + c) + 1)*\log(\sin(d*x + c) + 1) - (\cos(d*x + c) + 1)*\log(-\sin(d*x + c) + 1) - 2*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$

**giac** [A] time = 0.50, size = 54, normalized size = 1.42

$$\frac{\frac{\log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}{a} - \frac{\log\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)}{a} - \frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="giac")`

[Out]  $(\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/a - \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a - \tan(1/2*d*x + 1/2*c)/a)/d$

**maple** [A] time = 0.08, size = 58, normalized size = 1.53

$$-\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{ad} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)/(a+a*cos(d*x+c)),x)`

[Out]  $-1/a/d*\tan(1/2*d*x+1/2*c)-1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)+1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 1.12, size = 75, normalized size = 1.97

$$\frac{\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - \sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

**mupad** [B] time = 0.35, size = 31, normalized size = 0.82

$$\frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)*(a + a*cos(c + d*x))),x)`

[Out]  $(2*\operatorname{atanh}(\tan(c/2 + (d*x)/2)) - \tan(c/2 + (d*x)/2))/(a*d)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c)), x)`

[Out] `Integral(sec(c + d*x)/(cos(c + d*x) + 1), x)/a`

$$3.50 \quad \int \frac{\sec^2(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=53

$$\frac{2 \tan(c+dx)}{ad} - \frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\tan(c+dx)}{d(a \cos(c+dx)+a)}$$

[Out]  $-\operatorname{arctanh}(\sin(d*x+c))/a/d+2*\tan(d*x+c)/a/d-\tan(d*x+c)/d/(a+a*\cos(d*x+c))$

**Rubi [A]** time = 0.08, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2768, 2748, 3767, 8, 3770}

$$\frac{2 \tan(c+dx)}{ad} - \frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\tan(c+dx)}{d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sec}[c + d*x]^2/(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $-(\text{ArcTanh}[\text{Sin}[c + d*x]]/(a*d)) + (2*\text{Tan}[c + d*x])/(a*d) - \text{Tan}[c + d*x]/(d*(a + a*\text{Cos}[c + d*x]))$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2768

$\text{Int}[(c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]^{(n_*)}/((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(a*f*(b*c - a*d)*(a + b*\text{Sin}[e + f*x])), x] + \text{Dist}[d/(a*(b*c - a*d)), \text{Int}[(c + d*\text{Sin}[e + f*x])^n*(a*n - b*(n+1)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, 0] \&\& (\text{IntegerQ}[2*n] \mid \mid \text{EqQ}[c, 0])$

#### Rule 3767

$\text{Int}[\text{csc}[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x \&\& \text{IGtQ}[n/2, 0]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_*) + (d_*)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps



$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int(-2a+a\cos(c+dx))\sec^2(c+dx)dx}{a^2} \\
&= -\frac{\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int\sec(c+dx)dx}{a} + \frac{2\int\sec^2(c+dx)dx}{a} \\
&= -\frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{2\text{Subst}(\int 1 dx, x, -\tan(c+dx))}{ad} \\
&= -\frac{\tanh^{-1}(\sin(c+dx))}{ad} + \frac{2\tan(c+dx)}{ad} - \frac{\tan(c+dx)}{d(a+a\cos(c+dx))}
\end{aligned}$$

**Mathematica [B]** time = 0.69, size = 188, normalized size = 3.55

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)+\cos\left(\frac{1}{2}(c+dx)\right)\right)\left(\frac{\sin(dx)}{(\cos(\frac{c}{2})-\sin(\frac{c}{2}))(\sin(\frac{c}{2})+\cos(\frac{c}{2}))(\cos(\frac{1}{2}(c+dx))-\sin(\frac{1}{2}(c+dx)))}\right)\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{ad(\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x]), x]

[Out] (2\*Cos[(c + d\*x)/2]\*(Sec[c/2]\*Sin[(d\*x)/2] + Cos[(c + d\*x)/2]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + Sin[d\*x]/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))))/a\*d\*(1 + Cos[c + d\*x]))

**fricas [A]** time = 1.10, size = 97, normalized size = 1.83

$$\frac{(\cos(dx+c)^2 + \cos(dx+c))\log(\sin(dx+c)+1) - (\cos(dx+c)^2 + \cos(dx+c))\log(-\sin(dx+c)+1) - 2(ad\cos(dx+c)^2 + ad\cos(dx+c))}{2(ad\cos(dx+c)^2 + ad\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] -1/2\*((cos(d\*x + c)^2 + cos(d\*x + c))\*log(sin(d\*x + c) + 1) - (cos(d\*x + c)^2 + cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(2\*cos(d\*x + c) + 1)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c)^2 + a\*d\*cos(d\*x + c))

**giac [A]** time = 0.47, size = 84, normalized size = 1.58

$$\frac{\frac{\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a} + \frac{2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2-1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] -(log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a - tan(1/2\*d\*x + 1/2\*c)/a + 2\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)\*a))/d

**maple [A]** time = 0.09, size = 99, normalized size = 1.87

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} - \frac{1}{ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{ad} - \frac{1}{ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2/(a+a*cos(d*x+c)),x)`

[Out]  $1/a/d*\tan(1/2*d*x+1/2*c)-1/a/d/(\tan(1/2*d*x+1/2*c)-1)+1/a/d*\ln(\tan(1/2*d*x+1/2*c)-1)-1/a/d/(\tan(1/2*d*x+1/2*c)+1)-1/a/d*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [B] time = 0.49, size = 119, normalized size = 2.25

$$\frac{\frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)-1}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $-(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - 2*\sin(d*x + c)/((a - a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1)))/d$

**mupad** [B] time = 0.40, size = 67, normalized size = 1.26

$$\frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a - a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2\right)} - \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{a d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^2*(a + a*cos(c + d*x))),x)`

[Out]  $(2*\tan(c/2 + (d*x)/2))/(d*(a - a*\tan(c/2 + (d*x)/2)^2) - (2*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a*d) + \tan(c/2 + (d*x)/2)/(a*d)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^2(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2/(a+a*cos(d*x+c)),x)`

[Out] `Integral(sec(c + d*x)**2/(cos(c + d*x) + 1), x)/a`

$$3.51 \quad \int \frac{\sec^3(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=83

$$-\frac{2 \tan(c+dx)}{ad} + \frac{3 \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{3 \tan(c+dx) \sec(c+dx)}{2ad} - \frac{\tan(c+dx) \sec(c+dx)}{d(a \cos(c+dx) + a)}$$

[Out] 3/2\*arctanh(sin(d\*x+c))/a/d-2\*tan(d\*x+c)/a/d+3/2\*sec(d\*x+c)\*tan(d\*x+c)/a/d-sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))

Rubi [A] time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2768, 2748, 3768, 3770, 3767, 8}

$$-\frac{2 \tan(c+dx)}{ad} + \frac{3 \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{3 \tan(c+dx) \sec(c+dx)}{2ad} - \frac{\tan(c+dx) \sec(c+dx)}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x]),x]

[Out] (3\*ArcTanh[Sin[c + d\*x]])/(2\*a\*d) - (2\*Tan[c + d\*x])/(a\*d) + (3\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d) - (Sec[c + d\*x]\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2768

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(b\*c - a\*d)\*(a + b\*Sin[e + f\*x])), x] + Dist[d/(a\*(b\*c - a\*d)), Int[(c + d\*Sin[e + f\*x])^n\*(a\*n - b\*(n + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{\sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{\int (-3a + 2a \cos(c + dx)) \sec^3(c + dx) dx}{a^2} \\ &= -\frac{\sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{2 \int \sec^2(c + dx) dx}{a} + \frac{3 \int \sec^3(c + dx) dx}{a} \\ &= \frac{3 \sec(c + dx) \tan(c + dx)}{2ad} - \frac{\sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{3 \int \sec(c + dx) dx}{2a} + \frac{2 \text{Subst}(\int \sec(u) du)}{2a} \\ &= \frac{3 \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{2 \tan(c + dx)}{ad} + \frac{3 \sec(c + dx) \tan(c + dx)}{2ad} - \frac{\sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 1.30, size = 244, normalized size = 2.94

$$\cos\left(\frac{1}{2}(c + dx)\right) \left( \cos\left(\frac{1}{2}(c + dx)\right) \left( -\frac{4 \sin(dx)}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))(\cos(\frac{1}{2}(c + dx)) - \sin(\frac{1}{2}(c + dx))) (\sin(\frac{1}{2}(c + dx)) + \cos(\frac{1}{2}(c + dx)))} + \frac{1}{\cos(\frac{1}{2}(c + dx))} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*(-4\*Sec[c/2]\*Sin[(d\*x)/2] + Cos[(c + d\*x)/2]\*(-6\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^(-2) - (Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^(-2) - (4\*Sin[d\*x])/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2]))\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))) / (2\*a\*d\*(1 + Cos[c + d\*x]))

**fricas [A]** time = 1.06, size = 112, normalized size = 1.35

$$\frac{3 \left( \cos(dx + c)^3 + \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 3 \left( \cos(dx + c)^3 + \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1)}{4 \left( ad \cos(dx + c)^3 + ad \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/4\*(3\*(cos(d\*x + c)^3 + cos(d\*x + c)^2)\*log(sin(d\*x + c) + 1) - 3\*(cos(d\*x + c)^3 + cos(d\*x + c)^2)\*log(-sin(d\*x + c) + 1) - 2\*(4\*cos(d\*x + c)^2 + cos(d\*x + c) - 1)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c)^3 + a\*d\*cos(d\*x + c)^2)

**giac [A]** time = 0.81, size = 101, normalized size = 1.22

$$\frac{\frac{3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a} - \frac{3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a} - \frac{2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a} + \frac{2 \left(3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1\right)^2 a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (3 \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1)) / a - 3 \cdot \log(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1) / a - 2 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) / a + 2 \cdot (3 \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^3 - \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)) / ((\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c)^2 - 1)^2 \cdot a) / d$

**maple [A]** time = 0.11, size = 143, normalized size = 1.72

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{ad} + \frac{1}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{3}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - \frac{3 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{2ad} - \frac{1}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^3/(a+a*cos(dx+c)),x)`

[Out]  $-1/a/d \cdot \tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1/2/a/d / (\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1)^2 + 3/2/a/d / (\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1) - 3/2/a/d \cdot \ln(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) - 1) - 1/2/a/d / (\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1)^2 + 3/2/a/d / (\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1) + 3/2/a/d \cdot \ln(\tan(\frac{1}{2} \cdot dx + \frac{1}{2} \cdot c) + 1)$

**maxima [B]** time = 0.31, size = 162, normalized size = 1.95

$$\frac{2 \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)}}{2d} - \frac{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^3/(a+a*cos(dx+c)),x, algorithm="maxima")`

[Out]  $-1/2 \cdot (2 \cdot (\sin(dx+c) / (\cos(dx+c)+1)) - 3 \cdot \sin(dx+c)^3 / (\cos(dx+c)+1)^3) / (a - 2 \cdot a \cdot \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + a \cdot \sin(dx+c)^4 / (\cos(dx+c)+1)^4) - 3 \cdot \log(\sin(dx+c) / (\cos(dx+c)+1) + 1) / a + 3 \cdot \log(\sin(dx+c) / (\cos(dx+c)+1) - 1) / a + 2 \cdot \sin(dx+c) / (a \cdot (\cos(dx+c)+1)) / d$

**mupad [B]** time = 0.45, size = 95, normalized size = 1.14

$$\frac{3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{ad} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left( a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c+dx)^3*(a+a*cos(c+dx))),x)`

[Out]  $(3 \cdot \operatorname{atanh}(\tan(c/2 + (dx)/2))) / (a \cdot d) - \tan(c/2 + (dx)/2) / (a \cdot d) - (\tan(c/2 + (dx)/2) - 3 \cdot \tan(c/2 + (dx)/2)^3) / (d \cdot (a - 2 \cdot a \cdot \tan(c/2 + (dx)/2)^2 + a \cdot \tan(c/2 + (dx)/2)^4))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^3(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)**3/(a+a*cos(dx+c)),x)`

[Out] `Integral(sec(c+dx)**3/(cos(c+dx)+1),x)/a`

$$3.52 \quad \int \frac{\sec^4(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=103

$$\frac{4 \tan^3(c+dx)}{3ad} + \frac{4 \tan(c+dx)}{ad} - \frac{3 \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3 \tan(c+dx) \sec(c+dx)}{2ad} - \frac{\tan(c+dx) \sec^2(c+dx)}{d(a \cos(c+dx) + a)}$$

[Out]  $-3/2 \cdot \operatorname{arctanh}(\sin(dx+c))/a/d + 4 \cdot \tan(dx+c)/a/d - 3/2 \cdot \sec(dx+c) \cdot \tan(dx+c)/a/d - \sec(dx+c)^2 \cdot \tan(dx+c)/d / (a+a \cdot \cos(dx+c)) + 4/3 \cdot \tan(dx+c)^3/a/d$

**Rubi [A]** time = 0.10, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2768, 2748, 3767, 3768, 3770}

$$\frac{4 \tan^3(c+dx)}{3ad} + \frac{4 \tan(c+dx)}{ad} - \frac{3 \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3 \tan(c+dx) \sec(c+dx)}{2ad} - \frac{\tan(c+dx) \sec^2(c+dx)}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] `Int[Sec[c + d*x]^4/(a + a*Cos[c + d*x]),x]`

[Out]  $(-3 \cdot \operatorname{ArcTanh}[\sin[c + d \cdot x]]) / (2 \cdot a \cdot d) + (4 \cdot \tan[c + d \cdot x]) / (a \cdot d) - (3 \cdot \sec[c + d \cdot x] \cdot \tan[c + d \cdot x]) / (2 \cdot a \cdot d) - (\sec[c + d \cdot x]^2 \cdot \tan[c + d \cdot x]) / (d \cdot (a + a \cdot \cos[c + d \cdot x])) + (4 \cdot \tan[c + d \cdot x]^3) / (3 \cdot a \cdot d)$

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2768

`Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(b*c - a*d)*(a + b*Sin[e + f*x])), x] + Dist[d/(a*(b*c - a*d)), Int[(c + d*Sin[e + f*x])^n*(a*n - b*(n + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2*n] || EqQ[c, 0])`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^4(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\sec^2(c+dx)\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int(-4a+3a\cos(c+dx))\sec^4(c+dx)dx}{a^2} \\
&= -\frac{\sec^2(c+dx)\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{3\int\sec^3(c+dx)dx}{a} + \frac{4\int\sec^4(c+dx)dx}{a} \\
&= -\frac{3\sec(c+dx)\tan(c+dx)}{2ad} - \frac{\sec^2(c+dx)\tan(c+dx)}{d(a+a\cos(c+dx))} - \frac{3\int\sec(c+dx)dx}{2a} - \frac{4\int\sec^2(c+dx)dx}{2a} \\
&= -\frac{3\tanh^{-1}(\sin(c+dx))}{2ad} + \frac{4\tan(c+dx)}{ad} - \frac{3\sec(c+dx)\tan(c+dx)}{2ad} - \frac{\sec^2(c+dx)}{d(a+a\cos(c+dx))}
\end{aligned}$$

**Mathematica [B]** time = 4.27, size = 368, normalized size = 3.57

$$\cos\left(\frac{1}{2}(c+dx)\right)\left(6\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)+\frac{1}{8}\sec(c)\cos\left(\frac{1}{2}(c+dx)\right)\sec^3(c+dx)\right)\left(-12\sin(2c+dx)-6\sin(c+2dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^4/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*(6\*Sec[c/2]\*Sin[(d\*x)/2] + (Cos[(c + d\*x)/2]\*Sec[c]\*Sec[c + d\*x]^3\*(9\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 9\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 27\*Cos[d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + 27\*Cos[2\*c + d\*x]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) - 9\*Cos[2\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] - 9\*Cos[4\*c + 3\*d\*x]\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 48\*Sin[d\*x] - 12\*Sin[2\*c + d\*x] - 6\*Sin[c + 2\*d\*x] - 6\*Sin[3\*c + 2\*d\*x] + 20\*Sin[2\*c + 3\*d\*x]))/8)/(3\*a\*d\*(1 + Cos[c + d\*x]))

**fricas [A]** time = 1.05, size = 124, normalized size = 1.20

$$\frac{9\left(\cos(dx+c)^4+\cos(dx+c)^3\right)\log(\sin(dx+c)+1)-9\left(\cos(dx+c)^4+\cos(dx+c)^3\right)\log(-\sin(dx+c))}{12\left(ad\cos(dx+c)^4+ad\cos(dx+c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] -1/12\*(9\*(cos(d\*x + c)^4 + cos(d\*x + c)^3)\*log(sin(d\*x + c) + 1) - 9\*(cos(d\*x + c)^4 + cos(d\*x + c)^3)\*log(-sin(d\*x + c) + 1) - 2\*(16\*cos(d\*x + c)^3 + 7\*cos(d\*x + c)^2 - cos(d\*x + c) + 2)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c)^4 + a\*d\*cos(d\*x + c)^3)

**giac [A]** time = 0.50, size = 114, normalized size = 1.11

$$\frac{9\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a}-\frac{9\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a}-\frac{6\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a}+\frac{2\left(15\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-16\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+9\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^3a}$$


---


$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] -1/6\*(9\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - 9\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a - 6\*tan(1/2\*d\*x + 1/2\*c)/a + 2\*(15\*tan(1/2\*d\*x + 1/2\*c)^5 - 16\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/a

$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1}{ad} - \frac{1}{3ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^3} - \frac{1}{ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} - \frac{5}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{3 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{2ad}$

**maple [A]** time = 0.12, size = 183, normalized size = 1.78

$$\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1}{ad} - \frac{1}{3ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^3} - \frac{1}{ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} - \frac{5}{2ad\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{3 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^4/(a+a*cos(d*x+c)),x)`

[Out]  $\frac{1}{a/d} \tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - \frac{1}{3/a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^{-3} - \frac{1}{a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^{-2} - \frac{5/2}{a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right)^{-1} + \frac{3/2}{a/d} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) - 1\right) - \frac{1}{3/a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^{-3} + \frac{1}{a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^{-2} - \frac{5/2}{a/d} \left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)^{-1} - \frac{3/2}{a/d} \ln\left(\tan\left(\frac{1}{2}d*x + \frac{1}{2}c\right) + 1\right)$

**maxima [B]** time = 0.82, size = 205, normalized size = 1.99

$$\frac{2\left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right) - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)}}{a - \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} \cdot 6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{6} \left( 2 \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / (a - 3a \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + 3a \sin(dx+c)^4 / (\cos(dx+c)+1)^4 - a \sin(dx+c)^6 / (\cos(dx+c)+1)^6) - 9 \log(\sin(dx+c) / (\cos(dx+c)+1) + 1) / a + 9 \log(\sin(dx+c) / (\cos(dx+c)+1) - 1) / a + 6 \sin(dx+c) / (a(\cos(dx+c)+1)) \right) / d$

**mupad [B]** time = 0.57, size = 96, normalized size = 0.93

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}{ad} - \frac{3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{ad} - \frac{5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{16 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c+d*x)^4*(a+a*cos(c+d*x))),x)`

[Out]  $\frac{\tan(c/2 + (d*x)/2)}{a*d} - \frac{3 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{(d*x)}{2}\right)\right)}{a*d} - \frac{3 \tan(c/2 + (d*x)/2) - (16 \tan(c/2 + (d*x)/2)^3)/3 + 5 \tan(c/2 + (d*x)/2)^5}{a*d \left(\tan(c/2 + (d*x)/2)^2 - 1\right)^3}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^4(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**4/(a+a*cos(d*x+c)),x)`

[Out] `Integral(sec(c+d*x)**4/(cos(c+d*x)+1),x)/a`



$$3.53 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=124

$$-\frac{4 \sin^3(c+dx)}{a^2 d} + \frac{12 \sin(c+dx)}{a^2 d} - \frac{10 \sin(c+dx) \cos^3(c+dx)}{3 a^2 d (\cos(c+dx)+1)} - \frac{5 \sin(c+dx) \cos(c+dx)}{a^2 d} - \frac{5x}{a^2} - \frac{\sin(c+dx) \cos^4(c+dx)}{3 d (a \cos(c+dx)+1)}$$

[Out]  $-5*x/a^2+12*\sin(d*x+c)/a^2/d-5*\cos(d*x+c)*\sin(d*x+c)/a^2/d-10/3*\cos(d*x+c)^3*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2-4*\sin(d*x+c)^3/a^2/d$

**Rubi [A]** time = 0.18, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2977, 2748, 2635, 8, 2633}

$$-\frac{4 \sin^3(c+dx)}{a^2 d} + \frac{12 \sin(c+dx)}{a^2 d} - \frac{10 \sin(c+dx) \cos^3(c+dx)}{3 a^2 d (\cos(c+dx)+1)} - \frac{5 \sin(c+dx) \cos(c+dx)}{a^2 d} - \frac{5x}{a^2} - \frac{\sin(c+dx) \cos^4(c+dx)}{3 d (a \cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(-5*x)/a^2 + (12*\sin[c + d*x])/(a^2*d) - (5*\cos[c + d*x]*\sin[c + d*x])/(a^2*d) - (10*\cos[c + d*x]^3*\sin[c + d*x])/(3*a^2*d*(1 + \cos[c + d*x])) - (\cos[c + d*x]^4*\sin[c + d*x])/(3*d*(a + a*\cos[c + d*x])^2) - (4*\sin[c + d*x]^3)/(a^2*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &

& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^5(c + dx)}{(a + a \cos(c + dx))^2} dx = -\frac{\cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{\int \frac{\cos^3(c + dx)(4a - 6a \cos(c + dx))}{a + a \cos(c + dx)} dx}{3a^2}$$

$$= -\frac{10 \cos^3(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{\int \cos^2(c + dx) (30a^2 - 30a \cos(c + dx))}{3a^4}$$

$$= -\frac{10 \cos^3(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{10 \int \cos^2(c + dx) dx}{a^2} + \frac{10 \cos^2(c + dx) \sin(c + dx)}{3a^2 d}$$

$$= -\frac{5 \cos(c + dx) \sin(c + dx)}{a^2 d} - \frac{10 \cos^3(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2}$$

$$= -\frac{5x}{a^2} + \frac{12 \sin(c + dx)}{a^2 d} - \frac{5 \cos(c + dx) \sin(c + dx)}{a^2 d} - \frac{10 \cos^3(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2}$$

**Mathematica [A]** time = 0.43, size = 199, normalized size = 1.60

$$\sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \left(-156 \sin\left(c + \frac{dx}{2}\right) + 342 \sin\left(c + \frac{3dx}{2}\right) + 118 \sin\left(2c + \frac{3dx}{2}\right) + 30 \sin\left(2c + \frac{5dx}{2}\right) + 30 \sin\left(2c + \frac{7dx}{2}\right) + 30 \sin\left(2c + \frac{9dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^5/(a + a*cos[c + d*x])^2,x]
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^3*(-360*d*x*cos[(d*x)/2] - 360*d*x*cos[c + (d*x)/2] - 120*d*x*cos[c + (3*d*x)/2] - 120*d*x*cos[2*c + (3*d*x)/2] + 516*Sin[(d*x)/2] - 156*Sin[c + (d*x)/2] + 342*Sin[c + (3*d*x)/2] + 118*Sin[2*c + (3*d*x)/2] + 30*Sin[2*c + (5*d*x)/2] + 30*Sin[3*c + (5*d*x)/2] - 3*Sin[3*c + (7*d*x)/2] - 3*Sin[4*c + (7*d*x)/2] + Sin[4*c + (9*d*x)/2] + Sin[5*c + (9*d*x)/2]))/(192*a^2*d)
```

**fricas [A]** time = 1.08, size = 108, normalized size = 0.87

$$\frac{15 dx \cos(dx + c)^2 + 30 dx \cos(dx + c) + 15 dx - (\cos(dx + c)^4 - \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 33 \cos(dx + c) + 24) \sin(dx + c)}{3(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5/(a+a*cos(d*x+c))^2,x, algorithm="fricas")
[Out] -1/3*(15*d*x*cos(d*x + c)^2 + 30*d*x*cos(d*x + c) + 15*d*x - (cos(d*x + c)^4 - cos(d*x + c)^3 + 6*cos(d*x + c)^2 + 33*cos(d*x + c) + 24)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**giac [A]** time = 0.88, size = 108, normalized size = 0.87

$$\frac{\frac{30(dx+c)}{a^2} - \frac{4\left(15 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 20 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)^3 a^2} + \frac{a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 27 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-1/6*(30*(d*x + c)/a^2 - 4*(15*\tan(1/2*d*x + 1/2*c)^5 + 20*\tan(1/2*d*x + 1/2*c)^3 + 9*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*a^2) + (a^4*4*\tan(1/2*d*x + 1/2*c)^3 - 27*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

**maple [A]** time = 0.07, size = 156, normalized size = 1.26

$$-\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6d a^2} + \frac{9 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{10\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{40\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{6 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^2,x)

[Out]  $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*\tan(1/2*d*x+1/2*c)+10/d/a^2/((1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5+40/3/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3+6/d/a^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)-10/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima [A]** time = 1.36, size = 207, normalized size = 1.67

$$\frac{4\left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^2 + \frac{3 a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $1/6*(4*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a^2 + 3*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a^2*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) + (27*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 60*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2)/d$

**mupad [B]** time = 0.50, size = 135, normalized size = 1.09

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 28 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 60 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 40 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{6 a^2 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + a\*cos(c + d\*x))^2,x)

[Out]  $-(\sin(c/2 + (d*x)/2) - 28*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2) - 60*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2) + 40*\cos(c/2 + (d*x)/2)^6*\sin(c/2 + (d*x)/2))/d$

$x)/2) - 16*\cos(c/2 + (d*x)/2)^8*\sin(c/2 + (d*x)/2) + 30*\cos(c/2 + (d*x)/2)^3*(c + d*x))/(6*a^2*d*\cos(c/2 + (d*x)/2)^3)$

**sympy [A]** time = 9.74, size = 700, normalized size = 5.65

$$\left\{ \begin{array}{l} \frac{30dx \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right) + 18a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 18a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{90dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^6\left(\frac{c}{2} + \frac{dx}{2}\right) + 18a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 18a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{16 \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right) \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \cos^3\left(\frac{c}{2} + \frac{dx}{2}\right)} \\ \frac{x \cos^5(c)}{(a \cos(c) + a)^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((-30\*d\*x\*tan(c/2 + d\*x/2)\*\*6/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 90\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 90\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 30\*d\*x/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - tan(c/2 + d\*x/2)\*\*9/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 24\*tan(c/2 + d\*x/2)\*\*7/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 138\*tan(c/2 + d\*x/2)\*\*5/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 160\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 63\*tan(c/2 + d\*x/2)/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d), Ne(d, 0)), (x\*cos(c)\*\*5/(a\*cos(c) + a)\*\*2, True))

$$3.54 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=114

$$\frac{16 \sin(c+dx)}{3a^2d} - \frac{8 \sin(c+dx) \cos^2(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{7 \sin(c+dx) \cos(c+dx)}{2a^2d} + \frac{7x}{2a^2} - \frac{\sin(c+dx) \cos^3(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] 7/2\*x/a^2-16/3\*sin(d\*x+c)/a^2/d+7/2\*cos(d\*x+c)\*sin(d\*x+c)/a^2/d-8/3\*cos(d\*x+c)^2\*sin(d\*x+c)/a^2/d/(1+cos(d\*x+c))-1/3\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^2

**Rubi [A]** time = 0.15, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2765, 2977, 2734}

$$\frac{16 \sin(c+dx)}{3a^2d} - \frac{8 \sin(c+dx) \cos^2(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{7 \sin(c+dx) \cos(c+dx)}{2a^2d} + \frac{7x}{2a^2} - \frac{\sin(c+dx) \cos^3(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^2,x]

[Out] (7\*x)/(2\*a^2) - (16\*Sin[c + d\*x])/(3\*a^2\*d) + (7\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^2\*d) - (8\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^3\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n-1))/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-2)\*Simp[b\*(c^2\*(m+1) + d^2\*(n-1)) + a\*c\*d\*(m-n+1) + d\*(a\*d\*(m-n+1) + b\*c\*(m+n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m+1)), x] - Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-1)\*Simp[A\*(a\*d\*n - b\*c\*(m+1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m-n) + A\*b\*(m+n+1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{\cos^2(c+dx)(3a-5a\cos(c+dx))}{a+a\cos(c+dx)} dx}{3a^2} \\ &= -\frac{8\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \cos(c+dx)(16a^2-21a\cos(c+dx))}{3a^4} \\ &= \frac{7x}{2a^2} - \frac{16\sin(c+dx)}{3a^2d} + \frac{7\cos(c+dx)\sin(c+dx)}{2a^2d} - \frac{8\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\cos^3(c+dx)\sin(c+dx)}{3a^2d} \end{aligned}$$

**Mathematica [A]** time = 0.29, size = 177, normalized size = 1.55

$$\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left(147\sin\left(c+\frac{dx}{2}\right)-239\sin\left(c+\frac{3dx}{2}\right)-63\sin\left(2c+\frac{3dx}{2}\right)-15\sin\left(2c+\frac{5dx}{2}\right)-15\sin\left(3c+\frac{7dx}{2}\right)+3\sin\left(4c+\frac{7dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^3\*(252\*d\*x\*Cos[(d\*x)/2] + 252\*d\*x\*Cos[c + (d\*x)/2] + 84\*d\*x\*Cos[c + (3\*d\*x)/2] + 84\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 381\*Sin[(d\*x)/2] + 147\*Sin[c + (d\*x)/2] - 239\*Sin[c + (3\*d\*x)/2] - 63\*Sin[2\*c + (3\*d\*x)/2] - 15\*Sin[2\*c + (5\*d\*x)/2] - 15\*Sin[3\*c + (5\*d\*x)/2] + 3\*Sin[3\*c + (7\*d\*x)/2] + 3\*Sin[4\*c + (7\*d\*x)/2]))/(192\*a^2\*d)

**fricas [A]** time = 2.00, size = 99, normalized size = 0.87

$$\frac{21 dx \cos(dx+c)^2 + 42 dx \cos(dx+c) + 21 dx + (3 \cos(dx+c)^3 - 6 \cos(dx+c)^2 - 43 \cos(dx+c) - 32) \sin(dx+c)}{6(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/6\*(21\*d\*x\*cos(d\*x + c)^2 + 42\*d\*x\*cos(d\*x + c) + 21\*d\*x + (3\*cos(d\*x + c)^3 - 6\*cos(d\*x + c)^2 - 43\*cos(d\*x + c) - 32)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [A]** time = 0.56, size = 95, normalized size = 0.83

$$\frac{\frac{21(dx+c)}{a^2} - \frac{6\left(5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)a^2} + \frac{a^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-21a^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(21\*(d\*x + c)/a^2 - 6\*(5\*tan(1/2\*d\*x + 1/2\*c)^3 + 3\*tan(1/2\*d\*x + 1/2\*c)))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*a^2) + (a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 21\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6)/d

**maple [A]** time = 0.05, size = 122, normalized size = 1.07

$$\frac{\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)}{6da^2} - \frac{7\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{2da^2} - \frac{5\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{da^2\left(1+\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2} - \frac{3\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{da^2\left(1+\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2} + \frac{7\arctan\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^4/(a+a*\cos(dx+c))^2,x)$

[Out]  $1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*\tan(1/2*d*x+1/2*c)-5/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3-3/d/a^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)+7/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 1.35, size = 164, normalized size = 1.44

$$\frac{6\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1} + \frac{5\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right) + \frac{21\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{42\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}}{a^2 + \frac{2a^2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2\sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \cdot \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^4/(a+a*\cos(dx+c))^2,x, \text{algorithm}="maxima")$

[Out]  $-1/6*(6*(3*\sin(dx+c)/(\cos(dx+c)+1) + 5*\sin(dx+c)^3/(\cos(dx+c)+1)^3)/(a^2 + 2*a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + a^2*\sin(dx+c)^4/(\cos(dx+c)+1)^4) + (21*\sin(dx+c)/(\cos(dx+c)+1) - \sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2 - 42*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2)/d$

**mupad** [B] time = 0.45, size = 113, normalized size = 0.99

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 22\cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 30\cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 12\cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d\cos\left(\frac{c}{2} + \frac{dx}{2}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(c+dx)^4/(a+a*\cos(c+dx))^2,x)$

[Out]  $(\sin(c/2 + (dx)/2) - 22*\cos(c/2 + (dx)/2)^2*\sin(c/2 + (dx)/2) - 30*\cos(c/2 + (dx)/2)^4*\sin(c/2 + (dx)/2) + 12*\cos(c/2 + (dx)/2)^6*\sin(c/2 + (dx)/2) + 21*\cos(c/2 + (dx)/2)^3*(c+dx))/(6*a^2*d*\cos(c/2 + (dx)/2)^3)$

**sympy** [A] time = 6.12, size = 413, normalized size = 3.62

$$\left\{ \begin{array}{l} \frac{21dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{42dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{21dx}{6a^2d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 12a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} \\ \frac{x \cos^4(c)}{(a \cos(c) + a)^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)**4/(a+a*\cos(dx+c))**2,x)$

[Out]  $\text{Piecewise}((21*d*x*\tan(c/2 + d*x/2)**4/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) + 42*d*x*\tan(c/2 + d*x/2)**2/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) + 21*d*x/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) + \tan(c/2 + d*x/2)**7/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) - 19*\tan(c/2 + d*x/2)**5/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) - 71*\tan(c/2 + d*x/2)**3/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d) - 39*\tan(c/2 + d*x/2)/(6*a**2*d*\tan(c/2 + d*x/2)**4 + 12*a**2*d*\tan(c/2 + d*x/2)**2 + 6*a**2*d), \text{Ne}(d, 0)), (x*\cos(c)**4/(a*\cos(c) + a)**2, \text{True}))$

$$3.55 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=80

$$\frac{4 \sin(c+dx)}{3a^2d} + \frac{2 \sin(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{2x}{a^2} - \frac{\sin(c+dx) \cos^2(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out]  $-2*x/a^2+4/3*\sin(d*x+c)/a^2/d+2*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2$

**Rubi [A]** time = 0.17, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2968, 3023, 12, 2735, 2648}

$$\frac{4 \sin(c+dx)}{3a^2d} + \frac{2 \sin(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{2x}{a^2} - \frac{\sin(c+dx) \cos^2(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(-2*x)/a^2 + (4*\sin[c + d*x])/(3*a^2*d) + (2*\sin[c + d*x])/(a^2*d*(1 + \cos[c + d*x])) - (\cos[c + d*x]^2*\sin[c + d*x])/(3*d*(a + a*\cos[c + d*x])^2)$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023



```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{\cos(c+dx)(2a-4a\cos(c+dx))}{a+a\cos(c+dx)} dx}{3a^2} \\
&= -\frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{2a\cos(c+dx)-4a\cos^2(c+dx)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= \frac{4\sin(c+dx)}{3a^2d} - \frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{6a^2\cos(c+dx)}{a+a\cos(c+dx)} dx}{3a^3} \\
&= \frac{4\sin(c+dx)}{3a^2d} - \frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{2\int \frac{\cos(c+dx)}{a+a\cos(c+dx)} dx}{a} \\
&= -\frac{2x}{a^2} + \frac{4\sin(c+dx)}{3a^2d} - \frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{2\int \frac{1}{a+a\cos(c+dx)} dx}{a} \\
&= -\frac{2x}{a^2} + \frac{4\sin(c+dx)}{3a^2d} - \frac{\cos^2(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{2\sin(c+dx)}{d(a^2+a^2\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.35, size = 114, normalized size = 1.42

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(-6(\sin(c+dx)-2dx)\cos^3\left(\frac{1}{2}(c+dx)\right)+\tan\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)+\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)-16\sin\left(\frac{dx}{2}\right)\right)}{3a^2d(\cos(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^2, x]

[Out] (-2\*Cos[(c + d\*x)/2]\*(Sec[c/2]\*Sin[(d\*x)/2] - 16\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] - 6\*Cos[(c + d\*x)/2]^3\*(-2\*d\*x + Sin[c + d\*x]) + Cos[(c + d\*x)/2]\*Tan[c/2))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [A]** time = 1.34, size = 90, normalized size = 1.12

$$\frac{6dx\cos(dx+c)^2+12dx\cos(dx+c)+6dx-(3\cos(dx+c)^2+14\cos(dx+c)+10)\sin(dx+c)}{3(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/3\*(6\*d\*x\*cos(d\*x + c)^2 + 12\*d\*x\*cos(d\*x + c) + 6\*d\*x - (3\*cos(d\*x + c)^2 + 14\*cos(d\*x + c) + 10)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [A]** time = 0.46, size = 79, normalized size = 0.99

$$\frac{\frac{12(dx+c)}{a^2} - \frac{12\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)a^2} + \frac{a^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-15a^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-1/6*(12*(d*x + c)/a^2 - 12*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c))^2 + 1)*a^2) + (a^4*\tan(1/2*d*x + 1/2*c)^3 - 15*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

**maple** [A] time = 0.06, size = 88, normalized size = 1.10

$$-\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6d a^2} + \frac{5 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^2 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - \frac{4 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x)

[Out]  $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*\tan(1/2*d*x+1/2*c)+2/d/a^2*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 1.50, size = 118, normalized size = 1.48

$$\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $1/6*((15*\sin(d*x + c)/(\cos(d*x + c) + 1) - \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 24*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^2 + 12*\sin(d*x + c)/((a^2 + a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)))/d$

**mupad** [B] time = 0.42, size = 91, normalized size = 1.14

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 16 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 12 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 12 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (c + dx)}{6 a^2 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^2,x)

[Out]  $-(\sin(c/2 + (d*x)/2) - 16*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2) - 12*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2) + 12*\cos(c/2 + (d*x)/2)^3*(c + d*x))/(6*a^2*d*\cos(c/2 + (d*x)/2)^3)$

**sympy** [A] time = 3.64, size = 201, normalized size = 2.51

$$\left\{ \begin{array}{l} -\frac{12dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{12dx}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{14 \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{27 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} \\ \frac{x \cos^3(c)}{(a \cos(c) + a)^2} \end{array} \right. \quad \text{for } \dots \text{ other}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Piecewise((-12*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a*  
*2*d) - 12*d*x/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - tan(c/2 + d*x/2)  
**5/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 14*tan(c/2 + d*x/2)**3/(6*a  
**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 27*tan(c/2 + d*x/2)/(6*a**2*d*tan(c  
/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*cos(c)**3/(a*cos(c) + a)**2, True  
)
```

$$3.56 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=57

$$-\frac{5 \sin(c+dx)}{3a^2 d(\cos(c+dx)+1)} + \frac{x}{a^2} + \frac{\sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out]  $x/a^2 - 5/3 * \sin(d*x+c)/a^2/d/(1+\cos(d*x+c)) + 1/3 * \sin(d*x+c)/d/(a+a*\cos(d*x+c))^2$

**Rubi [A]** time = 0.08, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2758, 2735, 2648}

$$-\frac{5 \sin(c+dx)}{3a^2 d(\cos(c+dx)+1)} + \frac{x}{a^2} + \frac{\sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $x/a^2 - (5*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) + \text{Sin}[c + d*x]/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2758

Int[sin[(e\_.) + (f\_.)\*(x\_)]^2\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_), x\_Symbol] :> Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx &= \frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\int \frac{-2a+3a \cos(c+dx)}{a+a \cos(c+dx)} dx}{3a^2} \\ &= \frac{x}{a^2} + \frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} - \frac{5 \int \frac{1}{a+a \cos(c+dx)} dx}{3a} \\ &= \frac{x}{a^2} + \frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} - \frac{5 \sin(c+dx)}{3d(a^2+a^2 \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.22, size = 105, normalized size = 1.84

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \left(6dx \cos^3\left(\frac{1}{2}(c+dx)\right) + \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) + \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) - 10 \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \cos^2\left(\frac{1}{2}(c+dx)\right)\right)}{3a^2 d(\cos(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*cos[c + d\*x])^2,x]

[Out] (2\*cos[(c + d\*x)/2]\*(6\*d\*x\*cos[(c + d\*x)/2]^3 + Sec[c/2]\*Sin[(d\*x)/2] - 10\*cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + Cos[(c + d\*x)/2]\*Tan[c/2]))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas** [A] time = 0.99, size = 80, normalized size = 1.40

$$\frac{3 dx \cos(dx + c)^2 + 6 dx \cos(dx + c) + 3 dx - (5 \cos(dx + c) + 4) \sin(dx + c)}{3(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*(3\*d\*x\*cos(d\*x + c)^2 + 6\*d\*x\*cos(d\*x + c) + 3\*d\*x - (5\*cos(d\*x + c) + 4)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [A] time = 0.41, size = 50, normalized size = 0.88

$$\frac{\frac{6(dx+c)}{a^2} + \frac{a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 9 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(6\*(d\*x + c)/a^2 + (a^4\*tan(1/2\*d\*x + 1/2\*c))^3 - 9\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6)/d

**maple** [A] time = 0.06, size = 56, normalized size = 0.98

$$\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6d a^2} - \frac{3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3-3/2/d/a^2\*tan(1/2\*d\*x+1/2\*c)+2/d/a^2\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 1.00, size = 72, normalized size = 1.26

$$\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] -1/6\*((9\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 12\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a^2)/d

**mupad** [B] time = 0.36, size = 35, normalized size = 0.61

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 - 9 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + 6 dx}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2/(a + a*cos(c + d*x))^2,x)
```

```
[Out] (tan(c/2 + (d*x)/2)^3 - 9*tan(c/2 + (d*x)/2) + 6*d*x)/(6*a^2*d)
```

sympy [A] time = 2.02, size = 56, normalized size = 0.98

$$\begin{cases} \frac{x}{a^2} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} - \frac{3\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{(a \cos(c) + a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Piecewise((x/a**2 + tan(c/2 + d*x/2)**3/(6*a**2*d) - 3*tan(c/2 + d*x/2)/(2*a**2*d), Ne(d, 0)), (x*cos(c)**2/(a*cos(c) + a)**2, True))
```

$$3.57 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=55

$$\frac{2 \sin(c+dx)}{3d(a^2 \cos(c+dx) + a^2)} - \frac{\sin(c+dx)}{3d(a \cos(c+dx) + a)^2}$$

[Out]  $-1/3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2+2/3*\sin(d*x+c)/d/(a^2+a^2*\cos(d*x+c))$

Rubi [A] time = 0.04, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2750, 2648}

$$\frac{2 \sin(c+dx)}{3d(a^2 \cos(c+dx) + a^2)} - \frac{\sin(c+dx)}{3d(a \cos(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $-\text{Sin}[c + d*x]/(3*d*(a + a*\text{Cos}[c + d*x])^2) + (2*\text{Sin}[c + d*x])/(3*d*(a^2 + a^2*\text{Cos}[c + d*x]))$

Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^2} dx &= -\frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{2 \int \frac{1}{a+a \cos(c+dx)} dx}{3a} \\ &= -\frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{2 \sin(c+dx)}{3d(a^2 + a^2 \cos(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.11, size = 60, normalized size = 1.09

$$\frac{\sec\left(\frac{c}{2}\right)\left(-3 \sin\left(c + \frac{dx}{2}\right) + 2 \sin\left(c + \frac{3dx}{2}\right) + 3 \sin\left(\frac{dx}{2}\right)\right) \sec^3\left(\frac{1}{2}(c+dx)\right)}{12a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]^3*(3*\text{Sin}[(d*x)/2] - 3*\text{Sin}[c + (d*x)/2] + 2*\text{Sin}[c + (3*d*x)/2]))/(12*a^2*d)$

**fricas** [A] time = 1.53, size = 51, normalized size = 0.93

$$\frac{(2 \cos(dx + c) + 1) \sin(dx + c)}{3(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*(2\*cos(d\*x + c) + 1)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [A] time = 0.45, size = 31, normalized size = 0.56

$$-\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -1/6\*(tan(1/2\*d\*x + 1/2\*c)^3 - 3\*tan(1/2\*d\*x + 1/2\*c))/(a^2\*d)

**maple** [A] time = 0.05, size = 32, normalized size = 0.58

$$\frac{-\frac{\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/2/d/a^2\*(-1/3\*tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.31, size = 47, normalized size = 0.85

$$\frac{\frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(3\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a^2\*d)

**mupad** [B] time = 0.33, size = 30, normalized size = 0.55

$$-\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 3\right)}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^2,x)

[Out] -(tan(c/2 + (d\*x)/2)\*(tan(c/2 + (d\*x)/2)^2 - 3))/(6\*a^2\*d)



sympy [A] time = 1.29, size = 48, normalized size = 0.87

$$\begin{cases} -\frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x \cos(c)}{(a \cos(c) + a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((-tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d) + tan(c/2 + d\*x/2)/(2\*a\*\*2\*d), Ne(d, 0)), (x\*cos(c)/(a\*cos(c) + a)\*\*2, True))

$$3.58 \quad \int \frac{1}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=55

$$\frac{\sin(c+dx)}{3d(a^2 \cos(c+dx) + a^2)} + \frac{\sin(c+dx)}{3d(a \cos(c+dx) + a)^2}$$

[Out] 1/3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^2+1/3\*sin(d\*x+c)/d/(a^2+a^2\*cos(d\*x+c))

Rubi [A] time = 0.03, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2650, 2648}

$$\frac{\sin(c+dx)}{3d(a^2 \cos(c+dx) + a^2)} + \frac{\sin(c+dx)}{3d(a \cos(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-2), x]

[Out] Sin[c + d\*x]/(3\*d\*(a + a\*Cos[c + d\*x])^2) + Sin[c + d\*x]/(3\*d\*(a^2 + a^2\*Cos[c + d\*x]))

Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{1}{(a+a \cos(c+dx))^2} dx &= \frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\int \frac{1}{a+a \cos(c+dx)} dx}{3a} \\ &= \frac{\sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{\sin(c+dx)}{3d(a^2+a^2 \cos(c+dx))} \end{aligned}$$

Mathematica [A] time = 0.05, size = 53, normalized size = 0.96

$$\frac{\left(3 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right)\right) \cos\left(\frac{1}{2}(c+dx)\right)}{3a^2d(\cos(c+dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-2), x]

[Out] (Cos[(c + d\*x)/2]\*(3\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas** [A] time = 1.06, size = 49, normalized size = 0.89

$$\frac{(\cos(dx + c) + 2) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*(cos(d\*x + c) + 2)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [A] time = 0.76, size = 31, normalized size = 0.56

$$\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(tan(1/2\*d\*x + 1/2\*c)^3 + 3\*tan(1/2\*d\*x + 1/2\*c))/(a^2\*d)

**maple** [A] time = 0.04, size = 32, normalized size = 0.58

$$\frac{\left(\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{3}\right) + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/2/d/a^2\*(1/3\*tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 1.10, size = 46, normalized size = 0.84

$$\frac{\frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{6a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(3\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a^2\*d)

**mupad** [B] time = 0.33, size = 30, normalized size = 0.55

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 3\right)}{6a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x))^2,x)

[Out] (tan(c/2 + (d\*x)/2)\*(tan(c/2 + (d\*x)/2)^2 + 3))/(6\*a^2\*d)

sympy [A] time = 0.90, size = 44, normalized size = 0.80

$$\begin{cases} \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x}{(a \cos(c) + a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d) + tan(c/2 + d\*x/2)/(2\*a\*\*2\*d), Ne(d, 0)), (x/(a\*cos(c) + a)\*\*2, True))

$$3.59 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=66

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{4 \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] arctanh(sin(d\*x+c))/a^2/d-4/3\*sin(d\*x+c)/a^2/d/(1+cos(d\*x+c))-1/3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^2

**Rubi [A]** time = 0.11, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2766, 2978, 12, 3770}

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{4 \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^2,x]

[Out] ArcTanh[Sin[c + d\*x]]/(a^2\*d) - (4\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - Sin[c + d\*x]/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{(3a-a\cos(c+dx))\sec(c+dx)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= -\frac{4\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int 3a^2\sec(c+dx) dx}{3a^4} \\
&= -\frac{4\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \sec(c+dx) dx}{a^2} \\
&= \frac{\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{4\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d(a+a\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [B]** time = 0.29, size = 152, normalized size = 2.30

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(\tan\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right) + \sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right) + 6\cos^3\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{3a^2d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^2,x]

[Out] (-2\*Cos[(c + d\*x)/2]\*(6\*Cos[(c + d\*x)/2]^3\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Sec[c/2]\*Sin[(d\*x)/2] + 8\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + Cos[(c + d\*x)/2]\*Tan[c/2])/((3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [A]** time = 0.90, size = 114, normalized size = 1.73

$$\frac{3\left(\cos(dx+c)^2 + 2\cos(dx+c) + 1\right)\log(\sin(dx+c) + 1) - 3\left(\cos(dx+c)^2 + 2\cos(dx+c) + 1\right)\log(-\sin(dx+c) + 1)}{6\left(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/6\*(3\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*log(sin(d\*x + c) + 1) - 3\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*log(-sin(d\*x + c) + 1) - 2\*(4\*cos(d\*x + c) + 5)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [A]** time = 0.44, size = 77, normalized size = 1.17

$$\frac{\frac{6\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} - \frac{a^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9a^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(6\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - 6\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2 - (a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6)/d

**maple [A]** time = 0.09, size = 77, normalized size = 1.17

$$-\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6da^2} - \frac{3\tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2da^2} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{da^2} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{da^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)/(a+a*cos(d*x+c))^2,x)`

[Out]  $-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*\tan(1/2*d*x+1/2*c)-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 0.99, size = 98, normalized size = 1.48

$$-\frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2}$$

$$6 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out]  $-1/6*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 6*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2)/d$

**mupad** [B] time = 0.37, size = 43, normalized size = 0.65

$$\frac{9 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 12 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)*(a + a*cos(c + d*x))^2),x)`

[Out]  $-(9*\tan(c/2 + (d*x)/2) - 12*\operatorname{atanh}(\tan(c/2 + (d*x)/2)) + \tan(c/2 + (d*x)/2)^3)/(6*a^2*d)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx$$

$$a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c))**2,x)`

[Out] `Integral(sec(c + d*x)/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x)/a**2`

$$3.60 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=81

$$\frac{10 \tan(c+dx)}{3a^2d} - \frac{2 \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{2 \tan(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{\tan(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out]  $-2*\operatorname{arctanh}(\sin(d*x+c))/a^2/d+10/3*\tan(d*x+c)/a^2/d-2*\tan(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^2$

**Rubi [A]** time = 0.17, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2766, 2978, 2748, 3767, 8, 3770}

$$\frac{10 \tan(c+dx)}{3a^2d} - \frac{2 \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{2 \tan(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{\tan(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(-2*\operatorname{ArcTanh}[\sin[c + d*x]])/(a^2*d) + (10*\tan[c + d*x])/(3*a^2*d) - (2*\tan[c + d*x])/(a^2*d*(1 + \cos[c + d*x])) - \tan[c + d*x]/(3*d*(a + a*\cos[c + d*x])^2)$

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2978

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 3767



`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\tan(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{(4a-2a\cos(c+dx))\sec^2(c+dx)}{a+a\cos(c+dx)} dx}{3a^2} \\ &= -\frac{2\tan(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\tan(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int (10a^2-6a^2\cos(c+dx))\sec^2(c+dx) dx}{3a^4} \\ &= -\frac{2\tan(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\tan(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{2\int \sec(c+dx) dx}{a^2} + \frac{10\int \sec^2(c+dx) dx}{3a^4} \\ &= -\frac{2\tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{2\tan(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\tan(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{10\operatorname{Su}}{3a^4} \\ &= -\frac{2\tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{10\tan(c+dx)}{3a^2d} - \frac{2\tan(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\tan(c+dx)}{3d(a+a\cos(c+dx))^2} \end{aligned}$$

**Mathematica [B]** time = 1.12, size = 239, normalized size = 2.95

$$2 \cos\left(\frac{1}{2}(c+dx)\right) \left( \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) + \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 6 \cos^3\left(\frac{1}{2}(c+dx)\right) \right) \left( \frac{1}{(\cos(\frac{c}{2})-\sin(\frac{c}{2}))(\sin(\frac{c}{2})+\cos(\frac{c}{2}))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^2,x]

[Out] (2\*Cos[(c + d\*x)/2]\*(Sec[c/2]\*Sin[(d\*x)/2] + 14\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + 6\*Cos[(c + d\*x)/2]^3\*(2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - 2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + Sin[d\*x]/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))) + Cos[(c + d\*x)/2]\*Tan[c/2))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [A]** time = 0.68, size = 146, normalized size = 1.80

$$\frac{3(\cos(dx+c)^3 + 2\cos(dx+c)^2 + \cos(dx+c))\log(\sin(dx+c)+1) - 3(\cos(dx+c)^3 + 2\cos(dx+c)^2 + \cos(dx+c))\log(-\sin(dx+c)+1) - (10\cos(dx+c)^2 + 14\cos(dx+c) + 3)\sin(dx+c)}{3(a^2d\cos(dx+c)^3 + 2a^2d\cos(dx+c)^2 + a^2d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/3\*(3\*(cos(d\*x + c)^3 + 2\*cos(d\*x + c)^2 + cos(d\*x + c))\*log(sin(d\*x + c) + 1) - 3\*(cos(d\*x + c)^3 + 2\*cos(d\*x + c)^2 + cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - (10\*cos(d\*x + c)^2 + 14\*cos(d\*x + c) + 3)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^3 + 2\*a^2\*d\*cos(d\*x + c)^2 + a^2\*d\*cos(d\*x + c))

**giac** [A] time = 0.63, size = 106, normalized size = 1.31

$$\frac{\frac{12 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{12 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} + \frac{12 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^2 a^2} - \frac{a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 15 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -1/6\*(12\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - 12\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2 + 12\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)\*a^2) - (a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6)/d

**maple** [A] time = 0.11, size = 120, normalized size = 1.48

$$\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6 d a^2} + \frac{5 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2 d a^2} - \frac{1}{d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{2 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^2} - \frac{1}{d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{2 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3+5/2/d/a^2\*tan(1/2\*d\*x+1/2\*c)-1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)+2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)-2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima** [A] time = 0.65, size = 145, normalized size = 1.79

$$\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)}$$

6 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*((15\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 12\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^2 + 12\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^2 + 12\*sin(d\*x + c)/((a^2 - a^2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1)))/d

**mupad** [B] time = 0.41, size = 92, normalized size = 1.14

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6 a^2 d} - \frac{4 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^2 d} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^2\right)} + \frac{5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^2),x)

[Out] tan(c/2 + (d\*x)/2)^3/(6\*a^2\*d) - (4\*atanh(tan(c/2 + (d\*x)/2)))/(a^2\*d) - (2\*tan(c/2 + (d\*x)/2))/(d\*(a^2\*tan(c/2 + (d\*x)/2)^2 - a^2)) + (5\*tan(c/2 + (d\*x)/2))/(2\*a^2\*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx$$

$$a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Integral(sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x)/a\*\*2

$$3.61 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=119

$$-\frac{16 \tan(c+dx)}{3a^2d} + \frac{7 \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{7 \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{8 \tan(c+dx) \sec(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{\tan(c+dx) \sec(c+dx)}{3d(a \cos(c+dx))}$$

[Out]  $7/2*\operatorname{arctanh}(\sin(d*x+c))/a^2/d-16/3*\tan(d*x+c)/a^2/d+7/2*\sec(d*x+c)*\tan(d*x+c)/a^2/d-8/3*\sec(d*x+c)*\tan(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^2$

**Rubi [A]** time = 0.19, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2766, 2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{16 \tan(c+dx)}{3a^2d} + \frac{7 \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{7 \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{8 \tan(c+dx) \sec(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{\tan(c+dx) \sec(c+dx)}{3d(a \cos(c+dx))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sec}[c+d*x]^3/(a+a*\operatorname{Cos}[c+d*x])^2,x]$

[Out]  $(7*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(2*a^2*d) - (16*\operatorname{Tan}[c+d*x])/(3*a^2*d) + (7*\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(2*a^2*d) - (8*\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(3*a^2*d*(1+\operatorname{Cos}[c+d*x])) - (\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(3*d*(a+a*\operatorname{Cos}[c+d*x])^2)$

### Rule 8

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

### Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rule 2766

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(b^2*\operatorname{Cos}[e+f*x]*(a+b*\operatorname{Sin}[e+f*x])^m*(c+d*\operatorname{Sin}[e+f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c-a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c-a*d)), \operatorname{Int}[(a+b*\operatorname{Sin}[e+f*x])^{(m+1)}*(c+d*\operatorname{Sin}[e+f*x])^n*\operatorname{Simp}[b*c*(m+1)-a*d*(2*m+n+2)+b*d*(m+n+2)*\operatorname{Sin}[e+f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \operatorname{NeQ}[b*c-a*d, 0] \&\& \operatorname{EqQ}[a^2-b^2, 0] \&\& \operatorname{NeQ}[c^2-d^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{!GtQ}[n, 0] \&\& (\operatorname{IntegerSqrt}[2*m, 2*n] || (\operatorname{IntegerQ}[m] \&\& \operatorname{EqQ}[c, 0]))$

### Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\sin[(e_*) + (f_*)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b-a*B)*\operatorname{Cos}[e+f*x]*(a+b*\operatorname{Sin}[e+f*x])^m*(c+d*\operatorname{Sin}[e+f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c-a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c-a*d)), \operatorname{Int}[(a+b*\operatorname{Sin}[e+f*x])^{(m+1)}*(c+d*\operatorname{Sin}[e+f*x])^n*\operatorname{Simp}[B*(a*c*m+b*d*(n+1))+A*(b*c*(m+1)-a*d*(2*m+n+2))+d*(A*b-a*B)*(m+n+2)*\operatorname{Sin}[e+f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c-a*d, 0] \&\& \operatorname{EqQ}[a^2-b^2, 0] \&\& \operatorname{NeQ}[c^2-d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] || \operatorname{EqQ}[c, 0])$

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{\sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(5a - 3a \cos(c + dx)) \sec^3(c + dx)}{a + a \cos(c + dx)} dx}{3a^2} \\ &= -\frac{8 \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{\sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int (21a^2 - 16a^2 \cos(c + dx)) dx}{3a^4} \\ &= -\frac{8 \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{\sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{16 \int \sec^2(c + dx) dx}{3a^2} + \frac{7}{3a^2} \\ &= \frac{7 \sec(c + dx) \tan(c + dx)}{2a^2 d} - \frac{8 \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{\sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{7 \tanh^{-1}(\sin(c + dx))}{2a^2 d} - \frac{16 \tan(c + dx)}{3a^2 d} + \frac{7 \sec(c + dx) \tan(c + dx)}{2a^2 d} - \frac{8 \sec(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 1.81, size = 292, normalized size = 2.45

$$\cos\left(\frac{1}{2}(c + dx)\right) \left( -2 \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) - 2 \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 3 \cos^3\left(\frac{1}{2}(c + dx)\right) \right) \left( -\frac{1}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^2, x]

[Out] (Cos[(c + d\*x)/2]\*(-2\*Sec[c/2]\*Sin[(d\*x)/2] - 40\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + 3\*Cos[(c + d\*x)/2]^3\*(-14\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 14\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^(-2) - (Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^(-2) - (8\*Sin[d\*x])/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))) - 2\*Cos[(c + d\*x)/2]\*Tan[c/2))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [A]** time = 1.10, size = 162, normalized size = 1.36

$$\frac{21 (\cos(dx + c)^4 + 2 \cos(dx + c)^3 + \cos(dx + c)^2) \log(\sin(dx + c) + 1) - 21 (\cos(dx + c)^4 + 2 \cos(dx + c)^3)}{12 (a^2 d \cos(dx + c)^4 + 2 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out]  $\frac{1}{12} * (21 * (\cos(d*x + c))^4 + 2 * \cos(d*x + c)^3 + \cos(d*x + c)^2) * \log(\sin(d*x + c) + 1) - 21 * (\cos(d*x + c))^4 + 2 * \cos(d*x + c)^3 + \cos(d*x + c)^2) * \log(-\sin(d*x + c) + 1) - 2 * (32 * \cos(d*x + c)^3 + 43 * \cos(d*x + c)^2 + 6 * \cos(d*x + c) - 3) * \sin(d*x + c) / (a^2 * d * \cos(d*x + c)^4 + 2 * a^2 * d * \cos(d*x + c)^3 + a^2 * d * \cos(d*x + c)^2)$

**giac** [A] time = 0.60, size = 122, normalized size = 1.03

$$\frac{21 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{21 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} + \frac{6 \left(5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^2 a^2} - \frac{a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 21 a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^6}$$


---


$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $\frac{1}{6} * (21 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) / a^2 - 21 * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) / a^2 + 6 * (5 * \tan(1/2 * d * x + 1/2 * c)^3 - 3 * \tan(1/2 * d * x + 1/2 * c)) / ((\tan(1/2 * d * x + 1/2 * c)^2 - 1)^2 * a^2) - (a^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 21 * a^4 * \tan(1/2 * d * x + 1/2 * c)) / a^6) / d$

**maple** [A] time = 0.14, size = 162, normalized size = 1.36

$$-\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6d a^2} - \frac{7 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} + \frac{1}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} + \frac{5}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} - \frac{7 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{2d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x)

[Out]  $-1/6/d/a^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 7/2/d/a^2 * \tan(1/2 * d * x + 1/2 * c) + 1/2/d/a^2 / (\tan(1/2 * d * x + 1/2 * c) - 1)^2 + 5/2/d/a^2 / (\tan(1/2 * d * x + 1/2 * c) - 1) - 7/2/d/a^2 * \ln(\tan(1/2 * d * x + 1/2 * c) - 1) - 1/2/d/a^2 / (\tan(1/2 * d * x + 1/2 * c) + 1)^2 + 5/2/d/a^2 / (\tan(1/2 * d * x + 1/2 * c) + 1) + 7/2/d/a^2 * \ln(\tan(1/2 * d * x + 1/2 * c) + 1)$

**maxima** [A] time = 0.95, size = 190, normalized size = 1.60

$$\frac{6 \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2}$$


---


$$6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $-1/6 * (6 * (3 * \sin(d*x + c) / (\cos(d*x + c) + 1) - 5 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3) / (a^2 - 2 * a^2 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + a^2 * \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4) + (21 * \sin(d*x + c) / (\cos(d*x + c) + 1) + \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3) / a^2 - 21 * \log(\sin(d*x + c) / (\cos(d*x + c) + 1) + 1) / a^2 + 21 * \log(\sin(d*x + c) / (\cos(d*x + c) + 1) - 1) / a^2) / d$

**mupad** [B] time = 0.43, size = 122, normalized size = 1.03

$$\frac{7 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^2 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6 a^2 d} - \frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left( a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^2 \right)} - \frac{7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^3*(a + a*cos(c + d*x))^2), x)`

[Out]  $(7*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^2*d) - \tan(c/2 + (d*x)/2)^3/(6*a^2*d) - (3*\tan(c/2 + (d*x)/2) - 5*\tan(c/2 + (d*x)/2)^3)/(d*(a^2*\tan(c/2 + (d*x)/2)^4 - 2*a^2*\tan(c/2 + (d*x)/2)^2 + a^2)) - (7*\tan(c/2 + (d*x)/2))/(2*a^2*d)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^3(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3/(a+a*cos(d*x+c))**2, x)`

[Out] `Integral(sec(c + d*x)**3/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x)/a**2`

$$3.62 \quad \int \frac{\sec^4(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=133

$$\frac{4 \tan^3(c+dx)}{a^2 d} + \frac{12 \tan(c+dx)}{a^2 d} - \frac{5 \tanh^{-1}(\sin(c+dx))}{a^2 d} - \frac{5 \tan(c+dx) \sec(c+dx)}{a^2 d} - \frac{10 \tan(c+dx) \sec^2(c+dx)}{3 a^2 d (\cos(c+dx) + 1)}$$

[Out]  $-5 \operatorname{arctanh}(\sin(dx+c))/a^2/d + 12 \tan(dx+c)/a^2/d - 5 \sec(dx+c) \tan(dx+c)/a^2/d - 10/3 \sec(dx+c)^2 \tan(dx+c)/a^2/d / (1 + \cos(dx+c)) - 1/3 \sec(dx+c)^2 \tan(dx+c)/d / (a + a \cos(dx+c))^2 + 4 \tan(dx+c)^3/a^2/d$

**Rubi [A]** time = 0.20, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2766, 2978, 2748, 3767, 3768, 3770}

$$\frac{4 \tan^3(c+dx)}{a^2 d} + \frac{12 \tan(c+dx)}{a^2 d} - \frac{5 \tanh^{-1}(\sin(c+dx))}{a^2 d} - \frac{5 \tan(c+dx) \sec(c+dx)}{a^2 d} - \frac{10 \tan(c+dx) \sec^2(c+dx)}{3 a^2 d (\cos(c+dx) + 1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^4/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(-5 \operatorname{ArcTanh}[\sin[c + dx]])/(a^2 d) + (12 \tan[c + dx])/(a^2 d) - (5 \sec[c + dx] \tan[c + dx])/(a^2 d) - (10 \sec[c + dx]^2 \tan[c + dx])/(3 a^2 d (1 + \cos[c + dx])) - (\sec[c + dx]^2 \tan[c + dx])/(3 d (a + a \cos[c + dx])^2) + (4 \tan[c + dx]^3)/(a^2 d)$

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c,



d}, x] && IGtQ[n/2, 0]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{\sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(6a - 4a \cos(c + dx)) \sec^4(c + dx)}{a + a \cos(c + dx)} dx}{3a^2} \\ &= -\frac{10 \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int (36a^2 - 30a^2 \cos(c + dx)) \sec^3(c + dx) dx}{3a^2} \\ &= -\frac{10 \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{10 \int \sec^3(c + dx) dx}{a^2} \\ &= -\frac{5 \sec(c + dx) \tan(c + dx)}{a^2 d} - \frac{10 \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))} \\ &= -\frac{5 \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{12 \tan(c + dx)}{a^2 d} - \frac{5 \sec(c + dx) \tan(c + dx)}{a^2 d} - \frac{10 \sec^2(c + dx) \tan(c + dx)}{3a^2 d(1 + \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 3.88, size = 343, normalized size = 2.58

$$\frac{960 \cos^4\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) + \sec^2(c + dx)}{6(a^2 d \cos(dx + c))^5}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^4/(a + a\*Cos[c + d\*x])^2, x]

[Out] (960\*Cos[(c + d\*x)/2]^4\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^3\*(-3\*Sin[(d\*x)/2] + 155\*Sin[(3\*d\*x)/2] - 153\*Sin[c - (d\*x)/2] + 21\*Sin[c + (d\*x)/2] - 135\*Sin[2\*c + (d\*x)/2] + 25\*Sin[c + (3\*d\*x)/2] + 45\*Sin[2\*c + (3\*d\*x)/2] - 85\*Sin[3\*c + (3\*d\*x)/2] + 99\*Sin[c + (5\*d\*x)/2] + 21\*Sin[2\*c + (5\*d\*x)/2] + 33\*Sin[3\*c + (5\*d\*x)/2] - 45\*Sin[4\*c + (5\*d\*x)/2] + 57\*Sin[2\*c + (7\*d\*x)/2] + 18\*Sin[3\*c + (7\*d\*x)/2] + 24\*Sin[4\*c + (7\*d\*x)/2] - 15\*Sin[5\*c + (7\*d\*x)/2] + 24\*Sin[3\*c + (9\*d\*x)/2] + 11\*Sin[4\*c + (9\*d\*x)/2] + 13\*Sin[5\*c + (9\*d\*x)/2]))/(48\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [A]** time = 0.96, size = 172, normalized size = 1.29

$$\frac{15 \left( \cos(dx + c)^5 + 2 \cos(dx + c)^4 + \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 15 \left( \cos(dx + c)^5 + 2 \cos(dx + c)^4 + \cos(dx + c)^3 \right)}{6(a^2 d \cos(dx + c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out]  $-1/6*(15*(\cos(dx + c))^5 + 2*\cos(dx + c)^4 + \cos(dx + c)^3)*\log(\sin(dx + c) + 1) - 15*(\cos(dx + c))^5 + 2*\cos(dx + c)^4 + \cos(dx + c)^3)*\log(-\sin(dx + c) + 1) - 2*(24*\cos(dx + c)^4 + 33*\cos(dx + c)^3 + 6*\cos(dx + c)^2 - \cos(dx + c) + 1)*\sin(dx + c)/(a^2*d*\cos(dx + c)^5 + 2*a^2*d*\cos(dx + c)^4 + a^2*d*\cos(dx + c)^3)$

**giac** [A] time = 0.93, size = 135, normalized size = 1.02

$$\frac{30 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{30 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} + \frac{4\left(15 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 20 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 9 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^3 a^2} - \frac{a^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4/(a+a\*cos(dx+c))^2,x, algorithm="giac")

[Out]  $-1/6*(30*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/a^2 - 30*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 + 4*(15*\tan(1/2*d*x + 1/2*c)^5 - 20*\tan(1/2*d*x + 1/2*c)^3 + 9*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^2) - (a^4*\tan(1/2*d*x + 1/2*c)^3 + 27*a^4*\tan(1/2*d*x + 1/2*c))/a^6/d$

**maple** [A] time = 0.10, size = 204, normalized size = 1.53

$$\frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{6d a^2} + \frac{9 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^2} - \frac{1}{3d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^3} - \frac{3}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} - \frac{5}{d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)^4/(a+a\*cos(dx+c))^2,x)

[Out]  $1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3+9/2/d/a^2*\tan(1/2*d*x+1/2*c)-1/3/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^3-3/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2-5/d/a^2/(\tan(1/2*d*x+1/2*c)-1)+5/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)-1/3/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^3+3/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2-5/d/a^2/(\tan(1/2*d*x+1/2*c)+1)-5/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 0.95, size = 234, normalized size = 1.76

$$\frac{4\left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)}{a^2 - \frac{3 a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^4/(a+a\*cos(dx+c))^2,x, algorithm="maxima")

[Out]  $1/6*(4*(9*\sin(dx + c)/(\cos(dx + c) + 1) - 20*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + 15*\sin(dx + c)^5/(\cos(dx + c) + 1)^5)/(a^2 - 3*a^2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 3*a^2*\sin(dx + c)^4/(\cos(dx + c) + 1)^4 - a^2*\sin(dx + c)^6/(\cos(dx + c) + 1)^6) + (27*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 30*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 30*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2)/d$

**mupad** [B] time = 0.45, size = 153, normalized size = 1.15

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{6 a^2 d} - \frac{10 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^2 d} - \frac{10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{40 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^2\right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^4*(a + a*cos(c + d*x))^2),x)`

[Out]  $\tan(c/2 + (d*x)/2)^3/(6*a^2*d) - (10*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^2*d) - (6*\tan(c/2 + (d*x)/2) - (40*\tan(c/2 + (d*x)/2)^3)/3 + 10*\tan(c/2 + (d*x)/2)^5)/(d*(3*a^2*\tan(c/2 + (d*x)/2)^2 - 3*a^2*\tan(c/2 + (d*x)/2)^4 + a^2*\tan(c/2 + (d*x)/2)^6 - a^2)) + (9*\tan(c/2 + (d*x)/2))/(2*a^2*d)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^4(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx$$

$$a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**4/(a+a*cos(d*x+c))**2,x)`

[Out] `Integral(sec(c + d*x)**4/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x)/a**2`

$$3.63 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=153

$$\frac{152 \sin(c+dx)}{15a^3d} - \frac{76 \sin(c+dx) \cos^2(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{13 \sin(c+dx) \cos(c+dx)}{2a^3d} + \frac{13x}{2a^3} - \frac{\sin(c+dx) \cos^4(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{11 \sin(c+dx)}{15a^3d}$$

[Out] 13/2\*x/a^3-152/15\*sin(d\*x+c)/a^3/d+13/2\*cos(d\*x+c)\*sin(d\*x+c)/a^3/d-1/5\*cos(d\*x+c)^4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-11/15\*cos(d\*x+c)^3\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2-76/15\*cos(d\*x+c)^2\*sin(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.26, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2765, 2977, 2734}

$$\frac{152 \sin(c+dx)}{15a^3d} - \frac{76 \sin(c+dx) \cos^2(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{13 \sin(c+dx) \cos(c+dx)}{2a^3d} + \frac{13x}{2a^3} - \frac{\sin(c+dx) \cos^4(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{11 \sin(c+dx)}{15a^3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^3,x]

[Out] (13\*x)/(2\*a^3) - (152\*Sin[c + d\*x])/(15\*a^3\*d) + (13\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^3\*d) - (Cos[c + d\*x]^4\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (11\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (76\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[(b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\cos^3(c+dx)(4a-7a\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{11\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\int \frac{\cos^2(c+dx)(33a^2-43a^2\cos(c+dx))}{a+a\cos(c+dx)} dx}{15a^4} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{11\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{76\cos^2(c+dx)\sin(c+dx)}{15d(a^3+a^3\cos(c+dx))} \\
&= \frac{13x}{2a^3} - \frac{152\sin(c+dx)}{15a^3d} + \frac{13\cos(c+dx)\sin(c+dx)}{2a^3d} - \frac{\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3}
\end{aligned}$$

**Mathematica [A]** time = 0.57, size = 173, normalized size = 1.13

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(15(-12\sin(c+dx)+\sin(2(c+dx)))+26dx\right)\cos^5\left(\frac{1}{2}(c+dx)\right)+46\tan\left(\frac{c}{2}\right)\cos^3\left(\frac{1}{2}(c+dx)\right)}{15a^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^3,x]

[Out] (2\*Cos[(c + d\*x)/2]\*(-3\*Sec[c/2]\*Sin[(d\*x)/2] + 46\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] - 508\*Cos[(c + d\*x)/2]^4\*Sec[c/2]\*Sin[(d\*x)/2] + 15\*Cos[(c + d\*x)/2]^5\*(26\*d\*x - 12\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]) - 3\*Cos[(c + d\*x)/2]\*Tan[c/2] + 46\*Cos[(c + d\*x)/2]^3\*Tan[c/2]))/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [A]** time = 1.02, size = 135, normalized size = 0.88

$$\frac{195 dx \cos(dx+c)^3 + 585 dx \cos(dx+c)^2 + 585 dx \cos(dx+c) + 195 dx + (15 \cos(dx+c)^4 - 45 \cos(dx+c)^3 - 479 \cos(dx+c)^2 - 717 \cos(dx+c) - 304) \sin(dx+c)}{30(a^3d \cos(dx+c)^3 + 3a^3d \cos(dx+c)^2 + 3a^3d \cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/30\*(195\*d\*x\*cos(d\*x + c)^3 + 585\*d\*x\*cos(d\*x + c)^2 + 585\*d\*x\*cos(d\*x + c) + 195\*d\*x + (15\*cos(d\*x + c)^4 - 45\*cos(d\*x + c)^3 - 479\*cos(d\*x + c)^2 - 717\*cos(d\*x + c) - 304)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 0.38, size = 113, normalized size = 0.74

$$\frac{\frac{390(dx+c)}{a^3} - \frac{60\left(7\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^2 a^3} - \frac{3a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-40a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+465a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(390\*(d\*x + c)/a^3 - 60\*(7\*tan(1/2\*d\*x + 1/2\*c)^3 + 5\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*a^3) - (3\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 40\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 465\*a^12\*tan(1/2\*d\*x + 1/2\*c))/a^15)/d

**maple [A]** time = 0.06, size = 141, normalized size = 0.92

$$\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20d a^3} + \frac{2\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3d a^3} - \frac{31 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} - \frac{7\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^3 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{5 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^3 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} + \frac{13 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^3,x)

[Out] -1/20/d/a^3\*tan(1/2\*d\*x+1/2\*c)^5+2/3/d/a^3\*tan(1/2\*d\*x+1/2\*c)^3-31/4/d/a^3\*tan(1/2\*d\*x+1/2\*c)-7/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3-5/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)+13/d/a^3\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 1.26, size = 184, normalized size = 1.20

$$\frac{60\left(\frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] -1/60\*(60\*(5\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 7\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a^3 + 2\*a^3\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + a^3\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4) + (465\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 40\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3 - 780\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a^3)/d

**mupad [B]** time = 0.47, size = 137, normalized size = 0.90

$$\frac{3 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 46 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 508 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 420 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 120 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 390 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (c + dx)}{60 a^3 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + a\*cos(c + d\*x))^3,x)

[Out] -(3\*sin(c/2 + (d\*x)/2) - 46\*cos(c/2 + (d\*x)/2)^2\*sin(c/2 + (d\*x)/2) + 508\*cos(c/2 + (d\*x)/2)^4\*sin(c/2 + (d\*x)/2) + 420\*cos(c/2 + (d\*x)/2)^6\*sin(c/2 + (d\*x)/2) - 120\*cos(c/2 + (d\*x)/2)^8\*sin(c/2 + (d\*x)/2) - 390\*cos(c/2 + (d\*x)/2)^5\*(c + d\*x))/(60\*a^3\*d\*cos(c/2 + (d\*x)/2)^5)

**sympy [A]** time = 13.65, size = 473, normalized size = 3.09

$$\left\{ \begin{array}{l} \frac{390dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 120a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{780dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 120a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{390dx}{60a^3d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 120a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} \\ \frac{x \cos^5(c)}{(a \cos(c) + a)^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+a\*cos(d\*x+c))\*\*3,x)

```
[Out] Piecewise((390*d*x*tan(c/2 + d*x/2)**4/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120
*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 780*d*x*tan(c/2 + d*x/2)**2/(60*
a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) +
390*d*x/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 6
0*a**3*d) - 3*tan(c/2 + d*x/2)**9/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3
*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 34*tan(c/2 + d*x/2)**7/(60*a**3*d*tan
(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 388*tan(c/
2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)*
**2 + 60*a**3*d) - 1310*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**4 +
120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 765*tan(c/2 + d*x/2)/(60*a**
3*d*tan(c/2 + d*x/2)**4 + 120*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d), Ne(d
, 0)), (x*cos(c)**5/(a*cos(c) + a)**3, True))
```

$$3.64 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=119

$$\frac{9 \sin(c+dx)}{5a^3d} + \frac{3 \sin(c+dx)}{d(a^3 \cos(c+dx) + a^3)} - \frac{3x}{a^3} - \frac{\sin(c+dx) \cos^3(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{3 \sin(c+dx) \cos^2(c+dx)}{5ad(a \cos(c+dx) + a)^2}$$

[Out]  $-3*x/a^3+9/5*\sin(d*x+c)/a^3/d-1/5*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3-3/5*\cos(d*x+c)^2*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2+3*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))$

**Rubi [A]** time = 0.27, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2765, 2977, 2968, 3023, 12, 2735, 2648}

$$\frac{9 \sin(c+dx)}{5a^3d} + \frac{3 \sin(c+dx)}{d(a^3 \cos(c+dx) + a^3)} - \frac{3x}{a^3} - \frac{\sin(c+dx) \cos^3(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{3 \sin(c+dx) \cos^2(c+dx)}{5ad(a \cos(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^3, x]

[Out]  $(-3*x)/a^3 + (9*\sin[c + d*x])/(5*a^3*d) - (\cos[c + d*x]^3*\sin[c + d*x])/(5*d*(a + a*\cos[c + d*x])^3) - (3*\cos[c + d*x]^2*\sin[c + d*x])/(5*a*d*(a + a*\cos[c + d*x])^2) + (3*\sin[c + d*x])/(d*(a^3 + a^3*\cos[c + d*x]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2),



$x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0]$

### Rule 2977

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x] ]^{(m_.)} ((A_.) + (B_.)\sin[(e_.) + (f_.)x])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^m * (c + d*\text{Sin}[e + f*x])^n / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)} * (c + d*\text{Sin}[e + f*x])^{(n - 1)} * \text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

### Rule 3023

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x] ]^{(m_.)} ((A_.) + (B_.)\sin[(e_.) + (f_.)x] + (C_.)\sin[(e_.) + (f_.)x])^2, x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m + 1)}) / (b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m * \text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \&\& !\text{LtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{\int \frac{\cos^2(c + dx)(3a - 6a \cos(c + dx))}{(a + a \cos(c + dx))^2} dx}{5a^2} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{\int \frac{\cos(c + dx)(18a^2 - 27a^2 \cos(c + dx))}{a + a \cos(c + dx)} dx}{15a^4} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{\int \frac{18a^2 \cos(c + dx) - 27a^2 \cos^2(c + dx)}{a + a \cos(c + dx)} dx}{15a^4} \\ &= \frac{9 \sin(c + dx)}{5a^3d} - \frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{\int \frac{45a^3 \cos(c + dx)}{a + a \cos(c + dx)} dx}{15a^4} \\ &= \frac{9 \sin(c + dx)}{5a^3d} - \frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{3 \int \frac{\cos(c + dx)}{a + a \cos(c + dx)} dx}{a} \\ &= -\frac{3x}{a^3} + \frac{9 \sin(c + dx)}{5a^3d} - \frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} + \frac{3}{a} \\ &= -\frac{3x}{a^3} + \frac{9 \sin(c + dx)}{5a^3d} - \frac{\cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{3 \cos^2(c + dx) \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} + \frac{3}{a} \end{aligned}$$

**Mathematica** [A] time = 0.53, size = 161, normalized size = 1.35

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(20(\sin(c + dx) - 3dx) \cos^5\left(\frac{1}{2}(c + dx)\right) - 12 \tan\left(\frac{c}{2}\right) \cos^3\left(\frac{1}{2}(c + dx)\right) + \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right)\right)}{5a^3d(\cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^3,x]

[Out] (2\*Cos[(c + d\*x)/2]\*(Sec[c/2]\*Sin[(d\*x)/2] - 12\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + 96\*Cos[(c + d\*x)/2]^4\*Sec[c/2]\*Sin[(d\*x)/2] + 20\*Cos[(c + d

$\ast x)/2)^5 \ast (-3 \ast dx + \sin[c + dx]) + \cos[(c + dx)/2] \ast \tan[c/2] - 12 \ast \cos[(c + dx)/2]^3 \ast \tan[c/2]) / (5 \ast a^3 \ast dx \ast (1 + \cos[c + dx])^3)$

**fricas** [A] time = 1.18, size = 126, normalized size = 1.06

$$\frac{15 dx \cos(dx + c)^3 + 45 dx \cos(dx + c)^2 + 45 dx \cos(dx + c) + 15 dx - (5 \cos(dx + c)^3 + 39 \cos(dx + c)^2 + 57 \cos(dx + c) + 24) \sin(dx + c)}{5 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4/(a+a\*cos(dx+c))^3,x, algorithm="fricas")

[Out]  $-1/5 \ast (15 \ast dx \ast \cos(dx + c)^3 + 45 \ast dx \ast \cos(dx + c)^2 + 45 \ast dx \ast \cos(dx + c) + 15 \ast dx - (5 \ast \cos(dx + c)^3 + 39 \ast \cos(dx + c)^2 + 57 \ast \cos(dx + c) + 24) \ast \sin(dx + c)) / (a^3 \ast dx \ast \cos(dx + c)^3 + 3 \ast a^3 \ast dx \ast \cos(dx + c)^2 + 3 \ast a^3 \ast dx \ast \cos(dx + c) + a^3 \ast dx)$

**giac** [A] time = 0.55, size = 96, normalized size = 0.81

$$\frac{\frac{60(dx+c)}{a^3} - \frac{40 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right) a^3} - \frac{a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 10 a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 85 a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{15}}}{20 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4/(a+a\*cos(dx+c))^3,x, algorithm="giac")

[Out]  $-1/20 \ast (60 \ast (dx + c) / a^3 - 40 \ast \tan(1/2 \ast dx + 1/2 \ast c) / ((\tan(1/2 \ast dx + 1/2 \ast c)^2 + 1) \ast a^3) - (a^{12} \ast \tan(1/2 \ast dx + 1/2 \ast c)^5 - 10 \ast a^{12} \ast \tan(1/2 \ast dx + 1/2 \ast c)^3 + 85 \ast a^{12} \ast \tan(1/2 \ast dx + 1/2 \ast c)) / a^{15}) / d$

**maple** [A] time = 0.06, size = 107, normalized size = 0.90

$$\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20 d a^3} - \frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{2 d a^3} + \frac{17 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4 d a^3} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^3 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - \frac{6 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^4/(a+a\*cos(dx+c))^3,x)

[Out]  $1/20 \ast d / a^3 \ast \tan(1/2 \ast dx + 1/2 \ast c)^5 - 1/2 \ast d / a^3 \ast \tan(1/2 \ast dx + 1/2 \ast c)^3 + 17/4 \ast d / a^3 \ast \tan(1/2 \ast dx + 1/2 \ast c) + 2/d \ast a^3 \ast \tan(1/2 \ast dx + 1/2 \ast c) / (1 + \tan(1/2 \ast dx + 1/2 \ast c)^2) - 6/d \ast a^3 \ast \arctan(\tan(1/2 \ast dx + 1/2 \ast c))$

**maxima** [A] time = 1.23, size = 137, normalized size = 1.15

$$\frac{\frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3}}{20 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4/(a+a\*cos(dx+c))^3,x, algorithm="maxima")

[Out]  $1/20 \ast (40 \ast \sin(dx + c) / ((a^3 + a^3 \ast \sin(dx + c)^2 / (\cos(dx + c) + 1)^2) \ast (\cos(dx + c) + 1)) + (85 \ast \sin(dx + c) / (\cos(dx + c) + 1) - 10 \ast \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 120 \ast \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) / d$

**mupad [B]** time = 0.44, size = 113, normalized size = 0.95

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 12 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 96 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 40 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{20 a^3 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4/(a + a*cos(c + d*x))^3, x)`

[Out] `(sin(c/2 + (d*x)/2) - 12*cos(c/2 + (d*x)/2)^2*sin(c/2 + (d*x)/2) + 96*cos(c/2 + (d*x)/2)^4*sin(c/2 + (d*x)/2) + 40*cos(c/2 + (d*x)/2)^6*sin(c/2 + (d*x)/2) - 60*cos(c/2 + (d*x)/2)^5*(c + d*x))/(20*a^3*d*cos(c/2 + (d*x)/2)^5)`

**sympy [A]** time = 8.56, size = 240, normalized size = 2.02

$$\left\{ \begin{array}{l} \frac{60dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 20a^3d} - \frac{60dx}{20a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 20a^3d} + \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 20a^3d} - \frac{9 \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 20a^3d} + \frac{75 \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 20a^3d} \\ \frac{x \cos^4(c)}{(a \cos(c) + a)^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+a*cos(d*x+c))**3, x)`

[Out] `Piecewise((-60*d*x*tan(c/2 + d*x/2)**2/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d) - 60*d*x/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d) + tan(c/2 + d*x/2)**7/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d) - 9*tan(c/2 + d*x/2)**5/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d) + 75*tan(c/2 + d*x/2)**3/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d) + 125*tan(c/2 + d*x/2)/(20*a**3*d*tan(c/2 + d*x/2)**2 + 20*a**3*d), Ne(d, 0)), (x*cos(c)**4/(a*cos(c) + a)**3, True))`

$$3.65 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=96

$$-\frac{29 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{x}{a^3} - \frac{\sin(c+dx) \cos^2(c+dx)}{5d(a \cos(c+dx) + a)^3} + \frac{7 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2}$$

[Out]  $x/a^3 - 1/5 * \cos(d*x+c)^2 * \sin(d*x+c) / d / (a+a*\cos(d*x+c))^3 + 7/15 * \sin(d*x+c) / a / d / (a+a*\cos(d*x+c))^2 - 29/15 * \sin(d*x+c) / d / (a^3+a^3*\cos(d*x+c))$

**Rubi [A]** time = 0.18, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2765, 2968, 3019, 2735, 2648}

$$-\frac{29 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{x}{a^3} - \frac{\sin(c+dx) \cos^2(c+dx)}{5d(a \cos(c+dx) + a)^3} + \frac{7 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^3,x]

[Out]  $x/a^3 - (\cos[c + d*x]^2 * \sin[c + d*x]) / (5*d*(a + a*\cos[c + d*x])^3) + (7*\sin[c + d*x]) / (15*a*d*(a + a*\cos[c + d*x])^2) - (29*\sin[c + d*x]) / (15*d*(a^3 + a^3*\cos[c + d*x]))$

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]) / ((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]^(n\_)), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m\_)\*(c + d\*Sin[e + f\*x])^(n - 1)) / (a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^(m\_)\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] :> Simp[(A\*b - a

\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{\cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{\int \frac{\cos(c+dx)(2a-5a \cos(c+dx))}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{\int \frac{2a \cos(c+dx)-5a \cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{7 \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{-14a^2+15a^2 \cos(c+dx)}{a+a \cos(c+dx)} dx}{15a^4} \\ &= \frac{x}{a^3} - \frac{\cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{7 \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{29 \int \frac{1}{a+a \cos(c+dx)} dx}{15a^2} \\ &= \frac{x}{a^3} - \frac{\cos^2(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{7 \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{29 \sin(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 154, normalized size = 1.60

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(60dx \cos^5\left(\frac{1}{2}(c + dx)\right) + 26 \tan\left(\frac{c}{2}\right) \cos^3\left(\frac{1}{2}(c + dx)\right) - 3 \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) - 3 \sec\left(\frac{c}{2}\right)\right)}{15a^3d(\cos(c + dx) + 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^3,x]

[Out] (2\*Cos[(c + d\*x)/2]\*(60\*d\*x\*Cos[(c + d\*x)/2]^5 - 3\*Sec[c/2]\*Sin[(d\*x)/2] + 26\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] - 128\*Cos[(c + d\*x)/2]^4\*Sec[c/2]\*Sin[(d\*x)/2] - 3\*Cos[(c + d\*x)/2]\*Tan[c/2] + 26\*Cos[(c + d\*x)/2]^3\*Tan[c/2]))/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [A]** time = 1.75, size = 116, normalized size = 1.21

$$\frac{15 dx \cos(dx + c)^3 + 45 dx \cos(dx + c)^2 + 45 dx \cos(dx + c) + 15 dx - (32 \cos(dx + c)^2 + 51 \cos(dx + c) + 22)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/15\*(15\*d\*x\*cos(d\*x + c)^3 + 45\*d\*x\*cos(d\*x + c)^2 + 45\*d\*x\*cos(d\*x + c) + 15\*d\*x - (32\*cos(d\*x + c)^2 + 51\*cos(d\*x + c) + 22)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 0.47, size = 68, normalized size = 0.71

$$\frac{\frac{60(dx+c)}{a^3} - \frac{3a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 20a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $1/60*(60*(d*x + c)/a^3 - (3*a^{12}*tan(1/2*d*x + 1/2*c)^5 - 20*a^{12}*tan(1/2*d*x + 1/2*c)^3 + 105*a^{12}*tan(1/2*d*x + 1/2*c))/a^{15}/d$

**maple** [A] time = 0.06, size = 75, normalized size = 0.78

$$-\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20d a^3} + \frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{3d a^3} - \frac{7 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x)

[Out]  $-1/20/d/a^3*tan(1/2*d*x+1/2*c)^5+1/3/d/a^3*tan(1/2*d*x+1/2*c)^3-7/4/d/a^3*atan(1/2*d*x+1/2*c)+2/d/a^3*arctan(tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 0.69, size = 92, normalized size = 0.96

$$\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $-1/60*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$

**mupad** [B] time = 0.42, size = 81, normalized size = 0.84

$$\frac{x}{a^3} - \frac{\frac{32 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4}{15} - \frac{13 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2}{30} + \frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{20}}{a^3 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^3,x)

[Out]  $x/a^3 - (\sin(c/2 + (d*x)/2)/20 - (13*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2))/30 + (32*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2))/15/(a^3*d*\cos(c/2 + (d*x)/2)^5)$

**sympy** [A] time = 5.15, size = 75, normalized size = 0.78

$$\begin{cases} \frac{x}{a^3} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{3a^3d} - \frac{7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x \cos^3(c)}{(a \cos(c) + a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*3,x)

[Out]  $Piecewise((x/a**3 - \tan(c/2 + d*x/2)**5/(20*a**3*d) + \tan(c/2 + d*x/2)**3/(3*a**3*d) - 7*tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x*cos(c)**3/(a*cos(c) + a)**3, True))$

$$3.66 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=83

$$\frac{7 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{8 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

[Out] 1/5\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-8/15\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2+7/15\*sin(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2758, 2750, 2648}

$$\frac{7 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{8 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^3,x]

[Out] Sin[c + d\*x]/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (8\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (7\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2758

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{\int \frac{-3a+5a \cos(c+dx)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{8 \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{7 \int \frac{1}{a+a \cos(c+dx)} dx}{15a^2} \\ &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} - \frac{8 \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{7 \sin(c+dx)}{15d(a^3+a^3 \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 86, normalized size = 1.04

$$\frac{\sec\left(\frac{c}{2}\right)\left(-30\sin\left(c+\frac{dx}{2}\right)+20\sin\left(c+\frac{3dx}{2}\right)-15\sin\left(2c+\frac{3dx}{2}\right)+7\sin\left(2c+\frac{5dx}{2}\right)+40\sin\left(\frac{dx}{2}\right)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)}{240a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*cos[c + d\*x])^3,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^5\*(40\*Sin[(d\*x)/2] - 30\*Sin[c + (d\*x)/2] + 20\*Sin[c + (3\*d\*x)/2] - 15\*Sin[2\*c + (3\*d\*x)/2] + 7\*Sin[2\*c + (5\*d\*x)/2]))/(240\*a^3\*d)

**fricas [A]** time = 2.21, size = 75, normalized size = 0.90

$$\frac{(7 \cos(dx + c)^2 + 6 \cos(dx + c) + 2) \sin(dx + c)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/15\*(7\*cos(d\*x + c)^2 + 6\*cos(d\*x + c) + 2)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 0.51, size = 46, normalized size = 0.55

$$\frac{3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 10 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(3\*tan(1/2\*d\*x + 1/2\*c)^5 - 10\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*tan(1/2\*d\*x + 1/2\*c))/(a^3\*d)

**maple [A]** time = 0.05, size = 45, normalized size = 0.54

$$\frac{\frac{\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)}{5} - \frac{2\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x)

[Out] 1/4/d/a^3\*(1/5\*tan(1/2\*d\*x+1/2\*c)^5-2/3\*tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 1.01, size = 67, normalized size = 0.81

$$\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 1/60\*(15\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 10\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(a^3\*d)



**mupad [B]** time = 0.35, size = 45, normalized size = 0.54

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 15\right)}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + a\*cos(c + d\*x))^3,x)

[Out] (tan(c/2 + (d\*x)/2)\*(3\*tan(c/2 + (d\*x)/2)^4 - 10\*tan(c/2 + (d\*x)/2)^2 + 15)/(60\*a^3\*d)

**sympy [A]** time = 3.36, size = 68, normalized size = 0.82

$$\begin{cases} \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} - \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{(a \cos(c) + a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Piecewise((tan(c/2 + d\*x/2)\*\*5/(20\*a\*\*3\*d) - tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*3\*d) + tan(c/2 + d\*x/2)/(4\*a\*\*3\*d), Ne(d, 0)), (x\*cos(c)\*\*2/(a\*cos(c) + a)\*\*3, True))

$$3.67 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=83

$$\frac{\sin(c+dx)}{5d(a^3 \cos(c+dx) + a^3)} + \frac{\sin(c+dx)}{5ad(a \cos(c+dx) + a)^2} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

[Out]  $-1/5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3+1/5*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2+1/5*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))$

**Rubi [A]** time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2750, 2650, 2648}

$$\frac{\sin(c+dx)}{5d(a^3 \cos(c+dx) + a^3)} + \frac{\sin(c+dx)}{5ad(a \cos(c+dx) + a)^2} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^3,x]

[Out]  $-\text{Sin}[c + d*x]/(5*d*(a + a*\text{Cos}[c + d*x])^3) + \text{Sin}[c + d*x]/(5*a*d*(a + a*\text{Cos}[c + d*x])^2) + \text{Sin}[c + d*x]/(5*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^3} dx &= -\frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{3 \int \frac{1}{(a+a \cos(c+dx))^2} dx}{5a} \\ &= -\frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{\sin(c+dx)}{5ad(a+a \cos(c+dx))^2} + \frac{\int \frac{1}{a+a \cos(c+dx)} dx}{5a^2} \\ &= -\frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{\sin(c+dx)}{5ad(a+a \cos(c+dx))^2} + \frac{\sin(c+dx)}{5d(a^3+a^3 \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.14, size = 71, normalized size = 0.86

$$\frac{\sec\left(\frac{c}{2}\right)\left(-5\sin\left(c+\frac{dx}{2}\right)+5\sin\left(c+\frac{3dx}{2}\right)+\sin\left(2c+\frac{5dx}{2}\right)+5\sin\left(\frac{dx}{2}\right)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)}{80a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^3,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^5\*(5\*Sin[(d\*x)/2] - 5\*Sin[c + (d\*x)/2] + 5\*Sin[c + (3\*d\*x)/2] + Sin[2\*c + (5\*d\*x)/2]))/(80\*a^3\*d)

**fricas [A]** time = 0.76, size = 73, normalized size = 0.88

$$\frac{(\cos(dx+c)^2 + 3\cos(dx+c) + 1)\sin(dx+c)}{5(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/5\*(cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 0.41, size = 31, normalized size = 0.37

$$\frac{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 5\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{20a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] -1/20\*(tan(1/2\*d\*x + 1/2\*c)^5 - 5\*tan(1/2\*d\*x + 1/2\*c))/(a^3\*d)

**maple [A]** time = 0.04, size = 32, normalized size = 0.39

$$\frac{-\frac{\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4da^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c))^3,x)

[Out] 1/4/d/a^3\*(-1/5\*tan(1/2\*d\*x+1/2\*c)^5+tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 0.48, size = 47, normalized size = 0.57

$$\frac{\frac{5\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{20a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 1/20\*(5\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(a^3\*d)

mupad [B] time = 0.34, size = 30, normalized size = 0.36

$$-\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 5\right)}{20 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(a + a*cos(c + d*x))^3,x)`

[Out] `-(tan(c/2 + (d*x)/2)*(tan(c/2 + (d*x)/2)^4 - 5))/(20*a^3*d)`

sympy [A] time = 2.28, size = 48, normalized size = 0.58

$$\begin{cases} -\frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x \cos(c)}{(a \cos(c) + a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*cos(d*x+c))**3,x)`

[Out] `Piecewise((-tan(c/2 + d*x/2)**5/(20*a**3*d) + tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x*cos(c)/(a*cos(c) + a)**3, True))`

$$3.68 \quad \int \frac{1}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=83

$$\frac{2 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{2 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

[Out] 1/5\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3+2/15\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2+2/15\*sin(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.05, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2650, 2648}

$$\frac{2 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} + \frac{2 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-3), x]

[Out] Sin[c + d\*x]/(5\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (2\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rule 2648**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2650**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{(a+a \cos(c+dx))^3} dx &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{2 \int \frac{1}{(a+a \cos(c+dx))^2} dx}{5a} \\ &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{2 \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{2 \int \frac{1}{a+a \cos(c+dx)} dx}{15a^2} \\ &= \frac{\sin(c+dx)}{5d(a+a \cos(c+dx))^3} + \frac{2 \sin(c+dx)}{15ad(a+a \cos(c+dx))^2} + \frac{2 \sin(c+dx)}{15d(a^3+a^3 \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 65, normalized size = 0.78

$$\frac{\left(10 \sin\left(\frac{1}{2}(c+dx)\right) + 5 \sin\left(\frac{3}{2}(c+dx)\right) + \sin\left(\frac{5}{2}(c+dx)\right)\right) \cos\left(\frac{1}{2}(c+dx)\right)}{15a^3d(\cos(c+dx) + 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-3), x]

[Out]  $(\cos[(c + dx)/2] * (10 * \sin[(c + dx)/2] + 5 * \sin[(3 * (c + dx))/2] + \sin[(5 * (c + dx))/2])) / (15 * a^3 * d * (1 + \cos[c + dx])^3)$

**fricas** [A] time = 0.77, size = 75, normalized size = 0.90

$$\frac{(2 \cos(dx + c)^2 + 6 \cos(dx + c) + 7) \sin(dx + c)}{15 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))^3,x, algorithm="fricas")`

[Out]  $1/15 * (2 * \cos(dx + c)^2 + 6 * \cos(dx + c) + 7) * \sin(dx + c) / (a^3 * d * \cos(dx + c)^3 + 3 * a^3 * d * \cos(dx + c)^2 + 3 * a^3 * d * \cos(dx + c) + a^3 * d)$

**giac** [A] time = 0.46, size = 46, normalized size = 0.55

$$\frac{3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 10 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 15 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))^3,x, algorithm="giac")`

[Out]  $1/60 * (3 * \tan(1/2 * dx + 1/2 * c)^5 + 10 * \tan(1/2 * dx + 1/2 * c)^3 + 15 * \tan(1/2 * dx + 1/2 * c)) / (a^3 * d)$

**maple** [A] time = 0.04, size = 45, normalized size = 0.54

$$\frac{\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{5} + \frac{2\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+a*cos(d*x+c))^3,x)`

[Out]  $1/4/d/a^3 * (1/5 * \tan(1/2 * dx + 1/2 * c)^5 + 2/3 * \tan(1/2 * dx + 1/2 * c)^3 + \tan(1/2 * dx + 1/2 * c))$

**maxima** [A] time = 0.33, size = 67, normalized size = 0.81

$$\frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))^3,x, algorithm="maxima")`

[Out]  $1/60 * (15 * \sin(dx + c) / (\cos(dx + c) + 1) + 10 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / (a^3 * d)$

**mupad** [B] time = 0.35, size = 45, normalized size = 0.54

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 15\right)}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + a*cos(c + d*x))^3,x)`

```
[Out] (tan(c/2 + (d*x)/2)*(10*tan(c/2 + (d*x)/2)^2 + 3*tan(c/2 + (d*x)/2)^4 + 15)
)/(60*a^3*d)
```

sympy [A] time = 1.63, size = 63, normalized size = 0.76

$$\begin{cases} \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x}{(a \cos(c) + a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise((tan(c/2 + d*x/2)**5/(20*a**3*d) + tan(c/2 + d*x/2)**3/(6*a**3*d)
+ tan(c/2 + d*x/2)/(4*a**3*d), Ne(d, 0)), (x/(a*cos(c) + a)**3, True))
```

$$3.69 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=97

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^3 d} - \frac{22 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{7 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

[Out] arctanh(sin(d\*x+c))/a^3/d-1/5\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-7/15\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2-22/15\*sin(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.20, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2766, 2978, 12, 3770}

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^3 d} - \frac{22 \sin(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{7 \sin(c+dx)}{15ad(a \cos(c+dx) + a)^2} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^3,x]

[Out] ArcTanh[Sin[c + d\*x]]/(a^3\*d) - Sin[c + d\*x]/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (7\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (22\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int \frac{\sec(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{(5a-2a\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{7\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{\int \frac{(15a^2-7a^2\cos(c+dx))\sec(c+dx)}{a+a\cos(c+dx)} dx}{15a^4} \\
&= -\frac{\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{7\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{22\sin(c+dx)}{15d(a^3+a^3\cos(c+dx))} \\
&= -\frac{\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{7\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{22\sin(c+dx)}{15d(a^3+a^3\cos(c+dx))} \\
&= \frac{\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{7\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{22\sin(c+dx)}{15d(a^3+a^3\cos(c+dx))}
\end{aligned}$$

**Mathematica [B]** time = 0.48, size = 201, normalized size = 2.07

$$\frac{2\cos\left(\frac{1}{2}(c+dx)\right)\left(14\tan\left(\frac{c}{2}\right)\cos^3\left(\frac{1}{2}(c+dx)\right)+3\tan\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)+3\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)+60\cos^5\left(\frac{1}{2}(c+dx)\right)\right)}{15d(a^3+a^3\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^3, x]

[Out] (-2\*Cos[(c + d\*x)/2]\*(60\*Cos[(c + d\*x)/2]^5\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + 3\*Sec[c/2]\*Sin[(d\*x)/2] + 14\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + 88\*Cos[(c + d\*x)/2]^4\*Sec[c/2]\*Sin[(d\*x)/2] + 3\*Cos[(c + d\*x)/2]\*Tan[c/2] + 14\*Cos[(c + d\*x)/2]^3\*Tan[c/2))/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [A]** time = 1.21, size = 158, normalized size = 1.63

$$\frac{15(\cos(dx+c)^3+3\cos(dx+c)^2+3\cos(dx+c)+1)\log(\sin(dx+c)+1)-15(\cos(dx+c)^3+3\cos(dx+c)^2+3\cos(dx+c)+1)\log(-\sin(dx+c)+1)-2(22\cos(dx+c)^2+51\cos(dx+c)+32)\sin(dx+c)}{30(a^3d\cos(dx+c)^3+3a^3d\cos(dx+c)^2+3a^3d\cos(dx+c)+a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/30\*(15\*(cos(d\*x+c)^3+3\*cos(d\*x+c)^2+3\*cos(d\*x+c)+1)\*log(sin(d\*x+c)+1)-15\*(cos(d\*x+c)^3+3\*cos(d\*x+c)^2+3\*cos(d\*x+c)+1)\*log(-sin(d\*x+c)+1)-2\*(22\*cos(d\*x+c)^2+51\*cos(d\*x+c)+32)\*sin(d\*x+c))/(a^3\*d\*cos(d\*x+c)^3+3\*a^3\*d\*cos(d\*x+c)^2+3\*a^3\*d\*cos(d\*x+c)+a^3\*d)

**giac [A]** time = 0.59, size = 94, normalized size = 0.97

$$\frac{60\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3}-\frac{60\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3}-\frac{3a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+20a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+105a^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{15}}}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(60\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^3 - 60\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^3 - (3\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 + 20\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 105\*a^12\*tan(1/2\*d\*x + 1/2\*c))/a^15)/d

**maple [A]** time = 0.08, size = 96, normalized size = 0.99

$$\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20d a^3} - \frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{3d a^3} - \frac{7 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^3} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x)

[Out] -1/20/d/a^3\*tan(1/2\*d\*x+1/2\*c)^5-1/3/d/a^3\*tan(1/2\*d\*x+1/2\*c)^3-7/4/d/a^3\*tan(1/2\*d\*x+1/2\*c)-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima [A]** time = 1.12, size = 119, normalized size = 1.23

$$\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3}$$

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] -1/60\*((105\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 20\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3 - 60\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^3 + 60\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^3)/d

**mupad [B]** time = 0.40, size = 58, normalized size = 0.60

$$\frac{105 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 120 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) + 20 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{60 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^3),x)

[Out] -(105\*tan(c/2 + (d\*x)/2) - 120\*atanh(tan(c/2 + (d\*x)/2)) + 20\*tan(c/2 + (d\*x)/2)^3 + 3\*tan(c/2 + (d\*x)/2)^5)/(60\*a^3\*d)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec(c+dx)}{\cos^3(c+dx)+3\cos^2(c+dx)+3\cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Integral(sec(c + d\*x)/(cos(c + d\*x)\*\*3 + 3\*cos(c + d\*x)\*\*2 + 3\*cos(c + d\*x) + 1), x)/a\*\*3

$$3.70 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=112

$$\frac{24 \tan(c+dx)}{5a^3d} - \frac{3 \tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{3 \tan(c+dx)}{d(a^3 \cos(c+dx) + a^3)} - \frac{3 \tan(c+dx)}{5ad(a \cos(c+dx) + a)^2} - \frac{\tan(c+dx)}{5d(a \cos(c+dx) + a)}$$

[Out]  $-3 \operatorname{arctanh}(\sin(d*x+c))/a^3/d + 24/5 \tan(d*x+c)/a^3/d - 1/5 \tan(d*x+c)/d/(a+a*\cos(d*x+c))^3 - 3/5 \tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^2 - 3 \tan(d*x+c)/d/(a^3+a^3*\cos(d*x+c))$

**Rubi [A]** time = 0.28, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2766, 2978, 2748, 3767, 8, 3770}

$$\frac{24 \tan(c+dx)}{5a^3d} - \frac{3 \tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{3 \tan(c+dx)}{d(a^3 \cos(c+dx) + a^3)} - \frac{3 \tan(c+dx)}{5ad(a \cos(c+dx) + a)^2} - \frac{\tan(c+dx)}{5d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] `Int[Sec[c + d*x]^2/(a + a*Cos[c + d*x])^3, x]`

[Out]  $(-3 \operatorname{ArcTanh}[\sin[c + d*x]])/(a^3*d) + (24 \tan[c + d*x])/(5*a^3*d) - \tan[c + d*x]/(5*d*(a + a*\cos[c + d*x])^3) - (3 \tan[c + d*x])/(5*a*d*(a + a*\cos[c + d*x])^2) - (3 \tan[c + d*x])/(d*(a^3 + a^3*\cos[c + d*x]))$

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 2748

`Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2766

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[b*c*(m + 1) - a*d*(2*m + n + 2) + b*d*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))`

#### Rule 2978

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])`

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{(6a-3a\cos(c+dx))\sec^2(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
 &= -\frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{3\tan(c+dx)}{5ad(a+a\cos(c+dx))^2} + \frac{\int \frac{(27a^2-18a^2\cos(c+dx))\sec^2(c+dx)}{a+a\cos(c+dx)} dx}{15a^4} \\
 &= -\frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{3\tan(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{3\tan(c+dx)}{d(a^3+a^3\cos(c+dx))} + \frac{\int (7a^2-4a^2\cos(c+dx))\sec^2(c+dx)}{15a^4} dx \\
 &= -\frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{3\tan(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{3\tan(c+dx)}{d(a^3+a^3\cos(c+dx))} - \frac{3\int (7a^2-4a^2\cos(c+dx))\sec^2(c+dx)}{15a^4} dx \\
 &= -\frac{3\tanh^{-1}(\sin(c+dx))}{a^3d} - \frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{3\tan(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{3}{d(a^3+a^3\cos(c+dx))} \\
 &= -\frac{3\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{24\tan(c+dx)}{5a^3d} - \frac{\tan(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{3\tan(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{3}{d(a^3+a^3\cos(c+dx))}
 \end{aligned}$$

**Mathematica [B]** time = 1.15, size = 286, normalized size = 2.55

$$2 \cos\left(\frac{1}{2}(c+dx)\right) \left( 8 \tan\left(\frac{c}{2}\right) \cos^3\left(\frac{1}{2}(c+dx)\right) + \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) + \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 20 \cos^5\left(\frac{1}{2}(c+dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^3,x]

[Out] (2\*Cos[(c + d\*x)/2]\*(Sec[c/2]\*Sin[(d\*x)/2] + 8\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + 76\*Cos[(c + d\*x)/2]^4\*Sec[c/2]\*Sin[(d\*x)/2] + 20\*Cos[(c + d\*x)/2]^5\*(3\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - 3\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + Sin[d\*x]/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2]))\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + Cos[(c + d\*x)/2]\*Tan[c/2] + 8\*Cos[(c + d\*x)/2]^3\*Tan[c/2]))/(5\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [A]** time = 0.89, size = 190, normalized size = 1.70

$$\frac{15(\cos(dx+c)^4 + 3\cos(dx+c)^3 + 3\cos(dx+c)^2 + \cos(dx+c))\log(\sin(dx+c)+1) - 15(\cos(dx+c)^4 + \cos(dx+c)^3 + \cos(dx+c)^2 + \cos(dx+c))}{10(a^3d\cos(dx+c)^4 + \cos(dx+c)^3 + \cos(dx+c)^2 + \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $-1/10*(15*(\cos(dx + c))^4 + 3*\cos(dx + c)^3 + 3*\cos(dx + c)^2 + \cos(dx + c))*\log(\sin(dx + c) + 1) - 15*(\cos(dx + c))^4 + 3*\cos(dx + c)^3 + 3*\cos(dx + c)^2 + \cos(dx + c))*\log(-\sin(dx + c) + 1) - 2*(24*\cos(dx + c)^3 + 57*\cos(dx + c)^2 + 39*\cos(dx + c) + 5)*\sin(dx + c))/(a^3*d*\cos(dx + c)^4 + 3*a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 + a^3*d*\cos(dx + c))$

**giac** [A] time = 0.52, size = 122, normalized size = 1.09

$$\frac{60 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^3} - \frac{60 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^3} + \frac{40 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)a^3} - \frac{a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 10 a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 85 a^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}$$


---


$$20d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2/(a+a*cos(dx+c))^3,x, algorithm="giac")`

[Out]  $-1/20*(60*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/a^3 - 60*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)))/a^3 + 40*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^3) - (a^{12}*\tan(1/2*d*x + 1/2*c)^5 + 10*a^{12}*\tan(1/2*d*x + 1/2*c)^3 + 85*a^{12}*\tan(1/2*d*x + 1/2*c))/a^{15}/d$

**maple** [A] time = 0.08, size = 139, normalized size = 1.24

$$\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20d a^3} + \frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{2d a^3} + \frac{17 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4d a^3} - \frac{1}{d a^3 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{3 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^3} - \frac{1}{d a^3 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(dx+c)^2/(a+a*cos(dx+c))^3,x)`

[Out]  $1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5+1/2/d/a^3*\tan(1/2*d*x+1/2*c)^3+17/4/d/a^3*\tan(1/2*d*x+1/2*c)-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)+3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)-3/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 1.48, size = 165, normalized size = 1.47

$$\frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3}$$


---


$$20d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(dx+c)^2/(a+a*cos(dx+c))^3,x, algorithm="maxima")`

[Out]  $1/20*(40*\sin(dx + c)/((a^3 - a^3*\sin(dx + c)^2/(\cos(dx + c) + 1)^2)*(\cos(dx + c) + 1)) + (85*\sin(dx + c)/(\cos(dx + c) + 1) + 10*\sin(dx + c)^3/(\cos(dx + c) + 1)^3 + \sin(dx + c)^5/(\cos(dx + c) + 1)^5)/a^3 - 60*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^3 + 60*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^3)/d$

**mupad** [B] time = 0.40, size = 111, normalized size = 0.99

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{2 a^3 d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20 a^3 d} - \frac{6 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^3 d} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^3\right)} + \frac{17 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^2*(a + a*cos(c + d*x))^3),x)`

[Out]  $\tan(c/2 + (d*x)/2)^3/(2*a^3*d) + \tan(c/2 + (d*x)/2)^5/(20*a^3*d) - (6*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^3*d) - (2*\tan(c/2 + (d*x)/2))/(d*(a^3*\tan(c/2 + (d*x)/2)^2 - a^3)) + (17*\tan(c/2 + (d*x)/2))/(4*a^3*d)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\cos^3(c+dx)+3\cos^2(c+dx)+3\cos(c+dx)+1} dx$$

$$a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2/(a+a*cos(d*x+c))**3,x)`

[Out] `Integral(sec(c + d*x)**2/(cos(c + d*x)**3 + 3*cos(c + d*x)**2 + 3*cos(c + d*x) + 1), x)/a**3`

$$3.71 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=156

$$-\frac{152 \tan(c+dx)}{15a^3d} + \frac{13 \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{13 \tan(c+dx) \sec(c+dx)}{2a^3d} - \frac{76 \tan(c+dx) \sec(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{11 \tan(c+dx)}{15ad(a \cos(c+dx) + a)}$$

[Out] 13/2\*arctanh(sin(d\*x+c))/a^3/d-152/15\*tan(d\*x+c)/a^3/d+13/2\*sec(d\*x+c)\*tan(d\*x+c)/a^3/d-1/5\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-11/15\*sec(d\*x+c)\*tan(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2-76/15\*sec(d\*x+c)\*tan(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.30, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21, number of rules / integrand size = 0.333, Rules used = {2766, 2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{152 \tan(c+dx)}{15a^3d} + \frac{13 \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{13 \tan(c+dx) \sec(c+dx)}{2a^3d} - \frac{76 \tan(c+dx) \sec(c+dx)}{15d(a^3 \cos(c+dx) + a^3)} - \frac{11 \tan(c+dx)}{15ad(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^3,x]

[Out] (13\*ArcTanh[Sin[c + d\*x]])/(2\*a^3\*d) - (152\*Tan[c + d\*x])/(15\*a^3\*d) + (13\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^3\*d) - (Sec[c + d\*x]\*Tan[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (11\*Sec[c + d\*x]\*Tan[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (76\*Sec[c + d\*x]\*Tan[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2766**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2978**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(7a - 4a \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx}{5a^2} \\ &= -\frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{11 \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(43a^2 - 33a^2 \cos(c + dx)) \sec^3(c + dx)}{a + a \cos(c + dx)} dx}{15a^4} \\ &= -\frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{11 \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{76 \sec(c + dx) \tan(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \\ &= -\frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{11 \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{76 \sec(c + dx) \tan(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \\ &= \frac{13 \sec(c + dx) \tan(c + dx)}{2a^3d} - \frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{11 \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{13 \tanh^{-1}(\sin(c + dx))}{2a^3d} - \frac{152 \tan(c + dx)}{15a^3d} + \frac{13 \sec(c + dx) \tan(c + dx)}{2a^3d} - \frac{\sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 3.85, size = 343, normalized size = 2.20

$$\frac{24960 \cos^6\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) + \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^3,x]

[Out] -1/480\*(24960\*Cos[(c + d\*x)/2]^6\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^2\*(-1235\*Sin[(d\*x)/2] + 3805\*Sin[(3\*d\*x)/2] - 4329\*Sin[c - (d\*x)/2] + 1989\*Sin[c + (d\*x)/2] - 3575\*Sin[2\*c + (d\*x)/2] - 475\*Sin[c + (3\*d\*x)/2] + 2005\*Sin[2\*c + (3\*d\*x)/2] - 2275\*Sin[3\*c + (3\*d\*x)/2] + 2673\*Sin[c + (5\*d\*x)/2] + 105\*Sin[2\*c + (5\*d\*x)/2] + 1593\*Sin[3\*c + (5\*d\*x)/2] - 975\*Sin[4\*c + (5\*d\*x)/2] + 1325\*Sin[2\*c + (7\*d\*x)/2] + 255\*Sin[3\*c + (7\*d\*x)/2])



$/2] + 875*\text{Sin}[4*c + (7*d*x)/2] - 195*\text{Sin}[5*c + (7*d*x)/2] + 304*\text{Sin}[3*c + (9*d*x)/2] + 90*\text{Sin}[4*c + (9*d*x)/2] + 214*\text{Sin}[5*c + (9*d*x)/2])/(a^3*d*(1 + \text{Cos}[c + d*x])^3)$

**fricas** [A] time = 1.15, size = 206, normalized size = 1.32

$$\frac{195 \left( \cos(dx+c)^5 + 3 \cos(dx+c)^4 + 3 \cos(dx+c)^3 + \cos(dx+c)^2 \right) \log(\sin(dx+c)+1) - 195 \left( \cos(dx+c)^5 + 3 \cos(dx+c)^4 + 3 \cos(dx+c)^3 + \cos(dx+c)^2 \right) \log(-\sin(dx+c)+1) - 2 \left( 304 \cos(dx+c)^4 + 717 \cos(dx+c)^3 + 479 \cos(dx+c)^2 + 45 \cos(dx+c) - 15 \right) \sin(dx+c)}{60 \left( a^3 d \cos(dx+c)^5 + 3 a^3 d \cos(dx+c)^4 + 3 a^3 d \cos(dx+c)^3 + a^3 d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\frac{1}{60} * (195 * (\cos(dx+c)^5 + 3 \cos(dx+c)^4 + 3 \cos(dx+c)^3 + \cos(dx+c)^2) * \log(\sin(dx+c)+1) - 195 * (\cos(dx+c)^5 + 3 \cos(dx+c)^4 + 3 \cos(dx+c)^3 + \cos(dx+c)^2) * \log(-\sin(dx+c)+1) - 2 * (304 * \cos(dx+c)^4 + 717 * \cos(dx+c)^3 + 479 * \cos(dx+c)^2 + 45 * \cos(dx+c) - 15) * \sin(dx+c)) / (a^3 * d * \cos(dx+c)^5 + 3 * a^3 * d * \cos(dx+c)^4 + 3 * a^3 * d * \cos(dx+c)^3 + a^3 * d * \cos(dx+c)^2)$

**giac** [A] time = 0.72, size = 139, normalized size = 0.89

$$\frac{390 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{390 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} + \frac{60 \left( 7 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1 \right)^2 a^3} - \frac{3 a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 40 a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{15}}$$


---

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $\frac{1}{60} * (390 * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) / a^3 - 390 * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) / a^3 + 60 * (7 * \tan(1/2*d*x + 1/2*c)^3 - 5 * \tan(1/2*d*x + 1/2*c)) / ((\tan(1/2*d*x + 1/2*c)^2 - 1)^2 * a^3) - (3 * a^{12} * \tan(1/2*d*x + 1/2*c)^5 + 40 * a^{12} * \tan(1/2*d*x + 1/2*c)^3 + 465 * a^{12} * \tan(1/2*d*x + 1/2*c)) / a^{15}) / d$

**maple** [A] time = 0.12, size = 181, normalized size = 1.16

$$\frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{20 d a^3} - \frac{2 \left( \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{3 d a^3} - \frac{31 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{4 d a^3} + \frac{1}{2 d a^3 \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^2} + \frac{7}{2 d a^3 \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)} - \frac{13}{2 d a^3 \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x)

[Out]  $-1/20/d/a^3*\tan(1/2*d*x+1/2*c)^5-2/3/d/a^3*\tan(1/2*d*x+1/2*c)^3-31/4/d/a^3*\tan(1/2*d*x+1/2*c)+1/2/d/a^3/(\tan(1/2*d*x+1/2*c)-1)^2+7/2/d/a^3/(\tan(1/2*d*x+1/2*c)-1)-13/2/d/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)-1/2/d/a^3/(\tan(1/2*d*x+1/2*c)+1)^2+7/2/d/a^3/(\tan(1/2*d*x+1/2*c)+1)+13/2/d/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 0.96, size = 211, normalized size = 1.35

$$\frac{60 \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 - \frac{2 a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} + \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{390 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3}$$


---

$60 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 
$$-1/60*(60*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) - 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 - 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c)/(\cos(d*x + c) + 1) + 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 390*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 390*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3)/d$$

**mupad [B]** time = 0.39, size = 141, normalized size = 0.90

$$\frac{13 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^3 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{20 a^3 d} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3 a^3 d} - \frac{5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left(a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 a^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^3\right)} - \frac{31 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^3),x)

[Out] 
$$(13*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^3*d) - \tan(c/2 + (d*x)/2)^5/(20*a^3*d) - (2*\tan(c/2 + (d*x)/2)^3)/(3*a^3*d) - (5*\tan(c/2 + (d*x)/2) - 7*\tan(c/2 + (d*x)/2)^3)/(d*(a^3*\tan(c/2 + (d*x)/2)^4 - 2*a^3*\tan(c/2 + (d*x)/2)^2 + a^3)) - (31*\tan(c/2 + (d*x)/2))/(4*a^3*d)$$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{\cos^3(c+dx)+3\cos^2(c+dx)+3\cos(c+dx)+1} dx$$

$$a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Integral(sec(c + d\*x)\*\*3/(cos(c + d\*x)\*\*3 + 3\*cos(c + d\*x)\*\*2 + 3\*cos(c + d\*x) + 1), x)/a\*\*3

$$3.72 \quad \int \frac{\cos^6(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=184

$$\frac{576 \sin(c+dx)}{35a^4d} - \frac{43 \sin(c+dx) \cos^3(c+dx)}{35a^4d(\cos(c+dx)+1)^2} - \frac{288 \sin(c+dx) \cos^2(c+dx)}{35a^4d(\cos(c+dx)+1)} + \frac{21 \sin(c+dx) \cos(c+dx)}{2a^4d} + \frac{21x}{2a^4}$$

[Out]  $21/2*x/a^4-576/35*\sin(d*x+c)/a^4/d+21/2*\cos(d*x+c)*\sin(d*x+c)/a^4/d-43/35*\cos(d*x+c)^3*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))^2-288/35*\cos(d*x+c)^2*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))-1/7*\cos(d*x+c)^5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^4-2/5*\cos(d*x+c)^4*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^3$

**Rubi [A]** time = 0.38, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2765, 2977, 2734}

$$\frac{576 \sin(c+dx)}{35a^4d} - \frac{43 \sin(c+dx) \cos^3(c+dx)}{35a^4d(\cos(c+dx)+1)^2} - \frac{288 \sin(c+dx) \cos^2(c+dx)}{35a^4d(\cos(c+dx)+1)} + \frac{21 \sin(c+dx) \cos(c+dx)}{2a^4d} + \frac{21x}{2a^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^6/(a + a\*cos[c + d\*x])^4,x]

[Out]  $(21*x)/(2*a^4) - (576*\sin[c + d*x])/(35*a^4*d) + (21*\cos[c + d*x]*\sin[c + d*x])/(2*a^4*d) - (43*\cos[c + d*x]^3*\sin[c + d*x])/(35*a^4*d*(1 + \cos[c + d*x])^2) - (288*\cos[c + d*x]^2*\sin[c + d*x])/(35*a^4*d*(1 + \cos[c + d*x])) - (\cos[c + d*x]^5*\sin[c + d*x])/(7*d*(a + a*\cos[c + d*x])^4) - (2*\cos[c + d*x]^4*\sin[c + d*x])/(5*a*d*(a + a*\cos[c + d*x])^3)$

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\cos^6(c+dx)}{(a+a\cos(c+dx))^4} dx &= -\frac{\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{\int \frac{\cos^4(c+dx)(5a-9a\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
&= -\frac{\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\cos^4(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^3} - \frac{\int \frac{\cos^3(c+dx)(56a^2-73a^2\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
&= -\frac{43\cos^3(c+dx)\sin(c+dx)}{35a^4d(1+\cos(c+dx))^2} - \frac{\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\cos^4(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^3} \\
&= -\frac{43\cos^3(c+dx)\sin(c+dx)}{35a^4d(1+\cos(c+dx))^2} - \frac{\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\cos^4(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^3} \\
&= \frac{21x}{2a^4} - \frac{576\sin(c+dx)}{35a^4d} + \frac{21\cos(c+dx)\sin(c+dx)}{2a^4d} - \frac{43\cos^3(c+dx)\sin(c+dx)}{35a^4d(1+\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.58, size = 289, normalized size = 1.57

$$\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(128730\sin\left(c+\frac{dx}{2}\right)-140826\sin\left(c+\frac{3dx}{2}\right)+44310\sin\left(2c+\frac{3dx}{2}\right)-60487\sin\left(2c+\frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^6/(a + a\*cos[c + d\*x])^4, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^7\*(102900\*d\*x\*cos[(d\*x)/2] + 102900\*d\*x\*cos[c + (d\*x)/2] + 61740\*d\*x\*cos[c + (3\*d\*x)/2] + 61740\*d\*x\*cos[2\*c + (3\*d\*x)/2] + 20580\*d\*x\*cos[2\*c + (5\*d\*x)/2] + 20580\*d\*x\*cos[3\*c + (5\*d\*x)/2] + 2940\*d\*x\*cos[3\*c + (7\*d\*x)/2] + 2940\*d\*x\*cos[4\*c + (7\*d\*x)/2] - 179830\*Sin[(d\*x)/2] + 128730\*Sin[c + (d\*x)/2] - 140826\*Sin[c + (3\*d\*x)/2] + 44310\*Sin[2\*c + (3\*d\*x)/2] - 60487\*Sin[2\*c + (5\*d\*x)/2] + 1225\*Sin[3\*c + (5\*d\*x)/2] - 12001\*Sin[3\*c + (7\*d\*x)/2] - 3185\*Sin[4\*c + (7\*d\*x)/2] - 315\*Sin[4\*c + (9\*d\*x)/2] - 315\*Sin[5\*c + (9\*d\*x)/2] + 35\*Sin[5\*c + (11\*d\*x)/2] + 35\*Sin[6\*c + (11\*d\*x)/2]))/(35840\*a^4\*d)

**fricas [A]** time = 1.73, size = 171, normalized size = 0.93

$$\frac{735 dx \cos(dx+c)^4 + 2940 dx \cos(dx+c)^3 + 4410 dx \cos(dx+c)^2 + 2940 dx \cos(dx+c) + 735 dx + (35 \cos(dx+c))^5}{70(a^4d \cos(dx+c)^4 + 4a^4d \cos(dx+c)^3 + 6a^4d \cos(dx+c)^2 + 4a^4d \cos(dx+c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^4, x, algorithm="fricas")

[Out] 1/70\*(735\*d\*x\*cos(d\*x + c)^4 + 2940\*d\*x\*cos(d\*x + c)^3 + 4410\*d\*x\*cos(d\*x + c)^2 + 2940\*d\*x\*cos(d\*x + c) + 735\*d\*x + (35\*cos(d\*x + c))^5 - 140\*cos(d\*x + c)^4 - 2012\*cos(d\*x + c)^3 - 4548\*cos(d\*x + c)^2 - 3873\*cos(d\*x + c) - 1152)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac [A]** time = 0.60, size = 128, normalized size = 0.70

$$\frac{2940(dx+c)}{a^4} - \frac{280\left(9\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+7\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^2 a^4} + \frac{5a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7-63a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+455a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-3885a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{28}}$$

280 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $\frac{1}{280} \cdot (2940 \cdot (d \cdot x + c) / a^4 - 280 \cdot (9 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 7 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 1)^2 \cdot a^4) + (5 \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 63 \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 455 \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 38 \cdot 85 \cdot a^{24} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a^{28}) / d$

**maple [A]** time = 0.06, size = 160, normalized size = 0.87

$$\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} - \frac{9\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40d a^4} + \frac{13\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^4} - \frac{111 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} - \frac{9\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^4 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{7 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^4 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^4,x)

[Out]  $\frac{1}{56} \cdot d / a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 9/40 \cdot d / a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 13/8 \cdot d / a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 111/8 \cdot d / a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 9/d \cdot a^4 / (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 7/d \cdot a^4 / (1 + \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 21/d \cdot a^4 \cdot \arctan(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c))$

**maxima [A]** time = 1.12, size = 204, normalized size = 1.11

$$\frac{280 \left( \frac{7 \sin(dx+c)}{\cos(dx+c)+1} + \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) + \frac{3885 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{5880 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4}}{a^4 + \frac{2 a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \cdot 280 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $-1/280 \cdot (280 \cdot (7 \cdot \sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1) + 9 \cdot \sin(d \cdot x + c)^3 / (\cos(d \cdot x + c) + 1)^3) / (a^4 + 2 \cdot a^4 \cdot \sin(d \cdot x + c)^2 / (\cos(d \cdot x + c) + 1)^2 + a^4 \cdot \sin(d \cdot x + c)^4 / (\cos(d \cdot x + c) + 1)^4) + (3885 \cdot \sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1) - 455 \cdot \sin(d \cdot x + c)^3 / (\cos(d \cdot x + c) + 1)^3 + 63 \cdot \sin(d \cdot x + c)^5 / (\cos(d \cdot x + c) + 1)^5 - 5 \cdot \sin(d \cdot x + c)^7 / (\cos(d \cdot x + c) + 1)^7) / a^4 - 5880 \cdot \arctan(\sin(d \cdot x + c) / (\cos(d \cdot x + c) + 1)) / a^4) / d$

**mupad [B]** time = 0.52, size = 159, normalized size = 0.86

$$\frac{5 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 78 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 596 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 4408 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{280 a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^6/(a + a\*cos(c + d\*x))^4,x)

[Out]  $(5 \cdot \sin(c/2 + (d \cdot x)/2) - 78 \cdot \cos(c/2 + (d \cdot x)/2)^2 \cdot \sin(c/2 + (d \cdot x)/2) + 596 \cdot \cos(c/2 + (d \cdot x)/2)^4 \cdot \sin(c/2 + (d \cdot x)/2) - 4408 \cdot \cos(c/2 + (d \cdot x)/2)^6 \cdot \sin(c/2 + (d \cdot x)/2) - 2520 \cdot \cos(c/2 + (d \cdot x)/2)^8 \cdot \sin(c/2 + (d \cdot x)/2) + 560 \cdot \cos(c/2 + (d \cdot x)/2)^{10} \cdot \sin(c/2 + (d \cdot x)/2) + 2940 \cdot \cos(c/2 + (d \cdot x)/2)^7 \cdot (c + d \cdot x)) / (280 \cdot a^4 \cdot d \cdot \cos(c/2 + (d \cdot x)/2)^4)$

sympy [A] time = 29.67, size = 530, normalized size = 2.88

$$\left\{ \begin{array}{l} \frac{2940dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{280a^4d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 560a^4d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 280a^4d} + \frac{5880dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{280a^4d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 560a^4d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 280a^4d} + \frac{2940dx}{280a^4d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 560a^4d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 280a^4d} \\ \frac{x \cos^6(c)}{(a \cos(c) + a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*6/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise(((2940\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) + 5880\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) + 2940\*d\*x/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) + 5\*tan(c/2 + d\*x/2)\*\*11/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) - 53\*tan(c/2 + d\*x/2)\*\*9/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) + 334\*tan(c/2 + d\*x/2)\*\*7/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) - 3038\*tan(c/2 + d\*x/2)\*\*5/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) - 9835\*tan(c/2 + d\*x/2)\*\*3/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d) - 5845\*tan(c/2 + d\*x/2)/(280\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 560\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 280\*a\*\*4\*d), Ne(d, 0)), (x\*cos(c)\*\*6/(a\*cos(c) + a)\*\*4, True))

$$3.73 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=150

$$\frac{244 \sin(c+dx)}{105a^4d} - \frac{88 \sin(c+dx) \cos^2(c+dx)}{105a^4d(\cos(c+dx)+1)^2} + \frac{4 \sin(c+dx)}{a^4d(\cos(c+dx)+1)} - \frac{4x}{a^4} - \frac{\sin(c+dx) \cos^4(c+dx)}{7d(a \cos(c+dx)+a)^4} - \frac{12 \sin(c+dx)}{35ad(a \cos(c+dx)+a)^4}$$

[Out]  $-4*x/a^4+244/105*\sin(d*x+c)/a^4/d-88/105*\cos(d*x+c)^2*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))^2+4*\sin(d*x+c)/a^4/d/(1+\cos(d*x+c))-1/7*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^4-12/35*\cos(d*x+c)^3*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^3$

**Rubi [A]** time = 0.37, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2765, 2977, 2968, 3023, 12, 2735, 2648}

$$\frac{244 \sin(c+dx)}{105a^4d} - \frac{88 \sin(c+dx) \cos^2(c+dx)}{105a^4d(\cos(c+dx)+1)^2} + \frac{4 \sin(c+dx)}{a^4d(\cos(c+dx)+1)} - \frac{4x}{a^4} - \frac{\sin(c+dx) \cos^4(c+dx)}{7d(a \cos(c+dx)+a)^4} - \frac{12 \sin(c+dx)}{35ad(a \cos(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^4,x]

[Out]  $(-4*x)/a^4 + (244*\text{Sin}[c + d*x])/(105*a^4*d) - (88*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(105*a^4*d*(1 + \text{Cos}[c + d*x])^2) + (4*\text{Sin}[c + d*x])/(a^4*d*(1 + \text{Cos}[c + d*x])) - (\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(7*d*(a + a*\text{Cos}[c + d*x])^4) - (12*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(35*a*d*(a + a*\text{Cos}[c + d*x])^3)$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^(n-1)/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*sin[e + f\*x])^(m+1)\*(c + d\*sin[e + f\*x])^(n-2)\*Simp[b\*(c^2\*(m+1) + d^2\*(n-1)) + a\*c\*d\*(m-n+1) + d\*(a\*d\*(m-n+1) + b\*c\*(m+n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*sin[e + f\*x] + B\*d\*sin[e + f\*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^5(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{\cos^3(c + dx)(4a - 8a \cos(c + dx))}{(a + a \cos(c + dx))^3} dx}{7a^2} \\
 &= -\frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} - \frac{\int \frac{\cos^2(c + dx)(36a^2 - 52a^2 \cos(c + dx))}{(a + a \cos(c + dx))^2} dx}{35a^4} \\
 &= -\frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= \frac{244 \sin(c + dx)}{105a^4d} - \frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= \frac{244 \sin(c + dx)}{105a^4d} - \frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{4x}{a^4} + \frac{244 \sin(c + dx)}{105a^4d} - \frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{4x}{a^4} + \frac{244 \sin(c + dx)}{105a^4d} - \frac{88 \cos^2(c + dx) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{\cos^4(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{12 \cos^3(c + dx) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3}
 \end{aligned}$$

**Mathematica** [A] time = 0.42, size = 263, normalized size = 1.75

$$\frac{\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(46130 \sin\left(c + \frac{dx}{2}\right) - 46116 \sin\left(c + \frac{3dx}{2}\right) + 18060 \sin\left(2c + \frac{3dx}{2}\right) - 19292 \sin\left(2c + \frac{5dx}{2}\right) + \dots\right)}{\dots}$$

Antiderivative was successfully verified.



[In] Integrate[Cos[c + d\*x]^5/(a + a\*cos[c + d\*x])^4,x]

[Out] 
$$\frac{-1/26880*(\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]^7*(29400*d*x*\text{Cos}[(d*x)/2] + 29400*d*x*\text{Cos}[c + (d*x)/2] + 17640*d*x*\text{Cos}[c + (3*d*x)/2] + 17640*d*x*\text{Cos}[2*c + (3*d*x)/2] + 5880*d*x*\text{Cos}[2*c + (5*d*x)/2] + 5880*d*x*\text{Cos}[3*c + (5*d*x)/2] + 840*d*x*\text{Cos}[3*c + (7*d*x)/2] + 840*d*x*\text{Cos}[4*c + (7*d*x)/2] - 60830*\text{Sin}[(d*x)/2] + 46130*\text{Sin}[c + (d*x)/2] - 46116*\text{Sin}[c + (3*d*x)/2] + 18060*\text{Sin}[2*c + (3*d*x)/2] - 19292*\text{Sin}[2*c + (5*d*x)/2] + 2100*\text{Sin}[3*c + (5*d*x)/2] - 3791*\text{Sin}[3*c + (7*d*x)/2] - 735*\text{Sin}[4*c + (7*d*x)/2] - 105*\text{Sin}[4*c + (9*d*x)/2] - 105*\text{Sin}[5*c + (9*d*x)/2]))/(a^4*d)}$$

**fricas** [A] time = 0.65, size = 162, normalized size = 1.08

$$\frac{420 dx \cos(dx + c)^4 + 1680 dx \cos(dx + c)^3 + 2520 dx \cos(dx + c)^2 + 1680 dx \cos(dx + c) + 420 dx - (105 a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$\frac{-1/105*(420*d*x*\cos(d*x + c)^4 + 1680*d*x*\cos(d*x + c)^3 + 2520*d*x*\cos(d*x + c)^2 + 1680*d*x*\cos(d*x + c) + 420*d*x - (105*\cos(d*x + c)^4 + 1184*\cos(d*x + c)^3 + 2636*\cos(d*x + c)^2 + 2236*\cos(d*x + c) + 664)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)}$$

**giac** [A] time = 0.49, size = 112, normalized size = 0.75

$$\frac{\frac{3360(dx+c)}{a^4} - \frac{1680 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1\right)a^4} + \frac{15 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 147 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 805 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5145 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^{28}}}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 
$$\frac{-1/840*(3360*(d*x + c)/a^4 - 1680*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*a^4) + (15*a^{24}*\tan(1/2*d*x + 1/2*c)^7 - 147*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 805*a^{24}*\tan(1/2*d*x + 1/2*c)^3 - 5145*a^{24}*\tan(1/2*d*x + 1/2*c))/a^{28})/d}$$

**maple** [A] time = 0.06, size = 126, normalized size = 0.84

$$\frac{\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} + \frac{7\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40d a^4} - \frac{23\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^4} + \frac{49 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^4 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - \frac{8 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^4}}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^4,x)

[Out] 
$$\frac{-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5-23/24/d/a^4*\tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*\tan(1/2*d*x+1/2*c)+2/d/a^4*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))}{840 d}$$

**maxima** [A] time = 0.81, size = 158, normalized size = 1.05

$$\frac{\frac{1680 \sin(dx+c)}{\left(a^4 + \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} - \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{6720 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4}}{840 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $\frac{1}{840} * (1680 * \sin(d*x + c) / ((a^4 + a^4 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2) * (\cos(d*x + c) + 1)) + (5145 * \sin(d*x + c) / (\cos(d*x + c) + 1) - 805 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 147 * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 - 15 * \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7) / a^4 - 6720 * \arctan(\sin(d*x + c) / (\cos(d*x + c) + 1)) / a^4) / d$

**mupad [B]** time = 0.47, size = 137, normalized size = 0.91

$$\frac{15 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 192 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 1144 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 6112 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 658 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{840 a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + a\*cos(c + d\*x))^4,x)

[Out]  $-(15 * \sin(c/2 + (d*x)/2) - 192 * \cos(c/2 + (d*x)/2)^2 * \sin(c/2 + (d*x)/2) + 1144 * \cos(c/2 + (d*x)/2)^4 * \sin(c/2 + (d*x)/2) - 6112 * \cos(c/2 + (d*x)/2)^6 * \sin(c/2 + (d*x)/2) - 1680 * \cos(c/2 + (d*x)/2)^8 * \sin(c/2 + (d*x)/2) + 3360 * \cos(c/2 + (d*x)/2)^7 * (c + d*x)) / (840 * a^4 * d * \cos(c/2 + (d*x)/2)^7)$

**sympy [A]** time = 19.07, size = 280, normalized size = 1.87

$$\left\{ \begin{array}{l} \frac{3360 dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{840 a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840 a^4 d} - \frac{3360 dx}{840 a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840 a^4 d} - \frac{15 \tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{840 a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840 a^4 d} + \frac{132 \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{840 a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840 a^4 d} - \frac{658 \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{840 a^4 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 840 a^4 d} \\ \frac{x \cos^5(c)}{(a \cos(c) + a)^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((-3360\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 3360\*d\*x/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 15\*tan(c/2 + d\*x/2)\*\*9/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 132\*tan(c/2 + d\*x/2)\*\*7/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 658\*tan(c/2 + d\*x/2)\*\*5/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 4340\*tan(c/2 + d\*x/2)\*\*3/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 6825\*tan(c/2 + d\*x/2)/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d), Ne(d, 0)), (x\*cos(c)\*\*5/(a\*cos(c) + a)\*\*4, True))

$$3.74 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=127

$$-\frac{43 \sin(c+dx)}{21a^4d(\cos(c+dx)+1)} + \frac{11 \sin(c+dx)}{21a^4d(\cos(c+dx)+1)^2} + \frac{x}{a^4} - \frac{\sin(c+dx) \cos^3(c+dx)}{7d(a \cos(c+dx)+a)^4} - \frac{2 \sin(c+dx) \cos^2(c+dx)}{7ad(a \cos(c+dx)+a)^3}$$

[Out] x/a^4+11/21\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))^2-43/21\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))-1/7\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^4-2/7\*cos(d\*x+c)^2\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3

**Rubi [A]** time = 0.28, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2977, 2968, 3019, 2735, 2648}

$$-\frac{43 \sin(c+dx)}{21a^4d(\cos(c+dx)+1)} + \frac{11 \sin(c+dx)}{21a^4d(\cos(c+dx)+1)^2} + \frac{x}{a^4} - \frac{\sin(c+dx) \cos^3(c+dx)}{7d(a \cos(c+dx)+a)^4} - \frac{2 \sin(c+dx) \cos^2(c+dx)}{7ad(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^4,x]

[Out] x/a^4 + (11\*Sin[c + d\*x])/(21\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (43\*Sin[c + d\*x])/(21\*a^4\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - (2\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(7\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^(m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[
((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*
(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) -
d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[
((A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/
(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) +
b*C*(2*m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{\cos^4(c + dx)}{(a + a \cos(c + dx))^4} dx = -\frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{\cos^2(c+dx)(3a-7a \cos(c+dx))}{(a+a \cos(c+dx))^3} dx}{7a^2}$$

$$= -\frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{7ad(a + a \cos(c + dx))^3} - \frac{\int \frac{\cos(c+dx)(20a^2-35a^2 \cos(c+dx))}{(a+a \cos(c+dx))^2} dx}{35a^4}$$

$$= -\frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{7ad(a + a \cos(c + dx))^3} - \frac{\int \frac{20a^2 \cos(c+dx)-35a^2 \cos^2(c+dx)}{(a+a \cos(c+dx))^2} dx}{35a^4}$$

$$= \frac{11 \sin(c + dx)}{21a^4d(1 + \cos(c + dx))^2} - \frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{7ad(a + a \cos(c + dx))^3} + \dots$$

$$= \frac{x}{a^4} + \frac{11 \sin(c + dx)}{21a^4d(1 + \cos(c + dx))^2} - \frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{7ad(a + a \cos(c + dx))^3} + \dots$$

$$= \frac{x}{a^4} + \frac{11 \sin(c + dx)}{21a^4d(1 + \cos(c + dx))^2} - \frac{\cos^3(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{7ad(a + a \cos(c + dx))^3} + \dots$$

**Mathematica [A]** time = 0.34, size = 224, normalized size = 1.76

---


$$\sec\left(\frac{c}{2}\right) \sec^7\left(\frac{1}{2}(c + dx)\right) \left(1652 \sin\left(c + \frac{dx}{2}\right) - 1428 \sin\left(c + \frac{3dx}{2}\right) + 756 \sin\left(2c + \frac{3dx}{2}\right) - 560 \sin\left(2c + \frac{5dx}{2}\right) + 168 \sin\left(2c + \frac{7dx}{2}\right)\right) / (2688a^4d)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^4/(a + a*Cos[c + d*x])^4,x]
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^7*(735*d*x*Cos[(d*x)/2] + 735*d*x*Cos[c + (d*x)/2] + 441*d*x*Cos[c + (3*d*x)/2] + 441*d*x*Cos[2*c + (3*d*x)/2] + 147*d*x*Cos[2*c + (5*d*x)/2] + 147*d*x*Cos[3*c + (5*d*x)/2] + 21*d*x*Cos[3*c + (7*d*x)/2] + 21*d*x*Cos[4*c + (7*d*x)/2] - 1988*Sin[(d*x)/2] + 1652*Sin[c + (d*x)/2] - 1428*Sin[c + (3*d*x)/2] + 756*Sin[2*c + (3*d*x)/2] - 560*Sin[2*c + (5*d*x)/2] + 168*Sin[3*c + (5*d*x)/2] - 104*Sin[3*c + (7*d*x)/2]))/(2688*a^4*d)
```

**fricas** [A] time = 0.82, size = 152, normalized size = 1.20

$$\frac{21 dx \cos(dx + c)^4 + 84 dx \cos(dx + c)^3 + 126 dx \cos(dx + c)^2 + 84 dx \cos(dx + c) + 21 dx - (52 \cos(dx + c)^3 + 124 \cos(dx + c)^2 + 107 \cos(dx + c) + 32) \sin(dx + c)}{21 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/21\*(21\*d\*x\*cos(d\*x + c)^4 + 84\*d\*x\*cos(d\*x + c)^3 + 126\*d\*x\*cos(d\*x + c)^2 + 84\*d\*x\*cos(d\*x + c) + 21\*d\*x - (52\*cos(d\*x + c)^3 + 124\*cos(d\*x + c)^2 + 107\*cos(d\*x + c) + 32)\*sin(d\*x + c))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [A] time = 0.52, size = 83, normalized size = 0.65

$$\frac{\frac{168(dx+c)}{a^4} + \frac{3a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 21a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 77a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 315a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{28}}}{168d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/168\*(168\*(d\*x + c)/a^4 + (3\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 - 21\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 77\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 - 315\*a^24\*tan(1/2\*d\*x + 1/2\*c))/a^28)/d

**maple** [A] time = 0.05, size = 94, normalized size = 0.74

$$\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} - \frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} + \frac{11\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^4} - \frac{15 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^4,x)

[Out] 1/56/d/a^4\*tan(1/2\*d\*x+1/2\*c)^7-1/8/d/a^4\*tan(1/2\*d\*x+1/2\*c)^5+11/24/d/a^4\*tan(1/2\*d\*x+1/2\*c)^3-15/8/d/a^4\*tan(1/2\*d\*x+1/2\*c)+2/d/a^4\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 1.26, size = 112, normalized size = 0.88

$$\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4}}{168d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] -1/168\*((315\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 77\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 3\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 - 336\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a^4)/d

**mupad** [B] time = 0.43, size = 102, normalized size = 0.80

$$\frac{x}{a^4} + \frac{\frac{52 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6}{21} + \frac{16 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4}{21} - \frac{5 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2}{28} + \frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{56}}{a^4 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4/(a + a*cos(c + d*x))^4,x)`

[Out]  $x/a^4 + (\sin(c/2 + (d*x)/2)/56 - (5*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2))/28 + (16*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2))/21 - (52*\cos(c/2 + (d*x)/2)^6*\sin(c/2 + (d*x)/2))/21)/(a^4*d*\cos(c/2 + (d*x)/2)^7)$

**sympy** [A] time = 12.00, size = 95, normalized size = 0.75

$$\begin{cases} \frac{x}{a^4} + \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{11\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} - \frac{15\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} & \text{for } d \neq 0 \\ \frac{x \cos^4(c)}{(a \cos(c) + a)^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((x/a**4 + tan(c/2 + d*x/2)**7/(56*a**4*d) - tan(c/2 + d*x/2)**5/(8*a**4*d) + 11*tan(c/2 + d*x/2)**3/(24*a**4*d) - 15*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*cos(c)**4/(a*cos(c) + a)**4, True))`

$$3.75 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=114

$$\frac{12 \sin(c+dx)}{35a^4d(\cos(c+dx)+1)} - \frac{18 \sin(c+dx)}{35a^4d(\cos(c+dx)+1)^2} - \frac{\sin(c+dx) \cos^2(c+dx)}{7d(a \cos(c+dx)+a)^4} + \frac{8 \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3}$$

[Out] -18/35\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))^2+12/35\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))-1/7\*cos(d\*x+c)^2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^4+8/35\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3

**Rubi [A]** time = 0.20, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2765, 2968, 3019, 2750, 2648}

$$\frac{12 \sin(c+dx)}{35a^4d(\cos(c+dx)+1)} - \frac{18 \sin(c+dx)}{35a^4d(\cos(c+dx)+1)^2} - \frac{\sin(c+dx) \cos^2(c+dx)}{7d(a \cos(c+dx)+a)^4} + \frac{8 \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + a\*cos[c + d\*x])^4, x]

[Out] (-18\*Sin[c + d\*x])/(35\*a^4\*d\*(1 + Cos[c + d\*x])^2) + (12\*Sin[c + d\*x])/(35\*a^4\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^2\*Sin[c + d\*x])/(7\*d\*(a + a\*cos[c + d\*x])^4) + (8\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*cos[c + d\*x])^3)

**Rule 2648**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2750**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

**Rule 2765**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2968**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

**Rule 3019**

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> Simp[(A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{\cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{\cos(c+dx)(2a-6a \cos(c+dx))}{(a+a \cos(c+dx))^3} dx}{7a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{2a \cos(c+dx)-6a \cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx}{7a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{8 \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{\int \frac{-24a^2+30a^2 \cos(c+dx)}{(a+a \cos(c+dx))^2} dx}{35a^4} \\ &= -\frac{18 \sin(c + dx)}{35a^4d(1 + \cos(c + dx))^2} - \frac{\cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{8 \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \\ &= -\frac{18 \sin(c + dx)}{35a^4d(1 + \cos(c + dx))^2} - \frac{\cos^2(c + dx) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{8 \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 112, normalized size = 0.98

$$\frac{\sec\left(\frac{c}{2}\right)\left(-210 \sin\left(c + \frac{dx}{2}\right) + 147 \sin\left(c + \frac{3dx}{2}\right) - 105 \sin\left(2c + \frac{3dx}{2}\right) + 49 \sin\left(2c + \frac{5dx}{2}\right) - 35 \sin\left(3c + \frac{5dx}{2}\right) + 12 \sin\left(3c + \frac{7dx}{2}\right)\right)}{2240a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^4,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^7\*(210\*Sin[(d\*x)/2] - 210\*Sin[c + (d\*x)/2] + 147\*Sin[c + (3\*d\*x)/2] - 105\*Sin[2\*c + (3\*d\*x)/2] + 49\*Sin[2\*c + (5\*d\*x)/2] - 35\*Sin[3\*c + (5\*d\*x)/2] + 12\*Sin[3\*c + (7\*d\*x)/2]))/(2240\*a^4\*d)

**fricas [A]** time = 0.59, size = 99, normalized size = 0.87

$$\frac{(12 \cos(dx + c)^3 + 13 \cos(dx + c)^2 + 8 \cos(dx + c) + 2) \sin(dx + c)}{35(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/35\*(12\*cos(d\*x + c)^3 + 13\*cos(d\*x + c)^2 + 8\*cos(d\*x + c) + 2)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac [A]** time = 0.45, size = 59, normalized size = 0.52

$$\frac{5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 21 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 35 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 35 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $-1/280*(5*\tan(1/2*d*x + 1/2*c)^7 - 21*\tan(1/2*d*x + 1/2*c)^5 + 35*\tan(1/2*d*x + 1/2*c)^3 - 35*\tan(1/2*d*x + 1/2*c))/(a^4*d)$

**maple [A]** time = 0.05, size = 58, normalized size = 0.51

$$\frac{-\frac{\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7} + \frac{3\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} - \left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right) + \tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{8d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x)

[Out]  $1/8/d/a^4*(-1/7*\tan(1/2*d*x+1/2*c)^7+3/5*\tan(1/2*d*x+1/2*c)^5-\tan(1/2*d*x+1/2*c)^3+\tan(1/2*d*x+1/2*c))$

**maxima [A]** time = 0.86, size = 87, normalized size = 0.76

$$\frac{\frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $1/280*(35*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a^4*d)$

**mupad [B]** time = 0.39, size = 58, normalized size = 0.51

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 35 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 35\right)}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^4,x)

[Out]  $-(\tan(c/2 + (d*x)/2)*(35*\tan(c/2 + (d*x)/2)^2 - 21*\tan(c/2 + (d*x)/2)^4 + 5*\tan(c/2 + (d*x)/2)^6 - 35))/(280*a^4*d)$

**sympy [A]** time = 8.35, size = 88, normalized size = 0.77

$$\begin{cases} \left( -\frac{\tan^7\left(\frac{c}{2}+\frac{dx}{2}\right)}{56a^4d} + \frac{3\tan^5\left(\frac{c}{2}+\frac{dx}{2}\right)}{40a^4d} - \frac{\tan^3\left(\frac{c}{2}+\frac{dx}{2}\right)}{8a^4d} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)}{8a^4d} \right) & \text{for } d \neq 0 \\ \frac{x \cos^3(c)}{(a \cos(c)+a)^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*4,x)

[Out]  $\text{Piecewise}((- \tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*\tan(c/2 + d*x/2)**5/(40*a**4*d) - \tan(c/2 + d*x/2)**3/(8*a**4*d) + \tan(c/2 + d*x/2)/(8*a**4*d), \text{Ne}(d, 0)), (x*\cos(c)**3/(a*\cos(c) + a)**4, \text{True}))$

$$3.76 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^4} dx$$

Optimal. Leaf size=112

$$\frac{13 \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{13 \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} - \frac{11 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} + \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

[Out] 1/7\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^4-11/35\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3+13/105\*sin(d\*x+c)/d/(a^2+a^2\*cos(d\*x+c))^2+13/105\*sin(d\*x+c)/d/(a^4+a^4\*cos(d\*x+c))

**Rubi [A]** time = 0.11, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2758, 2750, 2650, 2648}

$$\frac{13 \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{13 \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} - \frac{11 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} + \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*cos[c + d\*x])^4,x]

[Out] Sin[c + d\*x]/(7\*d\*(a + a\*cos[c + d\*x])^4) - (11\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*cos[c + d\*x])^3) + (13\*Sin[c + d\*x])/(105\*d\*(a^2 + a^2\*cos[c + d\*x])^2) + (13\*Sin[c + d\*x])/(105\*d\*(a^4 + a^4\*cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2758

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> Simp[(b\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^4} dx &= \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{-4a+7a\cos(c+dx)}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
&= \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{11\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{13 \int \frac{1}{(a+a\cos(c+dx))^2} dx}{35a^2} \\
&= \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{11\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{13\sin(c+dx)}{105d(a^2+a^2\cos(c+dx))^2} \\
&= \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{11\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{13\sin(c+dx)}{105d(a^2+a^2\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.26, size = 99, normalized size = 0.88

$$\frac{\sec\left(\frac{c}{2}\right)\left(-175\sin\left(c+\frac{dx}{2}\right)+168\sin\left(c+\frac{3dx}{2}\right)-105\sin\left(2c+\frac{3dx}{2}\right)+91\sin\left(2c+\frac{5dx}{2}\right)+13\sin\left(3c+\frac{7dx}{2}\right)+2\right)}{6720a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^7\*(280\*Sin[(d\*x)/2] - 175\*Sin[c + (d\*x)/2] + 168\*Sin[c + (3\*d\*x)/2] - 105\*Sin[2\*c + (3\*d\*x)/2] + 91\*Sin[2\*c + (5\*d\*x)/2] + 13\*Sin[3\*c + (7\*d\*x)/2]))/(6720\*a^4\*d)

**fricas [A]** time = 1.06, size = 99, normalized size = 0.88

$$\frac{(13 \cos(dx+c)^3 + 52 \cos(dx+c)^2 + 32 \cos(dx+c) + 8) \sin(dx+c)}{105(a^4d \cos(dx+c)^4 + 4a^4d \cos(dx+c)^3 + 6a^4d \cos(dx+c)^2 + 4a^4d \cos(dx+c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/105\*(13\*cos(d\*x + c)^3 + 52\*cos(d\*x + c)^2 + 32\*cos(d\*x + c) + 8)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac [A]** time = 0.56, size = 59, normalized size = 0.53

$$\frac{15 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 21 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 35 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/840\*(15\*tan(1/2\*d\*x + 1/2\*c)^7 - 21\*tan(1/2\*d\*x + 1/2\*c)^5 - 35\*tan(1/2\*d\*x + 1/2\*c)^3 + 105\*tan(1/2\*d\*x + 1/2\*c))/(a^4\*d)

**maple [A]** time = 0.04, size = 58, normalized size = 0.52

$$\frac{\frac{\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7} - \frac{\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5} - \frac{\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{8d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2/(a+a*cos(d*x+c))^4,x)`

[Out] `1/8/d/a^4*(1/7*tan(1/2*d*x+1/2*c)^7-1/5*tan(1/2*d*x+1/2*c)^5-1/3*tan(1/2*d*x+1/2*c)^3+tan(1/2*d*x+1/2*c))`

**maxima** [A] time = 0.84, size = 87, normalized size = 0.78

$$\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*cos(d*x+c))^4,x, algorithm="maxima")`

[Out] `1/840*(105*sin(d*x + c)/(cos(d*x + c) + 1) - 35*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 21*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 15*sin(d*x + c)^7/(cos(d*x + c) + 1)^7)/(a^4*d)`

**mupad** [B] time = 0.39, size = 58, normalized size = 0.52

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(-15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 35 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 105\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^4,x)`

[Out] `-(tan(c/2 + (d*x)/2)*(35*tan(c/2 + (d*x)/2)^2 + 21*tan(c/2 + (d*x)/2)^4 - 15*tan(c/2 + (d*x)/2)^6 - 105))/(840*a^4*d)`

**sympy** [A] time = 6.05, size = 87, normalized size = 0.78

$$\begin{cases} \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{(a \cos(c)+a)^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((tan(c/2 + d*x/2)**7/(56*a**4*d) - tan(c/2 + d*x/2)**5/(40*a**4*d) - tan(c/2 + d*x/2)**3/(24*a**4*d) + tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*cos(c)**2/(a*cos(c) + a)**4, True))`

$$3.77 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=112

$$\frac{8 \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{8 \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} + \frac{4 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

[Out]  $-1/7*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^4+4/35*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^3+8/105*\sin(d*x+c)/d/(a^2+a^2*\cos(d*x+c))^2+8/105*\sin(d*x+c)/d/(a^4+a^4*\cos(d*x+c))$

**Rubi [A]** time = 0.08, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2750, 2650, 2648}

$$\frac{8 \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{8 \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} + \frac{4 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*cos[c + d\*x])^4, x]

[Out]  $-\text{Sin}[c + d*x]/(7*d*(a + a*\text{Cos}[c + d*x])^4) + (4*\text{Sin}[c + d*x])/(35*a*d*(a + a*\text{Cos}[c + d*x])^3) + (8*\text{Sin}[c + d*x])/(105*d*(a^2 + a^2*\text{Cos}[c + d*x])^2) + (8*\text{Sin}[c + d*x])/(105*d*(a^4 + a^4*\text{Cos}[c + d*x]))$

**Rule 2648**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2650**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2750**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

**Rubi steps**

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+a\cos(c+dx))^4} dx &= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{4 \int \frac{1}{(a+a\cos(c+dx))^3} dx}{7a} \\
&= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{4\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{8 \int \frac{1}{(a+a\cos(c+dx))^2} dx}{35a^2} \\
&= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{4\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{8\sin(c+dx)}{105d(a^2+a^2\cos(c+dx))^2} \\
&= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{4\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{8\sin(c+dx)}{105d(a^2+a^2\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 87, normalized size = 0.78

$$\frac{\sec\left(\frac{c}{2}\right)\left(-35\sin\left(c+\frac{dx}{2}\right)+2\left(21\sin\left(c+\frac{3dx}{2}\right)+7\sin\left(2c+\frac{5dx}{2}\right)+\sin\left(3c+\frac{7dx}{2}\right)\right)+35\sin\left(\frac{dx}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)}{1680a^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*cos[c + d\*x])^4, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^7\*(35\*Sin[(d\*x)/2] - 35\*Sin[c + (d\*x)/2] + 2\*(21\*Sin[c + (3\*d\*x)/2] + 7\*Sin[2\*c + (5\*d\*x)/2] + Sin[3\*c + (7\*d\*x)/2]))/(1680\*a^4\*d)

**fricas [A]** time = 0.92, size = 99, normalized size = 0.88

$$\frac{(8\cos(dx+c)^3+32\cos(dx+c)^2+52\cos(dx+c)+13)\sin(dx+c)}{105(a^4d\cos(dx+c)^4+4a^4d\cos(dx+c)^3+6a^4d\cos(dx+c)^2+4a^4d\cos(dx+c)+a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/105\*(8\*cos(d\*x + c)^3 + 32\*cos(d\*x + c)^2 + 52\*cos(d\*x + c) + 13)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac [A]** time = 0.56, size = 59, normalized size = 0.53

$$\frac{15\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+21\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-35\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-105\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] -1/840\*(15\*tan(1/2\*d\*x + 1/2\*c)^7 + 21\*tan(1/2\*d\*x + 1/2\*c)^5 - 35\*tan(1/2\*d\*x + 1/2\*c)^3 - 105\*tan(1/2\*d\*x + 1/2\*c))/(a^4\*d)

**maple [A]** time = 0.04, size = 58, normalized size = 0.52

$$\frac{-\frac{\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7}-\frac{\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5}+\frac{\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3}+\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{8da^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)/(a+a*cos(d*x+c))^4,x)`

[Out]  $\frac{1}{8}d/a^4*(-1/7*\tan(1/2*d*x+1/2*c)^7-1/5*\tan(1/2*d*x+1/2*c)^5+1/3*\tan(1/2*d*x+1/2*c)^3+\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 1.20, size = 87, normalized size = 0.78

$$\frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*cos(d*x+c))^4,x, algorithm="maxima")`

[Out]  $\frac{1}{840}*(105*\sin(d*x + c)/(\cos(d*x + c) + 1) + 35*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 - 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a^4*d)$

**mupad** [B] time = 0.39, size = 58, normalized size = 0.52

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(-15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 35 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 105\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(a + a*cos(c + d*x))^4,x)`

[Out]  $(\tan(c/2 + (d*x)/2)*(35*\tan(c/2 + (d*x)/2)^2 - 21*\tan(c/2 + (d*x)/2)^4 - 15*\tan(c/2 + (d*x)/2)^6 + 105))/(840*a^4*d)$

**sympy** [A] time = 4.46, size = 85, normalized size = 0.76

$$\begin{cases} \left( -\frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \right) & \text{for } d \neq 0 \\ \frac{x \cos(c)}{(a \cos(c) + a)^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((-tan(c/2 + d*x/2)**7/(56*a**4*d) - tan(c/2 + d*x/2)**5/(40*a**4*d) + tan(c/2 + d*x/2)**3/(24*a**4*d) + tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x*cos(c)/(a*cos(c) + a)**4, True))`

$$3.78 \quad \int \frac{1}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=112

$$\frac{2 \sin(c+dx)}{35d(a^4 \cos(c+dx) + a^4)} + \frac{2 \sin(c+dx)}{35d(a^2 \cos(c+dx) + a^2)^2} + \frac{3 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} + \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

[Out] 1/7\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^4+3/35\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3+2/35\*sin(d\*x+c)/d/(a^2+a^2\*cos(d\*x+c))^2+2/35\*sin(d\*x+c)/d/(a^4+a^4\*cos(d\*x+c))

**Rubi [A]** time = 0.07, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2650, 2648}

$$\frac{2 \sin(c+dx)}{35d(a^4 \cos(c+dx) + a^4)} + \frac{2 \sin(c+dx)}{35d(a^2 \cos(c+dx) + a^2)^2} + \frac{3 \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} + \frac{\sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-4), x]

[Out] Sin[c + d\*x]/(7\*d\*(a + a\*Cos[c + d\*x])^4) + (3\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*Sin[c + d\*x])/(35\*d\*(a^2 + a^2\*Cos[c + d\*x])^2) + (2\*Sin[c + d\*x])/(35\*d\*(a^4 + a^4\*Cos[c + d\*x]))

**Rule 2648**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2650**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{(a+a \cos(c+dx))^4} dx &= \frac{\sin(c+dx)}{7d(a+a \cos(c+dx))^4} + \frac{3 \int \frac{1}{(a+a \cos(c+dx))^3} dx}{7a} \\ &= \frac{\sin(c+dx)}{7d(a+a \cos(c+dx))^4} + \frac{3 \sin(c+dx)}{35ad(a+a \cos(c+dx))^3} + \frac{6 \int \frac{1}{(a+a \cos(c+dx))^2} dx}{35a^2} \\ &= \frac{\sin(c+dx)}{7d(a+a \cos(c+dx))^4} + \frac{3 \sin(c+dx)}{35ad(a+a \cos(c+dx))^3} + \frac{2 \sin(c+dx)}{35d(a^2+a^2 \cos(c+dx))^2} + \frac{2 \sin(c+dx)}{35d(a^2+a^2 \cos(c+dx))^2} \\ &= \frac{\sin(c+dx)}{7d(a+a \cos(c+dx))^4} + \frac{3 \sin(c+dx)}{35ad(a+a \cos(c+dx))^3} + \frac{2 \sin(c+dx)}{35d(a^2+a^2 \cos(c+dx))^2} + \frac{2 \sin(c+dx)}{35d(a^2+a^2 \cos(c+dx))^2} \end{aligned}$$

**Mathematica [A]** time = 0.16, size = 77, normalized size = 0.69

$$\frac{\left(35 \sin\left(\frac{1}{2}(c+dx)\right) + 21 \sin\left(\frac{3}{2}(c+dx)\right) + 7 \sin\left(\frac{5}{2}(c+dx)\right) + \sin\left(\frac{7}{2}(c+dx)\right)\right) \cos\left(\frac{1}{2}(c+dx)\right)}{70a^4d(\cos(c+dx) + 1)^4}$$



Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(-4), x]

[Out] (Cos[(c + d\*x)/2]\*(35\*Sin[(c + d\*x)/2] + 21\*Sin[(3\*(c + d\*x))/2] + 7\*Sin[(5\*(c + d\*x))/2] + Sin[(7\*(c + d\*x))/2]))/(70\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**fricas** [A] time = 0.92, size = 99, normalized size = 0.88

$$\frac{(2 \cos(dx + c)^3 + 8 \cos(dx + c)^2 + 13 \cos(dx + c) + 12) \sin(dx + c)}{35(a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/35\*(2\*cos(d\*x + c)^3 + 8\*cos(d\*x + c)^2 + 13\*cos(d\*x + c) + 12)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [A] time = 0.44, size = 59, normalized size = 0.53

$$\frac{5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 21 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 35 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 35 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/280\*(5\*tan(1/2\*d\*x + 1/2\*c)^7 + 21\*tan(1/2\*d\*x + 1/2\*c)^5 + 35\*tan(1/2\*d\*x + 1/2\*c)^3 + 35\*tan(1/2\*d\*x + 1/2\*c))/(a^4\*d)

**maple** [A] time = 0.04, size = 56, normalized size = 0.50

$$\frac{\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{7} + \frac{3\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5} + \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^4,x)

[Out] 1/8/d/a^4\*(1/7\*tan(1/2\*d\*x+1/2\*c)^7+3/5\*tan(1/2\*d\*x+1/2\*c)^5+tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 1.00, size = 87, normalized size = 0.78

$$\frac{\frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 1/280\*(35\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 5\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/(a^4\*d)

**mupad** [B] time = 0.38, size = 58, normalized size = 0.52

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 21 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 35 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 35\right)}{280 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + a*cos(c + d*x))^4,x)`

[Out] `(tan(c/2 + (d*x)/2)*(35*tan(c/2 + (d*x)/2)^2 + 21*tan(c/2 + (d*x)/2)^4 + 5*tan(c/2 + (d*x)/2)^6 + 35))/(280*a^4*d)`

sympy [A] time = 3.42, size = 83, normalized size = 0.74

$$\begin{cases} \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} & \text{for } d \neq 0 \\ \frac{x}{(a \cos(c) + a)^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))**4,x)`

[Out] `Piecewise((tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*tan(c/2 + d*x/2)**5/(40*a**4*d) + tan(c/2 + d*x/2)**3/(8*a**4*d) + tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0)), (x/(a*cos(c) + a)**4, True))`

$$3.79 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=120

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^4 d} - \frac{32 \sin(c+dx)}{21 a^4 d (\cos(c+dx)+1)} - \frac{11 \sin(c+dx)}{21 a^4 d (\cos(c+dx)+1)^2} - \frac{2 \sin(c+dx)}{7 a d (a \cos(c+dx)+a)^3} - \frac{\sin(c+dx)}{7 d (a \cos(c+dx)+a)}$$

[Out] arctanh(sin(d\*x+c))/a^4/d-11/21\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))^2-32/21\*sin(d\*x+c)/a^4/d/(1+cos(d\*x+c))-1/7\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^4-2/7\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3

**Rubi [A]** time = 0.29, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2766, 2978, 12, 3770}

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^4 d} - \frac{32 \sin(c+dx)}{21 a^4 d (\cos(c+dx)+1)} - \frac{11 \sin(c+dx)}{21 a^4 d (\cos(c+dx)+1)^2} - \frac{2 \sin(c+dx)}{7 a d (a \cos(c+dx)+a)^3} - \frac{\sin(c+dx)}{7 d (a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^4, x]

[Out] ArcTanh[Sin[c + d\*x]]/(a^4\*d) - (11\*Sin[c + d\*x])/(21\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (32\*Sin[c + d\*x])/(21\*a^4\*d\*(1 + Cos[c + d\*x])) - Sin[c + d\*x]/(7\*d\*(a + a\*Cos[c + d\*x])^4) - (2\*Sin[c + d\*x])/(7\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sec(c+dx)}{(a+a\cos(c+dx))^4} dx &= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{(7a-3a\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
&= -\frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\sin(c+dx)}{7ad(a+a\cos(c+dx))^3} + \frac{\int \frac{(35a^2-20a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
&= -\frac{11\sin(c+dx)}{21a^4d(1+\cos(c+dx))^2} - \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\sin(c+dx)}{7ad(a+a\cos(c+dx))^3} + \frac{\int \frac{(35a^2-20a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
&= -\frac{11\sin(c+dx)}{21a^4d(1+\cos(c+dx))^2} - \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\sin(c+dx)}{7ad(a+a\cos(c+dx))^3} - \frac{\int \frac{(35a^2-20a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
&= -\frac{11\sin(c+dx)}{21a^4d(1+\cos(c+dx))^2} - \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\sin(c+dx)}{7ad(a+a\cos(c+dx))^3} - \frac{\int \frac{(35a^2-20a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
&= \frac{\tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{11\sin(c+dx)}{21a^4d(1+\cos(c+dx))^2} - \frac{\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{2\sin(c+dx)}{7ad(a+a\cos(c+dx))^3} - \frac{\int \frac{(35a^2-20a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4}
\end{aligned}$$

**Mathematica [A]** time = 0.86, size = 185, normalized size = 1.54

$$\frac{\sec\left(\frac{c}{2}\right)\left(434\sin\left(c+\frac{dx}{2}\right)-525\sin\left(c+\frac{3dx}{2}\right)+147\sin\left(2c+\frac{3dx}{2}\right)-203\sin\left(2c+\frac{5dx}{2}\right)+21\sin\left(3c+\frac{5dx}{2}\right)-32\sin\left(3c+\frac{7dx}{2}\right)\right)}{(84a^4d(1+\cos(c+dx))^4)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^4, x]

[Out] (-1344\*Cos[(c + d\*x)/2]^8\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*(-686\*Sin[(d\*x)/2] + 434\*Sin[c + (d\*x)/2] - 525\*Sin[c + (3\*d\*x)/2] + 147\*Sin[2\*c + (3\*d\*x)/2] - 203\*Sin[2\*c + (5\*d\*x)/2] + 21\*Sin[3\*c + (5\*d\*x)/2] - 32\*Sin[3\*c + (7\*d\*x)/2]))/(84\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**fricas [A]** time = 1.04, size = 202, normalized size = 1.68

$$\frac{21\left(\cos(dx+c)^4+4\cos(dx+c)^3+6\cos(dx+c)^2+4\cos(dx+c)+1\right)\log(\sin(dx+c)+1)-21\left(\cos(dx+c)^4+4\cos(dx+c)^3+6\cos(dx+c)^2+4\cos(dx+c)+1\right)\log(-\sin(dx+c)+1)}{42\left(a^4d\cos(dx+c)\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/42\*(21\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*log(sin(d\*x + c) + 1) - 21\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*log(-sin(d\*x + c) + 1) - 2\*(32\*cos(d\*x + c)^3 + 107\*cos(d\*x + c)^2 + 124\*cos(d\*x + c) + 52)\*sin(d\*x + c))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac [A]** time = 0.69, size = 110, normalized size = 0.92

$$\frac{168\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{168\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} - \frac{3a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+21a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+77a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+315a^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{28}}}{168d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $\frac{1}{168} \cdot \frac{168 \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1)}{a^4} - \frac{168 \cdot \log(\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1)}{a^4} - \frac{(3a^{24} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 + 21a^{24} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 + 77a^{24} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 + 315a^{24} \tan(\frac{1}{2}d*x + \frac{1}{2}c))}{a^{28}} / d$

**maple [A]** time = 0.09, size = 115, normalized size = 0.96

$$\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} - \frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} - \frac{11\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^4} - \frac{15 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^4} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x)

[Out]  $-\frac{1}{56} \frac{d}{a^4} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^7 - \frac{1}{8} \frac{d}{a^4} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^5 - \frac{11}{24} \frac{d}{a^4} \tan(\frac{1}{2}d*x + \frac{1}{2}c)^3 - \frac{15}{8} \frac{d}{a^4} \tan(\frac{1}{2}d*x + \frac{1}{2}c) - \frac{1}{d} \frac{1}{a^4} \ln(\tan(\frac{1}{2}d*x + \frac{1}{2}c) - 1) + \frac{1}{d} \frac{1}{a^4} \ln(\tan(\frac{1}{2}d*x + \frac{1}{2}c) + 1)$

**maxima [A]** time = 1.48, size = 139, normalized size = 1.16

$$\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4}$$

$168 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $-\frac{1}{168} \cdot \left( \frac{315 \sin(d*x + c)}{\cos(d*x + c) + 1} + \frac{77 \sin(d*x + c)^3}{(\cos(d*x + c) + 1)^3} + \frac{21 \sin(d*x + c)^5}{(\cos(d*x + c) + 1)^5} + \frac{3 \sin(d*x + c)^7}{(\cos(d*x + c) + 1)^7} \right) / a^4 - \frac{168 \cdot \log(\sin(d*x + c) / (\cos(d*x + c) + 1) + 1)}{a^4} + \frac{168 \cdot \log(\sin(d*x + c) / (\cos(d*x + c) + 1) - 1)}{a^4} / d$

**mupad [B]** time = 0.37, size = 83, normalized size = 0.69

$$\frac{\frac{11 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24 a^4} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{8 a^4} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{56 a^4} - \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^4} + \frac{15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8 a^4}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^4),x)

[Out]  $-\frac{(11 \tan(c/2 + (d*x)/2)^3)/(24a^4) + \tan(c/2 + (d*x)/2)^5/(8a^4) + \tan(c/2 + (d*x)/2)^7/(56a^4) - (2 \operatorname{atanh}(\tan(c/2 + (d*x)/2))) / a^4 + (15 \tan(c/2 + (d*x)/2)) / (8a^4)}{d}$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec(c+dx)}{\cos^4(c+dx)+4 \cos^3(c+dx)+6 \cos^2(c+dx)+4 \cos(c+dx)+1} dx}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*4,x)

[Out]  $\text{Integral}(\sec(c + d*x) / (\cos(c + d*x)**4 + 4 \cos(c + d*x)**3 + 6 \cos(c + d*x)**2 + 4 \cos(c + d*x) + 1), x) / a**4$

$$3.80 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=135

$$\frac{664 \tan(c+dx)}{105a^4d} - \frac{4 \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{4 \tan(c+dx)}{a^4d(\cos(c+dx)+1)} - \frac{88 \tan(c+dx)}{105a^4d(\cos(c+dx)+1)^2} - \frac{12 \tan(c+dx)}{35ad(a \cos(c+dx)+1)}$$

[Out]  $-4*\operatorname{arctanh}(\sin(d*x+c))/a^4/d+664/105*\tan(d*x+c)/a^4/d-88/105*\tan(d*x+c)/a^4/d/(1+\cos(d*x+c))-4*\tan(d*x+c)/a^4/d/(1+\cos(d*x+c))-1/7*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^4-12/35*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^3$

**Rubi [A]** time = 0.39, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2766, 2978, 2748, 3767, 8, 3770}

$$\frac{664 \tan(c+dx)}{105a^4d} - \frac{4 \tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{4 \tan(c+dx)}{a^4d(\cos(c+dx)+1)} - \frac{88 \tan(c+dx)}{105a^4d(\cos(c+dx)+1)^2} - \frac{12 \tan(c+dx)}{35ad(a \cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sec}[c+d*x]^2/(a+a*\operatorname{Cos}[c+d*x])^4, x]$

[Out]  $(-4*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(a^4*d) + (664*\operatorname{Tan}[c+d*x])/(105*a^4*d) - (88*\operatorname{Tan}[c+d*x])/(105*a^4*d*(1+\operatorname{Cos}[c+d*x])^2) - (4*\operatorname{Tan}[c+d*x])/(a^4*d*(1+\operatorname{Cos}[c+d*x])) - \operatorname{Tan}[c+d*x]/(7*d*(a+a*\operatorname{Cos}[c+d*x])^4) - (12*\operatorname{Tan}[c+d*x])/(35*a*d*(a+a*\operatorname{Cos}[c+d*x])^3)$

#### Rule 8

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a*x, x] /; \operatorname{FreeQ}[a, x]$

#### Rule 2748

$\operatorname{Int}[(b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)])}], x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e+f*x])^{(m+1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2766

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_)*((c_*) + (d_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)])}^{(n_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(b^2*\operatorname{Cos}[e+f*x]*(a+b*\operatorname{Sin}[e+f*x])^m*(c+d*\operatorname{Sin}[e+f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c-a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c-a*d)), \operatorname{Int}[(a+b*\operatorname{Sin}[e+f*x])^{(m+1)}*(c+d*\operatorname{Sin}[e+f*x])^n*\operatorname{Simp}[b*c*(m+1)-a*d*(2*m+n+2)+b*d*(m+n+2)*\operatorname{Sin}[e+f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \operatorname{NeQ}[b*c-a*d, 0] \&\& \operatorname{EqQ}[a^2-b^2, 0] \&\& \operatorname{NeQ}[c^2-d^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{!GtQ}[n, 0] \&\& (\operatorname{IntegerSqrt}[2*m, 2*n] || (\operatorname{IntegerQ}[m] \&\& \operatorname{EqQ}[c, 0]))$

#### Rule 2978

$\operatorname{Int}[(a_*) + (b_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)]^{(m_)*((A_*) + (B_*)*\operatorname{sin}[(e_*) + (f_*)*(x_)])}^{(n_)}, x\_Symbol] \rightarrow \operatorname{Simp}[(b*(A*b-a*B)*\operatorname{Cos}[e+f*x]*(a+b*\operatorname{Sin}[e+f*x])^m*(c+d*\operatorname{Sin}[e+f*x])^{(n+1)})/(a*f*(2*m+1)*(b*c-a*d)), x] + \operatorname{Dist}[1/(a*(2*m+1)*(b*c-a*d)), \operatorname{Int}[(a+b*\operatorname{Sin}[e+f*x])^{(m+1)}*(c+d*\operatorname{Sin}[e+f*x])^n*\operatorname{Simp}[B*(a*c*m+b*d*(n+1))+A*(b*c*(m+1)-a*d*(2*m+n+2))+d*(A*b-a*B)*(m+n+2)*\operatorname{Sin}[e+f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b*c-a*d, 0] \&\& \operatorname{EqQ}[a^2-b^2, 0] \&\& \operatorname{NeQ}[c^2-d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2*m] \&\& (\operatorname{IntegerQ}[2*n] || \operatorname{EqQ}[c, 0])$

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^2(c+dx)}{(a+a\cos(c+dx))^4} dx &= -\frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{(8a-4a\cos(c+dx))\sec^2(c+dx)}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
 &= -\frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{\int \frac{(52a^2-36a^2\cos(c+dx))\sec^2(c+dx)}{(a+a\cos(c+dx))^2} dx}{35a^4} \\
 &= -\frac{88\tan(c+dx)}{105a^4d(1+\cos(c+dx))^2} - \frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
 &= -\frac{88\tan(c+dx)}{105a^4d(1+\cos(c+dx))^2} - \frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
 &= -\frac{88\tan(c+dx)}{105a^4d(1+\cos(c+dx))^2} - \frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
 &= -\frac{4\tanh^{-1}(\sin(c+dx))}{a^4d} - \frac{88\tan(c+dx)}{105a^4d(1+\cos(c+dx))^2} - \frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
 &= -\frac{4\tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{664\tan(c+dx)}{105a^4d} - \frac{88\tan(c+dx)}{105a^4d(1+\cos(c+dx))^2} - \frac{\tan(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{12\tan(c+dx)}{35ad(a+a\cos(c+dx))^3}
 \end{aligned}$$

**Mathematica [B]** time = 4.15, size = 341, normalized size = 2.53

$$\frac{107520 \cos^8\left(\frac{1}{2}(c+dx)\right) \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)\right)}{1680a^4d(1+\cos(c+dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^4, x]

[Out] (107520\*Cos[(c + d\*x)/2]^8\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]\*(-10780\*Sin[(d\*x)/2] + 18788\*Sin[(3\*d\*x)/2] - 20524\*Sin[c - (d\*x)/2] + 14644\*Sin[c + (d\*x)/2] - 16660\*Sin[2\*c + (d\*x)/2] - 4690\*Sin[c + (3\*d\*x)/2] + 14378\*Sin[2\*c + (3\*d\*x)/2] - 9100\*Sin[3\*c + (3\*d\*x)/2] + 11668\*Sin[c + (5\*d\*x)/2] - 630\*Sin[2\*c + (5\*d\*x)/2] + 9358\*Sin[3\*c + (5\*d\*x)/2] - 2940\*Sin[4\*c + (5\*d\*x)/2] + 4228\*Sin[2\*c + (7\*d\*x)/2] + 315\*Sin[3\*c + (7\*d\*x)/2] + 3493\*Sin[4\*c + (7\*d\*x)/2] - 420\*Sin[5\*c + (7\*d\*x)/2] + 664\*Sin[3\*c + (9\*d\*x)/2] + 105\*Sin[4\*c + (9\*d\*x)/2] + 559\*Sin[5\*c + (9\*d\*x)/2))/(1680\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**fricas [A]** time = 0.90, size = 234, normalized size = 1.73

$$\frac{210(\cos(dx+c)^5 + 4\cos(dx+c)^4 + 6\cos(dx+c)^3 + 4\cos(dx+c)^2 + \cos(dx+c))\log(\sin(dx+c)+1)}{1680a^4d(1+\cos(c+dx))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out]  $-1/105*(210*(\cos(d*x + c))^5 + 4*\cos(d*x + c)^4 + 6*\cos(d*x + c)^3 + 4*\cos(d*x + c)^2 + \cos(d*x + c))*\log(\sin(d*x + c) + 1) - 210*(\cos(d*x + c))^5 + 4*\cos(d*x + c)^4 + 6*\cos(d*x + c)^3 + 4*\cos(d*x + c)^2 + \cos(d*x + c))*\log(-\sin(d*x + c) + 1) - (664*\cos(d*x + c)^4 + 2236*\cos(d*x + c)^3 + 2636*\cos(d*x + c)^2 + 1184*\cos(d*x + c) + 105)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^5 + 4*a^4*d*\cos(d*x + c)^4 + 6*a^4*d*\cos(d*x + c)^3 + 4*a^4*d*\cos(d*x + c)^2 + a^4*d*\cos(d*x + c))$

**giac** [A] time = 0.61, size = 139, normalized size = 1.03

$$\frac{3360 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{3360 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4} + \frac{1680 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)a^4} - \frac{15 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 147 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 805 a^{24} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{a^{28}}$$


---

$840 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $-1/840*(3360*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3360*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^4 + 1680*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) - (15*a^{24}*\tan(1/2*d*x + 1/2*c)^7 + 147*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 805*a^{24}*\tan(1/2*d*x + 1/2*c)^3 + 5145*a^{24}*\tan(1/2*d*x + 1/2*c))/a^28)/d$

**maple** [A] time = 0.09, size = 158, normalized size = 1.17

$$\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} + \frac{7\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{40d a^4} + \frac{23\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^4} + \frac{49 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} - \frac{1}{d a^4 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{4 \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x)

[Out]  $1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7+7/40/d/a^4*\tan(1/2*d*x+1/2*c)^5+23/24/d/a^4*\tan(1/2*d*x+1/2*c)^3+49/8/d/a^4*\tan(1/2*d*x+1/2*c)-1/d/a^4/(\tan(1/2*d*x+1/2*c)-1)+4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^4/(\tan(1/2*d*x+1/2*c)+1)-4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 1.47, size = 186, normalized size = 1.38

$$\frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)}\right)(\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{147 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4}$$


---

$840 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $1/840*(1680*\sin(d*x + c)/((a^4 - a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1))^2*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c)/(\cos(d*x + c) + 1) + 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 3360*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4)/d$



**mupad [B]** time = 0.42, size = 130, normalized size = 0.96

$$\frac{23 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24 a^4 d} + \frac{7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{40 a^4 d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{56 a^4 d} - \frac{8 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^4 d} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^4\right)} + \frac{49 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2}{d \left(a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - a^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^4), x)

[Out] (23\*tan(c/2 + (d\*x)/2)^3)/(24\*a^4\*d) + (7\*tan(c/2 + (d\*x)/2)^5)/(40\*a^4\*d) + tan(c/2 + (d\*x)/2)^7/(56\*a^4\*d) - (8\*atanh(tan(c/2 + (d\*x)/2)))/(a^4\*d) - (2\*tan(c/2 + (d\*x)/2))/(d\*(a^4\*tan(c/2 + (d\*x)/2)^2 - a^4)) + (49\*tan(c/2 + (d\*x)/2)^2)/(8\*a^4\*d)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\cos^4(c+dx)+4\cos^3(c+dx)+6\cos^2(c+dx)+4\cos(c+dx)+1} dx$$

$a^4$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*4, x)

[Out] Integral(sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*4 + 4\*cos(c + d\*x)\*\*3 + 6\*cos(c + d\*x)\*\*2 + 4\*cos(c + d\*x) + 1), x)/a\*\*4

$$3.81 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=185

$$-\frac{576 \tan(c+dx)}{35a^4d} + \frac{21 \tanh^{-1}(\sin(c+dx))}{2a^4d} + \frac{21 \tan(c+dx) \sec(c+dx)}{2a^4d} - \frac{288 \tan(c+dx) \sec(c+dx)}{35a^4d(\cos(c+dx)+1)} - \frac{43 \tan(c+dx)}{35a^4d(\cos(c+dx)+1)}$$

[Out] 21/2\*arctanh(sin(d\*x+c))/a^4/d-576/35\*tan(d\*x+c)/a^4/d+21/2\*sec(d\*x+c)\*tan(d\*x+c)/a^4/d-43/35\*sec(d\*x+c)\*tan(d\*x+c)/a^4/d/(1+cos(d\*x+c))^2-288/35\*sec(d\*x+c)\*tan(d\*x+c)/a^4/d/(1+cos(d\*x+c))-1/7\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^4-2/5\*sec(d\*x+c)\*tan(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^3

**Rubi [A]** time = 0.43, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2766, 2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{576 \tan(c+dx)}{35a^4d} + \frac{21 \tanh^{-1}(\sin(c+dx))}{2a^4d} + \frac{21 \tan(c+dx) \sec(c+dx)}{2a^4d} - \frac{288 \tan(c+dx) \sec(c+dx)}{35a^4d(\cos(c+dx)+1)} - \frac{43 \tan(c+dx)}{35a^4d(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^4,x]

[Out] (21\*ArcTanh[Sin[c + d\*x]])/(2\*a^4\*d) - (576\*Tan[c + d\*x])/(35\*a^4\*d) + (21\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^4\*d) - (43\*Sec[c + d\*x]\*Tan[c + d\*x])/(35\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (288\*Sec[c + d\*x]\*Tan[c + d\*x])/(35\*a^4\*d\*(1 + Cos[c + d\*x])) - (Sec[c + d\*x]\*Tan[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - (2\*Sec[c + d\*x]\*Tan[c + d\*x])/(5\*a\*d\*(a + a\*Cos[c + d\*x])^3)

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2766

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^3(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(9a - 5a \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\
 &= -\frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(73a^2 - 56a^2 \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx}{35a^4} \\
 &= -\frac{43 \sec(c + dx) \tan(c + dx)}{35a^4 d (1 + \cos(c + dx))^2} - \frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} \\
 &= -\frac{43 \sec(c + dx) \tan(c + dx)}{35a^4 d (1 + \cos(c + dx))^2} - \frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} \\
 &= -\frac{43 \sec(c + dx) \tan(c + dx)}{35a^4 d (1 + \cos(c + dx))^2} - \frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{2 \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} \\
 &= \frac{21 \sec(c + dx) \tan(c + dx)}{2a^4 d} - \frac{43 \sec(c + dx) \tan(c + dx)}{35a^4 d (1 + \cos(c + dx))^2} - \frac{\sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= \frac{21 \tanh^{-1}(\sin(c + dx))}{2a^4 d} - \frac{576 \tan(c + dx)}{35a^4 d} + \frac{21 \sec(c + dx) \tan(c + dx)}{2a^4 d} - \frac{43 \sec(c + dx) \tan(c + dx)}{35a^4 d}
 \end{aligned}$$

**Mathematica [B]** time = 6.27, size = 455, normalized size = 2.46

$$-\frac{168 \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^4} + \frac{168 \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^4} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^4, x]

[Out] (-168\*Cos[c/2 + (d\*x)/2]^8\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2]]/(d\*(a + a\*Cos[c + d\*x])^4) + (168\*Cos[c/2 + (d\*x)/2]^8\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]]/(d\*(a + a\*Cos[c + d\*x])^4) + (Cos[c/2 + (d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^2\*(24402\*Sin[(d\*x)/2] - 55556\*Sin[(3\*d\*x)/2] + 6

$1054*\sin[c - (d*x)/2] - 33614*\sin[c + (d*x)/2] + 51842*\sin[2*c + (d*x)/2] + 12460*\sin[c + (3*d*x)/2] - 33716*\sin[2*c + (3*d*x)/2] + 34300*\sin[3*c + (3*d*x)/2] - 39788*\sin[c + (5*d*x)/2] + 2940*\sin[2*c + (5*d*x)/2] - 26068*\sin[3*c + (5*d*x)/2] + 16660*\sin[4*c + (5*d*x)/2] - 21351*\sin[2*c + (7*d*x)/2] - 1295*\sin[3*c + (7*d*x)/2] - 14911*\sin[4*c + (7*d*x)/2] + 5145*\sin[5*c + (7*d*x)/2] - 7329*\sin[3*c + (9*d*x)/2] - 1225*\sin[4*c + (9*d*x)/2] - 5369*\sin[5*c + (9*d*x)/2] + 735*\sin[6*c + (9*d*x)/2] - 1152*\sin[4*c + (11*d*x)/2] - 280*\sin[5*c + (11*d*x)/2] - 872*\sin[6*c + (11*d*x)/2]) / (2240*d*(a + a*\cos[c + d*x])^4)$

**fricas** [A] time = 1.09, size = 250, normalized size = 1.35

$$\frac{735 \left( \cos(dx + c)^6 + 4 \cos(dx + c)^5 + 6 \cos(dx + c)^4 + 4 \cos(dx + c)^3 + \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 735 \left( \cos(dx + c)^6 + 4 \cos(dx + c)^5 + 6 \cos(dx + c)^4 + 4 \cos(dx + c)^3 + \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1) - 2 \left( 1152 \cos(dx + c)^5 + 3873 \cos(dx + c)^4 + 4548 \cos(dx + c)^3 + 2012 \cos(dx + c)^2 + 140 \cos(dx + c) - 35 \right) \sin(dx + c)}{a^4 d (a + a \cos(dx + c))^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/140\*(735\*(cos(d\*x + c)^6 + 4\*cos(d\*x + c)^5 + 6\*cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + cos(d\*x + c)^2)\*log(sin(d\*x + c) + 1) - 735\*(cos(d\*x + c)^6 + 4\*cos(d\*x + c)^5 + 6\*cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + cos(d\*x + c)^2)\*log(-sin(d\*x + c) + 1) - 2\*(1152\*cos(d\*x + c)^5 + 3873\*cos(d\*x + c)^4 + 4548\*cos(d\*x + c)^3 + 2012\*cos(d\*x + c)^2 + 140\*cos(d\*x + c) - 35)\*sin(d\*x + c))/(a^4\*d\*cos(d\*x + c)^6 + 4\*a^4\*d\*cos(d\*x + c)^5 + 6\*a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + a^4\*d\*cos(d\*x + c)^2)

**giac** [A] time = 0.88, size = 155, normalized size = 0.84

$$\frac{2940 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^4} - \frac{2940 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^4} + \frac{280 \left( 9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{\left( \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1 \right)^2 a^4} - \frac{5 a^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 63 a^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 455 a^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3885 a^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{280 d a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/280\*(2940\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^4 - 2940\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^4 + 280\*(9\*tan(1/2\*d\*x + 1/2\*c)^3 - 7\*tan(1/2\*d\*x + 1/2\*c)) / ((tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2\*a^4) - (5\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 + 63\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 455\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 + 3885\*a^24\*tan(1/2\*d\*x + 1/2\*c)) / a^28) / d

**maple** [A] time = 0.11, size = 200, normalized size = 1.08

$$\frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{56d a^4} - \frac{9 \left( \tan^5\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{40d a^4} - \frac{13 \left( \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{8d a^4} - \frac{111 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{8d a^4} + \frac{1}{2d a^4 \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^2} + \frac{1}{2d a^4 \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x)

[Out] -1/56/d/a^4\*tan(1/2\*d\*x+1/2\*c)^7-9/40/d/a^4\*tan(1/2\*d\*x+1/2\*c)^5-13/8/d/a^4\*tan(1/2\*d\*x+1/2\*c)^3-111/8/d/a^4\*tan(1/2\*d\*x+1/2\*c)+1/2/d/a^4/(tan(1/2\*d\*x+1/2\*c)-1)^2+9/2/d/a^4/(tan(1/2\*d\*x+1/2\*c)-1)-21/2/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/2/d/a^4/(tan(1/2\*d\*x+1/2\*c)+1)^2+9/2/d/a^4/(tan(1/2\*d\*x+1/2\*c)+1)+21/2/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima [A]** time = 1.10, size = 231, normalized size = 1.25

$$\frac{280 \left( \frac{7 \sin(dx+c)}{\cos(dx+c)+1} - \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 - \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} + \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4}$$


---

$280 d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $-1/280*(280*(7*\sin(d*x + c)/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c)/(\cos(d*x + c) + 1) + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4)/d$

**mupad [B]** time = 0.47, size = 160, normalized size = 0.86

$$\frac{21 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^4 d} - \frac{9 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{40 a^4 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{56 a^4 d} - \frac{13 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{8 a^4 d} - \frac{7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) - 9 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left( a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 a^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^4), x)

[Out]  $(21*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^4*d) - (9*\tan(c/2 + (d*x)/2)^5)/(40*a^4*d) - \tan(c/2 + (d*x)/2)^7/(56*a^4*d) - (13*\tan(c/2 + (d*x)/2)^3)/(8*a^4*d) - (7*\tan(c/2 + (d*x)/2) - 9*\tan(c/2 + (d*x)/2)^3)/(d*(a^4*\tan(c/2 + (d*x)/2)^4 - 2*a^4*\tan(c/2 + (d*x)/2)^2 + a^4)) - (111*\tan(c/2 + (d*x)/2))/(8*a^4*d)$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{\cos^4(c+dx)+4\cos^3(c+dx)+6\cos^2(c+dx)+4\cos(c+dx)+1} dx$$


---

$a^4$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*4,x)

[Out]  $\operatorname{Integral}(\sec(c + d*x)**3/(\cos(c + d*x)**4 + 4*\cos(c + d*x)**3 + 6*\cos(c + d*x)**2 + 4*\cos(c + d*x) + 1), x)/a**4$

$$3.82 \quad \int \frac{\cos^7(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=225

$$\frac{7664 \sin(c+dx)}{315a^5d} - \frac{3832 \sin(c+dx) \cos^2(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{31 \sin(c+dx) \cos(c+dx)}{2a^5d} + \frac{31x}{2a^5} - \frac{577 \sin(c+dx) \cos^3(c+dx)}{315a^3d(a \cos(c+dx) + a)^2}$$

[Out] 31/2\*x/a^5-7664/315\*sin(d\*x+c)/a^5/d+31/2\*cos(d\*x+c)\*sin(d\*x+c)/a^5/d-1/9\*cos(d\*x+c)^6\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5-17/63\*cos(d\*x+c)^5\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4-28/45\*cos(d\*x+c)^4\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3-577/315\*cos(d\*x+c)^3\*sin(d\*x+c)/a^3/d/(a+a\*cos(d\*x+c))^2-3832/315\*cos(d\*x+c)^2\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.52, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2765, 2977, 2734}

$$\frac{7664 \sin(c+dx)}{315a^5d} - \frac{28 \sin(c+dx) \cos^4(c+dx)}{45a^2d(a \cos(c+dx) + a)^3} - \frac{577 \sin(c+dx) \cos^3(c+dx)}{315a^3d(a \cos(c+dx) + a)^2} - \frac{3832 \sin(c+dx) \cos^2(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{31x}{2a^5}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^7/(a + a\*Cos[c + d\*x])^5,x]

[Out] (31\*x)/(2\*a^5) - (7664\*Sin[c + d\*x])/(315\*a^5\*d) + (31\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^5\*d) - (Cos[c + d\*x]^6\*Sin[c + d\*x])/(9\*d\*(a + a\*Cos[c + d\*x])^5) - (17\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(63\*a\*d\*(a + a\*Cos[c + d\*x])^4) - (28\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(45\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) - (577\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(315\*a^3\*d\*(a + a\*Cos[c + d\*x])^2) - (3832\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(315\*d\*(a^5 + a^5\*Cos[c + d\*x]))

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m\*(c + d\*Sin[e + f\*x])^(n - 1)))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (Int

egerQ[2\*n] || EqQ[c, 0])

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^7(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos^5(c+dx)(6a-11a\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{9a^2} \\
 &= -\frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{17\cos^5(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{\int \frac{\cos^4(c+dx)(85a^2-111a^2\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{63a^4} \\
 &= -\frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{17\cos^5(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{28\cos^4(c+dx)\sin(c+dx)}{45a^2d(a+a\cos(c+dx))^3} \\
 &= -\frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{17\cos^5(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{28\cos^4(c+dx)\sin(c+dx)}{45a^2d(a+a\cos(c+dx))^3} \\
 &= -\frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{17\cos^5(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{28\cos^4(c+dx)\sin(c+dx)}{45a^2d(a+a\cos(c+dx))^3} \\
 &= \frac{31x}{2a^5} - \frac{7664\sin(c+dx)}{315a^5d} + \frac{31\cos(c+dx)\sin(c+dx)}{2a^5d} - \frac{\cos^6(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5}
 \end{aligned}$$

**Mathematica [A]** time = 0.78, size = 345, normalized size = 1.53

$$\frac{\sec\left(\frac{c}{2}\right)\sec^9\left(\frac{1}{2}(c+dx)\right)\left(7194600\sin\left(c+\frac{dx}{2}\right)-7472241\sin\left(c+\frac{3dx}{2}\right)+3432975\sin\left(2c+\frac{3dx}{2}\right)-3871989\sin\left(3c+\frac{3dx}{2}\right)\right)}{(a+a\cos(c+dx))^5}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^7/(a + a\*Cos[c + d\*x])^5,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(4921560\*d\*x\*Cos[(d\*x)/2] + 4921560\*d\*x\*Cos[c + (d\*x)/2] + 3281040\*d\*x\*Cos[c + (3\*d\*x)/2] + 3281040\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 1406160\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 1406160\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 351540\*d\*x\*Cos[3\*c + (7\*d\*x)/2] + 351540\*d\*x\*Cos[4\*c + (7\*d\*x)/2] + 39060\*d\*x\*Cos[4\*c + (9\*d\*x)/2] + 39060\*d\*x\*Cos[5\*c + (9\*d\*x)/2] - 9163224\*Sin[(d\*x)/2] + 7194600\*Sin[c + (d\*x)/2] - 7472241\*Sin[c + (3\*d\*x)/2] + 3432975\*Sin[2\*c + (3\*d\*x)/2] - 3871989\*Sin[2\*c + (5\*d\*x)/2] + 801675\*Sin[3\*c + (5\*d\*x)/2] - 1186056\*Sin[3\*c + (7\*d\*x)/2] - 17640\*Sin[4\*c + (7\*d\*x)/2] - 175184\*Sin[4\*c + (9\*d\*x)/2] - 45360\*Sin[5\*c + (9\*d\*x)/2] - 3465\*Sin[5\*c + (11\*d\*x)/2] - 3465\*Sin[6\*c + (11\*d\*x)/2] + 315\*Sin[6\*c + (13\*d\*x)/2] + 315\*Sin[7\*c + (13\*d\*x)/2]))/(1290240\*a^5\*d)

**fricas [A]** time = 0.88, size = 207, normalized size = 0.92

$$\frac{9765 dx \cos(dx+c)^5 + 48825 dx \cos(dx+c)^4 + 97650 dx \cos(dx+c)^3 + 97650 dx \cos(dx+c)^2 + 48825 dx \cos(dx+c) + 9765}{630(a^5d \cos(dx+c)^5 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^7/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/630\*(9765\*d\*x\*cos(d\*x + c)^5 + 48825\*d\*x\*cos(d\*x + c)^4 + 97650\*d\*x\*cos(d\*x + c)^3 + 97650\*d\*x\*cos(d\*x + c)^2 + 48825\*d\*x\*cos(d\*x + c) + 9765\*d\*x + (315\*cos(d\*x + c)^6 - 1575\*cos(d\*x + c)^5 - 28828\*cos(d\*x + c)^4 - 87440\*cos(d\*x + c)^3 - 112119\*cos(d\*x + c)^2 - 66875\*cos(d\*x + c) - 15328)\*sin(d\*x)

+ c))/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 1.47, size = 145, normalized size = 0.64

$$\frac{78120(dx+c)}{a^5} - \frac{5040\left(11 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^2 a^5} - \frac{35a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 450a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 3024a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15750a^{40}}{a^{45}}$$


---


$$5040d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^7/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 1/5040\*(78120\*(d\*x + c)/a^5 - 5040\*(11\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*tan(1/2\*d\*x + 1/2\*c)))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*a^5) - (35\*a^40\*tan(1/2\*d\*x + 1/2\*c)^9 - 450\*a^40\*tan(1/2\*d\*x + 1/2\*c)^7 + 3024\*a^40\*tan(1/2\*d\*x + 1/2\*c)^5 - 15750\*a^40\*tan(1/2\*d\*x + 1/2\*c)^3 + 110565\*a^40\*tan(1/2\*d\*x + 1/2\*c))/a^45)/d

**maple [A]** time = 0.07, size = 179, normalized size = 0.80

$$\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} + \frac{5\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56d a^5} - \frac{3\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5d a^5} + \frac{25\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^5} - \frac{351 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} - \frac{11\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^5 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^7/(a+a\*cos(d\*x+c))^5,x)

[Out] -1/144/d/a^5\*tan(1/2\*d\*x+1/2\*c)^9+5/56/d/a^5\*tan(1/2\*d\*x+1/2\*c)^7-3/5/d/a^5\*tan(1/2\*d\*x+1/2\*c)^5+25/8/d/a^5\*tan(1/2\*d\*x+1/2\*c)^3-351/16/d/a^5\*tan(1/2\*d\*x+1/2\*c)-11/d/a^5/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3-9/d/a^5/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)+31/d/a^5\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 2.43, size = 224, normalized size = 1.00

$$\frac{5040\left(\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{11 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^5 + \frac{2a^5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^5 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{110565 \sin(dx+c)}{\cos(dx+c)+1} - \frac{15750 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3024 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{450 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{a^5} - \frac{156240 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^5}$$


---


$$5040d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^7/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] -1/5040\*(5040\*(9\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 11\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a^5 + 2\*a^5\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + a^5\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4) + (110565\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 15750\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3024\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 450\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 35\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/a^5 - 156240\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a^5)/d

**mupad [B]** time = 0.58, size = 181, normalized size = 0.80

$$\frac{35 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 590 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 4584 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 23288 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{a^5}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^7/(a + a*cos(c + d*x))^5,x)`

[Out]  $-(35*\sin(c/2 + (d*x)/2) - 590*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2) + 4584*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2) - 23288*\cos(c/2 + (d*x)/2)^6*\sin(c/2 + (d*x)/2) + 129824*\cos(c/2 + (d*x)/2)^8*\sin(c/2 + (d*x)/2) + 55440*\cos(c/2 + (d*x)/2)^{10}*\sin(c/2 + (d*x)/2) - 10080*\cos(c/2 + (d*x)/2)^{12}*\sin(c/2 + (d*x)/2) - 78120*\cos(c/2 + (d*x)/2)^9*(c + d*x))/(5040*a^5*d*\cos(c/2 + (d*x)/2)^9)$

sympy [A] time = 64.31, size = 588, normalized size = 2.61

$$\left\{ \begin{array}{l} \frac{78120dx \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{5040a^5d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 10080a^5d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 5040a^5d} + \frac{156240dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{5040a^5d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right) + 10080a^5d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 5040a^5d} + \frac{1}{5040a^5d \tan^4\left(\frac{c}{2} + \frac{dx}{2}\right)} \\ \frac{x \cos^7(c)}{(a \cos(c) + a)^5} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**7/(a+a*cos(d*x+c))**5,x)`

[Out] `Piecewise((78120*d*x*tan(c/2 + d*x/2)**4/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) + 156240*d*x*tan(c/2 + d*x/2)**2/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) + 78120*d*x/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) - 35*tan(c/2 + d*x/2)**13/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) + 380*tan(c/2 + d*x/2)**11/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) - 2159*tan(c/2 + d*x/2)**9/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) + 10152*tan(c/2 + d*x/2)**7/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) - 82089*tan(c/2 + d*x/2)**5/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) - 260820*tan(c/2 + d*x/2)**3/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d) - 155925*tan(c/2 + d*x/2)/(5040*a**5*d*tan(c/2 + d*x/2)**4 + 10080*a**5*d*tan(c/2 + d*x/2)**2 + 5040*a**5*d), Ne(d, 0)), (x*cos(c)**7/(a*cos(c) + a)**5, True))`

$$3.83 \quad \int \frac{\cos^6(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=191

$$\frac{181 \sin(c+dx)}{63a^5d} + \frac{5 \sin(c+dx)}{d(a^5 \cos(c+dx) + a^5)} - \frac{5x}{a^5} - \frac{67 \sin(c+dx) \cos^2(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} - \frac{29 \sin(c+dx) \cos^3(c+dx)}{63a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx)}{9d(a \cos(c+dx) + a)}$$

[Out]  $-5*x/a^5+181/63*\sin(d*x+c)/a^5/d-1/9*\cos(d*x+c)^5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^5-5/21*\cos(d*x+c)^4*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^4-29/63*\cos(d*x+c)^3*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^3-67/63*\cos(d*x+c)^2*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^2+5*\sin(d*x+c)/d/(a^5+a^5*\cos(d*x+c))$

**Rubi [A]** time = 0.49, antiderivative size = 191, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2765, 2977, 2968, 3023, 12, 2735, 2648}

$$\frac{181 \sin(c+dx)}{63a^5d} - \frac{29 \sin(c+dx) \cos^3(c+dx)}{63a^2d(a \cos(c+dx) + a)^3} - \frac{67 \sin(c+dx) \cos^2(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} + \frac{5 \sin(c+dx)}{d(a^5 \cos(c+dx) + a^5)} - \frac{5x}{a^5} - \frac{\sin(c+dx)}{9d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^6/(a + a\*Cos[c + d\*x])^5,x]

[Out]  $(-5*x)/a^5 + (181*\sin[c + d*x])/(63*a^5*d) - (\cos[c + d*x]^5*\sin[c + d*x])/(9*d*(a + a*\cos[c + d*x])^5) - (5*\cos[c + d*x]^4*\sin[c + d*x])/(21*a*d*(a + a*\cos[c + d*x])^4) - (29*\cos[c + d*x]^3*\sin[c + d*x])/(63*a^2*d*(a + a*\cos[c + d*x])^3) - (67*\cos[c + d*x]^2*\sin[c + d*x])/(63*a^3*d*(a + a*\cos[c + d*x])^2) + (5*\sin[c + d*x])/(d*(a^5 + a^5*\cos[c + d*x]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*sin[e + f\*x])^(m + 1)\*(c + d\*sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2977

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^6(c+dx)}{(a+a\cos(c+dx))^5} dx &= \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos^4(c+dx)(5a-10a\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{9a^2} \\
 &= \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{\int \frac{\cos^3(c+dx)(60a^2-85a^2\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{63a^4} \\
 &= \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{29\cos^3(c+dx)\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\
 &= \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{29\cos^3(c+dx)\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\
 &= \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{29\cos^3(c+dx)\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\
 &= \frac{181\sin(c+dx)}{63a^5d} - \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{29\cos^3(c+dx)\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\
 &= \frac{181\sin(c+dx)}{63a^5d} - \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} - \frac{29\cos^3(c+dx)\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\
 &= -\frac{5x}{a^5} + \frac{181\sin(c+dx)}{63a^5d} - \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4} \\
 &= -\frac{5x}{a^5} + \frac{181\sin(c+dx)}{63a^5d} - \frac{\cos^5(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{5\cos^4(c+dx)\sin(c+dx)}{21ad(a+a\cos(c+dx))^4}
 \end{aligned}$$

**Mathematica [A]** time = 0.73, size = 319, normalized size = 1.67

$$\sec\left(\frac{c}{2}\right) \sec^9\left(\frac{1}{2}(c + dx)\right) \left(143010 \sin\left(c + \frac{dx}{2}\right) - 138726 \sin\left(c + \frac{3dx}{2}\right) + 73290 \sin\left(2c + \frac{3dx}{2}\right) - 70389 \sin\left(2c + \frac{5dx}{2}\right) + 20475 \sin\left(3c + \frac{5dx}{2}\right) - 21141 \sin\left(3c + \frac{7dx}{2}\right) + 1575 \sin\left(4c + \frac{7dx}{2}\right) - 3091 \sin\left(4c + \frac{9dx}{2}\right) - 567 \sin\left(5c + \frac{9dx}{2}\right) - 63 \sin\left(5c + \frac{11dx}{2}\right) - 63 \sin\left(6c + \frac{11dx}{2}\right)\right) / (a^5 d)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^6/(a + a\*cos[c + d\*x])^5,x]

[Out] -1/64512\*(Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(79380\*d\*x\*cos[(d\*x)/2] + 79380\*d\*x\*cos[c + (d\*x)/2] + 52920\*d\*x\*cos[c + (3\*d\*x)/2] + 52920\*d\*x\*cos[2\*c + (3\*d\*x)/2] + 22680\*d\*x\*cos[2\*c + (5\*d\*x)/2] + 22680\*d\*x\*cos[3\*c + (5\*d\*x)/2] + 5670\*d\*x\*cos[3\*c + (7\*d\*x)/2] + 5670\*d\*x\*cos[4\*c + (7\*d\*x)/2] + 630\*d\*x\*cos[4\*c + (9\*d\*x)/2] + 630\*d\*x\*cos[5\*c + (9\*d\*x)/2] - 175014\*Sin[(d\*x)/2] + 143010\*Sin[c + (d\*x)/2] - 138726\*Sin[c + (3\*d\*x)/2] + 73290\*Sin[2\*c + (3\*d\*x)/2] - 70389\*Sin[2\*c + (5\*d\*x)/2] + 20475\*Sin[3\*c + (5\*d\*x)/2] - 21141\*Sin[3\*c + (7\*d\*x)/2] + 1575\*Sin[4\*c + (7\*d\*x)/2] - 3091\*Sin[4\*c + (9\*d\*x)/2] - 567\*Sin[5\*c + (9\*d\*x)/2] - 63\*Sin[5\*c + (11\*d\*x)/2] - 63\*Sin[6\*c + (11\*d\*x)/2])/(a^5\*d)

**fricas [A]** time = 1.19, size = 198, normalized size = 1.04

$$\frac{315 dx \cos(dx + c)^5 + 1575 dx \cos(dx + c)^4 + 3150 dx \cos(dx + c)^3 + 3150 dx \cos(dx + c)^2 + 1575 dx \cos(dx + c) + 315}{63 \left(a^5 d \cos(dx + c)^5 + 5 a^5 d \cos(dx + c)^4 + 10 a^5 d \cos(dx + c)^3 + 10 a^5 d \cos(dx + c)^2 + 5 a^5 d \cos(dx + c) + a^5 d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] -1/63\*(315\*d\*x\*cos(d\*x + c)^5 + 1575\*d\*x\*cos(d\*x + c)^4 + 3150\*d\*x\*cos(d\*x + c)^3 + 3150\*d\*x\*cos(d\*x + c)^2 + 1575\*d\*x\*cos(d\*x + c) + 315\*d\*x - (63\*cos(d\*x + c)^5 + 946\*cos(d\*x + c)^4 + 2840\*cos(d\*x + c)^3 + 3633\*cos(d\*x + c)^2 + 2165\*cos(d\*x + c) + 496)\*sin(d\*x + c))/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 0.74, size = 129, normalized size = 0.68

$$\frac{5040(dx+c)}{a^5} - \frac{2016 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^5} - \frac{7a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 - 72a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 378a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 1512a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 8127a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{45}}$$

1008 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] -1/1008\*(5040\*(d\*x + c)/a^5 - 2016\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)\*a^5) - (7\*a^40\*tan(1/2\*d\*x + 1/2\*c)^9 - 72\*a^40\*tan(1/2\*d\*x + 1/2\*c)^7 + 378\*a^40\*tan(1/2\*d\*x + 1/2\*c)^5 - 1512\*a^40\*tan(1/2\*d\*x + 1/2\*c)^3 + 8127\*a^40\*tan(1/2\*d\*x + 1/2\*c))/a^45)/d

**maple [A]** time = 0.06, size = 145, normalized size = 0.76

$$\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} - \frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{14d a^5} + \frac{3\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^5} - \frac{3\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{2d a^5} + \frac{129 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^5 \left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^5,x)

[Out] 1/144/d/a^5\*tan(1/2\*d\*x+1/2\*c)^9-1/14/d/a^5\*tan(1/2\*d\*x+1/2\*c)^7+3/8/d/a^5\*tan(1/2\*d\*x+1/2\*c)^5-3/2/d/a^5\*tan(1/2\*d\*x+1/2\*c)^3+129/16/d/a^5\*tan(1/2\*d\*x+1/2\*c)+2/d/a^5\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)-10/d/a^5\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.77, size = 178, normalized size = 0.93

$$\frac{\frac{2016 \sin(dx+c)}{\left(a^5 + \frac{a^5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} + \frac{\frac{8127 \sin(dx+c)}{\cos(dx+c)+1} - \frac{1512 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{378 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{72 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{7 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{a^5} - \frac{10080 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^5}}{1008 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] 1/1008\*(2016\*sin(d\*x + c)/((a^5 + a^5\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1)) + (8127\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 1512\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 378\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 72\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 7\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/a^5 - 10080\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a^5)/d

**mupad** [B] time = 0.51, size = 159, normalized size = 0.83

$$\frac{7 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 100 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 636 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 2512 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 10096 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) + 2016 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - 5040 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^9 (c + dx)}{(1008 a^5 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right))^9}}{1008 a^5 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^6/(a + a\*cos(c + d\*x))^5,x)

[Out] (7\*sin(c/2 + (d\*x)/2) - 100\*cos(c/2 + (d\*x)/2)^2\*sin(c/2 + (d\*x)/2) + 636\*cos(c/2 + (d\*x)/2)^4\*sin(c/2 + (d\*x)/2) - 2512\*cos(c/2 + (d\*x)/2)^6\*sin(c/2 + (d\*x)/2) + 10096\*cos(c/2 + (d\*x)/2)^8\*sin(c/2 + (d\*x)/2) + 2016\*cos(c/2 + (d\*x)/2)^10\*sin(c/2 + (d\*x)/2) - 5040\*cos(c/2 + (d\*x)/2)^9\*(c + d\*x))/(1008\*a^5\*d\*cos(c/2 + (d\*x)/2)^9)

**sympy** [A] time = 42.52, size = 320, normalized size = 1.68

$$\left\{ \begin{array}{l} \frac{5040 dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{1008 a^5 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1008 a^5 d} - \frac{5040 dx}{1008 a^5 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1008 a^5 d} + \frac{7 \tan^{11}\left(\frac{c}{2} + \frac{dx}{2}\right)}{1008 a^5 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1008 a^5 d} - \frac{65 \tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{1008 a^5 d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1008 a^5 d} + \frac{x \cos^6(c)}{(a \cos(c) + a)^5} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*6/(a+a\*cos(d\*x+c))\*\*5,x)

[Out] Piecewise((-5040\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) - 5040\*d\*x/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) + 7\*tan(c/2 + d\*x/2)\*\*11/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) - 65\*tan(c/2 + d\*x/2)\*\*9/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) + 306\*tan(c/2 + d\*x/2)\*\*7/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) - 1134\*tan(c/2 + d\*x/2)\*\*5/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) + 6615\*tan(c/2 + d\*x/2)\*\*3/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d) + 10143\*tan(c/2 + d\*x/2)/(1008\*a\*\*5\*d\*tan(c/2 + d\*x/2)\*\*2 + 1008\*a\*\*5\*d), Ne(d, 0)), (x\*cos(c)\*\*6/(a\*cos(c) + a)\*\*5, True))

$$3.84 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=168

$$-\frac{661 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{x}{a^5} + \frac{173 \sin(c+dx)}{315a^3d(a \cos(c+dx) + a)^2} - \frac{34 \sin(c+dx) \cos^2(c+dx)}{105a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx) \cos^4(c+dx)}{9d(a \cos(c+dx) + a)^4}$$

[Out] x/a^5-1/9\*cos(d\*x+c)^4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5-13/63\*cos(d\*x+c)^3\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4-34/105\*cos(d\*x+c)^2\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3+173/315\*sin(d\*x+c)/a^3/d/(a+a\*cos(d\*x+c))^2-661/315\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.39, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2977, 2968, 3019, 2735, 2648}

$$-\frac{34 \sin(c+dx) \cos^2(c+dx)}{105a^2d(a \cos(c+dx) + a)^3} - \frac{661 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{173 \sin(c+dx)}{315a^3d(a \cos(c+dx) + a)^2} + \frac{x}{a^5} - \frac{\sin(c+dx) \cos^4(c+dx)}{9d(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^5,x]

[Out] x/a^5 - (Cos[c + d\*x]^4\*Sin[c + d\*x])/(9\*d\*(a + a\*Cos[c + d\*x])^5) - (13\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(63\*a\*d\*(a + a\*Cos[c + d\*x])^4) - (34\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(105\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) + (173\*Sin[c + d\*x])/(315\*a^3\*d\*(a + a\*Cos[c + d\*x])^2) - (661\*Sin[c + d\*x])/(315\*d\*(a^5 + a^5\*Cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := Simp[((A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos^3(c+dx)(4a-9a\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{9a^2} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{\int \frac{\cos^2(c+dx)(39a^2-63a^2\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{63a^4} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\cos^2(c+dx)\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\cos^2(c+dx)\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} \\
&= -\frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\cos^2(c+dx)\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} \\
&= \frac{x}{a^5} - \frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\cos^2(c+dx)\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} \\
&= \frac{x}{a^5} - \frac{\cos^4(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\cos^3(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\cos^2(c+dx)\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3}
\end{aligned}$$

**Mathematica [A]** time = 0.49, size = 280, normalized size = 1.67

$$\sec\left(\frac{c}{2}\right)\sec^9\left(\frac{1}{2}(c+dx)\right)\left(100800\sin\left(c+\frac{dx}{2}\right)-88284\sin\left(c+\frac{3dx}{2}\right)+56700\sin\left(2c+\frac{3dx}{2}\right)-43236\sin\left(2c+\frac{5dx}{2}\right)+11340\sin\left(2c+\frac{7dx}{2}\right)+11340\sin\left(2c+\frac{9dx}{2}\right)+2835\sin\left(2c+\frac{11dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^5, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(39690\*d\*x\*Cos[(d\*x)/2] + 39690\*d\*x\*Cos[c + (d\*x)/2] + 26460\*d\*x\*Cos[c + (3\*d\*x)/2] + 26460\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 11340\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 11340\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 2835\*d\*x\*Cos[2\*c + (7\*d\*x)/2] + 2835\*d\*x\*Cos[2\*c + (9\*d\*x)/2] + 2835\*d\*x\*Cos[2\*c + (11\*d\*x)/2])

$s[3*c + (7*d*x)/2] + 2835*d*x*\text{Cos}[4*c + (7*d*x)/2] + 315*d*x*\text{Cos}[4*c + (9*d*x)/2] + 315*d*x*\text{Cos}[5*c + (9*d*x)/2] - 116676*\text{Sin}[(d*x)/2] + 100800*\text{Sin}[c + (d*x)/2] - 88284*\text{Sin}[c + (3*d*x)/2] + 56700*\text{Sin}[2*c + (3*d*x)/2] - 43236*\text{Sin}[2*c + (5*d*x)/2] + 18900*\text{Sin}[3*c + (5*d*x)/2] - 12384*\text{Sin}[3*c + (7*d*x)/2] + 3150*\text{Sin}[4*c + (7*d*x)/2] - 1726*\text{Sin}[4*c + (9*d*x)/2])/(161280*a^5*d)$

**fricas** [A] time = 0.71, size = 188, normalized size = 1.12

$$\frac{315 dx \cos(dx + c)^5 + 1575 dx \cos(dx + c)^4 + 3150 dx \cos(dx + c)^3 + 3150 dx \cos(dx + c)^2 + 1575 dx \cos(dx + c) + 315}{315 (a^5 d \cos(dx + c)^5 + 5 a^5 d \cos(dx + c)^4 + 10 a^5 d \cos(dx + c)^3 + 10 a^5 d \cos(dx + c)^2 + 5 a^5 d \cos(dx + c) + a^5 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out]  $\frac{1}{315} * (315*d*x*\cos(d*x + c)^5 + 1575*d*x*\cos(d*x + c)^4 + 3150*d*x*\cos(d*x + c)^3 + 3150*d*x*\cos(d*x + c)^2 + 1575*d*x*\cos(d*x + c) + 315*d*x - (863*\cos(d*x + c)^4 + 2740*\cos(d*x + c)^3 + 3549*\cos(d*x + c)^2 + 2125*\cos(d*x + c) + 488)*\sin(d*x + c)) / (a^5*d*\cos(d*x + c)^5 + 5*a^5*d*\cos(d*x + c)^4 + 10*a^5*d*\cos(d*x + c)^3 + 10*a^5*d*\cos(d*x + c)^2 + 5*a^5*d*\cos(d*x + c) + a^5*d)$

**giac** [A] time = 0.55, size = 100, normalized size = 0.60

$$\frac{\frac{5040(dx+c)}{a^5} - \frac{35a^{40}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^9 - 270a^{40}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 + 1008a^{40}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 2730a^{40}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 9765a^{40}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^{45}}}{5040d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out]  $\frac{1}{5040} * (5040*(d*x + c)/a^5 - (35*a^40*\tan(1/2*d*x + 1/2*c)^9 - 270*a^40*\tan(1/2*d*x + 1/2*c)^7 + 1008*a^40*\tan(1/2*d*x + 1/2*c)^5 - 2730*a^40*\tan(1/2*d*x + 1/2*c)^3 + 9765*a^40*\tan(1/2*d*x + 1/2*c))/a^45)/d$

**maple** [A] time = 0.05, size = 113, normalized size = 0.67

$$-\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} + \frac{3\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56d a^5} - \frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{5d a^5} + \frac{13\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^5} - \frac{31 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^5,x)

[Out]  $-1/144/d/a^5*\tan(1/2*d*x+1/2*c)^9+3/56/d/a^5*\tan(1/2*d*x+1/2*c)^7-1/5/d/a^5*\tan(1/2*d*x+1/2*c)^5+13/24/d/a^5*\tan(1/2*d*x+1/2*c)^3-31/16/d/a^5*\tan(1/2*d*x+1/2*c)+2/d/a^5*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [A] time = 0.70, size = 132, normalized size = 0.79

$$\frac{\frac{9765 \sin(dx+c)}{\cos(dx+c)+1} - \frac{2730 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1008 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{270 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{10080 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^5}}{5040d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out]  $-1/5040 * ((9765*\sin(d*x + c)/(\cos(d*x + c) + 1) - 2730*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 1008*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 270*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 35*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 - 10080*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a^5)/d$



)<sup>7</sup>/(cos(dx + c) + 1)<sup>7</sup> + 35\*sin(dx + c)<sup>9</sup>/(cos(dx + c) + 1)<sup>9</sup>/a<sup>5</sup> - 10  
 080\*arctan(sin(dx + c)/(cos(dx + c) + 1))/a<sup>5</sup>/d

**mupad [B]** time = 0.48, size = 125, normalized size = 0.74

$$\frac{x}{a^5} - \frac{\frac{863 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8}{315} - \frac{356 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6}{315} + \frac{169 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4}{420} - \frac{41 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2}{504} + \frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{144}}{a^5 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)<sup>5</sup>/(a + a\*cos(c + dx))<sup>5</sup>, x)

[Out] x/a<sup>5</sup> - (sin(c/2 + (dx)/2)/144 - (41\*cos(c/2 + (dx)/2)<sup>2</sup>\*sin(c/2 + (dx)/2))/504 + (169\*cos(c/2 + (dx)/2)<sup>4</sup>\*sin(c/2 + (dx)/2))/420 - (356\*cos(c/2 + (dx)/2)<sup>6</sup>\*sin(c/2 + (dx)/2))/315 + (863\*cos(c/2 + (dx)/2)<sup>8</sup>\*sin(c/2 + (dx)/2))/315)/(a<sup>5</sup>\*d\*cos(c/2 + (dx)/2)<sup>9</sup>)

**sympy [A]** time = 28.10, size = 116, normalized size = 0.69

$$\begin{cases} \frac{x}{a^5} - \frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144a^5d} + \frac{3 \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^5d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{5a^5d} + \frac{13 \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^5d} - \frac{31 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^5d} & \text{for } d \neq 0 \\ \frac{x \cos^5(c)}{(a \cos(c) + a)^5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*5/(a+a\*cos(dx+c))\*\*5, x)

[Out] Piecewise((x/a\*\*5 - tan(c/2 + dx/2)\*\*9/(144\*a\*\*5\*d) + 3\*tan(c/2 + dx/2)\*\*7/(56\*a\*\*5\*d) - tan(c/2 + dx/2)\*\*5/(5\*a\*\*5\*d) + 13\*tan(c/2 + dx/2)\*\*3/(24\*a\*\*5\*d) - 31\*tan(c/2 + dx/2)/(16\*a\*\*5\*d), Ne(d, 0)), (x\*cos(c)\*\*5/(a\*cos(c) + a)\*\*5, True))

$$3.85 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=155

$$\frac{83 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} - \frac{142 \sin(c+dx)}{315a^3d(a \cos(c+dx) + a)^2} + \frac{67 \sin(c+dx)}{315a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx) \cos^3(c+dx)}{9d(a \cos(c+dx) + a)^5}$$

[Out] -1/9\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5-11/63\*cos(d\*x+c)^2\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4+67/315\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3-142/315\*sin(d\*x+c)/a^3/d/(a+a\*cos(d\*x+c))^2+83/315\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.30, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2977, 2968, 3019, 2750, 2648}

$$\frac{83 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} - \frac{142 \sin(c+dx)}{315a^3d(a \cos(c+dx) + a)^2} + \frac{67 \sin(c+dx)}{315a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx) \cos^3(c+dx)}{9d(a \cos(c+dx) + a)^5}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^5,x]

[Out] -(Cos[c + d\*x]^3\*Sin[c + d\*x])/(9\*d\*(a + a\*Cos[c + d\*x])^5) - (11\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(63\*a\*d\*(a + a\*Cos[c + d\*x])^4) + (67\*Sin[c + d\*x])/(315\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) - (142\*Sin[c + d\*x])/(315\*a^3\*d\*(a + a\*Cos[c + d\*x])^2) + (83\*Sin[c + d\*x])/(315\*d\*(a^5 + a^5\*Cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := Simp[((A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos^2(c+dx)(3a-8a\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{9a^2} \\ &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{11\cos^2(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{\int \frac{\cos(c+dx)(22a^2-45a^2\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{63a^4} \\ &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{11\cos^2(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{\int \frac{22a^2\cos(c+dx)-45a^2\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx}{63a^4} \\ &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{11\cos^2(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{67\sin(c+dx)}{315a^2d(a+a\cos(c+dx))} \\ &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{11\cos^2(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{67\sin(c+dx)}{315a^2d(a+a\cos(c+dx))} \\ &= -\frac{\cos^3(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{11\cos^2(c+dx)\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{67\sin(c+dx)}{315a^2d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.28, size = 138, normalized size = 0.89

$$\frac{\sec\left(\frac{c}{2}\right)\left(-5040\sin\left(c+\frac{dx}{2}\right)+3612\sin\left(c+\frac{3dx}{2}\right)-3360\sin\left(2c+\frac{3dx}{2}\right)+1728\sin\left(2c+\frac{5dx}{2}\right)-1260\sin\left(3c+\frac{5dx}{2}\right)\right)}{80640a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^5, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(5418\*Sin[(d\*x)/2] - 5040\*Sin[c + (d\*x)/2] + 3612\*Sin[c + (3\*d\*x)/2] - 3360\*Sin[2\*c + (3\*d\*x)/2] + 1728\*Sin[2\*c + (5\*d\*x)/2] - 1260\*Sin[3\*c + (5\*d\*x)/2] + 432\*Sin[3\*c + (7\*d\*x)/2] - 315\*Sin[4\*c + (7\*d\*x)/2] + 83\*Sin[4\*c + (9\*d\*x)/2]))/(80640\*a^5\*d)

**fricas [A]** time = 1.02, size = 123, normalized size = 0.79

$$\frac{(83 \cos(dx+c)^4 + 100 \cos(dx+c)^3 + 84 \cos(dx+c)^2 + 40 \cos(dx+c) + 8) \sin(dx+c)}{315 (a^5 d \cos(dx+c)^5 + 5 a^5 d \cos(dx+c)^4 + 10 a^5 d \cos(dx+c)^3 + 10 a^5 d \cos(dx+c)^2 + 5 a^5 d \cos(dx+c) + a^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/315\*(83\*cos(d\*x + c)^4 + 100\*cos(d\*x + c)^3 + 84\*cos(d\*x + c)^2 + 40\*cos(d\*x + c) + 8)\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 1.41, size = 72, normalized size = 0.46

$$\frac{35 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 - 180 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 378 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 420 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 315 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{5040 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 1/5040\*(35\*tan(1/2\*d\*x + 1/2\*c)^9 - 180\*tan(1/2\*d\*x + 1/2\*c)^7 + 378\*tan(1/2\*d\*x + 1/2\*c)^5 - 420\*tan(1/2\*d\*x + 1/2\*c)^3 + 315\*tan(1/2\*d\*x + 1/2\*c))/(a^5\*d)

**maple [A]** time = 0.05, size = 71, normalized size = 0.46

$$\frac{\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{9} - \frac{4 \tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{7} + \frac{6 \tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{5} - \frac{4 \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16 d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^5,x)

[Out] 1/16/d/a^5\*(1/9\*tan(1/2\*d\*x+1/2\*c)^9-4/7\*tan(1/2\*d\*x+1/2\*c)^7+6/5\*tan(1/2\*d\*x+1/2\*c)^5-4/3\*tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 0.99, size = 107, normalized size = 0.69

$$\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{420 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{378 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{180 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{5040 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] 1/5040\*(315\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 420\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 378\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 180\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 35\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/(a^5\*d)

**mupad [B]** time = 0.43, size = 127, normalized size = 0.82

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left(315 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 420 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 378 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 180 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 35 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^8\right)}{5040 a^5 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4/(a + a*cos(c + d*x))^5,x)`

[Out]  $(\sin(c/2 + (d*x)/2)*(315*\cos(c/2 + (d*x)/2)^8 + 35*\sin(c/2 + (d*x)/2)^8 - 180*\cos(c/2 + (d*x)/2)^2*\sin(c/2 + (d*x)/2)^6 + 378*\cos(c/2 + (d*x)/2)^4*\sin(c/2 + (d*x)/2)^4 - 420*\cos(c/2 + (d*x)/2)^6*\sin(c/2 + (d*x)/2)^2)/(5040*a^5*d*\cos(c/2 + (d*x)/2)^9)$

**sympy [A]** time = 19.96, size = 107, normalized size = 0.69

$$\begin{cases} \frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144a^5d} - \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{28a^5d} + \frac{3\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^5d} - \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{12a^5d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^5d} & \text{for } d \neq 0 \\ \frac{x \cos^4(c)}{(a \cos(c) + a)^5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+a*cos(d*x+c))**5,x)`

[Out] `Piecewise((tan(c/2 + d*x/2)**9/(144*a**5*d) - tan(c/2 + d*x/2)**7/(28*a**5*d) + 3*tan(c/2 + d*x/2)**5/(40*a**5*d) - tan(c/2 + d*x/2)**3/(12*a**5*d) + tan(c/2 + d*x/2)/(16*a**5*d), Ne(d, 0)), (x*cos(c)**4/(a*cos(c) + a)**5, True))`

$$3.86 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^5} dx$$

Optimal. Leaf size=147

$$\frac{5 \sin(c+dx)}{63d(a^5 \cos(c+dx) + a^5)} + \frac{5 \sin(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} - \frac{17 \sin(c+dx)}{63a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx) \cos^2(c+dx)}{9d(a \cos(c+dx) + a)^5} + \frac{1}{7ad}$$

[Out]  $-1/9*\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^5+1/7*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^4-17/63*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^3+5/63*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^2+5/63*\sin(d*x+c)/d/(a^5+a^5*\cos(d*x+c))$

**Rubi [A]** time = 0.23, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2968, 3019, 2750, 2650, 2648}

$$\frac{5 \sin(c+dx)}{63d(a^5 \cos(c+dx) + a^5)} + \frac{5 \sin(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} - \frac{17 \sin(c+dx)}{63a^2d(a \cos(c+dx) + a)^3} - \frac{\sin(c+dx) \cos^2(c+dx)}{9d(a \cos(c+dx) + a)^5} + \frac{1}{7ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^5,x]

[Out]  $-(\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(9*d*(a + a*\text{Cos}[c + d*x])^5) + \text{Sin}[c + d*x]/(7*a*d*(a + a*\text{Cos}[c + d*x])^4) - (17*\text{Sin}[c + d*x])/(63*a^2*d*(a + a*\text{Cos}[c + d*x])^3) + (5*\text{Sin}[c + d*x])/(63*a^3*d*(a + a*\text{Cos}[c + d*x])^2) + (5*\text{Sin}[c + d*x])/(63*d*(a^5 + a^5*\text{Cos}[c + d*x]))$

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3019

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := Simp[((A*b - a*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos(c+dx)(2a-7a\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{9a^2} \\ &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{\int \frac{2a\cos(c+dx)-7a\cos^2(c+dx)}{(a+a\cos(c+dx))^4} dx}{9a^2} \\ &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\sin(c+dx)}{7ad(a+a\cos(c+dx))^4} + \frac{\int \frac{-36a^2+49a^2\cos(c+dx)}{(a+a\cos(c+dx))^3} dx}{63a^4} \\ &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\sin(c+dx)}{7ad(a+a\cos(c+dx))^4} - \frac{17\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\ &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\sin(c+dx)}{7ad(a+a\cos(c+dx))^4} - \frac{17\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \\ &= -\frac{\cos^2(c+dx)\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\sin(c+dx)}{7ad(a+a\cos(c+dx))^4} - \frac{17\sin(c+dx)}{63a^2d(a+a\cos(c+dx))^3} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 125, normalized size = 0.85

$$\frac{\sec\left(\frac{c}{2}\right)\left(-315\sin\left(c+\frac{dx}{2}\right)+273\sin\left(c+\frac{3dx}{2}\right)-147\sin\left(2c+\frac{3dx}{2}\right)+117\sin\left(2c+\frac{5dx}{2}\right)-63\sin\left(3c+\frac{5dx}{2}\right)\right)+16128a^5d}{16128a^5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3/(a + a*Cos[c + d*x])^5, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^9*(315*Sin[(d*x)/2] - 315*Sin[c + (d*x)/2] + 273*Sin[c + (3*d*x)/2] - 147*Sin[2*c + (3*d*x)/2] + 117*Sin[2*c + (5*d*x)/2] - 63*Sin[3*c + (5*d*x)/2] + 45*Sin[3*c + (7*d*x)/2] + 5*Sin[4*c + (9*d*x)/2]))/(16128*a^5*d)
```

**fricas [A]** time = 0.86, size = 123, normalized size = 0.84

$$\frac{(5\cos(dx+c)^4 + 25\cos(dx+c)^3 + 21\cos(dx+c)^2 + 10\cos(dx+c) + 2)\sin(dx+c)}{63(a^5d\cos(dx+c)^5 + 5a^5d\cos(dx+c)^4 + 10a^5d\cos(dx+c)^3 + 10a^5d\cos(dx+c)^2 + 5a^5d\cos(dx+c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out]  $\frac{1}{63} \cdot (5 \cos(dx + c)^4 + 25 \cos(dx + c)^3 + 21 \cos(dx + c)^2 + 10 \cos(dx + c) + 2) \sin(dx + c) / (a^5 d \cos(dx + c)^5 + 5 a^5 d \cos(dx + c)^4 + 10 a^5 d \cos(dx + c)^3 + 10 a^5 d \cos(dx + c)^2 + 5 a^5 d \cos(dx + c) + a^5 d)$

**giac** [A] time = 0.46, size = 59, normalized size = 0.40

$$\frac{7 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 - 18 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 42 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 63 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out]  $-1/1008 \cdot (7 \tan(1/2 dx + 1/2 c)^9 - 18 \tan(1/2 dx + 1/2 c)^7 + 42 \tan(1/2 dx + 1/2 c)^3 - 63 \tan(1/2 dx + 1/2 c)) / (a^5 d)$

**maple** [A] time = 0.06, size = 58, normalized size = 0.39

$$\frac{-\frac{\left(\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{9} + \frac{2\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{7} - \frac{2\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x)

[Out]  $1/16/d/a^5 \cdot (-1/9 \tan(1/2 dx + 1/2 c)^9 + 2/7 \tan(1/2 dx + 1/2 c)^7 - 2/3 \tan(1/2 dx + 1/2 c)^3 + \tan(1/2 dx + 1/2 c))$

**maxima** [A] time = 1.90, size = 87, normalized size = 0.59

$$\frac{\frac{63 \sin(dx+c)}{\cos(dx+c)+1} - \frac{42 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{18 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{7 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out]  $\frac{1}{1008} \cdot (63 \sin(dx + c) / (\cos(dx + c) + 1) - 42 \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 18 \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 - 7 \sin(dx + c)^9 / (\cos(dx + c) + 1)^9) / (a^5 d)$

**mupad** [B] time = 0.39, size = 58, normalized size = 0.39

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 18 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 42 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 63\right)}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^5,x)

[Out]  $-(\tan(c/2 + (d*x)/2) \cdot (42 \tan(c/2 + (d*x)/2)^2 - 18 \tan(c/2 + (d*x)/2)^6 + 7 \tan(c/2 + (d*x)/2)^8 - 63)) / (1008 a^5 d)$

**sympy** [A] time = 15.35, size = 87, normalized size = 0.59

$$\begin{cases} \left\{ \begin{array}{l} -\frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144 a^5 d} + \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56 a^5 d} - \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24 a^5 d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16 a^5 d} \\ \frac{x \cos^3(c)}{(a \cos(c) + a)^5} \end{array} \right. & \text{for } d \neq 0 \\ & \text{otherwise} \end{cases}$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3/(a+a*cos(d*x+c))**5,x)
```

```
[Out] Piecewise((-tan(c/2 + d*x/2)**9/(144*a**5*d) + tan(c/2 + d*x/2)**7/(56*a**5*d) - tan(c/2 + d*x/2)**3/(24*a**5*d) + tan(c/2 + d*x/2)/(16*a**5*d), Ne(d, 0)), (x*cos(c)**3/(a*cos(c) + a)**5, True))
```

$$3.87 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^5} dx$$

Optimal. Leaf size=139

$$\frac{2 \sin(c+dx)}{45d(a^5 \cos(c+dx) + a^5)} + \frac{2 \sin(c+dx)}{45a^3d(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{15a^2d(a \cos(c+dx) + a)^3} - \frac{2 \sin(c+dx)}{9ad(a \cos(c+dx) + a)^4} + \frac{2 \sin(c+dx)}{9d(a^5 \cos(c+dx) + a^5)}$$

[Out] 1/9\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5-2/9\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4+1/15\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3+2/45\*sin(d\*x+c)/a^3/d/(a+a\*cos(d\*x+c))^2+2/45\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.14, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2758, 2750, 2650, 2648}

$$\frac{2 \sin(c+dx)}{45d(a^5 \cos(c+dx) + a^5)} + \frac{2 \sin(c+dx)}{45a^3d(a \cos(c+dx) + a)^2} + \frac{\sin(c+dx)}{15a^2d(a \cos(c+dx) + a)^3} - \frac{2 \sin(c+dx)}{9ad(a \cos(c+dx) + a)^4} + \frac{2 \sin(c+dx)}{9d(a^5 \cos(c+dx) + a^5)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^5,x]

[Out] Sin[c + d\*x]/(9\*d\*(a + a\*Cos[c + d\*x])^5) - (2\*Sin[c + d\*x])/(9\*a\*d\*(a + a\*Cos[c + d\*x])^4) + Sin[c + d\*x]/(15\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*Sin[c + d\*x])/(45\*a^3\*d\*(a + a\*Cos[c + d\*x])^2) + (2\*Sin[c + d\*x])/(45\*d\*(a^5 + a^5\*Cos[c + d\*x]))

Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rule 2758

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^5} dx &= \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\int \frac{-5a+9a\cos(c+dx)}{(a+a\cos(c+dx))^4} dx}{9a^2} \\
&= \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{2\sin(c+dx)}{9ad(a+a\cos(c+dx))^4} + \frac{\int \frac{1}{(a+a\cos(c+dx))^3} dx}{3a^2} \\
&= \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{2\sin(c+dx)}{9ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{15a^2d(a+a\cos(c+dx))^3} + \\
&= \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{2\sin(c+dx)}{9ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{15a^2d(a+a\cos(c+dx))^3} + \\
&= \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{2\sin(c+dx)}{9ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{15a^2d(a+a\cos(c+dx))^3} +
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 110, normalized size = 0.79

$$\frac{\sec\left(\frac{c}{2}\right)\left(-45\sin\left(c+\frac{dx}{2}\right)+54\sin\left(c+\frac{3dx}{2}\right)-30\sin\left(2c+\frac{3dx}{2}\right)+36\sin\left(2c+\frac{5dx}{2}\right)+9\sin\left(3c+\frac{7dx}{2}\right)+\sin\left(4c+\frac{9dx}{2}\right)\right)}{5760a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^5, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(81\*Sin[(d\*x)/2] - 45\*Sin[c + (d\*x)/2] + 54\*Sin[c + (3\*d\*x)/2] - 30\*Sin[2\*c + (3\*d\*x)/2] + 36\*Sin[2\*c + (5\*d\*x)/2] + 9\*Sin[3\*c + (7\*d\*x)/2] + Sin[4\*c + (9\*d\*x)/2]))/(5760\*a^5\*d)

**fricas [A]** time = 0.73, size = 123, normalized size = 0.88

$$\frac{(2\cos(dx+c)^4+10\cos(dx+c)^3+21\cos(dx+c)^2+10\cos(dx+c)+2)\sin(dx+c)}{45(a^5d\cos(dx+c)^5+5a^5d\cos(dx+c)^4+10a^5d\cos(dx+c)^3+10a^5d\cos(dx+c)^2+5a^5d\cos(dx+c)+a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/45\*(2\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 21\*cos(d\*x + c)^2 + 10\*cos(d\*x + c) + 2)\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 0.50, size = 46, normalized size = 0.33

$$\frac{5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^9-18\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+45\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{720a^5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 1/720\*(5\*tan(1/2\*d\*x + 1/2\*c)^9 - 18\*tan(1/2\*d\*x + 1/2\*c)^5 + 45\*tan(1/2\*d\*x + 1/2\*c))/(a^5\*d)

**maple [A]** time = 0.06, size = 45, normalized size = 0.32

$$\frac{\frac{\left(\tan^9\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{9}-\frac{2\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{5}+\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{16da^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2/(a+a*cos(d*x+c))^5,x)`

[Out] `1/16/d/a^5*(1/9*tan(1/2*d*x+1/2*c)^9-2/5*tan(1/2*d*x+1/2*c)^5+tan(1/2*d*x+1/2*c))`

**maxima** [A] time = 0.68, size = 67, normalized size = 0.48

$$\frac{\frac{45 \sin(dx+c)}{\cos(dx+c)+1} - \frac{18 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{720 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*cos(d*x+c))^5,x, algorithm="maxima")`

[Out] `1/720*(45*sin(d*x + c)/(cos(d*x + c) + 1) - 18*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 + 5*sin(d*x + c)^9/(cos(d*x + c) + 1)^9)/(a^5*d)`

**mupad** [B] time = 0.36, size = 45, normalized size = 0.32

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 18 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 45\right)}{720 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^5,x)`

[Out] `(tan(c/2 + (d*x)/2)*(5*tan(c/2 + (d*x)/2)^8 - 18*tan(c/2 + (d*x)/2)^4 + 45)/(720*a^5*d)`

**sympy** [A] time = 11.58, size = 68, normalized size = 0.49

$$\begin{cases} \frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144a^5d} - \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^5d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^5d} & \text{for } d \neq 0 \\ \frac{x \cos^2(c)}{(a \cos(c)+a)^5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*cos(d*x+c))**5,x)`

[Out] `Piecewise((tan(c/2 + d*x/2)**9/(144*a**5*d) - tan(c/2 + d*x/2)**5/(40*a**5*d) + tan(c/2 + d*x/2)/(16*a**5*d), Ne(d, 0)), (x*cos(c)**2/(a*cos(c) + a)**5, True))`

$$3.88 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=143

$$\frac{2 \sin(c+dx)}{63d(a^5 \cos(c+dx) + a^5)} + \frac{2 \sin(c+dx)}{63ad(a^2 \cos(c+dx) + a^2)^2} + \frac{\sin(c+dx)}{21a^2d(a \cos(c+dx) + a)^3} + \frac{5 \sin(c+dx)}{63ad(a \cos(c+dx) + a)^4}$$

[Out]  $-1/9*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^5+5/63*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^4+1/21*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^3+2/63*\sin(d*x+c)/a/d/(a^2+a^2*\cos(d*x+c))^2+2/63*\sin(d*x+c)/d/(a^5+a^5*\cos(d*x+c))$

**Rubi [A]** time = 0.11, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2750, 2650, 2648}

$$\frac{2 \sin(c+dx)}{63d(a^5 \cos(c+dx) + a^5)} + \frac{2 \sin(c+dx)}{63ad(a^2 \cos(c+dx) + a^2)^2} + \frac{\sin(c+dx)}{21a^2d(a \cos(c+dx) + a)^3} + \frac{5 \sin(c+dx)}{63ad(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^5, x]

[Out]  $-\text{Sin}[c + d*x]/(9*d*(a + a*\text{Cos}[c + d*x])^5) + (5*\text{Sin}[c + d*x])/(63*a*d*(a + a*\text{Cos}[c + d*x])^4) + \text{Sin}[c + d*x]/(21*a^2*d*(a + a*\text{Cos}[c + d*x])^3) + (2*\text{Sin}[c + d*x])/(63*a*d*(a^2 + a^2*\text{Cos}[c + d*x])^2) + (2*\text{Sin}[c + d*x])/(63*d*(a^5 + a^5*\text{Cos}[c + d*x]))$

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{5 \int \frac{1}{(a+a\cos(c+dx))^4} dx}{9a} \\
&= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{5 \sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{5 \int \frac{1}{(a+a\cos(c+dx))^3} dx}{21a^2} \\
&= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{5 \sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{21a^2d(a+a\cos(c+dx))^3} + \\
&= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{5 \sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{21a^2d(a+a\cos(c+dx))^3} + \\
&= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{5 \sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{\sin(c+dx)}{21a^2d(a+a\cos(c+dx))^3} +
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 97, normalized size = 0.68

$$\frac{\sec\left(\frac{c}{2}\right)\left(-63 \sin\left(c+\frac{dx}{2}\right)+84 \sin\left(c+\frac{3dx}{2}\right)+36 \sin\left(2c+\frac{5dx}{2}\right)+9 \sin\left(3c+\frac{7dx}{2}\right)+\sin\left(4c+\frac{9dx}{2}\right)+63 \sin\left(\frac{dx}{2}\right)\right)}{8064a^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^5, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^9\*(63\*Sin[(d\*x)/2] - 63\*Sin[c + (d\*x)/2] + 84\*Sin[c + (3\*d\*x)/2] + 36\*Sin[2\*c + (5\*d\*x)/2] + 9\*Sin[3\*c + (7\*d\*x)/2] + Sin[4\*c + (9\*d\*x)/2]))/(8064\*a^5\*d)

**fricas [A]** time = 0.58, size = 123, normalized size = 0.86

$$\frac{(2 \cos(dx+c)^4 + 10 \cos(dx+c)^3 + 21 \cos(dx+c)^2 + 25 \cos(dx+c) + 5) \sin(dx+c)}{63(a^5d \cos(dx+c)^5 + 5a^5d \cos(dx+c)^4 + 10a^5d \cos(dx+c)^3 + 10a^5d \cos(dx+c)^2 + 5a^5d \cos(dx+c) + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/63\*(2\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 21\*cos(d\*x + c)^2 + 25\*cos(d\*x + c) + 5)\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 0.57, size = 59, normalized size = 0.41

$$\frac{7 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 18 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 42 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 63 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] -1/1008\*(7\*tan(1/2\*d\*x + 1/2\*c)^9 + 18\*tan(1/2\*d\*x + 1/2\*c)^7 - 42\*tan(1/2\*d\*x + 1/2\*c)^3 - 63\*tan(1/2\*d\*x + 1/2\*c))/(a^5\*d)

**maple [A]** time = 0.05, size = 58, normalized size = 0.41

$$\frac{-\frac{\left(\tan^9\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{9}-\frac{2\left(\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{7}+\frac{2\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3}+\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{16d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)/(a+a*cos(d*x+c))^5,x)`

[Out] `1/16/d/a^5*(-1/9*tan(1/2*d*x+1/2*c)^9-2/7*tan(1/2*d*x+1/2*c)^7+2/3*tan(1/2*d*x+1/2*c)^3+tan(1/2*d*x+1/2*c))`

**maxima** [A] time = 0.97, size = 87, normalized size = 0.61

$$\frac{\frac{63 \sin(dx+c)}{\cos(dx+c)+1} + \frac{42 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{18 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} - \frac{7 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*cos(d*x+c))^5,x, algorithm="maxima")`

[Out] `1/1008*(63*sin(d*x + c)/(cos(d*x + c) + 1) + 42*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 - 18*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 - 7*sin(d*x + c)^9/(cos(d*x + c) + 1)^9)/(a^5*d)`

**mupad** [B] time = 0.40, size = 58, normalized size = 0.41

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left(-7 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 18 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 42 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 63\right)}{1008 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(a + a*cos(c + d*x))^5,x)`

[Out] `(tan(c/2 + (d*x)/2)*(42*tan(c/2 + (d*x)/2)^2 - 18*tan(c/2 + (d*x)/2)^6 - 7*tan(c/2 + (d*x)/2)^8 + 63))/(1008*a^5*d)`

**sympy** [A] time = 9.18, size = 85, normalized size = 0.59

$$\begin{cases} \left\{ \begin{array}{l} -\frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144a^5d} - \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^5d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^5d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^5d} \\ \frac{x \cos(c)}{(a \cos(c) + a)^5} \end{array} \right. & \text{for } d \neq 0 \\ \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+a*cos(d*x+c))**5,x)`

[Out] `Piecewise((-tan(c/2 + d*x/2)**9/(144*a**5*d) - tan(c/2 + d*x/2)**7/(56*a**5*d) + tan(c/2 + d*x/2)**3/(24*a**5*d) + tan(c/2 + d*x/2)/(16*a**5*d), Ne(d, 0)), (x*cos(c)/(a*cos(c) + a)**5, True))`

$$3.89 \quad \int \frac{1}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=143

$$\frac{8 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{8 \sin(c+dx)}{315ad(a^2 \cos(c+dx) + a^2)^2} + \frac{4 \sin(c+dx)}{105a^2d(a \cos(c+dx) + a)^3} + \frac{4 \sin(c+dx)}{63ad(a \cos(c+dx) + a)^4}$$

[Out] 1/9\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5+4/63\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4+4/105\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3+8/315\*sin(d\*x+c)/a/d/(a^2+a^2\*cos(d\*x+c))^2+8/315\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.09, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2650, 2648}

$$\frac{8 \sin(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} + \frac{8 \sin(c+dx)}{315ad(a^2 \cos(c+dx) + a^2)^2} + \frac{4 \sin(c+dx)}{105a^2d(a \cos(c+dx) + a)^3} + \frac{4 \sin(c+dx)}{63ad(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-5), x]

[Out] Sin[c + d\*x]/(9\*d\*(a + a\*Cos[c + d\*x])^5) + (4\*Sin[c + d\*x])/(63\*a\*d\*(a + a\*Cos[c + d\*x])^4) + (4\*Sin[c + d\*x])/(105\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) + (8\*Sin[c + d\*x])/(315\*a\*d\*(a^2 + a^2\*Cos[c + d\*x])^2) + (8\*Sin[c + d\*x])/(315\*d\*(a^5 + a^5\*Cos[c + d\*x]))

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a+a \cos(c+dx))^5} dx &= \frac{\sin(c+dx)}{9d(a+a \cos(c+dx))^5} + \frac{4 \int \frac{1}{(a+a \cos(c+dx))^4} dx}{9a} \\ &= \frac{\sin(c+dx)}{9d(a+a \cos(c+dx))^5} + \frac{4 \sin(c+dx)}{63ad(a+a \cos(c+dx))^4} + \frac{4 \int \frac{1}{(a+a \cos(c+dx))^3} dx}{21a^2} \\ &= \frac{\sin(c+dx)}{9d(a+a \cos(c+dx))^5} + \frac{4 \sin(c+dx)}{63ad(a+a \cos(c+dx))^4} + \frac{4 \sin(c+dx)}{105a^2d(a+a \cos(c+dx))^3} + \\ &= \frac{\sin(c+dx)}{9d(a+a \cos(c+dx))^5} + \frac{4 \sin(c+dx)}{63ad(a+a \cos(c+dx))^4} + \frac{4 \sin(c+dx)}{105a^2d(a+a \cos(c+dx))^3} + \\ &= \frac{\sin(c+dx)}{9d(a+a \cos(c+dx))^5} + \frac{4 \sin(c+dx)}{63ad(a+a \cos(c+dx))^4} + \frac{4 \sin(c+dx)}{105a^2d(a+a \cos(c+dx))^3} + \end{aligned}$$



**Mathematica [A]** time = 0.16, size = 89, normalized size = 0.62

$$\frac{\left(126 \sin\left(\frac{1}{2}(c+dx)\right) + 84 \sin\left(\frac{3}{2}(c+dx)\right) + 36 \sin\left(\frac{5}{2}(c+dx)\right) + 9 \sin\left(\frac{7}{2}(c+dx)\right) + \sin\left(\frac{9}{2}(c+dx)\right)\right) \cos\left(\frac{1}{2}(c+dx)\right)}{315a^5d(\cos(c+dx)+1)^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-5), x]

[Out] (Cos[(c + d\*x)/2]\*(126\*Sin[(c + d\*x)/2] + 84\*Sin[(3\*(c + d\*x))/2] + 36\*Sin[(5\*(c + d\*x))/2] + 9\*Sin[(7\*(c + d\*x))/2] + Sin[(9\*(c + d\*x))/2]))/(315\*a^5\*d\*(1 + Cos[c + d\*x])^5)

**fricas [A]** time = 1.08, size = 123, normalized size = 0.86

$$\frac{(8 \cos(dx+c)^4 + 40 \cos(dx+c)^3 + 84 \cos(dx+c)^2 + 100 \cos(dx+c) + 83) \sin(dx+c)}{315(a^5d \cos(dx+c)^5 + 5a^5d \cos(dx+c)^4 + 10a^5d \cos(dx+c)^3 + 10a^5d \cos(dx+c)^2 + 5a^5d \cos(dx+c) + a^5d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/315\*(8\*cos(d\*x + c)^4 + 40\*cos(d\*x + c)^3 + 84\*cos(d\*x + c)^2 + 100\*cos(d\*x + c) + 83)\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [A]** time = 0.38, size = 72, normalized size = 0.50

$$\frac{35 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 180 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 378 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 420 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 315 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{5040 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 1/5040\*(35\*tan(1/2\*d\*x + 1/2\*c)^9 + 180\*tan(1/2\*d\*x + 1/2\*c)^7 + 378\*tan(1/2\*d\*x + 1/2\*c)^5 + 420\*tan(1/2\*d\*x + 1/2\*c)^3 + 315\*tan(1/2\*d\*x + 1/2\*c))/(a^5\*d)

**maple [A]** time = 0.04, size = 71, normalized size = 0.50

$$\frac{\frac{\left(\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{9} + \frac{4\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{7} + \frac{6\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5} + \frac{4\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^5,x)

[Out] 1/16/d/a^5\*(1/9\*tan(1/2\*d\*x+1/2\*c)^9+4/7\*tan(1/2\*d\*x+1/2\*c)^7+6/5\*tan(1/2\*d\*x+1/2\*c)^5+4/3\*tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 1.01, size = 107, normalized size = 0.75

$$\frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{420 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{378 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{180 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{5040 a^5 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] 1/5040\*(315\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 420\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 378\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 180\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 35\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/(a^5\*d)

**mupad [B]** time = 0.42, size = 127, normalized size = 0.89

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 315 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 420 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 378 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 180 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \right)}{5040 a^5 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x))^5,x)

[Out] (sin(c/2 + (d\*x)/2)\*(315\*cos(c/2 + (d\*x)/2)^8 + 35\*sin(c/2 + (d\*x)/2)^8 + 180\*cos(c/2 + (d\*x)/2)^2\*sin(c/2 + (d\*x)/2)^6 + 378\*cos(c/2 + (d\*x)/2)^4\*sin(c/2 + (d\*x)/2)^4 + 420\*cos(c/2 + (d\*x)/2)^6\*sin(c/2 + (d\*x)/2)^2)/(5040\*a^5\*d\*cos(c/2 + (d\*x)/2)^9)

**sympy [A]** time = 7.60, size = 102, normalized size = 0.71

$$\begin{cases} \frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{144a^5d} + \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{28a^5d} + \frac{3\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^5d} + \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{12a^5d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^5d} & \text{for } d \neq 0 \\ \frac{x}{(a \cos(c) + a)^5} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*5,x)

[Out] Piecewise((tan(c/2 + d\*x/2)\*\*9/(144\*a\*\*5\*d) + tan(c/2 + d\*x/2)\*\*7/(28\*a\*\*5\*d) + 3\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*5\*d) + tan(c/2 + d\*x/2)\*\*3/(12\*a\*\*5\*d) + tan(c/2 + d\*x/2)/(16\*a\*\*5\*d), Ne(d, 0)), (x/(a\*cos(c) + a)\*\*5, True))

$$3.90 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=153

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^5 d} - \frac{488 \sin(c+dx)}{315 d (a^5 \cos(c+dx) + a^5)} - \frac{173 \sin(c+dx)}{315 a^3 d (a \cos(c+dx) + a)^2} - \frac{34 \sin(c+dx)}{105 a^2 d (a \cos(c+dx) + a)^3} - \frac{63 \sin(c+dx)}{105 a d (a \cos(c+dx) + a)^4}$$

[Out] arctanh(sin(d\*x+c))/a^5/d-1/9\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^5-13/63\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^4-34/105\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^3-173/315\*sin(d\*x+c)/a^3/d/(a+a\*cos(d\*x+c))^2-488/315\*sin(d\*x+c)/d/(a^5+a^5\*cos(d\*x+c))

**Rubi [A]** time = 0.38, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2766, 2978, 12, 3770}

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^5 d} - \frac{488 \sin(c+dx)}{315 d (a^5 \cos(c+dx) + a^5)} - \frac{173 \sin(c+dx)}{315 a^3 d (a \cos(c+dx) + a)^2} - \frac{34 \sin(c+dx)}{105 a^2 d (a \cos(c+dx) + a)^3} - \frac{63 \sin(c+dx)}{105 a d (a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^5,x]

[Out] ArcTanh[Sin[c + d\*x]]/(a^5\*d) - Sin[c + d\*x]/(9\*d\*(a + a\*Cos[c + d\*x])^5) - (13\*Sin[c + d\*x])/((63\*a\*d\*(a + a\*Cos[c + d\*x])^4) - (34\*Sin[c + d\*x]))/(105\*a^2\*d\*(a + a\*Cos[c + d\*x])^3) - (173\*Sin[c + d\*x])/((315\*a^3\*d\*(a + a\*Cos[c + d\*x])^2) - (488\*Sin[c + d\*x]))/(315\*d\*(a^5 + a^5\*Cos[c + d\*x]))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{(a+a\cos(c+dx))^5} dx &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} + \frac{\int \frac{(9a-4a\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^4} dx}{9a^2} \\ &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} + \frac{\int \frac{(63a^2-39a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^3} dx}{63a^4} \\ &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} + \frac{\int \frac{(105a^2-70a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{105a^4} \\ &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} - \frac{\int \frac{(105a^2-70a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{105a^4} \\ &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} - \frac{\int \frac{(105a^2-70a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{105a^4} \\ &= -\frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} - \frac{\int \frac{(105a^2-70a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{105a^4} \\ &= \frac{\tanh^{-1}(\sin(c+dx))}{a^5d} - \frac{\sin(c+dx)}{9d(a+a\cos(c+dx))^5} - \frac{13\sin(c+dx)}{63ad(a+a\cos(c+dx))^4} - \frac{34\sin(c+dx)}{105a^2d(a+a\cos(c+dx))^3} - \frac{\int \frac{(105a^2-70a^2\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2} dx}{105a^4} \end{aligned}$$

**Mathematica [A]** time = 1.81, size = 211, normalized size = 1.38

$$\cos\left(\frac{1}{2}(c+dx)\right)\left(\sec\left(\frac{c}{2}\right)\left(-25515\sin\left(c+\frac{dx}{2}\right)+29757\sin\left(c+\frac{3dx}{2}\right)-11235\sin\left(2c+\frac{3dx}{2}\right)+14733\sin\left(2c+\frac{5dx}{2}\right)-\dots\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^5, x]

[Out] -1/2520\*(Cos[(c + d\*x)/2]\*(80640\*Cos[(c + d\*x)/2]^9\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Sec[c/2]\*(35973\*Sin[(d\*x)/2] - 25515\*Sin[c + (d\*x)/2] + 29757\*Sin[c + (3\*d\*x)/2] - 11235\*Sin[2\*c + (3\*d\*x)/2] + 14733\*Sin[2\*c + (5\*d\*x)/2] - 2835\*Sin[3\*c + (5\*d\*x)/2] + 4077\*Sin[3\*c + (7\*d\*x)/2] - 315\*Sin[4\*c + (7\*d\*x)/2] + 488\*Sin[4\*c + (9\*d\*x)/2]))/(a^5\*d\*(1 + Cos[c + d\*x])^5)

**fricas [A]** time = 1.24, size = 246, normalized size = 1.61

$$315\left(\cos(dx+c)^5+5\cos(dx+c)^4+10\cos(dx+c)^3+10\cos(dx+c)^2+5\cos(dx+c)+1\right)\log(\sin(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 1/630\*(315\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*log(sin(d\*x + c) + 1) - 315\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*log(-sin(d\*x + c) + 1) - 2\*(488\*cos(d\*x + c)^4 + 2125\*cos(d\*x + c)^3 + 3549\*cos(d\*x + c)^2 + 2740\*cos(d\*x + c) + 863)\*sin(d\*x + c))/(a^5\*d\*cos

$(d*x + c)^5 + 5*a^5*d*\cos(d*x + c)^4 + 10*a^5*d*\cos(d*x + c)^3 + 10*a^5*d*\cos(d*x + c)^2 + 5*a^5*d*\cos(d*x + c) + a^5*d$

**giac** [A] time = 0.79, size = 126, normalized size = 0.82

$$\frac{5040 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^5} - \frac{5040 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^5} - \frac{35a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 270a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 1008a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 2730a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9765a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{45}}$$

5040 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 1/5040\*(5040\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^5 - 5040\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^5 - (35\*a^40\*tan(1/2\*d\*x + 1/2\*c)^9 + 270\*a^40\*tan(1/2\*d\*x + 1/2\*c)^7 + 1008\*a^40\*tan(1/2\*d\*x + 1/2\*c)^5 + 2730\*a^40\*tan(1/2\*d\*x + 1/2\*c)^3 + 9765\*a^40\*tan(1/2\*d\*x + 1/2\*c))/a^45)/d

**maple** [A] time = 0.10, size = 134, normalized size = 0.88

$$\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} - \frac{3\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56d a^5} - \frac{\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{5d a^5} - \frac{13\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{24d a^5} - \frac{31 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^5,x)

[Out] -1/144/d/a^5\*tan(1/2\*d\*x+1/2\*c)^9-3/56/d/a^5\*tan(1/2\*d\*x+1/2\*c)^7-1/5/d/a^5\*tan(1/2\*d\*x+1/2\*c)^5-13/24/d/a^5\*tan(1/2\*d\*x+1/2\*c)^3-31/16/d/a^5\*tan(1/2\*d\*x+1/2\*c)-1/d/a^5\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^5\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima** [A] time = 0.96, size = 159, normalized size = 1.04

$$\frac{\frac{9765 \sin(dx+c)}{\cos(dx+c)+1} + \frac{2730 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1008 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{270 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{a^5} - \frac{5040 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^5} + \frac{5040 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^5}$$

5040 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] -1/5040\*((9765\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 2730\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 1008\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 270\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 35\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/a^5 - 5040\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^5 + 5040\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^5)/d

**mupad** [B] time = 0.39, size = 99, normalized size = 0.65

$$\frac{\frac{13 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{24 a^5} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{5 a^5} + \frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{56 a^5} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{144 a^5} - \frac{2 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^5} + \frac{31 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{16 a^5}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^5),x)

[Out] -((13\*tan(c/2 + (d\*x)/2)^3)/(24\*a^5) + tan(c/2 + (d\*x)/2)^5/(5\*a^5) + (3\*tan(c/2 + (d\*x)/2)^7)/(56\*a^5) + tan(c/2 + (d\*x)/2)^9/(144\*a^5) - (2\*atanh(tan(c/2 + (d\*x)/2)))/a^5 + (31\*tan(c/2 + (d\*x)/2))/(16\*a^5))/d

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c+dx)}{\cos^5(c+dx)+5\cos^4(c+dx)+10\cos^3(c+dx)+10\cos^2(c+dx)+5\cos(c+dx)+1} dx$$

$$\frac{\int \frac{\sec(c+dx)}{\cos^5(c+dx)+5\cos^4(c+dx)+10\cos^3(c+dx)+10\cos^2(c+dx)+5\cos(c+dx)+1} dx}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*5,x)

[Out] Integral(sec(c + d\*x)/(cos(c + d\*x)\*\*5 + 5\*cos(c + d\*x)\*\*4 + 10\*cos(c + d\*x)\*\*3 + 10\*cos(c + d\*x)\*\*2 + 5\*cos(c + d\*x) + 1), x)/a\*\*5

$$3.91 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^5} dx$$

**Optimal.** Leaf size=168

$$\frac{496 \tan(c+dx)}{63a^5d} - \frac{5 \tanh^{-1}(\sin(c+dx))}{a^5d} - \frac{5 \tan(c+dx)}{d(a^5 \cos(c+dx) + a^5)} - \frac{67 \tan(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} - \frac{29 \tan(c+dx)}{63a^2d(a \cos(c+dx) + a)}$$

[Out]  $-5*\operatorname{arctanh}(\sin(d*x+c))/a^5/d+496/63*\tan(d*x+c)/a^5/d-1/9*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^5-5/21*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^4-29/63*\tan(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^3-67/63*\tan(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^2-5*\tan(d*x+c)/d/(a^5+a^5*\cos(d*x+c))$

**Rubi [A]** time = 0.53, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2766, 2978, 2748, 3767, 8, 3770}

$$\frac{496 \tan(c+dx)}{63a^5d} - \frac{5 \tanh^{-1}(\sin(c+dx))}{a^5d} - \frac{5 \tan(c+dx)}{d(a^5 \cos(c+dx) + a^5)} - \frac{67 \tan(c+dx)}{63a^3d(a \cos(c+dx) + a)^2} - \frac{29 \tan(c+dx)}{63a^2d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^5, x]

[Out]  $(-5*\operatorname{ArcTanh}[\sin[c + d*x]])/(a^5*d) + (496*\operatorname{Tan}[c + d*x])/(63*a^5*d) - \operatorname{Tan}[c + d*x]/(9*d*(a + a*\operatorname{Cos}[c + d*x])^5) - (5*\operatorname{Tan}[c + d*x])/(21*a*d*(a + a*\operatorname{Cos}[c + d*x])^4) - (29*\operatorname{Tan}[c + d*x])/(63*a^2*d*(a + a*\operatorname{Cos}[c + d*x])^3) - (67*\operatorname{Tan}[c + d*x])/(63*a^3*d*(a + a*\operatorname{Cos}[c + d*x])^2) - (5*\operatorname{Tan}[c + d*x])/(d*(a^5 + a^5*\operatorname{Cos}[c + d*x]))$

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2978

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[

b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]  
 && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\sec^2(c + dx)}{(a + a \cos(c + dx))^5} dx = -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} + \frac{\int \frac{(10a - 5a \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^4} dx}{9a^2}$$

$$= -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} + \frac{\int \frac{(85a^2 - 60a^2 \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^3} dx}{63a^4}$$

$$= -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \frac{29 \tan(c + dx)}{63a^2d(a + a \cos(c + dx))^3} + \dots$$

$$= -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \frac{29 \tan(c + dx)}{63a^2d(a + a \cos(c + dx))^3} - \dots$$

$$= -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \frac{29 \tan(c + dx)}{63a^2d(a + a \cos(c + dx))^3} - \dots$$

$$= -\frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \frac{29 \tan(c + dx)}{63a^2d(a + a \cos(c + dx))^3} - \dots$$

$$= -\frac{5 \tanh^{-1}(\sin(c + dx))}{a^5d} - \frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \frac{5 \tan(c + dx)}{63a^2d(a + a \cos(c + dx))^3} - \dots$$

$$= -\frac{5 \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{496 \tan(c + dx)}{63a^5d} - \frac{\tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{5 \tan(c + dx)}{21ad(a + a \cos(c + dx))^4} - \dots$$

**Mathematica [B]** time = 6.37, size = 453, normalized size = 2.70

$$\frac{160 \cos^{10}\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^5} - \frac{160 \cos^{10}\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^5} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^5,x]

[Out] (160\*Cos[c/2 + (d\*x)/2]^10\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2]]/(d\*(a + a\*Cos[c + d\*x])^5) - (160\*Cos[c/2 + (d\*x)/2]^10\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]]/(d\*(a + a\*Cos[c + d\*x])^5) + (Cos[c/2 + (d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]\*(-33978\*Sin[(d\*x)/2] + 52002\*Sin[(3\*d\*x)/2] - 56952\*Sin[c - (d\*x)/2] + 43722\*Sin[c + (d\*x)/2] - 47208\*Sin[2\*c + (d\*x)/2] - 18144\*Sin[c + (3\*d\*x)/2] + 41796\*Sin[2\*c + (3\*d\*x)/2] - 28350\*Sin[3\*c + (3\*d\*x)/2] + 34578\*Sin[c + (5\*d\*x)/2] - 5691\*Sin[2\*c + (5\*d\*x)/2] + 28719\*Sin



$[3*c + (5*d*x)/2] - 11550*\text{Sin}[4*c + (5*d*x)/2] + 15517*\text{Sin}[2*c + (7*d*x)/2] - 504*\text{Sin}[3*c + (7*d*x)/2] + 13186*\text{Sin}[4*c + (7*d*x)/2] - 2835*\text{Sin}[5*c + (7*d*x)/2] + 4149*\text{Sin}[3*c + (9*d*x)/2] + 252*\text{Sin}[4*c + (9*d*x)/2] + 3582*\text{Sin}[5*c + (9*d*x)/2] - 315*\text{Sin}[6*c + (9*d*x)/2] + 496*\text{Sin}[4*c + (11*d*x)/2] + 63*\text{Sin}[5*c + (11*d*x)/2] + 433*\text{Sin}[6*c + (11*d*x)/2])/(2016*d*(a + a*\text{Cos}[c + d*x])^5)$

**fricas** [A] time = 1.05, size = 278, normalized size = 1.65

$$315(\cos(dx+c)^6 + 5\cos(dx+c)^5 + 10\cos(dx+c)^4 + 10\cos(dx+c)^3 + 5\cos(dx+c)^2 + \cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out]  $-1/126*(315*(\cos(dx+c)^6 + 5*\cos(dx+c)^5 + 10*\cos(dx+c)^4 + 10*\cos(dx+c)^3 + 5*\cos(dx+c)^2 + \cos(dx+c))*\log(\sin(dx+c)+1) - 315*(\cos(dx+c)^6 + 5*\cos(dx+c)^5 + 10*\cos(dx+c)^4 + 10*\cos(dx+c)^3 + 5*\cos(dx+c)^2 + \cos(dx+c))*\log(-\sin(dx+c)+1) - 2*(496*\cos(dx+c)^5 + 2165*\cos(dx+c)^4 + 3633*\cos(dx+c)^3 + 2840*\cos(dx+c)^2 + 946*\cos(dx+c) + 63)*\sin(dx+c))/(a^5*d*\cos(dx+c)^6 + 5*a^5*d*\cos(dx+c)^5 + 10*a^5*d*\cos(dx+c)^4 + 10*a^5*d*\cos(dx+c)^3 + 5*a^5*d*\cos(dx+c)^2 + a^5*d*\cos(dx+c))$

**giac** [A] time = 0.55, size = 155, normalized size = 0.92

$$\frac{5040 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^5} - \frac{5040 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^5} + \frac{2016 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)a^5} - \frac{7a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^9 + 72a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 378a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1512a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 8127a^{40} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{1008d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out]  $-1/1008*(5040*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^5 - 5040*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^5 + 2016*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^5) - (7*a^{40}*\tan(1/2*d*x + 1/2*c)^9 + 72*a^{40}*\tan(1/2*d*x + 1/2*c)^7 + 378*a^{40}*\tan(1/2*d*x + 1/2*c)^5 + 1512*a^{40}*\tan(1/2*d*x + 1/2*c)^3 + 8127*a^{40}*\tan(1/2*d*x + 1/2*c))/a^{45}/d$

**maple** [A] time = 0.09, size = 177, normalized size = 1.05

$$\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} + \frac{\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)}{14d a^5} + \frac{3\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^5} + \frac{3\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{2d a^5} + \frac{129 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} - \frac{1}{d a^5 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x)

[Out]  $1/144/d/a^5*\tan(1/2*d*x+1/2*c)^9+1/14/d/a^5*\tan(1/2*d*x+1/2*c)^7+3/8/d/a^5*\tan(1/2*d*x+1/2*c)^5+3/2/d/a^5*\tan(1/2*d*x+1/2*c)^3+129/16/d/a^5*\tan(1/2*d*x+1/2*c)-1/d/a^5/(\tan(1/2*d*x+1/2*c)-1)+5/d/a^5*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^5/(\tan(1/2*d*x+1/2*c)+1)-5/d/a^5*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [A] time = 1.06, size = 206, normalized size = 1.23

$$\frac{2016 \sin(dx+c)}{\left(a^5 - \frac{a^5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)} + \frac{\frac{8127 \sin(dx+c)}{\cos(dx+c)+1} + \frac{1512 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{378 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{72 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{7 \sin(dx+c)^9}{(\cos(dx+c)+1)^9}}{a^5} - \frac{5040 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^5,x, algorithm="maxima")

[Out] 1/1008\*(2016\*sin(d\*x + c)/((a^5 - a^5\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1)) + (8127\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 1512\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 378\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 72\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 7\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)/a^5 - 5040\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^5 + 5040\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^5)/d

mupad [B] time = 0.45, size = 149, normalized size = 0.89

$$\frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{2 a^5 d} + \frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{8 a^5 d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{14 a^5 d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{144 a^5 d} - \frac{10 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^5 d} - \frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(a^5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^5),x)

[Out] (3\*tan(c/2 + (d\*x)/2)^3)/(2\*a^5\*d) + (3\*tan(c/2 + (d\*x)/2)^5)/(8\*a^5\*d) + tan(c/2 + (d\*x)/2)^7/(14\*a^5\*d) + tan(c/2 + (d\*x)/2)^9/(144\*a^5\*d) - (10\*atanh(tan(c/2 + (d\*x)/2)))/(a^5\*d) - (2\*tan(c/2 + (d\*x)/2))/(d\*(a^5\*tan(c/2 + (d\*x)/2)^2 - a^5)) + (129\*tan(c/2 + (d\*x)/2))/(16\*a^5\*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^2(c+dx)}{\cos^5(c+dx)+5 \cos^4(c+dx)+10 \cos^3(c+dx)+10 \cos^2(c+dx)+5 \cos(c+dx)+1} dx}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*5,x)

[Out] Integral(sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*5 + 5\*cos(c + d\*x)\*\*4 + 10\*cos(c + d\*x)\*\*3 + 10\*cos(c + d\*x)\*\*2 + 5\*cos(c + d\*x) + 1), x)/a\*\*5

$$3.92 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^5} dx$$

Optimal. Leaf size=224

$$-\frac{7664 \tan(c+dx)}{315a^5d} + \frac{31 \tanh^{-1}(\sin(c+dx))}{2a^5d} + \frac{31 \tan(c+dx) \sec(c+dx)}{2a^5d} - \frac{3832 \tan(c+dx) \sec(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} - \frac{577 \tan(c+dx)}{315a^5d}$$

[Out]  $31/2*\operatorname{arctanh}(\sin(d*x+c))/a^5/d-7664/315*\tan(d*x+c)/a^5/d+31/2*\sec(d*x+c)*\tan(d*x+c)/a^5/d-1/9*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^5-17/63*\sec(d*x+c)*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^4-28/45*\sec(d*x+c)*\tan(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^3-577/315*\sec(d*x+c)*\tan(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^2-3832/315*\sec(d*x+c)*\tan(d*x+c)/d/(a^5+a^5*\cos(d*x+c))$

**Rubi [A]** time = 0.54, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2766, 2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{7664 \tan(c+dx)}{315a^5d} + \frac{31 \tanh^{-1}(\sin(c+dx))}{2a^5d} + \frac{31 \tan(c+dx) \sec(c+dx)}{2a^5d} - \frac{3832 \tan(c+dx) \sec(c+dx)}{315d(a^5 \cos(c+dx) + a^5)} - \frac{577 \tan(c+dx)}{315a^5d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^5, x]

[Out]  $(31*\operatorname{ArcTanh}[\sin[c + d*x]])/(2*a^5*d) - (7664*\tan[c + d*x])/(315*a^5*d) + (31*\sec[c + d*x]*\tan[c + d*x])/(2*a^5*d) - (\sec[c + d*x]*\tan[c + d*x])/(9*d*(a + a*\cos[c + d*x])^5) - (17*\sec[c + d*x]*\tan[c + d*x])/(63*a*d*(a + a*\cos[c + d*x])^4) - (28*\sec[c + d*x]*\tan[c + d*x])/(45*a^2*d*(a + a*\cos[c + d*x])^3) - (577*\sec[c + d*x]*\tan[c + d*x])/(315*a^3*d*(a + a*\cos[c + d*x])^2) - (3832*\sec[c + d*x]*\tan[c + d*x])/(315*d*(a^5 + a^5*\cos[c + d*x]))$

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sine[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sine[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^m\*(c + d\*Sine[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sine[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2978

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^m\*(c + d\*Sine[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^n\*Simp[B\*(a\*c\*m + b

```
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c + dx)}{(a + a \cos(c + dx))^5} dx &= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} + \frac{\int \frac{(11a - 6a \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^4} dx}{9a^2} \\
&= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} + \frac{\int \frac{(111a^2 - 85a^2 \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx}{63a^4} \\
&= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} - \frac{28 \sec(c + dx) \tan(c + dx)}{45a^2d(a + a \cos(c + dx))^3} \\
&= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} - \frac{28 \sec(c + dx) \tan(c + dx)}{45a^2d(a + a \cos(c + dx))^3} \\
&= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} - \frac{28 \sec(c + dx) \tan(c + dx)}{45a^2d(a + a \cos(c + dx))^3} \\
&= -\frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} - \frac{28 \sec(c + dx) \tan(c + dx)}{45a^2d(a + a \cos(c + dx))^3} \\
&= \frac{31 \sec(c + dx) \tan(c + dx)}{2a^5d} - \frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5} - \frac{17 \sec(c + dx) \tan(c + dx)}{63ad(a + a \cos(c + dx))^4} \\
&= \frac{31 \tanh^{-1}(\sin(c + dx))}{2a^5d} - \frac{7664 \tan(c + dx)}{315a^5d} + \frac{31 \sec(c + dx) \tan(c + dx)}{2a^5d} - \frac{\sec(c + dx) \tan(c + dx)}{9d(a + a \cos(c + dx))^5}
\end{aligned}$$

**Mathematica [B]** time = 6.35, size = 507, normalized size = 2.26

$$-\frac{496 \cos^{10}\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^5} + \frac{496 \cos^{10}\left(\frac{c}{2} + \frac{dx}{2}\right) \log\left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d(a \cos(c + dx) + a)^5} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*cos[c + d\*x])^5,x]

[Out] 
$$\frac{(-496 \cos[c/2 + (d*x)/2]^{10} \log[\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2]] + (496 \cos[c/2 + (d*x)/2]^{10} \log[\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]])}{d(a + a \cos[c + d*x])^5} + (\cos[c/2 + (d*x)/2] * \sec[c/2] * \sec[c] * \sec[c + d*x]^2 * (1472562 \sin[(d*x)/2] - 2822886 \sin[(3*d*x)/2] + 3057654 \sin[c - (d*x)/2] - 1885854 \sin[c + (d*x)/2] + 2644362 \sin[2*c + (d*x)/2] + 867048 \sin[c + (3*d*x)/2] - 1868436 \sin[2*c + (3*d*x)/2] + 1821498 \sin[3*c + (3*d*x)/2] - 2083537 \sin[c + (5*d*x)/2] + 339885 \sin[2*c + (5*d*x)/2] - 1456687 \sin[3*c + (5*d*x)/2] + 966735 \sin[4*c + (5*d*x)/2] - 1195641 \sin[2*c + (7*d*x)/2] + 46515 \sin[3*c + (7*d*x)/2] - 874341 \sin[4*c + (7*d*x)/2] + 367815 \sin[5*c + (7*d*x)/2] - 494579 \sin[3*c + (9*d*x)/2] - 31815 \sin[4*c + (9*d*x)/2] - 374879 \sin[5*c + (9*d*x)/2] + 87885 \sin[6*c + (9*d*x)/2] - 128187 \sin[4*c + (11*d*x)/2] - 18585 \sin[5*c + (11*d*x)/2] - 99837 \sin[6*c + (11*d*x)/2] + 9765 \sin[7*c + (11*d*x)/2] - 15328 \sin[5*c + (13*d*x)/2] - 3150 \sin[6*c + (13*d*x)/2] - 12178 \sin[7*c + (13*d*x)/2]) / (40320 * d * (a + a \cos[c + d*x])^5)$$

**fricas** [A] time = 1.14, size = 294, normalized size = 1.31

$$\frac{9765 \left( \cos(dx + c)^7 + 5 \cos(dx + c)^6 + 10 \cos(dx + c)^5 + 10 \cos(dx + c)^4 + 5 \cos(dx + c)^3 + \cos(dx + c)^2 \right)}{d(a + a \cos(dx + c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x, algorithm="fricas")

[Out] 
$$\frac{1}{1260} * (9765 * (\cos(dx + c)^7 + 5 * \cos(dx + c)^6 + 10 * \cos(dx + c)^5 + 10 * \cos(dx + c)^4 + 5 * \cos(dx + c)^3 + \cos(dx + c)^2) * \log(\sin(dx + c) + 1) - 9765 * (\cos(dx + c)^7 + 5 * \cos(dx + c)^6 + 10 * \cos(dx + c)^5 + 10 * \cos(dx + c)^4 + 5 * \cos(dx + c)^3 + \cos(dx + c)^2) * \log(-\sin(dx + c) + 1) - 2 * (15328 * \cos(dx + c)^6 + 66875 * \cos(dx + c)^5 + 112119 * \cos(dx + c)^4 + 87440 * \cos(dx + c)^3 + 28828 * \cos(dx + c)^2 + 1575 * \cos(dx + c) - 315) * \sin(dx + c)) / (a^5 * d * \cos(dx + c)^7 + 5 * a^5 * d * \cos(dx + c)^6 + 10 * a^5 * d * \cos(dx + c)^5 + 10 * a^5 * d * \cos(dx + c)^4 + 5 * a^5 * d * \cos(dx + c)^3 + a^5 * d * \cos(dx + c)^2)$$

**giac** [A] time = 0.79, size = 171, normalized size = 0.76

$$\frac{78120 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^5} - \frac{78120 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^5} + \frac{5040 \left(11 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 9 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right)^2 a^5} - \frac{35 a^{40} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 45 a^{40}}{a^5} + \frac{5040 d}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^5,x, algorithm="giac")

[Out] 
$$\frac{1}{5040} * (78120 * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) / a^5 - 78120 * \log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) / a^5 + 5040 * (11 * \tan(1/2*d*x + 1/2*c)^3 - 9 * \tan(1/2*d*x + 1/2*c)) / ((\tan(1/2*d*x + 1/2*c)^2 - 1)^2 * a^5) - (35 * a^{40} * \tan(1/2*d*x + 1/2*c)^9 + 450 * a^{40} * \tan(1/2*d*x + 1/2*c)^7 + 3024 * a^{40} * \tan(1/2*d*x + 1/2*c)^5 + 15750 * a^{40} * \tan(1/2*d*x + 1/2*c)^3 + 110565 * a^{40} * \tan(1/2*d*x + 1/2*c)) / a^45) / d$$

**maple** [A] time = 0.11, size = 219, normalized size = 0.98

$$\frac{\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)}{144d a^5} - \frac{5\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{56d a^5} - \frac{3\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{5d a^5} - \frac{25\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{8d a^5} - \frac{351 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{16d a^5} + \frac{1}{2d a^5 \left(\tan\left(\frac{dx}{2}\right)\right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3/(a+a*cos(d*x+c))^5,x)`

[Out] 
$$-1/144/d/a^5*\tan(1/2*d*x+1/2*c)^9-5/56/d/a^5*\tan(1/2*d*x+1/2*c)^7-3/5/d/a^5*\tan(1/2*d*x+1/2*c)^5-25/8/d/a^5*\tan(1/2*d*x+1/2*c)^3-351/16/d/a^5*\tan(1/2*d*x+1/2*c)+1/2/d/a^5/(\tan(1/2*d*x+1/2*c)-1)^2+11/2/d/a^5/(\tan(1/2*d*x+1/2*c)-1)-31/2/d/a^5*\ln(\tan(1/2*d*x+1/2*c)-1)-1/2/d/a^5/(\tan(1/2*d*x+1/2*c)+1)^2+11/2/d/a^5/(\tan(1/2*d*x+1/2*c)+1)+31/2/d/a^5*\ln(\tan(1/2*d*x+1/2*c)+1)$$

**maxima** [A] time = 0.69, size = 251, normalized size = 1.12

$$\frac{5040 \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{11 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) + \frac{110565 \sin(dx+c)}{\cos(dx+c)+1} + \frac{15750 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3024 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{450 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{35 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{78120 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^5} - \frac{78120 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^5}}{a^5 - \frac{2a^5 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^5 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \cdot 5040 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3/(a+a*cos(d*x+c))^5,x, algorithm="maxima")`

[Out] 
$$-1/5040*(5040*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) - 11*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^5 - 2*a^5*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^5*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (110565*\sin(d*x + c)/(\cos(d*x + c) + 1) + 15750*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3024*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 450*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 35*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9)/a^5 - 78120*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^5 + 78120*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^5)/d$$

**mupad** [B] time = 0.48, size = 179, normalized size = 0.80

$$\frac{31 \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{a^5 d} - \frac{3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{5 a^5 d} - \frac{5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{56 a^5 d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9}{144 a^5 d} - \frac{25 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{8 a^5 d} - \frac{9 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( a^5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^3*(a + a*cos(c + d*x))^5),x)`

[Out] 
$$(31*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(a^5*d) - (3*\tan(c/2 + (d*x)/2)^5)/(5*a^5*d) - (5*\tan(c/2 + (d*x)/2)^7)/(56*a^5*d) - \tan(c/2 + (d*x)/2)^9/(144*a^5*d) - (25*\tan(c/2 + (d*x)/2)^3)/(8*a^5*d) - (9*\tan(c/2 + (d*x)/2) - 11*\tan(c/2 + (d*x)/2)^3)/(d*(a^5*\tan(c/2 + (d*x)/2)^4 - 2*a^5*\tan(c/2 + (d*x)/2)^2 + a^5)) - (351*\tan(c/2 + (d*x)/2))/(16*a^5*d)$$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{\cos^5(c+dx)+5\cos^4(c+dx)+10\cos^3(c+dx)+10\cos^2(c+dx)+5\cos(c+dx)+1} dx}{a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3/(a+a*cos(d*x+c))**5,x)`

[Out] `Integral(sec(c + d*x)**3/(cos(c + d*x)**5 + 5*cos(c + d*x)**4 + 10*cos(c + d*x)**3 + 10*cos(c + d*x)**2 + 5*cos(c + d*x) + 1), x)/a**5`

$$3.93 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^6} dx$$

**Optimal.** Leaf size=184

$$\frac{146 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)} - \frac{268 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)^2} + \frac{130 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)^3} - \frac{118 \sin(c+dx) \cos^2(c+dx)}{693a^2d(a \cos(c+dx)+a)^4}$$

[Out] 130/693\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))^3-268/693\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))^2+146/693\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))-1/11\*cos(d\*x+c)^4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^6-14/99\*cos(d\*x+c)^3\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^5-118/693\*cos(d\*x+c)^2\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^4

**Rubi [A]** time = 0.41, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2765, 2977, 2968, 3019, 2750, 2648}

$$-\frac{118 \sin(c+dx) \cos^2(c+dx)}{693a^2d(a \cos(c+dx)+a)^4} + \frac{146 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)} - \frac{268 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)^2} + \frac{130 \sin(c+dx)}{693a^6d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + a\*Cos[c + d\*x])^6,x]

[Out] (130\*Sin[c + d\*x])/(693\*a^6\*d\*(1 + Cos[c + d\*x])^3) - (268\*Sin[c + d\*x])/(693\*a^6\*d\*(1 + Cos[c + d\*x])^2) + (146\*Sin[c + d\*x])/(693\*a^6\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^4\*Sin[c + d\*x])/(11\*d\*(a + a\*Cos[c + d\*x])^6) - (14\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(99\*a\*d\*(a + a\*Cos[c + d\*x])^5) - (118\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(693\*a^2\*d\*(a + a\*Cos[c + d\*x])^4)

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 3019

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> Simp[((A*b - a
*B + b*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(a*f*(2*m + 1)), x] + Dist[1
/(a^2*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[a*A*(m + 1) + m*(b*
B - a*C) + b*C*(2*m + 1)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A,
B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)}{(a+a\cos(c+dx))^6} dx &= -\frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{\int \frac{\cos^3(c+dx)(4a-10a\cos(c+dx))}{(a+a\cos(c+dx))^5} dx}{11a^2} \\ &= -\frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} - \frac{\int \frac{\cos^2(c+dx)(42a^2-76a^2\cos(c+dx))}{(a+a\cos(c+dx))^4} dx}{99a^4} \\ &= -\frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} - \frac{118\cos^2(c+dx)\sin(c+dx)}{693a^2d(a+a\cos(c+dx))^4} \\ &= -\frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} - \frac{118\cos^2(c+dx)\sin(c+dx)}{693a^2d(a+a\cos(c+dx))^4} \\ &= \frac{130\sin(c+dx)}{693a^6d(1+\cos(c+dx))^3} - \frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} \\ &= \frac{130\sin(c+dx)}{693a^6d(1+\cos(c+dx))^3} - \frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} \\ &= \frac{130\sin(c+dx)}{693a^6d(1+\cos(c+dx))^3} - \frac{\cos^4(c+dx)\sin(c+dx)}{11d(a+a\cos(c+dx))^6} - \frac{14\cos^3(c+dx)\sin(c+dx)}{99ad(a+a\cos(c+dx))^5} \end{aligned}$$

**Mathematica [A]** time = 0.36, size = 164, normalized size = 0.89

$$\frac{\sec\left(\frac{c}{2}\right)\left(-33726\sin\left(c+\frac{dx}{2}\right)+25080\sin\left(c+\frac{3dx}{2}\right)-23100\sin\left(2c+\frac{3dx}{2}\right)+12540\sin\left(2c+\frac{5dx}{2}\right)-11550\sin\left(3c+\frac{3dx}{2}\right)\right)}{11d(a+a\cos(c+dx))^6}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + a\*cos[c + d\*x])^6, x]



[Out]  $(\text{Sec}[c/2] * \text{Sec}[(c + d*x)/2]^{11} * (33726 * \text{Sin}[(d*x)/2] - 33726 * \text{Sin}[c + (d*x)/2] + 25080 * \text{Sin}[c + (3*d*x)/2] - 23100 * \text{Sin}[2*c + (3*d*x)/2] + 12540 * \text{Sin}[2*c + (5*d*x)/2] - 11550 * \text{Sin}[3*c + (5*d*x)/2] + 4565 * \text{Sin}[3*c + (7*d*x)/2] - 3465 * \text{Sin}[4*c + (7*d*x)/2] + 913 * \text{Sin}[4*c + (9*d*x)/2] - 693 * \text{Sin}[5*c + (9*d*x)/2] + 146 * \text{Sin}[5*c + (11*d*x)/2])) / (709632 * a^6 * d)$

**fricas** [A] time = 0.80, size = 147, normalized size = 0.80

$$\frac{(146 \cos(dx + c)^5 + 183 \cos(dx + c)^4 + 184 \cos(dx + c)^3 + 124 \cos(dx + c)^2 + 48 \cos(dx + c) + 8) \sin(dx + c)}{693 (a^6 d \cos(dx + c)^6 + 6 a^6 d \cos(dx + c)^5 + 15 a^6 d \cos(dx + c)^4 + 20 a^6 d \cos(dx + c)^3 + 15 a^6 d \cos(dx + c)^2 + 6 a^6 d \cos(dx + c) + a^6 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^6,x, algorithm="fricas")

[Out]  $1/693 * (146 * \cos(d*x + c)^5 + 183 * \cos(d*x + c)^4 + 184 * \cos(d*x + c)^3 + 124 * \cos(d*x + c)^2 + 48 * \cos(d*x + c) + 8) * \sin(d*x + c) / (a^6 * d * \cos(d*x + c)^6 + 6 * a^6 * d * \cos(d*x + c)^5 + 15 * a^6 * d * \cos(d*x + c)^4 + 20 * a^6 * d * \cos(d*x + c)^3 + 15 * a^6 * d * \cos(d*x + c)^2 + 6 * a^6 * d * \cos(d*x + c) + a^6 * d)$

**giac** [A] time = 0.47, size = 85, normalized size = 0.46

$$\frac{63 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^{11} - 385 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^9 + 990 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 1386 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 1155 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 693 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{22176 a^6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^6,x, algorithm="giac")

[Out]  $-1/22176 * (63 * \tan(1/2 * d * x + 1/2 * c)^{11} - 385 * \tan(1/2 * d * x + 1/2 * c)^9 + 990 * \tan(1/2 * d * x + 1/2 * c)^7 - 1386 * \tan(1/2 * d * x + 1/2 * c)^5 + 1155 * \tan(1/2 * d * x + 1/2 * c)^3 - 693 * \tan(1/2 * d * x + 1/2 * c)) / (a^6 * d)$

**maple** [A] time = 0.06, size = 84, normalized size = 0.46

$$\frac{-\frac{\left(\tan^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{11} + \frac{5\left(\tan^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{9} - \frac{10\left(\tan^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{7} + 2\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \frac{5\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3} + \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{32d a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^6,x)

[Out]  $1/32/d/a^6 * (-1/11 * \tan(1/2 * d * x + 1/2 * c)^{11} + 5/9 * \tan(1/2 * d * x + 1/2 * c)^9 - 10/7 * \tan(1/2 * d * x + 1/2 * c)^7 + 2 * \tan(1/2 * d * x + 1/2 * c)^5 - 5/3 * \tan(1/2 * d * x + 1/2 * c)^3 + \tan(1/2 * d * x + 1/2 * c))$

**maxima** [A] time = 0.67, size = 127, normalized size = 0.69

$$\frac{\frac{693 \sin(dx+c)}{\cos(dx+c)+1} - \frac{1155 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1386 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{990 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{385 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{63 \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}}}{22176 a^6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+a\*cos(d\*x+c))^6,x, algorithm="maxima")

[Out]  $1/22176 * (693 * \sin(d*x + c) / (\cos(d*x + c) + 1) - 1155 * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 1386 * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 - 990 * \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7 + 385 * \sin(d*x + c)^9 / (\cos(d*x + c) + 1)^9 - 63 * \sin(d*x + c)^{11} / (\cos(d*x + c) + 1)^{11}) / (a^6 * d)$

**mupad [B]** time = 0.88, size = 75, normalized size = 0.41

$$\frac{\frac{495 \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{8} + \frac{495 \sin\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{16} + \frac{275 \sin\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{8} + \frac{55 \sin\left(\frac{9c}{2} + \frac{9dx}{2}\right)}{8} + \frac{73 \sin\left(\frac{11c}{2} + \frac{11dx}{2}\right)}{16}}{22176 a^6 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^5/(a + a*cos(c + d*x))^6,x)`

[Out] `((495*sin((3*c)/2 + (3*d*x)/2))/8 + (495*sin((5*c)/2 + (5*d*x)/2))/16 + (275*sin((7*c)/2 + (7*d*x)/2))/8 + (55*sin((9*c)/2 + (9*d*x)/2))/8 + (73*sin((11*c)/2 + (11*d*x)/2))/16)/(22176*a^6*d*cos(c/2 + (d*x)/2)^11)`

**sympy [A]** time = 39.01, size = 129, normalized size = 0.70

$$\left\{ \begin{array}{ll} -\frac{\tan^{11}\left(\frac{c}{2} + \frac{dx}{2}\right)}{352a^6d} + \frac{5 \tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{288a^6d} - \frac{5 \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{112a^6d} + \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{16a^6d} - \frac{5 \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{96a^6d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{32a^6d} & \text{for } d \neq 0 \\ \frac{x \cos^5(c)}{(a \cos(c) + a)^6} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**5/(a+a*cos(d*x+c))**6,x)`

[Out] `Piecewise((-tan(c/2 + d*x/2)**11/(352*a**6*d) + 5*tan(c/2 + d*x/2)**9/(288*a**6*d) - 5*tan(c/2 + d*x/2)**7/(112*a**6*d) + tan(c/2 + d*x/2)**5/(16*a**6*d) - 5*tan(c/2 + d*x/2)**3/(96*a**6*d) + tan(c/2 + d*x/2)/(32*a**6*d), Ne(d, 0)), (x*cos(c)**5/(a*cos(c) + a)**6, True))`

$$3.94 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^6} dx$$

**Optimal.** Leaf size=176

$$\frac{61 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)} + \frac{61 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)^2} - \frac{241 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)^3} + \frac{9 \sin(c+dx)}{77a^2d(a \cos(c+dx)+a)^4}$$

[Out] -241/1155\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))^3+61/1155\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))^2+61/1155\*sin(d\*x+c)/a^6/d/(1+cos(d\*x+c))-1/11\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^6-4/33\*cos(d\*x+c)^2\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^5+9/77\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^4

**Rubi [A]** time = 0.32, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2765, 2977, 2968, 3019, 2750, 2650, 2648}

$$\frac{61 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)} + \frac{61 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)^2} - \frac{241 \sin(c+dx)}{1155a^6d(\cos(c+dx)+1)^3} + \frac{9 \sin(c+dx)}{77a^2d(a \cos(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*cos[c + d\*x])^6,x]

[Out] (-241\*Sin[c + d\*x])/(1155\*a^6\*d\*(1 + Cos[c + d\*x])^3) + (61\*Sin[c + d\*x])/(1155\*a^6\*d\*(1 + Cos[c + d\*x])^2) + (61\*Sin[c + d\*x])/(1155\*a^6\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^3\*Sin[c + d\*x])/(11\*d\*(a + a\*cos[c + d\*x])^6) - (4\*cos[c + d\*x]^2\*Sin[c + d\*x])/(33\*a\*d\*(a + a\*cos[c + d\*x])^5) + (9\*Sin[c + d\*x])/(77\*a^2\*d\*(a + a\*cos[c + d\*x])^4)

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*c\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &&

& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2977

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 3019

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c + dx)}{(a + a \cos(c + dx))^6} dx &= -\frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{\int \frac{\cos^2(c + dx)(3a - 9a \cos(c + dx))}{(a + a \cos(c + dx))^5} dx}{11a^2} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5} - \frac{\int \frac{\cos(c + dx)(24a^2 - 57a^2 \cos(c + dx))}{(a + a \cos(c + dx))^4}}{99a^4} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5} - \frac{\int \frac{24a^2 \cos(c + dx) - 57a^2 \cos^2(c + dx)}{(a + a \cos(c + dx))^4}}{99a^4} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5} + \frac{9 \sin(c + dx)}{77a^2d(a + a \cos(c + dx))^4} \\
 &= -\frac{241 \sin(c + dx)}{1155a^6d(1 + \cos(c + dx))^3} - \frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5} \\
 &= -\frac{241 \sin(c + dx)}{1155a^6d(1 + \cos(c + dx))^3} - \frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5} \\
 &= -\frac{241 \sin(c + dx)}{1155a^6d(1 + \cos(c + dx))^3} - \frac{\cos^3(c + dx) \sin(c + dx)}{11d(a + a \cos(c + dx))^6} - \frac{4 \cos^2(c + dx) \sin(c + dx)}{33ad(a + a \cos(c + dx))^5}
 \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 151, normalized size = 0.86

$$\frac{\sec\left(\frac{c}{2}\right)\left(-12936\sin\left(c+\frac{dx}{2}\right)+10890\sin\left(c+\frac{3dx}{2}\right)-9240\sin\left(2c+\frac{3dx}{2}\right)+6600\sin\left(2c+\frac{5dx}{2}\right)-3465\sin\left(3c+\frac{5dx}{2}\right)+2200\sin\left(3c+\frac{7dx}{2}\right)-1155\sin\left(4c+\frac{7dx}{2}\right)+671\sin\left(4c+\frac{9dx}{2}\right)+61\sin\left(5c+\frac{11dx}{2}\right)\right)}{182720a^6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*cos[c + d\*x])^6,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^11\*(15246\*Sin[(d\*x)/2] - 12936\*Sin[c + (d\*x)/2] + 10890\*Sin[c + (3\*d\*x)/2] - 9240\*Sin[2\*c + (3\*d\*x)/2] + 6600\*Sin[2\*c + (5\*d\*x)/2] - 3465\*Sin[3\*c + (5\*d\*x)/2] + 2200\*Sin[3\*c + (7\*d\*x)/2] - 1155\*Sin[4\*c + (7\*d\*x)/2] + 671\*Sin[4\*c + (9\*d\*x)/2] + 61\*Sin[5\*c + (11\*d\*x)/2]))/(182720\*a^6\*d)

**fricas [A]** time = 0.84, size = 147, normalized size = 0.84

$$\frac{(61\cos(dx+c)^5+366\cos(dx+c)^4+368\cos(dx+c)^3+248\cos(dx+c)^2+96\cos(dx+c)+16)\sin(dx+c)}{1155(a^6d\cos(dx+c)^6+6a^6d\cos(dx+c)^5+15a^6d\cos(dx+c)^4+20a^6d\cos(dx+c)^3+15a^6d\cos(dx+c)^2+6a^6d\cos(dx+c)+a^6d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^6,x, algorithm="fricas")

[Out] 1/1155\*(61\*cos(d\*x + c)^5 + 366\*cos(d\*x + c)^4 + 368\*cos(d\*x + c)^3 + 248\*cos(d\*x + c)^2 + 96\*cos(d\*x + c) + 16)\*sin(d\*x + c)/(a^6\*d\*cos(d\*x + c)^6 + 6\*a^6\*d\*cos(d\*x + c)^5 + 15\*a^6\*d\*cos(d\*x + c)^4 + 20\*a^6\*d\*cos(d\*x + c)^3 + 15\*a^6\*d\*cos(d\*x + c)^2 + 6\*a^6\*d\*cos(d\*x + c) + a^6\*d)

**giac [A]** time = 0.71, size = 85, normalized size = 0.48

$$\frac{105\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^{11}-385\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^9+330\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7+462\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-1155\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+1155\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{36960a^6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^6,x, algorithm="giac")

[Out] 1/36960\*(105\*tan(1/2\*d\*x + 1/2\*c)^11 - 385\*tan(1/2\*d\*x + 1/2\*c)^9 + 330\*tan(1/2\*d\*x + 1/2\*c)^7 + 462\*tan(1/2\*d\*x + 1/2\*c)^5 - 1155\*tan(1/2\*d\*x + 1/2\*c)^3 + 1155\*tan(1/2\*d\*x + 1/2\*c))/(a^6\*d)

**maple [A]** time = 0.05, size = 84, normalized size = 0.48

$$\frac{\frac{\tan^{11}\left(\frac{dx}{2}+\frac{c}{2}\right)}{11}-\frac{\tan^9\left(\frac{dx}{2}+\frac{c}{2}\right)}{3}+\frac{2\tan^7\left(\frac{dx}{2}+\frac{c}{2}\right)}{7}+\frac{2\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)}{5}-\left(\tan^3\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+\tan\left(\frac{dx}{2}+\frac{c}{2}\right)}{32da^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^6,x)

[Out] 1/32/d/a^6\*(1/11\*tan(1/2\*d\*x+1/2\*c)^11-1/3\*tan(1/2\*d\*x+1/2\*c)^9+2/7\*tan(1/2\*d\*x+1/2\*c)^7+2/5\*tan(1/2\*d\*x+1/2\*c)^5-tan(1/2\*d\*x+1/2\*c)^3+tan(1/2\*d\*x+1/2\*c))

**maxima [A]** time = 1.49, size = 127, normalized size = 0.72

$$\frac{1155\sin(dx+c)}{\cos(dx+c)+1}-\frac{1155\sin(dx+c)^3}{(\cos(dx+c)+1)^3}+\frac{462\sin(dx+c)^5}{(\cos(dx+c)+1)^5}+\frac{330\sin(dx+c)^7}{(\cos(dx+c)+1)^7}-\frac{385\sin(dx+c)^9}{(\cos(dx+c)+1)^9}+\frac{105\sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}}$$

$$36960a^6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^6,x, algorithm="maxima")

[Out] 1/36960\*(1155\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 1155\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 462\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 330\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 - 385\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9 + 105\*sin(d\*x + c)^11/(cos(d\*x + c) + 1)^11)/(a^6\*d)

**mupad [B]** time = 0.46, size = 151, normalized size = 0.86

$$\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 1155 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 1155 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^8 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 462 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^6 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 330 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^4 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 385 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 105 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} \right)}{36960 a^6 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^{11}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^4/(a + a\*cos(c + d\*x))^6,x)

[Out] (sin(c/2 + (d\*x)/2)\*(1155\*cos(c/2 + (d\*x)/2)^10 + 105\*sin(c/2 + (d\*x)/2)^10 - 385\*cos(c/2 + (d\*x)/2)^2\*sin(c/2 + (d\*x)/2)^8 + 330\*cos(c/2 + (d\*x)/2)^4\*sin(c/2 + (d\*x)/2)^6 + 462\*cos(c/2 + (d\*x)/2)^6\*sin(c/2 + (d\*x)/2)^4 - 1155\*cos(c/2 + (d\*x)/2)^8\*sin(c/2 + (d\*x)/2)^2))/(36960\*a^6\*d\*cos(c/2 + (d\*x)/2)^11)

**sympy [A]** time = 30.36, size = 124, normalized size = 0.70

$$\left\{ \begin{array}{ll} \frac{\tan^{11}\left(\frac{c}{2} + \frac{dx}{2}\right)}{352a^6d} - \frac{\tan^9\left(\frac{c}{2} + \frac{dx}{2}\right)}{96a^6d} + \frac{\tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{112a^6d} + \frac{\tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{80a^6d} - \frac{\tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{32a^6d} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{32a^6d} & \text{for } d \neq 0 \\ \frac{x \cos^4(c)}{(a \cos(c) + a)^6} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4/(a+a\*cos(d\*x+c))\*\*6,x)

[Out] Piecewise((tan(c/2 + d\*x/2)\*\*11/(352\*a\*\*6\*d) - tan(c/2 + d\*x/2)\*\*9/(96\*a\*\*6\*d) + tan(c/2 + d\*x/2)\*\*7/(112\*a\*\*6\*d) + tan(c/2 + d\*x/2)\*\*5/(80\*a\*\*6\*d) - tan(c/2 + d\*x/2)\*\*3/(32\*a\*\*6\*d) + tan(c/2 + d\*x/2)/(32\*a\*\*6\*d), Ne(d, 0)), (x\*cos(c)\*\*4/(a\*cos(c) + a)\*\*6, True))

### 3.95 $\int \cos^4(c + dx) \sqrt{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=158

$$\frac{2a \sin(c + dx) \cos^4(c + dx)}{9d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{32 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105ad} - \frac{64 \sin(c + dx)}{105ad}$$

[Out] 32/105\*(a+a\*cos(d\*x+c))^(3/2)\*sin(d\*x+c)/a/d+32/45\*a\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+16/63\*a\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+2/9\*a\*cos(d\*x+c)^4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)-64/315\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.24, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2770, 2759, 2751, 2646}

$$\frac{2a \sin(c + dx) \cos^4(c + dx)}{9d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{32 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105ad} - \frac{64 \sin(c + dx)}{105ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (32\*a\*Sin[c + d\*x])/(45\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(63\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(9\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (64\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*d) + (32\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(105\*a\*d)

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)\sqrt{a+a\cos(c+dx)} dx &= \frac{2a\cos^4(c+dx)\sin(c+dx)}{9d\sqrt{a+a\cos(c+dx)}} + \frac{8}{9} \int \cos^3(c+dx)\sqrt{a+a\cos(c+dx)} dx \\
&= \frac{16a\cos^3(c+dx)\sin(c+dx)}{63d\sqrt{a+a\cos(c+dx)}} + \frac{2a\cos^4(c+dx)\sin(c+dx)}{9d\sqrt{a+a\cos(c+dx)}} + \frac{16}{21} \int \cos^2(c+dx)\sqrt{a+a\cos(c+dx)} dx \\
&= \frac{16a\cos^3(c+dx)\sin(c+dx)}{63d\sqrt{a+a\cos(c+dx)}} + \frac{2a\cos^4(c+dx)\sin(c+dx)}{9d\sqrt{a+a\cos(c+dx)}} + \frac{32(a+a\cos(c+dx))}{9d\sqrt{a+a\cos(c+dx)}} \int \cos(c+dx) dx \\
&= \frac{16a\cos^3(c+dx)\sin(c+dx)}{63d\sqrt{a+a\cos(c+dx)}} + \frac{2a\cos^4(c+dx)\sin(c+dx)}{9d\sqrt{a+a\cos(c+dx)}} - \frac{64\sqrt{a+a\cos(c+dx)}}{9d} \int \cos(c+dx) dx \\
&= \frac{32a\sin(c+dx)}{45d\sqrt{a+a\cos(c+dx)}} + \frac{16a\cos^3(c+dx)\sin(c+dx)}{63d\sqrt{a+a\cos(c+dx)}} + \frac{2a\cos^4(c+dx)\sin(c+dx)}{9d\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 92, normalized size = 0.58

$$\frac{\left(1890 \sin\left(\frac{1}{2}(c+dx)\right) + 420 \sin\left(\frac{3}{2}(c+dx)\right) + 252 \sin\left(\frac{5}{2}(c+dx)\right) + 45 \sin\left(\frac{7}{2}(c+dx)\right) + 35 \sin\left(\frac{9}{2}(c+dx)\right)\right) \sec\left(\frac{c+dx}{2}\right)}{2520d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4\*Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(1890\*Sin[(c + d\*x)/2] + 420\*Sin[(3\*(c + d\*x))/2] + 252\*Sin[(5\*(c + d\*x))/2] + 45\*Sin[(7\*(c + d\*x))/2] + 35\*Sin[(9\*(c + d\*x))/2]))/(2520\*d)

**fricas [A]** time = 0.72, size = 72, normalized size = 0.46

$$\frac{2\left(35 \cos(dx+c)^4 + 40 \cos(dx+c)^3 + 48 \cos(dx+c)^2 + 64 \cos(dx+c) + 128\right)\sqrt{a \cos(dx+c) + a} \sin(dx+c)}{315(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/315\*(35\*cos(d\*x + c)^4 + 40\*cos(d\*x + c)^3 + 48\*cos(d\*x + c)^2 + 64\*cos(d\*x + c) + 128)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [A]** time = 0.65, size = 129, normalized size = 0.82

$$\frac{1}{2520} \sqrt{2} \sqrt{a} \left( \frac{35 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{9}{2}dx + \frac{9}{2}c\right)}{d} + \frac{45 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{d} + \frac{252 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right)}{d} + \frac{420 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right)}{d} + \frac{1890 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 1/2520\*sqrt(2)\*sqrt(a)\*(35\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(9/2\*d\*x + 9/2\*c)/d + 45\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 252\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 420\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 1890\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)

**maple [A]** time = 0.18, size = 97, normalized size = 0.61

$$\frac{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(560 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 800 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 552 \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 104 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 16}{315 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $2/315*\cos(1/2*d*x+1/2*c)*a*\sin(1/2*d*x+1/2*c)*(560*\cos(1/2*d*x+1/2*c)^8-800*\cos(1/2*d*x+1/2*c)^6+552*\cos(1/2*d*x+1/2*c)^4-104*\cos(1/2*d*x+1/2*c)^2+107)*2^(1/2)/(a*\cos(1/2*d*x+1/2*c)^2)^(1/2)/d$

**maxima** [A] time = 1.13, size = 79, normalized size = 0.50

$$\frac{\left(35\sqrt{2}\sin\left(\frac{9}{2}dx + \frac{9}{2}c\right) + 45\sqrt{2}\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 252\sqrt{2}\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 420\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 1890\right)}{2520d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]  $1/2520*(35*\sqrt{2}*\sin(9/2*d*x + 9/2*c) + 45*\sqrt{2}*\sin(7/2*d*x + 7/2*c) + 252*\sqrt{2}*\sin(5/2*d*x + 5/2*c) + 420*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 1890*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*\sqrt{a}/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^4 \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4*(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)^4*(a + a*cos(c + d*x))^(1/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

### 3.96 $\int \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=122

$$\frac{2a \sin(c + dx) \cos^3(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{12 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{8 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{35d} + \frac{4a \sin(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

[Out] 12/35\*(a+a\*cos(d\*x+c))^(3/2)\*sin(d\*x+c)/a/d+4/5\*a\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+2/7\*a\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)-8/35\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.18, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2770, 2759, 2751, 2646}

$$\frac{2a \sin(c + dx) \cos^3(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{12 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{8 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{35d} + \frac{4a \sin(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (4\*a\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (8\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(35\*d) + (12\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(35\*a\*d)

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)\sqrt{a+a\cos(c+dx)} dx &= \frac{2a\cos^3(c+dx)\sin(c+dx)}{7d\sqrt{a+a\cos(c+dx)}} + \frac{6}{7} \int \cos^2(c+dx)\sqrt{a+a\cos(c+dx)} dx \\
&= \frac{2a\cos^3(c+dx)\sin(c+dx)}{7d\sqrt{a+a\cos(c+dx)}} + \frac{12(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{35ad} + \dots \\
&= \frac{2a\cos^3(c+dx)\sin(c+dx)}{7d\sqrt{a+a\cos(c+dx)}} - \frac{8\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{35d} + \frac{12(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{35ad} \\
&= \frac{4a\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} + \frac{2a\cos^3(c+dx)\sin(c+dx)}{7d\sqrt{a+a\cos(c+dx)}} - \frac{8\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{35d}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 80, normalized size = 0.66

$$\frac{\left(105 \sin\left(\frac{1}{2}(c+dx)\right) + 35 \sin\left(\frac{3}{2}(c+dx)\right) + 7 \sin\left(\frac{5}{2}(c+dx)\right) + 5 \sin\left(\frac{7}{2}(c+dx)\right)\right) \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{140d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (105\*Sin[(c + d\*x)/2] + 35\*Sin[(3\*(c + d\*x))/2] + 7\*Sin[(5\*(c + d\*x))/2] + 5\*Sin[(7\*(c + d\*x))/2])) / (140\*d)

**fricas [A]** time = 0.68, size = 62, normalized size = 0.51

$$\frac{2\left(5\cos(dx+c)^3 + 6\cos(dx+c)^2 + 8\cos(dx+c) + 16\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{35(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/35\*(5\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 8\*cos(d\*x + c) + 16)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [A]** time = 1.26, size = 105, normalized size = 0.86

$$\frac{1}{140} \sqrt{2} \sqrt{a} \left( \frac{5 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right)}{d} + \frac{7 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{35 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{105 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 1/140\*sqrt(2)\*sqrt(a)\*(5\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 7\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 35\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 105\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)

**maple [A]** time = 0.17, size = 84, normalized size = 0.69

$$\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(40\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 36\left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 22\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 9\right) \sqrt{2}}{35\sqrt{a\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $\frac{2}{35}\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*a*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*(40*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6-36*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+22*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+9)*2^{(1/2)}/(a*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2)^{(1/2)}/d$

**maxima** [A] time = 1.45, size = 65, normalized size = 0.53

$$\frac{\left(5\sqrt{2}\sin\left(\frac{7}{2}dx+\frac{7}{2}c\right)+7\sqrt{2}\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right)+35\sqrt{2}\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)+105\sqrt{2}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sqrt{a}}{140d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]  $\frac{1}{140}(5*\sqrt{2}*\sin(7/2*d*x + 7/2*c) + 7*\sqrt{2}*\sin(5/2*d*x + 5/2*c) + 35*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 105*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*\sqrt{a}/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c+dx)^3 \sqrt{a+a\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^3*(a+a*cos(c+d*x))^(1/2),x)`

[Out] `int(cos(c+d*x)^3*(a+a*cos(c+d*x))^(1/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

### 3.97 $\int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=86

$$\frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5ad} - \frac{4 \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15d} + \frac{14a \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

[Out]  $2/5*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/a/d+14/15*a*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)-4/15*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.11, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2759, 2751, 2646}

$$\frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5ad} - \frac{4 \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15d} + \frac{14a \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(14*a*\sin[c + d*x])/(15*d*\sqrt{a + a*\cos[c + d*x]}) - (4*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(15*d) + (2*(a + a*\cos[c + d*x])^(3/2)*\sin[c + d*x])/(5*a*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} dx &= \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5ad} + \frac{2 \int \left(\frac{3a}{2} - a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)} dx}{5a} \\ &= -\frac{4 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5ad} \\ &= \frac{14a \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{4 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5ad} \end{aligned}$$

**Mathematica** [A] time = 0.10, size = 68, normalized size = 0.79

$$\frac{\left(30 \sin\left(\frac{1}{2}(c+dx)\right) + 5 \sin\left(\frac{3}{2}(c+dx)\right) + 3 \sin\left(\frac{5}{2}(c+dx)\right)\right) \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (30\*Sin[(c + d\*x)/2] + 5\*Sin[(3\*(c + d\*x))/2] + 3\*Sin[(5\*(c + d\*x))/2])) / (30\*d)

**fricas** [A] time = 0.82, size = 52, normalized size = 0.60

$$\frac{2 \sqrt{a \cos(dx+c)+a} (3 \cos(dx+c)^2 + 4 \cos(dx+c) + 8) \sin(dx+c)}{15(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/15\*sqrt(a\*cos(d\*x + c) + a)\*(3\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 8)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac** [A] time = 0.53, size = 81, normalized size = 0.94

$$\frac{1}{30} \sqrt{2} \sqrt{a} \left( \frac{3 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{5 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{30 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 1/30\*sqrt(2)\*sqrt(a)\*(3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 5\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 30\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)

**maple** [A] time = 0.17, size = 71, normalized size = 0.83

$$\frac{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(12 \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 4 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\right) \sqrt{2}}{15 \sqrt{a} \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(1/2), x)

[Out] 2/15\*cos(1/2\*d\*x+1/2\*c)\*a\*sin(1/2\*d\*x+1/2\*c)\*(12\*cos(1/2\*d\*x+1/2\*c)^4-4\*cos(1/2\*d\*x+1/2\*c)^2+7)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [A] time = 1.40, size = 51, normalized size = 0.59

$$\frac{\left(3 \sqrt{2} \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sqrt{2} \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 30 \sqrt{2} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out]  $\frac{1}{30} \cdot (3 \cdot \sqrt{2} \cdot \sin(5/2 \cdot dx + 5/2 \cdot c) + 5 \cdot \sqrt{2} \cdot \sin(3/2 \cdot dx + 3/2 \cdot c) + 30 \cdot \sqrt{2} \cdot \sin(1/2 \cdot dx + 1/2 \cdot c)) \cdot \sqrt{a} / d$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(1/2), x)`

[Out] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \cos^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*cos(c + d*x)**2, x)`

### 3.98 $\int \cos(c + dx) \sqrt{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=56

$$\frac{2 \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{3d} + \frac{2a \sin(c + dx)}{3d \sqrt{a \cos(c + dx) + a}}$$

[Out]  $2/3*a*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/3*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2751, 2646}

$$\frac{2 \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{3d} + \frac{2a \sin(c + dx)}{3d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(2*a*\sin[c + d*x])/(3*d*\sqrt{a + a*\cos[c + d*x]}) + (2*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(3*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt{a + a \cos(c + dx)} dx &= \frac{2\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2a \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 54, normalized size = 0.96

$$\frac{\left(3 \sin\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{3}{2}(c + dx)\right)\right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(\sqrt{a*(1 + \cos[c + d*x])}*\sec[(c + d*x)/2]*(3*\sin[(c + d*x)/2] + \sin[(3*(c + d*x))/2]))/(3*d)$



**fricas** [A] time = 1.13, size = 40, normalized size = 0.71

$$\frac{2\sqrt{a\cos(dx+c)+a}(\cos(dx+c)+2)\sin(dx+c)}{3(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 2/3\*sqrt(a\*cos(d\*x + c) + a)\*(cos(d\*x + c) + 2)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac** [A] time = 0.47, size = 56, normalized size = 1.00

$$\frac{1}{3}\sqrt{2}\sqrt{a}\left(\frac{\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)}{d}+\frac{3\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 1/3\*sqrt(2)\*sqrt(a)\*(sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)

**maple** [A] time = 0.16, size = 58, normalized size = 1.04

$$\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)a\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+1\right)\sqrt{2}}{3\sqrt{a\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 2/3\*cos(1/2\*d\*x+1/2\*c)\*a\*sin(1/2\*d\*x+1/2\*c)\*(2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [A] time = 1.88, size = 36, normalized size = 0.64

$$\frac{\left(\sqrt{2}\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)+3\sqrt{2}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sqrt{a}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/3\*(sqrt(2)\*sin(3/2\*d\*x + 3/2\*c) + 3\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c))\*sqrt(a)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \cos(c+dx)\sqrt{a+a\cos(c+dx)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*cos(c + d\*x), x)

### 3.99 $\int \sqrt{a + a \cos(c + dx)} dx$

Optimal. Leaf size=26

$$\frac{2a \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] 2\*a\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.01, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2646}

$$\frac{2a \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*a\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)} dx = \frac{2a \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.03, size = 29, normalized size = 1.12

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Tan[(c + d\*x)/2])/d

fricas [A] time = 1.04, size = 32, normalized size = 1.23

$$\frac{2\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

giac [A] time = 0.39, size = 30, normalized size = 1.15

$$\frac{2\sqrt{2}\sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 2\*sqrt(2)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d

maple [A] time = 0.00, size = 43, normalized size = 1.65

$$\frac{2a \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2}}{\sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2),x)

[Out] 2\*a\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

maxima [A] time = 1.64, size = 20, normalized size = 0.77

$$\frac{2\sqrt{2}\sqrt{a}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 2\*sqrt(2)\*sqrt(a)\*sin(1/2\*d\*x + 1/2\*c)/d

mupad [B] time = 0.46, size = 33, normalized size = 1.27

$$\frac{2 \sin(c + dx) \sqrt{a (\cos(c + dx) + 1)}}{d (\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2),x)

[Out] (2\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^(1/2))/(d\*(cos(c + d\*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(c + dx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(a\*cos(c + d\*x) + a), x)

### 3.100 $\int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx$

Optimal. Leaf size=37

$$\frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out]  $2*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2))}*a^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2773, 206}

$$\frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x],x]`

[Out]  $(2*\operatorname{Sqrt}[a]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])])/d$

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rule 2773

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx &= -\frac{(2a) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 50, normalized size = 1.35

$$\frac{\sqrt{2} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] `Integrate[Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x],x]`

[Out]  $(\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[\operatorname{Sqrt}[2]*\operatorname{Sin}[(c + d*x)/2]]*\operatorname{Sqrt}[a*(1 + \operatorname{Cos}[c + d*x])]*\operatorname{Sec}[(c + d*x)/2])/d$

**fricas** [A] time = 1.02, size = 146, normalized size = 3.95

$$\left[ \frac{\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{2d}, \frac{\sqrt{-a} \arctan\left(\frac{2\sqrt{a} \cos(dx+c) + a \sqrt{-a} \sin(dx+c)}{a \cos(dx+c)^2 - a \cos(dx+c) - 2a}\right)}{d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c),x, algorithm="fricas")

[Out] [1/2\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2))/d, sqrt(-a)\*arctan(2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-a)\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 - a\*cos(d\*x + c) - 2\*a))/d]

**giac** [A] time = 0.53, size = 58, normalized size = 1.57

$$\frac{\sqrt{a} \log\left(\frac{|-2\sqrt{2}+4\sin(\frac{1}{2}dx+\frac{1}{2}c)|}{|2\sqrt{2}+4\sin(\frac{1}{2}dx+\frac{1}{2}c)|}\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c),x, algorithm="giac")

[Out] -sqrt(a)\*log(abs(-2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c))/abs(2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c)))\*sgn(cos(1/2\*d\*x + 1/2\*c))/d

**maple** [B] time = 0.50, size = 180, normalized size = 4.86

$$\frac{\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}}{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right) + \ln\left(\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a}\right)}{-2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c),x)

[Out] a^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(dx+c) + a} \sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x), x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)*sec(d*x+c), x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*sec(c + d*x), x)`

### 3.101 $\int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx$

Optimal. Leaf size=62

$$\frac{a \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out] arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)/d+a\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2772, 2773, 206}

$$\frac{a \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2,x]

[Out] (Sqrt[a]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*Tan[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2772

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx &= \frac{a \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2} \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\ &= \frac{a \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{a \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{a \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$



**Mathematica [A]** time = 0.10, size = 79, normalized size = 1.27

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\sqrt{a(\cos(c+dx)+1)}\left(2\sin\left(\frac{1}{2}(c+dx)\right)+\sqrt{2}\cos(c+dx)\tanh^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2,x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]\*(Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x] + 2\*Sin[(c + d\*x)/2]))/(2\*d)

**fricas [B]** time = 1.28, size = 140, normalized size = 2.26

$$\frac{(\cos(dx+c)^2 + \cos(dx+c))\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c)+a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c)+8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a}}{4(d\cos(dx+c)^2 + d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/4\*((cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac [A]** time = 0.75, size = 104, normalized size = 1.68

$$\frac{\sqrt{2}\left(\sqrt{2}\log\left(\frac{\left| -2\sqrt{2}+4\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right) \right|}{\left| 2\sqrt{2}+4\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right) \right|}\right)\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right) + \frac{4\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1}\right)\sqrt{a}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*(sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c))/abs(2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c)))\*sgn(cos(1/2\*d\*x + 1/2\*c)) + 4\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/(2\*sin(1/2\*d\*x + 1/2\*c)^2 - 1))\*sqrt(a)/d

**maple [B]** time = 0.48, size = 379, normalized size = 6.11

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(-2a\left(\ln\left(\frac{4\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{a}+4a\sqrt{2}\cos\left(\frac{dx}{2} + \frac{c}{2}\right)+8a}{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)+\sqrt{2}}\right)\right) + \ln\left(\frac{4\left(\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{-2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)\right)}{\sqrt{a}\left(2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^2,x)

[Out] cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*a\*(ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))\*sin(1/2\*d\*x+1/2\*c)^2+ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*a

$$\frac{\cos(1/2*d*x+1/2*c)+2^{(1/2)}}{a^{(1/2)}}*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a)/a^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

**maxima** [B] time = 2.59, size = 1170, normalized size = 18.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 
$$-1/4*((4*\sqrt{2}*\sin(1/2*d*x + 1/2*c) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + (4*\sqrt{2}*\sin(1/2*d*x + 1/2*c) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 + 4*\sqrt{2}*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) - 2*(2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) - 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 4*\sqrt{2}*\sin(1/2*d*x + 1/2*c) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sqrt{a}/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*d)$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2,x)

[Out] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a (\cos(c + dx) + 1)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*sec(d*x+c)**2,x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*sec(c + d*x)**2, x)
```

### 3.102 $\int \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) dx$

Optimal. Leaf size=102

$$\frac{3a \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{3\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $\frac{3}{4} \arctanh(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) \cdot a^{1/2} / d + \frac{3}{4} a \cdot \tan(dx+c) / d / (a+a \cos(dx+c))^{1/2} + \frac{1}{2} a \cdot \sec(dx+c) \cdot \tan(dx+c) / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.16, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2772, 2773, 206}

$$\frac{3a \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{3\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out]  $\frac{(3 \cdot \text{Sqrt}[a] \cdot \text{ArcTanh}[\frac{\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]}{\text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]}])}{(4 \cdot d)} + \frac{(3 \cdot a \cdot \text{Tan}[c + d \cdot x])}{(4 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])} + \frac{(a \cdot \text{Sec}[c + d \cdot x] \cdot \text{Tan}[c + d \cdot x])}{(2 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])}$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) dx &= \frac{a \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{3}{4} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\
&= \frac{3a \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{3}{8} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\
&= \frac{3a \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(3a) \text{Subst}\left(\int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx\right)}{8d} \\
&= \frac{3\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{3a \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec(c + dx)}{2d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 94, normalized size = 0.92

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) + 3 \sin\left(\frac{3}{2}(c + dx)\right) + 3\sqrt{2} \cos^2(c + dx) \tan\left(\frac{1}{2}(c + dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^2\*(3\*Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^2 + Sin[(c + d\*x)/2] + 3\*Sin[(3\*(c + d\*x))/2]))/(8\*d)

**fricas [A]** time = 1.15, size = 155, normalized size = 1.52

$$\frac{3(\cos(dx + c)^3 + \cos(dx + c)^2)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a} \cos(dx+c)}{16(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/16\*(3\*(cos(d\*x + c)^3 + cos(d\*x + c)^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(3\*cos(d\*x + c) + 2)\*sin(d\*x + c)/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac [A]** time = 1.01, size = 131, normalized size = 1.28

$$\frac{\sqrt{2} \left( 3 \sqrt{2} \log\left(\frac{\left| -2\sqrt{2} + 4 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right|}{\left| 2\sqrt{2} + 4 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right|}\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) + \frac{4 \left( 6 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left(2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1\right)^2} \right)}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] -1/16\*sqrt(2)\*(3\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c)))/abs(2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c)))\*sgn(cos(1/2\*d\*x + 1/2\*c)) + 4\*(6\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)^3 - 5\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c))/(2\*sin(1/2\*d\*x + 1/2\*c)^2 - 1)^2\*sqrt(a)/d



$x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c)^2 - 24*\sqrt{2}*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) - 8*\sqrt{2}*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + 2*(6*(\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 6*\sqrt{2}*\sin(7/2*d*x + 7/2*c) + 2*\sqrt{2}*\sin(5/2*d*x + 5/2*c) - 2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) - 6*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + 4*c) - 4*(2*\sqrt{2}*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2}*\sin(1/2*d*x + 1/2*c) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 4*(3*(\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c) - 3*\sqrt{2}*\cos(7/2*d*x + 7/2*c) - \sqrt{2}*\cos(5/2*d*x + 5/2*c) + \sqrt{2}*\cos(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\cos(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c) + 12*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(7/2*d*x + 7/2*c) + 4*(2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 8*(\sqrt{2}*\cos(3/2*d*x + 3/2*c) + 3*\sqrt{2}*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c) - 12*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sqrt{a}/((2*(2*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + \cos(4*d*x + 4*c)^2 + 4*\cos(2*d*x + 2*c)^2 + \sin(4*d*x + 4*c)^2 + 4*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 4*\sin(2*d*x + 2*c)^2 + 4*\cos(2*d*x + 2*c) + 1)*d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x)^3, x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)*sec(d*x+c)**3, x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))*sec(c + d*x)**3, x)`



### 3.103 $\int \sqrt{a + a \cos(c + dx)} \sec^4(c + dx) dx$

**Optimal.** Leaf size=138

$$\frac{5a \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a \tan(c + dx) \sec^2(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{5a \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}}$$

[Out] 5/8\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)/d+5/8\*a\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+5/12\*a\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+1/3\*a\*sec(d\*x+c)^2\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.22, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2772, 2773, 206}

$$\frac{5a \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a \tan(c + dx) \sec^2(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{5a \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^4,x]

[Out] (5\*Sqrt[a]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (5\*a\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (5\*a\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2772

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} \sec^4(c + dx) dx &= \frac{a \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{5}{6} \int \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) dx \\
&= \frac{5a \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{5}{8} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\
&= \frac{5a \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{5a \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{5a \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{5a \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{5\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{8d} + \frac{5a \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{5a \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.33, size = 109, normalized size = 0.79

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(42 \sin\left(\frac{1}{2}(c + dx)\right) + 5 \left(\sin\left(\frac{3}{2}(c + dx)\right) + 3 \sin\left(\frac{5}{2}(c + dx)\right)\right)\right)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^4, x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^3\*(30\*Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^3 + 42\*Sin[(c + d\*x)/2] + 5\*(Sin[(3\*(c + d\*x))/2] + 3\*Sin[(5\*(c + d\*x))/2]))) / (96\*d)

**fricas [A]** time = 0.74, size = 165, normalized size = 1.20

$$\frac{15 \left(\cos(dx + c)^4 + \cos(dx + c)^3\right) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a}}{96 \left(d \cos(dx + c)^4 + d \cos(dx + c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/96\*(15\*(cos(d\*x + c)^4 + cos(d\*x + c)^3)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(15\*cos(d\*x + c)^2 + 10\*cos(d\*x + c) + 8)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac [A]** time = 0.69, size = 154, normalized size = 1.12

$$\frac{\sqrt{2} \left(15 \sqrt{2} \log\left(\frac{|-2\sqrt{2} + 4 \sin(\frac{1}{2} dx + \frac{1}{2} c)|}{|2\sqrt{2} + 4 \sin(\frac{1}{2} dx + \frac{1}{2} c)|}\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) + \frac{4 \left(60 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 80 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}\right)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] -1/96\*sqrt(2)\*(15\*sqrt(2)\*log(abs(-2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c))/abs(2\*sqrt(2) + 4\*sin(1/2\*d\*x + 1/2\*c)))\*sgn(cos(1/2\*d\*x + 1/2\*c)) + 4\*(60\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)^5 - 80\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c))

\*sin(1/2\*d\*x + 1/2\*c)^3 + 33\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)  
 )/(2\*sin(1/2\*d\*x + 1/2\*c)^2 - 1)^3)\*sqrt(a)/d

**maple [B]** time = 0.58, size = 709, normalized size = 5.14

$$\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -120a \left( \ln \left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} + 8a}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) + \ln \left( -\frac{4 \left( \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{-2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^4,x)

[Out] 1/6\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-120\*a\*(ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))\*sin(1/2\*d\*x+1/2\*c)^6+60\*(2\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+3\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+3\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a)\*sin(1/2\*d\*x+1/2\*c)^4+(-90\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-90\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-160\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))\*sin(1/2\*d\*x+1/2\*c)^2+15\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+15\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+66\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2))^3/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2))^3/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima [B]** time = 171.93, size = 5115, normalized size = 37.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/96\*(15\*(sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) + 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) - 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) + sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 - 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) + 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 - 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) - 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - 8\*sin(1/2\*d\*x + 1/2\*c))\*cos(6\*d\*x + 6\*c)^2 + 135\*(sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) + 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) - 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) + sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 - 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) + 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 - 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) - 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - 8\*sin(1/2\*d\*x + 1/2\*c))\*cos(4\*d\*x + 4\*c)^2 + 135\*(sqrt(2)\*log(2\*cos(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sqrt(2)\*cos(1/2\*d\*x + 1/2\*c) + 2\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c) + 2) - sqrt(2)



$$\begin{aligned}
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})* \\
& \sin(1/2*d*x + 1/2*c) + 2) + \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c \\
& )^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\
& - 8*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 15*\sqrt{2}*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*s \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin \\
& (1/2*d*x + 1/2*c) + 2) + 15*\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/ \\
& 2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - 15*\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) + 168*\sin(7/2*d*x + 7/2*c) + 12*\sin(5/2*d*x + 5/2*c) - 20*\sin(3/2*d*x + \\
& 3/2*c) - 120*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + 4*c) + 30*(3*\sqrt{2}*\log(2*c \\
& os(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + \\
& 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*\sqrt{2}*\log(2*\cos(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2* \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin \\
& (1/2*d*x + 1/2*c) + 2) - 3*\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - 4*\sin(3/2*d*x + 3/2*c) - 24*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + \\
& 2*c) + 120*(\cos(6*d*x + 6*c) + 3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1 \\
& )*\sin(13/2*d*x + 13/2*c) + 2*(45*(\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2 \\
& *d*x + 1/2*c) + 2) - \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) + \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2 \\
& *\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2} \\
& (2)*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos( \\
& 1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 8*\sin(1/2*d*x + 1/ \\
& 2*c))*\sin(4*d*x + 4*c) + 45*(\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) - \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\
& c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\
& + \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& (2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*\lo \\
& g(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d \\
& *x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 8*\sin(1/2*d*x + 1/2*c)) \\
& *\sin(2*d*x + 2*c) - 60*\cos(11/2*d*x + 11/2*c) - 200*\cos(9/2*d*x + 9/2*c) - \\
& 168*\cos(7/2*d*x + 7/2*c) - 12*\cos(5/2*d*x + 5/2*c) + 20*\cos(3/2*d*x + 3/2*c \\
& ))*\sin(6*d*x + 6*c) + 120*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin \\
& (11/2*d*x + 11/2*c) + 400*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin \\
& (9/2*d*x + 9/2*c) + 6*(45*(\sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) - \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \\
& \sqrt{2}*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& (2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \sqrt{2}*\log( \\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 8*\sin(1/2*d*x + 1/2*c))*s \\
& in(2*d*x + 2*c) - 168*\cos(7/2*d*x + 7/2*c) - 12*\cos(5/2*d*x + 5/2*c) + 20*c \\
& os(3/2*d*x + 3/2*c))*\sin(4*d*x + 4*c) + 336*(3*\cos(2*d*x + 2*c) + 1)*\sin(7/ \\
& 2*d*x + 7/2*c) + 24*(3*\cos(2*d*x + 2*c) + 1)*\sin(5/2*d*x + 5/2*c) - 1008*c \\
& os(7/2*d*x + 7/2*c))*\sin(2*d*x + 2*c) - 72*\cos(5/2*d*x + 5/2*c))*\sin(2*d*x + 2 \\
& *c) + 120*\cos(3/2*d*x + 3/2*c))*\sin(2*d*x + 2*c) + 15*\sqrt{2}*\log(2*\cos(1/2*
\end{aligned}$$

```

d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c)
+ 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 15*sqrt(2)*log(2*cos(1/2*d*x + 1/2*
c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)
)*sin(1/2*d*x + 1/2*c) + 2) + 15*sqrt(2)*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*s
in(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*
d*x + 1/2*c) + 2) - 15*sqrt(2)*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x
+ 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*
c) + 2) - 40*sin(3/2*d*x + 3/2*c) - 120*sin(1/2*d*x + 1/2*c))*sqrt(a)/((sqr
t(2)*cos(6*d*x + 6*c)^2 + 9*sqrt(2)*cos(4*d*x + 4*c)^2 + 9*sqrt(2)*cos(2*d*
x + 2*c)^2 + sqrt(2)*sin(6*d*x + 6*c)^2 + 9*sqrt(2)*sin(4*d*x + 4*c)^2 + 18
*sqrt(2)*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 9*sqrt(2)*sin(2*d*x + 2*c)^2 +
2*(3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*cos(
6*d*x + 6*c) + 6*(3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*cos(4*d*x + 4*c) +
6*(sqrt(2)*sin(4*d*x + 4*c) + sqrt(2)*sin(2*d*x + 2*c))*sin(6*d*x + 6*c) +
6*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*d

```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^4, x)

[Out] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^4, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*sec(d\*x+c)\*\*4, x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*sec(c + d\*x)\*\*4, x)

### 3.104 $\int \cos^3(c + dx)(a + a \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=162

$$\frac{2a^2 \sin(c + dx) \cos^4(c + dx)}{9d\sqrt{a \cos(c + dx) + a}} + \frac{34a^2 \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{68a^2 \sin(c + dx)}{45d\sqrt{a \cos(c + dx) + a}} + \frac{68 \sin(c + dx)(a \cos(c + dx))^{3/2}}{105d}$$

```
[Out] 68/105*(a+a*cos(d*x+c))^(3/2)*sin(d*x+c)/d+68/45*a^2*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+34/63*a^2*cos(d*x+c)^3*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)+2/9*a^2*cos(d*x+c)^4*sin(d*x+c)/d/(a+a*cos(d*x+c))^(1/2)-136/315*a*sin(d*x+c)*(a+a*cos(d*x+c))^(1/2)/d
```

**Rubi [A]** time = 0.25, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2763, 21, 2770, 2759, 2751, 2646}

$$\frac{2a^2 \sin(c + dx) \cos^4(c + dx)}{9d\sqrt{a \cos(c + dx) + a}} + \frac{34a^2 \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{68a^2 \sin(c + dx)}{45d\sqrt{a \cos(c + dx) + a}} + \frac{68 \sin(c + dx)(a \cos(c + dx))^{3/2}}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + a*cos[c + d*x])^(3/2), x]
```

```
[Out] (68*a^2*Sin[c + d*x])/(45*d*Sqrt[a + a*cos[c + d*x]]) + (34*a^2*cos[c + d*x]^3*Sin[c + d*x])/(63*d*Sqrt[a + a*cos[c + d*x]]) + (2*a^2*cos[c + d*x]^4*Sin[c + d*x])/(9*d*Sqrt[a + a*cos[c + d*x]]) - (136*a*Sqrt[a + a*cos[c + d*x]]*Sin[c + d*x])/(315*d) + (68*(a + a*cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*d)
```

#### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

#### Rule 2646

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(-2*b*cos[c + d*x])/(d*Sqrt[a + b*sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

#### Rule 2751

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 2759

```
Int[sin[(e_.) + (f_.)*(x_)]^2*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := -Simp[(cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*sin[e + f*x])^m*(b*(m + 1) - a*sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 2763

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*cos[e + f*x]*(a + b*sin[e + f*x])
)^(m - 2)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +
n)), Int[(a + b*sin[e + f*x])^(m - 2)*(c + d*sin[e + f*x])^n*Simp[a*b*c*(m
- 2) + b^2*d*(n + 1) + a^2*d*(m + n) - b*(b*c*(m - 1) - a*d*(3*m + 2*n - 2)
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c -
a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n,
-1] && (IntegersQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c,
0]))
```

### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*cos[e + f*x]*(c + d*sin[e + f*x])
)^(n)/(f*(2*n + 1)*Sqrt[a + b*sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*sin[e + f*x]]*(c + d*sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

### Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \cos(c + dx))^{3/2} dx &= \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{2}{9} \int \frac{\cos^3(c + dx) \left( \frac{17a^2}{2} + \frac{17}{2}a^2 \cos(c + dx) \right)}{\sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{9}(17a) \int \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} dx \\
&= \frac{34a^2 \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{21}(34a) \int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} dx \\
&= \frac{34a^2 \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{68(a + dx) \sqrt{a + a \cos(c + dx)}}{21} \\
&= \frac{34a^2 \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} - \frac{136a \sqrt{a + a \cos(c + dx)}}{21} \\
&= \frac{68a^2 \sin(c + dx)}{45d\sqrt{a + a \cos(c + dx)}} + \frac{34a^2 \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 0.26, size = 93, normalized size = 0.57

$$\frac{a \left( 3780 \sin\left(\frac{1}{2}(c + dx)\right) + 1050 \sin\left(\frac{3}{2}(c + dx)\right) + 378 \sin\left(\frac{5}{2}(c + dx)\right) + 135 \sin\left(\frac{7}{2}(c + dx)\right) + 35 \sin\left(\frac{9}{2}(c + dx)\right) \right)}{2520d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*cos[c + d*x])^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3780*Sin[(c + d*x)/2] + 1050*Sin[(3*(c + d*x))/2] + 378*Sin[(5*(c + d*x))/2] + 135*Sin[(7*(c + d*x))/2] + 35*Sin[(9*(c + d*x))/2]))/(2520*d)
```

**fricas** [A] time = 1.54, size = 78, normalized size = 0.48

$$\frac{2 \left( 35 a \cos(dx + c)^4 + 85 a \cos(dx + c)^3 + 102 a \cos(dx + c)^2 + 136 a \cos(dx + c) + 272 a \right) \sqrt{a \cos(dx + c) + a}}{315 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out]  $\frac{2}{315} \cdot (35 \cdot a \cdot \cos(d \cdot x + c)^4 + 85 \cdot a \cdot \cos(d \cdot x + c)^3 + 102 \cdot a \cdot \cos(d \cdot x + c)^2 + 136 \cdot a \cdot \cos(d \cdot x + c) + 272 \cdot a) \cdot \sqrt{a \cdot \cos(d \cdot x + c) + a} \cdot \sin(d \cdot x + c) / (d \cdot \cos(d \cdot x + c) + d)$

**giac** [A] time = 0.67, size = 134, normalized size = 0.83

$$\frac{1}{2520} \sqrt{2} \left( \frac{35 \operatorname{asgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{9}{2} dx + \frac{9}{2} c \right)}{d} + \frac{135 \operatorname{asgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{7}{2} dx + \frac{7}{2} c \right)}{d} + \frac{378 \operatorname{asgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right)}{d} + \frac{1050 \operatorname{asgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right)}{d} + \frac{3780 \operatorname{asgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out]  $\frac{1}{2520} \sqrt{2} \cdot (35 \cdot a \cdot \operatorname{sgn}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sin(9/2 \cdot d \cdot x + 9/2 \cdot c) / d + 135 \cdot a \cdot \operatorname{sgn}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sin(7/2 \cdot d \cdot x + 7/2 \cdot c) / d + 378 \cdot a \cdot \operatorname{sgn}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sin(5/2 \cdot d \cdot x + 5/2 \cdot c) / d + 1050 \cdot a \cdot \operatorname{sgn}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sin(3/2 \cdot d \cdot x + 3/2 \cdot c) / d + 3780 \cdot a \cdot \operatorname{sgn}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / d) \cdot \sqrt{a}$

**maple** [A] time = 0.15, size = 99, normalized size = 0.61

$$\frac{4 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) a^2 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \left( 280 \left( \cos^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 220 \left( \cos^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 114 \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 47 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{315 \sqrt{a} \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2),x)

[Out]  $\frac{4}{315} \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot a^2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot (280 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^8 - 220 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^6 + 114 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 + 47 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 94) \cdot 2^{1/2} / (a \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{1/2} / d$

**maxima** [A] time = 1.05, size = 84, normalized size = 0.52

$$\frac{\left( 35 \sqrt{2} a \sin \left( \frac{9}{2} dx + \frac{9}{2} c \right) + 135 \sqrt{2} a \sin \left( \frac{7}{2} dx + \frac{7}{2} c \right) + 378 \sqrt{2} a \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right) + 1050 \sqrt{2} a \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) \right)}{2520 d} \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out]  $\frac{1}{2520} \cdot (35 \cdot \sqrt{2} \cdot a \cdot \sin(9/2 \cdot d \cdot x + 9/2 \cdot c) + 135 \cdot \sqrt{2} \cdot a \cdot \sin(7/2 \cdot d \cdot x + 7/2 \cdot c) + 378 \cdot \sqrt{2} \cdot a \cdot \sin(5/2 \cdot d \cdot x + 5/2 \cdot c) + 1050 \cdot \sqrt{2} \cdot a \cdot \sin(3/2 \cdot d \cdot x + 3/2 \cdot c) + 3780 \cdot \sqrt{2} \cdot a \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \sqrt{a} / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^3 (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

### 3.105 $\int \cos^2(c + dx)(a + a \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=116

$$\frac{152a^2 \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{5/2}}{7ad} - \frac{4 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{38a \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $-4/35*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/7*(a+a*\cos(d*x+c))^(5/2)*\sin(d*x+c)/a/d+152/105*a^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+38/105*a*\sin(d*x+c)/(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.14, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2759, 2751, 2647, 2646}

$$\frac{152a^2 \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{5/2}}{7ad} - \frac{4 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{38a \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(152*a^2*\sin[c + d*x])/(105*d*\text{Sqrt}[a + a*\cos[c + d*x]]) + (38*a*\text{Sqrt}[a + a*\cos[c + d*x]]*\sin[c + d*x])/(105*d) - (4*(a + a*\cos[c + d*x])^(3/2)*\sin[c + d*x])/(35*d) + (2*(a + a*\cos[c + d*x])^(5/2)*\sin[c + d*x])/(7*a*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c+dx)(a+a\cos(c+dx))^{3/2} dx &= \frac{2(a+a\cos(c+dx))^{5/2} \sin(c+dx)}{7ad} + \frac{2 \int \left(\frac{5a}{2} - a\cos(c+dx)\right)(a+a\cos(c+dx))^{3/2} dx}{7a} \\ &= -\frac{4(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{35d} + \frac{2(a+a\cos(c+dx))^{5/2} \sin(c+dx)}{7ad} \\ &= \frac{38a\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{105d} - \frac{4(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{35d} \\ &= \frac{152a^2 \sin(c+dx)}{105d\sqrt{a+a\cos(c+dx)}} + \frac{38a\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{105d} - \frac{4(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{35d} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 81, normalized size = 0.70

$$\frac{a \left( 735 \sin\left(\frac{1}{2}(c+dx)\right) + 175 \sin\left(\frac{3}{2}(c+dx)\right) + 63 \sin\left(\frac{5}{2}(c+dx)\right) + 15 \sin\left(\frac{7}{2}(c+dx)\right) \right) \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{420d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(735\*Sin[(c + d\*x)/2] + 175\*Sin[(3\*(c + d\*x))/2] + 63\*Sin[(5\*(c + d\*x))/2] + 15\*Sin[(7\*(c + d\*x))/2]))/(420\*d)

**fricas [A]** time = 0.99, size = 67, normalized size = 0.58

$$\frac{2 \left( 15a \cos(dx+c)^3 + 39a \cos(dx+c)^2 + 52a \cos(dx+c) + 104a \right) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{105(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 2/105\*(15\*a\*cos(d\*x + c)^3 + 39\*a\*cos(d\*x + c)^2 + 52\*a\*cos(d\*x + c) + 104\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [A]** time = 0.64, size = 109, normalized size = 0.94

$$\frac{1}{420} \sqrt{2} \left( \frac{15 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right)}{d} + \frac{63 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{175 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{735 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] 1/420\*sqrt(2)\*(15\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 63\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 175\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 735\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple [A]** time = 0.16, size = 86, normalized size = 0.74

$$\frac{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^2 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( 60 \left( \cos^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 12 \left( \cos^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 19 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 38 \right) \sqrt{2}}{105 \sqrt{a \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2),x)`

[Out]  $4/105*\cos(1/2*d*x+1/2*c)*a^2*\sin(1/2*d*x+1/2*c)*(60*\cos(1/2*d*x+1/2*c)^6-12*\cos(1/2*d*x+1/2*c)^4+19*\cos(1/2*d*x+1/2*c)^2+38)*2^{(1/2)}/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima** [A] time = 1.01, size = 69, normalized size = 0.59

$$\frac{\left(15\sqrt{2}a\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 63\sqrt{2}a\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 175\sqrt{2}a\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 735\sqrt{2}a\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sqrt{a}}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out]  $1/420*(15*\sqrt{2}*a*\sin(7/2*d*x + 7/2*c) + 63*\sqrt{2}*a*\sin(5/2*d*x + 5/2*c) + 175*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 735*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c))*\sqrt{a}/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(3/2),x)`

[Out] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(3/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(3/2),x)`

[Out] Timed out

### 3.106 $\int \cos(c + dx)(a + a \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=86

$$\frac{8a^2 \sin(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{2a \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{5d} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

[Out]  $2/5*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+8/5*a^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+2/5*a*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.07, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2751, 2647, 2646}

$$\frac{8a^2 \sin(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{2a \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{5d} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(8*a^2*\sin[c + d*x])/(5*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(5*d) + (2*(a + a*\cos[c + d*x])^(3/2)*\sin[c + d*x])/(5*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{3/2} dx &= \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{3}{5} \int (a + a \cos(c + dx))^{3/2} dx \\ &= \frac{2a\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d} + \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{8a^2 \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2a\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d} + \frac{2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 67, normalized size = 0.78

$$\frac{a \left( 20 \sin\left(\frac{1}{2}(c + dx)\right) + 5 \sin\left(\frac{3}{2}(c + dx)\right) + \sin\left(\frac{5}{2}(c + dx)\right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{10d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*cos[c + d\*x])^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(20\*Sin[(c + d\*x)/2] + 5\*Sin[(3\*(c + d\*x))/2] + Sin[(5\*(c + d\*x))/2]))/(10\*d)

**fricas** [A] time = 0.59, size = 55, normalized size = 0.64

$$\frac{2(a \cos(dx + c)^2 + 3a \cos(dx + c) + 6a)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{5(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 2/5\*(a\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + 6\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac** [A] time = 0.52, size = 83, normalized size = 0.97

$$\frac{1}{10} \sqrt{2} \left( \frac{\operatorname{asgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{5 \operatorname{asgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{20 \operatorname{asgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] 1/10\*sqrt(2)\*(a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 5\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 20\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple** [A] time = 0.16, size = 71, normalized size = 0.83

$$\frac{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^2 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(2 \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 2\right) \sqrt{2}}{5 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2), x)

[Out] 4/5\*cos(1/2\*d\*x+1/2\*c)\*a^2\*sin(1/2\*d\*x+1/2\*c)\*(2\*cos(1/2\*d\*x+1/2\*c)^4+cos(1/2\*d\*x+1/2\*c)^2+2)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [A] time = 1.13, size = 53, normalized size = 0.62

$$\frac{\left(\sqrt{2} a \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 5 \sqrt{2} a \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 20 \sqrt{2} a \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sqrt{a}}{10 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] 1/10\*(sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 5\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 20\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*sqrt(a)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2), x)`

[Out] `int(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a(\cos(c + dx) + 1))^{\frac{3}{2}} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+a*cos(d*x+c))**(3/2), x)`

[Out] `Integral((a*(cos(c + d*x) + 1))**(3/2)*cos(c + d*x), x)`



### 3.107 $\int (a + a \cos(c + dx))^{3/2} dx$

Optimal. Leaf size=59

$$\frac{8a^2 \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

[Out]  $8/3*a^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/3*a*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.03, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2647, 2646}

$$\frac{8a^2 \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(8*a^2*\sin[c + d*x])/(3*d*\sqrt{a + a*\cos[c + d*x]}) + (2*a*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(3*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} dx &= \frac{2a\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(4a) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{8a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 55, normalized size = 0.93

$$\frac{a \left( 9 \sin\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{3}{2}(c + dx)\right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(a*\sqrt{a*(1 + \cos[c + d*x])}*\sec[(c + d*x)/2]*(9*\sin[(c + d*x)/2] + \sin[(3*(c + d*x))/2]))/(3*d)$

**fricas** [A] time = 0.97, size = 44, normalized size = 0.75

$$\frac{2(a \cos(dx + c) + 5a)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 2/3\*(a\*cos(d\*x + c) + 5\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac** [A] time = 0.41, size = 58, normalized size = 0.98

$$\frac{1}{3} \sqrt{2} \left( \frac{a \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right)}{d} + \frac{9 a \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] 1/3\*sqrt(2)\*(a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 9\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple** [A] time = 0.14, size = 58, normalized size = 0.98

$$\frac{4a^2 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \left( 2 + \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \sqrt{2}}{3 \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2),x)

[Out] 4/3\*a^2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)\*(2+cos(1/2\*d\*x+1/2\*c)^2)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [A] time = 1.13, size = 38, normalized size = 0.64

$$\frac{\left( \sqrt{2} a \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 9 \sqrt{2} a \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sqrt{a}}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/3\*(sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 9\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*sqrt(a)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2),x)

[Out] int((a + a\*cos(c + d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(c + dx) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((a\*cos(c + d\*x) + a)\*\*(3/2), x)

### 3.108 $\int (a + a \cos(c + dx))^{3/2} \sec(c + dx) dx$

Optimal. Leaf size=66

$$\frac{2a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^2 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $2a^{3/2} \operatorname{arctanh}(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) / d + 2a^2 \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.11, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2763, 21, 2773, 206}

$$\frac{2a^2 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{2a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x], x]`

[Out]  $(2a^{3/2} \operatorname{ArcTanh}[\frac{\sqrt{a} \sin[c + d*x]}{\sqrt{a + a \cos[c + d*x]}}]) / d + (2a^2 \sin[c + d*x]) / (d \sqrt{a + a \cos[c + d*x]})$

#### Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :> Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])]/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rule 2763

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a*b*c*(m - 2) + b^2*d*(n + 1) + a^2*d*(m + n) - b*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))`

#### Rule 2773

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^{3/2} \sec(c + dx) dx &= \frac{2a^2 \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + 2 \int \frac{\left(\frac{a^2}{2} + \frac{1}{2}a^2 \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2a^2 \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + a \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\
&= \frac{2a^2 \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2a^2) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\
&= \frac{2a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 65, normalized size = 0.98

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2} \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x], x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sin[(c + d\*x)/2]))/d

**fricas [B]** time = 1.68, size = 127, normalized size = 1.92

$$\frac{(a \cos(dx + c) + a)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a \cos(dx+c)}}{2(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c), x, algorithm="fricas")

[Out] 1/2\*((a\*cos(d\*x + c) + a)\*sqrt(a)\*log((a\*cos(d\*x + c))^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*a\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [B]** time = 5.34, size = 1884, normalized size = 28.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c), x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*sqrt(a)\*(sqrt(2)\*(a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^6 - 6\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^5 + 3\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^6 - 15\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^4 + 18\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^5 - 3\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)\*tan(1/4\*c)^6 + 20\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^3 - 45\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^4 + 18\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)\*tan(1/4\*c)^5 - a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*c)^6 + 15\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^2 - 60\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^3 + 45\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)\*tan(1/4\*c)^4 - 15\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*c)^5 + 6\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*c)^6)/(d\*cos(d\*x + c) + d)

```

*c)*tan(1/4*c)^4 - 6*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^5 - 6*a*sgn(cos
(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c) + 45*a*sgn(cos(1/2*d*x + 1/2*c))
*tan(1/2*c)^2*tan(1/4*c)^2 - 60*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(
1/4*c)^3 + 15*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^4 - a*sgn(cos(1/2*d*x
+ 1/2*c))*tan(1/2*c)^3 + 18*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/
4*c) - 45*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^2 + 20*a*sgn(co
s(1/2*d*x + 1/2*c))*tan(1/4*c)^3 - 3*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)
^2 + 18*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c) - 15*a*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/4*c)^2 + 3*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c) - 6
*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c) + a*sgn(cos(1/2*d*x + 1/2*c))*log(
abs(-2*tan(1/4*d*x + c)*tan(1/2*c)^3 + 6*tan(1/4*d*x + c)*tan(1/2*c)^2 - 2*
tan(1/2*c)^3 - 2*sqrt(2)*(tan(1/2*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(
1/2*c) - 6*tan(1/2*c)^2 - 2*tan(1/4*d*x + c) + 6*tan(1/2*c) + 2)/abs(-2*tan
(1/4*d*x + c)*tan(1/2*c)^3 + 6*tan(1/4*d*x + c)*tan(1/2*c)^2 - 2*tan(1/2*c)
^3 + 2*sqrt(2)*(tan(1/2*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6
*tan(1/2*c)^2 - 2*tan(1/4*d*x + c) + 6*tan(1/2*c) + 2))/((tan(1/4*c)^6 + 3*
tan(1/4*c)^4 + 3*tan(1/4*c)^2 + 1)*(tan(1/2*c)^2 + 1)^(3/2)) + sqrt(2)*(a*s
gn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^6 + 6*a*sgn(cos(1/2*d*x +
1/2*c))*tan(1/2*c)^3*tan(1/4*c)^5 - 3*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c
)^2*tan(1/4*c)^6 - 15*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*tan(1/4*c)^4
+ 18*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^5 - 3*a*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^6 - 20*a*sgn(cos(1/2*d*x + 1/2*c))*t
an(1/2*c)^3*tan(1/4*c)^3 + 45*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(
1/4*c)^4 - 18*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^5 + a*sgn(c
os(1/2*d*x + 1/2*c))*tan(1/4*c)^6 + 15*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*
c)^3*tan(1/4*c)^2 - 60*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^
3 + 45*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^4 - 6*a*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/4*c)^5 + 6*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3*t
an(1/4*c) - 45*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c)^2 + 60*a
*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)*tan(1/4*c)^3 - 15*a*sgn(cos(1/2*d*x +
1/2*c))*tan(1/4*c)^4 - a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^3 + 18*a*sgn
(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2*tan(1/4*c) - 45*a*sgn(cos(1/2*d*x + 1/2
*c))*tan(1/2*c)*tan(1/4*c)^2 + 20*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^3
+ 3*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c)^2 - 18*a*sgn(cos(1/2*d*x + 1/2*c
))*tan(1/2*c)*tan(1/4*c) + 15*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^2 + 3*
a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/2*c) - 6*a*sgn(cos(1/2*d*x + 1/2*c))*tan(
1/4*c) - a*sgn(cos(1/2*d*x + 1/2*c))*log(abs(-2*tan(1/4*d*x + c)*tan(1/2*c)
)^3 - 6*tan(1/4*d*x + c)*tan(1/2*c)^2 + 2*tan(1/2*c)^3 - 2*sqrt(2)*(tan(1/2
*c)^2 + 1)^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6*tan(1/2*c)^2 + 2*tan(1
/4*d*x + c) - 6*tan(1/2*c) + 2)/abs(-2*tan(1/4*d*x + c)*tan(1/2*c)^3 - 6*ta
n(1/4*d*x + c)*tan(1/2*c)^2 + 2*tan(1/2*c)^3 + 2*sqrt(2)*(tan(1/2*c)^2 + 1)
^(3/2) + 6*tan(1/4*d*x + c)*tan(1/2*c) - 6*tan(1/2*c)^2 + 2*tan(1/4*d*x + c
) - 6*tan(1/2*c) + 2))/((tan(1/4*c)^6 + 3*tan(1/4*c)^4 + 3*tan(1/4*c)^2 + 1
)*(tan(1/2*c)^2 + 1)^(3/2)) - 8*(a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x +
c)*tan(1/4*c)^6 - 15*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x + c)*tan(1/4*c
)^4 + 6*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^5 + 15*a*sgn(cos(1/2*d*x + 1
/2*c))*tan(1/4*d*x + c)*tan(1/4*c)^2 - 20*a*sgn(cos(1/2*d*x + 1/2*c))*tan(1
/4*c)^3 - a*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x + c) + 6*a*sgn(cos(1/2*d*
x + 1/2*c))*tan(1/4*c))/((tan(1/4*c)^6 + 3*tan(1/4*c)^4 + 3*tan(1/4*c)^2 +
1)*(tan(1/4*d*x + c)^2 + 1))/d

```

**maple [B]** time = 0.45, size = 207, normalized size = 3.14

$$\frac{\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} + \ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} + 4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c),x)

[Out]  $a^{1/2} \cos(1/2 dx + 1/2 c) (a \sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \cdot 2^{1/2}) (a \sin(1/2 dx + 1/2 c)^2)^{1/2} a^{1/2} + \ln(4 / (2 \cos(1/2 dx + 1/2 c) + 2^{1/2})) (2^{1/2}) (a \sin(1/2 dx + 1/2 c)^2)^{1/2} a^{1/2} + a \cdot 2^{1/2} \cos(1/2 dx + 1/2 c) + 2a) * a + \ln(-4 / (-2 \cos(1/2 dx + 1/2 c) + 2^{1/2})) (2^{1/2}) (a \sin(1/2 dx + 1/2 c)^2)^{1/2} a^{1/2} - a \cdot 2^{1/2} \cos(1/2 dx + 1/2 c) + 2a) * a) / \sin(1/2 dx + 1/2 c) / (a \cos(1/2 dx + 1/2 c)^2)^{1/2} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x),x)

[Out] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a (\cos(c + dx) + 1))^{\frac{3}{2}} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c),x)

[Out] Integral((a\*(cos(c + d\*x) + 1))\*\*(3/2)\*sec(c + d\*x), x)

### 3.109 $\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

Optimal. Leaf size=65

$$\frac{3a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a^2 \tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $3a^{3/2} \operatorname{arctanh}(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) / d + a^2 \tan(dx+c) / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.12, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2762, 21, 2773, 206}

$$\frac{a^2 \tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{3a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2,x]

[Out]  $(3a^{3/2} \operatorname{ArcTanh}[\frac{\sqrt{a} \sin[c + d*x]}{\sqrt{a + a \cos[c + d*x]}}]) / d + (a^2 \tan[c + d*x]) / (d \sqrt{a + a \cos[c + d*x]})$

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])]/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2762

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (!IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps



$$\begin{aligned}
\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx &= \frac{a^2 \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - a \int \frac{\left(-\frac{3a}{2} - \frac{3}{2}a \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{a^2 \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(3a) \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\
&= \frac{a^2 \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(3a^2) \text{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\
&= \frac{3a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{a^2 \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 81, normalized size = 1.25

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) + 3\sqrt{2} \cos(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]\*(3\*Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x] + 2\*Sin[(c + d\*x)/2]))/(2\*d)

**fricas [B]** time = 1.04, size = 146, normalized size = 2.25

$$\frac{3(a \cos(dx + c)^2 + a \cos(dx + c))\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a\sqrt{a}(\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4}{4(d \cos(dx + c)^2 + d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/4\*(3\*(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*a\*sin(d\*x + c))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.44, size = 381, normalized size = 5.86

$$\frac{\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-6a \left(\ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right)\right) + \ln\left(\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{\dots}\right)}{\dots}$$

(2 cos

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+a*\cos(d*x+c))^{3/2}*\sec(d*x+c)^2,x)$

[Out]  $a^{1/2}*\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-6*a*(\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))+\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a)))*\sin(1/2*d*x+1/2*c)^2+3*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+3*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+2*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}))/2*\cos(1/2*d*x+1/2*c)-2^{1/2}))/2*\cos(1/2*d*x+1/2*c)+2^{1/2}))/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{1/2}/d$

**maxima** [B] time = 1.67, size = 1314, normalized size = 20.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+a*\cos(d*x+c))^{3/2}*\sec(d*x+c)^2,x, \text{algorithm}="maxima")$

[Out]  $-1/4*(2*\sqrt{2}*a*\cos(7/2*d*x + 7/2*c))*\sin(2*d*x + 2*c) + 6*\sqrt{2}*a*\cos(5/2*d*x + 5/2*c))*\sin(2*d*x + 2*c) + (2*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + (2*\sqrt{2})*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2})*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin(1/2*d*x + 1/2*c) + 2) - 2*(\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(7/2*d*x + 7/2*c) - 6*(\sqrt{2})*a*\cos(2*d*x + 2*c) + \sqrt{2})*a*\sin(5/2*d*x + 5/2*c) + 2*(3*\sqrt{2})*a*\cos(3/2*d*x + 3/2*c) + \sqrt{2})*a*\cos(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c))*\sqrt{a}/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + a \cos(c + d x))^{3/2}}{\cos(c + d x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^2, x)

[Out] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*2, x)

[Out] Timed out

### 3.110 $\int (a + a \cos(c + dx))^{3/2} \sec^3(c + dx) dx$

Optimal. Leaf size=106

$$\frac{7a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{7a^2 \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $7/4*a^{(3/2)*\arctanh(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/d+7/4*a^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)+1/2*a^2*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}}$

**Rubi [A]** time = 0.18, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2762, 21, 2772, 2773, 206}

$$\frac{7a^2 \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{7a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2 \tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^3, x]$

[Out]  $(7*a^{(3/2)*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(4*d) + (7*a^2*\text{Tan}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/(\text{Rt}[a, 2]])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

#### Rule 2762

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x] + \text{Dist}[(2*(2*n+3)*(b*c - a*d))/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -$

1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^3(c + dx) dx &= \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{1}{2}a \int \frac{\left(-\frac{7a}{2} - \frac{7}{2}a \cos(c + dx)\right) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{1}{4}(7a) \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\ &= \frac{7a^2 \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8}(7a) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{7a^2 \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(7a^2) \text{Subst}\left(\int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx\right)}{8d} \\ &= \frac{7a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{7a^2 \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 97, normalized size = 0.92

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(-3 \sin\left(\frac{1}{2}(c + dx)\right) + 7 \sin\left(\frac{3}{2}(c + dx)\right) + 7\sqrt{2} \cos^2(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^3,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^2\*(7\*Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^2 - 3\*Sin[(c + d\*x)/2] + 7\*Sin[(3\*(c + d\*x))/2]))/(8\*d)

**fricas [A]** time = 1.89, size = 162, normalized size = 1.53

$$\frac{7(a \cos(dx + c)^3 + a \cos(dx + c)^2) \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4\sqrt{a \cos(dx + c) + a} \sqrt{a} (\cos(dx + c) - 2) \sin(dx + c) + 8a}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{16(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/16\*(7\*(a\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(7\*a\*cos(d\*x + c) + 2\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.57, size = 545, normalized size = 5.14

$$\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( 28a \left( \ln \left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} + 8a}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) \right) + \ln \left( \frac{4 \left( \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x)

[Out]  $\frac{1}{2}a^{1/2}\cos(1/2dx+1/2c)(a\sin(1/2dx+1/2c)^2)^{1/2}(28a(\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))+\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))\sin(1/2dx+1/2c)^4+(-28\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a-28\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a-282^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2})\sin(1/2dx+1/2c)^2+7\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+7\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+182^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2})/(2\cos(1/2dx+1/2c)-2^{1/2})^2/(2\cos(1/2dx+1/2c)+2^{1/2})^2/\sin(1/2dx+1/2c)/(a\cos(1/2dx+1/2c)^2)^{1/2}/d$

**maxima [B]** time = 3.70, size = 3216, normalized size = 30.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out]  $\frac{1}{16}((7\sqrt{2})a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)+2\sqrt{2}\cos(1/2dx+1/2c)+2\sqrt{2}\sin(1/2dx+1/2c)+2)-7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)+2\sqrt{2}\cos(1/2dx+1/2c)-2\sqrt{2}\sin(1/2dx+1/2c)+2)+7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)-2\sqrt{2}\cos(1/2dx+1/2c)+2\sqrt{2}\sin(1/2dx+1/2c)+2)-7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)-2\sqrt{2}\cos(1/2dx+1/2c)-2\sqrt{2}\sin(1/2dx+1/2c)+2)+4a\sin(5/2dx+5/2c)-12a\sin(3/2dx+3/2c)-56a\sin(1/2dx+1/2c))\cos(4dx+4c)^2+4(7\sqrt{2})a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)+2\sqrt{2}\cos(1/2dx+1/2c)+2\sqrt{2}\sin(1/2dx+1/2c)+2)-7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)+2\sqrt{2}\cos(1/2dx+1/2c)-2\sqrt{2}\sin(1/2dx+1/2c)+2)+7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)-2\sqrt{2}\cos(1/2dx+1/2c)+2\sqrt{2}\sin(1/2dx+1/2c)+2)-7\sqrt{2}a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)-2\sqrt{2}\cos(1/2dx+1/2c)-2\sqrt{2}\sin(1/2dx+1/2c)+2)-12a\sin(3/2dx+3/2c)-56a\sin(1/2dx+1/2c))\cos(2dx+2c)^2+(7\sqrt{2})a\log(2\cos(1/2dx+1/2c)^2+2\sin(1/2dx+1/2c)^2)+2\sqrt{2}\cos(1/2dx+1/2c)+2\sqrt{2}\sin(1/2dx+1/2c)+2)$

$$\begin{aligned}
& \text{rt}(2) * \sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin \\
& (1/2*d*x + 1/2*c) + 2) + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x \\
& + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) \\
& + 2) + 4*a*\sin(5/2*d*x + 5/2*c) - 12*a*\sin(3/2*d*x + 3/2*c) - 56*a*\sin(1/2* \\
& d*x + 1/2*c))*\sin(4*d*x + 4*c)^2 - 160*a*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2 \\
& *c) - 168*a*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 72*a*\cos(3/2*d*x + 3/2* \\
& c)*\sin(2*d*x + 2*c) + 4*(7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x \\
& + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) \\
& + 2) + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7* \\
& \text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}( \\
& 2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 12*a*\sin(3/ \\
& 2*d*x + 3/2*c) - 56*a*\sin(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c)^2 + 7*\text{sqrt}(2)* \\
& a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1 \\
& /2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*c \\
& \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + \\
& 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d* \\
& x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + \\
& 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c) \\
& )^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2) \\
& *\sin(1/2*d*x + 1/2*c) + 2) + 4*(a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))* \\
& \cos(13/2*d*x + 13/2*c) - 12*(a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\cos \\
& (11/2*d*x + 11/2*c) - 48*(a*\sin(4*d*x + 4*c) + 2*a*\sin(2*d*x + 2*c))*\cos(9/ \\
& 2*d*x + 9/2*c) + 2*(7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\
& x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2 \\
& *c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& )^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) \\
& + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*s \\
& \text{qrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}( \\
& 2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*co \\
& s(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) + 2*(7*\text{sqrt}(2)*a*l \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2* \\
& d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos( \\
& 1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2 \\
& *c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*s \\
& \text{qrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*si \\
& n(1/2*d*x + 1/2*c) + 2) - 12*a*\sin(3/2*d*x + 3/2*c) - 56*a*\sin(1/2*d*x + 1/ \\
& 2*c))*\cos(2*d*x + 2*c) + 40*a*\sin(7/2*d*x + 7/2*c) + 2*(4*a*\cos(2*d*x + 2*c \\
& ) + 23*a)*\sin(5/2*d*x + 5/2*c) + 6*a*\sin(3/2*d*x + 3/2*c) - 56*a*\sin(1/2*d* \\
& x + 1/2*c))*\cos(4*d*x + 4*c) + 4*(7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\
& + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin \\
& (1/2*d*x + 1/2*c) + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x \\
& + 1/2*c) + 2) + 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) \\
& + 2) - 7*\text{sqrt}(2)*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& - 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c) - 2*\text{sqrt}(2)*\sin(1/2*d*x + 1/2*c) + 2) + 6* \\
& a*\sin(3/2*d*x + 3/2*c) - 56*a*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) - 4*(a \\
& *\cos(4*d*x + 4*c) + 2*a*\cos(2*d*x + 2*c) + a)*\sin(13/2*d*x + 13/2*c) + 12*( \\
& a*\cos(4*d*x + 4*c) + 2*a*\cos(2*d*x + 2*c) + a)*\sin(11/2*d*x + 11/2*c) + 48* \\
& (a*\cos(4*d*x + 4*c) + 2*a*\cos(2*d*x + 2*c) + a)*\sin(9/2*d*x + 9/2*c) + 4*(4 \\
& *a*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 20*a*\cos(7/2*d*x + 7/2*c) - 21*a
\end{aligned}$$

```
*cos(5/2*d*x + 5/2*c) - 9*a*cos(3/2*d*x + 3/2*c) + (7*sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 7*sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 7*sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 7*sqrt(2)*a*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 12*a*sin(3/2*d*x + 3/2*c) - 56*a*sin(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) + 80*(2*a*cos(2*d*x + 2*c) + a)*sin(7/2*d*x + 7/2*c) + 8*(2*a*cos(2*d*x + 2*c)^2 + 2*a*sin(2*d*x + 2*c)^2 + 23*a*cos(2*d*x + 2*c) + 11*a)*sin(5/2*d*x + 5/2*c) + 24*a*sin(3/2*d*x + 3/2*c) - 56*a*sin(1/2*d*x + 1/2*c))*sqrt(a)/((sqrt(2)*cos(4*d*x + 4*c)^2 + 4*sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(4*d*x + 4*c)^2 + 4*sqrt(2)*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sqrt(2)*sin(2*d*x + 2*c)^2 + 2*(2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*cos(4*d*x + 4*c) + 4*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*d)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^3, x)
```

```
[Out] int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^3, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*sec(d*x+c)**3, x)
```

```
[Out] Timed out
```



### 3.111 $\int (a + a \cos(c + dx))^{3/2} \sec^4(c + dx) dx$

**Optimal.** Leaf size=144

$$\frac{11a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{11a^2 \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{11a^2 \tan(c+dx) \sec(c+dx)}{12d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $11/8*a^{(3/2)}*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+11/8*a^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+11/12*a^2*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/3*a^2*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2762, 21, 2772, 2773, 206}

$$\frac{11a^2 \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} + \frac{11a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2 \tan(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{11a^2 \tan(c+dx) \sec(c+dx)}{12d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}*\operatorname{Sec}[c + d*x]^4, x]$

[Out]  $(11*a^{(3/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])]/(8*d) + (11*a^2*\operatorname{Tan}[c + d*x])/((8*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (11*a^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/((12*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (a^2*\operatorname{Sec}[c + d*x]^2*\operatorname{Tan}[c + d*x])/((3*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]))$

#### Rule 21

$\operatorname{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] := \operatorname{Dist}[(b/d)^m, \operatorname{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, n\}, x] \ \&\& \operatorname{EqQ}[b*c - a*d, 0] \ \&\& \operatorname{IntegerQ}[m] \ \&\& (!\operatorname{IntegerQ}[n] \ || \operatorname{SimplerQ}[c + d*x, a + b*x])$

#### Rule 206

$\operatorname{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x\_Symbol] := \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/(\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \operatorname{NegQ}[a/b] \ \&\& (\operatorname{GtQ}[a, 0] \ || \operatorname{LtQ}[b, 0])$

#### Rule 2762

$\operatorname{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\operatorname{Simp}[(b^2*(b*c - a*d)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m-2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] + \operatorname{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m-2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)}*\operatorname{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\operatorname{Sin}[e + f*x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \operatorname{EqQ}[a^2 - b^2, 0] \ \&\& \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \operatorname{GtQ}[m, 1] \ \&\& \operatorname{LtQ}[n, -1] \ \&\& (\operatorname{IntegersQ}[2*m, 2*n] \ || \operatorname{IntegerQ}[m + 1/2] \ || (\operatorname{IntegerQ}[m] \ \&\& \operatorname{EqQ}[c, 0]))$

#### Rule 2772

$\operatorname{Int}[\operatorname{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] := \operatorname{Simp}[(b*c - a*d)*\operatorname{Cos}[e + f*x]*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]], x] + \operatorname{Dist}[(2*n+3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \operatorname{Int}[\operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]]*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x]$

`&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

Rule 2773

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^4(c + dx) dx &= \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{1}{3} a \int \frac{\left(-\frac{11a}{2} - \frac{11}{2} a \cos(c + dx)\right) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{6} (11a) \int \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) dx \\ &= \frac{11a^2 \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8} (11a) \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\ &= \frac{11a^2 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{11a^2 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{11a^{3/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{8d} + \frac{11a^2 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \sec(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.35, size = 110, normalized size = 0.76

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(54 \sin\left(\frac{1}{2}(c + dx)\right) + 11 \left(\sin\left(\frac{3}{2}(c + dx)\right) + 3 \sin\left(\frac{5}{2}(c + dx)\right)\right)\right)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^4,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^3\*(66\*Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^3 + 54\*Sin[(c + d\*x)/2] + 11\*(Sin[(3\*(c + d\*x))/2] + 3\*Sin[(5\*(c + d\*x))/2]))) / (96\*d)

**fricas [A]** time = 0.88, size = 173, normalized size = 1.20

$$\frac{33 \left( a \cos(dx + c)^4 + a \cos(dx + c)^3 \right) \sqrt{a} \log\left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 4}{96 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/96\*(33\*(a\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(33\*a\*cos(d\*x + c)^2 + 22\*a\*cos(d\*x + c) + 8\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.58, size = 710, normalized size = 4.93

$$\sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -264a \left( \ln\left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) \right) + \ln\left( -\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^4,x)

[Out]  $\frac{1}{6}a^{1/2}\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-264*a*(\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+(2^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a)))*\sin(1/2*d*x+1/2*c)^6+132*(2*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+3*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+3*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a)*\sin(1/2*d*x+1/2*c)^4-22*(16*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+9*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+9*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a)*\sin(1/2*d*x+1/2*c)^2+33*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}-a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+33*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{1/2}))*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2}+a*2^{1/2}*\cos(1/2*d*x+1/2*c)+2*a))*a+126*2^{1/2}*(a*\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^{1/2})/(2*\cos(1/2*d*x+1/2*c)-2^{1/2})^3/(2*\cos(1/2*d*x+1/2*c)+2^{1/2})^3/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{1/2}/d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^4,x)

[Out] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

### 3.112 $\int \cos^3(c + dx)(a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=203

$$\frac{46a^3 \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{710a^3 \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{284a^3 \sin(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2 \sin(c + dx) \cos^4(c + dx)}{11d}$$

[Out]  $284/231*a*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+284/99*a^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+710/693*a^3*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+46/99*a^3*\cos(d*x+c)^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)-568/693*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d+2/11*a^2*\cos(d*x+c)^4*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.36, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2763, 2981, 2770, 2759, 2751, 2646}

$$\frac{2a^2 \sin(c + dx) \cos^4(c + dx) \sqrt{a \cos(c + dx) + a}}{11d} + \frac{46a^3 \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{710a^3 \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(284*a^3*\sin[c + d*x])/(99*d*\sqrt{a + a*\cos[c + d*x]}) + (710*a^3*\cos[c + d*x]^3*\sin[c + d*x])/(693*d*\sqrt{a + a*\cos[c + d*x]}) + (46*a^3*\cos[c + d*x]^4*\sin[c + d*x])/(99*d*\sqrt{a + a*\cos[c + d*x]}) - (568*a^2*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(693*d) + (2*a^2*\cos[c + d*x]^4*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(11*d) + (284*a*(a + a*\cos[c + d*x])^(3/2)*\sin[c + d*x])/(231*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))], x], x] /; FreeQ[{a, b, c, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

```
) * Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))
```

Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int \cos^3(c + dx)(a + a \cos(c + dx))^{5/2} dx = \frac{2a^2 \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d} + \frac{2}{11} \int \cos^3(c + dx)\sqrt{a + a \cos(c + dx)} dx$$

$$= \frac{46a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d}$$

$$= \frac{710a^3 \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d}$$

$$= \frac{710a^3 \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d}$$

$$= \frac{710a^3 \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} - \frac{568a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{284a^3 \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{710a^3 \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.50, size = 107, normalized size = 0.53

$$\frac{a^2 \left( 31878 \sin\left(\frac{1}{2}(c + dx)\right) + 8778 \sin\left(\frac{3}{2}(c + dx)\right) + 3465 \sin\left(\frac{5}{2}(c + dx)\right) + 1287 \sin\left(\frac{7}{2}(c + dx)\right) + 385 \sin\left(\frac{9}{2}(c + dx)\right) \right)}{11088d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(31878*Sin[(c + d*x)/2] + 8778*Sin[(3*(c + d*x))/2] + 3465*Sin[(5*(c + d*x))/2] + 1287*Sin[(7*(c + d*x))/2] + 385*Sin[(9*(c + d*x))/2] + 63*Sin[(11*(c + d*x))/2]))/(11088*d)
```

**fricas [A]** time = 0.98, size = 101, normalized size = 0.50

$$\frac{2 \left( 63 a^2 \cos(dx + c)^5 + 224 a^2 \cos(dx + c)^4 + 355 a^2 \cos(dx + c)^3 + 426 a^2 \cos(dx + c)^2 + 568 a^2 \cos(dx + c) + 284 a^3 \sin(dx + c) \right)}{693 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out]  $\frac{2}{693}*(63*a^2*\cos(d*x + c)^5 + 224*a^2*\cos(d*x + c)^4 + 355*a^2*\cos(d*x + c)^3 + 426*a^2*\cos(d*x + c)^2 + 568*a^2*\cos(d*x + c) + 1136*a^2)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/(d*\cos(d*x + c) + d)$

**giac** [A] time = 2.03, size = 171, normalized size = 0.84

$$\frac{1}{11088} \sqrt{2} \left( \frac{63 a^2 \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{11}{2} dx + \frac{11}{2} c \right)}{d} + \frac{385 a^2 \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{9}{2} dx + \frac{9}{2} c \right)}{d} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out]  $\frac{1}{11088}*\sqrt{2}*(63*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(11/2*d*x + 11/2*c)/d + 385*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(9/2*d*x + 9/2*c)/d + 1287*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(7/2*d*x + 7/2*c)/d + 3465*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c)/d + 8778*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(3/2*d*x + 3/2*c)/d + 31878*a^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c))*\sin(1/2*d*x + 1/2*c)/d)*\sqrt{a}$

**maple** [A] time = 0.18, size = 112, normalized size = 0.55

$$\frac{8 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) a^3 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \left( 504 \left( \cos^{10} \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 364 \left( \cos^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 178 \left( \cos^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 75 \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{693 \sqrt{a} \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(5/2),x)

[Out]  $\frac{8}{693}*\cos(1/2*d*x+1/2*c)*a^3*\sin(1/2*d*x+1/2*c)*(504*\cos(1/2*d*x+1/2*c)^{10}-364*\cos(1/2*d*x+1/2*c)^8+178*\cos(1/2*d*x+1/2*c)^6+75*\cos(1/2*d*x+1/2*c)^4+100*\cos(1/2*d*x+1/2*c)^2+200)*2^{(1/2)}/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima** [A] time = 1.22, size = 111, normalized size = 0.55

$$\frac{\left( 63 \sqrt{2} a^2 \sin \left( \frac{11}{2} dx + \frac{11}{2} c \right) + 385 \sqrt{2} a^2 \sin \left( \frac{9}{2} dx + \frac{9}{2} c \right) + 1287 \sqrt{2} a^2 \sin \left( \frac{7}{2} dx + \frac{7}{2} c \right) + 3465 \sqrt{2} a^2 \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right) + 8778 \sqrt{2} a^2 \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 31878 \sqrt{2} a^2 \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sqrt{a}}{11088 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out]  $\frac{1}{11088}*(63*\sqrt{2}*a^2*\sin(11/2*d*x + 11/2*c) + 385*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) + 1287*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 3465*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 8778*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 31878*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sqrt{a}/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(a + a\*cos(c + d\*x))^(5/2),x)

```
[Out] int(cos(c + d*x)^3*(a + a*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```



### 3.113 $\int \cos^2(c + dx)(a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=146

$$\frac{832a^3 \sin(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{208a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{315d} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{7/2}}{9ad} - \frac{4 \sin(c + dx)}{9ad}$$

[Out] 26/105\*a\*(a+a\*cos(d\*x+c))^(3/2)\*sin(d\*x+c)/d-4/63\*(a+a\*cos(d\*x+c))^(5/2)\*sin(d\*x+c)/d+2/9\*(a+a\*cos(d\*x+c))^(7/2)\*sin(d\*x+c)/a/d+832/315\*a^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+208/315\*a^2\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.16, antiderivative size = 146, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2759, 2751, 2647, 2646}

$$\frac{208a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{315d} + \frac{832a^3 \sin(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{2 \sin(c + dx)(a \cos(c + dx) + a)^{7/2}}{9ad} - \frac{4 \sin(c + dx)}{9ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (832\*a^3\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (208\*a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*d) + (26\*a\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(105\*d) - (4\*(a + a\*Cos[c + d\*x])^(5/2)\*Sin[c + d\*x])/(63\*d) + (2\*(a + a\*Cos[c + d\*x])^(7/2)\*Sin[c + d\*x])/(9\*a\*d)

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m]/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+a\cos(c+dx))^{5/2} dx &= \frac{2(a+a\cos(c+dx))^{7/2} \sin(c+dx)}{9ad} + \frac{2 \int \left(\frac{7a}{2} - a\cos(c+dx)\right)(a+a\cos(c+dx))^{5/2} dx}{9a} \\
&= -\frac{4(a+a\cos(c+dx))^{5/2} \sin(c+dx)}{63d} + \frac{2(a+a\cos(c+dx))^{7/2} \sin(c+dx)}{9ad} \\
&= \frac{26a(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{105d} - \frac{4(a+a\cos(c+dx))^{5/2} \sin(c+dx)}{63d} \\
&= \frac{208a^2 \sqrt{a+a\cos(c+dx)} \sin(c+dx)}{315d} + \frac{26a(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{105d} \\
&= \frac{832a^3 \sin(c+dx)}{315d \sqrt{a+a\cos(c+dx)}} + \frac{208a^2 \sqrt{a+a\cos(c+dx)} \sin(c+dx)}{315d} + \frac{26a(a+a\cos(c+dx))^{3/2} \sin(c+dx)}{105d}
\end{aligned}$$

**Mathematica [A]** time = 0.29, size = 95, normalized size = 0.65

$$\frac{a^2 \left( 8190 \sin\left(\frac{1}{2}(c+dx)\right) + 2100 \sin\left(\frac{3}{2}(c+dx)\right) + 756 \sin\left(\frac{5}{2}(c+dx)\right) + 225 \sin\left(\frac{7}{2}(c+dx)\right) + 35 \sin\left(\frac{9}{2}(c+dx)\right) \right)}{2520d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(8190\*Sin[(c + d\*x)/2] + 2100\*Sin[(3\*(c + d\*x))/2] + 756\*Sin[(5\*(c + d\*x))/2] + 225\*Sin[(7\*(c + d\*x))/2] + 35\*Sin[(9\*(c + d\*x))/2]))/(2520\*d)

**fricas [A]** time = 0.73, size = 88, normalized size = 0.60

$$\frac{2 \left( 35 a^2 \cos(dx+c)^4 + 130 a^2 \cos(dx+c)^3 + 219 a^2 \cos(dx+c)^2 + 292 a^2 \cos(dx+c) + 584 a^2 \right) \sqrt{a \cos(dx+c)}}{315 (d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 2/315\*(35\*a^2\*cos(d\*x + c)^4 + 130\*a^2\*cos(d\*x + c)^3 + 219\*a^2\*cos(d\*x + c)^2 + 292\*a^2\*cos(d\*x + c) + 584\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [A]** time = 1.33, size = 144, normalized size = 0.99

$$\frac{1}{2520} \sqrt{2} \left( \frac{35 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{9}{2} dx + \frac{9}{2} c\right)}{d} + \frac{225 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right)}{d} + \frac{756 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{2100 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{8190 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] 1/2520\*sqrt(2)\*(35\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(9/2\*d\*x + 9/2\*c)/d + 225\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 756\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 2100\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 8190\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple [A]** time = 0.18, size = 99, normalized size = 0.68

$$\frac{8 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^3 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( 140 \left( \cos^8\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 20 \left( \cos^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 39 \left( \cos^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 52 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 1 \right)}{315 \sqrt{a \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2),x)`

[Out]  $8/315*\cos(1/2*d*x+1/2*c)*a^3*\sin(1/2*d*x+1/2*c)*(140*\cos(1/2*d*x+1/2*c)^8-20*\cos(1/2*d*x+1/2*c)^6+39*\cos(1/2*d*x+1/2*c)^4+52*\cos(1/2*d*x+1/2*c)^2+104)*2^{1/2}/(a*\cos(1/2*d*x+1/2*c)^2)^{1/2}/d$

**maxima** [A] time = 1.18, size = 94, normalized size = 0.64

$$\frac{\left(35\sqrt{2}a^2\sin\left(\frac{9}{2}dx + \frac{9}{2}c\right) + 225\sqrt{2}a^2\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 756\sqrt{2}a^2\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 2100\sqrt{2}a^2\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 8190\sqrt{2}a^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sqrt{a}}{2520d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out]  $1/2520*(35*\sqrt{2}*a^2*\sin(9/2*d*x + 9/2*c) + 225*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 756*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) + 2100*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 8190*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c))*\sqrt{a}/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(5/2),x)`

[Out] `int(cos(c + d*x)^2*(a + a*cos(c + d*x))^(5/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(5/2),x)`

[Out] Timed out

### 3.114 $\int \cos(c + dx)(a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=116

$$\frac{64a^3 \sin(c + dx)}{21d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{21d} + \frac{2a \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{7d} + \frac{2 \sin(c + dx)}{7d}$$

[Out]  $2/7*a*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/7*(a+a*\cos(d*x+c))^(5/2)*\sin(d*x+c)/d+64/21*a^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+16/21*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.09, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2751, 2647, 2646}

$$\frac{64a^3 \sin(c + dx)}{21d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{21d} + \frac{2a \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{7d} + \frac{2 \sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(64*a^3*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*a*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(7*d) + (2*(a + a*\text{Cos}[c + d*x])^(5/2)*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{5/2} dx &= \frac{2(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{5}{7} \int (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d} + \frac{2(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\ &= \frac{16a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d} \\ &= \frac{64a^3 \sin(c + dx)}{21d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 84, normalized size = 0.72

$$\frac{a^2 \left( 315 \sin\left(\frac{1}{2}(c + dx)\right) + 77 \sin\left(\frac{3}{2}(c + dx)\right) + 3 \left( 7 \sin\left(\frac{5}{2}(c + dx)\right) + \sin\left(\frac{7}{2}(c + dx)\right) \right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{84d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (a^2\*sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(315\*Sin[(c + d\*x)/2] + 77\*Sin[(3\*(c + d\*x))/2] + 3\*(7\*Sin[(5\*(c + d\*x))/2] + Sin[(7\*(c + d\*x))/2]))) / (84\*d)

**fricas [A]** time = 0.60, size = 75, normalized size = 0.65

$$\frac{2 \left( 3 a^2 \cos(dx + c)^3 + 12 a^2 \cos(dx + c)^2 + 23 a^2 \cos(dx + c) + 46 a^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{21 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 2/21\*(3\*a^2\*cos(d\*x + c)^3 + 12\*a^2\*cos(d\*x + c)^2 + 23\*a^2\*cos(d\*x + c) + 46\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [A]** time = 0.64, size = 117, normalized size = 1.01

$$\frac{1}{84} \sqrt{2} \left( \frac{3 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right)}{d} + \frac{21 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right)}{d} + \frac{77 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right)}{d} + \frac{315 a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] 1/84\*sqrt(2)\*(3\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 21\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 77\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 315\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple [A]** time = 0.14, size = 86, normalized size = 0.74

$$\frac{8 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^3 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( 6 \left( \cos^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 3 \left( \cos^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 4 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 8 \right) \sqrt{2}}{21 \sqrt{a} \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2), x)

[Out] 8/21\*cos(1/2\*d\*x+1/2\*c)\*a^3\*sin(1/2\*d\*x+1/2\*c)\*(6\*cos(1/2\*d\*x+1/2\*c)^6+3\*cos(1/2\*d\*x+1/2\*c)^4+4\*cos(1/2\*d\*x+1/2\*c)^2+8)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima [A]** time = 0.97, size = 77, normalized size = 0.66

$$\frac{\left( 3 \sqrt{2} a^2 \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 21 \sqrt{2} a^2 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 77 \sqrt{2} a^2 \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 315 \sqrt{2} a^2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) \sqrt{a}}{84 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] 1/84\*(3\*sqrt(2)\*a^2\*sin(7/2\*d\*x + 7/2\*c) + 21\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 77\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 315\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*sqrt(a)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

### 3.115 $\int (a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=89

$$\frac{64a^3 \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

[Out]  $2/5*a*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+64/15*a^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+16/15*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.05, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2647, 2646}

$$\frac{64a^3 \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(64*a^3*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (16*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*a*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2646

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2647

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} dx &= \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5}(8a) \int (a + a \cos(c + dx))^{3/2} dx \\ &= \frac{16a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{15} \\ &= \frac{64a^3 \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2a(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 71, normalized size = 0.80

$$\frac{a^2 \left( 150 \sin\left(\frac{1}{2}(c + dx)\right) + 25 \sin\left(\frac{3}{2}(c + dx)\right) + 3 \sin\left(\frac{5}{2}(c + dx)\right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(a^2 \sqrt{a(1 + \cos[c + dx])} \operatorname{Sec}[(c + dx)/2] (150 \sin[(c + dx)/2] + 25 \sin[(3(c + dx))/2] + 3 \sin[(5(c + dx))/2])) / (30d)$

**fricas** [A] time = 0.92, size = 62, normalized size = 0.70

$$\frac{2(3a^2 \cos(dx + c)^2 + 14a^2 \cos(dx + c) + 43a^2) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{15(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out]  $2/15*(3a^2 \cos(dx + c)^2 + 14a^2 \cos(dx + c) + 43a^2) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / (d \cos(dx + c) + d)$

**giac** [A] time = 0.72, size = 90, normalized size = 1.01

$$\frac{1}{30} \sqrt{2} \left( \frac{3a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right)}{d} + \frac{25a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right)}{d} + \frac{150a^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2),x, algorithm="giac")`

[Out]  $1/30 \sqrt{2} (3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \sin(5/2dx + 5/2c) / d + 25a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \sin(3/2dx + 3/2c) / d + 150a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \sin(1/2dx + 1/2c) / d) \sqrt{a}$

**maple** [A] time = 0.00, size = 73, normalized size = 0.82

$$\frac{8a^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(3 \left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 8\right) \sqrt{2}}{15 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2),x)`

[Out]  $8/15 a^3 \cos(1/2dx + 1/2c) \sin(1/2dx + 1/2c) (3 \cos(1/2dx + 1/2c)^4 + 4 \cos(1/2dx + 1/2c)^2 + 8) \sqrt{2} / (a \cos(1/2dx + 1/2c)^2)^{(1/2)} / d$

**maxima** [A] time = 0.99, size = 60, normalized size = 0.67

$$\frac{\left(3 \sqrt{2} a^2 \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25 \sqrt{2} a^2 \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150 \sqrt{2} a^2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out]  $1/30 (3 \sqrt{2} a^2 \sin(5/2dx + 5/2c) + 25 \sqrt{2} a^2 \sin(3/2dx + 3/2c) + 150 \sqrt{2} a^2 \sin(1/2dx + 1/2c)) \sqrt{a} / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int((a + a*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

### 3.116 $\int (a + a \cos(c + dx))^{5/2} \sec(c + dx) dx$

**Optimal.** Leaf size=98

$$\frac{2a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{14a^3 \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d}$$

[Out]  $2a^{5/2} \operatorname{arctanh}(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) / d + 14/3 a^3 \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2} + 2/3 a^2 \sin(dx+c) (a+a \cos(dx+c))^{1/2} / d$

**Rubi [A]** time = 0.20, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2763, 2981, 2773, 206}

$$\frac{14a^3 \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d} + \frac{2a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a \cos[c + dx])^{5/2} \sec[c + dx], x]$

[Out]  $(2a^{5/2} \operatorname{ArcTanh}[\frac{\sqrt{a} \sin[c + dx]}{\sqrt{a + a \cos[c + dx]}}]) / d + (14a^3 \sin[c + dx]) / (3d \sqrt{a + a \cos[c + dx]}) + (2a^2 \sqrt{a + a \cos[c + dx]} \sin[c + dx]) / (3d)$

#### Rule 206

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \operatorname{ArcTanh}[\frac{Rt[-b, 2] \cdot x}{Rt[a, 2]}]) / (Rt[a, 2] \cdot Rt[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2763

$\text{Int}[(a + (b \cdot \sin(e + f \cdot x)) \cdot (c + d \cdot \sin(e + f \cdot x)))^m \cdot ((c + d \cdot \sin(e + f \cdot x)) + (f \cdot x))^{n-1}, x\_Symbol] \rightarrow -\text{Simp}[(b^2 \cos[e + f \cdot x] \cdot (a + b \sin[e + f \cdot x]))^{m-2} \cdot (c + d \sin[e + f \cdot x])^{n+1} / (d \cdot f \cdot (m+n)), x] + \text{Dist}[1 / (d \cdot (m+n)), \text{Int}[(a + b \sin[e + f \cdot x])^{m-2} \cdot (c + d \sin[e + f \cdot x])^n \cdot \text{Simp}[a \cdot b \cdot c \cdot (m-2) + b^2 \cdot d \cdot (n+1) + a^2 \cdot d \cdot (m+n) - b \cdot (b \cdot c \cdot (m-1) - a \cdot d \cdot (3 \cdot m + 2 \cdot n - 2)) \cdot \sin[e + f \cdot x], x], x] /;$  FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2 \cdot m, 2 \cdot n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

$\text{Int}[\sqrt{(a + (b \cdot \sin(e + f \cdot x)) \cdot (c + d \cdot \sin(e + f \cdot x)))}, x\_Symbol] \rightarrow \text{Dist}[(-2 \cdot b) / f, \text{Subst}[\text{Int}[1 / (b \cdot c + a \cdot d - d \cdot x^2), x], x, (b \cdot \cos[e + f \cdot x]) / \sqrt{a + b \sin[e + f \cdot x]}], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2981

$\text{Int}[\sqrt{(a + (b \cdot \sin(e + f \cdot x)) \cdot (c + d \cdot \sin(e + f \cdot x)))} \cdot ((A + B \cdot \sin(e + f \cdot x)) + (f \cdot x))^{n-1}, x\_Symbol] \rightarrow \text{Simp}[( -2 \cdot b \cdot B \cdot \cos[e + f \cdot x] \cdot (c + d \sin[e + f \cdot x])^{n+1} / (d \cdot f \cdot (2 \cdot n + 3) \cdot \sqrt{a + b \sin[e + f \cdot x]}), x] + \text{Dist}[(A \cdot b \cdot d \cdot (2 \cdot n + 3) - B \cdot (b \cdot c - 2 \cdot a \cdot d \cdot (n + 1))) / (b \cdot d \cdot (2 \cdot n + 3)), \text{Int}[\sqrt{a + b \sin[e + f \cdot x]} \cdot (c + d \sin[e + f \cdot x])^n, x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b \cdot c - a \cdot d, 0] && EqQ[a^2 -

$b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ !\text{LtQ}[n, -1]$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec(c + dx) dx &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{a + a \cos(c + dx)} \left( \frac{3a^2}{2} \right. \\ &= \frac{14a^3 \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + a^2 \int \\ &= \frac{14a^3 \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} - \frac{(2a^3)}{2} \\ &= \frac{2a^{5/2} \tanh^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{14a^3 \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.51, size = 89, normalized size = 0.91

$$\frac{2a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{1 - \cos(c + dx)} (\cos(c + dx) + 8) + 3 \tanh^{-1} \left( \sqrt{1 - \cos(c + dx)} \right) \right)}{3d \sqrt{1 - \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x], x]

[Out] (2\*a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(3\*ArcTanh[Sqrt[1 - Cos[c + d\*x]]]) + Sqrt[1 - Cos[c + d\*x]]\*(8 + Cos[c + d\*x]))\*Tan[(c + d\*x)/2])/(3\*d\*Sqrt[1 - Cos[c + d\*x]])

**fricas [A]** time = 1.22, size = 147, normalized size = 1.50

$$\frac{3 \left( a^2 \cos(dx + c) + a^2 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4 \sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 4 \left( a^2 \cos(dx + c) + a^2 \right) \sqrt{a}}{6(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c), x, algorithm="fricas")

[Out] 1/6\*(3\*(a^2\*cos(d\*x + c) + a^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(a^2\*cos(d\*x + c) + 8\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [B]** time = 56.70, size = 5671, normalized size = 57.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c), x, algorithm="giac")

[Out] 1/6\*sqrt(2)\*sqrt(a)\*(3\*sqrt(2)\*(a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^6 - 6\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^5 + 3\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^6 - 15\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^4 + 18\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^2\*tan(1/4\*c)^5 - 3\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)\*tan(1/4\*c)^6 + 20\*a^2\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/2\*c)^3\*tan(1/4\*c)^3 -

$$\begin{aligned}
& 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^4 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^5 - a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^6 + 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^2 \\
& - 60a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^3 + 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^4 - 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^5 - 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c) \\
& + 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^2 - 60a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^3 + 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^4 - a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c) \\
& - 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^2 + 20a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^3 - 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c) - 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^2 \\
& + 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) - 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c) + a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \log(\operatorname{abs}(-2 \tan(1/4dx + c)) \tan(1/2c)^3 + 6 \tan(1/4dx + c) \tan(1/2c)^2 - 2 \tan(1/2c)^3 - 2 \sqrt{2} (\tan(1/2c)^2 + 1)^{3/2} + 6 \tan(1/4dx + c) \tan(1/2c) - 6 \tan(1/2c)^2 - 2 \tan(1/4dx + c) + 6 \tan(1/2c) + 2) / \operatorname{abs}(-2 \tan(1/4dx + c) \tan(1/2c)^3 + 6 \tan(1/4dx + c) \tan(1/2c)^2 - 2 \tan(1/2c)^3 + 2 \sqrt{2} (\tan(1/2c)^2 + 1)^{3/2} + 6 \tan(1/4dx + c) \tan(1/2c) - 6 \tan(1/2c)^2 - 2 \tan(1/4dx + c) + 6 \tan(1/2c) + 2) / ((\tan(1/4c)^6 + 3 \tan(1/4c)^4 + 3 \tan(1/4c)^2 + 1) (\tan(1/2c)^2 + 1)^{3/2}) + 3 \sqrt{2} (a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^6 + 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^5 - 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^6 - 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^4 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^5 - 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^6 - 20a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^3 + 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^4 - 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^5 + a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^6 + 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c)^2 - 60a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^3 + 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^4 - 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^5 + 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 \tan(1/4c) - 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c)^2 + 60a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^3 - 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^4 - a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^3 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 \tan(1/4c) - 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c)^2 + 20a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^3 + 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c)^2 - 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) \tan(1/4c) + 15a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c)^2 + 3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/2c) - 6a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4c) - a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \log(\operatorname{abs}(-2 \tan(1/4dx + c)) \tan(1/2c)^3 - 6 \tan(1/4dx + c) \tan(1/2c)^2 + 2 \tan(1/2c)^3 - 2 \sqrt{2} (\tan(1/2c)^2 + 1)^{3/2} + 6 \tan(1/4dx + c) \tan(1/2c) - 6 \tan(1/2c)^2 + 2 \tan(1/4dx + c) - 6 \tan(1/2c) + 2) / \operatorname{abs}(-2 \tan(1/4dx + c) \tan(1/2c)^3 - 6 \tan(1/4dx + c) \tan(1/2c)^2 + 2 \tan(1/2c)^3 + 2 \sqrt{2} (\tan(1/2c)^2 + 1)^{3/2} + 6 \tan(1/4dx + c) \tan(1/2c) - 6 \tan(1/2c)^2 + 2 \tan(1/4dx + c) - 6 \tan(1/2c) + 2) / ((\tan(1/4c)^6 + 3 \tan(1/4c)^4 + 3 \tan(1/4c)^2 + 1) (\tan(1/2c)^2 + 1)^{3/2}) - 8(3a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^5 \tan(1/2c)^6 \tan(1/4c)^6 - 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^5 \tan(1/2c)^6 \tan(1/4c)^4 + 18a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^4 \tan(1/2c)^6 \tan(1/4c)^5 + 63a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^5 \tan(1/2c)^4 \tan(1/4c)^6 - 36a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^4 \tan(1/2c)^5 \tan(1/4c)^6 + 14a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^3 \tan(1/2c)^6 \tan(1/4c)^6 + 45a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^5 \tan(1/2c)^6 \tan(1/4c)^2 - 60a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^4 \tan(1/2c)^6 \tan(1/4c)^3 - 945a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c)) \tan(1/4dx + c)^5 \tan(1/2c)^4 \tan(1/4c)^4 + 540a^2 \operatorname{sgn}(\cos(1/2dx + 1/2c))
\end{aligned}$$

$$\begin{aligned}
&)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^5 \tan(1/4*c)^4 - 210*a^2 \operatorname{sgn}(\cos(1/2*d*x + \\
&1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^6 \tan(1/4*c)^4 + 378*a^2 \operatorname{sgn}(\cos(1/2 \\
&*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^4 \tan(1/4*c)^5 - 288*a^2 \operatorname{sgn}(\cos(1/2 \\
&*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^5 \tan(1/4*c)^5 + 108*a^2 \\
&* \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^2 \tan(1/2*c)^6 \tan(1/4*c)^5 - 2 \\
&7*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/2*c)^2 \tan(1/4*c)^6 \\
&+ 120*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^3 \tan(1/ \\
&4*c)^6 + 6*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^4 \tan \\
&(1/4*c)^6 + 3*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^6 \\
&* \tan(1/4*c)^6 - 3*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/2* \\
&c)^6 + 18*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^6 \tan \\
&(1/4*c) + 945*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/2*c)^4 \\
&* \tan(1/4*c)^2 - 540*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/ \\
&2*c)^5 \tan(1/4*c)^2 + 210*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan \\
&(1/2*c)^6 \tan(1/4*c)^2 - 1260*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x \\
&+ c)^4 \tan(1/2*c)^4 \tan(1/4*c)^3 + 960*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/ \\
&4*d*x + c)^3 \tan(1/2*c)^5 \tan(1/4*c)^3 - 360*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan \\
&(1/4*d*x + c)^2 \tan(1/2*c)^6 \tan(1/4*c)^3 + 405*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/ \\
&2*c)) \tan(1/4*d*x + c)^5 \tan(1/2*c)^2 \tan(1/4*c)^4 - 1800*a^2 \operatorname{sgn}(\cos(1/2*d \\
&*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^3 \tan(1/4*c)^4 - 90*a^2 \operatorname{sgn}(\cos( \\
&1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^4 \tan(1/4*c)^4 - 45*a^2 \operatorname{sgn} \\
&(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^6 \tan(1/4*c)^4 - 162*a^2 \\
&* \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^2 \tan(1/4*c)^5 + 9 \\
&60*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^3 \tan(1/4*c) \\
&^5 - 324*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^2 \tan(1/2*c)^4 \tan( \\
&1/4*c)^5 + 42*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/2*c)^6 \tan(1/4*c)^5 + 9*a \\
&^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/4*c)^6 - 36*a^2 \operatorname{sgn}(\cos \\
&(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c) \tan(1/4*c)^6 + 66*a^2 \operatorname{sgn} \\
&(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^2 \tan(1/4*c)^6 + 63*a \\
&^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^4 \tan(1/4*c)^6 - 1 \\
&2*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/2*c)^5 \tan(1/4*c)^6 - 63*a^2 \operatorname{sgn}(\cos( \\
&1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/2*c)^4 + 36*a^2 \operatorname{sgn}(\cos(1/2*d*x \\
&+ 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^5 - 14*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \\
&) \tan(1/4*d*x + c)^3 \tan(1/2*c)^6 + 378*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/ \\
&4*d*x + c)^4 \tan(1/2*c)^4 \tan(1/4*c) - 288*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan \\
&(1/4*d*x + c)^3 \tan(1/2*c)^5 \tan(1/4*c) + 108*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c \\
&)) \tan(1/4*d*x + c)^2 \tan(1/2*c)^6 \tan(1/4*c) - 405*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1 \\
&/2*c)) \tan(1/4*d*x + c)^5 \tan(1/2*c)^2 \tan(1/4*c)^2 + 1800*a^2 \operatorname{sgn}(\cos(1/2* \\
&d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^3 \tan(1/4*c)^2 + 90*a^2 \operatorname{sgn}(\cos \\
&(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^4 \tan(1/4*c)^2 + 45*a^2 \operatorname{sgn} \\
&(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^6 \tan(1/4*c)^2 + 540*a^2 \\
&* \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c)^2 \tan(1/4*c)^3 - \\
&3200*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^3 \tan(1/4* \\
&c)^3 + 1080*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^2 \tan(1/2*c)^4 \tan \\
&(1/4*c)^3 - 140*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/2*c)^6 \tan(1/4*c)^3 - \\
&135*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^5 \tan(1/4*c)^4 + 540*a^2 \\
&* \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/2*c) \tan(1/4*c)^4 - 99 \\
&0*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c)^2 \tan(1/4*c)^4 \\
&- 945*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^4 \tan(1/4 \\
&*c)^4 + 180*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/2*c)^5 \tan(1/4*c)^4 + 54*a^2 \\
&* \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^4 \tan(1/4*c)^5 - 288*a^2 \operatorname{sgn}(\cos \\
&(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/2*c) \tan(1/4*c)^5 + 756*a^2 \operatorname{sgn} \\
&(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^2 \tan(1/2*c)^2 \tan(1/4*c)^5 + 18* \\
&a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/2*c)^4 \tan(1/4*c)^5 + 10*a^2 \operatorname{sgn}(\cos(1/ \\
&2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3 \tan(1/4*c)^6 - 27*a^2 \operatorname{sgn}(\cos(1/2*d*x + \\
&1/2*c)) \tan(1/4*d*x + c) \tan(1/2*c)^2 \tan(1/4*c)^6 + 40*a^2 \operatorname{sgn}(\cos(1/2*d*x \\
&+ 1/2*c)) \tan(1/2*c)^3 \tan(1/4*c)^6 + 27*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan \\
&(1/4*d*x + c)^5 \tan(1/2*c)^2 - 120*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d* \\
&x + c)^4 \tan(1/2*c)^3 - 6*a^2 \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan(1/4*d*x + c)^3
\end{aligned}$$

$$\begin{aligned} & \tan(1/2*c)^4 - 3*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^6 \\ & - 162*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^4*\tan(1/2*c)^2*\tan(1/4*c) \\ & + 960*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/2*c)^3*\tan(1/4*c) \\ & - 324*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/2*c)^4*\tan(1/4*c) \\ & + 42*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^6*\tan(1/4*c) + 135*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^5*\tan(1/4*c)^2 \\ & - 540*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^4*\tan(1/2*c)*\tan(1/4*c)^2 + 990*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/2*c)^2*\tan(1/4*c)^2 \\ & + 945*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^4*\tan(1/4*c)^2 - 180*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^5*\tan(1/4*c)^2 \\ & - 180*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^4*\tan(1/4*c)^3 + 960*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/2*c)*\tan(1/4*c)^3 \\ & - 2520*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/2*c)^2*\tan(1/4*c)^3 - 60*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^4*\tan(1/4*c)^3 \\ & - 150*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/4*c)^4 + 405*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^2*\tan(1/4*c)^4 \\ & - 600*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^3*\tan(1/4*c)^4 + 36*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/4*c)^5 \\ & + 198*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^2*\tan(1/4*c)^5 + 9*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/4*c)^6 \\ & - 12*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)*\tan(1/4*c)^6 - 9*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^5 + 36*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^4*\tan(1/2*c) \\ & - 66*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/2*c)^2 - 63*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^4 \\ & + 12*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^5 + 54*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^4*\tan(1/4*c) - 288*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/2*c)*\tan(1/4*c) \\ & + 756*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/2*c)^2*\tan(1/4*c) + 18*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^4*\tan(1/4*c) \\ & + 150*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3*\tan(1/4*c)^2 - 405*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^2*\tan(1/4*c)^2 \\ & + 600*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^3*\tan(1/4*c)^2 - 120*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/4*c)^3 \\ & - 660*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^2*\tan(1/4*c)^3 - 135*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/4*c)^4 \\ & + 180*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)*\tan(1/4*c)^4 + 30*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*c)^5 - 10*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^3 \\ & + 27*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/2*c)^2 - 40*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^3 + 36*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)^2*\tan(1/4*c) \\ & + 198*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)^2*\tan(1/4*c) + 135*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c)*\tan(1/4*c)^2 \\ & - 180*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c)*\tan(1/4*c)^2 - 100*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*c)^3 - 9*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*d*x + c) \\ & + 12*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/2*c) + 30*a^2*\text{sgn}(\cos(1/2*d*x + 1/2*c))*\tan(1/4*c))/((\tan(1/2*c)^6*\tan(1/4*c)^6 + 3*\tan(1/2*c)^6*\tan(1/4*c)^4 + 3*\tan(1/2*c)^4*\tan(1/4*c)^6 + 3*\tan(1/2*c)^6*\tan(1/4*c)^2 + 9*\tan(1/2*c)^4*\tan(1/4*c)^4 + 3*\tan(1/2*c)^2*\tan(1/4*c)^6 + \tan(1/2*c)^6 + 9*\tan(1/2*c)^4*\tan(1/4*c)^2 + 9*\tan(1/2*c)^2*\tan(1/4*c)^4 + \tan(1/4*c)^6 + 3*\tan(1/2*c)^4 + 9*\tan(1/2*c)^2*\tan(1/4*c)^2 + 3*\tan(1/4*c)^4 + 3*\tan(1/2*c)^2 + 3*\tan(1/4*c)^2 + 1)*(\tan(1/4*d*x + c)^2 + 1)^3)/d \end{aligned}$$

**maple [B]** time = 0.56, size = 244, normalized size = 2.49

$$\frac{a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -4\sqrt{a} \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 18\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{3 \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c),x)

```
[Out] 1/3*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*a^(1/2)*2
^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+18*2^(1/2)*(a*si
n(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+3*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^
(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2
*a))*a+3*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*
c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/sin(1/2*d*x+1/2*c
)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*sec(d*x+c),x, algorithm="maxima")
```

```
[Out] integrate((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{\frac{5}{2}}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x),x)
```

```
[Out] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*sec(d*x+c),x)
```

```
[Out] Timed out
```

### 3.117 $\int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=92

$$\frac{5a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a^3 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx)\sqrt{a \cos(c+dx)+a}}{d}$$

[Out]  $5a^{5/2} \operatorname{arctanh}(\sin(dx+c)a^{1/2}/(a+a\cos(dx+c))^{1/2})/d+a^3\sin(dx+c)/d/(a+a\cos(dx+c))^{1/2}+a^2(a+a\cos(dx+c))^{1/2}\tan(dx+c)/d$

**Rubi [A]** time = 0.20, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2762, 2981, 2773, 206}

$$\frac{a^3 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx)\sqrt{a \cos(c+dx)+a}}{d} + \frac{5a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a\text{Cos}[c + d*x])^{5/2} * \text{Sec}[c + d*x]^2, x]$

[Out]  $(5*a^{5/2} * \text{ArcTanh}[(\text{Sqrt}[a] * \text{Sin}[c + d*x]) / \text{Sqrt}[a + a\text{Cos}[c + d*x]]) / d + (a^3 * \text{Sin}[c + d*x]) / (d * \text{Sqrt}[a + a\text{Cos}[c + d*x]]) + (a^2 * \text{Sqrt}[a + a\text{Cos}[c + d*x]] * \text{Tan}[c + d*x]) / d$

#### Rule 206

$\text{Int}[(a + (b * x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[\text{Rt}[-b, 2] * x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /;$   $\text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 2762

$\text{Int}[(a + (b * \sin[e + f*x] + (f * x))^{(m)}) * ((c + (d * \sin[e + f*x] + (f * x))^{(n)}), x\_Symbol] \rightarrow -\text{Simp}[(b^2 * (b*c - a*d) * \text{Cos}[e + f*x] * (a + b * \text{Sin}[e + f*x])^{(m-2)} * (c + d * \text{Sin}[e + f*x])^{(n+1)}) / (d * f * (n+1) * (b*c + a*d)), x] + \text{Dist}[b^2 / (d * (n+1) * (b*c + a*d)), \text{Int}[(a + b * \text{Sin}[e + f*x])^{(m-2)} * (c + d * \text{Sin}[e + f*x])^{(n+1)} * \text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1)) * \text{Sin}[e + f*x], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ (\text{IntegersQ}[2*m, 2*n] \ || \ \text{IntegerQ}[m + 1/2] \ || \ (\text{IntegerQ}[m] \ \&\& \ \text{EqQ}[c, 0]))$

#### Rule 2773

$\text{Int}[\text{Sqrt}[(a + (b * \sin[e + f*x] + (f * x)) / ((c + (d * \sin[e + f*x] + (f * x))^{(n)}), x\_Symbol] \rightarrow \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b * \text{Cos}[e + f*x]) / \text{Sqrt}[a + b * \text{Sin}[e + f*x]]], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2981

$\text{Int}[\text{Sqrt}[(a + (b * \sin[e + f*x] + (f * x)) * ((A + (B * \sin[e + f*x] + (f * x))^{(n)}), x\_Symbol] \rightarrow \text{Simp}[(-2*b*B * \text{Cos}[e + f*x] * (c + d * \text{Sin}[e + f*x])^{(n+1)}) / (d * f * (2*n + 3) * \text{Sqrt}[a + b * \text{Sin}[e + f*x]]), x] + \text{Dist}[(A * b * d * (2*n + 3) - B * (b*c - 2*a*d * (n + 1))) / (b * d * (2*n + 3)), \text{Int}[\text{Sqrt}[a + b * \text{Sin}[e + f*x]] * (c + d * \text{Sin}[e + f*x])^n, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 -$



$b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ !\text{LtQ}[n, -1]$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \frac{a^2 \sqrt{a + a \cos(c + dx)} \tan(c + dx)}{d} - a \int \left( -\frac{5a}{2} - \frac{1}{2} a \cos(c + dx) \right) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a^3 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2} (5a^2) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a^3 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \tan(c + dx)}{d} - \frac{(5a^3) S}{d} \\ &= \frac{5a^{5/2} \tanh^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{a^3 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [C]** time = 36.23, size = 1547, normalized size = 16.82

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^2,x]

[Out]  $((-5/32 + (5I)/32)*(1 + E^{(I*c)})*(\text{Sqrt}[2] - (1 - I)*E^{((I/2)*c)} + (16 - 16I)*E^{((3I)/2)*c + I*d*x} + (20 + 20I)*\text{Sqrt}[2]*E^{((2I)*c + ((3I)/2)*d*x} - (34 - 34I)*E^{((5I)/2)*c + (2I)*d*x} - (20 + 20I)*\text{Sqrt}[2]*E^{((3I)*c + ((5I)/2)*d*x} + (16 - 16I)*E^{((7I)/2)*c + (3I)*d*x} + (4 + 4I)*\text{Sqrt}[2]*E^{((4I)*c + ((7I)/2)*d*x} - (1 - I)*E^{((9I)/2)*c + (4I)*d*x} + (8I)*E^{(I/2)*(c + d*x)} - 16*\text{Sqrt}[2]*E^{I*(c + d*x)} - (40I)*E^{((3I)/2)*(c + d*x)} + 34*\text{Sqrt}[2]*E^{((2I)*(c + d*x))} + (40I)*E^{((5I)/2)*(c + d*x)} - 16*\text{Sqrt}[2]*E^{((3I)*(c + d*x))} - (8I)*E^{((7I)/2)*(c + d*x)} + \text{Sqrt}[2]*E^{((4I)*(c + d*x))} - (4 + 4I)*\text{Sqrt}[2]*E^{(I/2)*(2*c + d*x)})) * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 / (((-1 - I) + \text{Sqrt}[2]*E^{(I/2)*c}) * (-1 + E^{(I*c)}) * (I - 2*\text{Sqrt}[2]*E^{(I/2)*(c + d*x)} - (4I)*E^{I*(c + d*x)}) + 2*\text{Sqrt}[2]*E^{((3I)/2)*(c + d*x)} + I * E^{((2I)*(c + d*x))})^2 - (((5I)/8)*\text{ArcTan}[(\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4]) / (-\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])]) * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 / (\text{Sqrt}[2]*d) - (((5I)/8)*\text{ArcTan}[(\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4]) / (\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])]) * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 / (\text{Sqrt}[2]*d) - (5*(a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Log}[2 - \text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2] - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]] * \text{Sec}[c/2 + (d*x)/2]^5 / (16*\text{Sqrt}[2]*d) - (5*(a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Log}[2 + \text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2] - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]] * \text{Sec}[c/2 + (d*x)/2]^5 / (16*\text{Sqrt}[2]*d) + (\text{Cos}[(d*x)/2] * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 * \text{Sin}[c/2]) / (2*d) - (((5I)/4)*\text{ArcTan}[(2I)*\text{Cos}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])*\text{Tan}[(d*x)/4]) / \text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Cot}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 / (d*\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) + (5*(a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Csc}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (-d*x*\text{Cos}[c/2]) + 2*\text{Log}[\text{Sqrt}[2] + 2*\text{Cos}[(d*x)/2]*\text{Sin}[c/2] + 2*\text{Cos}[c/2]*\text{Sin}[(d*x)/2]] * \text{Sin}[c/2] + ((4I)*\text{Sqrt}[2]*\text{ArcTan}[(2I)*\text{Cos}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])*\text{Tan}[(d*x)/4]) / \text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) * \text{Cos}[c/2]) / \text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) / (4*\text{Sqrt}[2]*d*(4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2)) + (\text{Cos}[c/2] * (a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 * \text{Sin}[(d*x)/2]) / (2*d) + ((a*(1 + \text{Cos}[c + d*x]))^{5/2} * \text{Sec}[c/2 + (d*x)/2]^5 / (8*d*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2]))$

2])) - ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/(8\*d\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]))

**fricas** [A] time = 1.20, size = 164, normalized size = 1.78

$$\frac{5 \left( a^2 \cos(dx+c)^2 + a^2 \cos(dx+c) \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4 \sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 4}{4 \left( d \cos(dx+c)^2 + d \cos(dx+c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/4\*(5\*(a^2\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c))\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(2\*a^2\*cos(d\*x + c) + a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.48, size = 408, normalized size = 4.43

$$a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \left( -8\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} - 10 \ln \left( -\frac{4 \left( \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} - a \sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x)

[Out] a^(3/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((-8\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-10\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-10\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a\*sin(1/2\*d\*x+1/2\*c)^2+6\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+5\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+5\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2))/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2))/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + d x))^{5/2}}{\cos(c + d x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^2, x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*2, x)

[Out] Timed out

### 3.118 $\int (a + a \cos(c + dx))^{5/2} \sec^3(c + dx) dx$

**Optimal.** Leaf size=106

$$\frac{19a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{9a^3 \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx) \sec(c+dx) \sqrt{a \cos(c+dx)+a}}{2d}$$

[Out]  $19/4*a^{(5/2)}*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+9/4*a^3*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/2*a^2*\sec(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.22, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2762, 2980, 2773, 206}

$$\frac{9a^3 \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{19a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2 \tan(c+dx) \sec(c+dx) \sqrt{a \cos(c+dx)+a}}{2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a \cos[c + d*x])^{(5/2)} \sec[c + d*x]^3, x]$

[Out]  $(19*a^{(5/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[a + a*\cos[c + d*x]])]/(4*d) + (9*a^3*\tan[c + d*x])/(4*d*\operatorname{Sqrt}[a + a*\cos[c + d*x]]) + (a^2*\operatorname{Sqrt}[a + a*\cos[c + d*x]]*\sec[c + d*x]*\tan[c + d*x])/(2*d)$

#### Rule 206

$\operatorname{Int}[(a + (b*x)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[\operatorname{Rt}[-b, 2]*x]/\operatorname{Rt}[a, 2])]/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2762

$\operatorname{Int}[(a + (b*x)\sin(e + f*x))^{(n)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(b*c - a*d)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(n-2)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d))], x] + \operatorname{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(n-2)}*(c + d*\sin[e + f*x])^{(n+1)}*\operatorname{Simp}[a*c*(n-2) - b*d*(n-2*n-4) - (b*c*(n-1) - a*d*(n+2*n+1))*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b*x)\sin(e + f*x))]/((c + (d*x)\sin(e + f*x))), x\_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\cos[e + f*x])/(\operatorname{Sqrt}[a + b*\sin[e + f*x]])], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2980

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b*x)\sin(e + f*x))]*(A + (B*x)\sin(e + f*x))^{(n)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*(B*c - A*d)*\cos[e + f*x]*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)*\operatorname{Sqrt}[a + b*\sin[e + f*x]]), x] + \operatorname{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1))]/(2*d*(n+1)*(b*c + a*d)), \operatorname{Int}[\operatorname{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^{(n+1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] &

& NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^3(c + dx) dx &= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} - \frac{1}{2} a \int \left( -\frac{9a}{2} - \frac{5}{2} a \cos(c + dx) \right) \sec^2(c + dx) dx \\ &= \frac{9a^3 \tan(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{9a^3 \tan(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{19a^{5/2} \tanh^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{4d} + \frac{9a^3 \tan(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [C]** time = 36.01, size = 1693, normalized size = 15.97

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^3,x]

[Out] ((-19/128 + (19\*I)/128)\*(1 + E^(I\*c))\*(Sqrt[2] - (1 - I)\*E^((I/2)\*c)) + (16 - 16\*I)\*E^(((3\*I)/2)\*c + I\*d\*x) + (20 + 20\*I)\*Sqrt[2]\*E^((2\*I)\*c + ((3\*I)/2)\*d\*x) - (34 - 34\*I)\*E^(((5\*I)/2)\*c + (2\*I)\*d\*x) - (20 + 20\*I)\*Sqrt[2]\*E^((3\*I)\*c + ((5\*I)/2)\*d\*x) + (16 - 16\*I)\*E^(((7\*I)/2)\*c + (3\*I)\*d\*x) + (4 + 4\*I)\*Sqrt[2]\*E^((4\*I)\*c + ((7\*I)/2)\*d\*x) - (1 - I)\*E^(((9\*I)/2)\*c + (4\*I)\*d\*x) + (8\*I)\*E^((I/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^(I\*(c + d\*x)) - (40\*I)\*E^(((3\*I)/2)\*(c + d\*x)) + 34\*Sqrt[2]\*E^((2\*I)\*(c + d\*x)) + (40\*I)\*E^(((5\*I)/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^((3\*I)\*(c + d\*x)) - (8\*I)\*E^(((7\*I)/2)\*(c + d\*x)) + Sqrt[2]\*E^((4\*I)\*(c + d\*x)) - (4 + 4\*I)\*Sqrt[2]\*E^((I/2)\*(2\*c + d\*x)))\*x\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/((-1 - I) + Sqrt[2]\*E^((I/2)\*c))\*(-1 + E^(I\*c))\*(I - 2\*Sqrt[2]\*E^((I/2)\*(c + d\*x)) - (4\*I)\*E^(I\*(c + d\*x)) + 2\*Sqrt[2]\*E^(((3\*I)/2)\*(c + d\*x)) + I\*E^((2\*I)\*(c + d\*x)))^2) - ((19\*I)/32)\*ArcTan[(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(-Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4]]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/(Sqrt[2]\*d) - (((19\*I)/32)\*ArcTan[(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4]]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/(Sqrt[2]\*d) - (19\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Log[2 - Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^5)/(64\*Sqrt[2]\*d) - (19\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Log[2 + Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^5)/(64\*Sqrt[2]\*d) - (((19\*I)/16)\*ArcTan[(2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Cot[c/2]\*Sec[c/2 + (d\*x)/2]^5)/(d\*Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]) + (19\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Csc[c/2]\*Sec[c/2 + (d\*x)/2]^5\*(-(d\*x)\*Cos[c/2]) + 2\*Log[Sqrt[2] + 2\*Cos[(d\*x)/2]\*Sin[c/2] + 2\*Cos[c/2]\*Sin[(d\*x)/2]]\*Sin[c/2] + ((4\*I)\*Sqrt[2]\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]]\*Cos[c/2])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]))/(16\*Sqrt[2]\*d\*(4\*Cos[c/2]^2 + 4\*Sin[c/2]^2)) + ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5\*Sin[(d\*x)/2])/(16\*d\*(Cos[c/2] - Sin[c/2]))\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5\*(11\*Cos[c/2] - 9\*Sin[c/2]))/(32\*d\*(Cos[c/2] - Sin[c/2])

)\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])) + ((a\*(1 + Cos[c + d\*x]))^(5/2) \* Sec[c/2 + (d\*x)/2]^5 \* Sin[(d\*x)/2]) / (16\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2) + ((a\*(1 + Cos[c + d\*x]))^(5/2) \* Sec[c/2 + (d\*x)/2]^5 \* (-11 \* Cos[c/2] - 9 \* Sin[c/2])) / (32\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]))

**fricas** [A] time = 0.67, size = 170, normalized size = 1.60

$$\frac{19 \left( a^2 \cos(dx+c)^3 + a^2 \cos(dx+c)^2 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 16 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}{16 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/16\*(19\*(a^2\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(11\*a^2\*cos(d\*x + c) + 2\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.53, size = 545, normalized size = 5.14

$$\frac{a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( 76a \left( \ln \left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} + 4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) + \ln \left( -\frac{4 \left( \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} \right) \right)}{16 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x)

[Out] 1/2\*a^(3/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(76\*a\*(ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*sin(1/2\*d\*x+1/2\*c)^4+(-76\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-76\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-44\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))\*sin(1/2\*d\*x+1/2\*c)^2+19\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+19\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+26\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2))^2/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2))^2/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [B] time = 13.58, size = 3667, normalized size = 34.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/16*(150*\sqrt{2})*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 154*\sqrt{2}* \\ & a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*\sqrt{2}*a^2*\sin(3/2*d*x + 3/ \\ & 2*c) + 44*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - (3*\sqrt{2})*a^2*\sin(7/2*d*x + 7 \\ & /2*c) + 5*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) - 17*\sqrt{2}*a^2*\sin(3/2*d*x + 3 \\ & /2*c) - 55*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + 1/ \\ & 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\ & (2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin \\ & (1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d* \\ & x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\ & *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\ & ) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\ & (2)*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + \\ & 4*c)^2 + 4*(17*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) + 55*\sqrt{2}*a^2*\sin(1/2*d \\ & *x + 1/2*c) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^ \\ & 2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \\ & 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})* \\ & \cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*c \\ & \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + \\ & 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1 \\ & /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\ & (2)*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 - 19*a^2*\log(2*\cos(1/2*d \\ & *x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + \\ & 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 \\ & + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin \\ & (1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\ & x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2 \\ & *c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - \\ & 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - (3* \\ & \sqrt{2})*a^2*\sin(7/2*d*x + 7/2*c) + 5*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) - 17* \\ & \sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 55*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 19 \\ & *a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos \\ & (1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos \\ & (1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/ \\ & 2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2 \\ & *c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\ & (2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin \\ & (1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x \\ & + 1/2*c) + 2))*\sin(4*d*x + 4*c)^2 + 4*(17*\sqrt{2})*a^2*\sin(3/2*d*x + 3/2*c) \\ & + 55*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^ \\ & 2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2})*\sin \\ & (1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\ & x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/ \\ & 2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\ & - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 1 \\ & 9*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})*\cos \\ & (1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c) \\ & ^2 - 3*(\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos( \\ & 15/2*d*x + 15/2*c) - 5*(\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a^2*\sin(2*d* \\ & x + 2*c))*\cos(13/2*d*x + 13/2*c) + 11*(\sqrt{2})*a^2*\sin(4*d*x + 4*c) + 2*s \\ & \sqrt{2})*a^2*\sin(2*d*x + 2*c))*\cos(11/2*d*x + 11/2*c) + 45*(\sqrt{2})*a^2*\sin(4 \\ & *d*x + 4*c) + 2*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/2*c) - (11*\sqrt{2} \\ & )*a^2*\sin(3/2*d*x + 3/2*c) - 99*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 38*a \\ & ^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos( \\ & 1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*\log(2*\cos(1 \\ & /2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos(1/2*d*x + 1/2* \\ & c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*a^2*\log(2*\cos(1/2*d*x + 1/2*c \end{aligned}$$

```

)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)
*sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/
2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x +
1/2*c) + 2) - 4*(17*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) + 55*sqrt(2)*a^2*sin(
1/2*d*x + 1/2*c) - 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/
2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) +
2) + 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqr
t(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*lo
g(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d
*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*log(2*cos(1/2*d*
x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) -
2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + 3*(4*sqrt(2)*a^2*co
s(2*d*x + 2*c) + 27*sqrt(2)*a^2)*sin(7/2*d*x + 7/2*c) + (20*sqrt(2)*a^2*cos
(2*d*x + 2*c) + 87*sqrt(2)*a^2)*sin(5/2*d*x + 5/2*c))*cos(4*d*x + 4*c) - 2*
(11*sqrt(2)*a^2*sin(3/2*d*x + 3/2*c) - 99*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)
+ 38*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)
)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*log(2
*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x
+ 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 38*a^2*log(2*cos(1/2*d*x +
1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*s
qrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*
sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2
*d*x + 1/2*c) + 2))*cos(2*d*x + 2*c) + 3*(sqrt(2)*a^2*cos(4*d*x + 4*c) + 2*
sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(15/2*d*x + 15/2*c) + 5*(sqr
t(2)*a^2*cos(4*d*x + 4*c) + 2*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*s
in(13/2*d*x + 13/2*c) - 11*(sqrt(2)*a^2*cos(4*d*x + 4*c) + 2*sqrt(2)*a^2*co
s(2*d*x + 2*c) + sqrt(2)*a^2)*sin(11/2*d*x + 11/2*c) - 45*(sqrt(2)*a^2*cos(
4*d*x + 4*c) + 2*sqrt(2)*a^2*cos(2*d*x + 2*c) + sqrt(2)*a^2)*sin(9/2*d*x +
9/2*c) - (12*sqrt(2)*a^2*sin(7/2*d*x + 7/2*c))*sin(2*d*x + 2*c) + 20*sqrt(2)
*a^2*sin(5/2*d*x + 5/2*c))*sin(2*d*x + 2*c) - 75*sqrt(2)*a^2*cos(7/2*d*x + 7
/2*c) - 77*sqrt(2)*a^2*cos(5/2*d*x + 5/2*c) - 45*sqrt(2)*a^2*cos(3/2*d*x +
3/2*c) - 11*sqrt(2)*a^2*cos(1/2*d*x + 1/2*c) - 4*(17*sqrt(2)*a^2*sin(3/2*d*
x + 3/2*c) + 55*sqrt(2)*a^2*sin(1/2*d*x + 1/2*c) - 19*a^2*log(2*cos(1/2*d*x
+ 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2
*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 +
2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1
/2*d*x + 1/2*c) + 2) - 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x
+ 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c
) + 2) + 19*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2
*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2))*sin(2*
d*x + 2*c))*sin(4*d*x + 4*c) - 6*(2*sqrt(2)*a^2*cos(2*d*x + 2*c)^2 + 2*sqrt
(2)*a^2*sin(2*d*x + 2*c)^2 + 27*sqrt(2)*a^2*cos(2*d*x + 2*c) + 13*sqrt(2)*a
^2)*sin(7/2*d*x + 7/2*c) - 2*(10*sqrt(2)*a^2*cos(2*d*x + 2*c)^2 + 10*sqrt(2)
)*a^2*sin(2*d*x + 2*c)^2 + 87*sqrt(2)*a^2*cos(2*d*x + 2*c) + 41*sqrt(2)*a^2
)*sin(5/2*d*x + 5/2*c) + 2*(45*sqrt(2)*a^2*cos(3/2*d*x + 3/2*c) + 11*sqrt(2)
)*a^2*cos(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*sqrt(a)/((2*(2*cos(2*d*x + 2*
c) + 1)*cos(4*d*x + 4*c) + cos(4*d*x + 4*c)^2 + 4*cos(2*d*x + 2*c)^2 + sin(
4*d*x + 4*c)^2 + 4*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 4*sin(2*d*x + 2*c)^2
+ 4*cos(2*d*x + 2*c) + 1)*d)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^3, x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^3, x)



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

### 3.119 $\int (a + a \cos(c + dx))^{5/2} \sec^4(c + dx) dx$

**Optimal.** Leaf size=144

$$\frac{25a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{8d} + \frac{25a^3 \tan(c+dx)}{8d\sqrt{a} \cos(c+dx)+a} + \frac{13a^3 \tan(c+dx) \sec(c+dx)}{12d\sqrt{a} \cos(c+dx)+a} + \frac{a^2 \tan(c+dx) \sec^2(c+dx)}{3d}$$

[Out] 25/8\*a^(5/2)\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d+25/8\*a^3\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+13/12\*a^3\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+1/3\*a^2\*sec(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(1/2)\*tan(d\*x+c)/d

**Rubi [A]** time = 0.28, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2762, 2980, 2772, 2773, 206}

$$\frac{25a^3 \tan(c+dx)}{8d\sqrt{a} \cos(c+dx)+a} + \frac{25a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{8d} + \frac{a^2 \tan(c+dx) \sec^2(c+dx) \sqrt{a} \cos(c+dx)+a}{3d} + \frac{13a^3 \tan(c+dx) \sec(c+dx)}{12d\sqrt{a} \cos(c+dx)+a}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^4, x]

[Out] (25\*a^(5/2)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (25\*a^3\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (13\*a^3\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || IntegerQ[m] && EqQ[c, 0])

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x

], x, (b\*cos[e + f\*x])/sqrt[a + b\*sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^4(c + dx) dx &= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} - \frac{1}{3} a \int \left( -\frac{13a}{2} - \frac{9}{2} a \right) dx \\ &= \frac{13a^3 \sec(c + dx) \tan(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{25a^3 \tan(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \sec(c + dx) \tan(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{25a^3 \tan(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \sec(c + dx) \tan(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{25a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{25a^3 \tan(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \sec(c + dx) \tan(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 36.11, size = 1825, normalized size = 12.67

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^4,x]

[Out] ((-25/256 + (25\*I)/256)\*(1 + E^(I\*c))\*(Sqrt[2] - (1 - I)\*E^((I/2)\*c) + (16 - 16\*I)\*E^(((3\*I)/2)\*c + I\*d\*x) + (20 + 20\*I)\*Sqrt[2]\*E^((2\*I)\*c + ((3\*I)/2)\*d\*x) - (34 - 34\*I)\*E^(((5\*I)/2)\*c + (2\*I)\*d\*x) - (20 + 20\*I)\*Sqrt[2]\*E^((3\*I)\*c + ((5\*I)/2)\*d\*x) + (16 - 16\*I)\*E^(((7\*I)/2)\*c + (3\*I)\*d\*x) + (4 + 4\*I)\*Sqrt[2]\*E^((4\*I)\*c + ((7\*I)/2)\*d\*x) - (1 - I)\*E^(((9\*I)/2)\*c + (4\*I)\*d\*x) + (8\*I)\*E^((I/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^(I\*(c + d\*x)) - (40\*I)\*E^(((3\*I)/2)\*(c + d\*x)) + 34\*Sqrt[2]\*E^((2\*I)\*(c + d\*x)) + (40\*I)\*E^(((5\*I)/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^((3\*I)\*(c + d\*x)) - (8\*I)\*E^(((7\*I)/2)\*(c + d\*x)) + Sqrt[2]\*E^((4\*I)\*(c + d\*x)) - (4 + 4\*I)\*Sqrt[2]\*E^((I/2)\*(2\*c + d\*x)))\*\*x\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/((( -1 - I) + Sqrt[2]\*E^((I/2)\*c))\*(-1 + E^(I\*c))\*(I - 2\*Sqrt[2]\*E^((I/2)\*(c + d\*x)) - (4\*I)\*E^(I\*(c + d\*x)) + 2\*Sqrt[2]\*E^(((3\*I)/2)\*(c + d\*x)) + I\*E^((2\*I)\*(c + d\*x)))^2) - (((25\*I)/64)\*ArcTan[(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(-Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/(Sqrt[2]\*d) - (((25\*I)/64)\*ArcTan[(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[c/2 + (d\*x)/2]^5)/(Sqrt[2]\*d) - (25\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Log[2 - Sqrt[2]\*Cos[c/2 + (d\*x)/2] -

$$\begin{aligned} & \text{Sqrt}[2] * \text{Sin}[c/2 + (d*x)/2] * \text{Sec}[c/2 + (d*x)/2]^5 / (128 * \text{Sqrt}[2] * d) - (25 * (a * \\ & (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Log}[2 + \text{Sqrt}[2] * \text{Cos}[c/2 + (d*x)/2] - \text{Sqrt}[2] * \text{Sin}[ \\ & c/2 + (d*x)/2] * \text{Sec}[c/2 + (d*x)/2]^5) / (128 * \text{Sqrt}[2] * d) - (((25 * I) / 32) * \text{ArcTan} \\ & [((2 * I) * \text{Cos}[c/2] - I * (-\text{Sqrt}[2] + 2 * \text{Sin}[c/2]) * \text{Tan}[(d*x)/4]) / \text{Sqrt}[-2 + 4 * \text{Cos}[ \\ & c/2]^2 + 4 * \text{Sin}[c/2]^2]) * (a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Cot}[c/2] * \text{Sec}[c/2 + (d * \\ & x)/2]^5) / (d * \text{Sqrt}[-2 + 4 * \text{Cos}[c/2]^2 + 4 * \text{Sin}[c/2]^2]) + (25 * (a * (1 + \text{Cos}[c + d \\ & *x]))^{(5/2)} * \text{Csc}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (-d*x * \text{Cos}[c/2]) + 2 * \text{Log}[\text{Sqrt}[2] \\ & + 2 * \text{Cos}[(d*x)/2] * \text{Sin}[c/2] + 2 * \text{Cos}[c/2] * \text{Sin}[(d*x)/2]] * \text{Sin}[c/2] + ((4 * I) * \text{Sqrt} \\ & [2] * \text{ArcTan}[(2 * I) * \text{Cos}[c/2] - I * (-\text{Sqrt}[2] + 2 * \text{Sin}[c/2]) * \text{Tan}[(d*x)/4]) / \text{Sqrt}[- \\ & 2 + 4 * \text{Cos}[c/2]^2 + 4 * \text{Sin}[c/2]^2]) * \text{Cos}[c/2]) / \text{Sqrt}[-2 + 4 * \text{Cos}[c/2]^2 + 4 * \text{Sin}[ \\ & c/2]^2])) / (32 * \text{Sqrt}[2] * d * (4 * \text{Cos}[c/2]^2 + 4 * \text{Sin}[c/2]^2)) + ((a * (1 + \text{Cos}[c + d \\ & *x]))^{(5/2)} * \text{Sec}[c/2 + (d*x)/2]^5) / (48 * d * (\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d * \\ & x)/2])^3) + (5 * (a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Sec}[c/2 + (d*x)/2]^5 * \text{Sin}[(d*x) / \\ & 2]) / (32 * d * (\text{Cos}[c/2] - \text{Sin}[c/2]) * (\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x) / \\ & 2])^2) + (5 * (a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Sec}[c/2 + (d*x)/2]^5 * (5 * \text{Cos}[c/2] - 3 * \text{Si} \\ & n[c/2])) / (64 * d * (\text{Cos}[c/2] - \text{Sin}[c/2]) * (\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x) / \\ & 2])) - ((a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Sec}[c/2 + (d*x)/2]^5) / (48 * d * (\text{Cos}[c/2 + \\ & (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^3) + (5 * (a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Sec}[c / \\ & 2 + (d*x)/2]^5 * \text{Sin}[(d*x) / 2]) / (32 * d * (\text{Cos}[c/2] + \text{Sin}[c/2]) * (\text{Cos}[c/2 + (d*x) / \\ & 2] + \text{Sin}[c/2 + (d*x) / 2])^2) - (5 * (a * (1 + \text{Cos}[c + d*x]))^{(5/2)} * \text{Sec}[c/2 + (d * \\ & x) / 2]^5 * (5 * \text{Cos}[c/2] + 3 * \text{Sin}[c/2])) / (64 * d * (\text{Cos}[c/2] + \text{Sin}[c/2]) * (\text{Cos}[c/2 + (d \\ & *x) / 2] + \text{Sin}[c/2 + (d*x) / 2])) \end{aligned}$$

**fricas [A]** time = 0.96, size = 183, normalized size = 1.27

$$\frac{75 \left( a^2 \cos(dx+c)^4 + a^2 \cos(dx+c)^3 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - 4 \sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8 a}{\cos(dx+c)^3 + \cos(dx+c)^2} \right) + 96 \left( d \cos(dx+c)^4 + d \cos(dx+c)^3 \right)}{96 \left( d \cos(dx+c)^4 + d \cos(dx+c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/96\*(75\*(a^2\*cos(d\*x + c)^4 + a^2\*cos(d\*x + c)^3)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(75\*a^2\*cos(d\*x + c)^2 + 34\*a^2\*cos(d\*x + c) + 8\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.56, size = 709, normalized size = 4.92

$$\frac{a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -600a \left( \ln \left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a+4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 8a}}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) + \ln \left( -\frac{4 \left( \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{-2} \right) \right)}{96 \left( d \cos(dx+c)^4 + d \cos(dx+c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^4,x)

```
[Out] 1/6*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-600*a*(ln(4
/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(
1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2
)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/
2*c)+2*a)))*sin(1/2*d*x+1/2*c)^6+300*(2*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1
/2)*a^(1/2)+3*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1
/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+3*ln(-4/(-2*cos
(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a*
2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^4+(-450*ln(-4/(-2*co
s(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-a
*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-450*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))
*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*
c)+2*a))*a-736*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))*sin(1/2*d*x+
1/2*c)^2+75*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1
/2*c)^2)^(1/2)*a^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+75*ln(4/(2*cos(
1/2*d*x+1/2*c)+2^(1/2)))*(2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+a*2
^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+234*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2
)*a^(1/2))/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^3/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^
3/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

**maxima** [B] time = 131.61, size = 6703, normalized size = 46.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^4,x, algorithm="maxima")
```

```
[Out] -1/96*(4176*a^2*cos(7/2*d*x + 7/2*c)*sin(2*d*x + 2*c) + 2430*a^2*cos(5/2*d*
x + 5/2*c)*sin(2*d*x + 2*c) + 678*a^2*cos(3/2*d*x + 3/2*c)*sin(2*d*x + 2*c)
- 75*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 +
2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 75*
sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt
(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2
)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*c
os(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 75*sqrt(2)*a^2*
log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2
*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - (75*sqrt(2)*a^2*log(2
*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x
+ 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2)*a^2*log(2*cos(1
/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*
c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 75*sqrt(2)*a^2*log(2*cos(1/2*d*x
+ 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2
*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2
*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(
2)*sin(1/2*d*x + 1/2*c) + 2) - 10*a^2*sin(9/2*d*x + 9/2*c) + 30*a^2*sin(7/2
*d*x + 7/2*c) + 78*a^2*sin(5/2*d*x + 5/2*c) - 170*a^2*sin(3/2*d*x + 3/2*c)
- 600*a^2*sin(1/2*d*x + 1/2*c))*cos(6*d*x + 6*c)^2 - 9*(75*sqrt(2)*a^2*log(
2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x
+ 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2)*a^2*log(2*cos(
1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2
*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 75*sqrt(2)*a^2*log(2*cos(1/2*d*
x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) +
2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/
2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt
(2)*sin(1/2*d*x + 1/2*c) + 2) + 30*a^2*sin(7/2*d*x + 7/2*c) + 78*a^2*sin(5/
2*d*x + 5/2*c) - 170*a^2*sin(3/2*d*x + 3/2*c) - 600*a^2*sin(1/2*d*x + 1/2*c
))*cos(4*d*x + 4*c)^2 - 45*(15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2
*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/
2*d*x + 1/2*c) + 2) - 15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1
/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x
```

$$\begin{aligned}
& + 1/2*c) + 2) + 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x \\
& + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2* \\
& c) + 2) - 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\
& *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\
& ) - 34*a^2*\sin(3/2*d*x + 3/2*c) - 120*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + \\
& 2*c)^2 - (75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) - 75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 7 \\
& 5*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*s \\
& \sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 75*\sqrt{r \\
& t(2)*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& *\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 10*a^2*\sin(9/ \\
& 2*d*x + 9/2*c) + 30*a^2*\sin(7/2*d*x + 7/2*c) + 78*a^2*\sin(5/2*d*x + 5/2*c) \\
& - 170*a^2*\sin(3/2*d*x + 3/2*c) - 600*a^2*\sin(1/2*d*x + 1/2*c))*\sin(6*d*x + \\
& 6*c)^2 - 9*(75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) - 75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + \\
& 75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2* \\
& \sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 75*\sqrt{r \\
& t(2)*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& )*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 30*a^2*\sin(7 \\
& /2*d*x + 7/2*c) + 78*a^2*\sin(5/2*d*x + 5/2*c) - 170*a^2*\sin(3/2*d*x + 3/2*c \\
& ) - 600*a^2*\sin(1/2*d*x + 1/2*c))*\sin(4*d*x + 4*c)^2 - 45*(15*\sqrt{2}*a^2*1 \\
& \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2* \\
& d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a^2*\log(2*c \\
& os(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + \\
& 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 15*\sqrt{2}*a^2*\log(2*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*s \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 34*a^2*\sin(3/2*d*x + 3/2*c) - 120*a^2*si \\
& n(1/2*d*x + 1/2*c))*\sin(2*d*x + 2*c)^2 - 56*a^2*\sin(3/2*d*x + 3/2*c) + 600* \\
& a^2*\sin(1/2*d*x + 1/2*c) + 10*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c \\
& ) + 3*a^2*\sin(2*d*x + 2*c))*\cos(21/2*d*x + 21/2*c) - 30*(a^2*\sin(6*d*x + 6* \\
& c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(19/2*d*x + 19/2*c \\
& ) - 48*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2 \\
& *c))*\cos(17/2*d*x + 17/2*c) + 80*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + \\
& 4*c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(15/2*d*x + 15/2*c) + 396*(a^2*\sin(6*d*x \\
& + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(13/2*d*x + 13 \\
& /2*c) - 6*(25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) - 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 \\
& + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 2 \\
& 5*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*s \\
& \sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 25*\sqrt{r \\
& t(2)*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& *\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 170*a^2*\sin(1 \\
& 1/2*d*x + 11/2*c) - 19*a^2*\sin(3/2*d*x + 3/2*c) - 200*a^2*\sin(1/2*d*x + 1/2 \\
& *c) + (75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \\
& 75*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2 \\
& *\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 75*\sqrt{ \\
& r(2)*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& )*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 75*\sqrt{2}* \\
& a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos \\
& (1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 30*a^2*\sin(7/2*d* \\
& x + 7/2*c) + 78*a^2*\sin(5/2*d*x + 5/2*c) - 170*a^2*\sin(3/2*d*x + 3/2*c) - 6
\end{aligned}$$

$$\begin{aligned}
& 00*a^2*\sin(1/2*d*x + 1/2*c))*\cos(4*d*x + 4*c) + 5*(15*\sqrt{2}*a^2*\log(2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/ \\
& 2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d* \\
& *x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - \\
& 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1 \\
& /2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& t(2)*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^ \\
& 2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*s \\
& in(1/2*d*x + 1/2*c) + 2) - 34*a^2*\sin(3/2*d*x + 3/2*c) - 120*a^2*\sin(1/2*d* \\
& x + 1/2*c))*\cos(2*d*x + 2*c) - 10*(a^2*\cos(4*d*x + 4*c) + a^2*\cos(2*d*x + 2 \\
& *c) - 25*a^2)*\sin(9/2*d*x + 9/2*c) + 2*(15*a^2*\cos(2*d*x + 2*c) + 121*a^2)* \\
& \sin(7/2*d*x + 7/2*c) + (78*a^2*\cos(2*d*x + 2*c) + 161*a^2)*\sin(5/2*d*x + 5/ \\
& 2*c))*\cos(6*d*x + 6*c) + 3060*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c)) \\
& *\cos(11/2*d*x + 11/2*c) + 4560*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c) \\
& )*\cos(9/2*d*x + 9/2*c) - 18*(25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1 \\
& /2*d*x + 1/2*c) + 2) - 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin( \\
& 1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) + 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d* \\
& x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2 \\
& *c) + 2) - 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\
& 2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\
& 2) - 19*a^2*\sin(3/2*d*x + 3/2*c) - 200*a^2*\sin(1/2*d*x + 1/2*c) + 5*(15*\sqrt{ \\
& t(2)*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\
& )*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a \\
& ^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos( \\
& 1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 15*\sqrt{2}*a^2*\log \\
& (2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d* \\
& x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 15*\sqrt{2}*a^2*\log(2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/ \\
& 2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 34*a^2*\sin(3/2*d*x + 3/2*c) - \\
& 120*a^2*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2*c) + 2*(15*a^2*\cos(2*d*x + 2*c) \\
& + 121*a^2)*\sin(7/2*d*x + 7/2*c) + (78*a^2*\cos(2*d*x + 2*c) + 161*a^2)*\sin( \\
& 5/2*d*x + 5/2*c))*\cos(4*d*x + 4*c) - 18*(25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*s \\
& \sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c) \\
& )^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\
& *\sin(1/2*d*x + 1/2*c) + 2) + 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1 \\
& /2*d*x + 1/2*c) + 2) - 25*\sqrt{2}*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin( \\
& 1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) - 19*a^2*\sin(3/2*d*x + 3/2*c) - 200*a^2*\sin(1/2*d*x + 1/2*c) \\
& )*\cos(2*d*x + 2*c) - 10*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4*d*x + 4*c) + 3* \\
& a^2*\cos(2*d*x + 2*c) + a^2)*\sin(21/2*d*x + 21/2*c) + 30*(a^2*\cos(6*d*x + 6* \\
& c) + 3*a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(19/2*d*x + \\
& 19/2*c) + 48*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d \\
& *x + 2*c) + a^2)*\sin(17/2*d*x + 17/2*c) - 80*(a^2*\cos(6*d*x + 6*c) + 3*a^2* \\
& \cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(15/2*d*x + 15/2*c) - 3 \\
& 96*(a^2*\cos(6*d*x + 6*c) + 3*a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c) \\
& + a^2)*\sin(13/2*d*x + 13/2*c) - 2*(90*a^2*\sin(7/2*d*x + 7/2*c))*\sin(2*d*x + \\
& 2*c) + 234*a^2*\sin(5/2*d*x + 5/2*c))*\sin(2*d*x + 2*c) - 510*a^2*\cos(11/2*d*x \\
& + 11/2*c) - 760*a^2*\cos(9/2*d*x + 9/2*c) - 696*a^2*\cos(7/2*d*x + 7/2*c) - \\
& 405*a^2*\cos(5/2*d*x + 5/2*c) - 113*a^2*\cos(3/2*d*x + 3/2*c) - 30*(a^2*\sin(4 \\
& *d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(9/2*d*x + 9/2*c) + 3*(75*\sqrt{2}*a^ \\
& 2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1 \\
& /2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 75*\sqrt{2}*a^2*\log( \\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x \\
& + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 75*\sqrt{2}*a^2*\log(2*\cos( \\
& 1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2
\end{aligned}$$

```

*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 75*sqrt(2)*a^2*log(2*cos(1/2*d*
x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) -
2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 30*a^2*sin(7/2*d*x + 7/2*c) + 78*a^2*
sin(5/2*d*x + 5/2*c) - 170*a^2*sin(3/2*d*x + 3/2*c) - 600*a^2*sin(1/2*d*x +
1/2*c))*sin(4*d*x + 4*c) + 15*(15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2
+ 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*si
n(1/2*d*x + 1/2*c) + 2) - 15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*s
in(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*
d*x + 1/2*c) + 2) + 15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2
*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x +
1/2*c) + 2) - 15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x +
1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c)
+ 2) - 34*a^2*sin(3/2*d*x + 3/2*c) - 120*a^2*sin(1/2*d*x + 1/2*c))*sin(2*d
*x + 2*c))*sin(6*d*x + 6*c) - 1020*(3*a^2*cos(4*d*x + 4*c) + 3*a^2*cos(2*d*
x + 2*c) + a^2)*sin(11/2*d*x + 11/2*c) + 10*(9*a^2*cos(4*d*x + 4*c)^2 + 9*a
^2*cos(2*d*x + 2*c)^2 + 9*a^2*sin(4*d*x + 4*c)^2 + 18*a^2*sin(4*d*x + 4*c)*
sin(2*d*x + 2*c) + 9*a^2*sin(2*d*x + 2*c)^2 - 450*a^2*cos(2*d*x + 2*c) - 15
1*a^2 + 18*(a^2*cos(2*d*x + 2*c) - 25*a^2)*cos(4*d*x + 4*c))*sin(9/2*d*x +
9/2*c) - 6*(90*a^2*sin(7/2*d*x + 7/2*c)*sin(2*d*x + 2*c) + 234*a^2*sin(5/2*
d*x + 5/2*c)*sin(2*d*x + 2*c) - 696*a^2*cos(7/2*d*x + 7/2*c) - 405*a^2*cos(
5/2*d*x + 5/2*c) - 113*a^2*cos(3/2*d*x + 3/2*c) + 15*(15*sqrt(2)*a^2*log(2*
cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x +
1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 15*sqrt(2)*a^2*log(2*cos(1/
2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*cos(1/2*d*x + 1/2*c
) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 15*sqrt(2)*a^2*log(2*cos(1/2*d*x
+ 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) + 2*
sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 15*sqrt(2)*a^2*log(2*cos(1/2*d*x + 1/2*
c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x + 1/2*c) - 2*sqrt(2
)*sin(1/2*d*x + 1/2*c) + 2) - 34*a^2*sin(3/2*d*x + 3/2*c) - 120*a^2*sin(1/2
*d*x + 1/2*c))*sin(2*d*x + 2*c))*sin(4*d*x + 4*c) - 18*(15*a^2*cos(2*d*x +
2*c)^2 + 15*a^2*sin(2*d*x + 2*c)^2 + 242*a^2*cos(2*d*x + 2*c) + 79*a^2)*sin
(7/2*d*x + 7/2*c) - 6*(117*a^2*cos(2*d*x + 2*c)^2 + 117*a^2*sin(2*d*x + 2*c
)^2 + 483*a^2*cos(2*d*x + 2*c) + 148*a^2)*sin(5/2*d*x + 5/2*c))*sqrt(a)/((s
qrt(2)*cos(6*d*x + 6*c)^2 + 9*sqrt(2)*cos(4*d*x + 4*c)^2 + 9*sqrt(2)*cos(2*
d*x + 2*c)^2 + sqrt(2)*sin(6*d*x + 6*c)^2 + 9*sqrt(2)*sin(4*d*x + 4*c)^2 +
18*sqrt(2)*sin(4*d*x + 4*c)*sin(2*d*x + 2*c) + 9*sqrt(2)*sin(2*d*x + 2*c)^2
+ 2*(3*sqrt(2)*cos(4*d*x + 4*c) + 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*co
s(6*d*x + 6*c) + 6*(3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*cos(4*d*x + 4*c)
+ 6*(sqrt(2)*sin(4*d*x + 4*c) + sqrt(2)*sin(2*d*x + 2*c))*sin(6*d*x + 6*c)
+ 6*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*d)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^4, x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^4, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*4, x)

[Out] Timed out



### 3.120 $\int (a + a \cos(c + dx))^{5/2} \sec^5(c + dx) dx$

**Optimal.** Leaf size=182

$$\frac{163a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{163a^3 \tan(c+dx)}{64d\sqrt{a \cos(c+dx)+a}} + \frac{17a^3 \tan(c+dx) \sec^2(c+dx)}{24d\sqrt{a \cos(c+dx)+a}} + \frac{163a^3 \tan(c+dx) \sec^3(c+dx)}{96d\sqrt{a \cos(c+dx)+a}}$$

[Out] 163/64\*a^(5/2)\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d+163/64\*a^3\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+163/96\*a^3\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+17/24\*a^3\*sec(d\*x+c)^2\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+1/4\*a^2\*sec(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(1/2)\*tan(d\*x+c)/d

**Rubi [A]** time = 0.34, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2762, 2980, 2772, 2773, 206}

$$\frac{163a^3 \tan(c+dx)}{64d\sqrt{a \cos(c+dx)+a}} + \frac{163a^{5/2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{17a^3 \tan(c+dx) \sec^2(c+dx)}{24d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \tan(c+dx) \sec^3(c+dx)}{96d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^5,x]

[Out] (163\*a^(5/2)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (163\*a^3\*Tan[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (163\*a^3\*Sec[c + d\*x]\*Tan[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (17\*a^3\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2762

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2772

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^5(c + dx) dx &= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{1}{4} a \int \left( -\frac{17a}{2} - \frac{13}{2} a \cos(c + dx) \right) \sec^4(c + dx) dx \\ &= \frac{17a^3 \sec^2(c + dx) \tan(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{163a^3 \sec(c + dx) \tan(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{17a^3 \sec^2(c + dx) \tan(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{163a^3 \tan(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \sec(c + dx) \tan(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{17a^3 \sec^2(c + dx) \tan(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{163a^3 \tan(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \sec(c + dx) \tan(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{17a^3 \sec^2(c + dx) \tan(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{163a^{5/2} \tanh^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{64d} + \frac{163a^3 \tan(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \sec^2(c + dx) \tan(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica** [C] time = 35.84, size = 2069, normalized size = 11.37

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^5,x]
```

```
[Out] ((-163/2048 + (163*I)/2048)*(1 + E^(I*c))*(Sqrt[2] - (1 - I)*E^((I/2)*c)) + (16 - 16*I)*E^(((3*I)/2)*c + I*d*x) + (20 + 20*I)*Sqrt[2]*E^((2*I)*c + ((3*I)/2)*d*x) - (34 - 34*I)*E^(((5*I)/2)*c + (2*I)*d*x) - (20 + 20*I)*Sqrt[2]*E^((3*I)*c + ((5*I)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*Sqrt[2]*E^((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) + (8*I)*E^((I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2)*(c + d*x)) + 34*Sqrt[2]*E^((2*I)*(c + d*x)) + (40*I)*E^(((5*I)/2)*(c + d*x)) - 16*Sqrt[2]*E^((3*I)*(c + d*x)) - (8*I)*E^(((7*I)/2)*(c + d*x)) + Sqrt[2]*E^((4*I)*(c + d*x)) - (4 + 4*I)*Sqrt[2]*E^((I/2)*(2*c + d*x)))*x*(a*(1 + Cos[c + d*x]))^(5/2)*Sec[c/2 + (d*x)/2]^5)/((( -1 - I) + Sqrt[2]*E^((I/2)*c))*(-1 + E^(I*c))*(I - 2*Sqrt[2]*E^((I/2)*(c + d*x)) - (4*I)*E^(I*(c + d*x)) + 2*Sqrt[2]*E^(((3*I)/2)*(c + d*x)) + I*E^((2*I)*(c + d*x)))^2) - (((163*I)/512)*ArcTan[(Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4] - Sqrt[2]*Sin[c/4 + (d*x)/4])/(-Cos[c/4 + (d*x)/4] + Sqrt[2]*Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4])]*(a*(1 + Cos[c + d*x]))^(5/2)*Sec[c/2 + (d*x)/2]^5)/(Sqrt[2]*E^((I/2)*c))
```

$$2] * d) - (((163 * I) / 512) * \text{ArcTan}[(\cos[c/4 + (d * x) / 4] + \sin[c/4 + (d * x) / 4] - \sqrt{2} * \sin[c/4 + (d * x) / 4]) / (\cos[c/4 + (d * x) / 4] + \sqrt{2} * \cos[c/4 + (d * x) / 4] - \sin[c/4 + (d * x) / 4])] * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5) / (\sqrt{2} * d) - (163 * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Log}[2 - \sqrt{2} * \cos[c/2 + (d * x) / 2] - \sqrt{2} * \sin[c/2 + (d * x) / 2]] * \text{Sec}[c/2 + (d * x) / 2]^5) / (1024 * \sqrt{2} * d) - (163 * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Log}[2 + \sqrt{2} * \cos[c/2 + (d * x) / 2] - \sqrt{2} * \sin[c/2 + (d * x) / 2]] * \text{Sec}[c/2 + (d * x) / 2]^5) / (1024 * \sqrt{2} * d) - (((163 * I) / 256) * \text{ArcTan}[(2 * I) * \cos[c/2] - I * (-\sqrt{2} + 2 * \sin[c/2]) * \tan[(d * x) / 4]] / \sqrt{-2 + 4 * \cos[c/2]^2 + 4 * \sin[c/2]^2}] * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Cot}[c/2] * \text{Sec}[c/2 + (d * x) / 2]^5) / (d * \sqrt{-2 + 4 * \cos[c/2]^2 + 4 * \sin[c/2]^2}) + (163 * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Csc}[c/2] * \text{Sec}[c/2 + (d * x) / 2]^5 * (-d * x * \cos[c/2]) + 2 * \text{Log}[\sqrt{2} + 2 * \cos[(d * x) / 2] * \sin[c/2] + 2 * \cos[c/2] * \sin[(d * x) / 2]] * \sin[c/2] + ((4 * I) * \sqrt{2} * \text{ArcTan}[(2 * I) * \cos[c/2] - I * (-\sqrt{2} + 2 * \sin[c/2]) * \tan[(d * x) / 4]] / \sqrt{-2 + 4 * \cos[c/2]^2 + 4 * \sin[c/2]^2}] * \cos[c/2]) / \sqrt{-2 + 4 * \cos[c/2]^2 + 4 * \sin[c/2]^2}])) / (256 * \sqrt{2} * d * (4 * \cos[c/2]^2 + 4 * \sin[c/2]^2)) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * \sin[(d * x) / 2]) / (64 * d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d * x) / 2] - \sin[c/2 + (d * x) / 2])^4) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * (23 * \cos[c/2] - 17 * \sin[c/2])) / (384 * d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d * x) / 2] - \sin[c/2 + (d * x) / 2])^3) + (43 * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * \sin[(d * x) / 2]) / (256 * d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d * x) / 2] - \sin[c/2 + (d * x) / 2])^2) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * (163 * \cos[c/2] - 77 * \sin[c/2])) / (512 * d * (\cos[c/2] - \sin[c/2]) * (\cos[c/2 + (d * x) / 2] - \sin[c/2 + (d * x) / 2])) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * \sin[(d * x) / 2]) / (64 * d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d * x) / 2] + \sin[c/2 + (d * x) / 2])^4) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * (-23 * \cos[c/2] - 17 * \sin[c/2])) / (384 * d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d * x) / 2] + \sin[c/2 + (d * x) / 2])^3) + (43 * (a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * \sin[(d * x) / 2]) / (256 * d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d * x) / 2] + \sin[c/2 + (d * x) / 2])^2) + ((a * (1 + \cos[c + d * x]))^{(5/2)} * \text{Sec}[c/2 + (d * x) / 2]^5 * (-163 * \cos[c/2] - 77 * \sin[c/2])) / (512 * d * (\cos[c/2] + \sin[c/2]) * (\cos[c/2 + (d * x) / 2] + \sin[c/2 + (d * x) / 2]))$$

**fricas [A]** time = 1.47, size = 196, normalized size = 1.08

$$\frac{489 (a^2 \cos(dx + c)^5 + a^2 \cos(dx + c)^4) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{768 (d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/768\*(489\*(a^2\*cos(d\*x + c)^5 + a^2\*cos(d\*x + c)^4)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(489\*a^2\*cos(d\*x + c)^3 + 326\*a^2\*cos(d\*x + c)^2 + 184\*a^2\*cos(d\*x + c) + 48\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^5 + d\*cos(d\*x + c)^4)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.60, size = 872, normalized size = 4.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^5,x)`

[Out]  $\frac{1}{24}a^{3/2}\cos(1/2dx+1/2c)(a\sin(1/2dx+1/2c)^2)^{1/2}(7824a(\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a^{1/2}\cos(1/2dx+1/2c)+2a)) + \ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a^{1/2}\cos(1/2dx+1/2c)+2a))\sin(1/2dx+1/2c)^8 - 7824(2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+2\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a^{1/2}\cos(1/2dx+1/2c)+2a))a+2\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a^{1/2}\cos(1/2dx+1/2c)+2a))a)\sin(1/2dx+1/2c)^6 + 1304(11\cdot 2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+9\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a^{1/2}\cos(1/2dx+1/2c)+2a))a+9\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a^{1/2}\cos(1/2dx+1/2c)+2a))a-3912\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a^{1/2}\cos(1/2dx+1/2c)+2a))a-3912\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a^{1/2}\cos(1/2dx+1/2c)+2a))a-9212\cdot 2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2})\sin(1/2dx+1/2c)^2 + 489\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-a^{1/2}\cos(1/2dx+1/2c)+2a))a+489\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+a^{1/2}\cos(1/2dx+1/2c)+2a))a+2094\cdot 2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2})/(2\cos(1/2dx+1/2c)-2^{1/2})^4/(2\cos(1/2dx+1/2c)+2^{1/2})^4/\sin(1/2dx+1/2c)/(a\cos(1/2dx+1/2c)^2)^{1/2}/d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^5,x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^5,x)`

[Out] `int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^5, x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(5/2)*sec(d*x+c)**5,x)`

[Out] Timed out

### 3.121 $\int (a + a \cos(c + dx))^{7/2} dx$

**Optimal.** Leaf size=119

$$\frac{256a^4 \sin(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{64a^3 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{35d} + \frac{24a^2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{2a \sin(c + dx)}{d}$$

[Out]  $24/35*a^2*(a+a*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/7*a*(a+a*\cos(d*x+c))^(5/2)*\sin(d*x+c)/d+256/35*a^4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+64/35*a^3*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2647, 2646}

$$\frac{256a^4 \sin(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{64a^3 \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{35d} + \frac{24a^2 \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{2a \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(7/2), x]

[Out]  $(256*a^4*\text{Sin}[c + d*x])/(35*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (64*a^3*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(35*d) + (24*a^2*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(35*d) + (2*a*(a + a*\text{Cos}[c + d*x])^(5/2)*\text{Sin}[c + d*x])/(7*d)$

**Rule 2646**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2647**

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(a\*(2\*n - 1))/n, Int[(a + b\*Sin[c + d\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

**Rubi steps**

$$\begin{aligned} \int (a + a \cos(c + dx))^{7/2} dx &= \frac{2a(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{1}{7}(12a) \int (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{24a^2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2a(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2a \sin(c + dx)}{d} \\ &= \frac{64a^3 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{35d} + \frac{24a^2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2a \sin(c + dx)}{d} \\ &= \frac{256a^4 \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{64a^3 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{35d} + \frac{24a^2(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2a \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 83, normalized size = 0.70

$$\frac{a^3 \left( 1225 \sin\left(\frac{1}{2}(c + dx)\right) + 245 \sin\left(\frac{3}{2}(c + dx)\right) + 49 \sin\left(\frac{5}{2}(c + dx)\right) + 5 \sin\left(\frac{7}{2}(c + dx)\right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a \cos(c + dx) + a}}{140d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(7/2),x]

[Out] (a^3\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(1225\*Sin[(c + d\*x)/2] + 245\*Sin[(3\*(c + d\*x))/2] + 49\*Sin[(5\*(c + d\*x))/2] + 5\*Sin[(7\*(c + d\*x))/2]))/(140\*d)

**fricas** [A] time = 0.70, size = 75, normalized size = 0.63

$$\frac{2\left(5a^3\cos(dx+c)^3 + 27a^3\cos(dx+c)^2 + 71a^3\cos(dx+c) + 177a^3\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{35(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 2/35\*(5\*a^3\*cos(d\*x + c)^3 + 27\*a^3\*cos(d\*x + c)^2 + 71\*a^3\*cos(d\*x + c) + 177\*a^3)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac** [A] time = 0.80, size = 117, normalized size = 0.98

$$\frac{1}{140}\sqrt{2}\left(\frac{5a^3\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right)}{d} + \frac{49a^3\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right)}{d} + \frac{245a^3\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right)}{d} + \frac{1225a^3\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{d}\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] 1/140\*sqrt(2)\*(5\*a^3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(7/2\*d\*x + 7/2\*c)/d + 49\*a^3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 245\*a^3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 1225\*a^3\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple** [A] time = 0.16, size = 86, normalized size = 0.72

$$\frac{16a^4\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\left(5\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 6\left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 16\right)\sqrt{2}}{35\sqrt{a}\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(7/2),x)

[Out] 16/35\*a^4\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)\*(5\*cos(1/2\*d\*x+1/2\*c)^6+6\*cos(1/2\*d\*x+1/2\*c)^4+8\*cos(1/2\*d\*x+1/2\*c)^2+16)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [A] time = 1.07, size = 77, normalized size = 0.65

$$\frac{\left(5\sqrt{2}a^3\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 49\sqrt{2}a^3\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 245\sqrt{2}a^3\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 1225\sqrt{2}a^3\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sqrt{a}}{140d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] 1/140\*(5\*sqrt(2)\*a^3\*sin(7/2\*d\*x + 7/2\*c) + 49\*sqrt(2)\*a^3\*sin(5/2\*d\*x + 5/2\*c) + 245\*sqrt(2)\*a^3\*sin(3/2\*d\*x + 3/2\*c) + 1225\*sqrt(2)\*a^3\*sin(1/2\*d\*x + 1/2\*c))\*sqrt(a)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + a \cos(c + dx))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(7/2), x)

[Out] int((a + a\*cos(c + d\*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(7/2), x)

[Out] Timed out

$$3.122 \quad \int \frac{\cos^4(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=174

$$\frac{2 \sin(c+dx) \cos^3(c+dx)}{7d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \cos^2(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{62 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{105ad} - \frac{148 \sin(c+dx)}{105d\sqrt{a \cos(c+dx)+a}}$$

[Out] arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)-148/105\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)-2/35\*cos(d\*x+c)^2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+2/7\*cos(d\*x+c)^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+62/105\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/a/d

**Rubi [A]** time = 0.37, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2778, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{2 \sin(c+dx) \cos^3(c+dx)}{7d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \cos^2(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{62 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{105ad} - \frac{148 \sin(c+dx)}{105d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (148\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (62\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*a\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 -



$b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

### Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

### Rule 2983

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}), x\_Symbol] \rightarrow -\text{Simp}[(B*\cos[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n - 1)}*\text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] \parallel \text{EqQ}[m + 1/2, 0])$

### Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{\cos^2(c+dx)(-6a+a \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx}{7a} \\ &= -\frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{2 \int \frac{\cos(c+dx)(2a^2-\frac{31}{2}a^2 \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx}{35a^2} \\ &= -\frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{2 \int \frac{2a^2 \cos(c+dx)-\frac{31}{2}a^2 \cos^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{35a^2} \\ &= -\frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{62\sqrt{a + a \cos(c + dx)}}{105ad} \\ &= -\frac{148 \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{148 \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2 \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} - \frac{148 \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} - \frac{2 \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.20, size = 130, normalized size = 0.75

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\left(-525\sin\left(\frac{1}{2}(c+dx)\right)+175\sin\left(\frac{3}{2}(c+dx)\right)-21\sin\left(\frac{5}{2}(c+dx)\right)+15\sin\left(\frac{7}{2}(c+dx)\right)-420\log\left(\frac{105\sqrt{2}(a\cos(dx+c)+a)}{210d\sqrt{a(\cos(c+dx)+1)}}\right)\right)}{210d\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Cos[(c + d\*x)/2]\*(-420\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] + 420\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] - 525\*Sin[(c + d\*x)/2] + 175\*Sin[(3\*(c + d\*x))/2] - 21\*Sin[(5\*(c + d\*x))/2] + 15\*Sin[(7\*(c + d\*x))/2]))/(210\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.29, size = 153, normalized size = 0.88

$$\frac{4\left(15\cos(dx+c)^3-3\cos(dx+c)^2+31\cos(dx+c)-43\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)+\frac{105\sqrt{2}(a\cos(dx+c)+a)}{210(ad\cos(dx+c)+ad)}}{210(ad\cos(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/210\*(4\*(15\*cos(d\*x + c)^3 - 3\*cos(d\*x + c)^2 + 31\*cos(d\*x + c) - 43)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c) + 105\*sqrt(2)\*(a\*cos(d\*x + c) + a)\*log(-(cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a))/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 1.25, size = 118, normalized size = 0.68

$$\frac{\sqrt{2}\left(\frac{105\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{a}}+\frac{8\left(35a^3+\left(23a^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+28a^3\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{7}{2}}}\right)}{105d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] -1/105\*sqrt(2)\*(105\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a) + 8\*(35\*a^3 + (23\*a^3\*tan(1/2\*d\*x + 1/2\*c)^2 + 28\*a^3)\*tan(1/2\*d\*x + 1/2\*c)^2)\*tan(1/2\*d\*x + 1/2\*c)^3/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(7/2))/d

**maple [A]** time = 0.46, size = 194, normalized size = 1.11

$$\frac{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(-240\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+336\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)}{105a^{\frac{3}{2}}\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{a\left(\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2), x)

```
[Out] 1/105*cos(1/2*d*x+1/2*c)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-240*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^6+336*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^4-280*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^2+105*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a)/a^(3/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d
```

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^4}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^4/(a + a*cos(c + d*x))^(1/2),x)
```

```
[Out] int(cos(c + d*x)^4/(a + a*cos(c + d*x))^(1/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.123 \quad \int \frac{\cos^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=140

$$\frac{2 \sin(c+dx) \cos^2(c+dx)}{5d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{15ad} + \frac{28 \sin(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)}}\right)}{\sqrt{a}d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1}{2}\sin(dx+c)\sqrt{\frac{2}{a+a\cos(dx+c)}}\right)\sqrt{\frac{2}{a+a\cos(dx+c)}}/d + \frac{28\sin(dx+c)}{15d\sqrt{a+a\cos(dx+c)}} + \frac{2\cos(dx+c)\sin(dx+c)}{5d\sqrt{a+a\cos(dx+c)}} - \frac{2\sin(dx+c)\sqrt{a+a\cos(dx+c)}}{15ad}$

**Rubi [A]** time = 0.24, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2778, 2968, 3023, 2751, 2649, 206}

$$\frac{2 \sin(c+dx) \cos^2(c+dx)}{5d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{15ad} + \frac{28 \sin(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out]  $-\left(\frac{\sqrt{2}\operatorname{ArcTanh}\left[\frac{\sqrt{a}\sin[c+dx]}{\sqrt{2}\sqrt{a\cos[c+dx]}}\right]}{\sqrt{a}d}\right) + \frac{28\sin[c+dx]}{15d\sqrt{a\cos[c+dx]}} + \frac{2\cos[c+dx]^2\sin[c+dx]}{5d\sqrt{a\cos[c+dx]}} - \frac{2\sqrt{a\cos[c+dx]}\sin[c+dx]}{15ad}$

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/Rt[a, 2]\*Rt[-b, 2], x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m]/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2778

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{\cos(c+dx)(-4a+a\cos(c+dx))}{\sqrt{a+a\cos(c+dx)}} dx}{5a} \\ &= \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{-4a\cos(c+dx)+a\cos^2(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{5a} \\ &= \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} - \frac{2\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15ad} - \frac{2\int \frac{\frac{a^2}{2}-7a^2\cos(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{15a^2} \\ &= \frac{28\sin(c+dx)}{15d\sqrt{a+a\cos(c+dx)}} + \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} - \frac{2\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15ad} \\ &= \frac{28\sin(c+dx)}{15d\sqrt{a+a\cos(c+dx)}} + \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} - \frac{2\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15ad} \\ &= -\frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{28\sin(c+dx)}{15d\sqrt{a+a\cos(c+dx)}} + \frac{2\cos^2(c+dx)\sin(c+dx)}{5d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 118, normalized size = 0.84

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\left(60\sin\left(\frac{1}{2}(c+dx)\right) - 5\sin\left(\frac{3}{2}(c+dx)\right) + 3\sin\left(\frac{5}{2}(c+dx)\right) + 30\log\left(\cos\left(\frac{1}{4}(c+dx)\right) - \sin\left(\frac{1}{4}(c+dx)\right)\right)\right)}{15d\sqrt{a}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] (Cos[(c + d*x)/2]*(30*Log[Cos[(c + d*x)/4] - Sin[(c + d*x)/4]] - 30*Log[Cos
[(c + d*x)/4] + Sin[(c + d*x)/4]] + 60*Sin[(c + d*x)/2] - 5*Sin[(3*(c + d*x)
)/2] + 3*Sin[(5*(c + d*x))/2]))/(15*d*Sqrt[a*(1 + Cos[c + d*x])])
```

**fricas [A]** time = 0.68, size = 143, normalized size = 1.02

$$\frac{4\sqrt{a\cos(dx+c)+a}\left(3\cos(dx+c)^2 - \cos(dx+c) + 13\right)\sin(dx+c) + \frac{15\sqrt{2}(a\cos(dx+c)+a)\log\left(\frac{\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a}\cos(dx+c) + a}{\cos(dx+c)}\right)}{\sqrt{a}}}{30(ad\cos(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/30\*(4\*sqrt(a\*cos(d\*x + c) + a)\*(3\*cos(d\*x + c)^2 - cos(d\*x + c) + 13)\*sin(d\*x + c) + 15\*sqrt(2)\*(a\*cos(d\*x + c) + a)\*log(-(cos(d\*x + c)^2 + 2\*sqrt(2))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a))/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [A] time = 1.29, size = 116, normalized size = 0.83

$$\frac{\sqrt{2} \left( \frac{15 \log \left( -\sqrt{a} \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + \sqrt{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + a} \right)}{\sqrt{a}} + \frac{2 \left( \left( 17 a^2 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 20 a^2 \right) \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 15 a^2 \right) \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\left( a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + a \right)^{\frac{5}{2}}} \right)}{15 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 1/15\*sqrt(2)\*(15\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a) + 2\*((17\*a^2\*tan(1/2\*d\*x + 1/2\*c)^2 + 20\*a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 + 15\*a^2)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(5/2))/d

**maple** [A] time = 0.39, size = 183, normalized size = 1.31

$$\frac{\cos \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( -24 \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 20 \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \right)}{15 a^{\frac{3}{2}} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -1/15\*cos(1/2\*d\*x+1/2\*c)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4+20\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+15\*ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a-30\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2))/a^(3/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.124 \quad \int \frac{\cos^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=104

$$\frac{2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{3ad} - \frac{4 \sin(c+dx)}{3d \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)-4/3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+2/3\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/a/d

**Rubi [A]** time = 0.13, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2759, 2751, 2649, 206}

$$\frac{2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{3ad} - \frac{4 \sin(c+dx)}{3d \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (4\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d)

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2759

Int[sin[(e\_.) + (f\_.)\*(x\_)]^2\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps



$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{2\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{3ad} + \frac{2 \int \frac{\frac{a}{2}-a\cos(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{3a} \\
&= -\frac{4\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{3ad} + \int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx \\
&= -\frac{4\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{3ad} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx\right)}{3ad} \\
&= \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{4\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sqrt{a+a\cos(c+dx)} \sin(c+dx)}{3ad}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 104, normalized size = 1.00

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \left(-3 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right) - 3 \log\left(\cos\left(\frac{1}{4}(c+dx)\right) - \sin\left(\frac{1}{4}(c+dx)\right)\right) + 3 \log\left(\sin\left(\frac{1}{4}(c+dx)\right) + \cos\left(\frac{1}{4}(c+dx)\right)\right)\right)}{3d\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*Cos[(c + d\*x)/2]\*(-3\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] + 3\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] - 3\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/(3\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.14, size = 131, normalized size = 1.26

$$\frac{4\sqrt{a\cos(dx+c)+a}(\cos(dx+c)-1)\sin(dx+c) + \frac{3\sqrt{2}(a\cos(dx+c)+a)\log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sin(dx+c) - 2\cos(dx+c)}{\sqrt{a}}\right)}{\sqrt{a}}}{6(ad\cos(dx+c)+ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/6\*(4\*sqrt(a\*cos(d\*x + c) + a)\*(cos(d\*x + c) - 1)\*sin(d\*x + c) + 3\*sqrt(2)\*(a\*cos(d\*x + c) + a)\*log(-(cos(d\*x + c))^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a)/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 1.67, size = 79, normalized size = 0.76

$$\frac{\sqrt{2} \left( \frac{4a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a\right)^{\frac{3}{2}}} + \frac{3 \log\left(\left| -\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \right| \right)}{\sqrt{a}} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] -1/3\*sqrt(2)\*(4\*a\*tan(1/2\*d\*x + 1/2\*c)^3/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(3/2) + 3\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a))/d

**maple [A]** time = 0.29, size = 135, normalized size = 1.30

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-4\sqrt{a} \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3\sqrt{2} \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + \cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}{3a^{\frac{3}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 1/3\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+3\*2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)+a))\*a)/a^(3/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad [B]** time = 0.38, size = 97, normalized size = 0.93

$$\frac{2 \sin(c + dx) \sqrt{a + a \cos(c + dx)}}{3 a d} - \frac{2 \left(4 a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) - 3 a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right)\right) \sqrt{\frac{a+a \cos(c+dx)}{2 a}}}{3 a^2 d \sqrt{a + a \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (2\*sin(c + d\*x)\*(a + a\*cos(c + d\*x))^(1/2))/(3\*a\*d) - (2\*(4\*a^2\*ellipticE(c/2 + (d\*x)/2, 1) - 3\*a^2\*ellipticF(c/2 + (d\*x)/2, 1))\*((a + a\*cos(c + d\*x))/(2\*a))^(1/2))/(3\*a^2\*d\*(a + a\*cos(c + d\*x))^(1/2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*2/sqrt(a\*(cos(c + d\*x) + 1)), x)

$$3.125 \quad \int \frac{\cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=73

$$\frac{2 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(dx+c) a^{1/2} 2^{1/2}}{(a+a \cos(dx+c))^{1/2}}\right) 2^{1/2} / d / a^{1/2} + 2 \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.05, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2751, 2649, 206}

$$\frac{2 \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcTanh}\left(\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{2} \sqrt{a+a \cos[c+d*x]}}\right)}{\sqrt{a} d}\right) + \frac{2 \sin[c+d*x]}{d \sqrt{a+a \cos[c+d*x]}}$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^m\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx &= \frac{2 \sin(c+dx)}{d\sqrt{a+a \cos(c+dx)}} - \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx \\ &= \frac{2 \sin(c+dx)}{d\sqrt{a+a \cos(c+dx)}} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2 \sin(c+dx)}{d\sqrt{a+a \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 53, normalized size = 0.73

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - 2 \sin\left(\frac{1}{2}(c + dx)\right) \right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (-2\*Cos[(c + d\*x)/2]\*(ArcTanh[Sin[(c + d\*x)/2]] - 2\*Sin[(c + d\*x)/2]))/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.31, size = 122, normalized size = 1.67

$$\frac{\sqrt{2}(a \cos(dx+c)+a) \log\left(\frac{\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a \cos(dx+c)+a} \sin(dx+c) - 2 \cos(dx+c) - 3}{\sqrt{a}}\right)}{\sqrt{a}} + \frac{4\sqrt{a \cos(dx+c)+a} \sin(dx+c)}{2(ad \cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*(a\*cos(d\*x + c) + a)\*log(-(cos(d\*x + c))^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a) + 4\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a\*d\*cos(d\*x + c) + a\*d)

**giac [A]** time = 1.06, size = 74, normalized size = 1.01

$$\frac{\sqrt{2} \left( \frac{\log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)}{\sqrt{a}} + \frac{2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] sqrt(2)\*(log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a) + 2\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))/d

**maple [A]** time = 0.31, size = 120, normalized size = 1.64

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) a - 2\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{a^{\frac{3}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x)

[Out] -cos(1/2\*d\*x+1/2\*c)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a-2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2))/a^(3/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [B] time = 0.40, size = 60, normalized size = 0.82

$$\frac{2 \left( 2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) - F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \right) \sqrt{\frac{a+a \cos(c+dx)}{2a}}}{d \sqrt{a+a \cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (2\*(2\*ellipticE(c/2 + (d\*x)/2, 1) - ellipticF(c/2 + (d\*x)/2, 1))\*((a + a\*cos(c + d\*x))/(2\*a))^(1/2))/(d\*(a + a\*cos(c + d\*x))^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)/sqrt(a\*(cos(c + d\*x) + 1)), x)

$$3.126 \quad \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=46

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)

**Rubi [A]** time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2649, 206}

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx &= -\frac{2 \text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 40, normalized size = 0.87

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d \sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 0.88, size = 126, normalized size = 2.74

$$\left[ \frac{\sqrt{2} \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sin(dx+c) - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{2\sqrt{a}d}, \frac{\sqrt{2}\sqrt{-\frac{1}{a}} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{-\frac{1}{a}}}{\sin(dx+c)}\right)}{d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2\*sqrt(2)\*log(-(cos(d\*x + c))^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/(sqrt(a)\*d), -sqrt(2)\*sqrt(-1/a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-1/a)/sin(d\*x + c))/d]

**giac** [B] time = 0.62, size = 93, normalized size = 2.02

$$\frac{\sqrt{2} \log\left(\frac{1}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)} + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\right)}{\sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \frac{\sqrt{2} \log\left(\frac{1}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)} + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2\right)}{\sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} \Bigg/ 4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 1/4\*(sqrt(2)\*log(abs(1/sin(1/2\*d\*x + 1/2\*c) + sin(1/2\*d\*x + 1/2\*c) + 2))/(sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))) - sqrt(2)\*log(abs(1/sin(1/2\*d\*x + 1/2\*c) + sin(1/2\*d\*x + 1/2\*c) - 2))/(sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))))/d

**maple** [C] time = 0.06, size = 54, normalized size = 1.17

$$\frac{\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \operatorname{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} \middle| 1\right)}{d\sqrt{a\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \operatorname{csgn}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/csgn(cos(1/2\*d\*x+1/2\*c))\*cos(1/2\*d\*x+1/2\*c)\*InverseJacobiAM(1/2\*d\*x+1/2\*c,1)

**maxima** [B] time = 1.31, size = 90, normalized size = 1.96

$$\frac{\sqrt{2} \log\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)}{2\sqrt{a}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/2\*(sqrt(2)\*log(cos(1/2\*d\*x + 1/2\*c)^2 + sin(1/2\*d\*x + 1/2\*c)^2 + 2\*sin(1/2\*d\*x + 1/2\*c) + 1) - sqrt(2)\*log(cos(1/2\*d\*x + 1/2\*c)^2 + sin(1/2\*d\*x + 1/2\*c)^2 - 2\*sin(1/2\*d\*x + 1/2\*c) + 1))/(sqrt(a)\*d)

mupad [B] time = 0.36, size = 45, normalized size = 0.98

$$\frac{F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \sqrt{\frac{2(a+a \cos(c+dx))}{a}}}{d \sqrt{a + a \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (ellipticF(c/2 + (d\*x)/2, 1)\*((2\*(a + a\*cos(c + d\*x)))/a)^(1/2))/(d\*(a + a\*cos(c + d\*x))^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(c + dx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(a\*cos(c + d\*x) + a), x)



$$3.127 \quad \int \frac{\sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=85

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out]  $2 \operatorname{arctanh}(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / d / a^{1/2} - \operatorname{arctanh}(1/2 \cdot \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / (a+a \cos(dx+c))^{1/2}) \cdot 2^{1/2} / d / a^{1/2}$

**Rubi [A]** time = 0.11, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2780, 2649, 206, 2773}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(2 \operatorname{ArcTanh}[(\operatorname{Sqrt}[a] \cdot \operatorname{Sin}[c + d \cdot x]) / \operatorname{Sqrt}[a + a \cdot \operatorname{Cos}[c + d \cdot x]])] / (\operatorname{Sqrt}[a] \cdot d) - (\operatorname{Sqrt}[2] \operatorname{ArcTanh}[(\operatorname{Sqrt}[a] \cdot \operatorname{Sin}[c + d \cdot x]) / (\operatorname{Sqrt}[2] \operatorname{Sqrt}[a + a \cdot \operatorname{Cos}[c + d \cdot x]])]) / (\operatorname{Sqrt}[a] \cdot d)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2780

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[b/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[d/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\int \sqrt{a+a\cos(c+dx)} \sec(c+dx) dx}{a} - \int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx \\ &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{d} + \frac{2 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{d} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 65, normalized size = 0.76

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \left( \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \sqrt{2} \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) \right)}{d\sqrt{a}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (-2\*(ArcTanh[Sin[(c + d\*x)/2]] - Sqrt[2]\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]])\*Cos[(c + d\*x)/2])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [B]** time = 0.73, size = 164, normalized size = 1.93

$$\frac{\sqrt{2}\sqrt{a} \log\left(-\frac{\cos(dx+c)^2 + \frac{2\sqrt{2}\sqrt{a}\cos(dx+c)+a}{\sqrt{a}}\sin(dx+c) - 2\cos(dx+c) - 3}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right) + \sqrt{a} \log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c)+a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*sqrt(a)\*log(-(cos(d\*x + c))^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2))/(a\*d)

**giac [B]** time = 1.87, size = 162, normalized size = 1.91

$$\sqrt{2} \left( \frac{\log\left(\frac{\left|2\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-4\sqrt{2}|a|-6a}{|a|}\right)}{\sqrt{a}} + \frac{\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{\sqrt{a}} \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*(sqrt(2)\*sqrt(a)\*log(abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*

$\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + 4*\sqrt{2}*ab$   
 $s(a - 6*a))/abs(a) + \log((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*$   
 $x + 1/2*c)^2 + a})^2)/\sqrt{a})/d$

**maple [B]** time = 0.61, size = 224, normalized size = 2.64

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left( \sqrt{2} \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) - \ln\left(\frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} + 4a\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right)}{\sqrt{a} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x)

[Out]  $-\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2^{(1/2)}*\ln(4/\cos(1/2*d*$   
 $x+1/2*c)*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))-\ln(4/(2*\cos(1/2*d*x+1/$   
 $2*c)+2^{(1/2)})*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos$   
 $(1/2*d*x+1/2*c)+2*a))-\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})*(2^{(1/2)}*(a*\sin$   
 $(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a)))/a^{(1/2)}$   
 $/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)}{\sqrt{a \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/sqrt(a\*cos(d\*x + c) + a), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(1/2)), x)

[Out] int(1/(cos(c + d\*x)\*(a + a\*cos(c + d\*x))^(1/2)), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c+dx)}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sec(c + d\*x)/sqrt(a\*(cos(c + d\*x) + 1)), x)

$$3.128 \quad \int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=108

$$\frac{\tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

[Out] -arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d/a^(1/2)+arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)+tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.21, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23, number of rules / integrand size = 0.217, Rules used = {2779, 2985, 2649, 206, 2773}

$$\frac{\tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}} - \frac{\tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] -(ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(Sqrt[a]\*d)) + (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/((Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x])))]/(Sqrt[a]\*d) + Tan[c + d\*x]/(d\*Sqrt[a + a\*Cos[c + d\*x]]))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A

\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\tan(c+dx)}{d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{(a-a\cos(c+dx))\sec(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{2a} \\ &= \frac{\tan(c+dx)}{d\sqrt{a+a\cos(c+dx)}} - \frac{\int \sqrt{a+a\cos(c+dx)} \sec(c+dx) dx}{2a} + \int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx \\ &= \frac{\tan(c+dx)}{d\sqrt{a+a\cos(c+dx)}} + \frac{\text{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{d} - \frac{2\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{d} \\ &= -\frac{\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\tan(c+dx)}{d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 27.56, size = 1540, normalized size = 14.26

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^2/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] ((1/4 - I/4)\*(1 + E^(I\*c))\*(Sqrt[2] - (1 - I)\*E^((I/2)\*c) + (16 - 16\*I)\*E^((3\*I)/2)\*c + I\*d\*x) + (20 + 20\*I)\*Sqrt[2]\*E^((2\*I)\*c + ((3\*I)/2)\*d\*x) - (34 - 34\*I)\*E^(((5\*I)/2)\*c + (2\*I)\*d\*x) - (20 + 20\*I)\*Sqrt[2]\*E^((3\*I)\*c + ((5\*I)/2)\*d\*x) + (16 - 16\*I)\*E^(((7\*I)/2)\*c + (3\*I)\*d\*x) + (4 + 4\*I)\*Sqrt[2]\*E^((4\*I)\*c + ((7\*I)/2)\*d\*x) - (1 - I)\*E^(((9\*I)/2)\*c + (4\*I)\*d\*x) + (8\*I)\*E^((I/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^(I\*(c + d\*x)) - (40\*I)\*E^(((3\*I)/2)\*(c + d\*x)) + 34\*Sqrt[2]\*E^((2\*I)\*(c + d\*x)) + (40\*I)\*E^(((5\*I)/2)\*(c + d\*x)) - 16\*Sqrt[2]\*E^((3\*I)\*(c + d\*x)) - (8\*I)\*E^(((7\*I)/2)\*(c + d\*x)) + Sqrt[2]\*E^((4\*I)\*(c + d\*x)) - (4 + 4\*I)\*Sqrt[2]\*E^((I/2)\*(2\*c + d\*x))\*x\*Cos[c/2 + (d\*x)/2])/((-1 - I) + Sqrt[2]\*E^((I/2)\*c))\*(-1 + E^(I\*c))\*(I - 2\*Sqrt[2]\*E^((I/2)\*(c + d\*x)) - (4\*I)\*E^(I\*(c + d\*x)) + 2\*Sqrt[2]\*E^(((3\*I)/2)\*(c + d\*x)) + I\*E^((2\*I)\*(c + d\*x)))^2\*Sqrt[a\*(1 + Cos[c + d\*x])]) + (I\*ArcTan[(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(-Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])]\*Cos[c/2 + (d\*x)/2])/(Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) + (I\*ArcTan[(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])]\*Cos[c/2 + (d\*x)/2])/(Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) - (2\*Cos[c/2 + (d\*x)/2]\*Log[Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])]) + (2\*Cos[c/2 + (d\*x)/2]\*Log[Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])]) + (Cos[c/2 + (d\*x)/2]\*Log[2 - Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2])/(2\*Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) + (Cos[c/2 + (d\*x)/2]\*Log[2 + Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2])/(2\*Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) + ((2\*I)\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])\*Cos[c/2 + (d\*x)/2]\*Cot[c/2])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]) - (Sqrt[2]\*Cos[c/2 + (d\*x)/2]\*Csc[c/2]\*(-(d\*x)\*Cos[c/2]) + 2\*Log[Sqrt[2] + 2\*Cos[(d\*x)/2]\*Sin[c/2] + 2\*Cos[c/2]\*Sin[(d\*x)/2]]\*Sin[c/2] + ((4\*I)\*Sqrt[2]\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])]/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

$\frac{\sin[c/2] \cdot \tan[(d*x)/4]}{\sqrt{-2 + 4 \cdot \cos[c/2]^2 + 4 \cdot \sin[c/2]^2}} \cdot \cos[c/2] / \sqrt{-2 + 4 \cdot \cos[c/2]^2 + 4 \cdot \sin[c/2]^2} / (d \cdot \sqrt{a \cdot (1 + \cos[c + d*x])} \cdot (4 \cdot \cos[c/2]^2 + 4 \cdot \sin[c/2]^2)) + \cos[c/2 + (d*x)/2] / (d \cdot \sqrt{a \cdot (1 + \cos[c + d*x])} \cdot (\cos[c/2 + (d*x)/2] - \sin[c/2 + (d*x)/2])) - \cos[c/2 + (d*x)/2] / (d \cdot \sqrt{a \cdot (1 + \cos[c + d*x])} \cdot (\cos[c/2 + (d*x)/2] + \sin[c/2 + (d*x)/2]))$

**fricas [B]** time = 0.90, size = 236, normalized size = 2.19

$$\frac{(\cos(dx+c)^2 + \cos(dx+c))\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 + 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + \frac{2\sqrt{2}(a \cos(dx+c)^2 + \cos(dx+c))}{4(ad \cos(dx+c)^2 + ad \cos(dx+c))}}{4(ad \cos(dx+c)^2 + ad \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{4} \cdot ((\cos(dx+c)^2 + \cos(dx+c)) \cdot \sqrt{a} \cdot \log((a \cdot \cos(dx+c)^3 - 7 \cdot a \cdot \cos(dx+c)^2 + 4 \cdot \sqrt{a} \cdot \cos(dx+c) + a) \cdot \sqrt{a} \cdot (\cos(dx+c) - 2) \cdot \sin(dx+c) + 8 \cdot a) / (\cos(dx+c)^3 + \cos(dx+c)^2)) + 2 \cdot \sqrt{2} \cdot (a \cdot \cos(dx+c)^2 + a \cdot \cos(dx+c)) \cdot \log(-(\cos(dx+c)^2 - 2 \cdot \sqrt{2} \cdot \sqrt{a \cdot \cos(dx+c) + a}) \cdot \sin(dx+c) / \sqrt{a} - 2 \cdot \cos(dx+c) - 3) / (\cos(dx+c)^2 + 2 \cdot \cos(dx+c) + 1)) / \sqrt{a} + 4 \cdot \sqrt{2} \cdot (a \cdot \cos(dx+c) + a) \cdot \sin(dx+c) / (a \cdot d \cdot \cos(dx+c)^2 + a \cdot d \cdot \cos(dx+c))$

**giac [B]** time = 2.71, size = 290, normalized size = 2.69

$$\frac{\sqrt{2} \left( \frac{\sqrt{2} \sqrt{a} \log\left(\frac{2 \left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 - 4 \sqrt{2} |a| - 6 a}{2 \left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2 + 4 \sqrt{2} |a| - 6 a}\right)}{|a|} + \frac{2 \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)^2\right)}{\sqrt{a}} - \frac{1}{\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)} \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $-1/4 \cdot \sqrt{2} \cdot (\sqrt{2} \cdot \sqrt{a} \cdot \log(\text{abs}(2 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^2 - 4 \cdot \sqrt{2} \cdot \text{abs}(a) - 6 \cdot a) / \text{abs}(2 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^2 + 4 \cdot \sqrt{2} \cdot \text{abs}(a) - 6 \cdot a)) / \text{abs}(a) + 2 \cdot \log((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^2) / \sqrt{a} - 8 \cdot (3 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^2 \cdot \sqrt{a} - a^{(3/2)}) / ((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^4 - 6 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}))^2 \cdot a + a^2) / d$

**maple [B]** time = 0.67, size = 466, normalized size = 4.31

$$\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -2a \left( 2\sqrt{2} \ln\left(\frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) - \ln\left(\frac{4\left(\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a} - a \sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{-2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*a*(2*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))-\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))-\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a)))*\sin(1/2*d*x+1/2*c)^2+2*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a+2*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a-\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a)/a^{(3/2)}/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^2 \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c+d*x)^2*(a+a*cos(c+d*x))^(1/2)),x)`

[Out] `int(1/(cos(c+d*x)^2*(a+a*cos(c+d*x))^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sec(c+d*x)**2/sqrt(a*(cos(c+d*x)+1)),x)`

$$3.129 \quad \int \frac{\sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=147

$$-\frac{\tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

[Out] 7/4\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)-1/4\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+1/2\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.34, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23, number of rules / integrand size = 0.261, Rules used = {2779, 2984, 2985, 2649, 206, 2773}

$$-\frac{\tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (7\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*Sqrt[a]\*d) - (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) - Tan[c + d\*x]/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2984



```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

### Rule 2985

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A
*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c -
A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x
] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b
^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\sec(c+dx)\tan(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{(a-3a\cos(c+dx))\sec^2(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{4a} \\ &= -\frac{\tan(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{\left(-\frac{7a^2}{2} + \frac{1}{2}a^2\cos(c+dx)\right)\sec(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{4a^2} \\ &= -\frac{\tan(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{7\int \sqrt{a+a\cos(c+dx)}\sec(c+dx) dx}{8a} \\ &= -\frac{\tan(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{7\text{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4d} \\ &= \frac{7\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\tan(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 31.17, size = 1791, normalized size = 12.18

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^3/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] ((-7/16 + (7*I)/16)*(1 + E^(I*c))*(Sqrt[2] - (1 - I)*E^((I/2)*c) + (16 - 16
*I)*E^(((3*I)/2)*c + I*d*x) + (20 + 20*I)*Sqrt[2]*E^((2*I)*c + ((3*I)/2)*d*
x) - (34 - 34*I)*E^(((5*I)/2)*c + (2*I)*d*x) - (20 + 20*I)*Sqrt[2]*E^((3*I)
*c + ((5*I)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*S
qrt[2]*E^((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) +
(8*I)*E^((I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2
)*(c + d*x)) + 34*Sqrt[2]*E^((2*I)*(c + d*x)) + (40*I)*E^(((5*I)/2)*(c + d*
x)) - 16*Sqrt[2]*E^((3*I)*(c + d*x)) - (8*I)*E^(((7*I)/2)*(c + d*x)) + Sqrt
[2]*E^((4*I)*(c + d*x)) - (4 + 4*I)*Sqrt[2]*E^((I/2)*(2*c + d*x)))*x*Cos[c/
2 + (d*x)/2])/((-1 - I) + Sqrt[2]*E^((I/2)*c))*(-1 + E^(I*c))*(I - 2*Sqrt[
2]*E^((I/2)*(c + d*x)) - (4*I)*E^(I*(c + d*x)) + 2*Sqrt[2]*E^(((3*I)/2)*c
```

+ d\*x)) + I\*E^(((2\*I)\*(c + d\*x)))^2\*Sqrt[a\*(1 + Cos[c + d\*x])) - (((7\*I)/4)\*ArcTan[(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(-Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])\*Cos[c/2 + (d\*x)/2])/(Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))] - (((7\*I)/4)\*ArcTan[(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4] - Sqrt[2]\*Sin[c/4 + (d\*x)/4])/(Cos[c/4 + (d\*x)/4] + Sqrt[2]\*Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])\*Cos[c/2 + (d\*x)/2])/(Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))] + (2\*Cos[c/2 + (d\*x)/2]\*Log[Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])/(d\*Sqrt[a\*(1 + Cos[c + d\*x]))] - (2\*Cos[c/2 + (d\*x)/2]\*Log[Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4])/(d\*Sqrt[a\*(1 + Cos[c + d\*x]))] - (7\*Cos[c/2 + (d\*x)/2]\*Log[2 - Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2])/(8\*Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))] - (7\*Cos[c/2 + (d\*x)/2]\*Log[2 + Sqrt[2]\*Cos[c/2 + (d\*x)/2] - Sqrt[2]\*Sin[c/2 + (d\*x)/2])/(8\*Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))] - ((7\*I)/2)\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])\*Cos[c/2 + (d\*x)/2]\*Cot[c/2])/(d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2] + (7\*Cos[c/2 + (d\*x)/2]\*Csc[c/2]\*(-d\*x\*Cos[c/2]) + 2\*Log[Sqrt[2] + 2\*Cos[(d\*x)/2]\*Sin[c/2] + 2\*Cos[c/2]\*Sin[(d\*x)/2])\*Sin[c/2] + ((4\*I)\*Sqrt[2]\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])\*Cos[c/2])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]))/(2\*Sqrt[2]\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*(4\*Cos[c/2]^2 + 4\*Sin[c/2]^2) + (Cos[c/2 + (d\*x)/2]\*Sin[(d\*x)/2])/(2\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + (Cos[c/2 + (d\*x)/2]\*(-Cos[c/2] + 3\*Sin[c/2]))/(4\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])) + (Cos[c/2 + (d\*x)/2]\*Sin[(d\*x)/2])/(2\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2) + (Cos[c/2 + (d\*x)/2]\*(Cos[c/2] + 3\*Sin[c/2]))/(4\*d\*Sqrt[a\*(1 + Cos[c + d\*x]))\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]))

**fricas** [B] time = 0.80, size = 251, normalized size = 1.71

$$\frac{7(\cos(dx+c)^3 + \cos(dx+c)^2)\sqrt{a} \log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) - 4\sqrt{a}\cos(dx+c)}{16(ad\cos(dx+c) + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/16\*(7\*(cos(d\*x + c)^3 + cos(d\*x + c)^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) - 4\*sqrt(a\*cos(d\*x + c) + a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*sqrt(2)\*(a\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2)\*log(-(cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a))/(a\*d\*cos(d\*x + c)^3 + a\*d\*cos(d\*x + c)^2)

**giac [B]** time = 2.34, size = 371, normalized size = 2.52

$$\sqrt{2} \left[ \frac{7\sqrt{2}\sqrt{a} \log \left( \frac{2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 - 4\sqrt{2}|a| - 6a}{2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 + 4\sqrt{2}|a| - 6a} \right)}{|a|} + \frac{8 \log \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2}{\sqrt{a}} - \frac{8 \left( 17 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 \right)}{\sqrt{a}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 1/16\*sqrt(2)\*(7\*sqrt(2)\*sqrt(a)\*log(abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + 4\*sqrt(2)\*abs(a) - 6\*a))/abs(a) + 8\*log((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2)/sqrt(a) - 8\*(17\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^6\*sqrt(a) - 57\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^4\*a^(3/2) + 19\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*a^(5/2) - 3\*a^(7/2))/((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^4 - 6\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*a + a^2)/d

**maple [B]** time = 0.68, size = 671, normalized size = 4.56

$$\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -4a \left( -8\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)} \right) + 7 \ln \left( \frac{4\sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a + 4a\sqrt{2}}}{2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2), x)

[Out] -1/2\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*a\*(-8\*2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))+7\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+7\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*sin(1/2\*d\*x+1/2\*c)^4+(-32\*2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a+28\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+28\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-4\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))\*sin(1/2\*d\*x+1/2\*c)^2+8\*2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a-7\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-7\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a-2\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(3/2)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2))^2/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2))^2/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^3 \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^3\*(a+a\*cos(c+d\*x))^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^3\*(a+a\*cos(c+d\*x))^(1/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c+d\*x)\*\*3/sqrt(a\*(cos(c+d\*x)+1)),x)

$$3.130 \quad \int \frac{\sec^4(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=181

$$\frac{7 \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} - \frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8\sqrt{a}d} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\tan(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{1}{1}$$

[Out]  $-9/8*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/d/a^{(1/2)}+\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)/d/a^{(1/2)}+7/8}*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-1/12*\sec(d*x+c)*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/3*\sec(d*x+c)^2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.49, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2779, 2984, 2985, 2649, 206, 2773}

$$\frac{7 \tan(c+dx)}{8d\sqrt{a \cos(c+dx)+a}} - \frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8\sqrt{a}d} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d} + \frac{\tan(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{1}{1}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^4/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out]  $(-9*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])]/(8*\operatorname{Sqrt}[a]*d) + (\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])]/(\operatorname{Sqrt}[a]*d) + (7*\operatorname{Tan}[c+d*x])/((8*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]) - (\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/((12*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]) + (\operatorname{Sec}[c+d*x]^2*\operatorname{Tan}[c+d*x])/((3*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2779

Int[((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]], x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

## Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

## Rule 2985

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

## Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{\sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{(a-5a \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{6a} \\ &= -\frac{\sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{\sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{\int \left(-\frac{21a^2}{2} + \frac{3}{2}a^2 \cos(c+dx)\right) \sec^2(c+dx)}{12a^2} \\ &= \frac{7 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} - \frac{\sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{\sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{\int \left(\frac{27}{4}\right)}{12a^2} \\ &= \frac{7 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} - \frac{\sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{\sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{9 \int \sqrt{a + a \cos(c + dx)}}{12a^2} \\ &= \frac{7 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} - \frac{\sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{\sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{9 \sqrt{a + a \cos(c + dx)}}{12a^2} \\ &= -\frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{8\sqrt{a} d} + \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{7 \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica** [C] time = 30.13, size = 1921, normalized size = 10.61

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^4/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] ((9/32 - (9*I)/32)*(1 + E^(I*c))*(Sqrt[2] - (1 - I)*E^((I/2)*c) + (16 - 16*I)*E^(((3*I)/2)*c + I*d*x) + (20 + 20*I)*Sqrt[2]*E^((2*I)*c + ((3*I)/2)*d*x) - (34 - 34*I)*E^(((5*I)/2)*c + (2*I)*d*x) - (20 + 20*I)*Sqrt[2]*E^((3*I)*c + ((5*I)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*Sqrt[2]*E^((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) + (8*I)*E^((I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2)
```

$$\begin{aligned} &*(c + d*x)) + 34*\text{Sqrt}[2]*E^{((2*I)*(c + d*x))} + (40*I)*E^{((5*I)/2)*(c + d*x)} \\ & - 16*\text{Sqrt}[2]*E^{((3*I)*(c + d*x))} - (8*I)*E^{((7*I)/2)*(c + d*x)} + \text{Sqrt}[2] \\ & *E^{((4*I)*(c + d*x))} - (4 + 4*I)*\text{Sqrt}[2]*E^{((I/2)*(2*c + d*x))}*x*\text{Cos}[c/2 \\ & + (d*x)/2]/((-1 - I) + \text{Sqrt}[2]*E^{((I/2)*c)}*(-1 + E^{(I*c)})*(I - 2*\text{Sqrt}[2] \\ & ]*E^{((I/2)*(c + d*x))} - (4*I)*E^{(I*(c + d*x))} + 2*\text{Sqrt}[2]*E^{((3*I)/2)*(c + \\ & d*x)} + I*E^{((2*I)*(c + d*x))})^2*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) + ((9*I)/8)* \\ & \text{ArcTan}[(\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4 \\ & ])/(-\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])] \\ & *\text{Cos}[c/2 + (d*x)/2]/(\text{Sqrt}[2]*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) + ((9*I)/8)*\text{Ar} \\ & \text{cTan}[(\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4]) \\ & /(\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])]*\text{Co} \\ & \text{s}[c/2 + (d*x)/2]/(\text{Sqrt}[2]*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) - (2*\text{Cos}[c/2 + (d* \\ & x)/2]*\text{Log}[\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4]])/(d*\text{Sqrt}[a*(1 + \text{Cos}[c + \\ & d*x])]) + (2*\text{Cos}[c/2 + (d*x)/2]*\text{Log}[\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4] \\ & ])/(d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) + (9*\text{Cos}[c/2 + (d*x)/2]*\text{Log}[2 - \text{Sqrt}[2]*\text{C} \\ & \text{os}[c/2 + (d*x)/2] - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]])/(16*\text{Sqrt}[2]*d*\text{Sqrt}[a*(1 + \\ & \text{Cos}[c + d*x])]) + (9*\text{Cos}[c/2 + (d*x)/2]*\text{Log}[2 + \text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2] \\ & - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]])/(16*\text{Sqrt}[2]*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) + \\ & (((9*I)/4)*\text{ArcTan}[(2*I)*\text{Cos}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])*\text{Tan}[(d*x)/4]) \\ & /(\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2])* \text{Cos}[c/2 + (d*x)/2]*\text{Cot}[c/2])/(d*\text{Sq} \\ & \text{rt}[a*(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) - (9*\text{Cos}[c \\ & /2 + (d*x)/2]*\text{Csc}[c/2]*(-(d*x*\text{Cos}[c/2]) + 2*\text{Log}[\text{Sqrt}[2] + 2*\text{Cos}[(d*x)/2]*\text{Si} \\ & \text{n}[c/2] + 2*\text{Cos}[c/2]*\text{Sin}[(d*x)/2])* \text{Sin}[c/2] + ((4*I)*\text{Sqrt}[2]*\text{ArcTan}[(2*I)*\text{C} \\ & \text{os}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])* \text{Tan}[(d*x)/4])/\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + \\ & 4*\text{Sin}[c/2]^2])* \text{Cos}[c/2])/\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]))/(4*\text{Sqrt}[2] \\ & ]*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]*(4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2)) + \text{Cos}[c/2 + ( \\ & d*x)/2]/(6*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d* \\ & x)/2])^3) - (\text{Cos}[c/2 + (d*x)/2]*\text{Sin}[(d*x)/2])/(4*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x] \\ & )]*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])^2) + (\text{Co} \\ & \text{s}[c/2 + (d*x)/2]*(7*\text{Cos}[c/2] - 9*\text{Sin}[c/2]))/(8*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]) \\ & *(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] - \text{Sin}[c/2 + (d*x)/2])) - \text{Cos}[c/2 \\ & + (d*x)/2]/(6*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + \\ & (d*x)/2])^3) - (\text{Cos}[c/2 + (d*x)/2]*\text{Sin}[(d*x)/2])/(4*d*\text{Sqrt}[a*(1 + \text{Cos}[c + \\ & d*x])]*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])^2) + \\ & (\text{Cos}[c/2 + (d*x)/2]*(-7*\text{Cos}[c/2] - 9*\text{Sin}[c/2]))/(8*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d \\ & *x])]*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[c/2 + (d*x)/2] + \text{Sin}[c/2 + (d*x)/2])) \end{aligned}$$

**fricas** [A] time = 0.85, size = 263, normalized size = 1.45

$$27 \left( \cos(dx + c)^4 + \cos(dx + c)^3 \right) \sqrt{a} \log \left( \frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 + 4 \sqrt{a \cos(dx + c) + a} \sqrt{a} (\cos(dx + c) - 2) \sin(dx + c) + 8a}{\cos(dx + c)^3 + \cos(dx + c)^2} \right) + 4$$

96

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/96\*(27\*(cos(d\*x + c)^4 + cos(d\*x + c)^3)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 + 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(21\*cos(d\*x + c)^2 - 2\*cos(d\*x + c) + 8)\*sin(d\*x + c) + 48\*sqrt(2)\*(a\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3)\*log(-(cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a))/(a\*d\*cos(d\*x + c)^4 + a\*d\*cos(d\*x + c)^3)

giac [B] time = 3.73, size = 451, normalized size = 2.49

$$\sqrt{2} \left( \frac{27 \sqrt{2} \sqrt{a} \log \left( \frac{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 - 4 \sqrt{2} |a| - 6 a}{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 + 4 \sqrt{2} |a| - 6 a} \right|}{|a|} \right)}{|a|} + \frac{48 \log \left( \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan^2\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a} \right)^2 \right)}{\sqrt{a}} - \frac{8 \left( 165 \left( \right) \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $-1/96*\sqrt{2}*(27*\sqrt{2}*\sqrt{a}*\log(\text{abs}(2*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^2 - 4*\sqrt{2}*a - 6*a)/\text{abs}(2*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^2 + 4*\sqrt{2}*a - 6*a))/\text{abs}(a) + 48*\log((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^2)/\sqrt{a} - 8*(165*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^10*\sqrt{a} - 1323*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^8*a^{3/2} + 3906*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^6*a^{5/2} - 2118*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^4*a^{7/2} + 393*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^2*a^{9/2} - 31*a^{11/2})/((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^4 - 6*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c}^2 + a))^2*a + a^2)^3)/d$

maple [B] time = 0.62, size = 875, normalized size = 4.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2),x)

[Out]  $1/6*\cos(1/2*d*x+1/2*c)*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(24*a*(-16*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c)*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))+9*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))+9*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\sin(1/2*d*x+1/2*c)^6+(576*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c)*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a-324*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a-324*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+168*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2))*\sin(1/2*d*x+1/2*c)^4+(-288*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c)*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a+162*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+162*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a-160*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2))*\sin(1/2*d*x+1/2*c)^2+48*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c)*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a-27*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a-27*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+54*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a$



$2*d*x+1/2*c)^2)^{(1/2)*a^{(1/2)})/a^{(3/2)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})^3/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})^3/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)/d}$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^4 \sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^4\*(a+a\*cos(c+d\*x))^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^4\*(a+a\*cos(c+d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^4(c+dx)}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*4/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c+d\*x)\*\*4/sqrt(a\*(cos(c+d\*x)+1)), x)

$$3.131 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=183

$$-\frac{15 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{13 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{10a^2 d} - \frac{\sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} + \frac{9 \sin(c+dx) \cos^2(c+dx)}{10ad \sqrt{a \cos(c+dx)+a}}$$

[Out]  $-1/2*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}-15/4*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}+31/5*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+9/10*\cos(d*x+c)^2*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}-13/10*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.40, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2765, 2983, 2968, 3023, 2751, 2649, 206}

$$-\frac{13 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{10a^2 d} - \frac{15 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} + \frac{9 \sin(c+dx) \cos^2(c+dx)}{10ad \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-15*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])])/(2*\operatorname{Sqrt}[2]*a^{(3/2)}*d) - (\operatorname{Cos}[c+d*x]^3*\operatorname{Sin}[c+d*x])/(2*d*(a+a*\operatorname{Cos}[c+d*x])^{(3/2)}) + (31*\operatorname{Sin}[c+d*x])/(5*a*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]) + (9*\operatorname{Cos}[c+d*x]^2*\operatorname{Sin}[c+d*x])/(10*a*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]) - (13*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]*\operatorname{Sin}[c+d*x])/(10*a^2*d)$

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 2649**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2751**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

**Rule 2765**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &

& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2983

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\cos^2(c + dx) \left(3a - \frac{9}{2}a \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{9 \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{\cos(c + dx) \left(-9a^2 + \frac{39}{4}a^2 \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}}}{5a^3} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{9 \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{-9a^2 \cos(c + dx) + \frac{39}{4}a^2 \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}}}{5a^3} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{9 \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} - \frac{13\sqrt{a + a \cos(c + dx)}}{10a^2d} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{31 \sin(c + dx)}{5ad\sqrt{a + a \cos(c + dx)}} + \frac{9 \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{31 \sin(c + dx)}{5ad\sqrt{a + a \cos(c + dx)}} + \frac{9 \cos^2(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{15 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{31 \sin(c + dx)}{5ad\sqrt{a + a \cos(c + dx)}}
 \end{aligned}$$

**Mathematica** [A] time = 1.36, size = 226, normalized size = 1.23

$$\cos^3\left(\frac{1}{2}(c+dx)\right)\left(200\sin\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)-20\sin\left(\frac{3c}{2}\right)\cos\left(\frac{3dx}{2}\right)+4\sin\left(\frac{5c}{2}\right)\cos\left(\frac{5dx}{2}\right)+200\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)-20\cos\left(\frac{3c}{2}\right)\sin\left(\frac{3dx}{2}\right)+4\cos\left(\frac{5c}{2}\right)\sin\left(\frac{5dx}{2}\right)-20\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]^3\*(150\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] - 150\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] + 200\*Cos[(d\*x)/2]\*Sin[c/2] - 20\*Cos[(3\*d\*x)/2]\*Sin[(3\*c)/2] + 4\*Cos[(5\*d\*x)/2]\*Sin[(5\*c)/2] + 200\*Cos[c/2]\*Sin[(d\*x)/2] - 20\*Cos[(3\*c)/2]\*Sin[(3\*d\*x)/2] + 4\*Cos[(5\*c)/2]\*Sin[(5\*d\*x)/2] + 5/(Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4])^2 - 5/(Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^2)/(10\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas** [A] time = 0.98, size = 184, normalized size = 1.01

$$\frac{75\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)-3a}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+4\left(40\left(a^2d\cos(dx+c)\right)^2+2a^2d\cos(dx+c)\right)}{40\left(a^2d\cos(dx+c)\right)^2+2a^2d\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/40\*(75\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*(4\*cos(d\*x + c)^3 - 4\*cos(d\*x + c)^2 + 36\*cos(d\*x + c) + 49)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [A] time = 1.27, size = 137, normalized size = 0.75

$$\frac{75\sqrt{2}\log\left(\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)\right)}{a^{\frac{3}{2}}}+\frac{\left(\left(\left(5\sqrt{2}a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+127\sqrt{2}a\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+175\sqrt{2}a\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+85\sqrt{2}a\right)\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{5}{2}}}$$

20d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] 1/20\*(75\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) + (((5\*sqrt(2)\*a\*tan(1/2\*d\*x + 1/2\*c)^2 + 127\*sqrt(2)\*a)\*tan(1/2\*d\*x + 1/2\*c)^2 + 175\*sqrt(2)\*a)\*tan(1/2\*d\*x + 1/2\*c)^2 + 85\*sqrt(2)\*a)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(5/2))/d

**maple** [A] time = 0.32, size = 265, normalized size = 1.45

$$\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(32\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-32\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4/(a+a*cos(d*x+c))^(3/2),x)`

[Out] 
$$-1/20/\cos(1/2*d*x+1/2*c)*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(32*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\sin(1/2*d*x+1/2*c)^6-32*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\sin(1/2*d*x+1/2*c)^4+80*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-75*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a*\sin(1/2*d*x+1/2*c)^2-85*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+75*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a)/a^{(5/2)}/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^4}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4/(a + a*cos(c + d*x))^(3/2),x)`

[Out] `int(cos(c + d*x)^4/(a + a*cos(c + d*x))^(3/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+a*cos(d*x+c))**(3/2),x)`

[Out] Timed out

$$3.132 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=145

$$\frac{11 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{7 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{6a^2 d} - \frac{\sin(c+dx) \cos^2(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} - \frac{13 \sin(c+dx)}{3ad \sqrt{a \cos(c+dx)+a}}$$

[Out]  $-1/2*\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+11/4*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}-13/3*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+7/6*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.26, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2968, 3023, 2751, 2649, 206}

$$\frac{7 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{6a^2 d} + \frac{11 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx) \cos^2(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} - \frac{13 \sin(c+dx)}{3ad \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^3/(a + a*Cos[c + d*x])^(3/2), x]`

[Out]  $(11*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]])])/(2*\operatorname{Sqrt}[2]*a^{(3/2)}*d) - (\operatorname{Cos}[c + d*x]^2*\operatorname{Sin}[c + d*x])/(2*d*(a + a*\operatorname{Cos}[c + d*x])^{(3/2)}) - (13*\operatorname{Sin}[c + d*x])/(3*a*d*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]) + (7*\operatorname{Sqrt}[a + a*\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(6*a^2*d)$

#### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

#### Rule 2649

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

#### Rule 2751

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]`

#### Rule 2765

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 2)*Simp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &`

& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\cos(c+dx)\left(2a-\frac{7}{2}a \cos(c+dx)\right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{2a \cos(c+dx)-\frac{7}{2}a \cos^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{7\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} - \frac{\int \frac{-\frac{7a^2}{4} + \frac{13}{2}a^2 \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{3a^3} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{13 \sin(c + dx)}{3ad\sqrt{a + a \cos(c + dx)}} + \frac{7\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{13 \sin(c + dx)}{3ad\sqrt{a + a \cos(c + dx)}} + \frac{7\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} \\ &= \frac{11 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{13 \sin(c + dx)}{3ad\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.96, size = 196, normalized size = 1.35

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \left( -72 \sin\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right) + 8 \sin\left(\frac{3c}{2}\right) \cos\left(\frac{3dx}{2}\right) - 72 \cos\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 8 \cos\left(\frac{3c}{2}\right) \sin\left(\frac{3dx}{2}\right) - \frac{1}{\cos\left(\frac{c}{2}\right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]^3\*(-66\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] + 66\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] - 72\*Cos[(d\*x)/2]\*Sin[c/2] + 8\*Cos[(3\*d\*x)/2]\*Sin[(3\*c)/2] - 72\*Cos[c/2]\*Sin[(d\*x)/2] + 8\*Cos[(3\*c)/2]\*Sin[(3\*d\*x)/2] - 3/(Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4])^2 + 3/(Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^2)/(6\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas** [A] time = 0.68, size = 174, normalized size = 1.20

$$\frac{33\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)-3a}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+4\sqrt{a}}{24\left(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 1/24\*(33\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(4\*cos(d\*x + c)^2 - 12\*cos(d\*x + c) - 19)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [A] time = 1.35, size = 115, normalized size = 0.79

$$\frac{\left(\left(3\sqrt{2}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+46\sqrt{2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+27\sqrt{2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{3}{2}}} + \frac{33\sqrt{2}\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{3}{2}}}$$

12d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] -1/12\*(((3\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2 + 46\*sqrt(2))\*tan(1/2\*d\*x + 1/2\*c)^2 + 27\*sqrt(2))\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(3/2) + 33\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2))/d

**maple** [A] time = 0.32, size = 234, normalized size = 1.61

$$\frac{\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(16\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+8\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)}{12\cos\left(\frac{dx}{2}+\frac{c}{2}\right)a^{\frac{5}{2}}\sin\left(\frac{dx}{2}+\frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] 1/12/cos(1/2\*d\*x+1/2\*c)^2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(16\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4+8\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2-33\*ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a\*sin(1/2\*d\*x+1/2\*c)^2-27\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+33\*ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a)/a^(5/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

$$3.133 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=105

$$-\frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2 \sin(c+dx)}{ad\sqrt{a \cos(c+dx)+a}} + \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 1/2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(3/2)-7/4\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)+2\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.13, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2758, 2751, 2649, 206}

$$-\frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{2 \sin(c+dx)}{ad\sqrt{a \cos(c+dx)+a}} + \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*cos[c + d\*x])^(3/2), x]

[Out] (-7\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) + Sin[c + d\*x]/(2\*d\*(a + a\*cos[c + d\*x])^(3/2)) + (2\*Sin[c + d\*x])/(a\*d\*Sqrt[a + a\*cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*cos[c + d\*x])/Sqrt[a + b\*sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2758

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Simp[(b\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{-\frac{3a}{2}+2a\cos(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} - \frac{7\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{4a} \\
&= \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} + \frac{7\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a}{\sqrt{a+a\cos(c+dx)}}\right)}{2ad} \\
&= -\frac{7\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.46, size = 164, normalized size = 1.56

$$\frac{\cos^3\left(\frac{1}{2}(c+dx)\right)\left(16\sin\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)+16\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)+\frac{1}{\left(\cos\left(\frac{1}{4}(c+dx)\right)-\sin\left(\frac{1}{4}(c+dx)\right)\right)^2}-\frac{1}{\left(\sin\left(\frac{1}{4}(c+dx)\right)+\cos\left(\frac{1}{4}(c+dx)\right)\right)^2}\right)}{2d(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]^3\*(14\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] - 14\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] + 16\*Cos[(d\*x)/2]\*Sin[c/2] + 16\*Cos[c/2]\*Sin[(d\*x)/2] + (Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4])^(-2) - (Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^(-2))/(2\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas [A]** time = 0.70, size = 164, normalized size = 1.56

$$\frac{7\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)-3a}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+4\sqrt{2}\sqrt{a}\sqrt{a\cos(dx+c)+a}}{8\left(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/8\*(7\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(4\*cos(d\*x + c) + 5)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [A]** time = 2.05, size = 102, normalized size = 0.97

$$\frac{\left(\frac{\sqrt{2}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a}+\frac{9\sqrt{2}}{a}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}+\frac{7\sqrt{2}\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^2}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out]  $\frac{1}{4} * ((\sqrt{2} * \tan(1/2 * d * x + 1/2 * c))^2 / a + 9 * \sqrt{2} / a) * \tan(1/2 * d * x + 1/2 * c) / \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 + a} + 7 * \sqrt{2} * \log(\text{abs}(-\sqrt{a} * \tan(1/2 * d * x + 1/2 * c) + \sqrt{a * \tan(1/2 * d * x + 1/2 * c)^2 + a})) / a^{(3/2)} / d$

**maple** [A] time = 0.31, size = 173, normalized size = 1.65

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( -7\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 8\sqrt{a} \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{4 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) a^{\frac{5}{2}} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x)`

[Out]  $\frac{1}{4} / \cos(1/2 * d * x + 1/2 * c) * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-7 * 2^{(1/2)} * \ln(2 * (2 * a^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * a) / \cos(1/2 * d * x + 1/2 * c)) * a * \cos(1/2 * d * x + 1/2 * c)^2 + 8 * a^{(1/2)} * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^2 + 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)}) / a^{(5/2)} / \sin(1/2 * d * x + 1/2 * c) / (a * \cos(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^(3/2),x)`

[Out] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^(3/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*cos(d*x+c))**(3/2),x)`

[Out] `Integral(cos(c + d*x)**2/(a*(cos(c + d*x) + 1))**(3/2), x)`

$$3.134 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=77

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+3/4*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2750, 2649, 206}

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(3*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])])/(2*\operatorname{Sqrt}[2]*a^{(3/2)*d}) - \operatorname{Sin}[c+d*x]/(2*d*(a+a*\operatorname{Cos}[c+d*x])^{(3/2)})$

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 2649**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2750**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx &= -\frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} + \frac{3 \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx}{4a} \\ &= -\frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{2ad} \\ &= \frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 54, normalized size = 0.70

$$\frac{3 \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - \frac{1}{2} \sin(c + dx)}{d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (3\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 - Sin[c + d\*x]/2)/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas [B]** time = 0.88, size = 154, normalized size = 2.00

$$\frac{3 \sqrt{2} (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2 a \cos(dx+c) - 3 a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right) - 4 \sqrt{a}}{8 (a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/8\*(3\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) - 4\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [A]** time = 1.43, size = 81, normalized size = 1.05

$$\frac{3 \sqrt{2} \log\left(\left|-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right|\right)}{\frac{3}{a^2}} + \frac{\sqrt{2} \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^2}}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] -1/4\*(3\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) + sqrt(2)\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*tan(1/2\*d\*x + 1/2\*c)/a^2)/d

**maple [B]** time = 0.30, size = 140, normalized size = 1.82

$$\frac{\sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(3 \sqrt{2} \ln\left(\frac{4 \sqrt{a} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \sqrt{2} \sqrt{a \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{a}\right)}{4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) a^{\frac{5}{2}} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2), x)

[Out] 1/4\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^2-2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/cos(1/2\*d\*x+1/2\*c)/a^(5/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{(a(\cos(c + dx) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(cos(c + d\*x)/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

$$3.135 \quad \int \frac{1}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=77

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 1/2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(3/2)+1/4\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {2650, 2649, 206}

$$\frac{\tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-3/2), x]

[Out] ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + Sin[c + d\*x]/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{(a+a \cos(c+dx))^{3/2}} dx &= \frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} + \frac{\int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx}{4a} \\ &= \frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} - \frac{\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{2ad} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx)}{2d(a+a \cos(c+dx))^{3/2}} \end{aligned}$$



**Mathematica [A]** time = 0.07, size = 63, normalized size = 0.82

$$\frac{\cos^2\left(\frac{1}{2}(c+dx)\right)\left(\tan\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-3/2), x]

[Out] (Cos[(c + d\*x)/2]^2\*(ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2] + Tan[(c + d\*x)/2]))/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas [B]** time = 1.78, size = 153, normalized size = 1.99

$$\frac{\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)-3a}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+4\sqrt{a}}{8\left(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/8\*(sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d))

**giac [A]** time = 1.24, size = 81, normalized size = 1.05

$$\frac{\sqrt{2}\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{3/2}}-\frac{\sqrt{2}\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^2}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] -1/4\*(sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))))/a^(3/2) - sqrt(2)\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*tan(1/2\*d\*x + 1/2\*c)/a^2)/d

**maple [B]** time = 0.00, size = 138, normalized size = 1.79

$$\frac{\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(\sqrt{2}\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+4a}}{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}\right)a\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\sqrt{a}\right)}{4a^{5/2}\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{a\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(3/2), x)

[Out] 1/4/a^(5/2)/cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^2+2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x))^(3/2),x)

[Out] int(1/(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(c + dx) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((a\*cos(c + d\*x) + a)\*\*(-3/2), x)

$$3.136 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=114

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{a^{3/2}d} - \frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a} \cos(c+dx)+a}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx)}{2d(a \cos(c+dx) + a)^{3/2}}$$

[Out]  $2 \operatorname{arctanh}(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d - 1/2 \sin(dx+c) / d / (a+a \cos(dx+c))^{3/2} - 5/4 \operatorname{arctanh}(1/2 \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d \cdot 2^{1/2}$

**Rubi [A]** time = 0.22, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2766, 2985, 2649, 206, 2773}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{a^{3/2}d} - \frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a} \cos(c+dx)+a}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx)}{2d(a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2 \operatorname{ArcTanh}[(\operatorname{Sqrt}[a] \operatorname{Sin}[c + d*x]) / \operatorname{Sqrt}[a + a \operatorname{Cos}[c + d*x]])] / (a^{3/2} * d) - (5 \operatorname{ArcTanh}[(\operatorname{Sqrt}[a] \operatorname{Sin}[c + d*x]) / (\operatorname{Sqrt}[2] * \operatorname{Sqrt}[a + a \operatorname{Cos}[c + d*x]])]) / (2 * \operatorname{Sqrt}[2] * a^{3/2} * d) - \operatorname{Sin}[c + d*x] / (2 * d * (a + a \operatorname{Cos}[c + d*x])^{3/2})$

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2985

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A
*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c -
A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x
] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b
^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{(2a-\frac{1}{2}a\cos(c+dx))\sec(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \sqrt{a+a\cos(c+dx)} \sec(c+dx) dx}{a^2} - \frac{5 \int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{4a} \\ &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{ad} + \frac{5 \operatorname{Subst}\left(\int \frac{1}{2a-x} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4a} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{3/2}d} - \frac{5 \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 23.75, size = 1787, normalized size = 15.68

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((-1 + I)*(1 + E^(I*c))*(Sqrt[2] - (1 - I)*E^((I/2)*c) + (16 - 16*I)*E^(((3
*I)/2)*c + I*d*x) + (20 + 20*I)*Sqrt[2]*E^(((2*I)*c + ((3*I)/2)*d*x) - (34 -
34*I)*E^(((5*I)/2)*c + (2*I)*d*x) - (20 + 20*I)*Sqrt[2]*E^(((3*I)*c + ((5*I
)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*Sqrt[2]*E^
((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) + (8*I)*E^((
I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2)*(c + d*x
)) + 34*Sqrt[2]*E^(((2*I)*(c + d*x)) + (40*I)*E^(((5*I)/2)*(c + d*x)) - 16*S
qrt[2]*E^(((3*I)*(c + d*x)) - (8*I)*E^(((7*I)/2)*(c + d*x)) + Sqrt[2]*E^((4*
I)*(c + d*x)) - (4 + 4*I)*Sqrt[2]*E^((I/2)*(2*c + d*x)))*x*Cos[c/2 + (d*x)/
2]^3)/((-1 - I) + Sqrt[2]*E^((I/2)*c))*(-1 + E^(I*c))*(I - 2*Sqrt[2]*E^((I
/2)*(c + d*x)) - (4*I)*E^(I*(c + d*x)) + 2*Sqrt[2]*E^(((3*I)/2)*(c + d*x))
+ I*E^(((2*I)*(c + d*x)))^2*(a*(1 + Cos[c + d*x]))^(3/2)) - ((2*I)*Sqrt[2]*A
rcTan[(Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4] - Sqrt[2]*Sin[c/4 + (d*x)/4]
)/(-Cos[c/4 + (d*x)/4] + Sqrt[2]*Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4])]*
Cos[c/2 + (d*x)/2]^3)/(d*(a*(1 + Cos[c + d*x]))^(3/2)) + (5*Cos[c/2 + (d*x)
/2]^3*Log[Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4])/(d*(a*(1 + Cos[c + d*x]
))^(3/2)) - (5*Cos[c/2 + (d*x)/2]^3*Log[Cos[c/4 + (d*x)/4] + Sin[c/4 + (d*x
)/4])/(d*(a*(1 + Cos[c + d*x]))^(3/2)) - (Sqrt[2]*Cos[c/2 + (d*x)/2]^3*Log
[2 - Sqrt[2]*Cos[c/2 + (d*x)/2] - Sqrt[2]*Sin[c/2 + (d*x)/2])/(d*(a*(1 + C
os[c + d*x]))^(3/2)) + ((1 - I)*ArcTan[(Cos[c/4 + (d*x)/4] + Sin[c/4 + (d*x
)/4] - Sqrt[2]*Sin[c/4 + (d*x)/4])/(Cos[c/4 + (d*x)/4] + Sqrt[2]*Cos[c/4 +
(d*x)/4] - Sin[c/4 + (d*x)/4])]*Cos[c/2 + (d*x)/2]^3*((1 + I)*Cos[c/4] + Sq
rt[2]*Cos[c/4] - (1 - I)*Sin[c/4] - I*Sqrt[2]*Sin[c/4])*((-1 - I)*Cos[c/4]
+ Sqrt[2]*Cos[c/4] + (1 - I)*Sin[c/4] - I*Sqrt[2]*Sin[c/4])/(Sqrt[2]*d*(a*
(1 + Cos[c + d*x]))^(3/2)*(Cos[c/2] + Sin[c/2])) - ((1/2 + I/2)*Cos[c/2 + (
d*x)/2]^3*Log[2 + Sqrt[2]*Cos[c/2 + (d*x)/2] - Sqrt[2]*Sin[c/2 + (d*x)/2])*
((1 + I)*Cos[c/4] + Sqrt[2]*Cos[c/4] - (1 - I)*Sin[c/4] - I*Sqrt[2]*Sin[c/4
```

)]\*((-1 - I)\*Cos[c/4] + Sqrt[2]\*Cos[c/4] + (1 - I)\*Sin[c/4] - I\*Sqrt[2]\*Sin[c/4]))/(Sqrt[2]\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(Cos[c/2] + Sin[c/2])) - ((8\*I)\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])\*Cos[c/2 + (d\*x)/2]^3\*Cot[c/2])/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]) + (4\*Sqrt[2]\*Cos[c/2 + (d\*x)/2]^3\*Csc[c/2]\*(-(d\*x)\*Cos[c/2]) + 2\*Log[Sqrt[2] + 2\*Cos[(d\*x)/2]\*Sin[c/2] + 2\*Cos[c/2]\*Sin[(d\*x)/2]]\*Sin[c/2] + ((4\*I)\*Sqrt[2]\*ArcTan[((2\*I)\*Cos[c/2] - I\*(-Sqrt[2] + 2\*Sin[c/2])\*Tan[(d\*x)/4])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2])\*Cos[c/2])/Sqrt[-2 + 4\*Cos[c/2]^2 + 4\*Sin[c/2]^2]))/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(4\*Cos[c/2]^2 + 4\*Sin[c/2]^2)) - Cos[c/2 + (d\*x)/2]^3/(2\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])^2) + Cos[c/2 + (d\*x)/2]^3/(2\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4])^2)

**fricas** [B] time = 1.54, size = 254, normalized size = 2.23

$$\frac{5\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\log\left(\frac{-a\cos(dx+c)^2+2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)-3a}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)+4}{8(a^2d\cos(dx+c)+a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 1/8\*(5\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) - 4\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [B] time = 2.76, size = 189, normalized size = 1.66

$$\frac{5\sqrt{2}\log\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{a^2}\right)-2\sqrt{2}\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+8\log\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{a^2}\right)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] 1/8\*(5\*sqrt(2)\*log((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2/a^(3/2) - 2\*sqrt(2)\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*tan(1/2\*d\*x + 1/2\*c)/a^2 + 8\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^(3/2) - 8\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^(3/2))/d

**maple** [B] time = 0.67, size = 290, normalized size = 2.54

$$\frac{\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(5\sqrt{2}\ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+4a}}{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}\right)a\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-4\ln\left(\frac{4\left(a\sqrt{2}\cos\left(\frac{dx}{2}+\frac{c}{2}\right)-\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\right)}{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)-\sqrt{2}}\right)}{4a^2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out]  $-1/4*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*2^{(1/2)}*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c)))*a*\cos(1/2*d*x+1/2*c)^2-4*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^2*a-4*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^2*a+2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(5/2)}/\cos(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate(sec(d*x + c)/(a*cos(d*x + c) + a)^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx) (a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2)),x)`

[Out] `int(1/(cos(c + d*x)*(a + a*cos(c + d*x))^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)/(a+a*cos(d*x+c))**(3/2),x)`

[Out] `Integral(sec(c + d*x)/(a*(cos(c + d*x) + 1))**(3/2), x)`

$$3.137 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=144

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{a^{3/2}d} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a} \cos(c+dx)+a}\right)}{2\sqrt{2} a^{3/2}d} + \frac{3 \tan(c+dx)}{2ad\sqrt{a} \cos(c+dx)+a} - \frac{\tan(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out]  $-3*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d+9/4*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}-1/2*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+3/2*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.37, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2984, 2985, 2649, 206, 2773}

$$-\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a} \cos(c+dx)+a}\right)}{a^{3/2}d} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a} \cos(c+dx)+a}\right)}{2\sqrt{2} a^{3/2}d} + \frac{3 \tan(c+dx)}{2ad\sqrt{a} \cos(c+dx)+a} - \frac{\tan(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Sec}[c+d*x]^2/(a+a*\operatorname{Cos}[c+d*x])^{(3/2)}, x]$

[Out]  $(-3*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])]/(a^{(3/2)}*d) + (9*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])]/(2*\operatorname{Sqrt}[2]*a^{(3/2)}*d) - \operatorname{Tan}[c+d*x]/(2*d*(a+a*\operatorname{Cos}[c+d*x])^{(3/2)}) + (3*\operatorname{Tan}[c+d*x]/(2*a*d*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]]))$

#### Rule 206

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(1*\operatorname{ArcTanh}[(\operatorname{Rt}[-b, 2]*x)/\operatorname{Rt}[a, 2]])/(\operatorname{Rt}[a, 2]*\operatorname{Rt}[-b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{Gt}Q[a, 0] \parallel \operatorname{Lt}Q[b, 0])$

#### Rule 2649

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)*\sin[(c_+ + (d_+)*(x_+)]), x\_Symbol] \rightarrow \operatorname{Dist}[-2/d, \operatorname{Subst}[\operatorname{Int}[1/(2*a - x^2), x], x, (b*\operatorname{Cos}[c + d*x])/(\operatorname{Sqrt}[a + b*\operatorname{Sin}[c + d*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d\}, x] \&\& \operatorname{EqQ}[a^2 - b^2, 0]$

#### Rule 2766

$\operatorname{Int}[(a_+ + (b_+)*\sin[(e_+ + (f_+)*(x_+)])^{(m_+)}*((c_+ + (d_+)*\sin[(e_+ + (f_+)*(x_+)])^{(n_+)}), x\_Symbol] \rightarrow \operatorname{Simp}[(b^2*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{m*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}}/(a*f*(2*m + 1)*(b*c - a*d)), x] + \operatorname{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m + 1)}*(c + d*\operatorname{Sin}[e + f*x])^n*\operatorname{Simp}[b*c*(m + 1) - a*d*(2*m + n + 2) + b*d*(m + n + 2)*\operatorname{Sin}[e + f*x], x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{Lt}Q[m, -1] \&\& \operatorname{!Gt}Q[n, 0] \&\& (\operatorname{Integer}SQ[2*m, 2*n] \parallel (\operatorname{Integer}Q[m] \&\& \operatorname{Eq}Q[c, 0]))$

#### Rule 2773

$\operatorname{Int}[\operatorname{Sqrt}[(a_+ + (b_+)*\sin[(e_+ + (f_+)*(x_+)])/((c_+ + (d_+)*\sin[(e_+ + (f_+)*(x_+)]), x\_Symbol] \rightarrow \operatorname{Dist}[(-2*b)/f, \operatorname{Subst}[\operatorname{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\operatorname{Cos}[e + f*x])/(\operatorname{Sqrt}[a + b*\operatorname{Sin}[e + f*x]]], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 2985

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = -\frac{\tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(3a - \frac{3}{2}a \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3 \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{(-3a^2 + \frac{3}{2}a^2 \cos(c + dx)) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}}}{2a^3}$$

$$= -\frac{\tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3 \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{3 \int \sqrt{a + a \cos(c + dx)} \sec(c + dx)}{2a^2}$$

$$= -\frac{\tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3 \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{3 \text{Subst}\left(\int \frac{1}{a - x^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{ad}$$

$$= -\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{3/2}d} + \frac{9 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [A]** time = 0.48, size = 103, normalized size = 0.72

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) (2 \sec(c + dx) + 3) + 9 \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - 6\sqrt{2} \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\frac{\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}}\right)}{2ad\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^2/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (9*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] - 6*Sqrt[2]*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2] + (3 + 2*Sec[c + d*x])*Tan[(c + d*x)/2])/(2*a*d*Sqrt[a*(1 + Cos[c + d*x])])
```

**fricas [B]** time = 1.21, size = 286, normalized size = 1.99

$$9\sqrt{2}(\cos(dx + c)^3 + 2\cos(dx + c)^2 + \cos(dx + c))\sqrt{a} \log\left(-\frac{a \cos(dx + c)^2 - 2\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{a} \sin(dx + c) - 2a \cos(dx + c)}{\cos(dx + c)^2 + 2\cos(dx + c) + 1}\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{8} \cdot (9 \sqrt{2}) \cdot (\cos(dx+c)^3 + 2 \cos(dx+c)^2 + \cos(dx+c)) \cdot \sqrt{a} \cdot \log(-a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2a \cos(dx+c) - 3a) / (\cos(dx+c)^2 + 2 \cos(dx+c) + 1) + 6 \cdot (\cos(dx+c)^3 + 2 \cos(dx+c)^2 + \cos(dx+c)) \cdot \sqrt{a} \cdot \log((a \cos(dx+c))^3 - 7a \cos(dx+c)^2 + 4 \sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c) + 8a) / (\cos(dx+c)^3 + \cos(dx+c)^2) + 4 \sqrt{a \cos(dx+c)+a} \cdot (3 \cos(dx+c) + 2) \sin(dx+c) / (a^2 d \cos(dx+c)^3 + 2 a^2 d \cos(dx+c)^2 + a^2 d \cos(dx+c))$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

sage2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] sage2

**maple** [B] time = 0.63, size = 567, normalized size = 3.94

$$\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 18 \sqrt{2} \ln \left( \frac{4 \sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 12 \ln \left( \frac{4 \left( a \sqrt{2} \cos \left( \frac{dx}{2} + \frac{c}{2} \right) - \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)}{2 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) - \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x)

[Out]  $\frac{1}{2} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot (18 \cdot 2^{(1/2)} \cdot \ln(2 \cdot (2 a^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} + 2 a) / \cos(1/2 d x + 1/2 c)) \cdot a \cdot \cos(1/2 d x + 1/2 c)^4 - 12 \cdot \ln(-4 \cdot (a \cdot 2^{(1/2)} \cdot \cos(1/2 d x + 1/2 c) - 2^{(1/2)}) \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot a^{(1/2)} - 2 a) / (2 \cdot \cos(1/2 d x + 1/2 c) - 2^{(1/2)}) \cdot \cos(1/2 d x + 1/2 c)^4 a - 12 \cdot \ln(4 / (2 \cdot \cos(1/2 d x + 1/2 c) + 2^{(1/2)}) \cdot (2^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot a^{(1/2)} + a \cdot 2^{(1/2)} \cdot \cos(1/2 d x + 1/2 c) + 2 a)) \cdot \cos(1/2 d x + 1/2 c)^4 a - 9 \cdot 2^{(1/2)} \cdot \ln(2 \cdot (2 a^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} + 2 a) / \cos(1/2 d x + 1/2 c)) \cdot a \cdot \cos(1/2 d x + 1/2 c)^2 + 6 a^{(1/2)} \cdot 2^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot \cos(1/2 d x + 1/2 c)^2 + 6 \cdot \ln(-4 \cdot (a \cdot 2^{(1/2)} \cdot \cos(1/2 d x + 1/2 c) - 2^{(1/2)}) \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot a^{(1/2)} - 2 a) / (2 \cdot \cos(1/2 d x + 1/2 c) - 2^{(1/2)}) \cdot \cos(1/2 d x + 1/2 c)^2 a + 6 \cdot \ln(4 / (2 \cdot \cos(1/2 d x + 1/2 c) + 2^{(1/2)}) \cdot (2^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot a^{(1/2)} + a \cdot 2^{(1/2)} \cdot \cos(1/2 d x + 1/2 c) + 2 a)) \cdot \cos(1/2 d x + 1/2 c)^2 a - 2^{(1/2)} \cdot (a \sin(1/2 d x + 1/2 c)^2)^{(1/2)} \cdot a^{(1/2)} / a^{(5/2)} / \cos(1/2 d x + 1/2 c) / (2 \cdot \cos(1/2 d x + 1/2 c) - 2^{(1/2)}) / (2 \cdot \cos(1/2 d x + 1/2 c) + 2^{(1/2)}) / \sin(1/2 d x + 1/2 c) / (a \cdot \cos(1/2 d x + 1/2 c)^2)^{(1/2)} / d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^2 (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^(3/2)), x)

[Out] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a(\cos(c + dx) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sec(c + d\*x)\*\*2/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

$$3.138 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=185

$$\frac{19 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{13 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{7 \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{\tan(c+dx) \sec(c+dx)}{ad\sqrt{a \cos(c+dx)+a}}$$

[Out] 19/4\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d-13/4\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)-1/2\*sec(d\*x+c)\*tan(d\*x+c)/d/(a+a\*cos(d\*x+c))^(3/2)-7/4\*tan(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(1/2)+sec(d\*x+c)\*tan(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.50, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2984, 2985, 2649, 206, 2773}

$$\frac{19 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{13 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{7 \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{\tan(c+dx) \sec(c+dx)}{ad\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (19\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*a^(3/2)\*d) - (13\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) - (7\*Tan[c + d\*x])/(4\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + (Sec[c + d\*x]\*Tan[c + d\*x])/(a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d,

e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rule 2985

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A
*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c -
A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x
] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b
^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\sec^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = -\frac{\sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(4a - \frac{5}{2}a \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\sec(c + dx) \tan(c + dx)}{ad\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{(-7a^2 + 6a^2 \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{4a^3}$$

$$= -\frac{7 \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{\sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\sec(c + dx) \tan(c + dx)}{ad\sqrt{a + a \cos(c + dx)}} + \frac{1}{4a^3}$$

$$= -\frac{7 \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{\sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\sec(c + dx) \tan(c + dx)}{ad\sqrt{a + a \cos(c + dx)}} + \frac{1}{4a^3}$$

$$= \frac{19 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4a^{3/2}d} - \frac{13 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{7 \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}}$$

Mathematica [C] time = 28.43, size = 1941, normalized size = 10.49

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^3/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((-19/8 + (19\*I)/8)\*(1 + E^(I\*c))\*(Sqrt[2] - (1 - I)\*E^((I/2)\*c) + (16 - 16\*I)\*E^(((3\*I)/2)\*c + I\*d\*x) + (20 + 20\*I)\*Sqrt[2]\*E^((2\*I)\*c + ((3\*I)/2)\*d\*x) - (34 - 34\*I)\*E^(((5\*I)/2)\*c + (2\*I)\*d\*x) - (20 + 20\*I)\*Sqrt[2]\*E^((3\*I)

```

*c + ((5*I)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*S
qrt[2]*E^((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) +
(8*I)*E^((I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2
)*(c + d*x)) + 34*Sqrt[2]*E^((2*I)*(c + d*x)) + (40*I)*E^(((5*I)/2)*(c + d*
x)) - 16*Sqrt[2]*E^((3*I)*(c + d*x)) - (8*I)*E^(((7*I)/2)*(c + d*x)) + Sqrt
[2]*E^((4*I)*(c + d*x)) - (4 + 4*I)*Sqrt[2]*E^((I/2)*(2*c + d*x)))*x*Cos[c/
2 + (d*x)/2]^3)/((-1 - I) + Sqrt[2]*E^((I/2)*c))*(-1 + E^(I*c))*(I - 2*Sqr
t[2]*E^((I/2)*(c + d*x)) - (4*I)*E^(I*(c + d*x)) + 2*Sqrt[2]*E^(((3*I)/2)*(
c + d*x)) + I*E^((2*I)*(c + d*x)))^2*(a*(1 + Cos[c + d*x]))^(3/2)) - (((19*
I)/2)*ArcTan[(Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4] - Sqrt[2]*Sin[c/4 + (
d*x)/4])/(-Cos[c/4 + (d*x)/4] + Sqrt[2]*Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*
x)/4]]*Cos[c/2 + (d*x)/2]^3)/(Sqrt[2]*d*(a*(1 + Cos[c + d*x]))^(3/2)) - (((
19*I)/2)*ArcTan[(Cos[c/4 + (d*x)/4] + Sin[c/4 + (d*x)/4] - Sqrt[2]*Sin[c/4
+ (d*x)/4])/(Cos[c/4 + (d*x)/4] + Sqrt[2]*Cos[c/4 + (d*x)/4] - Sin[c/4 + (d
*x)/4]]*Cos[c/2 + (d*x)/2]^3)/(Sqrt[2]*d*(a*(1 + Cos[c + d*x]))^(3/2)) + (
13*Cos[c/2 + (d*x)/2]^3*Log[Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4]]/(d*(a
*(1 + Cos[c + d*x]))^(3/2)) - (13*Cos[c/2 + (d*x)/2]^3*Log[Cos[c/4 + (d*x)/
4] + Sin[c/4 + (d*x)/4]]/(d*(a*(1 + Cos[c + d*x]))^(3/2)) - (19*Cos[c/2 +
(d*x)/2]^3*Log[2 - Sqrt[2]*Cos[c/2 + (d*x)/2] - Sqrt[2]*Sin[c/2 + (d*x)/2]
))/(4*Sqrt[2]*d*(a*(1 + Cos[c + d*x]))^(3/2)) - (19*Cos[c/2 + (d*x)/2]^3*Log
[2 + Sqrt[2]*Cos[c/2 + (d*x)/2] - Sqrt[2]*Sin[c/2 + (d*x)/2]]/(4*Sqrt[2]*d
*(a*(1 + Cos[c + d*x]))^(3/2)) - ((19*I)*ArcTan[((2*I)*Cos[c/2] - I*(-Sqrt[
2] + 2*Sin[c/2])*Tan[(d*x)/4])/Sqrt[-2 + 4*Cos[c/2]^2 + 4*Sin[c/2]^2]]*Cos[
c/2 + (d*x)/2]^3*Cot[c/2])/(d*(a*(1 + Cos[c + d*x]))^(3/2)*Sqrt[-2 + 4*Cos[
c/2]^2 + 4*Sin[c/2]^2]) + (19*Cos[c/2 + (d*x)/2]^3*Csc[c/2]*(-(d*x*Cos[c/2]
) + 2*Log[Sqrt[2] + 2*Cos[(d*x)/2]*Sin[c/2] + 2*Cos[c/2]*Sin[(d*x)/2]]*Sin[
c/2] + ((4*I)*Sqrt[2]*ArcTan[((2*I)*Cos[c/2] - I*(-Sqrt[2] + 2*Sin[c/2])*Ta
n[(d*x)/4])/Sqrt[-2 + 4*Cos[c/2]^2 + 4*Sin[c/2]^2]]*Cos[c/2])/Sqrt[-2 + 4*C
os[c/2]^2 + 4*Sin[c/2]^2]))/(Sqrt[2]*d*(a*(1 + Cos[c + d*x]))^(3/2)*(4*Cos[
c/2]^2 + 4*Sin[c/2]^2)) - Cos[c/2 + (d*x)/2]^3/(2*d*(a*(1 + Cos[c + d*x]))^
(3/2)*(Cos[c/4 + (d*x)/4] - Sin[c/4 + (d*x)/4])^2) + Cos[c/2 + (d*x)/2]^3/(
2*d*(a*(1 + Cos[c + d*x]))^(3/2)*(Cos[c/4 + (d*x)/4] + Sin[c/4 + (d*x)/4])^
2) + (Cos[c/2 + (d*x)/2]^3*Sin[(d*x)/2])/(d*(a*(1 + Cos[c + d*x]))^(3/2)*(C
os[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])^2) + (Cos[c/2
+ (d*x)/2]^3*(-5*Cos[c/2] + 7*Sin[c/2]))/(2*d*(a*(1 + Cos[c + d*x]))^(3/2)
*(Cos[c/2] - Sin[c/2])*(Cos[c/2 + (d*x)/2] - Sin[c/2 + (d*x)/2])) + (Cos[c/
2 + (d*x)/2]^3*Sin[(d*x)/2])/(d*(a*(1 + Cos[c + d*x]))^(3/2)*(Cos[c/2] + Si
n[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2])^2) + (Cos[c/2 + (d*x)/2]^
3*(5*Cos[c/2] + 7*Sin[c/2]))/(2*d*(a*(1 + Cos[c + d*x]))^(3/2)*(Cos[c/2] +
Sin[c/2])*(Cos[c/2 + (d*x)/2] + Sin[c/2 + (d*x)/2]))

```

**fricas** [A] time = 1.63, size = 302, normalized size = 1.63

$$26\sqrt{2}\left(\cos(dx+c)^4 + 2\cos(dx+c)^3 + \cos(dx+c)^2\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)-2a\cos(dx+c)}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

```

[Out] 1/16*(26*sqrt(2)*(cos(d*x + c)^4 + 2*cos(d*x + c)^3 + cos(d*x + c)^2)*sqrt(
a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(
d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) +
19*(cos(d*x + c)^4 + 2*cos(d*x + c)^3 + cos(d*x + c)^2)*sqrt(a)*log((a*cos
(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(
d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 4*sq
rt(a*cos(d*x + c) + a)*(7*cos(d*x + c)^2 + 3*cos(d*x + c) - 2)*sin(d*x + c)
)/(a^2*d*cos(d*x + c)^4 + 2*a^2*d*cos(d*x + c)^3 + a^2*d*cos(d*x + c)^2)

```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP  
 UT:sage2:=int(sage0,x)::OUTPUT:Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)  
 Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)  
 )>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Warning, integrati  
 on of abs or sign assumes constant sign by intervals (correct if the argume  
 nt is real):Check [abs(cos((d\*t\_nostep+c)/2))]Discontinuities at zeroes of  
 cos((d\*t\_nostep+c)/2) were not checkedUnable to divide, perhaps due to roun  
 ding error%%{%%{%%{[350488137400481480704,0]:[1,0,-2]%%},[16]%%},0):  
 [1,0,%%{-1,[1]%%}]%%},[0]%%} / %%{%%{%%{[18446744073709551616,0]:[1,0,  
 -2]%%},[16]%%},[0]%%} Error: Bad Argument Value

**maple** [B] time = 1.05, size = 807, normalized size = 4.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-1/2*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(104*2^{(1/2)}*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*\cos(1/2*d*x+1/2*c)^6*a-76*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^6*a-76*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^6*a-104*2^{(1/2)}*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*a*\cos(1/2*d*x+1/2*c)^4+28*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4+76*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^4*a+76*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a+26*2^{(1/2)}*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*a*\cos(1/2*d*x+1/2*c)^2-22*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-19*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^2*a-19*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^2*a+2*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(5/2)}/\cos(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})^2/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})^2/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^3 (a+a\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(3/2)), x)`

[Out] `int(1/(cos(c + d*x)^3*(a + a*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**3/(a+a*cos(d*x+c))**(3/2), x)`

[Out] `Integral(sec(c + d*x)**3/(a*(cos(c + d*x) + 1))**(3/2), x)`

$$3.139 \quad \int \frac{\cos^4(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=183

$$\frac{163 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{95 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{48a^3 d} - \frac{197 \sin(c+dx)}{24a^2 d \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx) \cos^3(c+dx)}{4d(a \cos(c+dx)+a)}$$

[Out]  $-1/4*\cos(d*x+c)^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-17/16*\cos(d*x+c)^2*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+163/32*\operatorname{arctanh}(1/2*\sin(d*x+c))*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}-197/24*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}+95/48*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/a^3/d$

**Rubi [A]** time = 0.41, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2765, 2977, 2968, 3023, 2751, 2649, 206}

$$\frac{95 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{48a^3 d} - \frac{197 \sin(c+dx)}{24a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{163 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\sin(c+dx) \cos^3(c+dx)}{4d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(163*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\sin[c + d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a + a*\cos[c + d*x]])])/(16*\operatorname{Sqrt}[2]*a^{(5/2)}*d) - (\cos[c + d*x]^3*\sin[c + d*x])/(4*d*(a + a*\cos[c + d*x])^{(5/2)}) - (17*\cos[c + d*x]^2*\sin[c + d*x])/(16*a*d*(a + a*\cos[c + d*x])^{(3/2)}) - (197*\sin[c + d*x])/(24*a^2*d*\operatorname{Sqrt}[a + a*\cos[c + d*x]]) + (95*\operatorname{Sqrt}[a + a*\cos[c + d*x]]*\sin[c + d*x])/(48*a^3*d)$

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 2649**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2751**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

**Rule 2765**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &



& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{\cos^2(c + dx) \left(3a - \frac{11}{2}a \cos(c + dx)\right)}{(a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\cos(c + dx) \left(17a^2 - \frac{95}{4}a^2 \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{8a^4} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{17a^2 \cos(c + dx) - \frac{95}{4}a^2 \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{8a^4} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{95\sqrt{a + a \cos(c + dx)}}{48a^3d} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{197 \sin(c + dx)}{24a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{197 \sin(c + dx)}{24a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= \frac{163 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{17 \cos^2(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}
 \end{aligned}$$

**Mathematica [B]** time = 6.35, size = 587, normalized size = 3.21

$$\frac{40 \sin\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right) \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(a(\cos(c+dx)+1))^{5/2}} + \frac{8 \sin\left(\frac{3c}{2}\right) \cos\left(\frac{3dx}{2}\right) \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d(a(\cos(c+dx)+1))^{5/2}} - \frac{40 \cos\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(a(\cos(c+dx)+1))^{5/2}} + \frac{8 \cos\left(\frac{3c}{2}\right) \sin\left(\frac{3dx}{2}\right) \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + a\*cos[c + d\*x])^(5/2), x]

[Out] (-163\*Cos[c/2 + (d\*x)/2]^5\*Log[Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4]]/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) + (163\*Cos[c/2 + (d\*x)/2]^5\*Log[Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4]]/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) - (40\*Cos[(d\*x)/2]\*Cos[c/2 + (d\*x)/2]^5\*Sin[c/2])/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) + (8\*Cos[(3\*d\*x)/2]\*Cos[c/2 + (d\*x)/2]^5\*Sin[(3\*c)/2])/(3\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) - (40\*Cos[c/2]\*Cos[c/2 + (d\*x)/2]^5\*Sin[(d\*x)/2])/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) + (8\*Cos[(3\*c)/2]\*Cos[c/2 + (d\*x)/2]^5\*Sin[(3\*d\*x)/2])/(3\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2)) + Cos[c/2 + (d\*x)/2]^5/(8\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))\*(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])^4 - (29\*Cos[c/2 + (d\*x)/2]^5)/(8\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))\*(Cos[c/4 + (d\*x)/4] - Sin[c/4 + (d\*x)/4])^2 - Cos[c/2 + (d\*x)/2]^5/(8\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))\*(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4])^4 + (29\*Cos[c/2 + (d\*x)/2]^5)/(8\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))\*(Cos[c/4 + (d\*x)/4] + Sin[c/4 + (d\*x)/4])^2)

**fricas [A]** time = 0.83, size = 208, normalized size = 1.14

$$\frac{489 \sqrt{2} (\cos(dx+c)^3 + 3 \cos(dx+c)^2 + 3 \cos(dx+c) + 1) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{192 (a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/192\*(489\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*(32\*cos(d\*x + c)^3 - 160\*cos(d\*x + c)^2 - 503\*cos(d\*x + c) - 299)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 3.96, size = 146, normalized size = 0.80

$$\frac{\left(\left(3 \left(\frac{2 \sqrt{2} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a} - \frac{23 \sqrt{2}}{a}\right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \frac{668 \sqrt{2}}{a}\right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \frac{465 \sqrt{2}}{a}\right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a\right)^{\frac{3}{2}}} - \frac{489 \sqrt{2} \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a}\right)}{a^{\frac{5}{2}}}$$

96 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] 1/96\*(((3\*(2\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2/a - 23\*sqrt(2)/a)\*tan(1/2\*d\*x + 1/2\*c)^2 - 668\*sqrt(2)/a)\*tan(1/2\*d\*x + 1/2\*c)^2 - 465\*sqrt(2)/a)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(3/2) - 489\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

**maple** [A] time = 0.32, size = 242, normalized size = 1.32

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \left( 128\sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \left( \cos^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 489\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a}{96 \cos \left( \frac{dx}{2} + \frac{c}{2} \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(5/2), x)

[Out] 1/96\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(128\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^6+489\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^4-512\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^4-87\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2+6\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/cos(1/2\*d\*x+1/2\*c)^3/a^(7/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^4}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^4/(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^4/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4/(a+a\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

$$3.140 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=145

$$-\frac{75 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{9 \sin(c+dx)}{4a^2 d \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx) \cos^2(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} + \frac{13 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/4*\cos(d*x+c)^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}+13/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}-75/32*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}+9/4*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.27, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2968, 3019, 2751, 2649, 206}

$$\frac{9 \sin(c+dx)}{4a^2 d \sqrt{a \cos(c+dx)+a}} - \frac{75 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\sin(c+dx) \cos^2(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} + \frac{13 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^3/(a + a*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(-75*\text{ArcTanh}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - (\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) + (13*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + (9*\text{Sin}[c + d*x])/(4*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 206

$\text{Int}[(a + (b_*)*(x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b] \ \&\& \ (\text{GtQ}[a, 0] \ || \ \text{LtQ}[b, 0])$

#### Rule 2649

$\text{Int}[1/\text{Sqrt}[(a + (b_*)*\sin[(c_*) + (d_*)*(x_)]]], x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, (b*\text{Cos}[c + d*x])/(\text{Sqrt}[a + b*\text{Sin}[c + d*x]])], x] /; \text{FreeQ}\{a, b, c, d\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0]$

#### Rule 2751

$\text{Int}[(a + (b_*)*\sin[(e_*) + (f_*)*(x_)])^{(m)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])], x\_Symbol] \rightarrow -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 2765

$\text{Int}[(a + (b_*)*\sin[(e_*) + (f_*)*(x_)])^{(m)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)])^{(n)}], x\_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n - 1)}]/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 2)}*\text{Simp}[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&$

& GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3019

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(2), x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{\cos(c+dx) \left(2a - \frac{9}{2}a \cos(c+dx)\right)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{2a \cos(c+dx) - \frac{9}{2}a \cos^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{13 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{-\frac{39a^2}{4} + 9a^2 \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{8a^4} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{13 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{9 \sin(c + dx)}{4a^2 d \sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{13 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{9 \sin(c + dx)}{4a^2 d \sqrt{a + a \cos(c + dx)}} \\ &= -\frac{75 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\cos^2(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{13 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 4.05, size = 216, normalized size = 1.49

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left( 128 \sin\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right) + 128 \cos\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \frac{21}{\left(\cos\left(\frac{1}{4}(c+dx)\right) - \sin\left(\frac{1}{4}(c+dx)\right)\right)^2} - \frac{21}{\left(\sin\left(\frac{1}{4}(c+dx)\right) + \cos\left(\frac{1}{4}(c+dx)\right)\right)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (Cos[(c + d\*x)/2]^5\*(150\*Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] - 150\*Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]] + 128\*Cos[(d\*x)/2]\*Sin[c/2] + 128\*Cos[c/2]\*Sin[(d\*x)/2] - (Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4])^(-4) + 21/(Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4])^2 + (Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^(-4) - 21/(Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^2)/(8\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas** [A] time = 1.12, size = 198, normalized size = 1.37

$$\frac{75 \sqrt{2} \left( \cos(dx+c)^3 + 3 \cos(dx+c)^2 + 3 \cos(dx+c) + 1 \right) \sqrt{a} \log \left( \frac{-a \cos(dx+c)^2 + 2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2ac}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1} \right)}{64 \left( a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + 3 a^3 d \cos(dx+c) + a^3 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/64\*(75\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(32\*cos(d\*x + c)^2 + 85\*cos(d\*x + c) + 49)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac** [A] time = 3.13, size = 124, normalized size = 0.86

$$\frac{\left( \left( \frac{2 \sqrt{2} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^2} - \frac{17 \sqrt{2}}{a^2} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \frac{83 \sqrt{2}}{a^2} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}} - \frac{75 \sqrt{2} \log\left( \left| -\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right| \right)}{a^{\frac{5}{2}}}$$

32 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] -1/32\*(((2\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2/a^2 - 17\*sqrt(2)/a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 - 83\*sqrt(2)/a^2)\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a) - 75\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

**maple** [A] time = 0.42, size = 208, normalized size = 1.43

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( -75 \sqrt{2} \ln \left( \frac{4 \sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 64 \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a} \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{32 \cos \left( \frac{dx}{2} + \frac{c}{2} \right)^3 a^{\frac{7}{2}} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/cos(1/2\*d\*x+1/2\*c)^3\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-75\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^4+64\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^4+21\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2-2\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(7/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^3/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

$$3.141 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{19 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{13 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out] 1/4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)-13/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(3/2)+19/32\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)

**Rubi [A]** time = 0.14, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2758, 2750, 2649, 206}

$$\frac{19 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{13 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (19\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (13\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2758

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(a\*m - b\*(2\*m + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps



$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{-\frac{5a}{2}+4a\cos(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{19\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{32a^2} \\
&= \frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{19\text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, \sqrt{a+a\cos(c+dx)}\right)}{16a^2d} \\
&= \frac{19\operatorname{tanh}^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.13, size = 103, normalized size = 0.96

$$\frac{-18\sin(c+dx) - 13\sin(2(c+dx)) - 152\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\log\left(\cos\left(\frac{1}{4}(c+dx)\right) - \sin\left(\frac{1}{4}(c+dx)\right)\right)\right) - \log\left(\sin\left(\frac{1}{4}(c+dx)\right) + \cos\left(\frac{1}{4}(c+dx)\right)\right)}{32d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (-152\*Cos[(c + d\*x)/2]^5\*(Log[Cos[(c + d\*x)/4] - Sin[(c + d\*x)/4]] - Log[Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4]]) - 18\*Sin[c + d\*x] - 13\*Sin[2\*(c + d\*x)])/(32\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [B]** time = 1.04, size = 188, normalized size = 1.76

$$\frac{19\sqrt{2}\left(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c) - 2a}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{64\left(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/64\*(19\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) - 4\*sqrt(a\*cos(d\*x + c) + a)\*(13\*cos(d\*x + c) + 9)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 1.86, size = 103, normalized size = 0.96

$$\frac{\sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\left(\frac{2\sqrt{2}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^3} - \frac{11\sqrt{2}}{a^3}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{19\sqrt{2}\log\left(\left|-\sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right|\right)}{\frac{5}{a^2}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] 1/32\*(sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(2\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2/a^3 - 11\*sqrt(2)/a^3)\*tan(1/2\*d\*x + 1/2\*c) - 19\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

**maple** [A] time = 0.36, size = 174, normalized size = 1.63

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 19\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 13\sqrt{a} \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{32 \cos \left( \frac{dx}{2} + \frac{c}{2} \right)^3 a^{\frac{7}{2}} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x)`

[Out] `1/32*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(19*2^(1/2)*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*a*cos(1/2*d*x+1/2*c)^4-13*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+2*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/cos(1/2*d*x+1/2*c)^3/a^(7/2)/sin(1/2*d*x+1/2*c)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d`

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^(5/2),x)`

[Out] `int(cos(c + d*x)^2/(a + a*cos(c + d*x))^(5/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+a*cos(d*x+c))**(5/2),x)`

[Out] Timed out

$$3.142 \quad \int \frac{\cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{5 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out]  $-1/4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}+5/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+5/32*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2750, 2650, 2649, 206}

$$\frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{5 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + a\*cos[c + d\*x])^(5/2), x]

[Out]  $(5*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\operatorname{Cos}[c+d*x]])])/(16*\operatorname{Sqrt}[2]*a^{(5/2)}*d) - \operatorname{Sin}[c+d*x]/(4*d*(a+a*\operatorname{Cos}[c+d*x])^{(5/2)}) + (5*\operatorname{Sin}[c+d*x])/(16*a*d*(a+a*\operatorname{Cos}[c+d*x])^{(3/2)})$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*cos[c + d\*x])/Sqrt[a + b\*sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*cos[c + d\*x]\*(a + b\*sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2750

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+a\cos(c+dx))^{5/2}} dx &= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{5 \int \frac{1}{(a+a\cos(c+dx))^{3/2}} dx}{8a} \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{5 \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{5 \int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{32a^2} \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{5 \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{5 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\sqrt{a+a\cos(c+dx)}\right)}{16a^2d} \\
&= \frac{5 \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{5 \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.25, size = 65, normalized size = 0.61

$$\frac{2 \sin(c+dx) + 5 \sin(2(c+dx)) + 40 \cos^5\left(\frac{1}{2}(c+dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{32d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (40\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 + 2\*Sin[c + d\*x] + 5\*Sin[2\*(c + d\*x)])/(32\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [B]** time = 1.02, size = 188, normalized size = 1.76

$$\frac{5\sqrt{2}(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1)\sqrt{a} \log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c) - 2a\cos(dx+c)}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{64(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/64\*(5\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(5\*cos(d\*x + c) + 1)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 1.46, size = 103, normalized size = 0.96

$$\frac{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \left( \frac{2\sqrt{2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^3} - \frac{3\sqrt{2}}{a^3} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{5\sqrt{2} \log\left(-\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)}{a^2}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] -1/32\*(sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(2\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2/a^3 - 3\*sqrt(2)/a^3)\*tan(1/2\*d\*x + 1/2\*c) + 5\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

**maple** [A] time = 0.31, size = 174, normalized size = 1.63

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \left( 5\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 5\sqrt{a} \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)}{32 \cos \left( \frac{dx}{2} + \frac{c}{2} \right)^3 a^{\frac{7}{2}} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/cos(1/2\*d\*x+1/2\*c)^3\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^4+5\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2-2\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(7/2)/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{(a(\cos(c + dx) + 1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(cos(c + d\*x)/(a\*(cos(c + d\*x) + 1))\*\*(5/2), x)

$$3.143 \quad \int \frac{1}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{3 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out] 1/4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)+3/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(3/2)+3/32\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$ , Rules used = {2650, 2649, 206}

$$\frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{3 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(-5/2), x]

[Out] (3\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + (3\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2650

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{5/2}} dx &= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{3 \int \frac{1}{(a + a \cos(c + dx))^{3/2}} dx}{8a} \\
&= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{3 \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx}{32a^2} \\
&= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{2a - x^2} dx, x, \sqrt{a + a \cos(c + dx)}\right)}{16a^2d} \\
&= \frac{3 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 65, normalized size = 0.61

$$\frac{14 \sin(c + dx) + 3 \sin(2(c + dx)) + 24 \cos^5\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{32d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(-5/2), x]

[Out] (24\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 + 14\*Sin[c + d\*x] + 3\*Sin[2\*(c + d\*x)])/(32\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [B]** time = 1.20, size = 188, normalized size = 1.76

$$\frac{3 \sqrt{2} (\cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{64 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/64\*(3\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(3\*cos(d\*x + c) + 7)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [A]** time = 2.36, size = 103, normalized size = 0.96

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left( \frac{2 \sqrt{2} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3} + \frac{5 \sqrt{2}}{a^3} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{3 \sqrt{2} \log\left(\left| -\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right|\right)}{a^2}}{32 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] 1/32\*(sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(2\*sqrt(2)\*tan(1/2\*d\*x + 1/2\*c)^2/a^3 + 5\*sqrt(2)/a^3)\*tan(1/2\*d\*x + 1/2\*c) - 3\*sqrt(2)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

**maple** [A] time = 0.30, size = 174, normalized size = 1.63

$$\frac{\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 3\sqrt{2} \ln \left( \frac{4\sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} + 4a}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) a \left( \cos^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 3\sqrt{a} \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{32a^{\frac{7}{2}} \cos \left( \frac{dx}{2} + \frac{c}{2} \right)^3 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/a^(7/2)/cos(1/2\*d\*x+1/2\*c)^3\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*2^(1/2)\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*a\*cos(1/2\*d\*x+1/2\*c)^4+3\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2+2\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/sin(1/2\*d\*x+1/2\*c)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a\*cos(c + d\*x))^(5/2),x)

[Out] int(1/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(c + dx) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral((a\*cos(c + d\*x) + a)\*\*(-5/2), x)



$$3.144 \quad \int \frac{\sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=144

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{11 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out] 2\*arctanh(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d-1/4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)-11/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(3/2)-43/32\*arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)

**Rubi [A]** time = 0.33, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21, number of rules / integrand size = 0.286, Rules used = {2766, 2978, 2985, 2649, 206, 2773}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{11 \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{\sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) - (43\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (11\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2985

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{(4a - \frac{3}{2}a \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\ &= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(8a^2 - \frac{11}{4}a^2 \cos(c + dx)) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{8a^4} \\ &= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{a^3} \\ &= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{2 \text{Subst}\left(\int \frac{1}{a - x^2} dx, x, -\frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{a}}\right)}{a^2 d} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2} d} - \frac{43 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} \end{aligned}$$

**Mathematica** [C] time = 24.14, size = 1919, normalized size = 13.33

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((-2 + 2*I)*(1 + E^(I*c))*(Sqrt[2] - (1 - I)*E^((I/2)*c) + (16 - 16*I)*E^((3*I)/2)*c + I*d*x) + (20 + 20*I)*Sqrt[2]*E^((2*I)*c + ((3*I)/2)*d*x) - (34 - 34*I)*E^(((5*I)/2)*c + (2*I)*d*x) - (20 + 20*I)*Sqrt[2]*E^((3*I)*c + ((5*I)/2)*d*x) + (16 - 16*I)*E^(((7*I)/2)*c + (3*I)*d*x) + (4 + 4*I)*Sqrt[2]*E^((4*I)*c + ((7*I)/2)*d*x) - (1 - I)*E^(((9*I)/2)*c + (4*I)*d*x) + (8*I)*E^((I/2)*(c + d*x)) - 16*Sqrt[2]*E^(I*(c + d*x)) - (40*I)*E^(((3*I)/2)*(c + d*x)) + 34*Sqrt[2]*E^((2*I)*(c + d*x)) + (40*I)*E^(((5*I)/2)*(c + d*x)) - 16*Sqrt[2]*E^((3*I)*(c + d*x)) - (8*I)*E^(((7*I)/2)*(c + d*x)) + Sqrt[2]*E^((4*I)*(c + d*x)) - (4 + 4*I)*Sqrt[2]*E^((I/2)*(2*c + d*x))*x*Cos[c/2 + (d*x)
```

$$\begin{aligned} & )/2]^5)/((( -1 - I) + \text{Sqrt}[2]*E^{((I/2)*c)})*(-1 + E^{(I*c)})*(I - 2*\text{Sqrt}[2]*E^{(I/2)*(c + d*x)} - (4*I)*E^{(I*(c + d*x))} + 2*\text{Sqrt}[2]*E^{((3*I)/2)*(c + d*x)} + I*E^{(2*I)*(c + d*x)}))^2*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)} - ((4*I)*\text{Sqrt}[2]*\text{ArcTan}[(\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4])/(-\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])]*\text{Cos}[c/2 + (d*x)/2]^5)/(d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)} + (43*\text{Cos}[c/2 + (d*x)/2]^5*\text{Log}[\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4]])/(4*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)} - (43*\text{Cos}[c/2 + (d*x)/2]^5*\text{Log}[\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4]])/(4*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)} - (2*\text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2]^5*\text{Log}[2 - \text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2] - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]])/(d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)} + ((1 - I)*\text{Sqrt}[2]*\text{ArcTan}[(\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4] - \text{Sqrt}[2]*\text{Sin}[c/4 + (d*x)/4])]/(\text{Cos}[c/4 + (d*x)/4] + \text{Sqrt}[2]*\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4]))*\text{Cos}[c/2 + (d*x)/2]^5*((1 + I)*\text{Cos}[c/4] + \text{Sqrt}[2]*\text{Cos}[c/4] - (1 - I)*\text{Sin}[c/4] - I*\text{Sqrt}[2]*\text{Sin}[c/4])*(-1 - I)*\text{Cos}[c/4] + \text{Sqrt}[2]*\text{Cos}[c/4] + (1 - I)*\text{Sin}[c/4] - I*\text{Sqrt}[2]*\text{Sin}[c/4]))/(d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/2] + \text{Sin}[c/2])) - ((1 + I)*\text{Cos}[c/2 + (d*x)/2]^5*\text{Log}[2 + \text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2] - \text{Sqrt}[2]*\text{Sin}[c/2 + (d*x)/2]]*((1 + I)*\text{Cos}[c/4] + \text{Sqrt}[2]*\text{Cos}[c/4] - (1 - I)*\text{Sin}[c/4] - I*\text{Sqrt}[2]*\text{Sin}[c/4])*(-1 - I)*\text{Cos}[c/4] + \text{Sqrt}[2]*\text{Cos}[c/4] + (1 - I)*\text{Sin}[c/4] - I*\text{Sqrt}[2]*\text{Sin}[c/4]))/(\text{Sqrt}[2]*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/2] + \text{Sin}[c/2])) - ((16*I)*\text{ArcTan}[(2*I)*\text{Cos}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])*\text{Tan}[(d*x)/4])/(\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2])* \text{Cos}[c/2 + (d*x)/2]^5*\text{Cot}[c/2])/(d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) + (8*\text{Sqrt}[2]*\text{Cos}[c/2 + (d*x)/2]^5*\text{Csc}[c/2]*(-d*x*\text{Cos}[c/2]) + 2*\text{Log}[\text{Sqrt}[2] + 2*\text{Cos}[(d*x)/2]*\text{Sin}[c/2] + 2*\text{Cos}[c/2]*\text{Sin}[(d*x)/2]]*\text{Sin}[c/2] + ((4*I)*\text{Sqrt}[2]*\text{ArcTan}[(2*I)*\text{Cos}[c/2] - I*(-\text{Sqrt}[2] + 2*\text{Sin}[c/2])*\text{Tan}[(d*x)/4])/(\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2])* \text{Cos}[c/2])/\text{Sqrt}[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]))/(d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2)) - \text{Cos}[c/2 + (d*x)/2]^5/(8*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])^4) - (11*\text{Cos}[c/2 + (d*x)/2]^5)/(8*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/4 + (d*x)/4] - \text{Sin}[c/4 + (d*x)/4])^2) + \text{Cos}[c/2 + (d*x)/2]^5/(8*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4])^4) + (11*\text{Cos}[c/2 + (d*x)/2]^5)/(8*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)}*(\text{Cos}[c/4 + (d*x)/4] + \text{Sin}[c/4 + (d*x)/4])^2) \end{aligned}$$

**fricas** [B] time = 1.06, size = 298, normalized size = 2.07

$$43\sqrt{2}\left(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1\right)\sqrt{a}\log\left(\frac{-a\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c) - \cos(dx+c)^2 + 2\cos(dx+c) + 1}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/64\*(43\*sqrt(2))\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 32\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) - 4\*sqrt(a\*cos(d\*x + c) + a)\*(11\*cos(d\*x + c) + 15)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac** [A] time = 3.59, size = 211, normalized size = 1.47

$$2\sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\left(\frac{2\sqrt{2}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^3} + \frac{13\sqrt{2}}{a^3}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{43\sqrt{2}\log\left(\sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out]  $-1/64*(2*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}*(2*\sqrt{2}*\tan(1/2*d*x + 1/2*c))^2/a^3 + 13*\sqrt{2}/a^3*\tan(1/2*d*x + 1/2*c) - 43*\sqrt{2}*\log((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2/a^{5/2} - 64*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/a^{5/2} + 64*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/a^{5/2})/d$

**maple** [B] time = 0.61, size = 325, normalized size = 2.26

$$\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( 43\sqrt{2} \ln\left(\frac{4\sqrt{a}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4a}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}\right) a\left(\cos^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 32 \ln\left(\frac{4\sqrt{2}\sqrt{a\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{a+4a}\sqrt{2}\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{2}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out]  $-1/32/a^{7/2}/\cos(1/2*d*x+1/2*c)^3*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(43*2^{(1/2)}*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*a*\cos(1/2*d*x+1/2*c)^4-32*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\cos(1/2*d*x+1/2*c)^4*a-32*\ln(-4*(a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)-2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}-2*a)/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^4*a+11*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+2*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\sin(1/2*d*x+1/2*c)/(a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)}{(a\cos(dx+c)+a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/(a\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)(a+a\cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)\*(a+a\*cos(c+d\*x))^(5/2)),x)

[Out] int(1/(cos(c+d\*x)\*(a+a\*cos(c+d\*x))^(5/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c+dx)}{(a(\cos(c+dx)+1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(sec(c+d\*x)/(a\*(cos(c+d\*x)+1))\*\*(5/2),x)

$$3.145 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=174

$$-\frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{115 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{35 \tan(c+dx)}{16a^2d\sqrt{a \cos(c+dx)+a}} - \frac{15 \tan(c+dx)}{16ad(a \cos(c+dx)+a)}$$

[Out]  $-5*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d+115/32*\operatorname{arctanh}(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}-1/4*\tan(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-15/16*\tan(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+35/16*\tan(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.52, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2766, 2978, 2984, 2985, 2649, 206, 2773}

$$\frac{35 \tan(c+dx)}{16a^2d\sqrt{a \cos(c+dx)+a}} - \frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{115 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{15 \tan(c+dx)}{16ad(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-5*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[a+a*\cos[c+d*x]])]/(a^{(5/2)*d}) + (115*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c+d*x])/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a+a*\cos[c+d*x]])]/(16*\operatorname{Sqrt}[2]*a^{(5/2)*d}) - \operatorname{Tan}[c+d*x]/(4*d*(a+a*\cos[c+d*x])^{(5/2)}) - (15*\operatorname{Tan}[c+d*x]/(16*a*d*(a+a*\cos[c+d*x])^{(3/2)}) + (35*\operatorname{Tan}[c+d*x]/(16*a^2*d*\operatorname{Sqrt}[a+a*\cos[c+d*x])))$

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 2649**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

**Rule 2766**

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2773**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d,

$e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2978

$\text{Int}[(a_ + (b_)*\sin[(e_ ) + (f_)*(x_)])^{(m_)}*((A_ ) + (B_)*\sin[(e_ ) + (f_)*(x_)])*((c_ ) + (d_)*\sin[(e_ ) + (f_)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

### Rule 2984

$\text{Int}[(a_ + (b_)*\sin[(e_ ) + (f_)*(x_)])^{(m_)}*((A_ ) + (B_)*\sin[(e_ ) + (f_)*(x_)])*((c_ ) + (d_)*\sin[(e_ ) + (f_)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \parallel \text{EqQ}[m + 1/2, 0])$

### Rule 2985

$\text{Int}[(A_ ) + (B_)*\sin[(e_ ) + (f_)*(x_)]]/(\text{Sqrt}[(a_ ) + (b_)*\sin[(e_ ) + (f_)*(x_)])*((c_ ) + (d_)*\sin[(e_ ) + (f_)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/(b*c - a*d), \text{Int}[1/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \int \frac{\left(5a - \frac{5}{2}a \cos(c + dx)\right) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx \\ &= -\frac{\tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{15 \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \int \frac{\left(\frac{35a^2}{2} - \frac{45}{4}a^2 \cos(c + dx)\right) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= -\frac{\tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{15 \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{35 \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{15 \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{35 \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{15 \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{35 \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{5 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2}d} + \frac{115 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{\tan(c + dx)}{4d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 24.10, size = 2051, normalized size = 11.79

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^2/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] 
$$\begin{aligned} & ((5 - 5I)*(1 + E^{Ic})*(Sqrt[2] - (1 - I)*E^{(I/2)c}) + (16 - 16I)*E^{((3I/2)c + Idx)} + (20 + 20I)*Sqrt[2]*E^{(2I)c + ((3I/2)dx)} - (34 - 34I)*E^{((5I/2)c + (2I)dx)} - (20 + 20I)*Sqrt[2]*E^{(3I)c + ((5I/2)dx)} + (16 - 16I)*E^{((7I/2)c + (3I)dx)} + (4 + 4I)*Sqrt[2]*E^{((4I)c + ((7I/2)dx)} - (1 - I)*E^{((9I/2)c + (4I)dx)} + (8I)*E^{(I/2)(c + dx)} - 16*Sqrt[2]*E^{I(c + dx)} - (40I)*E^{((3I/2)(c + dx)} + 34*Sqrt[2]*E^{(2I)(c + dx)} + (40I)*E^{((5I/2)(c + dx)} - 16*Sqrt[2]*E^{(3I)(c + dx)} - (8I)*E^{((7I/2)(c + dx)} + Sqrt[2]*E^{(4I)(c + dx)} - (4 + 4I)*Sqrt[2]*E^{(I/2)(2c + dx)})*x*\text{Cos}[c/2 + (dx)/2]^5)/((-1 - I) + Sqrt[2]*E^{(I/2)c})*(-1 + E^{Ic})*(I - 2*Sqrt[2]*E^{(I/2)(c + dx)} - (4I)*E^{I(c + dx)} + 2*Sqrt[2]*E^{((3I/2)(c + dx)} + I)*E^{(2I)(c + dx)})^2*(a*(1 + \text{Cos}[c + dx]))^{(5/2)} + ((10I)*Sqrt[2]*\text{ArcTan}[(\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4] - Sqrt[2]*\text{Sin}[c/4 + (dx)/4])/(-\text{Cos}[c/4 + (dx)/4] + Sqrt[2]*\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4])]*\text{Cos}[c/2 + (dx)/2]^5)/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)} - (115*\text{Cos}[c/2 + (dx)/2]^5*\text{Log}[\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4]])/(4*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)} + (115*\text{Cos}[c/2 + (dx)/2]^5*\text{Log}[\text{Cos}[c/4 + (dx)/4] + \text{Sin}[c/4 + (dx)/4]])/(4*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)} + (5*Sqrt[2]*\text{Cos}[c/2 + (dx)/2]^5*\text{Log}[2 - Sqrt[2]*\text{Cos}[c/2 + (dx)/2] - Sqrt[2]*\text{Sin}[c/2 + (dx)/2]])/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)} - ((5 - 5I)*\text{ArcTan}[(\text{Cos}[c/4 + (dx)/4] + \text{Sin}[c/4 + (dx)/4] - Sqrt[2]*\text{Sin}[c/4 + (dx)/4])/(\text{Cos}[c/4 + (dx)/4] + Sqrt[2]*\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4])]*\text{Cos}[c/2 + (dx)/2]^5*((1 + I)*\text{Cos}[c/4] + Sqrt[2]*\text{Cos}[c/4] - (1 - I)*\text{Sin}[c/4] - I*Sqrt[2]*\text{Sin}[c/4]))*(-1 - I)*\text{Cos}[c/4] + Sqrt[2]*\text{Cos}[c/4] + (1 - I)*\text{Sin}[c/4] - I*Sqrt[2]*\text{Sin}[c/4]))/(Sqrt[2]*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/2] + \text{Sin}[c/2])) + ((5/2 + (5I)/2)*\text{Cos}[c/2 + (dx)/2]^5*\text{Log}[2 + Sqrt[2]*\text{Cos}[c/2 + (dx)/2] - Sqrt[2]*\text{Sin}[c/2 + (dx)/2]]*((1 + I)*\text{Cos}[c/4] + Sqrt[2]*\text{Cos}[c/4] - (1 - I)*\text{Sin}[c/4] - I*Sqrt[2]*\text{Sin}[c/4]))*(-1 - I)*\text{Cos}[c/4] + Sqrt[2]*\text{Cos}[c/4] + (1 - I)*\text{Sin}[c/4] - I*Sqrt[2]*\text{Sin}[c/4]))/(Sqrt[2]*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/2] + \text{Sin}[c/2])) + ((40I)*\text{ArcTan}[(2I)*\text{Cos}[c/2] - I*(-Sqrt[2] + 2*\text{Sin}[c/2])]*\text{Tan}[(dx)/4])/Sqrt[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]*\text{Cos}[c/2 + (dx)/2]^5*\text{Cot}[c/2]/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*Sqrt[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]) - (20*Sqrt[2]*\text{Cos}[c/2 + (dx)/2]^5*\text{Csc}[c/2]*(-dx*\text{Cos}[c/2]) + 2*\text{Log}[Sqrt[2] + 2*\text{Cos}[(dx)/2]*\text{Sin}[c/2] + 2*\text{Cos}[c/2]*\text{Sin}[(dx)/2]]*\text{Sin}[c/2] + ((4I)*Sqrt[2]*\text{ArcTan}[(2I)*\text{Cos}[c/2] - I*(-Sqrt[2] + 2*\text{Sin}[c/2])]*\text{Tan}[(dx)/4])/Sqrt[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2])* \text{Cos}[c/2])/Sqrt[-2 + 4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2]))/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(4*\text{Cos}[c/2]^2 + 4*\text{Sin}[c/2]^2)) + \text{Cos}[c/2 + (dx)/2]^5/(8*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4])^4) + (19*\text{Cos}[c/2 + (dx)/2]^5)/(8*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/4 + (dx)/4] - \text{Sin}[c/4 + (dx)/4])^2) - \text{Cos}[c/2 + (dx)/2]^5/(8*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/4 + (dx)/4] + \text{Sin}[c/4 + (dx)/4])^4) - (19*\text{Cos}[c/2 + (dx)/2]^5)/(8*d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/4 + (dx)/4] + \text{Sin}[c/4 + (dx)/4])^2) + (4*\text{Cos}[c/2 + (dx)/2]^5)/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/2 + (dx)/2] - \text{Sin}[c/2 + (dx)/2])) - (4*\text{Cos}[c/2 + (dx)/2]^5)/(d*(a*(1 + \text{Cos}[c + dx]))^{(5/2)}*(\text{Cos}[c/2 + (dx)/2] + \text{Sin}[c/2 + (dx)/2])) \end{aligned}$$

**fricas [B]** time = 1.99, size = 330, normalized size = 1.90

$$115\sqrt{2}\left(\cos(dx+c)^4 + 3\cos(dx+c)^3 + 3\cos(dx+c)^2 + \cos(dx+c)\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a\cos(dx+c)+\cos(dx+c)^2+2}}{\cos(dx+c)^2+2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out]  $\frac{1}{64} \cdot (115 \sqrt{2}) \cdot (\cos(dx+c)^4 + 3 \cos(dx+c)^3 + 3 \cos(dx+c)^2 + \cos(dx+c)) \cdot \sqrt{a} \cdot \log(-a \cos(dx+c)^2 - 2 \sqrt{2} \sqrt{a \cos(dx+c) + a}) \cdot \sqrt{a} \cdot \sin(dx+c) - 2a \cos(dx+c) - 3a) / (\cos(dx+c)^2 + 2 \cos(dx+c) + 1) + 80 \cdot (\cos(dx+c)^4 + 3 \cos(dx+c)^3 + 3 \cos(dx+c)^2 + \cos(dx+c)) \cdot \sqrt{a} \cdot \log((a \cos(dx+c)^3 - 7a \cos(dx+c)^2 + 4 \sqrt{a \cos(dx+c) + a}) \cdot \sqrt{a} \cdot (\cos(dx+c) - 2) \cdot \sin(dx+c) + 8a) / (\cos(dx+c)^3 + \cos(dx+c)^2) + 4 \sqrt{a \cos(dx+c) + a} \cdot (35 \cos(dx+c)^2 + 55 \cos(dx+c) + 16) \cdot \sin(dx+c) / (a^3 d \cos(dx+c)^4 + 3 a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + a^3 d \cos(dx+c))$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

sage2

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] sage2

**maple** [B] time = 0.60, size = 601, normalized size = 3.45

$$\sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 230 \sqrt{2} \ln \left( \frac{4 \sqrt{a} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 4a}}{\cos \left( \frac{dx}{2} + \frac{c}{2} \right)} \right) \left( \cos^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a - 160 \ln \left( \frac{4 \sqrt{2} \sqrt{a \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \sqrt{a + 4a} \sqrt{2} \cos \left( \frac{dx}{2} + \frac{c}{2} \right) + \sqrt{2}}{2 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) + \sqrt{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2),x)

[Out]  $\frac{1}{16} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot (230 \cdot 2^{(1/2)} \cdot \ln(2 \cdot (2a^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} + 2a) / \cos(1/2 dx + 1/2 c)) \cdot \cos(1/2 dx + 1/2 c)^6 a - 160 \cdot \ln(4 / (2 \cos(1/2 dx + 1/2 c) + 2^{(1/2)}) \cdot (2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} + a \cdot 2^{(1/2)} \cdot \cos(1/2 dx + 1/2 c) + 2a)) \cdot \cos(1/2 dx + 1/2 c)^6 a - 160 \cdot \ln(-4 \cdot (a \cdot 2^{(1/2)} \cdot \cos(1/2 dx + 1/2 c) - 2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} - 2a) / (2 \cos(1/2 dx + 1/2 c) - 2^{(1/2)}) \cdot \cos(1/2 dx + 1/2 c)^6 a - 115 \cdot 2^{(1/2)} \cdot \ln(2 \cdot (2a^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} + 2a) / \cos(1/2 dx + 1/2 c)) \cdot a \cdot \cos(1/2 dx + 1/2 c)^4 + 70 \cdot 2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} \cdot \cos(1/2 dx + 1/2 c)^4 + 80 \cdot \ln(4 / (2 \cos(1/2 dx + 1/2 c) + 2^{(1/2)}) \cdot (2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} + a \cdot 2^{(1/2)} \cdot \cos(1/2 dx + 1/2 c) + 2a)) \cdot \cos(1/2 dx + 1/2 c)^4 a + 80 \cdot \ln(-4 \cdot (a \cdot 2^{(1/2)} \cdot \cos(1/2 dx + 1/2 c) - 2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} - 2a) / (2 \cos(1/2 dx + 1/2 c) - 2^{(1/2)}) \cdot \cos(1/2 dx + 1/2 c)^4 a - 15 \cdot a^{(1/2)} \cdot 2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot \cos(1/2 dx + 1/2 c)^2 - 2 \cdot 2^{(1/2)} \cdot (a \sin(1/2 dx + 1/2 c))^2)^{(1/2)} \cdot a^{(1/2)} / a^{(7/2)} / \cos(1/2 dx + 1/2 c)^3 / (2 \cos(1/2 dx + 1/2 c) - 2^{(1/2)}) / (2 \cos(1/2 dx + 1/2 c) + 2^{(1/2)}) / \sin(1/2 dx + 1/2 c) / (a \cos(1/2 dx + 1/2 c))^2)^{(1/2)} / d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out



**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^2 (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^(5/2)), x)

[Out] int(1/(cos(c + d\*x)^2\*(a + a\*cos(c + d\*x))^(5/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a(\cos(c + dx) + 1))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*(5/2), x)

[Out] Integral(sec(c + d\*x)\*\*2/(a\*(cos(c + d\*x) + 1))\*\*(5/2), x)

### 3.146 $\int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=111

$$\frac{10aF\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{6aE\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{10a \sin(c + dx)}{21d}$$

[Out]  $6/5*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+10/21*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+10/21*a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.08, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2635, 2639, 2641}

$$\frac{10aF\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{6aE\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{10a \sin(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $(6*a*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (10*a*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (10*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*a*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))dx &= a \int \cos^{\frac{5}{2}}(c+dx)dx + a \int \cos^{\frac{7}{2}}(c+dx)dx \\
&= \frac{2a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{2a \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{1}{5}(3a) \int \\
&= \frac{6aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{10a\sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{2a \cos^{\frac{3}{2}}(c+dx)}{5d} \\
&= \frac{6aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{10aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{10a\sqrt{\cos(c+dx)} \sin(c+dx)}{21d}
\end{aligned}$$

**Mathematica [C]** time = 6.17, size = 490, normalized size = 4.41

$$a \left( \frac{3 \csc(c)(\cos(c+dx)+1) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx+\tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c)} \sqrt{\tan^2(c)}} \right)}{10d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x]), x]

[Out] a\*(Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])\*Sec[c/2 + (d\*x)/2]^2\*((-3\*Cot[c])/(5\*d) + (23\*Cos[d\*x]\*Sin[c])/(84\*d) + (Cos[2\*d\*x]\*Sin[2\*c])/(10\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(28\*d) + (23\*Cos[c]\*Sin[d\*x])/(84\*d) + (Cos[2\*c]\*Sin[2\*d\*x])/(10\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(28\*d)) - (5\*(1 + Cos[c + d\*x])\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^2\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(21\*d\*Sqrt[1 + Cot[c]^2]) - (3\*(1 + Cos[c + d\*x])\*Csc[c]\*Sec[c/2 + (d\*x)/2]^2\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2]))/(10\*d)

**fricas [F]** time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a \cos(dx+c)^3 + a \cos(dx+c)^2\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.42, size = 270, normalized size = 2.43

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(240 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 528 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c)),x)

[Out]  $-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(240*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8-528*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+448*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+25*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-122*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 0.76, size = 87, normalized size = 0.78

$$\frac{2a \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7d \sqrt{\sin(c + dx)^2}} - \frac{2a \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)^2\right)}{9d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x)),x)

[Out]  $-(2*a*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*a*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a+a\*cos(d\*x+c)),x)

[Out] Timed out

### 3.147 $\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=87

$$\frac{2aF\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{6aE\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $6/5*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/3*a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2635, 2641, 2639}

$$\frac{2aF\left(\frac{1}{2}(c + dx)\middle|2\right)}{3d} + \frac{6aE\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $(6*a*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /;$   $\text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$   $\text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))dx &= a \int \cos^{\frac{3}{2}}(c+dx)dx + a \int \cos^{\frac{5}{2}}(c+dx)dx \\ &= \frac{2a\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2a\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{1}{3}a \int \frac{1}{\sqrt{\cos(c+dx)}}dx \\ &= \frac{6aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \end{aligned}$$

**Mathematica** [C] time = 5.62, size = 232, normalized size = 2.67

$$a(\cos(c+dx)+1)\sec^2\left(\frac{1}{2}(c+dx)\right)\left(-18\cos(c)\sqrt{\sec^2(c)}\sqrt{\sin^2(\tan^{-1}(\tan(c))+dx)}\csc(\tan^{-1}(\tan(c))+dx)\right)_2F$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x]), x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*((9\*(3\*Cos[c - d\*x] - ArcTan[Tan[c]] + Cos[c + d\*x + ArcTan[Tan[c]]])\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2] - 20\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + 2\*Cos[c + d\*x]\*(-18\*Cot[c] + 10\*Sin[c + d\*x] + 3\*Sin[2\*(c + d\*x)]) - 18\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(60\*d\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 5.96, size = 0, normalized size = 0.00

$$\text{integral}((a \cos(dx+c)^2 + a \cos(dx+c))\sqrt{\cos(dx+c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a) \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.55, size = 219, normalized size = 2.52

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(24\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 28\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 5\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2}\right)}{15\sqrt{-2}\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c)), x)

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(24*cos(1/2*d*x+1/2*c)^7-28*cos(1/2*d*x+1/2*c)^5+5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-9*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+4*cos(1/2*d*x+1/2*c))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((a*cos(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

**mupad** [B] time = 0.13, size = 80, normalized size = 0.92

$$\frac{2 a F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{3 d} + \frac{2 a \sqrt{\cos(c + d x)} \sin(c + d x)}{3 d} - \frac{2 a \cos(c + d x)^{7/2} \sin(c + d x) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + d x)\right)}{7 d \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x)),x)
```

```
[Out] (2*a*ellipticF(c/2 + (d*x)/2, 2))/(3*d) + (2*a*cos(c + d*x)^(1/2)*sin(c + d*x))/(3*d) - (2*a*cos(c + d*x)^(7/2)*sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, cos(c + d*x)^2))/(7*d*(sin(c + d*x)^2)^(1/2))
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c)),x)
```

```
[Out] Timed out
```

### 3.148 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=61

$$\frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2639, 2635, 2641}

$$\frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $(2*a*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*a*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx)) dx &= a \int \sqrt{\cos(c + dx)} dx + a \int \cos^{\frac{3}{2}}(c + dx) dx \\ &= \frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} a \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$



**Mathematica [C]** time = 5.01, size = 222, normalized size = 3.64

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left(-6 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \csc(\tan^{-1}(\tan(c)) + dx) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x]),x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*((3\*(3\*Cos[c - d\*x - ArcTan[Tan[c]]] + Cos[c + d\*x + ArcTan[Tan[c]]])\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2] - 4\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] - 4\*Cos[c + d\*x]\*(3\*Cot[c] - Sin[c + d\*x]) - 6\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(12\*d\*Sqrt[Cos[c + d\*x]]))

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}((a \cos(dx + c) + a)\sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.56, size = 225, normalized size = 3.69

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(4\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c)),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(4\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.12, size = 53, normalized size = 0.87

$$\frac{2a E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2a \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x)),x)

[Out] (2\*a\*ellipticE(c/2 + (d\*x)/2, 2))/d + (2\*a\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d) + (2\*a\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \sqrt{\cos(c + dx)} dx + \int \cos^{\frac{3}{2}}(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c)),x)

[Out] a\*(Integral(sqrt(cos(c + d\*x)), x) + Integral(cos(c + d\*x)\*\*(3/2), x))

$$3.149 \quad \int \frac{a+a \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=35

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out]  $2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d$

**Rubi [A]** time = 0.04, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2748, 2641, 2639}

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*a\*EllipticE[(c + d\*x)/2, 2])/d + (2\*a\*EllipticF[(c + d\*x)/2, 2])/d

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \frac{a+a \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx &= a \int \frac{1}{\sqrt{\cos(c+dx)}} dx + a \int \sqrt{\cos(c+dx)} dx \\ &= \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 24.64, size = 155, normalized size = 4.43

$$a\sqrt{\cos(c+dx)}(\cos(c+dx)+1)\sec^2\left(\frac{1}{2}(c+dx)\right)\left(-\frac{\tan(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}, \frac{3}{4}; \cos^2(dx+\tan^{-1}(\tan(c)))\right)}{\sqrt{\sin^2(\tan^{-1}(\tan(c))+dx)}}\right) - 2\sin(c)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*cos[c + d\*x])/Sqrt[Cos[c + d\*x]],x]

[Out] (a\*Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*(-2\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + Tan[d\*x + ArcTan[Tan[c]]] - (HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Tan[d\*x + ArcTan[Tan[c]]])/Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(2\*d)

**fricas** [F] time = 1.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.40, size = 150, normalized size = 4.29

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.46, size = 27, normalized size = 0.77

$$\frac{2a \left( E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))/cos(c + d*x)^(1/2),x)`

[Out] `(2*a*(ellipticE(c/2 + (d*x)/2, 2) + ellipticF(c/2 + (d*x)/2, 2)))/d`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \frac{1}{\sqrt{\cos(c + dx)}} dx + \int \sqrt{\cos(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))/cos(d*x+c)**(1/2),x)`

[Out] `a*(Integral(1/sqrt(cos(c + d*x)), x) + Integral(sqrt(cos(c + d*x)), x))`

$$3.150 \quad \int \frac{a+a \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=57

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2639, 2641}

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])/Cos[c + d*x]^(3/2), x]`

[Out]  $(-2*a*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*a*\text{EllipticF}[(c+d*x)/2, 2])/d + (2*a*\sin[c+d*x])/(d*\text{Sqrt}[\cos[c+d*x]])$

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rubi steps

$$\begin{aligned} \int \frac{a + a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx &= a \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + a \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - a \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 9.67, size = 209, normalized size = 3.67

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left(2 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \csc(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}; \frac{3}{2}; -\frac{\cos^2(c)}{\sin^2(\tan^{-1}(\tan(c)) + dx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])/Cos[c + d\*x]^(3/2), x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*(4\*Cos[d\*x]\*Csc[c] - ((3\*Cos[c - d\*x] - ArcTan[Tan[c]]) + Cos[c + d\*x + ArcTan[Tan[c]])]\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2 - 4\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + 2\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(4\*d\*Sqrt[Cos[c + d\*x]])

**fricas [F]** time = 1.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.45, size = 146, normalized size = 2.56

$$\frac{2a \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \right)}{\sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x)

[Out]  $-2*a*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.64, size = 60, normalized size = 1.05

$$\frac{2aF\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^(3/2),x)

[Out]  $(2*a*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*a*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \int \frac{1}{\sqrt{\cos(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out]  $a*(\text{Integral}(\cos(c + d*x)**(-3/2), x) + \text{Integral}(1/\text{sqrt}(\cos(c + d*x)), x))$



$$3.151 \quad \int \frac{a+a \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=83

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2641, 2639}

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])/Cos[c + d\*x]^(5/2), x]

[Out]  $(-2*a*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*a*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*a*\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^{(3/2)}) + (2*a*\text{Sin}[c+d*x])/(d*\text{Sqrt}[\text{Cos}[c+d*x]])$

Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned}
\int \frac{a + a \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx &= a \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + a \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{3} a \int \frac{1}{\sqrt{\cos(c + dx)}} dx - a \int \sqrt{\cos(c + dx)} dx \\
&= -\frac{2aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 6.15, size = 444, normalized size = 5.35

$$a \left( \frac{\csc(c)(\cos(c + dx) + 1) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1} \cos(\tan^{-1}(\tan(c)) + dx)}} \right)}{2d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])/Cos[c + d\*x]^(5/2), x]

[Out] a\*(Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])\*Sec[c/2 + (d\*x)/2]^2\*((Csc[c]\*Sec[c])/d + (Sec[c]\*Sec[c + d\*x]^2\*Sin[d\*x])/(3\*d) + (Sec[c]\*Sec[c + d\*x]\*(Sin[c] + 3\*Sin[d\*x]))/(3\*d)) - ((1 + Cos[c + d\*x])\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^2\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*Sqrt[1 + Cot[c]^2]) + ((1 + Cos[c + d\*x])\*Csc[c]\*Sec[c/2 + (d\*x)/2]^2\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Tan[c]^2]))/(2\*d))

**fricas [F]** time = 1.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.94, size = 369, normalized size = 4.45

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2}\right)\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x)

[Out]  $\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) - (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**mupad [B]** time = 0.78, size = 87, normalized size = 1.05

$$\frac{2 a \sin(c + d x) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + d x)^2\right)}{d \sqrt{\cos(c + d x)} \sqrt{\sin(c + d x)^2}} + \frac{2 a \sin(c + d x) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + d x)^2\right)}{3 d \cos(c + d x)^{3/2} \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^(5/2),x)

[Out]  $(2 * a * \sin(c + d * x) * \operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d * x)^2)) / (d * \cos(c + d * x)^{(1/2)} * (\sin(c + d * x)^2)^{(1/2)}) + (2 * a * \sin(c + d * x) * \operatorname{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d * x)^2)) / (3 * d * \cos(c + d * x)^{(3/2)} * (\sin(c + d * x)^2)^{(1/2)})$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.152 \quad \int \frac{a+a \cos(c+dx)}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=111

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{6aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a \sin(c+dx)}{3d \cos^3(c+dx)} + \frac{2a \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{6a \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-6/5*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+6/5*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2639, 2641}

$$\frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{6aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a \sin(c+dx)}{3d \cos^3(c+dx)} + \frac{2a \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{6a \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])/Cos[c + d*x]^(7/2), x]`

[Out]  $(-6*a*\text{EllipticE}[(c+d*x)/2, 2])/(5*d) + (2*a*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*a*\text{Sin}[c+d*x])/(5*d*\text{Cos}[c+d*x]^{(5/2)}) + (2*a*\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^{(3/2)}) + (6*a*\text{Sin}[c+d*x])/(5*d*\text{Sqrt}[\text{Cos}[c+d*x]])$

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rubi steps

$$\begin{aligned}
\int \frac{a + a \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx &= a \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + a \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}a \int \frac{1}{\sqrt{\cos(c + dx)}} dx + \frac{1}{5}(3a) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} - \frac{1}{5}(3a) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{6aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} - \frac{1}{5}(3a) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx
\end{aligned}$$

**Mathematica [C]** time = 6.17, size = 477, normalized size = 4.30

$$a \left( \frac{3 \csc(c)(\cos(c + dx) + 1) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}} \right)}{10d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])/Cos[c + d\*x]^(7/2), x]

[Out] a\*(Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])\*Sec[c/2 + (d\*x)/2]^2\*((3\*Csc[c]\*Sec[c])/ (5\*d) + (Sec[c]\*Sec[c + d\*x]^3\*Sin[d\*x])/ (5\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(3\*Sin[c] + 5\*Sin[d\*x]))/ (15\*d) + (Sec[c]\*Sec[c + d\*x]\*(5\*Sin[c] + 9\*Sin[d\*x]))/ (15\*d)) - ((1 + Cos[c + d\*x])\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^2\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]))/ (3\*d\*Sqrt[1 + Cot[c]^2]) + (3\*(1 + Cos[c + d\*x])\*Csc[c]\*Sec[c/2 + (d\*x)/2]^2\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/ (Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/ (Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/ (10\*d))

**fricas [F]** time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**maple** [B] time = 0.83, size = 384, normalized size = 3.46

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left( -\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{40\left(-\frac{1}{2} + \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{3\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{5\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x)

[Out]  $-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1/40*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^3-3/5*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/10*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-1/12*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**mupad** [B] time = 0.87, size = 87, normalized size = 0.78

$$\frac{2a \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{2a \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right)}{5d \cos(c + dx)^{5/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/cos(c + d\*x)^(7/2),x)

[Out]  $(2*a*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*a*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2))/(5*d*\cos(c + d*x)^{(5/2)}*(\sin(c + d*x)^2)^{(1/2)})$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.153 $\int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=147

$$\frac{20a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{32a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{4a^2 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{32a^2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d}$$

[Out]  $32/15*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+20/21*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+32/45*a^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+4/7*a^2*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*a^2*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+20/21*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.14, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2635, 2639, 2641}

$$\frac{20a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{32a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^2 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{4a^2 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{32a^2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x])^2, x]$

[Out]  $(32*a^2*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (20*a^2*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (20*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (32*a^2*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (4*a^2*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a^2*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_) + (d_)*(x_)])^{(n_)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_*\sin[e_] + (f_)*(x_))^{(n_)}*((a_) + (b_)*\sin[e_] + (f_)*(x_))^{(m_)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rubi steps



$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^2 dx &= \int \left( a^2 \cos^{\frac{5}{2}}(c+dx) + 2a^2 \cos^{\frac{7}{2}}(c+dx) + a^2 \cos^{\frac{9}{2}}(c+dx) \right) dx \\
&= a^2 \int \cos^{\frac{5}{2}}(c+dx) dx + a^2 \int \cos^{\frac{9}{2}}(c+dx) dx + (2a^2) \int \cos^{\frac{7}{2}}(c+dx) dx \\
&= \frac{2a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{4a^2 \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2a^2 \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} \\
&= \frac{6a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{20a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{32a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{21d} \\
&= \frac{32a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{20a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{20a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d}
\end{aligned}$$

**Mathematica [C]** time = 6.14, size = 532, normalized size = 3.62

$$4 \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c+dx) + a)^2 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c)} \sqrt{\tan^2(c)+1}} \right)$$


---

15d

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2,x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*((-8\*Cot[c])/(15\*d) + (23\*Cos[d\*x]\*Sin[c])/(84\*d) + (37\*Cos[2\*d\*x]\*Sin[2\*c])/(360\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(28\*d) + (Cos[4\*d\*x]\*Sin[4\*c])/(144\*d) + (23\*Cos[c]\*Sin[d\*x])/(84\*d) + (37\*Cos[2\*c]\*Sin[2\*d\*x])/(360\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(28\*d) + (Cos[4\*c]\*Sin[4\*d\*x])/(144\*d)) - (5\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(21\*d\*Sqrt[1 + Cot[c]^2]) - (4\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(15\*d)

**fricas [F]** time = 2.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx+c)^4 + 2a^2 \cos(dx+c)^3 + a^2 \cos(dx+c)^2\right) \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^4 + 2\*a^2\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2), x)

**maple** [A] time = 0.51, size = 260, normalized size = 1.77

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(560\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 960\left(\cos^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 608\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 256\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 128\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 64\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^2,x)

[Out] -4/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(560\*cos(1/2\*d\*x+1/2\*c)^11-960\*cos(1/2\*d\*x+1/2\*c)^9+608\*cos(1/2\*d\*x+1/2\*c)^7-96\*cos(1/2\*d\*x+1/2\*c)^5-205\*cos(1/2\*d\*x+1/2\*c)^3+75\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-168\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+93\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 0.77, size = 136, normalized size = 0.93

$$\frac{2 a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7 d \sqrt{\sin(c + dx)^2}} - \frac{4 a^2 \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)^2\right)}{9 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] -(2\*a^2\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2)) - (4\*a^2\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2)) - (2\*a^2\*cos(c + d\*x)^(11/2)\*sin(c + d\*x)\*hypergeom([1/2, 11/4], 15/4, cos(c + d\*x)^2))/(11\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

### 3.154 $\int \cos^3(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=121

$$\frac{8a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d} + \frac{12a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx) \cos^5(c + dx)}{7d} + \frac{4a^2 \sin(c + dx) \cos^3(c + dx)}{5d} + \frac{8a^2 \sin^3(c + dx)}{5d}$$

[Out]  $12/5*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+8/7*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/5*a^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a^2*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+8/7*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.12, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2635, 2641, 2639}

$$\frac{8a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d} + \frac{12a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx) \cos^5(c + dx)}{7d} + \frac{4a^2 \sin(c + dx) \cos^3(c + dx)}{5d} + \frac{8a^2 \sin^3(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^2, x]$

[Out]  $(12*a^2*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (8*a^2*\text{EllipticF}[(c + d*x)/2, 2])/(7*d) + (8*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(7*d) + (4*a^2*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^2*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$   $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$   $\text{FreeQ}\{a, b, d, e, f, n, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^2 dx &= \int \left( a^2 \cos^{\frac{3}{2}}(c+dx) + 2a^2 \cos^{\frac{5}{2}}(c+dx) + a^2 \cos^{\frac{7}{2}}(c+dx) \right) dx \\
&= a^2 \int \cos^{\frac{3}{2}}(c+dx) dx + a^2 \int \cos^{\frac{7}{2}}(c+dx) dx + (2a^2) \int \cos^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{4a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{2a^2 \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{7d} \\
&= \frac{12a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{8a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{7d} \\
&= \frac{12a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{8a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d} + \frac{8a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{7d}
\end{aligned}$$

**Mathematica [C]** time = 6.13, size = 500, normalized size = 4.13

$$3 \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c+dx) + a)^2 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}, \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c) \sqrt{\tan^2(c)+1}}} \right)$$


---

10d

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2,x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*((-3\*Cot[c])/(5\*d) + (17\*Cos[d\*x]\*Sin[c])/(56\*d) + (Cos[2\*d\*x]\*Sin[2\*c])/(10\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(56\*d) + (17\*Cos[c]\*Sin[d\*x])/(56\*d) + (Cos[2\*c]\*Sin[2\*d\*x])/(10\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(56\*d)) - (2\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(7\*d\*Sqrt[1 + Cot[c]^2]) - (3\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(10\*d)

**fricas [F]** time = 1.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx+c)^3 + 2a^2 \cos(dx+c)^2 + a^2 \cos(dx+c)\right) \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^3 + 2\*a^2\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.46, size = 272, normalized size = 2.25

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(40 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 116 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2}\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^2,x)

[Out] -4/35\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(40\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-116\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+126\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-39\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2), x)

**mupad [B]** time = 0.65, size = 129, normalized size = 1.07

$$\frac{2 \left( a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^2 \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{3d} - \frac{4 a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)\right)}{7d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] (2\*(a^2\*ellipticF(c/2 + (d\*x)/2, 2) + a^2\*cos(c + d\*x)^(1/2)\*sin(c + d\*x)))/(3\*d) - (4\*a^2\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2)) - (2\*a^2\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

### 3.155 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=95

$$\frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{16a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{4a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $16/5*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+4/3*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.09, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2639, 2635, 2641}

$$\frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{16a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{4a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2, x]

[Out]  $(16*a^2*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2635

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(n\_)\*((a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} (a+a\cos(c+dx))^2 dx &= \int \left( a^2 \sqrt{\cos(c+dx)} + 2a^2 \cos^{\frac{3}{2}}(c+dx) + a^2 \cos^{\frac{5}{2}}(c+dx) \right) dx \\
&= a^2 \int \sqrt{\cos(c+dx)} dx + a^2 \int \cos^{\frac{5}{2}}(c+dx) dx + (2a^2) \int \cos^{\frac{3}{2}}(c+dx) dx \\
&= \frac{2a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{4a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{2a^2 \cos^{\frac{3}{2}}(c+dx)}{3d} \\
&= \frac{16a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 5.62, size = 235, normalized size = 2.47

$$a^2(\cos(c+dx)+1)^2 \sec^4\left(\frac{1}{2}(c+dx)\right) \left(-24 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c))+dx)} \csc(\tan^{-1}(\tan(c))+dx)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c+d\*x]]\*(a+a\*Cos[c+d\*x])^2,x]

[Out] (a^2\*(1+Cos[c+d\*x])^2\*Sec[(c+d\*x)/2]^4\*((12\*(3\*Cos[c-d\*x]-ArcTan[Tan[c]])+Cos[c+d\*x+ArcTan[Tan[c]]])\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2]-20\*Cos[c+d\*x]\*Sqrt[Cos[d\*x-ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4,1/2},{5/4},Sin[d\*x-ArcTan[Cot[c]]]^2]\*Sec[d\*x-ArcTan[Cot[c]]]\*Sin[c]+Cos[c+d\*x]\*(-48\*Cot[c]+20\*Sin[c+d\*x]+3\*Sin[2\*(c+d\*x)])-24\*Cos[c]\*Csc[d\*x+ArcTan[Tan[c]]]\*HypergeometricPFQ[-1/2,-1/4,{3/4},Cos[d\*x+ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x+ArcTan[Tan[c]]]^2]))/(60\*d\*Sqrt[Cos[c+d\*x]])

**fricas [F]** time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2\right) \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x+c)^2+2\*a^2\*cos(d\*x+c)+a^2)\*sqrt(cos(d\*x+c)),x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^2 \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x+c)+a)^2\*sqrt(cos(d\*x+c)),x)

**maple [A]** time = 0.45, size = 250, normalized size = 2.63

$$4\sqrt{2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)} a^2 \left(-12 \cos\left(\frac{dx}{2}+\frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+32\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^2,x)`

[Out]  $-4/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(-12*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+32*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-12*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))-13*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] `integrate((a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)`

**mupad** [B] time = 0.74, size = 104, normalized size = 1.09

$$\frac{2a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}, \frac{3}{2}, \sin^2(c + dx)\right)}{7d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^2,x)`

[Out]  $(2*a^2*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (4*a^2*\text{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (4*a^2*\cos(c + d*x)^(1/2)*\sin(c + d*x))/(3*d) - (2*a^2*\cos(c + d*x)^(7/2)*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^(1/2))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(a+a*cos(d*x+c))**2,x)`

[Out] Timed out



$$3.156 \quad \int \frac{(a+a \cos(c+dx))^2}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=67

$$\frac{8a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

[Out]  $4a^2 \cos(1/2 dx + 1/2 c)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) / d + 8/3 a^2 \cos(1/2 dx + 1/2 c)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) / d + 2/3 a^2 \sin(dx + c) \cos(dx + c)^{1/2} / d$

**Rubi [A]** time = 0.08, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2641, 2639, 2635}

$$\frac{8a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2/Sqrt[Cos[c + d\*x]], x]

[Out]  $(4a^2 \text{EllipticE}[(c + dx)/2, 2])/d + (8a^2 \text{EllipticF}[(c + dx)/2, 2])/(3d) + (2a^2 \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx])/(3d)$

Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2}{\sqrt{\cos(c + dx)}} dx &= \int \left( \frac{a^2}{\sqrt{\cos(c + dx)}} + 2a^2 \sqrt{\cos(c + dx)} + a^2 \cos^{\frac{3}{2}}(c + dx) \right) dx \\
&= a^2 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + a^2 \int \cos^{\frac{3}{2}}(c + dx) dx + (2a^2) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{4a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} a^2 \int \dots \\
&= \frac{4a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica** [C] time = 5.11, size = 224, normalized size = 3.34

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left(-6 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \csc(\tan^{-1}(\tan(c)) + dx) \right) 2H$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^2/Sqrt[Cos[c + d\*x]],x]

[Out] (a^2\*(1 + Cos[c + d\*x])^2\*Sec[(c + d\*x)/2]^4\*((3\*(3\*Cos[c - d\*x - ArcTan[Tan[c]] + Cos[c + d\*x + ArcTan[Tan[c]]])\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2] - 8\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + 2\*Cos[c + d\*x]\*(-6\*Cot[c] + Sin[c + d\*x]) - 6\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(12\*d\*Sqrt[Cos[c + d\*x]))

**fricas** [F] time = 2.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

**maple** [B] time = 0.48, size = 228, normalized size = 3.40

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right) 3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x)`

[Out] 
$$-4/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((a*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)`

**mupad** [B] time = 0.68, size = 59, normalized size = 0.88

$$\frac{4 a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{8 a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3 d} + \frac{2 a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^2/cos(c + d*x)^(1/2),x)`

[Out] 
$$(4*a^2*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (8*a^2*\text{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (2*a^2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2/cos(d*x+c)**(1/2),x)`

[Out] Timed out

$$3.157 \quad \int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=44

$$\frac{4a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $4*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2639, 2641}

$$\frac{4a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out]  $(4*a^2*\text{EllipticF}[(c + d*x)/2, 2])/d + (2*a^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*b*\text{Sin}[c + d*x])^{(n + 1)}/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \left( \frac{a^2}{\cos^{\frac{3}{2}}(c + dx)} + \frac{2a^2}{\sqrt{\cos(c + dx)}} + a^2 \sqrt{\cos(c + dx)} \right) dx \\
&= a^2 \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + a^2 \int \sqrt{\cos(c + dx)} dx + (2a^2) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - a^2 \int \sqrt{\cos(c + dx)} dx \\
&= \frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 39, normalized size = 0.89

$$\frac{2a^2 \left( 2F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c + dx)}{\sqrt{\cos(c + dx)}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2/Cos[c + d\*x]^(3/2), x]

[Out] (2\*a^2\*(2\*EllipticF[(c + d\*x)/2, 2] + Sin[c + d\*x]/Sqrt[Cos[c + d\*x]]))/d

**fricas [F]** time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.50, size = 104, normalized size = 2.36

$$\frac{4a^2 \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x)

[Out]  $-4a^2((\sin(1/2dx+1/2c))^2)^{1/2}*(2\sin(1/2dx+1/2c)^2-1)^{1/2}*\text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2})-\sin(1/2dx+1/2c)^2*\cos(1/2dx+1/2c)/\sin(1/2dx+1/2c)/(2*\cos(1/2dx+1/2c)^2-1)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2/cos(d*x+c)^(3/2), x, algorithm="maxima")`

[Out] `integrate((a*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)`

**mupad** [B] time = 0.80, size = 82, normalized size = 1.86

$$\frac{2a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^2/cos(c + d*x)^(3/2), x)`

[Out] `(2*a^2*ellipticE(c/2 + (d*x)/2, 2))/d + (4*a^2*ellipticF(c/2 + (d*x)/2, 2))/d + (2*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2/cos(d*x+c)**(3/2), x)`

[Out] Timed out

$$3.158 \quad \int \frac{(a+a \cos(c+dx))^2}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=91

$$\frac{8a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{4a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

[Out]  $-4*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+8/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+4*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2641, 2639}

$$\frac{8a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{4a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out]  $(-4*a^2*\text{EllipticE}[(c + d*x)/2, 2])/d + (8*a^2*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (4*a^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IGtQ}[m, 0] \&\& \text{RationalQ}[n]$

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \left( \frac{a^2}{\cos^{\frac{5}{2}}(c + dx)} + \frac{2a^2}{\cos^{\frac{3}{2}}(c + dx)} + \frac{a^2}{\sqrt{\cos(c + dx)}} \right) dx \\
&= a^2 \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + a^2 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (2a^2) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{3} a^2 \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= -\frac{4a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica** [C] time = 6.16, size = 454, normalized size = 4.99

$$\frac{\csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c)+1}} \cos(dx + \tan^{-1}(\tan(c)))} \right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^2/Cos[c + d\*x]^(5/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*((Csc[c]\*Sec[c])/d + (Sec[c]\*Sec[c + d\*x]^2\*Sin[d\*x])/(6\*d) + (Sec[c]\*Sec[c + d\*x]\*(Sin[c] + 6\*Sin[d\*x]))/(6\*d)) - (2\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[c\*d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*Sqrt[1 + Cot[c]^2]) + ((a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2]))/(2\*d)

**fricas** [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.82, size = 371, normalized size = 4.08

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(4\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2),x)

[Out]  $4/3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2/(4*\sin(1/2*d*x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+6*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2-12*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+7*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(5/2), x)

**mupad [B]** time = 0.87, size = 109, normalized size = 1.20

$$\frac{2a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4a^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}} + \frac{2a^2 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2/cos(c + d\*x)^(5/2),x)

[Out]  $(2*a^2*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/d + (4*a^2*\sin(c + d*x)*\operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*a^2*\sin(c + d*x)*\operatorname{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)})$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.159 \quad \int \frac{(a+a \cos(c+dx))^2}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=121

$$\frac{4a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{16a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{16a^2 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-16/5*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/3*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+16/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2639, 2641}

$$\frac{4a^2 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{16a^2 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4a^2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{16a^2 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(-16*a^2*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a^2*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (4*a^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (16*a^2*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^2}{\cos^{\frac{7}{2}}(c + dx)} dx &= \int \left( \frac{a^2}{\cos^{\frac{7}{2}}(c + dx)} + \frac{2a^2}{\cos^{\frac{5}{2}}(c + dx)} + \frac{a^2}{\cos^{\frac{3}{2}}(c + dx)} \right) dx \\
&= a^2 \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + a^2 \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + (2a^2) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{5} (3a^2) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= -\frac{2a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{16a^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [C]** time = 6.20, size = 487, normalized size = 4.02

$$2 \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}}$$


---

5d

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^2/Cos[c + d\*x]^(7/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*((4\*Csc[c]\*Sec[c])/(5\*d) + (Sec[c]\*Sec[c + d\*x]^3\*Sin[d\*x])/(10\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(3\*Sin[c] + 10\*Sin[d\*x]))/(30\*d) + (Sec[c]\*Sec[c + d\*x]\*(5\*Sin[c] + 12\*Sin[d\*x]))/(15\*d)) - ((a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*Sqrt[1 + Cot[c]^2]) + (2\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]/(5\*d)

**fricas [F]** time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(7/2), x)

**maple** [B] time = 0.82, size = 386, normalized size = 3.19

$$8\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left( -\frac{4\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{5\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} + \frac{17\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{30\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2),x)

[Out]  $-8*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-4/5*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+17/30*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-1/80*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^3-1/12*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(7/2), x)

**mupad** [B] time = 0.99, size = 114, normalized size = 0.94

$$\frac{6a^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right) + 20a^2 \cos(c + dx) \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{15d \cos(c + dx)^{5/2} \sqrt{1 - \cos(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2/cos(c + d\*x)^(7/2),x)

[Out]  $(6*a^2*\sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, \cos(c + d*x)^2) + 20*a^2*\cos(c + d*x)*\sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, \cos(c + d*x)^2) + 30*a^2*\cos(c + d*x)^2*\sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/((15*d*\cos(c + d*x)^(5/2)*(1 - \cos(c + d*x)^2)^(1/2))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.160 $\int \cos^3(c + dx)(a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=147

$$\frac{44a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{68a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^3 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{6a^3 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{68a^3 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d}$$

[Out]  $68/15*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+44/21*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+68/45*a^3*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+6/7*a^3*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*a^3*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+44/21*a^3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.15, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2635, 2641, 2639}

$$\frac{44a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{68a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^3 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{6a^3 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{68a^3 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{45d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^3, x]$

[Out]  $(68*a^3*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (44*a^3*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (44*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (68*a^3*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (6*a^3*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a^3*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$   $\text{FreeQ}\{b, c, d, x\}$  &&  $\text{GtQ}[n, 1]$  &&  $\text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_.*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}*((a_.) + (b_.*\sin[(e_.) + (f_.)*(x_)])^{(m_.)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$   $\text{FreeQ}\{a, b, d, e, f, n, x\}$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{IGtQ}[m, 0]$  &&  $\text{RationalQ}[n]$

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3 dx &= \int \left( a^3 \cos^{\frac{3}{2}}(c+dx) + 3a^3 \cos^{\frac{5}{2}}(c+dx) + 3a^3 \cos^{\frac{7}{2}}(c+dx) + a^3 \cos^{\frac{9}{2}}(c+dx) \right) dx \\
&= a^3 \int \cos^{\frac{3}{2}}(c+dx) dx + a^3 \int \cos^{\frac{9}{2}}(c+dx) dx + (3a^3) \int \cos^{\frac{5}{2}}(c+dx) dx \\
&= \frac{2a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{6a^3 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{6a^3 \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{7d} \\
&= \frac{18a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{44a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d} \\
&= \frac{68a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{44a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{44a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d}
\end{aligned}$$

**Mathematica [C]** time = 6.14, size = 532, normalized size = 3.62

$$17 \csc(c) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c+dx) + a)^3 \left[ \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c)} \sqrt{\tan^2(c)+1}} \right]$$


---

60d

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3,x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*((-17\*Cot[c])/(30\*d) + (97\*Cos[d\*x]\*Sin[c])/(336\*d) + (73\*Cos[2\*d\*x]\*Sin[2\*c])/(720\*d) + (3\*Cos[3\*d\*x]\*Sin[3\*c])/(112\*d) + (Cos[4\*d\*x]\*Sin[4\*c])/(288\*d) + (97\*Cos[c]\*Sin[d\*x])/(336\*d) + (73\*Cos[2\*c]\*Sin[2\*d\*x])/(720\*d) + (3\*Cos[3\*c]\*Sin[3\*d\*x])/(112\*d) + (Cos[4\*c]\*Sin[4\*d\*x])/(288\*d)) - (11\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (17\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(60\*d)

**fricas [F]** time = 1.28, size = 0, normalized size = 0.00

integral((a^3 cos(dx + c)^4 + 3 a^3 cos(dx + c)^3 + 3 a^3 cos(dx + c)^2 + a^3 cos(dx + c))sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^4 + 3\*a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + a^3\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.73, size = 260, normalized size = 1.77

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(560\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 600\left(\cos^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 212\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3,x)

[Out] -4/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(560\*cos(1/2\*d\*x+1/2\*c)^11-600\*cos(1/2\*d\*x+1/2\*c)^9+212\*cos(1/2\*d\*x+1/2\*c)^7+66\*cos(1/2\*d\*x+1/2\*c)^5-430\*cos(1/2\*d\*x+1/2\*c)^3+165\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-357\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+192\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.78, size = 206, normalized size = 1.40

$$\frac{2\left(a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^3 \sqrt{\cos(c + dx)} \sin(c + dx)\right)}{3d} - \frac{2\left(\frac{33a^3 \cos(c+dx)^{7/2} \sin(c+dx)}{\sqrt{\sin(c+dx)^2}} - \frac{5a^3 \cos(c+dx)^{11/2} \sin(c+dx)}{\sqrt{\sin(c+dx)^2}}\right)}{77d} {}_2F_1\left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] (2\*(a^3\*ellipticF(c/2 + (d\*x)/2, 2) + a^3\*cos(c + d\*x)^(1/2)\*sin(c + d\*x)))/(3\*d) - (2\*((33\*a^3\*cos(c + d\*x)^(7/2)\*sin(c + d\*x))/(sin(c + d\*x)^2)^(1/2) - (5\*a^3\*cos(c + d\*x)^(11/2)\*sin(c + d\*x))/(sin(c + d\*x)^2)^(1/2))\*hypergeom([1/2, 11/4], 15/4, cos(c + d\*x)^2))/(77\*d) - (2\*a^3\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(3\*d\*(sin(c + d\*x)^2)^(1/2)) - (104\*a^3\*cos(c + d\*x)^(11/2)\*sin(c + d\*x)\*hypergeom([1/2, 11/4], 19/4, cos(c + d\*x)^2))/(385\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out



### 3.161 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=121

$$\frac{52a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{28a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^3 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{6a^3 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{52a^3}{21d}$$

[Out]  $28/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+52/21*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+6/5*a^3*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a^3*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+52/21*a^3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.13, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2639, 2635, 2641}

$$\frac{52a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{28a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^3 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{6a^3 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{52a^3}{21d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3,x]

[Out]  $(28*a^3*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (52*a^3*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (52*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (6*a^3*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^3*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^3 dx &= \int \left( a^3 \sqrt{\cos(c+dx)} + 3a^3 \cos^{\frac{3}{2}}(c+dx) + 3a^3 \cos^{\frac{5}{2}}(c+dx) + a^3 \cos^{\frac{7}{2}}(c+dx) \right) dx \\
&= a^3 \int \sqrt{\cos(c+dx)} dx + a^3 \int \cos^{\frac{7}{2}}(c+dx) dx + (3a^3) \int \cos^{\frac{3}{2}}(c+dx) dx \\
&= \frac{2a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{d} + \frac{6a^3 \cos^{\frac{3}{2}}(c+dx)}{5d} \\
&= \frac{28a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{52a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d} \\
&= \frac{28a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{52a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{52a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d}
\end{aligned}$$

**Mathematica [C]** time = 6.12, size = 500, normalized size = 4.13

$$7 \csc(c) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c+dx) + a)^3 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c) \sqrt{\tan^2(c)+1}}} \right)$$


---

20d

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3,x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*((-7\*Cot[c])/((10\*d) + (107\*cos[d\*x]\*Sin[c])/(336\*d) + (3\*cos[2\*d\*x]\*Sin[2\*c])/(40\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(112\*d) + (107\*cos[c]\*Sin[d\*x])/(336\*d) + (3\*cos[2\*c]\*Sin[2\*d\*x])/(40\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(112\*d)) - (13\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(42\*d\*Sqrt[1 + Cot[c]^2]) - (7\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**fricas [F]** time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3\right) \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^3 \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

**maple [A]** time = 0.52, size = 272, normalized size = 2.25

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(120 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 432 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^3,x)

[Out] -4/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(120\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-432\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+602\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+65\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-147\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-208\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

**mupad [B]** time = 0.65, size = 143, normalized size = 1.18

$$\frac{2\left(a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^3 \sqrt{\cos(c + dx)} \sin(c + dx)\right)}{d} - \frac{6 a^3 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\dots\right)}{7 d \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] (2\*(a^3\*ellipticE(c/2 + (d\*x)/2, 2) + a^3\*ellipticF(c/2 + (d\*x)/2, 2) + a^3\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/d - (6\*a^3\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2)) - (2\*a^3\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.162 \quad \int \frac{(a+a \cos(c+dx))^3}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=91

$$\frac{4a^3 F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{36a^3 E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^3 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{d}$$

[Out]  $36/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^3*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2*a^3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2641, 2639, 2635}

$$\frac{4a^3 F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{36a^3 E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^3 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{2a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Sqrt[Cos[c + d\*x]], x]

[Out]  $(36*a^3*\text{EllipticE}[(c+d*x)/2, 2])/(5*d) + (4*a^3*\text{EllipticF}[(c+d*x)/2, 2])/d + (2*a^3*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/d + (2*a^3*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(5*d)$

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3}{\sqrt{\cos(c + dx)}} dx &= \int \left( \frac{a^3}{\sqrt{\cos(c + dx)}} + 3a^3 \sqrt{\cos(c + dx)} + 3a^3 \cos^{\frac{3}{2}}(c + dx) + a^3 \cos^{\frac{5}{2}}(c + dx) \right) dx \\
&= a^3 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + a^3 \int \cos^{\frac{5}{2}}(c + dx) dx + (3a^3) \int \sqrt{\cos(c + dx)} dx + (3a^3) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{6a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d} + \frac{2a^3 \cos^{\frac{3}{2}}(c + dx)}{d} \\
&= \frac{36a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d} + \frac{2a^3 \cos^{\frac{3}{2}}(c + dx)}{d}
\end{aligned}$$

**Mathematica [C]** time = 5.71, size = 233, normalized size = 2.56

$$a^3 (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(-18 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \csc(\tan^{-1}(\tan(c)) + dx) + \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Sqrt[Cos[c + d\*x]],x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*((9\*(3\*Cos[c - d\*x - ArcTan[Tan[c]]) + Cos[c + d\*x + ArcTan[Tan[c]])]\*Csc[c]\*Sec[c])/Sqrt[Sec[c]^2] - 20\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + Cos[c + d\*x]\*(-36\*Cot[c] + 10\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]) - 18\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(40\*d\*Sqrt[Cos[c + d\*x]])

**fricas [F]** time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/sqrt(cos(d\*x + c)), x)

**maple [A]** time = 0.92, size = 250, normalized size = 2.75

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(-4 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 14\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x)`

[Out] 
$$-4/5*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-4*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+14*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((a*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x)`

**mupad** [B] time = 0.62, size = 104, normalized size = 1.14

$$\frac{6a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d} - \frac{2a^3 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \dots\right)}{7d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^3/cos(c + d*x)^(1/2),x)`

[Out] 
$$(6*a^3*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (4*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*a^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/d - (2*a^3*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**3/cos(d*x+c)**(1/2),x)`

[Out] Timed out

$$3.163 \quad \int \frac{(a+a \cos(c+dx))^3}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=91

$$\frac{20a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2a^3 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

[Out]  $4a^3 (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) / d + 20/3 a^3 (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) / d + 2a^3 \sin(dx + c) / d / \cos(dx + c)^{1/2} + 2/3 a^3 \sin(dx + c) * \cos(dx + c)^{1/2} / d$

**Rubi [A]** time = 0.11, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2757, 2636, 2639, 2641, 2635}

$$\frac{20a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2a^3 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(3/2), x]

[Out]  $(4a^3 \text{EllipticE}[(c + dx)/2, 2])/d + (20a^3 \text{EllipticF}[(c + dx)/2, 2])/(3*d) + (2a^3 \text{Sin}[c + dx])/(d \text{Sqrt}[\text{Cos}[c + dx]]) + (2a^3 \text{Sqrt}[\text{Cos}[c + dx]] * \text{Sin}[c + dx])/(3*d)$

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + dx] \* (b\*Sin[c + dx])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + dx])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + dx] \* (b\*Sin[c + dx])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + dx])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + dx))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + dx))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \left( \frac{a^3}{\cos^{\frac{3}{2}}(c + dx)} + \frac{3a^3}{\sqrt{\cos(c + dx)}} + 3a^3 \sqrt{\cos(c + dx)} + a^3 \cos^{\frac{3}{2}}(c + dx) \right) dx \\
&= a^3 \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + a^3 \int \cos^{\frac{3}{2}}(c + dx) dx + (3a^3) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (3a^3) \int \cos^{\frac{3}{2}}(c + dx) dx \\
&= \frac{6a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{6a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{4a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{20a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^3 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 4.67, size = 240, normalized size = 2.64

$$a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(-6 \cos(c) \sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \csc(\tan^{-1}(\tan(c)) + dx) \right) {}_2F_1$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(3/2), x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*(-3\*Cos[d\*x]\*Csc[c] - 9\*Cos[2\*c + d\*x]\*Csc[c] + 9\*Cos[c - d\*x - ArcTan[Tan[c]]]\*Cot[c]\*Sqrt[Sec[c]^2] + 3\*Cos[c + d\*x + ArcTan[Tan[c]]]\*Cot[c]\*Sqrt[Sec[c]^2] - 20\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + Sin[2\*(c + d\*x)] - 6\*Cos[c]\*Csc[d\*x + ArcTan[Tan[c]]]\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(24\*d\*Sqrt[Cos[c + d\*x]])

**fricas [F]** time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(3/2), x)



**maple** [A] time = 0.56, size = 172, normalized size = 1.89

$$\frac{4a^3 \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \cos \left( \frac{dx}{2} + \frac{c}{2} \right) + 5 \sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) \right)}{3 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2), x)

[Out]  $-4/3*a^3*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-4*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.64, size = 104, normalized size = 1.14

$$\frac{6a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{20a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2a^3 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^(3/2), x)

[Out]  $(6*a^3*\operatorname{ellipticE}(c/2 + (d*x)/2, 2))/d + (20*a^3*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (2*a^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d) + (2*a^3*\sin(c + d*x)*\operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(3/2), x)

[Out] Timed out

$$3.164 \quad \int \frac{(a+a \cos(c+dx))^3}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=91

$$\frac{20a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{4a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{6a^3 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

[Out]  $-4a^3(\cos(1/2dx+1/2c)^2)^{(1/2)}/\cos(1/2dx+1/2c)*\text{EllipticE}(\sin(1/2dx+1/2c), 2^{(1/2)})/d+20/3a^3(\cos(1/2dx+1/2c)^2)^{(1/2)}/\cos(1/2dx+1/2c)*\text{EllipticF}(\sin(1/2dx+1/2c), 2^{(1/2)})/d+2/3a^3\sin(dx+c)/d/\cos(dx+c)^{(3/2)}+6a^3\sin(dx+c)/d/\cos(dx+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2641, 2639}

$$\frac{20a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{4a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{6a^3 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(5/2), x]

[Out]  $(-4a^3\text{EllipticE}[(c+d*x)/2, 2])/d + (20a^3\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2a^3\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^{(3/2)}) + (6a^3\text{Sin}[c+d*x])/(d*\text{Sqrt}[\text{Cos}[c+d*x]])$

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \left( \frac{a^3}{\cos^{\frac{5}{2}}(c + dx)} + \frac{3a^3}{\cos^{\frac{3}{2}}(c + dx)} + \frac{3a^3}{\sqrt{\cos(c + dx)}} + a^3 \sqrt{\cos(c + dx)} \right) dx \\
&= a^3 \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + a^3 \int \sqrt{\cos(c + dx)} dx + (3a^3) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + (3a^3) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{2a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{6a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
&= -\frac{4a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{20a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^3 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 6.20, size = 463, normalized size = 5.09

$$\text{csc}(c) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}}$$


---

4d

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(5/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-1/8\*((-5 + Cos[2\*c])\*Csc[c]\*Sec[c])/d + (Sec[c]\*Sec[c + d\*x]^2\*Sin[d\*x])/(12\*d) + (Sec[c]\*Sec[c + d\*x]\*(Sin[c] + 9\*Sin[d\*x]))/(12\*d)) - (5\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(6\*d\*Sqrt[1 + Cot[c]^2]) + ((a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(4\*d)

**fricas [F]** time = 1.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.93, size = 371, normalized size = 4.08

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x)

[Out]  $\frac{4}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ 3 / (4 * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 1) / \sin(1/2 * d * x + 1/2 * c) ^ 3 * (10 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 18 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) - 5 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 10 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

**mupad [B]** time = 1.02, size = 126, normalized size = 1.38

$$\frac{2 \left( a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 3 a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d} + \frac{6 a^3 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}} + \frac{2 a^3 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^(5/2),x)

[Out]  $(2 * (a^3 * \operatorname{ellipticE}(c/2 + (d*x)/2, 2) + 3 * a^3 * \operatorname{ellipticF}(c/2 + (d*x)/2, 2))) / d + (6 * a^3 * \sin(c + d*x) * \operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2)) / (d * \cos(c + d*x) ^ (1/2) * (\sin(c + d*x) ^ 2) ^ (1/2)) + (2 * a^3 * \sin(c + d*x) * \operatorname{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2)) / (3 * d * \cos(c + d*x) ^ (3/2) * (\sin(c + d*x) ^ 2) ^ (1/2))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.165 \quad \int \frac{(a+a \cos(c+dx))^3}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=117

$$\frac{4a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} - \frac{36a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^3 \sin(c+dx)}{d \cos^3(c+dx)} + \frac{2a^3 \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{36a^3 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-36/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+36/5*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2639, 2641}

$$\frac{4a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} - \frac{36a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^3 \sin(c+dx)}{d \cos^3(c+dx)} + \frac{2a^3 \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{36a^3 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(7/2), x]

[Out]  $(-36*a^3*\text{EllipticE}[(c+d*x)/2, 2])/(5*d) + (4*a^3*\text{EllipticF}[(c+d*x)/2, 2])/d + (2*a^3*\sin[c+d*x])/(5*d*\cos[c+d*x]^{(5/2)}) + (2*a^3*\sin[c+d*x])/(d*\cos[c+d*x]^{(3/2)}) + (36*a^3*\sin[c+d*x])/(5*d*\text{Sqrt}[\cos[c+d*x]])$

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3}{\cos^{\frac{7}{2}}(c + dx)} dx &= \int \left( \frac{a^3}{\cos^{\frac{7}{2}}(c + dx)} + \frac{3a^3}{\cos^{\frac{5}{2}}(c + dx)} + \frac{3a^3}{\cos^{\frac{3}{2}}(c + dx)} + \frac{a^3}{\sqrt{\cos(c + dx)}} \right) dx \\
&= a^3 \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + a^3 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (3a^3) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + (3a^3) \\
&= \frac{2a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{5} (3a^3) \\
&= -\frac{6a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)} + \\
&= -\frac{36a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [C]** time = 6.21, size = 485, normalized size = 4.15

$$9 \csc(c) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1} \cos(dx + \tan^{-1}(\tan(c)))}} \right)$$


---

20d

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(7/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*((9\*Csc[c]\*Sec[c])/(10\*d) + (Sec[c]\*Sec[c + d\*x]^3\*Sin[d\*x])/(20\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(Sin[c] + 5\*Sin[d\*x]))/(20\*d) + (Sec[c]\*Sec[c + d\*x]\*(5\*Sin[c] + 18\*Sin[d\*x]))/(20\*d)) - ((a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(2\*d\*Sqrt[1 + Cot[c]^2]) + (9\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])]/(20\*d)

**fricas [F]** time = 2.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**maple** [B] time = 0.91, size = 386, normalized size = 3.30

$$16 \sqrt{-\left(-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left( \frac{7 \sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{10 \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x)

[Out] -16\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(7/10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-1/160\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-9/10\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-9/20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-1/16\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**mupad** [B] time = 1.10, size = 154, normalized size = 1.32

$$\frac{2 a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6 a^3 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}} + \frac{2 a^3 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^(7/2),x)

[Out] (2\*a^3\*ellipticF(c/2 + (d\*x)/2, 2))/d + (6\*a^3\*sin(c + d\*x)\*hypergeom([-1/4, 1/2], 3/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(1/2)\*(sin(c + d\*x)^2)^(1/2)) + (2\*a^3\*sin(c + d\*x)\*hypergeom([-3/4, 1/2], 1/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(3/2)\*(sin(c + d\*x)^2)^(1/2)) + (2\*a^3\*sin(c + d\*x)\*hypergeom([-5/4, 1/2], 3/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(5/2)\*(sin(c + d\*x)^2)^(1/2))

4, 1/2], -1/4, cos(c + d\*x)^2))/(5\*d\*cos(c + d\*x)^(5/2)\*(sin(c + d\*x)^2)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out



$$3.166 \quad \int \frac{(a+a \cos(c+dx))^3}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=147

$$\frac{52a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} - \frac{28a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{52a^3 \sin(c+dx)}{21d \cos^3(c+dx)} + \frac{6a^3 \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{2a^3 \sin(c+dx)}{7d \cos^7(c+dx)} + \frac{28a^3 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-28/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+52/21*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/7*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}+6/5*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+52/21*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+28/5*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.15, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2641, 2639}

$$\frac{52a^3 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} - \frac{28a^3 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{52a^3 \sin(c+dx)}{21d \cos^3(c+dx)} + \frac{6a^3 \sin(c+dx)}{5d \cos^5(c+dx)} + \frac{2a^3 \sin(c+dx)}{7d \cos^7(c+dx)} + \frac{28a^3 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(9/2), x]

[Out]  $(-28*a^3*\text{EllipticE}[(c+d*x)/2, 2])/(5*d) + (52*a^3*\text{EllipticF}[(c+d*x)/2, 2])/(21*d) + (2*a^3*\sin[c+d*x])/(7*d*\cos[c+d*x]^{(7/2)}) + (6*a^3*\sin[c+d*x])/(5*d*\cos[c+d*x]^{(5/2)}) + (52*a^3*\sin[c+d*x])/(21*d*\cos[c+d*x]^{(3/2)}) + (28*a^3*\sin[c+d*x])/(5*d*\text{Sqrt}[\cos[c+d*x]])$

**Rule 2636**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2757**

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

**Rubi steps**

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3}{\cos^{\frac{9}{2}}(c + dx)} dx &= \int \left( \frac{a^3}{\cos^{\frac{9}{2}}(c + dx)} + \frac{3a^3}{\cos^{\frac{7}{2}}(c + dx)} + \frac{3a^3}{\cos^{\frac{5}{2}}(c + dx)} + \frac{a^3}{\cos^{\frac{3}{2}}(c + dx)} \right) dx \\
&= a^3 \int \frac{1}{\cos^{\frac{9}{2}}(c + dx)} dx + a^3 \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + (3a^3) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + (3a^3) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^3 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{7} (5a^3) \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \\
&= -\frac{2a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
&= -\frac{28a^3 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{52a^3 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^3 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 6.25, size = 515, normalized size = 3.50

$$7 \csc(c) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}}}{20d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Cos[c + d\*x]^(9/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*((7\*Csc[c]\*Sec[c])/(10\*d) + (Sec[c]\*Sec[c + d\*x]^4\*Sin[d\*x])/(28\*d) + (Sec[c]\*Sec[c + d\*x]^3\*(5\*Sin[c] + 21\*Sin[d\*x]))/(140\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(63\*Sin[c] + 130\*Sin[d\*x]))/(420\*d) + (Sec[c]\*Sec[c + d\*x]\*(65\*Sin[c] + 147\*Sin[d\*x]))/(210\*d)) - (13\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) + (7\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**fricas [F]** time = 1.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)

**maple** [B] time = 0.95, size = 439, normalized size = 2.99

$$16\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left( -\frac{3\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{160\left(-\frac{1}{2} + \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{10\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x)

[Out]  $-16*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3*(-3/160*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^3-7/10*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+53/105*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})-7/20*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})-1/448*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-13/168*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)

**mupad** [B] time = 1.21, size = 145, normalized size = 0.99

$$\frac{2a^3 \sin(c+dx) {}_2F_1\left(-\frac{7}{4}, \frac{1}{2}; -\frac{3}{4}; \cos(c+dx)^2\right)}{7} + \frac{6a^3 \cos(c+dx) \sin(c+dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c+dx)^2\right)}{5} + 2a^3 \cos(c+dx)^2 \sin(c+dx) \sqrt{d \cos(c+dx)^{7/2} \sqrt{1 - \cos(c+dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/cos(c + d\*x)^(9/2),x)

[Out]  $((2*a^3*\sin(c + d*x)*\text{hypergeom}([-7/4, 1/2], -3/4, \cos(c + d*x)^2))/7 + (6*a^3*\cos(c + d*x)*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2)))/$

$$5 + 2a^3 \cos(c + dx)^2 \sin(c + dx) \operatorname{hypergeom}\left(\left[-\frac{3}{4}, \frac{1}{2}\right], \frac{1}{4}, \cos(c + dx)^2\right) + 2a^3 \cos(c + dx)^3 \sin(c + dx) \operatorname{hypergeom}\left(\left[-\frac{1}{4}, \frac{1}{2}\right], \frac{3}{4}, \cos(c + dx)^2\right) / (d \cos(c + dx)^{7/2} (1 - \cos(c + dx)^2)^{1/2})$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.167 $\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^4 dx$

**Optimal.** Leaf size=173

$$\frac{904a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{128a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^4 \sin(c + dx) \cos^{\frac{9}{2}}(c + dx)}{11d} + \frac{8a^4 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \dots$$

[Out]  $128/15*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+904/231*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+128/45*a^4*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+150/77*a^4*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+8/9*a^4*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+2/11*a^4*\cos(d*x+c)^{(9/2)}*\sin(d*x+c)/d+904/231*a^4*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.20, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2635, 2641, 2639}

$$\frac{904a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{128a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^4 \sin(c + dx) \cos^{\frac{9}{2}}(c + dx)}{11d} + \frac{8a^4 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(a + a*\text{Cos}[c + d*x])^4, x]$

[Out]  $(128*a^4*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (904*a^4*\text{EllipticF}[(c + d*x)/2, 2])/(231*d) + (904*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(231*d) + (128*a^4*\cos[c + d*x]^{(3/2)}*\sin[c + d*x])/(45*d) + (150*a^4*\cos[c + d*x]^{(5/2)}*\sin[c + d*x])/(77*d) + (8*a^4*\cos[c + d*x]^{(7/2)}*\sin[c + d*x])/(9*d) + (2*a^4*\cos[c + d*x]^{(9/2)}*\sin[c + d*x])/(11*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\cos[c + d*x])*(b*\sin[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\sin[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_.*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((a_.) + (b_.*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}), x\_Symbol] := \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n], x] /; \text{FreeQ}\{a, b, d, e, f, n, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^4 dx &= \int \left( a^4 \cos^{\frac{3}{2}}(c+dx) + 4a^4 \cos^{\frac{5}{2}}(c+dx) + 6a^4 \cos^{\frac{7}{2}}(c+dx) + 4a^4 \cos^{\frac{9}{2}}(c+dx) + a^4 \cos^{\frac{11}{2}}(c+dx) \right) dx \\
&= a^4 \int \cos^{\frac{3}{2}}(c+dx) dx + a^4 \int \cos^{\frac{5}{2}}(c+dx) dx + (4a^4) \int \cos^{\frac{7}{2}}(c+dx) dx + (6a^4) \int \cos^{\frac{9}{2}}(c+dx) dx + a^4 \int \cos^{\frac{11}{2}}(c+dx) dx \\
&= \frac{2a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{8a^4 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{12a^4 \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{8a^4 \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{4a^4 \cos^{\frac{9}{2}}(c+dx) \sin(c+dx)}{11d} \\
&= \frac{24a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{74a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{21d} \\
&= \frac{128a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{74a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{904a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{231d} \\
&= \frac{128a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{904a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{231d} + \frac{904a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{231d}
\end{aligned}$$

**Mathematica [C]** time = 3.62, size = 271, normalized size = 1.57

$$a^4(\cos(c+dx)+1)^4 \sec^8\left(\frac{1}{2}(c+dx)\right) \left( \frac{59136 \sec(c) \left( \csc(c) \sqrt{\sin^2(\tan^{-1}(\tan(c))+dx)} (3 \cos(c-\tan^{-1}(\tan(c))-dx) + \cos(c+\tan^{-1}(\tan(c))+dx)) \right)}{\sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c))+dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^4,x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*(-108480\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + Cos[c + d\*x]\*(-236544\*Cot[c] + 122610\*Sin[c + d\*x] + 45584\*Sin[2\*(c + d\*x)] + 14445\*Sin[3\*(c + d\*x)] + 3080\*Sin[4\*(c + d\*x)] + 315\*Sin[5\*(c + d\*x)]) + (59136\*Sec[c]\*(-2\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]] + (3\*Cos[c - d\*x - ArcTan[Tan[c]]] + Cos[c + d\*x + ArcTan[Tan[c]]])\*Csc[c]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(443520\*d\*Sqrt[Cos[c + d\*x]])

**fricas [F]** time = 1.96, size = 0, normalized size = 0.00

$$\text{integral} \left( (a^4 \cos(dx+c)^5 + 4a^4 \cos(dx+c)^4 + 6a^4 \cos(dx+c)^3 + 4a^4 \cos(dx+c)^2 + a^4 \cos(dx+c)) \sqrt{\cos(dx+c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^5 + 4\*a^4\*cos(d\*x + c)^4 + 6\*a^4\*cos(d\*x + c)^3 + 4\*a^4\*cos(d\*x + c)^2 + a^4\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^4 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.49, size = 273, normalized size = 1.58

$$8\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left(5040\left(\cos^{13}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 5320\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1740\left(\cos^9\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^4,x)

[Out]  $-8/3465*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^4*(5040*\cos(1/2*d*x+1/2*c)^{13}-5320*\cos(1/2*d*x+1/2*c)^{11}+1740*\cos(1/2*d*x+1/2*c)^9+326*\cos(1/2*d*x+1/2*c)^7+678*\cos(1/2*d*x+1/2*c)^5-4465*\cos(1/2*d*x+1/2*c)^3+1695*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3696*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2001*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*cos(d\*x + c)^(3/2), x)

**mupad [B]** time = 0.88, size = 221, normalized size = 1.28

$$\frac{2a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} - \frac{8a^4 \cos(c+dx)^{7/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c+dx)\right)}{7d \sqrt{\sin(c+dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out]  $(2*a^4*\text{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (2*a^4*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d) - (8*a^4*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (4*a^4*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(3*d*(\sin(c + d*x)^2)^{(1/2)}) - (8*a^4*\cos(c + d*x)^{(11/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2))/(11*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*a^4*\cos(c + d*x)^{(13/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 13/4], 17/4, \cos(c + d*x)^2))/(13*d*(\sin(c + d*x)^2)^{(1/2)})$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

### 3.168 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^4 dx$

**Optimal.** Leaf size=147

$$\frac{32a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d} + \frac{152a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^4 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{8a^4 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{122a^4 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{7d}$$

[Out]  $152/15*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+32/7*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+122/45*a^4*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+8/7*a^4*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/9*a^4*\cos(d*x+c)^{(7/2)}*\sin(d*x+c)/d+32/7*a^4*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.16, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2639, 2635, 2641}

$$\frac{32a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d} + \frac{152a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a^4 \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{9d} + \frac{8a^4 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{122a^4 \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[\text{Cos}[c + d*x]]*(a + a*\text{Cos}[c + d*x])^4, x]$

[Out]  $(152*a^4*\text{EllipticE}[(c + d*x)/2, 2])/(15*d) + (32*a^4*\text{EllipticF}[(c + d*x)/2, 2])/(7*d) + (32*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(7*d) + (122*a^4*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(45*d) + (8*a^4*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d) + (2*a^4*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(9*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_.*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((a_.) + (b_.*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}), x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rubi steps



$$\begin{aligned}
\int \sqrt{\cos(c+dx)} (a+a\cos(c+dx))^4 dx &= \int \left( a^4 \sqrt{\cos(c+dx)} + 4a^4 \cos^{\frac{3}{2}}(c+dx) + 6a^4 \cos^{\frac{5}{2}}(c+dx) + 4a^4 \cos^{\frac{7}{2}}(c+dx) + a^4 \cos^{\frac{9}{2}}(c+dx) \right) dx \\
&= a^4 \int \sqrt{\cos(c+dx)} dx + a^4 \int \cos^{\frac{3}{2}}(c+dx) dx + (4a^4) \int \cos^{\frac{5}{2}}(c+dx) dx + (4a^4) \int \cos^{\frac{7}{2}}(c+dx) dx + a^4 \int \cos^{\frac{9}{2}}(c+dx) dx \\
&= \frac{2a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{8a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{12a^4 \cos^{\frac{3}{2}}(c+dx)}{7d} \\
&= \frac{46a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{8a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{32a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{7d} \\
&= \frac{152a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{15d} + \frac{32a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d} + \frac{32a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{7d}
\end{aligned}$$

**Mathematica [C]** time = 6.15, size = 532, normalized size = 3.62

$$19 \csc(c) \sec^8\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c+dx) + a)^4 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c))+dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c)+1} \sqrt{1-\cos(\tan^{-1}(\tan(c))+dx)} \sqrt{\cos(\tan^{-1}(\tan(c))+dx)+1} \sqrt{\cos(c)} \sqrt{\tan^2(c)+1}} \right)$$


---

60d

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^4,x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*((-19\*Cot[c])/(30\*d) + (17\*Cos[d\*x]\*Sin[c])/(56\*d) + (127\*Cos[2\*d\*x]\*Sin[2\*c])/(1440\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(56\*d) + (Cos[4\*d\*x]\*Sin[4\*c])/(576\*d) + (17\*Cos[c]\*Sin[d\*x])/(56\*d) + (127\*Cos[2\*c]\*Sin[2\*d\*x])/(1440\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(56\*d) + (Cos[4\*c]\*Sin[4\*d\*x])/(576\*d)) - (2\*(a + a\*Cos[c + d\*x])^4\*Cs c[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^8\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(7\*d\*Sqrt[1 + Cot[c]^2]) - (19\*(a + a\*Cos[c + d\*x])^4\*Csc[c]\*Sec[c/2 + (d\*x)/2]^8\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(60\*d)

**fricas [F]** time = 0.66, size = 0, normalized size = 0.00

integral((a^4 cos(dx + c)^4 + 4 a^4 cos(dx + c)^3 + 6 a^4 cos(dx + c)^2 + 4 a^4 cos(dx + c) + a^4) sqrt(cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sqrt(cos(d\*x + c)), x)

**maple [A]** time = 0.54, size = 260, normalized size = 1.77

$$8\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a^4\left(280\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 120\left(\cos^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 34\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^4,x)

[Out] -8/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(280\*cos(1/2\*d\*x+1/2\*c)^11-120\*cos(1/2\*d\*x+1/2\*c)^9+34\*cos(1/2\*d\*x+1/2\*c)^7+72\*cos(1/2\*d\*x+1/2\*c)^5-485\*cos(1/2\*d\*x+1/2\*c)^3+180\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-399\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+219\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sqrt(cos(d\*x + c)), x)

**mupad [B]** time = 0.81, size = 223, normalized size = 1.52

$$\frac{2\left(3a^4 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 4a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 4a^4 \sqrt{\cos(c + dx)} \sin(c + dx)\right)}{3d} - \frac{2\left(\frac{66a^4 \cos(c+dx)^{7/2} \sin(c+dx)}{\sqrt{\sin(c+dx)^2}} - \frac{17a^4 \cos(c+dx)^{11/2} \sin(c+dx)}{\sqrt{\sin(c+dx)^2}}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out] (2\*(3\*a^4\*ellipticE(c/2 + (d\*x)/2, 2) + 4\*a^4\*ellipticF(c/2 + (d\*x)/2, 2) + 4\*a^4\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d) - (2\*((66\*a^4\*cos(c + d\*x)^(7/2)\*sin(c + d\*x))/(sin(c + d\*x)^2)^(1/2) - (17\*a^4\*cos(c + d\*x)^(11/2)\*sin(c + d\*x))/(sin(c + d\*x)^2)^(1/2))\*hypergeom([1/2, 11/4], 15/4, cos(c + d\*x)^2))/(77\*d) - (8\*a^4\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2)) - (208\*a^4\*cos(c + d\*x)^(11/2)\*sin(c + d\*x)\*hypergeom([1/2, 11/4], 19/4, cos(c + d\*x)^2))/(385\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

$$3.169 \quad \int \frac{(a+a \cos(c+dx))^4}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=121

$$\frac{136a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{64a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^4 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{8a^4 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{94a^4 \sin^2(c+dx) \cos^{\frac{1}{2}}(c+dx)}{7d}$$

[Out]  $64/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+136/21*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+8/5*a^4*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*a^4*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+94/21*a^4*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.14, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2641, 2639, 2635}

$$\frac{136a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{64a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^4 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{8a^4 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{94a^4 \sin^2(c+dx) \cos^{\frac{1}{2}}(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4/\text{Sqrt}[\text{Cos}[c + d*x]], x]$

[Out]  $(64*a^4*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (136*a^4*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (94*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (8*a^4*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^4*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*\sin[c + d*x]^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\sin[c + d*x]^{(n-2)}), x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])]/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2757

$\text{Int}[(d_.*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}, x\_Symbol] := \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, n, x\} \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0] \ \&\& \ \text{RationalQ}[n]$

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^4}{\sqrt{\cos(c + dx)}} dx &= \int \left( \frac{a^4}{\sqrt{\cos(c + dx)}} + 4a^4 \sqrt{\cos(c + dx)} + 6a^4 \cos^{\frac{3}{2}}(c + dx) + 4a^4 \cos^{\frac{5}{2}}(c + dx) + a^4 \cos^{\frac{7}{2}}(c + dx) \right) dx \\
&= a^4 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + a^4 \int \cos^{\frac{7}{2}}(c + dx) dx + (4a^4) \int \sqrt{\cos(c + dx)} dx + (4a^4) \int \cos^{\frac{3}{2}}(c + dx) dx + a^4 \int \cos^{\frac{5}{2}}(c + dx) dx \\
&= \frac{8a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^4 \sqrt{\cos(c + dx)} \sin(c + dx)}{d} + \frac{8a^4 \cos^{\frac{3}{2}}(c + dx)}{d} + \frac{8a^4 \cos^{\frac{5}{2}}(c + dx)}{d} \\
&= \frac{64a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{6a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{94a^4 \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{8a^4 \cos^{\frac{3}{2}}(c + dx)}{d} + \frac{8a^4 \cos^{\frac{5}{2}}(c + dx)}{d} \\
&= \frac{64a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{136a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{94a^4 \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{8a^4 \cos^{\frac{3}{2}}(c + dx)}{d} + \frac{8a^4 \cos^{\frac{5}{2}}(c + dx)}{d}
\end{aligned}$$

**Mathematica [C]** time = 6.17, size = 500, normalized size = 4.13

$$2 \csc(c) \sec^8\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^4 \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}}$$


---

5d

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^4/Sqrt[Cos[c + d\*x]], x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*((-4\*Cot[c])/(5\*d) + (191\*Cos[d\*x]\*Sin[c])/(672\*d) + (Cos[2\*d\*x]\*Sin[2\*c])/(20\*d) + (Cos[3\*d\*x]\*Sin[3\*c])/(224\*d) + (191\*Cos[c]\*Sin[d\*x])/(672\*d) + (Cos[2\*c]\*Sin[2\*d\*x])/(20\*d) + (Cos[3\*c]\*Sin[3\*d\*x])/(224\*d)) - (17\*(a + a\*Cos[c + d\*x])^4\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^8\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (2\*(a + a\*Cos[c + d\*x])^4\*Csc[c]\*Sec[c/2 + (d\*x)/2]^8\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(5\*d)

**fricas [F]** time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.49, size = 272, normalized size = 2.25

$$8\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left(60 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 258 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(1/2),x)

[Out] -8/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(60\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-258\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+448\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+85\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-168\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-167\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.71, size = 146, normalized size = 1.21

$$\frac{2\left(4a^4 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 3a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 2a^4 \sqrt{\cos(c + dx)} \sin(c + dx)\right)}{d} - \frac{8a^4 \cos(c + dx)^{7/2} \sin(c + dx)}{7d \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^(1/2),x)

[Out] (2\*(4\*a^4\*ellipticE(c/2 + (d\*x)/2, 2) + 3\*a^4\*ellipticF(c/2 + (d\*x)/2, 2) + 2\*a^4\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/d - (8\*a^4\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2)) - (2\*a^4\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.170 \quad \int \frac{(a+a \cos(c+dx))^4}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=119

$$\frac{32a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{56a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^4 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{8a^4 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2a^4 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

[Out] 56/5\*a^4\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+32/3\*a^4\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2/5\*a^4\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d+2\*a^4\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)+8/3\*a^4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.12, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2757, 2636, 2639, 2641, 2635}

$$\frac{32a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{56a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2a^4 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d} + \frac{8a^4 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{2a^4 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(3/2), x]

[Out] (56\*a^4\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (32\*a^4\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^4\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (8\*a^4\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a^4\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGt

Q[m, 0] && RationalQ[n]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^4}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \left( \frac{a^4}{\cos^{\frac{3}{2}}(c + dx)} + \frac{4a^4}{\sqrt{\cos(c + dx)}} + 6a^4 \sqrt{\cos(c + dx)} + 4a^4 \cos^{\frac{3}{2}}(c + dx) + a^4 \cos^{\frac{5}{2}}(c + dx) \right) dx \\
 &= a^4 \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + a^4 \int \cos^{\frac{5}{2}}(c + dx) dx + (4a^4) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (4a^4) \int \cos^{\frac{3}{2}}(c + dx) dx + a^4 \int \cos^{\frac{5}{2}}(c + dx) dx \\
 &= \frac{12a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{8a^4 \sqrt{\cos(c + dx)}}{3d} \\
 &= \frac{56a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{32a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{8a^4 \sqrt{\cos(c + dx)}}{3d}
 \end{aligned}$$

**Mathematica [C]** time = 6.20, size = 497, normalized size = 4.18

$$7 \csc(c) \sec^8\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^4 \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1}}}$$


---

20d

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(3/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^4\*Sec[c/2 + (d\*x)/2]^8\*(-1/80\*((23 + 33\*Cos[2\*c])\*Csc[c]\*Sec[c])/d + (Cos[d\*x]\*Sin[c])/(6\*d) + (Cos[2\*d\*x]\*Sin[2\*c])/(80\*d) + (Cos[c]\*Sin[d\*x])/(6\*d) + (Sec[c]\*Sec[c + d\*x]\*Sin[d\*x])/(8\*d) + (Cos[2\*c]\*Sin[2\*d\*x])/(80\*d)) - (2\*(a + a\*Cos[c + d\*x])^4\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^8\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(3\*d\*Sqrt[1 + Cot[c]^2]) - (7\*(a + a\*Cos[c + d\*x])^4\*Csc[c]\*Sec[c/2 + (d\*x)/2]^8\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/((Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]])\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**fricas [F]** time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/cos(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.52, size = 194, normalized size = 1.63

$$8a^4 \left( -6 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left( \sin^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 26 \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 20 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} \right)$$

15 si

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(3/2),x)

[Out]  $-8/15*a^4*(-6*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+26*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+20*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-19*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.79, size = 149, normalized size = 1.25

$$\frac{12a^4 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{32a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{8a^4 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{2a^4 \sin(c+dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c+dx)\right)}{d \sqrt{\cos(c+dx)} \sqrt{\sin(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^(3/2),x)

[Out]  $(12*a^4*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (32*a^4*\text{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (8*a^4*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d) + (2*a^4*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)}) - (2*a^4*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out



$$3.171 \quad \int \frac{(a+a \cos(c+dx))^4}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=98

$$\frac{40a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{8a^4 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

[Out] 40/3\*a^4\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2/3\*a^4\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)+8\*a^4\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)+2/3\*a^4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.12, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2757, 2636, 2641, 2639, 2635}

$$\frac{40a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx) \sqrt{\cos(c+dx)}}{3d} + \frac{8a^4 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(5/2), x]

[Out] (40\*a^4\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^4\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (8\*a^4\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (2\*a^4\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2757

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[e + f\*x])^m\*(d\*sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^4}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \left( \frac{a^4}{\cos^{\frac{5}{2}}(c + dx)} + \frac{4a^4}{\cos^{\frac{3}{2}}(c + dx)} + \frac{6a^4}{\sqrt{\cos(c + dx)}} + 4a^4 \sqrt{\cos(c + dx)} + a^4 \cos^{\frac{3}{2}}(c + dx) \right) dx \\
&= a^4 \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + a^4 \int \cos^{\frac{3}{2}}(c + dx) dx + (4a^4) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + (4a^4) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{8a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{12a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \\
&= \frac{40a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{2a^4 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 70, normalized size = 0.71

$$\frac{a^4 \left( 5 \sin(c + dx) + 24 \sin(2(c + dx)) + \sin(3(c + dx)) + 80 \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{6d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(5/2), x]

[Out] (a^4\*(80\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 5\*Sin[c + d\*x] + 24\*Sin[2\*(c + d\*x)] + Sin[3\*(c + d\*x)])/(6\*d\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 2.74, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{a^4 \cos(dx + c)^4 + 4 a^4 \cos(dx + c)^3 + 6 a^4 \cos(dx + c)^2 + 4 a^4 \cos(dx + c) + a^4}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.86, size = 292, normalized size = 2.98

$$8 \sqrt{-\left(-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left(2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(5/2),x)

[Out]  $\frac{8}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * a ^ 4 / (4 * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 1) / \sin(1/2 * d * x + 1/2 * c) ^ 3 * (2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + 10 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ {1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ {1/2}) * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 14 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) - 5 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ {1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ {1/2})) + 7 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ {1/2} / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ {1/2} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 0.84, size = 145, normalized size = 1.48

$$\frac{2 \left( 12 a^4 E \left( \frac{c}{2} + \frac{dx}{2} \middle| 2 \right) + 19 a^4 F \left( \frac{c}{2} + \frac{dx}{2} \middle| 2 \right) + a^4 \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{3d} + \frac{8 a^4 \sin(c + dx) {}_2F_1 \left( -\frac{1}{4}, \frac{1}{2}; \frac{3}{4} \middle| \frac{\sin(c + dx)}{\sqrt{\cos(c + dx)}} \right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^(5/2),x)

[Out]  $(2 * (12 * a ^ 4 * \text{ellipticE}(c/2 + (d * x)/2, 2) + 19 * a ^ 4 * \text{ellipticF}(c/2 + (d * x)/2, 2) + a ^ 4 * \cos(c + d * x) ^ {1/2} * \sin(c + d * x))) / (3 * d) + (8 * a ^ 4 * \sin(c + d * x) * \text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d * x) ^ 2)) / (d * \cos(c + d * x) ^ {1/2} * (\sin(c + d * x) ^ 2) ^ {1/2}) + (2 * a ^ 4 * \sin(c + d * x) * \text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d * x) ^ 2)) / (3 * d * \cos(c + d * x) ^ {3/2} * (\sin(c + d * x) ^ 2) ^ {1/2})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.172 \quad \int \frac{(a+a \cos(c+dx))^4}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=121

$$\frac{32a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{56a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{8a^4 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{66a^4 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-56/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+32/3*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+8/3*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+66/5*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.15, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2639, 2641}

$$\frac{32a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{56a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{8a^4 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{66a^4 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(-56*a^4*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (32*a^4*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^4*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (8*a^4*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (66*a^4*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^4}{\cos^{\frac{7}{2}}(c + dx)} dx &= \int \left( \frac{a^4}{\cos^{\frac{7}{2}}(c + dx)} + \frac{4a^4}{\cos^{\frac{5}{2}}(c + dx)} + \frac{6a^4}{\cos^{\frac{3}{2}}(c + dx)} + \frac{4a^4}{\sqrt{\cos(c + dx)}} + a^4 \sqrt{\cos(c + dx)} \right) dx \\
&= a^4 \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + a^4 \int \sqrt{\cos(c + dx)} dx + (4a^4) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + (4a^4) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{10a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{32a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{56a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{32a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [C]** time = 4.34, size = 283, normalized size = 2.34

$$a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( -\frac{168 \sec(c) \cos^2(c + dx) (\csc(c) \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} (3 \cos(c - \tan^{-1}(\tan(c)) - dx) + \cos(c + \tan^{-1}(\tan(c)) + dx))}{\sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(7/2), x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*((363\*Cos[d\*x] + 141\*Cos[2\*c + d\*x] + 40\*Cos[c + 2\*d\*x] - 40\*Cos[3\*c + 2\*d\*x] + 183\*Cos[2\*c + 3\*d\*x] - 15\*Cos[4\*c + 3\*d\*x])\*Csc[c] - 640\*Cos[c + d\*x]^3\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] - (168\*Cos[c + d\*x]^2\*Sec[c]\*(-2\*HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]) + (3\*Cos[c - d\*x - ArcTan[Tan[c]]) + Cos[c + d\*x + ArcTan[Tan[c]])\*Csc[c]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(960\*d\*Cos[c + d\*x]^(5/2))

**fricas [F]** time = 1.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/cos(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(7/2), x)

**maple [B]** time = 0.90, size = 386, normalized size = 3.19

$$32\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left( -\frac{7\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) - \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)\right)}{20\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(7/2),x)

[Out] -32\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(-7/20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))+41/60\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-1/320\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^(1/2)-33/40\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-1/24\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(7/2), x)

**mupad [B]** time = 1.30, size = 202, normalized size = 1.67

$$\frac{2\left(a^4 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + 4a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)\right)}{d} + \frac{2\left(\frac{34a^4 \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{\sin(c+dx)^2}} + \frac{a^4 \sin(c+dx)}{\cos(c+dx)^{5/2} \sqrt{\sin(c+dx)^2}}\right)}{5d} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c+dx)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^(7/2),x)

[Out] (2\*(a^4\*ellipticE(c/2 + (d\*x)/2, 2) + 4\*a^4\*ellipticF(c/2 + (d\*x)/2, 2)))/d + (2\*((34\*a^4\*sin(c + d\*x))/(cos(c + d\*x)^(1/2)\*(sin(c + d\*x)^2)^(1/2)) + (a^4\*sin(c + d\*x))/(cos(c + d\*x)^(5/2)\*(sin(c + d\*x)^2)^(1/2))))\*hypergeom([-1/4, 1/2], 3/4, cos(c + d\*x)^2))/(5\*d) + (8\*a^4\*sin(c + d\*x)\*hypergeom([-3/4, 1/2], 1/4, cos(c + d\*x)^2))/(3\*d\*cos(c + d\*x)^(3/2)\*(sin(c + d\*x)^2)^(1/2)) - (8\*a^4\*sin(c + d\*x)\*hypergeom([-1/4, 1/2], 7/4, cos(c + d\*x)^2))/(15\*d\*cos(c + d\*x)^(1/2)\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.173 \quad \int \frac{(a+a \cos(c+dx))^4}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=147

$$\frac{136a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} - \frac{64a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{94a^4 \sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{8a^4 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{64a^4 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

[Out]  $-64/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+136/21*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/7*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}+8/5*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+94/21*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+64/5*a^4*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.17, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2757, 2636, 2641, 2639}

$$\frac{136a^4 F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} - \frac{64a^4 E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{94a^4 \sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{8a^4 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{64a^4 \sin(c+dx)}{5d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4/\text{Cos}[c + d*x]^{(9/2)}, x]$

[Out]  $(-64*a^4*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (136*a^4*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*a^4*\text{Sin}[c + d*x])/(7*d*\text{Cos}[c + d*x]^{(7/2)}) + (8*a^4*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (94*a^4*\text{Sin}[c + d*x])/(21*d*\text{Cos}[c + d*x]^{(3/2)}) + (64*a^4*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2757

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])^{(m_*)}, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\sin[e + f*x])^m*(d*\sin[e + f*x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[m, 0] && RationalQ[n]

#### Rubi steps



$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^4}{\cos^{\frac{9}{2}}(c + dx)} dx &= \int \left( \frac{a^4}{\cos^{\frac{9}{2}}(c + dx)} + \frac{4a^4}{\cos^{\frac{7}{2}}(c + dx)} + \frac{6a^4}{\cos^{\frac{5}{2}}(c + dx)} + \frac{4a^4}{\cos^{\frac{3}{2}}(c + dx)} + \frac{a^4}{\sqrt{\cos(c + dx)}} \right) dx \\
&= a^4 \int \frac{1}{\cos^{\frac{9}{2}}(c + dx)} dx + a^4 \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (4a^4) \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + (4a^4) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^4 \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{d \cos^{\frac{1}{2}}(c + dx)} \\
&= -\frac{8a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{6a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^4 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\
&= -\frac{64a^4 E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{136a^4 F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^4 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [C]** time = 5.14, size = 298, normalized size = 2.03

$$a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( -\frac{1344 \sec(c) \cos^3(c + dx) (\csc(c) \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} (3 \cos(c - \tan^{-1}(\tan(c)) - dx) + \cos(c + dx))}{\sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^4/Cos[c + d\*x]^(9/2), x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*((2016\*Cos[c] + 295\*Cos[d\*x] - 295\*Cos[2\*c + d\*x] + 2184\*Cos[c + 2\*d\*x] + 504\*Cos[3\*c + 2\*d\*x] + 235\*Cos[2\*c + 3\*d\*x] - 235\*Cos[4\*c + 3\*d\*x] + 672\*Cos[3\*c + 4\*d\*x])\*Csc[c] - 2720\*Cos[c + d\*x]^4\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] - (1344\*Cos[c + d\*x]^3\*Sec[c]\*(-2\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]] + (3\*Cos[c - d\*x - ArcTan[Tan[c]]] + Cos[c + d\*x + ArcTan[Tan[c]]])\*Csc[c]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2])))/(6720\*d\*Cos[c + d\*x]^(7/2))

**fricas [F]** time = 1.28, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/cos(d\*x + c)^(9/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(9/2), x)

**maple [B]** time = 1.20, size = 439, normalized size = 2.99

$$32\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left( \frac{253\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{420\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} - \frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(9/2),x)

[Out]  $-32*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^4*(253/420*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/80*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^3-4/5*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-2/5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-1/896*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-47/672*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/cos(d\*x + c)^(9/2), x)

**mupad [B]** time = 1.34, size = 199, normalized size = 1.35

$$\frac{2a^4 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{8a^4 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}} + \frac{4a^4 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)\right)}{d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/cos(c + d\*x)^(9/2),x)

[Out]  $(2*a^4*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/d + (8*a^4*\sin(c + d*x)*\operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (4*a^4*\sin(c + d*x)*\operatorname{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (8*a^4*\sin(c + d*x)*\operatorname{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2))/(5*d*\cos(c + d*x)^{(5/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*a^4*\sin(c + d*x)*\operatorname{hypergeom}([-7/4, 1/2], -3/4, \cos(c + d*x)^2))/(7*d*\cos(c + d*x)^{(7/2)}*(\sin(c + d*x)^2)^{(1/2)})$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

$$3.174 \quad \int \frac{\cos^7(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=128

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{21E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{7\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5ad} - \frac{5\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

[Out] 21/5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d-5/3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d+7/5\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/a/d-cos(d\*x+c)^(5/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))-5/3\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d

**Rubi [A]** time = 0.11, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2767, 2748, 2635, 2641, 2639}

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{21E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{7\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5ad} - \frac{5\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*cos[c + d\*x]),x]

[Out] (21\*EllipticE[(c + d\*x)/2, 2])/(5\*a\*d) - (5\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) - (5\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d) + (7\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*a\*d) - (Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(d\*(a + a\*cos[c + d\*x]))

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2767

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e +

$f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{7}{2}}(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \cos^{\frac{3}{2}}(c+dx) \left(\frac{5a}{2} - \frac{7}{2}a\cos(c+dx)\right) dx}{a^2} \\ &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{5 \int \cos^{\frac{3}{2}}(c+dx) dx}{2a} + \frac{7 \int \cos^{\frac{5}{2}}(c+dx) dx}{2a} \\ &= -\frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{7\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5ad} - \frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} \\ &= \frac{21E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} - \frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{7\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5ad} \end{aligned}$$

**Mathematica [C]** time = 1.81, size = 315, normalized size = 2.46

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( -\frac{2\csc(c)\sqrt{\cos(c+dx)}(5\sin(2c)\sin(dx)+10\sin^2(c)\cos(dx)-6\cos(c)(\sin^2(c)\cos(2dx)-8)-3\sin(c)\cos(2c)\sin(2dx)+30\sin^2(c)\cos^2(dx))}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x]), x]

[Out] (Cos[(c + d\*x)/2]^2\*((2\*I)\*Sqrt[2]\*(63\*(1 + E^((2\*I)\*(c + d\*x)))) + 63\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) + 25\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - (2\*Sqrt[Cos[c + d\*x]]\*Csc[c]\*(15 + 10\*Cos[d\*x]\*Sin[c]^2 - 6\*Cos[c]\*(-8 + Cos[2\*d\*x]\*Sin[c]^2) + 30\*Sec[(c + d\*x)/2]\*Sin[c/2]\*Sin[(d\*x)/2] + 5\*Sin[2\*c]\*Sin[d\*x] - 3\*Cos[2\*c]\*Sin[c]\*Sin[2\*d\*x]))/d)/(15\*a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{7}{2}}}{a\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.53, size = 229, normalized size = 1.79

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)\left(25\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) + 63\text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right)\right) + 48\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^8 - 56\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^6 - 30\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 + 23\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2}{15a\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{1}{2}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c)),x)

[Out] -1/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-cos(1/2\*d\*x+1/2\*c)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(25\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+63\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))))+48\*sin(1/2\*d\*x+1/2\*c)^8-56\*sin(1/2\*d\*x+1/2\*c)^6-30\*sin(1/2\*d\*x+1/2\*c)^4+23\*sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{\frac{7}{2}}}{a+a\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

$$3.175 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=100

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{5\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

[Out]  $-3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+5/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d-\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))+5/3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/d$

**Rubi [A]** time = 0.10, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2767, 2748, 2639, 2635, 2641}

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{d(a\cos(c+dx)+a)} + \frac{5\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x]), x]

[Out]  $(-3*\text{EllipticE}[(c+d*x)/2, 2])/(a*d) + (5*\text{EllipticF}[(c+d*x)/2, 2])/(3*a*d) + (5*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a*d) - (\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(d*(a+a*\text{Cos}[c+d*x]))$

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x]\*(b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2767

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2\*n] || EqQ

[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \sqrt{\cos(c+dx)} \left(\frac{3a}{2} - \frac{5}{2}a\cos(c+dx)\right) dx}{a^2} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{3\int \sqrt{\cos(c+dx)} dx}{2a} + \frac{5\int \cos^{\frac{3}{2}}(c+dx) dx}{2a} \\ &= -\frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{5\int \sqrt{\cos(c+dx)} dx}{2a} \\ &= -\frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 1.28, size = 289, normalized size = 2.89

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( \frac{2\csc(c)\sqrt{\cos(c+dx)}\left(\sin(2c)\sin(dx)+2\sin^2(c)\cos(dx)+6\sin\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)\sec\left(\frac{1}{2}(c+dx)\right)+6\cos(c)+3\right)}{d} - \frac{2i\sqrt{2}e^{-i(c+dx)}\left(9(-1+e^{2i(c+dx)})\right)}{3a(\cos(c+dx)+1)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)/(a + a*Cos[c + d*x]), x]
[Out] (Cos[(c + d*x)/2]^2*(((2*I)*Sqrt[2]*(9*(1 + E^((2*I)*(c + d*x)))) + 9*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + 5*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]) + (2*Sqrt[Cos[c + d*x]]*Csc[c]*(3 + 6*Cos[c] + 2*Cos[d*x]*Sin[c]^2 + 6*Sec[(c + d*x)/2]*Sin[c/2]*Sin[(d*x)/2] + Sin[2*c]*Sin[d*x]))/d)/(3*a*(1 + Cos[c + d*x]))
```

**fricas [F]** time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{5}{2}}}{a\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)), x, algorithm="fricas")
[Out] integral(cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)), x, algorithm="giac")
[Out] integrate(cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a), x)
```



**maple** [A] time = 0.63, size = 215, normalized size = 2.15

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}}{9 \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) + 5 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)} - \frac{8 \sin^6\left(\frac{dx}{2} + \frac{c}{2}\right) + 18 \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) - 7 \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}{a \cos\left(\frac{dx}{2} + \frac{c}{2}\right)} + \frac{\sin^5\left(\frac{dx}{2} + \frac{c}{2}\right)}{a \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x)

[Out] -1/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(9\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+5\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-8\*sin(1/2\*d\*x+1/2\*c)^6+18\*sin(1/2\*d\*x+1/2\*c)^4-7\*sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

$$3.176 \quad \int \frac{\cos^3(c+dx)}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=72

$$-\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

[Out] 3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d-(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d-sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))

**Rubi [A]** time = 0.09, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2767, 2748, 2641, 2639}

$$-\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + a\*cos[c + d\*x]),x]

[Out] (3\*EllipticE[(c + d\*x)/2, 2])/(a\*d) - EllipticF[(c + d\*x)/2, 2]/(a\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2767

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n - 1))/(a\*f\*(a + b\*sin[e + f\*x])), x] - Dist[d/(a\*b), Int[(c + d\*sin[e + f\*x])^(n - 2)\*Simp[b\*d\*(n - 1) - a\*c\*n + (b\*c\*(n - 1) - a\*d\*n)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{a+a\cos(c+dx)} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \frac{a-\frac{3}{2}a\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\ &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{3 \int \sqrt{\cos(c+dx)} dx}{2a} \\ &= \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 2.64, size = 264, normalized size = 3.67

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( -\frac{2\sqrt{\cos(c+dx)} \left( \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) + 2\cot(c) + \csc(c) \right)}{d} + \frac{2i\sqrt{2}e^{-i(c+dx)} \left( 3(-1+e^{2ic})\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}; -1+\dots\right) \right)}{a(\cos(c+dx)+1)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x]), x]

[Out] (Cos[(c + d\*x)/2]^2\*((2\*I)\*Sqrt[2]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) + E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d \* E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - (2\*Sqrt[Cos[c + d\*x]]\*(2\*Cot[c] + Csc[c] + Sec[c/2]\*Sec[(c + d\*x)/2]\*Sin[(d\*x)/2]))/d)/(a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 1.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{3}{2}}}{a\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**maple [A]** time = 0.61, size = 199, normalized size = 2.76

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) \right)}{a\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x)`

[Out]  $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)* (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)/a/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate(cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{a+a \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x)),x)`

[Out] `int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c)),x)`

[Out] Timed out

$$3.177 \quad \int \frac{\sqrt{\cos(c+dx)}}{a+a \cos(c+dx)} dx$$

Optimal. Leaf size=70

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

[Out]  $-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))$

**Rubi [A]** time = 0.08, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2769, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x]),x]

[Out]  $-(\text{EllipticE}[(c + d*x)/2, 2]/(a*d)) + \text{EllipticF}[(c + d*x)/2, 2]/(a*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*(a + a*\text{Cos}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2769

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(a + b\*Sin[e + f\*x])), x] + Dist[(d\*n)/(a\*b), Int[(c + d\*Sin[e + f\*x])^(n - 1)\*(a - b\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{a+a\cos(c+dx)} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \frac{a-a\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{2a^2} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} - \frac{\int \sqrt{\cos(c+dx)} dx}{2a} \\ &= -\frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 1.05, size = 256, normalized size = 3.66

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( \frac{2\sqrt{\cos(c+dx)} \left( \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) + \csc(c) \right)}{d} - \frac{2i\sqrt{2}e^{-i(c+dx)} \left( (-1+e^{2ic}) \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -e^{2i(c+dx)}\right) + (-1+e^{2i(c+dx)}) \sqrt{1+e^{2i(c+dx)}} \right)}{(-1+e^{2ic})d\sqrt{e^{-i(c+dx)}}} \right) / (a(\cos(c+dx)+1))$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x]), x]

[Out] (Cos[(c + d\*x)/2]^2\*(((-2\*I)\*Sqrt[2]\*(1 + E^((2\*I)\*(c + d\*x))) + (-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) + (2\*Sqrt[Cos[c + d\*x]]\*(Csc[c] + Sec[c/2]\*Sec[(c + d\*x)/2]\*Sin[(d\*x)/2]))/d)/(a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**maple [A]** time = 0.48, size = 198, normalized size = 2.83

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) - a\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}{a\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x)

[Out]  $-\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{1/2}\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)+\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)\right)+2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4-\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)/a\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{a+a\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sqrt{\cos(c+dx)}}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c)),x)

[Out] Integral(sqrt(cos(c + d\*x))/(cos(c + d\*x) + 1), x)/a

$$3.178 \quad \int \frac{1}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx$$

**Optimal.** Leaf size=70

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

[Out] (cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d+(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a/d-sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))

**Rubi [A]** time = 0.09, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2768, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])),x]

[Out] EllipticE[(c + d\*x)/2, 2]/(a\*d) + EllipticF[(c + d\*x)/2, 2]/(a\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2768

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(b\*c - a\*d)\*(a + b\*Sin[e + f\*x])), x] + Dist[d/(a\*(b\*c - a\*d)), Int[(c + d\*Sin[e + f\*x])^n\*(a\*n - b\*(n + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rubi steps



$$\begin{aligned} \int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\int \frac{-\frac{a}{2} - \frac{1}{2}a\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\ &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{\int \sqrt{\cos(c+dx)} dx}{2a} \\ &= \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 1.04, size = 257, normalized size = 3.67

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( -\frac{2\sqrt{\cos(c+dx)} \left( \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) + \csc(c) \right)}{d} + \frac{2i\sqrt{2}e^{-i(c+dx)} \left( (-1+e^{2ic})\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -E^{\left(\frac{1}{2}(c+dx)\right)}\right) \right)}{(-1+e^{2ic})d\sqrt{e^{-i(c+dx)}}} \right) / (a(\cos(c+dx)+1))$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])),x]

[Out] (Cos[(c + d\*x)/2]^2\*((2\*I)\*Sqrt[2]\*(1 + E^((2\*I)\*(c + d\*x)) + (-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] - E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))] - (2\*Sqrt[Cos[c + d\*x]]\*(Csc[c] + Sec[c/2]\*Sec[(c + d\*x)/2]\*Sin[(d\*x)/2]))/d)/(a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)^2+a\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a\cos(dx+c)+a)\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**maple [A]** time = 0.48, size = 200, normalized size = 2.86

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\text{EllipticF}\left(\frac{dx}{2} + \frac{c}{2}, \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\right)\right) - \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\right)}{a\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x)`

[Out]  $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\cos(1/2*d*x+1/2*c))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate(1/((a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))),x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)+\sqrt{\cos(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c)),x)`

[Out] `Integral(1/(cos(c + d*x)**(3/2) + sqrt(cos(c + d*x))), x)/a`

$$3.179 \quad \int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))} dx$$

**Optimal.** Leaf size=96

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3 \sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a \cos(c+dx)+a)}$$

[Out]  $-3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d - (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d + 3*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)} - \sin(d*x+c)/d/(a+a*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2768, 2748, 2636, 2639, 2641}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3 \sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])),x]

[Out]  $(-3*\text{EllipticE}[(c+d*x)/2, 2])/(a*d) - \text{EllipticF}[(c+d*x)/2, 2]/(a*d) + (3*\text{Sin}[c+d*x])/(a*d*\text{Sqrt}[\text{Cos}[c+d*x]]) - \text{Sin}[c+d*x]/(d*\text{Sqrt}[\text{Cos}[c+d*x]])*(a+a*\text{Cos}[c+d*x])$

Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2768

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(b\*c - a\*d)\*(a + b\*Sin[e + f\*x]), x] + Dist[d/(a\*(b\*c - a\*d)), Int[(c + d\*Sin[e + f\*x])^n\*(a\*n - b\*(n + 1)\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2

- d^2, 0] && LtQ[n, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))} dx &= -\frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} - \frac{\int \frac{-\frac{3a}{2} + \frac{1}{2}a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2} \\ &= -\frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} - \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{3 \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} \\ &= -\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} \\ &= -\frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica** [C] time = 2.09, size = 297, normalized size = 3.09

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( \frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\left(2\cos\left(\frac{1}{2}(c-dx)\right)+\cos\left(\frac{1}{2}(3c+dx)\right)+3\cos\left(\frac{1}{2}(c+3dx)\right)\right)\sec\left(\frac{1}{2}(c+dx)\right)}{2d\sqrt{\cos(c+dx)}} - \frac{2i\sqrt{2}e^{-i(c+dx)}\left(3(-1+e^{2ic})\sqrt{1+e^{2i(c+dx)}}\right)}{2} \right) \\ \hline a(\cos(c+dx)+1)$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])),x]

[Out] (Cos[(c + d\*x)/2]^2\*(((2\*I)\*Sqrt[2]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) - E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) + ((2\*Cos[(c - d\*x)/2] + Cos[(3\*c + d\*x)/2] + 3\*Cos[(c + 3\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2])/(2\*d\*Sqrt[Cos[c + d\*x]])))/(a\*(1 + Cos[c + d\*x]))

**fricas** [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)^3+a\cos(dx+c)^2},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a\cos(dx+c)+a)\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.53, size = 253, normalized size = 2.64

$$\frac{-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)}{a \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x)

[Out] 
$$-\left(-\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right) \cdot \left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2 \cdot \left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2 \cdot \left(2-1\right)^{1/2} \cdot \left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4 + \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 \cdot \left(2\right)^{1/2} \cdot \left(\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2\right)\right) - 3 \cdot \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2\right) + 6 \cdot \left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4 + \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 \cdot \left(2\right)^{1/2} \cdot \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4 - 5 \cdot \left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4 + \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 \cdot \left(2\right)^{1/2} \cdot \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right) / a / \left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^4 + \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 \cdot \left(2\right)^{1/2} / \cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right) / \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right) / \left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2 - 1 \cdot \left(2\right)^{1/2} / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^{\frac{5}{2}}(c+dx) + \cos^{\frac{3}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c)),x)

[Out] Integral(1/(cos(c + d\*x)\*\*(5/2) + cos(c + d\*x)\*\*(3/2)), x)/a

$$3.180 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx$$

**Optimal.** Leaf size=124

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{5 \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)} - \frac{3 \sin(c+dx)}{ad \sqrt{\cos(c+dx)}}$$

[Out]  $3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+5/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+5/3*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}-\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))-3*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2768, 2748, 2636, 2641, 2639}

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{5 \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)} - \frac{3 \sin(c+dx)}{ad \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[1/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])),x]`

[Out]  $(3*\text{EllipticE}[(c+d*x)/2, 2])/(a*d) + (5*\text{EllipticF}[(c+d*x)/2, 2])/(3*a*d) + (5*\text{Sin}[c+d*x])/(3*a*d*\text{Cos}[c+d*x]^{(3/2)}) - (3*\text{Sin}[c+d*x])/(a*d*\text{Sqrt}[\text{Cos}[c+d*x]]) - \text{Sin}[c+d*x]/(d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x]))$

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2768

`Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(b*c - a*d)*(a + b*Sin[e + f*x])), x] + Dist[d/(a*(b*c - a*d)), Int[(c + d*Sin[e + f*x])^n*(a*n - b*(n + 1)*Sin[e + f*x]), x], x] /; FreeQ[`

{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))} dx &= -\frac{\sin(c+dx)}{d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))} - \frac{\int \frac{-\frac{5a}{2} + \frac{3}{2}a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{a^2} \\ &= -\frac{\sin(c+dx)}{d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))} - \frac{3\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} + \frac{5\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} \\ &= \frac{5\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{3\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))} \\ &= \frac{3E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{5\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{3\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 3.94, size = 332, normalized size = 2.68

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\left(10\cos\left(\frac{1}{2}(c-dx)\right)+8\cos\left(\frac{1}{2}(3c+dx)\right)+4\cos\left(\frac{1}{2}(c+3dx)\right)+5\cos\left(\frac{1}{2}(5c+3dx)\right)+9\cos\left(\frac{1}{2}(3c+5dx)\right)\right)\sec\left(\frac{1}{2}(c+dx)\right)}{4d\cos^{\frac{3}{2}}(c+dx)} \right)$$


---


$$3a(\cos(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])),x]

[Out] (Cos[(c + d\*x)/2]^2\*((2\*I)\*Sqrt[2]\*(9\*(1 + E^((2\*I)\*(c + d\*x)))) + 9\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] - 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - ((10\*Cos[(c - d\*x)/2] + 8\*Cos[(3\*c + d\*x)/2] + 4\*Cos[(c + 3\*d\*x)/2] + 5\*Cos[(5\*c + 3\*d\*x)/2] + 9\*Cos[(3\*c + 5\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2])/(4\*d\*Cos[c + d\*x]^(3/2)))/(3\*a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a\cos(dx+c)^4+a\cos(dx+c)^3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a\cos(dx+c)+a)\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.89, size = 413, normalized size = 3.33

$$\frac{\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x)

[Out]  $\frac{1}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / a / \cos(1/2 * d * x + 1/2 * c) / \sin(1/2 * d * x + 1/2 * c)^3 / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (10 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 - 18 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 - 36 * \sin(1/2 * d * x + 1/2 * c)^6 - 5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c) + 9 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * d * x + 1/2 * c) + 44 * \sin(1/2 * d * x + 1/2 * c)^4 - 11 * \sin(1/2 * d * x + 1/2 * c)^2) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^{\frac{7}{2}}(c+dx) + \cos^{\frac{5}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c)),x)

[Out] Integral(1/(cos(c + d\*x)\*\*(7/2) + cos(c + d\*x)\*\*(5/2)), x)/a



$$3.181 \quad \int \frac{\cos^{\frac{9}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=160

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{56E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{3 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{56 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{15a^2d} - \frac{5 \sin(c+dx)}{a^2d}$$

[Out] 56/5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/d-5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/d+56/15\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/a^2/d-3\*cos(d\*x+c)^(5/2)\*sin(d\*x+c)/a^2/d/(1+cos(d\*x+c))-1/3\*cos(d\*x+c)^(7/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^2-5\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^2/d

**Rubi [A]** time = 0.22, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2977, 2748, 2635, 2641, 2639}

$$\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{56E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} - \frac{3 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{56 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{15a^2d} - \frac{5 \sin(c+dx)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(9/2)/(a + a\*cos[c + d\*x])^2,x]

[Out] (56\*EllipticE[(c + d\*x)/2, 2])/(5\*a^2\*d) - (5\*EllipticF[(c + d\*x)/2, 2])/(a^2\*d) - (5\*sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d) + (56\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a^2\*d) - (3\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) - (Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*cos[c + d\*x])^2)

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n-1)/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*sin[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^(n-1)/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*

```
(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 2)*Simp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*(c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^9(c + dx)}{(a + a \cos(c + dx))^2} dx = -\frac{\cos^7(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{\int \frac{\cos^{\frac{5}{2}}(c + dx) \left(\frac{7a}{2} - \frac{11}{2}a \cos(c + dx)\right)}{a + a \cos(c + dx)} dx}{3a^2}$$

$$= -\frac{3 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{\cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{\int \cos^{\frac{3}{2}}(c + dx) \left(\frac{45a^2}{2} - 28a \cos(c + dx)\right)}{3a^4} dx}{3a^4}$$

$$= -\frac{3 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{\cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{15 \int \cos^{\frac{3}{2}}(c + dx) dx}{2a^2} + \frac{2 \int \cos^{\frac{1}{2}}(c + dx) dx}{a^2}$$

$$= -\frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2 d} + \frac{56 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15a^2 d} - \frac{3 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a^2 d (1 + \cos(c + dx))} + \frac{56 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15a^2 d}$$

$$= \frac{56E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2 d} - \frac{5F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2 d} + \frac{56 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15a^2 d}$$

**Mathematica [C]** time = 2.63, size = 367, normalized size = 2.29

$$\cos^4\left(\frac{1}{2}(c + dx)\right) \left( -\frac{2 \csc(c) \sqrt{\cos(c + dx)} \left(40 \sin^2(c) \cos(dx) - 6 \sin(c) \sin(2c) \cos(2dx) + 8 \cos(c) (5 \sin(c) \sin(dx) + 27) - 6 \sin(c) \cos(2c) \sin(2dx) - 10\right)}{3d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(9/2)/(a + a*Cos[c + d*x])^2, x]
[Out] (Cos[(c + d*x)/2]^4*((4*I)*Sqrt[2]*(56*(1 + E^((2*I)*(c + d*x))) + 56*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + 25*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))])/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]) - (2*Sqrt[Cos[c + d*x])*Csc[c]*(120 + 40*Cos[d*x]*Sin[c]^2 - 6*Cos[2*d*x]*Sin[c]*Sin[2*c] + 240*Sec[(c + d*x)/2]*Sin[c/2]*Sin[(d*x)/2] - 10*Sec[(c + d*x)/2]^3*Sin[c/2]*Sin[(d*x)/2] + 8*Cos[c]*(27 + 5*Sin[c]*Sin[d*x]) - 6*Cos[2*c]*Sin[c]*Sin[2*d*x] - 5*Sec[(c + d*x)/2]^2*Sin[c]*Tan[c/2]))/(3*d))/(5*a^2*(1 + Cos[c + d*x])^2)
```

**fricas** [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{9}{2}}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(9/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.54, size = 283, normalized size = 1.77

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(96 \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 352 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 120 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/30\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(96\*cos(1/2\*d\*x+1/2\*c)^10-352\*cos(1/2\*d\*x+1/2\*c)^8+120\*cos(1/2\*d\*x+1/2\*c)^6-150\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3-336\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+266\*cos(1/2\*d\*x+1/2\*c)^4-135\*cos(1/2\*d\*x+1/2\*c)^2+5)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{9/2}}{(a+a \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(9/2)/(a + a*cos(c + d*x))^2,x)
```

```
[Out] int(cos(c + d*x)^(9/2)/(a + a*cos(c + d*x))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.182 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=138

$$\frac{10F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{7 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{10 \sin(c+dx) \sqrt{\cos(c+dx)}}{3a^2d} - \frac{\sin(c+dx)}{3d(a \cos(c+dx))}$$

[Out]  $-7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+10/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d-7/3*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2+10/3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.20, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2977, 2748, 2639, 2635, 2641}

$$\frac{10F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{7 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{10 \sin(c+dx) \sqrt{\cos(c+dx)}}{3a^2d} - \frac{\sin(c+dx)}{3d(a \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*cos[c + d\*x])^2, x]

[Out]  $(-7*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) + (10*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (10*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a^2*d) - (7*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(3*a^2*d*(1+\text{Cos}[c+d*x])) - (\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*sin[c + d\*x]^(n-1)/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*sin[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2765**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^(n-1)/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*sin[e + f\*x])^(m+1)\*(c + d\*sin[e + f\*x])^(n-2)\*S

```
imp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^{\frac{7}{2}}(c + dx)}{(a + a \cos(c + dx))^2} dx = -\frac{\cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \int \frac{\cos^{\frac{3}{2}}(c + dx) \left(\frac{5a}{2} - \frac{9}{2}a \cos(c + dx)\right)}{a + a \cos(c + dx)} dx$$

$$= -\frac{7 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{\cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{\int \sqrt{\cos(c + dx)} \left(\frac{21a^2}{2} - 1\right)}{3a^4}$$

$$= -\frac{7 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{\cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{7 \int \sqrt{\cos(c + dx)} dx}{2a^2} + \frac{5}{3a^4}$$

$$= -\frac{7E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{10\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} - \frac{7 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{5}{3a^4}$$

$$= -\frac{7E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{10F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{10\sqrt{\cos(c + dx)} \sin(c + dx)}{3a^2d} - \frac{7 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2d(1 + \cos(c + dx))}$$

**Mathematica [C]** time = 2.03, size = 337, normalized size = 2.44

$$\cos^4\left(\frac{1}{2}(c + dx)\right) \left( \frac{\csc(c) \sqrt{\cos(c + dx)} \left(72 \cos\left(\frac{1}{2}(c - dx)\right) + 54 \cos\left(\frac{1}{2}(3c + dx)\right) + 33 \cos\left(\frac{1}{2}(c + 3dx)\right) + 9 \cos\left(\frac{1}{2}(5c + 3dx)\right) + \cos\left(\frac{1}{2}(3c + 5dx)\right) - \cos\left(\frac{1}{2}(7c + 5dx)\right)\right)}{2d} \right)$$


---


$$3a^2(c + dx)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(7/2)/(a + a*cos[c + d*x])^2, x]
[Out] (Cos[(c + d*x)/2]^4*(((-4*I)*Sqrt[2]*(21*(1 + E^((2*I)*(c + d*x)))) + 21*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + 10*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]) + (Sqrt[Cos[c + d*x]]*(72*Cos[(c - d*x)/2] + 54*Cos[(3*c + d*x)/2] + 33*Cos[(c + 3*d*x)/2] + 9*Cos[(5*c + 3*d*x)/2] + Cos[(3*c + 5*d*x)/2] - Cos[(7*c + 5*d*x)/2])*Csc[c]*Sec[(c + d*x)/2]^3/(2*d))/(3*a^2*(1 + Cos[c + d*x])^2)
```

**fricas** [F] time = 2.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{7}{2}}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(7/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.54, size = 270, normalized size = 1.96

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(16 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 12 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 20 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\right)}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(16\*cos(1/2\*d\*x+1/2\*c)^8+12\*cos(1/2\*d\*x+1/2\*c)^6+20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+42\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-48\*cos(1/2\*d\*x+1/2\*c)^4+21\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{7/2}}{(a+a \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(7/2)/(a + a*cos(c + d*x))^2,x)
```

```
[Out] int(cos(c + d*x)^(7/2)/(a + a*cos(c + d*x))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```



$$3.183 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=112

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5 \sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out]  $4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d-5/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d-1/3*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{-2}-5/3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(1+\cos(d*x+c))$

**Rubi [A]** time = 0.18, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2765, 2977, 2748, 2641, 2639}

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5 \sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^2, x]

[Out]  $(4*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) - (5*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) - (5*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a^2*d*(1+\text{Cos}[c+d*x])) - (\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Sim

```
p[(((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3a}{2}-\frac{7}{2}a\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\ &= -\frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \int \frac{\frac{5a^2-6a^2\cos(c+dx)}{2}}{\sqrt{\cos(c+dx)}} dx \\ &= -\frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{5}{6a^2} \int \frac{1}{\sqrt{\cos(c+dx)}} dx + \frac{2}{3} \int \sqrt{\cos(c+dx)} dx \\ &= \frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{5\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} - \frac{\cos^{\frac{3}{2}}(c+dx)}{3d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica** [C] time = 2.88, size = 319, normalized size = 2.85

$$\cos^4\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\sqrt{\cos(c+dx)}\left(20\cos\left(\frac{1}{2}(c-dx)\right)+16\cos\left(\frac{1}{2}(3c+dx)\right)+9\cos\left(\frac{1}{2}(c+3dx)\right)+3\cos\left(\frac{1}{2}(5c+3dx)\right)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)}{2d} + \frac{4\sqrt{\cos(c+dx)}}{3a^2(\cos(c+dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^2, x]

[Out] (Cos[(c + d\*x)/2]^4\*((4\*I)\*Sqrt[2]\*(12\*(1 + E^((2\*I)\*(c + d\*x))) + 12\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) + 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - (Sqrt[Cos[c + d\*x]]\*(20\*Cos[(c - d\*x)/2] + 16\*Cos[(3\*c + d\*x)/2] + 9\*Cos[(c + 3\*d\*x)/2] + 3\*Cos[(5\*c + 3\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^3)/(2\*d))/(3\*a^2\*(1 + Cos[c + d\*x])^2)

**fricas** [F] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{5}{2}}}{a^2\cos(dx+c)^2+2a^2\cos(dx+c)+a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(5/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.56, size = 257, normalized size = 2.29

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(24\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{6a^2\sqrt{-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(24\*cos(1/2\*d\*x+1/2\*c)^6+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+24\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-38\*cos(1/2\*d\*x+1/2\*c)^4+15\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{5/2}}{(a+a\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.184 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=109

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a\cos(c+dx)+a)^2}$$

[Out]  $-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+2/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(1+\cos(d*x+c))-1/3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^2$

**Rubi [A]** time = 0.19, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2765, 2978, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a\cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)/(a + a*Cos[c + d*x])^2,x]`

[Out]  $-(\text{EllipticE}[(c+d*x)/2, 2]/(a^2*d)) + (2*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(a^2*d*(1+\text{Cos}[c+d*x])) - (\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2765

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 2)*Simp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))`

#### Rule 2978

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim`

$$\int \frac{(b(Ab - aB)\cos[e + fx](a + b\sin[e + fx])^m(c + d\sin[e + fx])^{n+1})}{(a^2f(2m+1)(b^2c - a^2d)), x} + \text{Dist}\left[\frac{1}{(a^2(2m+1)(b^2c - a^2d))}, \int (a + b\sin[e + fx])^{m+1}(c + d\sin[e + fx])^n \text{Simp}[B(a^2cm + b^2d(n+1) + A(b^2c(m+1) - a^2d(2m+n+2)) + d(Ab - aB)(m+n+2))\sin[e + fx], x], x], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b^2c - a^2d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{!GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2m] \ \&\& \ (\text{IntegerQ}[2n] \ || \ \text{EqQ}[c, 0])$$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{(a+a\cos(c+dx))^2} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{\frac{a}{2} - \frac{5}{2}a \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{3a^2} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{-a^2 + \frac{3}{2}a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{3a^4} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{3a^2} - \int \sqrt{\cos(c+dx)} dx \\ &= -\frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)}}{3d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 6.32, size = 640, normalized size = 5.87

$$\frac{4 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \cos^4\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{1 - \sin\left(dx - \tan^{-1}(\cot(c))\right)} \sqrt{\sin(c) \left(-\sqrt{\cot^2(c) + 1}\right) \sin\left(dx - \tan^{-1}(\cot(c))\right)}}{3d\sqrt{\cot^2(c) + 1} (a \cos(c) + \dots)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + a\*cos[c + d\*x])^2, x]

[Out]  $((-1/2I)\cos[c/2 + (d*x)/2]^4 \text{Csc}[c/2] \text{Sec}[c/2] * ((2E^{((2I)*d*x)}) \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2I)*d*x)} * (\cos[c] + I \sin[c])^2)] * \text{Sqrt}[(2*(1 + E^{((2I)*d*x)}) * \cos[c] + (2I)*(-1 + E^{((2I)*d*x)}) * \sin[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2I)*d*x)} * \cos[2*c] + I * E^{((2I)*d*x)} * \sin[2*c]]) / ((3I)*d*(1 + E^{((2I)*d*x)}) * \cos[c] - 3*d*(-1 + E^{((2I)*d*x)}) * \sin[c]) - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2I)*d*x)} * (\cos[c] + I \sin[c])^2)] * \text{Sqrt}[(2*(1 + E^{((2I)*d*x)}) * \cos[c] + (2I)*(-1 + E^{((2I)*d*x)}) * \sin[c])/E^{(I*d*x)}] * \text{Sqrt}[1 + E^{((2I)*d*x)} * \cos[2*c] + I * E^{((2I)*d*x)} * \sin[2*c]]) / ((-I)*d*(1 + E^{((2I)*d*x)}) * \cos[c] + d*(-1 + E^{((2I)*d*x)}) * \sin[c])) / (a + a \cos[c + d*x])^2 - (4 * \cos[c/2 + (d*x)/2]^4 \text{Csc}[c/2] \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[d*x - \text{ArcTan}[\cot[c]]] * \text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\cot[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \cot[c]^2] * \sin[c] * \sin[d*x - \text{ArcTan}[\cot[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\cot[c]]]]) / (3*d*(a + a \cos[c + d*x])^2 * \text{Sqrt}[1 + \cot[c]^2]) + (\cos[c/2 + (d*x)/2]^4 * \text{Sqrt}[\cos[c + d*x]] * ((4 * \text{Csc}[c])/d + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * \sin[(d*x)/2])/d - (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * \sin[(d*x)/2]) / (3*d) - (2 * \text{Sec}[c/2 + (d*x)/2]^2 * \tan[c/2]) / (3*d))) / (a + a \cos[c + d*x])^2$

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^3}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(3/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.58, size = 257, normalized size = 2.36

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(12 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)}{6a^2 \sqrt{-2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^6+4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-20\*cos(1/2\*d\*x+1/2\*c)^4+9\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{\frac{3}{2}}}{(a+a \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(3/2)/(a+a\*cos(c+d\*x))^2,x)

[Out] int(cos(c+d\*x)^(3/2)/(a+a\*cos(c+d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.185 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^2} dx$$

Optimal. Leaf size=57

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx) + a)^2}$$

[Out] 1/3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/d+1/3\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^2

Rubi [A] time = 0.05, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2764, 21, 2641}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^2,x]

[Out] EllipticF[(c + d\*x)/2, 2]/(3\*a^2\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2764

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rubi steps



$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^2} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\frac{a}{2} + \frac{1}{2}a\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{3a^2} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{6a^2} \\ &= \frac{F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 63, normalized size = 1.11

$$\frac{4 \cos^4\left(\frac{1}{2}(c+dx)\right) F\left(\frac{1}{2}(c+dx) \middle| 2\right) + \sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^2,x]

[Out] (4\*Cos[(c + d\*x)/2]^4\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**maple [B]** time = 0.48, size = 188, normalized size = 3.30

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + 1\right) \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6a^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3 \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c))

$/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^3 + 2*\cos(1/2*d*x+1/2*c)^4 - 3*\cos(1/2*d*x+1/2*c)^2 + 1) / a^2 / \cos(1/2*d*x+1/2*c)^3 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x))^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\frac{\cos^2(c+dx)+2 \cos(c+dx)+1}{a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Integral(sqrt(cos(c + d\*x))/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x)/a\*\*2

$$3.186 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=109

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a\cos(c+dx)+a)^2}$$

[Out] (cos(1/2\*d\*x+1/2\*c)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/a^2/d+2/3\*(cos(1/2\*d\*x+1/2\*c)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/a^2/d-sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^2/d/(1+cos(d\*x+c))-1/3\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^2

**Rubi [A]** time = 0.18, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2766, 2978, 2748, 2641, 2639}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a\cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2), x]

[Out] EllipticE[(c + d\*x)/2, 2]/(a^2\*d) + (2\*EllipticF[(c + d\*x)/2, 2])/((3\*a^2\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x]))) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2766**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2978**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)]/((A\*B - a\*B)\*Sin[e + f\*x] + (A\*a - B\*d)\*Cos[e + f\*x]), x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[A\*B - a\*B, 0] && NeQ[A\*a - B\*d, 0]

$n + 1)) / (a * f * (2 * m + 1) * (b * c - a * d)), x] + \text{Dist}[1 / (a * (2 * m + 1) * (b * c - a * d)),$   
 $\text{Int}[(a + b * \text{Sin}[e + f * x])^{(m + 1)} * (c + d * \text{Sin}[e + f * x])^n * \text{Simp}[B * (a * c * m + b * d * (n + 1)) + A * (b * c * (m + 1) - a * d * (2 * m + n + 2)) + d * (A * b - a * B) * (m + n + 2) * \text{Sin}[e + f * x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b \* c - a \* d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2 \* m] && (IntegerQ[2 \* n] || EqQ[c, 0])

### Rubi steps

$$\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx = -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\frac{5a}{2} - \frac{1}{2}a\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{3a^2}$$

$$= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{a^2 + \frac{3}{2}a^2\cos(c+dx)}{\sqrt{\cos(c+dx)}}}{3a^4}$$

$$= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}}}{3a^2}$$

$$= \frac{E\left(\frac{1}{2}(c+dx)\right) \Big|_2}{a^2d} + \frac{2F\left(\frac{1}{2}(c+dx)\right) \Big|_2}{3a^2d} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{a^2d(1+\cos(c+dx))} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{3a^2d}$$

**Mathematica [C]** time = 2.04, size = 304, normalized size = 2.79

$$\cos^4\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sqrt{\cos(c+dx)} \left( 7 \cos\left(\frac{1}{2}(c-dx)\right) + 2 \cos\left(\frac{1}{2}(3c+dx)\right) + 3 \cos\left(\frac{1}{2}(c+3dx)\right) \right) \sec^3\left(\frac{1}{2}(c+dx)\right)}{2d} + \frac{4i\sqrt{2}e^{-i(c+dx)}(3(-1+e^{2i(c+dx)}))}{3a^2(\cos(c+dx)+1)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (Cos[(c + d\*x)/2]^4 \* (((4\*I)\*Sqrt[2]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] - 2\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])) / (d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - (Sqrt[Cos[c + d\*x]]\*(7\*Cos[(c - d\*x)/2] + 2\*Cos[(3\*c + d\*x)/2] + 3\*Cos[(c + 3\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^3)/(2\*d)) / (3\*a^2\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 2.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^3 + 2a^2 \cos(dx+c)^2 + a^2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2, x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^3 + 2\*a^2\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.52, size = 257, normalized size = 2.36

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(12\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 4\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{6a^2 \cos\left(\frac{dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^6-4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-16\*cos(1/2\*d\*x+1/2\*c)^4+3\*cos(1/2\*d\*x+1/2\*c)^2+1)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^2), x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^{\frac{5}{2}}(c+dx) + 2\cos^{\frac{3}{2}}(c+dx) + \sqrt{\cos(c+dx)}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Integral(1/(cos(c + d\*x)\*\*(5/2) + 2\*cos(c + d\*x)\*\*(3/2) + sqrt(cos(c + d\*x))), x)/a\*\*2

$$3.187 \quad \int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=136

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{4 \sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{5 \sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} - \frac{\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

[Out]  $-4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d - 5/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d + 4*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)} - 5/3*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))/\cos(d*x+c)^{(1/2)} - 1/3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.21, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2978, 2748, 2636, 2639, 2641}

$$-\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{4 \sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{5 \sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)} - \frac{\sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[1/(Cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^2), x]`

[Out]  $(-4*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) - (5*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (4*\text{Sin}[c+d*x])/(a^2*d*\text{Sqrt}[\text{Cos}[c+d*x]]) - (5*\text{Sin}[c+d*x])/(3*a^2*d*\text{Sqrt}[\text{Cos}[c+d*x]]*(1+\text{Cos}[c+d*x])) - \text{Sin}[c+d*x]/(3*d*\text{Sqrt}[\text{Cos}[c+d*x]]*(a+a*\text{Cos}[c+d*x])^2)$

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2766

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n, x], x]`

$x]^n \text{Simp}[b*c*(m + 1) - a*d*(2*m + n + 2) + b*d*(m + n + 2)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& !\text{GtQ}[n, 0] \&\& (\text{IntegerS}[2*m, 2*n] || (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

### Rule 2978

$\text{Int}[(a + b*\text{sin}[e + f*x])^m * (A + B*\text{sin}[e + f*x])^n, x\_Symbol] :> \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m * (c + d*\text{Sin}[e + f*x])^{n+1}) / (a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1 / (a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1} * (c + d*\text{Sin}[e + f*x])^n * \text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^2} dx &= -\frac{\sin(c+dx)}{3d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} + \frac{\int \frac{\frac{7a}{2} - \frac{3}{2}a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))} dx}{3a^2} \\ &= -\frac{5\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} \\ &= -\frac{5\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} \\ &= -\frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{5\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(1+\cos(c+dx))} \\ &= -\frac{4E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{4\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{\sin(c+dx)}{3a^2d} \end{aligned}$$

**Mathematica [C]** time = 1.96, size = 334, normalized size = 2.46

$$\cos^4\left(\frac{1}{2}(c+dx)\right) \left( \frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\left(29\cos\left(\frac{1}{2}(c-dx)\right)+19\cos\left(\frac{1}{2}(3c+dx)\right)+31\cos\left(\frac{1}{2}(c+3dx)\right)+5\cos\left(\frac{1}{2}(5c+3dx)\right)+12\cos\left(\frac{1}{2}(3c+5dx)\right)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)}{4d\sqrt{\cos(c+dx)}} \right)$$


---


$$3a^2(\cos(c+dx))^2$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (Cos[(c + d\*x)/2]^4\*(((-4\*I)\*Sqrt[2]\*(12\*(1 + E^((2\*I)\*(c + d\*x)))) + 12\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] - 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) + ((29\*Cos[(c - d\*x)/2] + 19\*Cos[(3\*c + d\*x)/2] + 31\*Cos[(c + 3\*d\*x)/2] + 5\*Cos[(5\*c + 3\*d\*x)/2] + 12\*Cos[(3\*c + 5\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^3)/(4\*d\*Sqrt[Cos[c + d\*x]])))/(3\*a^2\*(1 + Cos[c + d\*x])^2)

**fricas** [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^2 \cos(dx+c)^4 + 2a^2 \cos(dx+c)^3 + a^2 \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^4 + 2\*a^2\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

**maple** [B] time = 0.60, size = 405, normalized size = 2.98

$$2\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(5 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/6\*(2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)-48\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^6+86\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-37\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} (a+a \cos(c+dx))^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^2), x)`

[Out] `int(1/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\frac{\cos^{\frac{7}{2}}(c+dx) + 2\cos^{\frac{5}{2}}(c+dx) + \cos^{\frac{3}{2}}(c+dx)}{a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**2, x)`

[Out] `Integral(1/(cos(c + d*x)**(7/2) + 2*cos(c + d*x)**(5/2) + cos(c + d*x)**(3/2)), x)/a**2`

$$3.188 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=162

$$\frac{10F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{7E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{7 \sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{10 \sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)} - \frac{7 \sin(c+dx)}{a^2d \sqrt{\cos(c+dx)}}$$

[Out] 7\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/d+10/3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/d+10/3\*sin(d\*x+c)/a^2/d/cos(d\*x+c)^(3/2)-7/3\*sin(d\*x+c)/a^2/d/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))-1/3\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2-7\*sin(d\*x+c)/a^2/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.24, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2978, 2748, 2636, 2641, 2639}

$$\frac{10F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{7E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{7 \sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{10 \sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)} - \frac{7 \sin(c+dx)}{a^2d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (7\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (10\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + (10\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)) - (7\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]]) - (7\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(1 + Cos[c + d\*x])) - Sin[c + d\*x]/(3\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2766

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])

$\int \frac{(c + d \sin[e + f x])^{n+1}}{(a f (2m+1)(b c - a d))} dx + \text{Dist}\left[\frac{1}{a(2m+1)(b c - a d)}, \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n \text{Simp}[b c (m+1) - a d (2m+n+2) + b d (m+n+2) \sin[e + f x], x], x\right] /;$  FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b c - a d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (Integer sQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2978

$\text{Int}[(a + (b \sin[e + f x])^m)((c + d \sin[e + f x])^n), x\_Symbol] \rightarrow \text{Simp}[(b(A b - a B) \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}) / (a f (2m+1)(b c - a d)), x] + \text{Dist}\left[\frac{1}{a(2m+1)(b c - a d)}, \int (a + b \sin[e + f x])^{m+1} (c + d \sin[e + f x])^n \text{Simp}[B(a c m + b d (n+1)) + A(b c (m+1) - a d (2m+n+2)) + d(A b - a B)(m+n+2) \sin[e + f x], x], x\right] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b c - a d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^2} dx = -\frac{\sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^2} + \frac{\int \frac{\frac{9a}{2} - \frac{5}{2}a \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))} dx}{3a^2}$$

$$= -\frac{7 \sin(c+dx)}{3a^2 d \cos^{\frac{3}{2}}(c+dx)(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))}$$

$$= -\frac{7 \sin(c+dx)}{3a^2 d \cos^{\frac{3}{2}}(c+dx)(1+\cos(c+dx))} - \frac{\sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))}$$

$$= \frac{10 \sin(c+dx)}{3a^2 d \cos^{\frac{3}{2}}(c+dx)} - \frac{7 \sin(c+dx)}{a^2 d \sqrt{\cos(c+dx)}} - \frac{7 \sin(c+dx)}{3a^2 d \cos^{\frac{3}{2}}(c+dx)(1+\cos(c+dx))}$$

$$= \frac{7E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d} + \frac{10F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} + \frac{10 \sin(c+dx)}{3a^2 d \cos^{\frac{3}{2}}(c+dx)} - \frac{7 \sin(c+dx)}{a^2 d \sqrt{\cos(c+dx)}}$$

**Mathematica [C]** time = 5.85, size = 364, normalized size = 2.25

$$\cos^4\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(82 \cos\left(\frac{1}{2}(c-dx)\right) + 65 \cos\left(\frac{1}{2}(3c+dx)\right) + 68 \cos\left(\frac{1}{2}(c+3dx)\right) + 37 \cos\left(\frac{1}{2}(5c+3dx)\right) + 53 \cos\left(\frac{1}{2}(3c+5dx)\right) + 10 \cos\left(\frac{1}{2}(c+5dx)\right)\right)}{8d \cos^{\frac{3}{2}}(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (Cos[(c + d\*x)/2]^4 \* (((4\*I)\*Sqrt[2]\*(21\*(1 + E^((2\*I)\*(c + d\*x)))) + 21\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) - 10\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]) / (d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^((2\*I)\*c)]))

$I*(c + d*x))) - ((82*\text{Cos}[(c - d*x)/2] + 65*\text{Cos}[(3*c + d*x)/2] + 68*\text{Cos}[(c + 3*d*x)/2] + 37*\text{Cos}[(5*c + 3*d*x)/2] + 53*\text{Cos}[(3*c + 5*d*x)/2] + 10*\text{Cos}[(7*c + 5*d*x)/2] + 21*\text{Cos}[(5*c + 7*d*x)/2])*\text{Csc}[c/2]*\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]^3)/(8*d*\text{Cos}[c + d*x]^(3/2)))/(3*a^2*(1 + \text{Cos}[c + d*x])^2)$

**fricas** [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^5 + 2a^2 \cos(dx + c)^4 + a^2 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^5 + 2\*a^2\*cos(d\*x + c)^4 + a^2\*cos(d\*x + c)^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 1.03, size = 413, normalized size = 2.55

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)} \left( \frac{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{3\cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3} + \frac{6\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)} - \frac{22\sqrt{\frac{1}{2}}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x)

[Out]  $-1/2*(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*(1/3*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{cos}(1/2*d*x+1/2*c)^3+6*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{cos}(1/2*d*x+1/2*c)-22/3*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})+14*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c),2^{(1/2)}))+16*\text{sin}(1/2*d*x+1/2*c)^2*\text{cos}(1/2*d*x+1/2*c)/(-(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}-2/3*\text{cos}(1/2*d*x+1/2*c)*(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\text{cos}(1/2*d*x+1/2*c)^2)^2)/\text{sin}(1/2*d*x+1/2*c)/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^2), x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^{\frac{9}{2}}(c+dx)+2\cos^{\frac{7}{2}}(c+dx)+\cos^{\frac{5}{2}}(c+dx)} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*2, x)

[Out] Integral(1/(cos(c + d\*x)\*\*(9/2) + 2\*cos(c + d\*x)\*\*(7/2) + cos(c + d\*x)\*\*(5/2)), x)/a\*\*2

$$3.189 \quad \int \frac{\cos^{\frac{11}{2}}(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=207

$$-\frac{21F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{231E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{63 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{10d(a^3 \cos(c+dx) + a^3)} + \frac{77 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{10a^3d} - \frac{21 \sin(c+dx)}{10a^3d}$$

[Out] 231/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d-21/2\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+77/10\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/a^3/d-1/5\*cos(d\*x+c)^(9/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-4/5\*cos(d\*x+c)^(7/2)\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2-63/10\*cos(d\*x+c)^(5/2)\*sin(d\*x+c)/d/(a^3+a^3\*cos(d\*x+c))-21/2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^3/d

**Rubi [A]** time = 0.34, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2977, 2748, 2635, 2641, 2639}

$$-\frac{21F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{231E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{63 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{10d(a^3 \cos(c+dx) + a^3)} + \frac{77 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{10a^3d} - \frac{21 \sin(c+dx)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(11/2)/(a + a\*cos[c + d\*x])^3,x]

[Out] (231\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - (21\*EllipticF[(c + d\*x)/2, 2])/(2\*a^3\*d) - (21\*sqrt[Cos[c + d\*x]\*Sin[c + d\*x]])/(2\*a^3\*d) + (77\*cos[c + d\*x]^(3/2)\*sin[c + d\*x])/(10\*a^3\*d) - (cos[c + d\*x]^(9/2)\*sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) - (4\*cos[c + d\*x]^(7/2)\*sin[c + d\*x])/(5\*a\*d\*(a + a\*cos[c + d\*x])^2) - (63\*cos[c + d\*x]^(5/2)\*sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2635

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*SIN[e
+ f*x])^m*(c + d*SIN[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[1/(a*b*
(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 2)*S
imp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1)
+ b*c*(m + n))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &
& GtQ[n, 1] && (IntegersQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m +
1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{11}{2}}(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\cos^{\frac{7}{2}}(c+dx)\left(\frac{9a}{2}-\frac{15}{2}a\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{4\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(42a^2-\frac{105}{2}a^2\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{15a^4} \\ &= -\frac{\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{4\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{63\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\ &= -\frac{\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{4\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{63\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\ &= -\frac{21\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} + \frac{77\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10a^3d} - \frac{\cos^{\frac{9}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))} \\ &= \frac{231E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{21F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{21\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} + \frac{77\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10a^3d} \end{aligned}$$

**Mathematica [C]** time = 2.75, size = 388, normalized size = 1.87

$$2\cos^6\left(\frac{1}{2}(c+dx)\right)\left(-\sqrt{\cos(c+dx)}\left(\frac{1}{16}\sec\left(\frac{c}{2}\right)\left(-770\sin\left(c+\frac{dx}{2}\right)+840\sin\left(c+\frac{3dx}{2}\right)-150\sin\left(2c+\frac{3dx}{2}\right)+2\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(11/2)/(a + a\*cos[c + d\*x])^3, x]

[Out] (2\*cos[(c + d\*x)/2]^6\*(((42\*I)\*Sqrt[2]\*(11\*(1 + E^((2\*I)\*(c + d\*x)))) + 11\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2

,  $3/4, -E^{((2*I)*(c + d*x))} + 5E^{(I*(c + d*x))*(-1 + E^{((2*I)*c)})}*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]*\text{Hypergeometric2F1}[1/4, 1/2, 5/4, -E^{((2*I)*(c + d*x))}]/(E^{(I*(c + d*x))*(-1 + E^{((2*I)*c)})}*\text{Sqrt}[(1 + E^{((2*I)*(c + d*x))})/E^{(I*(c + d*x))}] - \text{Sqrt}[\text{Cos}[c + d*x]]*(264*\text{Cot}[c] + 198*\text{Csc}[c] + (\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]^5*(1210*\text{Sin}[(d*x)/2] - 770*\text{Sin}[c + (d*x)/2] + 840*\text{Sin}[c + (3*d*x)/2] - 150*\text{Sin}[2*c + (3*d*x)/2] + 238*\text{Sin}[2*c + (5*d*x)/2] + 40*\text{Sin}[3*c + (5*d*x)/2] + 5*\text{Sin}[3*c + (7*d*x)/2] + 5*\text{Sin}[4*c + (7*d*x)/2] - \text{Sin}[4*c + (9*d*x)/2] - \text{Sin}[5*c + (9*d*x)/2]))/16)))/(5*a^3*d*(1 + \text{Cos}[c + d*x])^3)$

**fricas** [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx + c)^{\frac{11}{2}}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(11/2)/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{11}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(11/2)/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.64, size = 296, normalized size = 1.43

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(64 \left(\cos^{12}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 288 \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 76 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^3,x)

[Out]  $-1/20*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(64*\cos(1/2*d*x+1/2*c)^{12}-288*\cos(1/2*d*x+1/2*c)^{10}-76*\cos(1/2*d*x+1/2*c)^8-210*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-462*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\cos(1/2*d*x+1/2*c)^5*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+530*\cos(1/2*d*x+1/2*c)^6-248*\cos(1/2*d*x+1/2*c)^4+19*\cos(1/2*d*x+1/2*c)^2-1)/a^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)^5/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{11}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")



[Out] integrate(cos(d\*x + c)^(11/2)/(a\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{11/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(11/2)/(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(11/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(11/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.190 \quad \int \frac{\cos^{\frac{9}{2}}(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=181

$$\frac{11F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{119 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{30d(a^3 \cos(c+dx) + a^3)} + \frac{11 \sin(c+dx) \sqrt{\cos(c+dx)}}{2a^3d} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)}$$

[Out]  $-119/10 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d + 11/2 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d - 119/30 * \cos(d*x+c)^{(7/2)} * \sin(d*x+c)/d/(a+a*\cos(d*x+c))^3 - 2/3 * \cos(d*x+c)^{(5/2)} * \sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2 - 119/30 * \cos(d*x+c)^{(3/2)} * \sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c)) + 11/2 * \sin(d*x+c) * \cos(d*x+c)^{(1/2)}/a^3/d$

**Rubi [A]** time = 0.32, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2977, 2748, 2639, 2635, 2641}

$$\frac{11F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{119 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{30d(a^3 \cos(c+dx) + a^3)} + \frac{11 \sin(c+dx) \sqrt{\cos(c+dx)}}{2a^3d} - \frac{\sin(c+dx)}{5d(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(9/2)/(a + a\*cos[c + d\*x])^3, x]

[Out]  $(-119*\text{EllipticE}[(c+d*x)/2, 2])/(10*a^3*d) + (11*\text{EllipticF}[(c+d*x)/2, 2])/(2*a^3*d) + (11*\text{Sqrt}[\text{Cos}[c+d*x]*\text{Sin}[c+d*x]])/(2*a^3*d) - (\text{Cos}[c+d*x])^{(7/2)} * \text{Sin}[c+d*x]/(5*d*(a+a*\text{Cos}[c+d*x])^3) - (2*\text{Cos}[c+d*x])^{(5/2)} * \text{Sin}[c+d*x]/(3*a*d*(a+a*\text{Cos}[c+d*x])^2) - (119*\text{Cos}[c+d*x])^{(3/2)} * \text{Sin}[c+d*x]/(30*d*(a^3+a^3*\text{Cos}[c+d*x]))$

#### Rule 2635

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n-1))/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*sin[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e
+ f*x])^m*(c + d*Sin[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] + Dist[1/(a*b*
(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 2)*S
imp[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1)
+ b*c*(m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] &&
NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &
& GtQ[n, 1] && (IntegersQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^9(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\cos^7(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7a}{2} - \frac{13}{2}a\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\cos^5(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} - \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(25a^2 - \frac{69}{2}a^2\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{15a^4} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\cos^5(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} - \frac{119\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{30d(a^3+a^3\cos(c+dx))} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\cos^5(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} - \frac{119\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{30d(a^3+a^3\cos(c+dx))} \\
&= -\frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{11\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} \\
&= -\frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{11F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{11\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3}
\end{aligned}$$

**Mathematica [C]** time = 1.90, size = 369, normalized size = 2.04

$$\cos^6\left(\frac{1}{2}(c+dx)\right)\left(\frac{\csc(c)\sqrt{\cos(c+dx)}\left(1961\cos\left(\frac{1}{2}(c-dx)\right)+1609\cos\left(\frac{1}{2}(3c+dx)\right)+1165\cos\left(\frac{1}{2}(c+3dx)\right)+620\cos\left(\frac{1}{2}(5c+3dx)\right)+292\cos\left(\frac{1}{2}(3c+5dx)\right)\right)}{12d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(9/2)/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]^6\*(((-4\*I)\*Sqrt[2]\*(119\*(1 + E^((2\*I)\*(c + d\*x)))) + 119\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2

,  $3/4$ ,  $-E^{((2*I)*(c + d*x))} + 55*E^{(I*(c + d*x))*(-1 + E^{((2*I)*c)})*Sqrt[1 + E^{((2*I)*(c + d*x))}]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^{((2*I)*(c + d*x))}]/(d*E^{(I*(c + d*x))*(-1 + E^{((2*I)*c)})*Sqrt[(1 + E^{((2*I)*(c + d*x))})/E^{(I*(c + d*x))}] + (Sqrt[Cos[c + d*x]]*(1961*Cos[(c - d*x)/2] + 1609*Cos[(3*c + d*x)/2] + 1165*Cos[(c + 3*d*x)/2] + 620*Cos[(5*c + 3*d*x)/2] + 292*Cos[(3*c + 5*d*x)/2] + 65*Cos[(7*c + 5*d*x)/2] + 5*Cos[(5*c + 7*d*x)/2] - 5*Cos[(9*c + 7*d*x)/2])*Csc[c]*Sec[(c + d*x)/2]^5)/(12*d)))/(5*a^3*(1 + Cos[c + d*x])^3)$

**fricas** [F] time = 1.64, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx + c)^{\frac{9}{2}}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(9/2)/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{9}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.47, size = 283, normalized size = 1.56

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(160 \left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 468 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 330 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)} \sqrt{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^3,x)

[Out]  $-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(160*\cos(1/2*d*x+1/2*c)^{10}+468*\cos(1/2*d*x+1/2*c)^8+330*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+714*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\cos(1/2*d*x+1/2*c)^5*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1058*\cos(1/2*d*x+1/2*c)^6+474*\cos(1/2*d*x+1/2*c)^4-47*\cos(1/2*d*x+1/2*c)^2+3)/a^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)^5/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{9}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{9/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(9/2)/(a + a\*cos(c + d\*x))^3, x)

[Out] int(cos(c + d\*x)^(9/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(9/2)/(a+a\*cos(d\*x+c))\*\*3, x)

[Out] Timed out

$$3.191 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=155

$$-\frac{13F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{49E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{13 \sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3 \cos(c+dx) + a^3)} - \frac{\sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{8 \sin(c+dx)}{15ad(a \cos(c+dx) + a)}$$

[Out] 49/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/a^3/d-13/6\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/a^3/d-1/5\*cos(d\*x+c)^(5/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^3-8/15\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^2-13/6\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.30, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2765, 2977, 2748, 2641, 2639}

$$-\frac{13F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{49E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{13 \sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3 \cos(c+dx) + a^3)} - \frac{\sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{8 \sin(c+dx)}{15ad(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^3,x]

[Out] (49\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - (13\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) - (Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (8\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (13\*sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5a}{2}-\frac{11}{2}a\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{8\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(12a^2-\frac{41}{2}a^2\cos(c+dx)\right)}{a+a\cos(c+dx)} dx}{15a^4} \\ &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{8\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a^3+a^3\cos(c+dx))} \\ &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{8\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a^3+a^3\cos(c+dx))} \\ &= \frac{49E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{13F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{8\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \end{aligned}$$

**Mathematica [C]** time = 4.20, size = 349, normalized size = 2.25

$$\cos^6\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\sqrt{\cos(c+dx)}\left(806\cos\left(\frac{1}{2}(c-dx)\right)+664\cos\left(\frac{1}{2}(3c+dx)\right)+470\cos\left(\frac{1}{2}(c+3dx)\right)+265\cos\left(\frac{1}{2}(5c+3dx)\right)+117\cos\left(\frac{1}{2}(7c+5dx)\right)+30\cos\left(\frac{7c+5dx}{2}\right)\right)}{8d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]^6\*((4\*I)\*Sqrt[2]\*(147\*(1 + E^((2\*I)\*(c + d\*x)))) + 147\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) + 65\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))] - (Sqrt[Cos[c + d\*x]]\*(806\*Cos[(c - d\*x)/2] + 664\*Cos[(3\*c + d\*x)/2] + 470\*Cos[(c + 3\*d\*x)/2] + 265\*Cos[(5\*c + 3\*d\*x)/2] + 117\*Cos[(3\*c + 5\*d\*x)/2] + 30\*Cos[(7\*c + 5\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5)/(8\*d))/(15\*a^3\*(1 + Cos[c + d\*x])^3)

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{7}{2}}}{a^3\cos(dx+c)^3+3a^3\cos(dx+c)^2+3a^3\cos(dx+c)+a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(7/2)/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.75, size = 270, normalized size = 1.74

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(348 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 130 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^3,x)

[Out] 1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(348\*cos(1/2\*d\*x+1/2\*c)^8+130\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+294\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-578\*cos(1/2\*d\*x+1/2\*c)^6+264\*cos(1/2\*d\*x+1/2\*c)^4-37\*cos(1/2\*d\*x+1/2\*c)^2+3)/a^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^5/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{7/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.192 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=155

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{9E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{9 \sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3 \cos(c+dx) + a^3)} - \frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{2 \sin(c+dx)\sqrt{\cos(c+dx)}}{5ad(a \cos(c+dx) + a)}$$

[Out]  $-9/10*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d+1/2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d-1/5*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3-2/5*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^2+9/10*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a^3+a^3*\cos(d*x+c))$

**Rubi [A]** time = 0.31, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2765, 2977, 2978, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{9E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{9 \sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3 \cos(c+dx) + a^3)} - \frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d(a \cos(c+dx) + a)^3} - \frac{2 \sin(c+dx)\sqrt{\cos(c+dx)}}{5ad(a \cos(c+dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^3, x]

[Out]  $(-9*\text{EllipticE}[(c+d*x)/2, 2])/(10*a^3*d) + \text{EllipticF}[(c+d*x)/2, 2]/(2*a^3*d) - (\cos[c+d*x]^{(3/2)}*\sin[c+d*x])/(5*d*(a+a*\cos[c+d*x])^3) - (2*\sqrt{\cos[c+d*x]}*\sin[c+d*x])/(5*a*d*(a+a*\cos[c+d*x])^2) + (9*\sqrt{\cos[c+d*x]}*\sin[c+d*x])/(10*d*(a^3+a^3*\cos[c+d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3a}{2}-\frac{9}{2}a\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\sqrt{\cos(c+dx)}\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} - \frac{\int \frac{3a^2-\frac{21}{2}a^2\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{15a^4} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\sqrt{\cos(c+dx)}\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} + \frac{9\sqrt{\cos(c+dx)}\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\sqrt{\cos(c+dx)}\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} + \frac{9\sqrt{\cos(c+dx)}\sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\ &= -\frac{9E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{2\sqrt{\cos(c+dx)}\sin(c+dx)}{5ad(a+a\cos(c+dx))^2} \end{aligned}$$

**Mathematica [C]** time = 6.41, size = 705, normalized size = 4.55

$$\frac{2 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{1 - \sin\left(dx - \tan^{-1}(\cot(c))\right)} \sqrt{\sin(c) \left(-\sqrt{\cot^2(c) + 1}\right) \sin\left(dx - \tan^{-1}(\cot(c))\right)}}{d \sqrt{\cot^2(c) + 1} (a \cos(c) + a)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^3,x]

[Out] (((-9\*I)/10)\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 +

$E^{((2*I)*d*x)}*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c] - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\text{Cos}[c] + I*\text{Sin}[c])^2)]*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c])/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x)}*\text{Cos}[2*c] + I*E^{((2*I)*d*x)}*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x)})*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x)})*\text{Sin}[c]))/(a + a*\text{Cos}[c + d*x])^3 - (2*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(a + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (\text{Cos}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Cos}[c + d*x]]*((36*\text{Csc}[c])/(5*d) + (36*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*\text{Sin}[(d*x)/2])/(5*d) - (12*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*\text{Sin}[(d*x)/2])/(5*d) + (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*\text{Sin}[(d*x)/2])/(5*d) - (12*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(5*d) + (2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d)))/(a + a*\text{Cos}[c + d*x])^3$

**fricas** [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{5}{2}}}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(5/2)/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.48, size = 270, normalized size = 1.74

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(36\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} + 1\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x)

[Out]  $-1/20*((2*\text{cos}(1/2*d*x+1/2*c)^2-1)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(36*\text{cos}(1/2*d*x+1/2*c)^8+10*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})*\text{cos}(1/2*d*x+1/2*c)^5+18*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\text{cos}(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{cos}(1/2*d*x+1/2*c)^5*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-66*\text{cos}(1/2*d*x+1/2*c)^6+38*\text{cos}(1/2*d*x+1/2*c)^4-9*\text{cos}(1/2*d*x+1/2*c)^2+1)/a^3/(-2*\text{sin}(1/2*d*x+1/2*c)^4+\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{cos}(1/2*d*x+1/2*c)^5/\text{sin}(1/2*d*x+1/2*c)/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.193 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=155

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{4\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

[Out] -1/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+1/6\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d-1/5\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^3+4/15\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^2+1/10\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.30, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2765, 2978, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{4\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + a\*cos[c + d\*x])^3,x]

[Out] -EllipticE[(c + d\*x)/2, 2]/(10\*a^3\*d) + EllipticF[(c + d\*x)/2, 2]/(6\*a^3\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + (4\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2765

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)}{(a+a\cos(c+dx))^3} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{\frac{a}{2} - \frac{7}{2}a \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{4\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\int \frac{-\frac{a^2}{2} - 2a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{15a^4} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{4\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{4\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\
&= -\frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{4\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [C]** time = 3.95, size = 334, normalized size = 2.15

$$\cos^6\left(\frac{1}{2}(c+dx)\right) \left( \frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sqrt{\cos(c+dx)} \left( 14 \cos\left(\frac{1}{2}(c-dx)\right) + 16 \cos\left(\frac{1}{2}(3c+dx)\right) + 20 \cos\left(\frac{1}{2}(c+3dx)\right) - 5 \cos\left(\frac{1}{2}(5c+3dx)\right) + 3 \cos\left(\frac{1}{2}(3c+5dx)\right) \right)}{8d} \right)$$

15a<sup>3</sup>(c

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]^6\*(((-4\*I)\*Sqrt[2]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) + (Sqrt[Cos[c + d\*x]]\*(14\*Cos[(c - d\*x)/2] + 16\*Cos[(3\*c + d\*x)/2] + 20\*Cos[(c + 3\*d\*x)/2] - 5\*Cos[(5\*c + 3\*d\*x)/2] + 3\*Cos[(3\*c + 5\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5)/(8\*d))/(15\*a^3\*(1 + Cos[c + d\*x])^3)

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^3}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(3/2)/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.52, size = 270, normalized size = 1.74

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(12\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)} + 1$$

60

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x)

[Out] -1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^8+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*cos(1/2\*d\*x+1/2\*c)^6-24\*cos(1/2\*d\*x+1/2\*c)^4+17\*cos(1/2\*d\*x+1/2\*c)^2-3)/a^3/cos(1/2\*d\*x+1/2\*c)^5/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{(a+a \cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(3/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.194 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=155

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

[Out] 1/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+1/6\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+1/5\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^3+1/15\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^2-1/10\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.31, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2764, 2978, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*cos[c + d\*x])^3,x]

[Out] EllipticE[(c + d\*x)/2, 2]/(10\*a^3\*d) + EllipticF[(c + d\*x)/2, 2]/(6\*a^3\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2764

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^3} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\frac{a}{2} + \frac{3}{2}a \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{\int \frac{2a^2 + \frac{1}{2}a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx}{15a^4} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{10d(a^3+a^3\cos(c+dx))} \\
&= \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{15ad(a+a\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [C]** time = 3.39, size = 334, normalized size = 2.15

$$\cos^6\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sqrt{\cos(c+dx)} \left( 4 \cos\left(\frac{1}{2}(c-dx)\right) + 26 \cos\left(\frac{1}{2}(3c+dx)\right) + 10 \cos\left(\frac{1}{2}(c+3dx)\right) + 5 \cos\left(\frac{1}{2}(5c+3dx)\right) + 3 \cos\left(\frac{1}{2}(3c+5dx)\right) \right)}{8d} \right)$$


---


$$15a^3(c$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]^6\*((4\*I)\*Sqrt[2]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) - 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]) - (Sqrt[Cos[c + d\*x]]\*(4\*Cos[(c - d\*x)/2] + 26\*Cos[(3\*c + d\*x)/2] + 10\*Cos[(c + 3\*d\*x)/2] + 5\*Cos[(5\*c + 3\*d\*x)/2] + 3\*Cos[(3\*c + 5\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5/(8\*d))/(15\*a^3\*(1 + Cos[c + d\*x])^3)

**fricas [F]** time = 1.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^3, x)

**maple** [A] time = 0.50, size = 270, normalized size = 1.74

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(12 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 10 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)}{60a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x)

[Out] 1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^8-10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2))\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-22\*cos(1/2\*d\*x+1/2\*c)^6+6\*cos(1/2\*d\*x+1/2\*c)^4+7\*cos(1/2\*d\*x+1/2\*c)^2-3)/a^3/cos(1/2\*d\*x+1/2\*c)^5/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(1/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.195 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=155

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{9E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{9\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{2\sin(c+dx)\sqrt{\cos(c+dx)}}{5ad(a\cos(c+dx)+a)^2} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

[Out] 9/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+1/2\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d-1/5\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^3-2/5\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^2-9/10\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a^3+a^3\*cos(d\*x+c))

**Rubi [A]** time = 0.31, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2766, 2978, 2748, 2641, 2639}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{9E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{9\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{2\sin(c+dx)\sqrt{\cos(c+dx)}}{5ad(a\cos(c+dx)+a)^2} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3), x]

[Out] (9\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + EllipticF[(c + d\*x)/2, 2]/(2\*a^3\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - (2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (9\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2766**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2978**

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^3} dx = -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{9a}{2} - \frac{3}{2}a \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^2} dx}{5a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2\sqrt{\cos(c + dx)} \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{21a^2}{2}}{\sqrt{\cos(c+dx)}} dx}{5a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2\sqrt{\cos(c + dx)} \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{9\sqrt{\cos(c + dx)} \sin(c + dx)}{10d(a^3 + a^2 \cos(c + dx))}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2\sqrt{\cos(c + dx)} \sin(c + dx)}{5ad(a + a \cos(c + dx))^2} - \frac{9\sqrt{\cos(c + dx)} \sin(c + dx)}{10d(a^3 + a^2 \cos(c + dx))}$$

$$= \frac{9E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{2\sqrt{\cos(c + dx)} \sin(c + dx)}{5ad(a + a \cos(c + dx))^2}$$

**Mathematica [C]** time = 6.37, size = 705, normalized size = 4.55

$$\frac{2 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{1 - \sin\left(dx - \tan^{-1}(\cot(c))\right)} \sqrt{\sin(c) \left(-\sqrt{\cot^2(c) + 1}\right) \sin\left(dx - \tan^{-1}(\cot(c))\right)}}{d \sqrt{\cot^2(c) + 1} (a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^3),x]
[Out] (((9*I)/10)*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - (2*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*Cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*((-36*Csc[c])/(5*d) - (36*Sec[c/2]*Sec[c/2 + (d*x)/2]*Sin[(d*x)/2])/(5*d) - (8*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*Sin[(d*x)/2])/(5*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*Sin[
```

$(d*x)/2) / (5*d) - (8*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2]) / (5*d) - (2*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2]) / (5*d)) / (a + a*\text{Cos}[c + d*x])^3$

**fricas** [F] time = 1.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^4 + 3a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + a^3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^4 + 3\*a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + a^3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^3 \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.60, size = 268, normalized size = 1.73

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(36\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{20}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x)

[Out]  $\frac{1}{20} * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (36*\cos(1/2*d*x+1/2*c)^8-10*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+18*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\cos(1/2*d*x+1/2*c)^5*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-46*\cos(1/2*d*x+1/2*c)^6+8*\cos(1/2*d*x+1/2*c)^4+\cos(1/2*d*x+1/2*c)^2+1/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^3), x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\frac{\cos^{\frac{7}{2}}(c+dx) + 3\cos^{\frac{5}{2}}(c+dx) + 3\cos^{\frac{3}{2}}(c+dx) + \sqrt{\cos(c+dx)}}{a^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**3, x)`

[Out] `Integral(1/(cos(c + d*x)**(7/2) + 3*cos(c + d*x)**(5/2) + 3*cos(c + d*x)**(3/2) + sqrt(cos(c + d*x))), x)/a**3`



$$3.196 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=181

$$-\frac{13F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{49E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{49 \sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{13 \sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3 \cos(c+dx) + a^3)} - \frac{15ad\sqrt{\cos(c+dx)}}{15ad\sqrt{\cos(c+dx)}}$$

[Out]  $-49/10*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d-13/6*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/d+49/10*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(1/2)}-1/5*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3/\cos(d*x+c)^{(1/2)}-8/15*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^2/\cos(d*x+c)^{(1/2)}-13/6*\sin(d*x+c)/d/(a^3+a^3*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 181, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2978, 2748, 2636, 2639, 2641}

$$-\frac{13F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{49E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{49 \sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{13 \sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3 \cos(c+dx) + a^3)} - \frac{15ad\sqrt{\cos(c+dx)}}{15ad\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3), x]

[Out]  $(-49*\text{EllipticE}[(c+d*x)/2, 2])/(10*a^3*d) - (13*\text{EllipticF}[(c+d*x)/2, 2])/(6*a^3*d) + (49*\text{Sin}[c+d*x])/(10*a^3*d*\text{Sqrt}[\text{Cos}[c+d*x]]) - \text{Sin}[c+d*x]/(5*d*\text{Sqrt}[\text{Cos}[c+d*x]]*(a+a*\text{Cos}[c+d*x])^3) - (8*\text{Sin}[c+d*x])/(15*a*d*\text{Sqrt}[\text{Cos}[c+d*x]]*(a+a*\text{Cos}[c+d*x])^2) - (13*\text{Sin}[c+d*x])/(6*d*\text{Sqrt}[\text{Cos}[c+d*x]]*(a^3+a^3*\text{Cos}[c+d*x]))$

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2766

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])

```

^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(
a*(2*m + 1)*(b*c - a*d), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f
*x])^n*Simp[b*c*(m + 1) - a*d*(2*m + n + 2) + b*d*(m + n + 2)*Sin[e + f*x],
x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[
a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (Integer
sQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))

```

Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} dx = -\frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{11a}{2} - \frac{5}{2}a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= -\frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{8 \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

$$= -\frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{8 \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

$$= -\frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{8 \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

$$= -\frac{13F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{49 \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

$$= -\frac{49E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{13F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{49 \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{\sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))}$$

**Mathematica** [C] time = 2.01, size = 364, normalized size = 2.01

$$\cos^6\left(\frac{1}{2}(c + dx)\right) \left( \frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(1284 \cos\left(\frac{1}{2}(c - dx)\right) + 921 \cos\left(\frac{1}{2}(3c + dx)\right) + 1243 \cos\left(\frac{1}{2}(c + 3dx)\right) + 374 \cos\left(\frac{1}{2}(5c + 3dx)\right) + 670 \cos\left(\frac{1}{2}(3c + 5dx)\right) + 65 \cos\left(\frac{1}{2}(c + 5dx)\right)\right)}{16d\sqrt{\cos(c + dx)}} \right)$$

Antiderivative was successfully verified.

```

[In] Integrate[1/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3), x]
[Out] (Cos[(c + d*x)/2]^6*((( -4*I)*Sqrt[2]*(147*(1 + E^((2*I)*(c + d*x)))) + 147*(
-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[-1/4, 1/2

```

,  $3/4$ ,  $-E^{\left((2I)(c + dx)\right)} - 65E^{(I(c + dx))}(-1 + E^{\left((2I)c\right)})\sqrt{1 + E^{\left((2I)(c + dx)\right)}}\operatorname{Hypergeometric2F1}\left[\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -E^{\left((2I)(c + dx)\right)}\right]/(dE^{(I(c + dx))}(-1 + E^{\left((2I)c\right)})\sqrt{(1 + E^{\left((2I)(c + dx)\right)})/E^{(I(c + dx))}}) + ((1284\cos[(c - dx)/2] + 921\cos[(3c + dx)/2] + 1243\cos[(c + 3dx)/2] + 374\cos[(5c + 3dx)/2] + 670\cos[(3c + 5dx)/2] + 65\cos[(7c + 5dx)/2] + 147\cos[(5c + 7dx)/2])\operatorname{Csc}[c/2]\operatorname{Sec}[c/2]\operatorname{Sec}[(c + dx)/2]^5)/(16d\sqrt{\cos[c + dx]})))/(15a^3(1 + \cos[c + dx])^3)$

**fricas** [F] time = 1.33, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^5 + 3a^3 \cos(dx + c)^4 + 3a^3 \cos(dx + c)^3 + a^3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^3,x, algorithm="fricas")

[Out] integral(sqrt(cos(dx + c))/(a^3\*cos(dx + c)^5 + 3\*a^3\*cos(dx + c)^4 + 3\*a^3\*cos(dx + c)^3 + a^3\*cos(dx + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^3,x, algorithm="giac")

[Out] integrate(1/((a\*cos(dx + c) + a)^3\*cos(dx + c)^(3/2)), x)

**maple** [B] time = 0.73, size = 555, normalized size = 3.07

$$\frac{-2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(65\operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^3,x)

[Out]  $-1/60*(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)+588*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^8-1634*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6+1488*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-439*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} (a+a\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^3),x)

[Out] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^3),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\frac{\cos^{\frac{9}{2}}(c+dx)+3\cos^{\frac{7}{2}}(c+dx)+3\cos^{\frac{5}{2}}(c+dx)+\cos^{\frac{3}{2}}(c+dx)}{a^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Integral(1/(cos(c+d\*x)\*\*(9/2)+3\*cos(c+d\*x)\*\*(7/2)+3\*cos(c+d\*x)\*\*(5/2)+cos(c+d\*x)\*\*(3/2)),x)/a\*\*3

$$3.197 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=207

$$\frac{11F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{119 \sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{11 \sin(c+dx)}{2a^3d \cos^{\frac{3}{2}}(c+dx)} - \frac{119s}{10a^3d}$$

[Out] 119/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+11/2\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/d+11/2\*sin(d\*x+c)/a^3/d/cos(d\*x+c)^(3/2)-1/5\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3-2/3\*sin(d\*x+c)/a/d/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2-119/30\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(a^3+a^3\*cos(d\*x+c))-119/10\*sin(d\*x+c)/a^3/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.36, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2766, 2978, 2748, 2636, 2641, 2639}

$$\frac{11F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{119E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{119 \sin(c+dx)}{30d \cos^{\frac{3}{2}}(c+dx)(a^3 \cos(c+dx) + a^3)} + \frac{11 \sin(c+dx)}{2a^3d \cos^{\frac{3}{2}}(c+dx)} - \frac{119s}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])^3),x]

[Out] (119\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + (11\*EllipticF[(c + d\*x)/2, 2])/(2\*a^3\*d) + (11\*Sin[c + d\*x])/(2\*a^3\*d\*cos[c + d\*x]^(3/2)) - (119\*Sin[c + d\*x])/(10\*a^3\*d\*Sqrt[Cos[c + d\*x]]) - Sin[c + d\*x]/(5\*d\*cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^3) - (2\*Sin[c + d\*x])/(3\*a\*d\*cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^2) - (119\*Sin[c + d\*x])/(30\*d\*cos[c + d\*x]^(3/2)\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2766

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b^2*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[b*c*(m + 1) - a*d*(2*m + n + 2) + b*d*(m + n + 2)*sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSQ[2*m, 2*n] || (IntegerQ[m] && EqQ[c, 0]))
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*cos[e + f*x]*(a + b*sin[e + f*x])^m*(c + d*sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^3} dx = -\frac{\sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{13a}{2} - \frac{7}{2}a \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= -\frac{\sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3}$$

$$= -\frac{\sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3}$$

$$= -\frac{\sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3}$$

$$= \frac{11 \sin(c + dx)}{2a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{119 \sin(c + dx)}{10a^3d \sqrt{\cos(c + dx)}} - \frac{\sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3}$$

$$= \frac{119E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{11F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} + \frac{11 \sin(c + dx)}{2a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{119}{10a^3d}$$

**Mathematica** [C] time = 2.64, size = 394, normalized size = 1.90

$$\cos^6\left(\frac{1}{2}(c + dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left(5134 \cos\left(\frac{1}{2}(c - dx)\right) + 4148 \cos\left(\frac{1}{2}(3c + dx)\right) + 4664 \cos\left(\frac{1}{2}(c + 3dx)\right) + 2476 \cos\left(\frac{1}{2}(5c + 3dx)\right) + 3340 \cos\left(\frac{1}{2}(3c + 5dx)\right)\right)}{96d \cos^{\frac{3}{2}}(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])^3),x]

[Out] (Cos[(c + d\*x)/2]^6\*((4\*I)\*Sqrt[2]\*(119\*(1 + E^((2\*I)\*(c + d\*x))) + 119\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] - 55\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))] ])/((d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))] - ((5134\*Cos[(c - d\*x)/2] + 4148\*Cos[(3\*c + d\*x)/2] + 4664\*Cos[(c + 3\*d\*x)/2] + 2476\*Cos[(5\*c + 3\*d\*x)/2] + 3340\*Cos[(3\*c + 5\*d\*x)/2] + 944\*Cos[(7\*c + 5\*d\*x)/2] + 1620\*Cos[(5\*c + 7\*d\*x)/2] + 165\*Cos[(9\*c + 7\*d\*x)/2] + 357\*Cos[(7\*c + 9\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5)/(96\*d\*Cos[c + d\*x]^(3/2)))/(5\*a^3\*(1 + Cos[c + d\*x])^3)

**fricas** [F] time = 2.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^6 + 3a^3 \cos(dx+c)^5 + 3a^3 \cos(dx+c)^4 + a^3 \cos(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^6 + 3\*a^3\*cos(d\*x + c)^5 + 3\*a^3\*cos(d\*x + c)^4 + a^3\*cos(d\*x + c)^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^3 \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(5/2)), x)

**maple** [A] time = 1.12, size = 453, normalized size = 2.19

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{32\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{15\cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3} + \frac{118\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{5\cos\left(\frac{dx}{2} + \frac{c}{2}\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x)

[Out] -1/4\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/a^3\*(32/15\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3+118/5\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3-128/5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+238/5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+48\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+1/5\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^5-4/3\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{5/2} (a+a\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(5/2)\*(a+a\*cos(c+d\*x))^3),x)

[Out] int(1/(cos(c+d\*x)^(5/2)\*(a+a\*cos(c+d\*x))^3),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\frac{\cos^{\frac{11}{2}}(c+dx)+3\cos^{\frac{9}{2}}(c+dx)+3\cos^{\frac{7}{2}}(c+dx)+\cos^{\frac{5}{2}}(c+dx)}{a^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Integral(1/(cos(c+d\*x)\*\*(11/2)+3\*cos(c+d\*x)\*\*(9/2)+3\*cos(c+d\*x)\*\*(7/2)+cos(c+d\*x)\*\*(5/2)),x)/a\*\*3



### 3.198 $\int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=154

$$\frac{a \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{5a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{5a \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $5/8 \arcsin(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) \cdot a^{1/2} / d + 5/12 \cdot a \cos(dx+c)^{3/2} \cdot \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2} + 1/3 \cdot a \cos(dx+c)^{5/2} \cdot \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2} + 5/8 \cdot a \cdot \sin(dx+c) \cdot \cos(dx+c)^{1/2} / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.23, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2770, 2774, 216}

$$\frac{a \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{5a \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{5a \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(5 \cdot \text{Sqrt}[a] \cdot \text{ArcSin}[(\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]) / \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])] / (8 \cdot d) + (5 \cdot a \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (8 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) + (5 \cdot a \cdot \text{Cos}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (12 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) + (a \cdot \text{Cos}[c + d \cdot x]^{5/2} \cdot \text{Sin}[c + d \cdot x]) / (3 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} dx &= \frac{a \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} + \frac{5}{6} \int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} dx \\
&= \frac{5a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} + \frac{5}{8} \int \sqrt{\cos(c+dx)} dx \\
&= \frac{5a \sqrt{\cos(c+dx)} \sin(c+dx)}{8d \sqrt{a+a \cos(c+dx)}} + \frac{5a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} \\
&= \frac{5a \sqrt{\cos(c+dx)} \sin(c+dx)}{8d \sqrt{a+a \cos(c+dx)}} + \frac{5a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{3d \sqrt{a+a \cos(c+dx)}} \\
&= \frac{5\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{8d} + \frac{5a \sqrt{\cos(c+dx)} \sin(c+dx)}{8d \sqrt{a+a \cos(c+dx)}} + \frac{5a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{12d \sqrt{a+a \cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.35, size = 105, normalized size = 0.68

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(15\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2\left(14 \sin\left(\frac{1}{2}(c+dx)\right) + 3 \sin\left(\frac{3}{2}(c+dx)\right)\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(15\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(14\*Sin[(c + d\*x)/2] + 3\*Sin[(3\*(c + d\*x))/2] + 2\*Sin[(5\*(c + d\*x))/2]))) / (48\*d)

**fricas [A]** time = 0.98, size = 108, normalized size = 0.70

$$\frac{\sqrt{a \cos(dx+c)+a} \left(8 \cos(dx+c)^2 + 10 \cos(dx+c) + 15\right) \sqrt{\cos(dx+c)} \sin(dx+c) - 15 \sqrt{a} (\cos(dx+c)+1)}{24(d \cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/24\*(sqrt(a\*cos(d\*x + c) + a)\*(8\*cos(d\*x + c)^2 + 10\*cos(d\*x + c) + 15)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 15\*sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(dx+c)+a} \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2), x)

maple [A] time = 0.28, size = 196, normalized size = 1.27

$$\left(\cos^{\frac{5}{2}}(dx+c)\right)\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^3\left(8\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}(\cos^2(dx+c))\sin(dx+c)+10\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)$$


---


$$24d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -1/24/d\*cos(d\*x+c)^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^3\*(8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+10\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)+15\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+15\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6

maxima [B] time = 2.01, size = 1921, normalized size = 12.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/96\*(4\*(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(3/4)\*(cos(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))\*sin(3\*d\*x + 3\*c) - (cos(3\*d\*x + 3\*c) - 1)\*sin(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))\*sqrt(a) + 6\*(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(1/4)\*((sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 5\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))\*cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)) - (cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 3\*cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) - 4)\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))\*sqrt(a) + 15\*sqrt(a)\*(arctan2(-(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) - cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))), (cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(1/4)\*(cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))\*cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)) + sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))) + 1) - arctan2(-(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) - cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1))) + 1))

```
, cos(3*d*x + 3*c)), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
+ 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) - cos(1/3*arctan
2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arctan2(sin(2/3*arctan2(sin(
3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arcta
n2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c)))*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3
*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)
)) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))*sin(1/2*arc
tan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) - 1) - arctan2((cos(2/3*arctan2
(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)
))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(
2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1)) + 1) + arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arcta
n2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3
*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*co
s(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arcta
n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(si
n(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1)))/d
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{5/2} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.199 \quad \int \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} dx$$

**Optimal.** Leaf size=116

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{2d\sqrt{a \cos(c + dx) + a}} + \frac{3\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{3a \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $\frac{3}{4} \arcsin(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) \cdot a^{1/2} / d + \frac{1}{2} a \cos(dx+c)^{3/2} \sin(dx+c) / d / (a+a \cos(dx+c))^{1/2} + \frac{3}{4} a \sin(dx+c) \cos(dx+c)^{1/2} / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.17, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2770, 2774, 216}

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{2d\sqrt{a \cos(c + dx) + a}} + \frac{3\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{3a \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(3 \cdot \text{Sqrt}[a] \cdot \text{ArcSin}[(\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]) / \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) / (4 \cdot d) + (3 \cdot a \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (4 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) + (a \cdot \text{Cos}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (2 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])$

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2770**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

**Rule 2774**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

**Rubi steps**

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)} dx &= \frac{a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \cos(c+dx)}} + \frac{3}{4} \int \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)} dx \\
&= \frac{3a \sqrt{\cos(c+dx)} \sin(c+dx)}{4d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \cos(c+dx)}} + \frac{3}{8} \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \\
&= \frac{3a \sqrt{\cos(c+dx)} \sin(c+dx)}{4d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \cos(c+dx)}} - \frac{3}{8} \operatorname{Subst} \left( \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \right) \\
&= \frac{3\sqrt{a} \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}} \right)}{4d} + \frac{3a \sqrt{\cos(c+dx)} \sin(c+dx)}{4d \sqrt{a+a \cos(c+dx)}} + \frac{a \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d \sqrt{a+a \cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 91, normalized size = 0.78

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(3\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2\left(2 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(2\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))) / (8\*d)

**fricas [A]** time = 1.75, size = 98, normalized size = 0.84

$$\frac{\sqrt{a \cos(dx+c)+a} (2 \cos(dx+c)+3) \sqrt{\cos(dx+c)} \sin(dx+c) - 3 \sqrt{a} (\cos(dx+c)+1) \arctan\left(\frac{\sqrt{a \cos(dx+c)+a}}{\sqrt{a} \sin(dx+c)}\right)}{4(d \cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/4\*(sqrt(a\*cos(d\*x+c)+a)\*(2\*cos(d\*x+c)+3)\*sqrt(cos(d\*x+c))\*sin(d\*x+c) - 3\*sqrt(a)\*(cos(d\*x+c)+1)\*arctan(sqrt(a\*cos(d\*x+c)+a)\*sqrt(cos(d\*x+c))/(sqrt(a)\*sin(d\*x+c))))/(d\*cos(d\*x+c)+d)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.17, size = 161, normalized size = 1.39

$$\frac{\left(\cos^{\frac{3}{2}}(dx+c)\right) \sqrt{a(1+\cos(dx+c))} (-1+\cos(dx+c))^2 \left(2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + 3 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)}{4d \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sin(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^{(3/2)}*(a+a*\cos(dx+c))^{(1/2)}, x)$

[Out]  $\frac{1}{4}d*\cos(dx+c)^{(3/2)}*(a*(1+\cos(dx+c)))^{(1/2)}*(-1+\cos(dx+c))^{2*(2*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)*\sin(dx+c)+3*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\sin(dx+c)+3*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c)))/(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}/\sin(dx+c)^4$

**maxima** [B] time = 1.71, size = 1059, normalized size = 9.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^{(3/2)}*(a+a*\cos(dx+c))^{(1/2)}, x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{16}*(2*(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*((\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(2dx + 2c) - (\cos(2dx + 2c) - 2)*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(2dx + 2c))*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + ((\cos(2dx + 2c) - 2)*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(2dx + 2c))*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - \cos(2dx + 2c) + 2)*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) * \sqrt{a} + 3*\sqrt{a}*(\arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) * \sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2*\cos(2dx + 2c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1)))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(c + dx)^{(3/2)}*(a + a*\cos(c + dx))^{(1/2)}, x)$

[Out]  $\text{int}(\cos(c + dx)^{(3/2)}*(a + a*\cos(c + dx))^{(1/2)}, x)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \cos^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*cos(c + d*x)**(3/2), x)
```



### 3.200 $\int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} dx$

Optimal. Leaf size=72

$$\frac{\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

[Out] arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)/d+a\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2770, 2774, 216}

$$\frac{\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[a]\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} dx &= \frac{a \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{1}{2} \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} \\ &= \frac{\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{a \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 77, normalized size = 1.07

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\cos(c+dx)+1)}\left(\sqrt{2}\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)+2\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (Sqrt[2] \* ArcSin[Sqrt[2] \* Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]] \* Sin[(c + d\*x)/2])) / (2\*d)

**fricas [A]** time = 0.89, size = 88, normalized size = 1.22

$$\frac{\sqrt{a}(\cos(dx+c)+1)\arctan\left(\frac{\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)}{d\cos(dx+c)+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] -(sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)))/(sqrt(a)\*sin(d\*x + c))) - sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**maple [A]** time = 0.18, size = 123, normalized size = 1.71

$$\frac{(\sqrt{\cos(dx+c)}\sqrt{a(1+\cos(dx+c))}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sin(dx+c)+\arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right)}{d\sin(dx+c)^2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}(-1+\cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -1/d\*cos(d\*x+c)^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(-1+cos(d\*x+c))/sin(d\*x+c)^2/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)

**maxima [B]** time = 1.84, size = 791, normalized size = 10.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/4\*(2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c)

$$\begin{aligned}
& - (\cos(dx + c) - 1) \sin\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) \sqrt{a} + \sqrt{a} \left( \arctan2\left(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}, (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) - \cos(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)))\right), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \right) \left( \cos(dx + c) \cos\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) + \sin(dx + c) \sin\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) \right) + 1 - \arctan2\left(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}, (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) - \cos(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)))\right), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \right) \left( \cos(dx + c) \cos\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) + \sin(dx + c) \sin\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) \right) - 1 - \arctan2\left((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) + 1 \right) + \arctan2\left((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos\left(\frac{1}{2} \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)\right) - 1\right) \right) / d
\end{aligned}$$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*sqrt(cos(c + d\*x)), x)

$$3.201 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=37

$$\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out] 2\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)/d

Rubi [A] time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2774, 216}

$$\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*Sqrt[a]\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/d

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.05, size = 50, normalized size = 1.35

$$\frac{\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2])/d

**fricas** [A] time = 1.97, size = 119, normalized size = 3.22

$$\left[ \frac{\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{a \cos(dx+c)+a} \sqrt{-a} \sqrt{\cos(dx+c)} \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right)}{d}, -\frac{2\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] [sqrt(-a)\*log((2\*a\*cos(d\*x + c)^2 - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) + a\*cos(d\*x + c) - a)/(cos(d\*x + c) + 1))/d, -2\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/d]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a \cos(dx+c)+a}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**maple** [B] time = 0.14, size = 80, normalized size = 2.16

$$\frac{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)}{d\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 2/d/cos(d\*x+c)^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))

**maxima** [B] time = 1.73, size = 146, normalized size = 3.95

$$\sqrt{a} \arctan\left(\left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2dx+2c)), \cos(2dx+2c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] sqrt(a)\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + cos(d\*x + c))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2), x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))/sqrt(cos(c + d*x)), x)`

$$3.202 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=36

$$\frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out] 2\*a\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.06, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2771}

$$\frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*a\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx = \frac{2a \sin(c+dx)}{d\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}$$

Mathematica [A] time = 0.05, size = 39, normalized size = 1.08

$$\frac{2 \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x]])\*Tan[(c + d\*x)/2])/(d\*Sqrt[Cos[c + d\*x]])

fricas [A] time = 0.79, size = 49, normalized size = 1.36

$$\frac{2 \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)} \sin(dx+c)}{d \cos(dx+c)^2 + d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac** [A] time = 0.78, size = 58, normalized size = 1.61

$$\frac{4\sqrt{2}\sqrt{a}\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)}{\sqrt{\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] 4\*sqrt(2)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/(sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)\*d)

**maple** [A] time = 0.15, size = 42, normalized size = 1.17

$$\frac{2(-1 + \cos(dx + c))\sqrt{a(1 + \cos(dx + c))}}{d \sin(dx + c)\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x)

[Out] -2/d\*(-1+cos(d\*x+c))\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(1/2)

**maxima** [B] time = 1.33, size = 98, normalized size = 2.72

$$\frac{2\left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 2\*(sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2))

**mupad** [B] time = 0.45, size = 41, normalized size = 1.14

$$\frac{2\sin(c + dx)\sqrt{a(\cos(c + dx) + 1)}}{d\sqrt{\cos(c + dx)}(\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(3/2),x)

[Out] (2\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^(1/2))/(d\*cos(c + d\*x)^(1/2)\*(cos(c + d\*x) + 1))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))/cos(c + d\*x)\*\*(3/2), x)



$$3.203 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=77

$$\frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $2/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+4/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2772, 2771}

$$\frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out]  $(2*a*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (4*a*\sin[c + d*x])/(3*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]})$

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx &= \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{2}{3} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 51, normalized size = 0.66

$$\frac{2(2 \cos(c+dx)+1) \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(1 + 2\*Cos[c + d\*x])\*Tan[(c + d\*x)/2])/(3\*d\*Cos[c + d\*x]^(3/2))

**fricas** [A] time = 0.90, size = 61, normalized size = 0.79

$$\frac{2\sqrt{a\cos(dx+c)+a}(2\cos(dx+c)+1)\sqrt{\cos(dx+c)}\sin(dx+c)}{3(d\cos(dx+c)^3+d\cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3\*sqrt(a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac** [A] time = 0.96, size = 87, normalized size = 1.13

$$\frac{4\sqrt{2}\left(\left(3\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2-10\right)\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+3\right)\sqrt{a}\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)}{3\left(\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1\right)^{\frac{3}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] 4/3\*sqrt(2)\*((3\*tan(1/4\*d\*x + 1/4\*c)^2 - 10)\*tan(1/4\*d\*x + 1/4\*c)^2 + 3)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(3/2)\*d)

**maple** [A] time = 0.18, size = 54, normalized size = 0.70

$$\frac{2\left(2\left(\cos^2(dx+c)\right)-\cos(dx+c)-1\right)\sqrt{a\left(1+\cos(dx+c)\right)}}{3d\sin(dx+c)\cos(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x)

[Out] -2/3/d\*(2\*cos(d\*x+c)^2-cos(d\*x+c)-1)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(3/2)

**maxima** [B] time = 1.44, size = 190, normalized size = 2.47

$$\frac{2\left(\frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1}-\frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3}+\frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5}\right)\left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+1\right)^2}{3d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)^{\frac{5}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)^{\frac{5}{2}}\left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] 2/3\*(3\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 4\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + sqrt(2)\*sqrt(a)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1))

**mupad [B]** time = 1.27, size = 82, normalized size = 1.06

$$\frac{4 \sqrt{a (\cos(c + dx) + 1)} (\sin(c + dx) + \sin(2c + 2dx) + \sin(3c + 3dx))}{3d \sqrt{\cos(c + dx)} (3 \cos(c + dx) + 2 \cos(2c + 2dx) + \cos(3c + 3dx) + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(5/2), x)

[Out] (4\*(a\*(cos(c + d\*x) + 1))^(1/2)\*(sin(c + d\*x) + sin(2\*c + 2\*d\*x) + sin(3\*c + 3\*d\*x)))/(3\*d\*cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) + 2\*cos(2\*c + 2\*d\*x) + cos(3\*c + 3\*d\*x) + 2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a (\cos(c + dx) + 1)}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(5/2), x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))/cos(c + d\*x)\*\*(5/2), x)

$$3.204 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=115

$$\frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{16a \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out] 2/5\*a\*sin(d\*x+c)/d/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2)+8/15\*a\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)+16/15\*a\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.17, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2772, 2771}

$$\frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{16a \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (2\*a\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rule 2771**

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2772**

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

**Rubi steps**

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{4}{5} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{8}{15} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} + \frac{8}{15d \sqrt{\cos(c+dx)}} \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 66, normalized size = 0.57

$$\frac{2 \left( 5 \sin \left( \frac{1}{2} (c + dx) \right) + 2 \sin \left( \frac{5}{2} (c + dx) \right) \right) \sec \left( \frac{1}{2} (c + dx) \right) \sqrt{a(\cos(c + dx) + 1)}}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(5\*Sin[(c + d\*x)/2] + 2\*Sin[(5\*(c + d\*x))/2]))/(15\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 1.07, size = 71, normalized size = 0.62

$$\frac{2 \sqrt{a \cos(dx + c) + a} \left( 8 \cos(dx + c)^2 + 4 \cos(dx + c) + 3 \right) \sqrt{\cos(dx + c)} \sin(dx + c)}{15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15\*sqrt(a\*cos(d\*x + c) + a)\*(8\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac [A]** time = 1.40, size = 116, normalized size = 1.01

$$\frac{4 \sqrt{2} \left( \left( \left( 5 \left( 3 \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 - 20 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 282 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 - 100 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 15 \right)}{15 \left( \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^4 - 6 \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 1 \right)^{\frac{5}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] 4/15\*sqrt(2)\*(((5\*(3\*tan(1/4\*d\*x + 1/4\*c)^2 - 20)\*tan(1/4\*d\*x + 1/4\*c)^2 + 282)\*tan(1/4\*d\*x + 1/4\*c)^2 - 100)\*tan(1/4\*d\*x + 1/4\*c)^2 + 15)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(5/2)\*d)

**maple [A]** time = 0.16, size = 64, normalized size = 0.56

$$\frac{2 \left( 8 \left( \cos^3(dx + c) \right) - 4 \left( \cos^2(dx + c) \right) - \cos(dx + c) - 3 \right) \sqrt{a(1 + \cos(dx + c))}}{15d \sin(dx + c) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x)

[Out] -2/15/d\*(8\*cos(d\*x+c)^3-4\*cos(d\*x+c)^2-cos(d\*x+c)-3)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(5/2)

**maxima [B]** time = 1.11, size = 237, normalized size = 2.06

$$\frac{2 \left( \frac{15 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{25 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{7 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3}{15d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out]  $2/15*(15*\sqrt{2}*\sqrt{a}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 25*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 17*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 7*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^3/(d*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{7/2})*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{7/2}*(3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + 1))$

**mupad [B]** time = 2.37, size = 132, normalized size = 1.15

$$\frac{8\sqrt{a}(\cos(c+dx)+1)(7\sin(c+dx)+4\sin(2c+2dx)+9\sin(3c+3dx)+2\sin(4c+4dx)+2\sin(5c+5dx))}{15d\sqrt{\cos(c+dx)}(10\cos(c+dx)+8\cos(2c+2dx)+5\cos(3c+3dx)+2\cos(4c+4dx)+\cos(5c+5dx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(7/2),x)

[Out]  $(8*(a*(\cos(c + d*x) + 1))^{1/2}*(7*\sin(c + d*x) + 4*\sin(2*c + 2*d*x) + 9*\sin(3*c + 3*d*x) + 2*\sin(4*c + 4*d*x) + 2*\sin(5*c + 5*d*x)))/(15*d*\cos(c + d*x)^{1/2}*(10*\cos(c + d*x) + 8*\cos(2*c + 2*d*x) + 5*\cos(3*c + 3*d*x) + 2*\cos(4*c + 4*d*x) + \cos(5*c + 5*d*x) + 6))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.205 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=153

$$\frac{16a \sin(c+dx)}{35d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{12a \sin(c+dx)}{35d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a \sin(c+dx)}{7d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}}$$

[Out]  $2/7*a*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}/(a+a*\cos(d*x+c))^{(1/2)}+12/35*a*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+16/35*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+32/35*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2772, 2771}

$$\frac{16a \sin(c+dx)}{35d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{12a \sin(c+dx)}{35d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a \sin(c+dx)}{7d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(9/2), x]

[Out]  $(2*a*\sin[c + d*x])/(7*d*\cos[c + d*x]^{(7/2)}*\sqrt{a + a*\cos[c + d*x]}) + (12*a*\sin[c + d*x])/(35*d*\cos[c + d*x]^{(5/2)}*\sqrt{a + a*\cos[c + d*x]}) + (16*a*\sin[c + d*x])/(35*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (32*a*\sin[c + d*x])/(35*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]})$

**Rule 2771**

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2772**

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

**Rubi steps**

$$\begin{aligned}
\int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2a \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{6}{7} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{12a \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{24}{35} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{12a \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{24}{35d} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{12a \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{24}{35d} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{1}{2}}(c + dx)} dx
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 66, normalized size = 0.43

$$\frac{2 \left( 7 \sin \left( \frac{3}{2}(c + dx) \right) + 2 \sin \left( \frac{7}{2}(c + dx) \right) \right) \sec \left( \frac{1}{2}(c + dx) \right) \sqrt{a(\cos(c + dx) + 1)}}{35d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Cos[c + d\*x]^(9/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(7\*Sin[(3\*(c + d\*x))/2] + 2\*Sin[(7\*(c + d\*x))/2]))/(35\*d\*Cos[c + d\*x]^(7/2))

**fricas [A]** time = 0.99, size = 81, normalized size = 0.53

$$\frac{2 \left( 16 \cos(dx + c)^3 + 8 \cos(dx + c)^2 + 6 \cos(dx + c) + 5 \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{35 \left( d \cos(dx + c)^5 + d \cos(dx + c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] 2/35\*(16\*cos(d\*x + c)^3 + 8\*cos(d\*x + c)^2 + 6\*cos(d\*x + c) + 5)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^5 + d\*cos(d\*x + c)^4)

**giac [A]** time = 1.64, size = 143, normalized size = 0.93

$$\frac{4 \sqrt{2} \left( \left( \left( \left( 7 \left( 5 \left( \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 - 10 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 267 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 - 3684 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 1869 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 - 350 \right) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 35 \right) \sqrt{a} \operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right) / \left( \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^4 - 6 \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 1 \right)^{7/2} * d}{35 \left( \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^4 - 6 \tan \left( \frac{1}{4} dx + \frac{1}{4} c \right)^2 + 1 \right)^{7/2} * d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(9/2), x, algorithm="giac")

[Out] 4/35\*sqrt(2)\*(((7\*(5\*(tan(1/4\*d\*x + 1/4\*c)^2 - 10)\*tan(1/4\*d\*x + 1/4\*c)^2 + 267)\*tan(1/4\*d\*x + 1/4\*c)^2 - 3684)\*tan(1/4\*d\*x + 1/4\*c)^2 + 1869)\*tan(1/4\*d\*x + 1/4\*c)^2 - 350)\*tan(1/4\*d\*x + 1/4\*c)^2 + 35)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(7/2)\*d)

**maple [A]** time = 0.16, size = 74, normalized size = 0.48

$$\frac{2 \left( 16 \left( \cos^4(dx + c) \right) - 8 \left( \cos^3(dx + c) \right) - 2 \left( \cos^2(dx + c) \right) - \cos(dx + c) - 5 \right) \sqrt{a(1 + \cos(dx + c))}}{35d \sin(dx + c) \cos(dx + c)^{\frac{7}{2}}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)/cos(d*x+c)^(9/2),x)`

[Out] 
$$-2/35/d*(16*\cos(d*x+c)^4-8*\cos(d*x+c)^3-2*\cos(d*x+c)^2-\cos(d*x+c)-5)*(a*(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{7/2}$$

**maxima** [B] time = 1.48, size = 283, normalized size = 1.85

$$2 \left( \frac{35 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{70 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{84 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{58 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{9 \sqrt{2} \sqrt{a} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} - 35 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{\sin(dx+c)^8}{(\cos(dx+c)+1)^8} + 1 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)/cos(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] 
$$\frac{2}{35} * (35 * \sqrt{2} * \sqrt{a} * \sin(d*x + c) / (\cos(d*x + c) + 1) - 70 * \sqrt{2} * \sqrt{a} * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 84 * \sqrt{2} * \sqrt{a} * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 - 58 * \sqrt{2} * \sqrt{a} * \sin(d*x + c)^7 / (\cos(d*x + c) + 1)^7 + 9 * \sqrt{2} * \sqrt{a} * \sin(d*x + c)^9 / (\cos(d*x + c) + 1)^9) * (\sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 - 1)^{9/2} * (4 * \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + 6 * \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + 4 * \sin(d*x + c)^6 / (\cos(d*x + c) + 1)^6 + \sin(d*x + c)^8 / (\cos(d*x + c) + 1)^8 + 1)$$

**mupad** [B] time = 5.64, size = 415, normalized size = 2.71

$$\sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + e^{c1i+dx1i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 3e^{2i+dx2i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + 3e^{3i+dx3i} \sqrt{\frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2}} + \sqrt{a + a \left( \frac{e^{-c1i-dx1i}}{2} + \frac{e^{c1i+dx1i}}{2} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/cos(c + d*x)^(9/2),x)`

[Out] 
$$\left( (a + a * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2))^{1/2} * (32i / (35*d) + (\exp(c*2i + d*x*2i)*16i) / (5*d) - (\exp(c*5i + d*x*5i)*16i) / (5*d) - (\exp(c*7i + d*x*7i)*32i) / (35*d)) \right) / \left( (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + \exp(c*1i + d*x*1i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + 3 * \exp(c*2i + d*x*2i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + 3 * \exp(c*3i + d*x*3i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + 3 * \exp(c*4i + d*x*4i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + 3 * \exp(c*5i + d*x*5i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + \exp(c*6i + d*x*6i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} + \exp(c*7i + d*x*7i) * (\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2)^{1/2} \right)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)/cos(d*x+c)**(9/2),x)`

[Out] Timed out

### 3.206 $\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}} dx$

**Optimal.** Leaf size=160

$$\frac{11a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{11a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{11a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{8d\sqrt{a \cos(c+dx)}}$$

[Out]  $11/8*a^{(3/2)*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/d+11/12*a^2*\cos(d*x+c)^{(3/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+1/3*a^2*\cos(d*x+c)^{(5/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+11/8*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.25, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2763, 21, 2770, 2774, 216}

$$\frac{a^2 \sin(c+dx) \cos^{\frac{5}{2}}(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} + \frac{11a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{11a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{11a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{8d\sqrt{a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^(3/2), x]

[Out]  $(11*a^{(3/2)*\text{ArcSin}[\text{Sqrt}[a]*\text{Sin}[c + d*x]]/\text{Sqrt}[a + a*\text{Cos}[c + d*x]]]/(8*d) + (11*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(8*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (11*a^2*\text{Cos}[c + d*x]^{(3/2)*\text{Sin}[c + d*x]})/(12*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*\text{Cos}[c + d*x]^{(5/2)*\text{Sin}[c + d*x]})/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*sin[e + f\*x]]\*(c + d\*sin[e + f\*x])^(n - 1), x],

$x]$  /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2} dx &= \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{3} \int \frac{\cos^{\frac{3}{2}}(c + dx) \left( \frac{11a^2}{2} + \frac{11}{2}a^2 \cos(c + dx) \right)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{6}(11a) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{11a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8}(11a) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{11a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{11a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{11a^{3/2} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{8d} + \frac{11a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{11a^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.37, size = 106, normalized size = 0.66

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(33\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \left(26 \sin\left(\frac{1}{2}(c + dx)\right) + 9 \sin\left(\frac{3}{2}(c + dx)\right)\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(33\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(26\*Sin[(c + d\*x)/2] + 9\*Sin[(3\*(c + d\*x))/2] + 2\*Sin[(5\*(c + d\*x))/2]))) / (48\*d)

**fricas [A]** time = 2.23, size = 114, normalized size = 0.71

$$\frac{(8a \cos(dx + c)^2 + 22a \cos(dx + c) + 33a) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 33(a \cos(dx + c) + a) \sqrt{a \cos(dx + c)}}{24(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/24\*((8\*a\*cos(d\*x + c)^2 + 22\*a\*cos(d\*x + c) + 33\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 33\*(a\*cos(d\*x + c) + a)\*sqrt(a)\*arctan

$n(\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}) / (\sqrt{a} \sin(dx + c)) / (d \cos(dx + c) + d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)\*(a+a\*cos(dx+c))^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(dx + c) + a)^(3/2)\*cos(dx + c)^(3/2), x)

**maple** [A] time = 0.21, size = 197, normalized size = 1.23

$$(-1 + \cos(dx + c))^2 \left( 8 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) \sin(dx + c) + 22 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) \sin(dx + c) + 33 \right)$$


---


$$24d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^(3/2)\*(a+a\*cos(dx+c))^(3/2),x)

[Out] 1/24/d\*(-1+cos(dx+c))^2\*(8\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*cos(dx+c)^2\*sin(dx+c)+22\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*cos(dx+c)\*sin(dx+c)+33\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*sin(dx+c)+33\*arctan(sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)/cos(dx+c))\*(a\*(1+cos(dx+c)))^(1/2)\*cos(dx+c)^(3/2)/(cos(dx+c)/(1+cos(dx+c)))^(3/2)/sin(dx+c)^4\*a

**maxima** [B] time = 2.07, size = 1942, normalized size = 12.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)\*(a+a\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] 1/96\*(4\*(a\*cos(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*sin(3\*d\*x + 3\*c) - (a\*cos(3\*d\*x + 3\*c) - a)\*sin(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*((cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1)^(3/4)\*sqrt(a) + 6\*(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)), cos(3\*d\*x + 3\*c))^(1/4)\*((3\*a\*sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 11\*a\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))\*cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1) - (3\*a\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 5\*a\*cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) - 8\*a)\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*sqrt(a) + 33\*(a\*arctan2(-cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) - cos(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))\*sin(1/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))

```

n2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c
), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(
cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) * cos(1/2*arctan2(sin(2/
3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c))) * sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3
*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) + 1) - a
*arctan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3
*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(sin(2/3*arctan2(s
in(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c))) + 1)) * sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) -
cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) * sin(1/2*arctan2(sin(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x
+ 3*c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 +
2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/3*
arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) * cos(1/2*arctan2(sin(2/3*arctan
2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), c
os(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
))) * sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), c
os(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))) - 1) - a*arctan2
((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c)
, cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*
c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2
/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3
*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(
sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos
(3*d*x + 3*c))) + 1)) + 1) + a*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), c
os(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^
2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1
/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*
x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*
x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(
1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))),
cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1))*sqrt(a))/
d

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^(3/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

### 3.207 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=120

$$\frac{7a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{a \cos(c+dx)+a}} + \frac{7a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $7/4*a^{(3/2)*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/d+1/2*a^2*\cos(d*x+c)^{(3/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+7/4*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)/d/(a+a*\cos(d*x+c))^{(1/2)}}$

**Rubi [A]** time = 0.18, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2763, 21, 2770, 2774, 216}

$$\frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{a \cos(c+dx)+a}} + \frac{7a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{7a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(7*a^{(3/2)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(4*d) + (7*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*\text{Cos}[c + d*x]^{(3/2)*\text{Sin}[c + d*x]}/(2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]))$

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Ssin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Ssin[e + f\*x]]\*(c + d\*Ssin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)} (a+a\cos(c+dx))^{3/2} dx &= \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{1}{2} \int \frac{\sqrt{\cos(c+dx)} \left(\frac{7a^2}{2} + \frac{7}{2}a^2 \cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx \\ &= \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{1}{4}(7a) \int \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)} dx \\ &= \frac{7a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{1}{8}(7a^2) \int \sqrt{\cos(c+dx)} dx \\ &= \frac{7a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{7a^2 \sqrt{\cos(c+dx)}}{4d} \\ &= \frac{7a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4d} + \frac{7a^2 \sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 92, normalized size = 0.77

$$\frac{a \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(7\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right)\right) + 2\left(6 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(7\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(6\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))) / (8\*d)

**fricas [A]** time = 1.05, size = 103, normalized size = 0.86

$$\frac{(2a \cos(dx+c) + 7a)\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)} \sin(dx+c) - 7(a \cos(dx+c) + a)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)}}{\sqrt{a \cos(dx+c) + a}}\right)}{4(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/4\*((2\*a\*cos(d\*x + c) + 7\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 7\*(a\*cos(d\*x + c) + a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.17, size = 160, normalized size = 1.33

$$(-1 + \cos(dx + c)) \left( 2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) \sin(dx + c) + 7\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) + 7 \arctan\left(\frac{\sin(dx+c)\sqrt{\cos(dx+c)}}{\cos(dx+c)}\right) \right) - 4d\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2),x)

[Out] -1/4/d\*(-1+cos(d\*x+c))\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)+7\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+7\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*a

**maxima [B]** time = 1.91, size = 1080, normalized size = 9.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/16\*(2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((a\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(2\*d\*x + 2\*c) + a\*sin(2\*d\*x + 2\*c) - (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (a\*sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - a\*cos(2\*d\*x + 2\*c) + (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 6\*a\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a) + 7\*(a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*sqrt(a))/d



**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a(\cos(c + dx) + 1))^{3/2} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral((a\*(cos(c + d\*x) + 1))\*\*(3/2)\*sqrt(cos(c + d\*x)), x)

$$3.208 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=75

$$\frac{3a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

[Out]  $3a^{3/2} \arcsin(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) / d + a^2 \sin(dx+c) \cos(dx+c)^{1/2} / d (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.12, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2763, 21, 2774, 216}

$$\frac{3a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)/Sqrt[Cos[c + d\*x]],x]

[Out]  $(3a^{3/2} \text{ArcSin}[\text{Sqrt}[a] \text{Sin}[c + dx]] / \text{Sqrt}[a + a \text{Cos}[c + dx]]) / d + (a^2 \text{Sqrt}[\text{Cos}[c + dx]] \text{Sin}[c + dx]) / (d \text{Sqrt}[a + a \text{Cos}[c + dx]])$

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx &= \frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \int \frac{\frac{3a^2}{2} + \frac{3}{2}a^2 \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(3a) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \frac{(3a) \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} \\
&= \frac{3a^{3/2} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 79, normalized size = 1.05

$$\frac{a \sec \left( \frac{1}{2}(c + dx) \right) \sqrt{a(\cos(c + dx) + 1)} \left( 3\sqrt{2} \sin^{-1} \left( \sqrt{2} \sin \left( \frac{1}{2}(c + dx) \right) \right) + 2 \sin \left( \frac{1}{2}(c + dx) \right) \sqrt{\cos(c + dx)} \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Sqrt[Cos[c + d\*x]],x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2]))/(2\*d)

**fricas [A]** time = 1.12, size = 90, normalized size = 1.20

$$\frac{\sqrt{a \cos(dx + c) + a} a \sqrt{\cos(dx + c)} \sin(dx + c) - 3(a \cos(dx + c) + a) \sqrt{a} \arctan \left( \frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] (sqrt(a\*cos(d\*x + c) + a)\*a\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*(a\*cos(d\*x + c) + a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.16, size = 168, normalized size = 2.24

$$\frac{\left( 3 \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan \left( \frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)} \right) + \cos(dx + c) \sin(dx + c) + 3 \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan \left( \frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)} \right) \right)}{d \sqrt{\cos(dx + c)} (1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x)`

[Out] `1/d*(3*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+cos(d*x+c)*sin(d*x+c)+3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))*(a*(1+cos(d*x+c)))^(1/2)/cos(d*x+c)^(1/2)/(1+cos(d*x+c))*a`

**maxima** [B] time = 1.96, size = 803, normalized size = 10.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `1/4*(2*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (a*cos(d*x + c) - a)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 3*(a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - a*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))/d`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^(1/2),x)`

[Out] `int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c + dx) + 1))^{3/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(3/2)/cos(d*x+c)**(1/2),x)`

[Out] `Integral((a*(cos(c + d*x) + 1))**(3/2)/sqrt(cos(c + d*x)), x)`

$$3.209 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{2a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}$$

[Out]  $2*a^{(3/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+2*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 21, 2774, 216}

$$\frac{2a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2a^2 \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out]  $(2*a^{(3/2)}*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d + (2*a^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)*((c_.) + (d_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

#### Rule 2762

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2774

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]/\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[d, a/b]$

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^3(c + dx)} dx &= \frac{2a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} - (2a) \int \frac{-\frac{a}{2} - \frac{1}{2}a \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\
&= \frac{2a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + a \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} - \frac{(2a) \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} \\
&= \frac{2a^{3/2} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{2a^2 \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.15, size = 85, normalized size = 1.12

$$\frac{a \sec \left( \frac{1}{2}(c + dx) \right) \sqrt{a(\cos(c + dx) + 1)} \left( 2 \sin \left( \frac{1}{2}(c + dx) \right) + \sqrt{2} \sin^{-1} \left( \sqrt{2} \sin \left( \frac{1}{2}(c + dx) \right) \right) \right) \sqrt{\cos(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + 2\*Sin[(c + d\*x)/2]))/(d\*Sqrt[Cos[c + d\*x]])

**fricas [A]** time = 1.41, size = 109, normalized size = 1.43

$$\frac{2 \left( \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - (a \cos(dx + c)^2 + a \cos(dx + c)) \sqrt{a} \arctan \left( \frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) \right)}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] 2\*(sqrt(a\*cos(d\*x + c) + a)\*a\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - (a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.17, size = 249, normalized size = 3.28

$$\frac{2 \left( \left( \cos^2(dx + c) \right) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \arctan \left( \frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)} \right) + 2 \cos(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \arctan \left( \frac{\sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}}{\cos(dx + c)} \right) \right)}{d(-1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(3/2),x)`

[Out] `-2/d*(cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+2*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+cos(d*x+c)/(1+cos(d*x+c))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+cos(d*x+c)*sin(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x+c)^2/(-1+cos(d*x+c))/(1+cos(d*x+c))^2/cos(d*x+c)^(3/2)*a`

**maxima** [B] time = 1.66, size = 997, normalized size = 13.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `1/2*((a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a) + 4*(a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - (a*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a))/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*d)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^(3/2),x)`

[Out] `int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c+dx)+1))^{\frac{3}{2}}}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral((a\*(cos(c + d\*x) + 1))\*\*(3/2)/cos(c + d\*x)\*\*(3/2), x)



$$3.210 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=81

$$\frac{2a^2 \sin(c+dx)}{3d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{10a^2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $2/3*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+10/3*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2762, 21, 2771}

$$\frac{2a^2 \sin(c+dx)}{3d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{10a^2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}/\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out]  $(2*a^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (10*a^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2762

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d))], x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(3/2)}, x\_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^5(c + dx)} dx &= \frac{2a^2 \sin(c + dx)}{3d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{1}{3}(2a) \int \frac{-\frac{5a}{2} - \frac{5}{2}a \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2a^2 \sin(c + dx)}{3d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{3}(5a) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^3(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{3d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{10a^2 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.12, size = 52, normalized size = 0.64

$$\frac{2a(5 \cos(c + dx) + 1) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{3d \cos^3(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(5/2), x]

[Out] (2\*a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(1 + 5\*Cos[c + d\*x])\*Tan[(c + d\*x)/2])/(3\*d\*Cos[c + d\*x]^(3/2))

**fricas** [A] time = 5.66, size = 62, normalized size = 0.77

$$\frac{2(5a \cos(dx + c) + a) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{3(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3\*(5\*a\*cos(d\*x + c) + a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.14, size = 55, normalized size = 0.68

$$\frac{2(5(\cos^2(dx + c) - 4 \cos(dx + c) - 1) \sqrt{a(1 + \cos(dx + c))} a)}{3d \sin(dx + c) \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2), x)

[Out] -2/3/d\*(5\*cos(d\*x+c)^2-4\*cos(d\*x+c)-1)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(3/2)\*a

**maxima [A]** time = 0.73, size = 125, normalized size = 1.54

$$\frac{4 \left( \frac{3 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{2 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{3 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 4/3\*(3\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 5\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 2\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

**mupad [B]** time = 1.22, size = 89, normalized size = 1.10

$$\frac{2 a \sqrt{a (\cos (c+d x)+1)} (5 \sin (c+d x)+2 \sin (2 c+2 d x)+5 \sin (3 c+3 d x))}{3 d \sqrt{\cos (c+d x)} (3 \cos (c+d x)+2 \cos (2 c+2 d x)+\cos (3 c+3 d x)+2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(5/2),x)

[Out] (2\*a\*(a\*(cos(c + d\*x) + 1))^(1/2)\*(5\*sin(c + d\*x) + 2\*sin(2\*c + 2\*d\*x) + 5\*sin(3\*c + 3\*d\*x)))/(3\*d\*cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) + 2\*cos(2\*c + 2\*d\*x) + cos(3\*c + 3\*d\*x) + 2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a (\cos (c+d x)+1))^{\frac{3}{2}}}{\cos^{\frac{5}{2}}(c+d x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(5/2),x)

[Out] Integral((a\*(cos(c + d\*x) + 1))\*\*(3/2)/cos(c + d\*x)\*\*(5/2), x)

$$3.211 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=121

$$\frac{6a^2 \sin(c+dx)}{5d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{12a^2 \sin(c+dx)}{5d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $2/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+6/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+12/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.17, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 21, 2772, 2771}

$$\frac{6a^2 \sin(c+dx)}{5d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{12a^2 \sin(c+dx)}{5d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(2*a^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (6*a^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (12*a^2*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)*((c_.) + (d_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2762

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d))], x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m + 1/2] || (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(3/2)}, x\_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]^{(n-1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

$f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x]$   
 $\&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -$   
 $1] \&\& \text{NeQ}[2*n + 3, 0] \&\& \text{IntegerQ}[2*n]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^7(c + dx)} dx &= \frac{2a^2 \sin(c + dx)}{5d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{1}{5}(2a) \int \frac{-\frac{9a}{2} - \frac{9}{2}a \cos(c + dx)}{\cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{5}(9a) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^5(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{6a^2 \sin(c + dx)}{5d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \int \frac{a}{\cos^3(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{6a^2 \sin(c + dx)}{5d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{5d} \int \frac{a}{\cos^3(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 62, normalized size = 0.51

$$\frac{2a(3 \cos(c + dx) + 3 \cos(2(c + dx)) + 4) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{5d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(7/2), x]

[Out] (2\*a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(4 + 3\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(5\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 2.16, size = 73, normalized size = 0.60

$$\frac{2(6a \cos(dx + c)^2 + 3a \cos(dx + c) + a) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{5(d \cos(dx + c)^4 + d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/5\*(6\*a\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.14, size = 65, normalized size = 0.54

$$\frac{2(6(\cos^3(dx + c)) - 3(\cos^2(dx + c)) - 2\cos(dx + c) - 1) \sqrt{a(1 + \cos(dx + c))} a}{5d \sin(dx + c) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(7/2),x)`

[Out]  $-2/5/d*(6*\cos(d*x+c)^3-3*\cos(d*x+c)^2-2*\cos(d*x+c)-1)*(a*(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)/\cos(d*x+c)^(5/2)*a$

**maxima** [B] time = 1.13, size = 217, normalized size = 1.79

$$4 \frac{\left( \frac{5\sqrt{2}a^3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sqrt{2}a^3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7\sqrt{2}a^3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2\sqrt{2}a^3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{5d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(7/2),x, algorithm="maxima")`

[Out]  $4/5*(5*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 7*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 2*\sqrt{2}*a^{(3/2)}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^2/(d*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)}*(2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + \sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 1))$

**mupad** [B] time = 2.10, size = 133, normalized size = 1.10

$$\frac{4a\sqrt{a(\cos(c+dx)+1)}(8\sin(c+dx)+6\sin(2c+2dx)+11\sin(3c+3dx)+3\sin(4c+4dx)+3\sin(5c+5dx))}{5d\sqrt{\cos(c+dx)}(10\cos(c+dx)+8\cos(2c+2dx)+5\cos(3c+3dx)+2\cos(4c+4dx)+\cos(5c+5dx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(3/2)/cos(c + d*x)^(7/2),x)`

[Out]  $(4*a*(a*(\cos(c + d*x) + 1))^{(1/2)}*(8*\sin(c + d*x) + 6*\sin(2*c + 2*d*x) + 11*\sin(3*c + 3*d*x) + 3*\sin(4*c + 4*d*x) + 3*\sin(5*c + 5*d*x)))/(5*d*\cos(c + d*x)^{(1/2)}*(10*\cos(c + d*x) + 8*\cos(2*c + 2*d*x) + 5*\cos(3*c + 3*d*x) + 2*\cos(4*c + 4*d*x) + \cos(5*c + 5*d*x) + 6))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(3/2)/cos(d*x+c)**(7/2),x)`

[Out] Timed out

$$3.212 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=161

$$\frac{104a^2 \sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{26a^2 \sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

[Out]  $2/7*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}/(a+a*\cos(d*x+c))^{(1/2)}+26/35*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+104/105*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+208/105*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 21, 2772, 2771}

$$\frac{104a^2 \sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{26a^2 \sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(9/2), x]

[Out]  $(2*a^2*\sin[c + d*x])/(7*d*\cos[c + d*x]^{(7/2)}*\sqrt{a + a*\cos[c + d*x]}) + (26*a^2*\sin[c + d*x])/(35*d*\cos[c + d*x]^{(5/2)}*\sqrt{a + a*\cos[c + d*x]}) + (104*a^2*\sin[c + d*x])/(105*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (208*a^2*\sin[c + d*x])/(105*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]})$

#### Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2762

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2771

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e

$+ f*x])^{(n + 1)}/(f*(n + 1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dis}$   
 $\text{t}[(2*n + 3)*(b*c - a*d)/(2*b*(n + 1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e +$   
 $f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x]$   
 $\&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -$   
 $1] \&\& \text{NeQ}[2*n + 3, 0] \&\& \text{IntegerQ}[2*n]$

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx = \frac{2a^2 \sin(c + dx)}{7d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} - \frac{1}{7}(2a) \int \frac{-\frac{13a}{2} - \frac{13}{2}a \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{7}(13a) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{26a^2 \sin(c + dx)}{35d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{35} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{26a^2 \sin(c + dx)}{35d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{105} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{26a^2 \sin(c + dx)}{35d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{105} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx$$

**Mathematica [A]** time = 0.22, size = 72, normalized size = 0.45

$$\frac{2a(117 \cos(c + dx) + 26 \cos(2(c + dx)) + 26 \cos(3(c + dx)) + 41) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{105d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)/Cos[c + d*x]^(9/2), x]
[Out] (2*a*Sqrt[a*(1 + Cos[c + d*x])]*(41 + 117*Cos[c + d*x] + 26*Cos[2*(c + d*x)] + 26*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(105*d*Cos[c + d*x]^(7/2))
```

**fricas [A]** time = 0.98, size = 86, normalized size = 0.53

$$\frac{2(104 a \cos(dx + c)^3 + 52 a \cos(dx + c)^2 + 39 a \cos(dx + c) + 15 a) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{105(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(9/2), x, algorithm="fricas")
[Out] 2/105*(104*a*cos(d*x + c)^3 + 52*a*cos(d*x + c)^2 + 39*a*cos(d*x + c) + 15*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)/cos(d*x+c)^(9/2), x, algorithm="giac")
[Out] Timed out
```



**maple [A]** time = 0.14, size = 75, normalized size = 0.47

$$\frac{2(104(\cos^4(dx+c)) - 52(\cos^3(dx+c)) - 13(\cos^2(dx+c)) - 24\cos(dx+c) - 15)\sqrt{a(1+\cos(dx+c))}}{105d\sin(dx+c)\cos(dx+c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2),x)

[Out] -2/105/d\*(104\*cos(d\*x+c)^4-52\*cos(d\*x+c)^3-13\*cos(d\*x+c)^2-24\*cos(d\*x+c)-15)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(7/2)\*a

**maxima [A]** time = 1.20, size = 263, normalized size = 1.63

$$\frac{4\left(\frac{105\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)}{\cos(dx+c)+1} - \frac{245\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{273\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{171\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{38\sqrt{2}a^{\frac{3}{2}}\sin(dx+c)^9}{(\cos(dx+c)+1)^9}\right)\left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)}\right)}{105d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{9}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{9}{2}}\left(\frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 4/105\*(105\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 245\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 273\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 171\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 38\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^3/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(3\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + 1))

**mupad [B]** time = 4.59, size = 157, normalized size = 0.98

$$\frac{91a\sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)\sqrt{a+a\cos(c+dx)} - 35a\sin\left(\frac{c}{2} + \frac{dx}{2}\right)\sqrt{a+a\cos(c+dx)} + 26a\sin\left(\frac{7c}{2} + \frac{7dx}{2}\right)\sqrt{a+a\cos(c+dx)}}{\frac{315d\sqrt{\cos(c+dx)}\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{315d\sqrt{\cos(c+dx)}\cos\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{8} + \frac{105d\sqrt{\cos(c+dx)}\cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{8} + \frac{105d\sqrt{\cos(c+dx)}\cos\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{8}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(9/2),x)

[Out] (91\*a\*sin((3\*c)/2 + (3\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2) - 35\*a\*sin(c/2 + (d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2) + 26\*a\*sin((7\*c)/2 + (7\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2))/((315\*d\*cos(c + d\*x)^(1/2)\*cos(c/2 + (d\*x)/2))/8 + (315\*d\*cos(c + d\*x)^(1/2)\*cos((3\*c)/2 + (3\*d\*x)/2))/8 + (105\*d\*cos(c + d\*x)^(1/2)\*cos((5\*c)/2 + (5\*d\*x)/2))/8 + (105\*d\*cos(c + d\*x)^(1/2)\*cos((7\*c)/2 + (7\*d\*x)/2))/8)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.213 $\int \cos^3(c + dx)(a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=200

$$\frac{163a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{17a^3 \sin(c+dx) \cos^5(c+dx)}{24d\sqrt{a \cos(c+dx)+a}} + \frac{163a^3 \sin(c+dx) \cos^3(c+dx)}{96d\sqrt{a \cos(c+dx)+a}} + \frac{163a^3 \sin(c+dx)}{64d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $163/64*a^{(5/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+163/96*a^{(3/2)}*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+17/24*a^3*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+163/64*a^3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}+1/4*a^2*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.36, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2763, 2981, 2770, 2774, 216}

$$\frac{17a^3 \sin(c+dx) \cos^5(c+dx)}{24d\sqrt{a \cos(c+dx)+a}} + \frac{163a^3 \sin(c+dx) \cos^3(c+dx)}{96d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \sin(c+dx) \cos^5(c+dx) \sqrt{a \cos(c+dx)+a}}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^(5/2), x]

[Out]  $(163*a^{(5/2)}*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(64*d) + (163*a^3*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]) + (163*a^3*Cos[c + d*x]^{(3/2)}*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]) + (17*a^3*Cos[c + d*x]^{(5/2)}*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]) + (a^2*Cos[c + d*x]^{(5/2)}*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d)$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2} dx &= \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{17a^3 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{163a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{17a^3 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{163a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{163a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{163a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 4.40, size = 182, normalized size = 0.91

$$\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (a(\cos(c + dx) + 1))^{5/2} \left(-6 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(-\frac{1}{2}, \frac{3}{2}, 2; 1, \frac{9}{2}; 2s\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((a*(1 + Cos[c + d*x]))^(5/2)*Sec[(c + d*x)/2]^4*(7*(89 + 28*Cos[c + d*x] +
3*Cos[2*(c + d*x)])*Hypergeometric2F1[-3/2, 1/2, 7/2, 2*Sin[(c + d*x)/2]^2
] - 24*(3 + Cos[c + d*x])*Hypergeometric2F1[-1/2, 3/2, 9/2, 2*Sin[(c + d*x)
/2]^2]*Sin[c + d*x]^2 - 6*Csc[(c + d*x)/2]^2*HypergeometricPFQ[{-1/2, 3/2,
2}, {1, 9/2}, 2*Sin[(c + d*x)/2]^2]*Sin[c + d*x]^4)*Tan[(c + d*x)/2])/(420*
d)
```

**fricas [A]** time = 2.62, size = 137, normalized size = 0.68

$$\frac{(48 a^2 \cos(dx + c)^3 + 184 a^2 \cos(dx + c)^2 + 326 a^2 \cos(dx + c) + 489 a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{192 (d \cos(dx + c) + d)}$$



$$\begin{aligned}
& *x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3 \\
& 2*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) \\
& + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(16*a^2* \\
& \cos(4*d*x + 4*c)^2 + 16*a^2*\sin(4*d*x + 4*c)^2 - 19*a^2*\cos(4*d*x + 4*c) + \\
& 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a^2*\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 19*a^2 \\
& *\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin \\
& (3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 12*(4*a^2*\cos(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c)^2 + a^2*\sin(4*d*x \\
& + 4*c)^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(3/2*\arctan2 \\
& (\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (3*a^2*\cos(4*d*x + 4*c)^3 - 8 \\
& *a^2*\cos(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 14*a^2*\cos(4*d*x + \\
& 4*c)^2 + 19*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d \\
& *x + 4*c)^2 - 8*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x \\
& + 4*c)^3 - 2*a^2*\cos(4*d*x + 4*c)^2 - 13*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos \\
& (4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 - 8*a^2)*\sin(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))^2 + (8*a^2*\cos(4*d*x + 4*c)^2 + 8*a^2*\sin(4*d* \\
& x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin( \\
& 4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c)))^2 + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4 \\
& *c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))^2 + 2*(16*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\sin(4*d*x + 4*c)^ \\
& 2 - 19*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c))) - 2*(64*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& c)))*\sin(4*d*x + 4*c) + 19*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))) * \cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 11*a^2*\cos(4*d*x + 4*c)^2 + 8*a^2*\cos \\
& (4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2)*\cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(2*a^2*\cos(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) \\
& - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d \\
& *x + 4*c)))) * \sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(3 \\
& *a^2*\cos(4*d*x + 4*c) - 8*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4* \\
& c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(3/2*\arctan2(s \\
& in(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4* \\
& d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) * \sqrt{a} - 6*(\cos(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^ \\
& (1/4)*((3*a^2*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(4*d*x + 4*c)^ \\
& 3 + 3*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + \\
& 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d \\
& *x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 4 \\
& *(3*a^2*\sin(4*d*x + 4*c)^3 + 3*(a^2*\cos(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + \\
& 4*c) + a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x \\
& + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + 4*(3*a^2*\sin(4*d*x + 4*c)^3 + 160*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), c \\
& os(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c)^2 + 6*a^2*\cos( \\
& 4*d*x + 4*c) + 43*a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2 \\
& *\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d \\
& *x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2 + 2*(6*a^2*\sin(4*d*x + 4*c)^3 + 3*a^2*\cos(1/4*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 6*(a^2*\cos(4*d*x + 4*c)^2 - a \\
& ^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (320*a^2*\cos(4*d*x + 4*c)^2 + 320*a \\
& ^2*\sin(4*d*x + 4*c)^2 - 317*a^2*\cos(4*d*x + 4*c) - 3*a^2)*\sin(1/4*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(
\end{aligned}$$

$$\begin{aligned}
& 4*d*x + 4*c))) - 2*(20*a^2*\cos(4*d*x + 4*c)^2 + 26*a^2*\sin(4*d*x + 4*c)^2 - \\
& 317*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c \\
& ))) + 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x \\
& + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*( \\
& 10*a^2*\cos(4*d*x + 4*c)^2 + 13*a^2*\sin(4*d*x + 4*c)^2 - 160*a^2*\sin(4*d*x + \\
& 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 10*a^2*\cos(4*d \\
& *x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 3*(a^2*co \\
& s(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& *\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (160*a^2*\cos(4*d*x \\
& + 4*c)^2 + 160*a^2*\sin(4*d*x + 4*c)^2 + 3*a^2*\cos(4*d*x + 4*c))*\sin(1/4*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2( \\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))) + 1)) - (3*a^2*\cos(4*d*x + 4*c)^3 + 120*a^2*\cos(4*d*x + 4*c \\
& )^2 - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d* \\
& x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 - 3* \\
& a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \\
& 4*(3*a^2*\cos(4*d*x + 4*c)^3 + 74*a^2*\cos(4*d*x + 4*c)^2 - 197*a^2*\cos(4*d* \\
& x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) + 80*a^2)*\sin(4*d*x + 4*c)^2 + 120*a^2 - \\
& 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4* \\
& c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*(a^2*\cos(4*d*x + 4*c) + 40* \\
& a^2)*\sin(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 + 126*a^2*\cos(4*d*x + \\
& 4*c)^2 + 243*a^2*\cos(4*d*x + 4*c) + 3*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin( \\
& 4*d*x + 4*c)^2 + 120*a^2 - 40*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c \\
& )^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c))) - 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2 \\
& *\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c \\
& )))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(6*a^2*\cos(4 \\
& *d*x + 4*c)^3 + 214*a^2*\cos(4*d*x + 4*c)^2 - 3*a^2*\sin(4*d*x + 4*c)*\sin(1/4 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 240*a^2*\cos(4*d*x + 4*c) + \\
& 2*(3*a^2*\cos(4*d*x + 4*c) + 110*a^2)*\sin(4*d*x + 4*c)^2 - (160*a^2*\cos(4*d* \\
& x + 4*c)^2 + 160*a^2*\sin(4*d*x + 4*c)^2 - 157*a^2*\cos(4*d*x + 4*c) - 3*a^2) \\
& *\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin( \\
& 4*d*x + 4*c), \cos(4*d*x + 4*c))) - (80*a^2*\cos(4*d*x + 4*c)^2 + 80*a^2*\sin( \\
& 4*d*x + 4*c)^2 + 3*a^2*\cos(4*d*x + 4*c))*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + 2*(320*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2*\sin(4*d*x + 4*c) + 157*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), co \\
& s(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 8*(80*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) - (3*a^2*\cos(4*d*x + 4*c) + 110*a^ \\
& 2)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \\
& 6*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c) + 3*(a^2*\cos(4*d*x + 4* \\
& c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2( \\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))) + 1)))*sqrt(a) + 489*((a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d \\
& *x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*co \\
& s(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^ \\
& 2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + \\
& 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a^2 \\
& *\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*\cos(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) \\
& )*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(\cos(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) \\
& *\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x
\end{aligned}$$

$$\begin{aligned}
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/4*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \\
& 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2( \\
& \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4 \\
& *d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) + 1) - (a^2*\cos(4*d*x + 4*c)^2 + a^2 \\
& *\sin(4*d*x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - \\
& 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos( \\
& 4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c) \\
& )*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*\cos(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a^2*\sin(4*d* \\
& x + 4*c)) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \arctan2(-(c \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), c \\
& \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& )) + 1)) * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
& )^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)}*(\cos(1/4*\arctan2(\sin( \\
& 4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2* \\
& arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) - 1) - (a^2*\cos(4*d*x + 4*c) \\
& ^2 + a^2*\sin(4*d*x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4 \\
& *c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2* \\
& a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d* \\
& x + 4*c)) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*c \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a^2* \\
& \sin(4*d*x + 4*c)) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \ar \\
& ctan2((\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)} * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d \\
& *x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) + 1)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + s \\
& in(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^{(1/4)} * \cos(1/2*\arctan2(\sin(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + 1)) + 1) + (a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + \\
& 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d \\
& *x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4 \\
& *(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) \\
& + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a^2*\cos( \\
& 4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c)) * \cos(1/2*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*\cos(1/2*\arctan2(\sin(4* \\
& d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c)) * \sin \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \arctan2((\cos(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)
\end{aligned}$$

```

))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)), (cos(
1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(
4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) +
1)) - 1))*sqrt(a))/((4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*
d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*
(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*
arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(co
s(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(s
in(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*
c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*d)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(5/2), x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```



### 3.214 $\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=160

$$\frac{25a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{13a^3 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{25a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{8d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3d}$$

[Out]  $25/8*a^{(5/2)*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})/d+13/12*a^3*\cos(d*x+c)^{(3/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)+25/8*a^3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)/d/(a+a*\cos(d*x+c))^{(1/2)+1/3*a^2*\cos(d*x+c)^{(3/2)*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)/d}}$

**Rubi [A]** time = 0.30, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2763, 2981, 2770, 2774, 216}

$$\frac{13a^3 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{12d\sqrt{a \cos(c+dx)+a}} + \frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}}{3d} + \frac{25a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(25*a^{(5/2)*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(8*d) + (25*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(8*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (13*a^3*\text{Cos}[c + d*x]^{(3/2)*\text{Sin}[c + d*x]}/(12*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (a^2*\text{Cos}[c + d*x]^{(3/2)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]}/(3*d)$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Ssin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Ssin[e + f\*x]]\*(c + d\*Ssin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq

Q[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rubi steps

$$\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx = \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{13a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{25a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{25a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{25a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{25a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{13a^3 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d}$$

**Mathematica [C]** time = 4.30, size = 182, normalized size = 1.14

$$\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (a \cos(c + dx) + 1)^{5/2} \left(-2 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(\frac{1}{2}, \frac{3}{2}, 2; 1, \frac{9}{2}; 2 \sin^2\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((a*(1 + Cos[c + d*x]))^(5/2)*Sec[(c + d*x)/2]^4*(7*(89 + 28*Cos[c + d*x] + 3*Cos[2*(c + d*x)])*Hypergeometric2F1[-1/2, 1/2, 7/2, 2*Sin[(c + d*x)/2]^2] - 8*(3 + Cos[c + d*x])*Hypergeometric2F1[1/2, 3/2, 9/2, 2*Sin[(c + d*x)/2]^2]*Sin[c + d*x]^2 - 2*Csc[(c + d*x)/2]^2*HypergeometricPFQ[{1/2, 3/2, 2}, {1, 9/2}, 2*Sin[(c + d*x)/2]^2]*Sin[c + d*x]^4)*Tan[(c + d*x)/2])/(420*d)
```

**fricas [A]** time = 1.77, size = 124, normalized size = 0.78

$$\frac{(8a^2 \cos(dx + c)^2 + 34a^2 \cos(dx + c) + 75a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 75(a^2 \cos(dx + c) + a) \sqrt{\cos(dx + c)}}{24(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] 1/24*((8*a^2*cos(d*x + c)^2 + 34*a^2*cos(d*x + c) + 75*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 75*(a^2*cos(d*x + c) + a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))
```

$t(a) \cdot \arctan(\sqrt{a \cos(dx + c) + a} \cdot \sqrt{\cos(dx + c)}) / (\sqrt{a} \cdot \sin(dx + c)) / (d \cos(dx + c) + d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(a+a\*cos(dx+c))^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(dx + c) + a)^(5/2)\*sqrt(cos(dx + c)), x)

**maple** [A] time = 0.20, size = 197, normalized size = 1.23

$$(-1 + \cos(dx + c)) \left( 8 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) \sin(dx + c) + 34 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) \sin(dx + c) + \dots \right)$$


---


$$24d \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^(1/2)\*(a+a\*cos(dx+c))^(5/2),x)

[Out]  $-1/24/d * (-1 + \cos(dx+c)) * (8 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * \cos(dx+c)^2 * \sin(dx+c) + 34 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * \cos(dx+c) * \sin(dx+c) + 75 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * \sin(dx+c) + 75 * \arctan(\sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} / \cos(dx+c))) * (a * (1 + \cos(dx+c)))^{1/2} * \cos(dx+c)^{1/2} / (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} / \sin(dx+c)^2 * a^2$

**maxima** [B] time = 2.23, size = 1964, normalized size = 12.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(a+a\*cos(dx+c))^(5/2),x, algorithm="maxima")

[Out]  $1/96 * (4 * (a^2 * \cos(3/2 * \arctan^2(\sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))), \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1) * \sin(3 * dx + 3 * c) - (a^2 * \cos(3 * dx + 3 * c) - a^2) * \sin(3/2 * \arctan^2(\sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))), \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1) * (\cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + \sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + 2 * \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1)^{3/4} * \sqrt{a} + 30 * (\cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + \sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + 2 * \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1)^{1/4} * ((a^2 * \sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 5 * a^2 * \sin(1/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))) * \cos(1/2 * \arctan^2(\sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))), \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1) - (a^2 * \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 3 * a^2 * \cos(1/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) - 4 * a^2 * \sin(1/2 * \arctan^2(\sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))), \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1) * \sqrt{a} + 75 * (a^2 * \arctan^2(-(\cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + \sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))^2 + 2 * \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1)^{1/4} * (\cos(1/2 * \arctan^2(\sin(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))), \cos(2/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) + 1) * \sin(1/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c))) - \cos(1/3 * \arctan^2(\sin(3 * dx + 3 * c)), \cos(3 * dx + 3 * c)))$

```

* sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(
2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(s
in(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), c
os(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))
) + 1)^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*
arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arcta
n2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x +
3*c), cos(3*d*x + 3*c))))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1))) + 1) - a^2*arctan2(-(cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*
c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3
*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*(cos(1/2*arctan2(s
in(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c))) + 1))*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c))) - cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*sin(1
/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*ar
ctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1))), (cos(2/3*arctan2(sin(3*d
*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)
^(1/4)*(cos(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))*cos(1/2*arctan
2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin
(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + sin(1/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c))))*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3
*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)))
- 1) - a^2*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2
+ sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan
2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*a
rctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos
(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan
2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin
(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + 1) + a^2*arctan2((cos(2/3*arctan2
(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c
))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x
+ 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(
2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*
d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(
3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c),
cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) +
1)) - 1))*sqrt(a))/d

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

$$3.215 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=120

$$\frac{19a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{9a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{a^2 \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}{2d}$$

[Out] 19/4\*a^(5/2)\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d+9/4\*a^3\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)+1/2\*a^2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.23, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2763, 2981, 2774, 216}

$$\frac{19a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{9a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{a^2 \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Sqrt[Cos[c + d\*x]], x]

[Out] (19\*a^(5/2)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) + (9\*a^3\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d)

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 -

$b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ !\text{LtQ}[n, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx &= \frac{a^2 \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\sqrt{a + a \cos(c + dx)} \left(\frac{5a^2}{2} + \dots\right)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{9a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \dots \\ &= \frac{9a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} - \dots \\ &= \frac{19a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4d} + \frac{9a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica** [C] time = 4.17, size = 182, normalized size = 1.52

$$\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (a \cos(c + dx) + 1)^{5/2} \left(2 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(\frac{3}{2}, \frac{3}{2}, 2; 1, \frac{9}{2}; 2 \sin^2\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)/Sqrt[Cos[c + d\*x]],x]

[Out] ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[(c + d\*x)/2]^4\*(7\*(89 + 28\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Hypergeometric2F1[1/2, 1/2, 7/2, 2\*Sin[(c + d\*x)/2]^2] + 8\*(3 + Cos[c + d\*x])\*Hypergeometric2F1[3/2, 3/2, 9/2, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^2 + 2\*Csc[(c + d\*x)/2]^2\*HypergeometricPFQ[{3/2, 3/2, 2}, {1, 9/2}, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^4)\*Tan[(c + d\*x)/2])/(420\*d)

**fricas** [A] time = 2.01, size = 111, normalized size = 0.92

$$\frac{(2a^2 \cos(dx + c) + 11a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 19(a^2 \cos(dx + c) + a^2) \sqrt{a} \arctan\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{a + a \cos(dx + c)}}\right)}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/4\*((2\*a^2\*cos(d\*x + c) + 11\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 19\*(a^2\*cos(d\*x + c) + a^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.20, size = 188, normalized size = 1.57

$$\frac{\left( 2 \left( \cos^2(dx+c) \right) \sin(dx+c) + 19 \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 11 \cos(dx+c) \sin(dx+c) \right)}{4d\sqrt{\cos(dx+c)} (1 + \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x)

[Out] 1/4/d\*(2\*cos(d\*x+c)^2\*sin(d\*x+c)+19\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+11\*cos(d\*x+c)\*sin(d\*x+c)+19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(a\*(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))\*a^2

**maxima** [B] time = 1.81, size = 1106, normalized size = 9.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/16\*(2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((a^2\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(2\*d\*x + 2\*c) + a^2\*sin(2\*d\*x + 2\*c) - (a^2\*cos(2\*d\*x + 2\*c) - 10\*a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (a^2\*sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - a^2\*cos(2\*d\*x + 2\*c) + 10\*a^2 + (a^2\*cos(2\*d\*x + 2\*c) - 10\*a^2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a) + 19\*(a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) - 1) - a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*sqrt(a))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^(1/2), x)
```

```
[Out] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)/cos(d*x+c)**(1/2), x)
```

```
[Out] Timed out
```



$$3.216 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=114

$$\frac{5a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

[Out] 5\*a^(5/2)\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d-a^3\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)+2\*a^2\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.22, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 2981, 2774, 216}

$$\frac{5a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3 \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(3/2), x]

[Out] (5\*a^(5/2)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^3\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2762

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2981

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x]

/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^3(c + dx)} dx &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - (2a) \int \frac{\left(-\frac{3a}{2} + \frac{1}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{2} (5a^2) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx \\ &= -\frac{a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{5a^2 \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos(c + dx)} dx}{(5a^2) \text{Subst}} \\ &= \frac{5a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica** [C] time = 4.24, size = 182, normalized size = 1.60

$$\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) (a \cos(c + dx) + 1)^{5/2} \left(6 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(\frac{3}{2}, 2, \frac{5}{2}; 1, \frac{9}{2}; 2 \sin^2\left(\frac{1}{2}(c + dx)\right)\right) - 6 \sin^2(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(3/2), x]

[Out] ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[(c + d\*x)/2]^4\*(7\*(89 + 28\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Hypergeometric2F1[1/2, 3/2, 7/2, 2\*Sin[(c + d\*x)/2]^2] + 24\*(3 + Cos[c + d\*x])\*Hypergeometric2F1[3/2, 5/2, 9/2, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^2 + 6\*Csc[(c + d\*x)/2]^2\*HypergeometricPFQ[{3/2, 2, 5/2}, {1, 9/2}, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^4)\*Tan[(c + d\*x)/2])/(420\*d)

**fricas** [A] time = 1.03, size = 127, normalized size = 1.11

$$\frac{(a^2 \cos(dx + c) + 2a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 5(a^2 \cos(dx + c)^2 + a^2 \cos(dx + c)) \sqrt{a \cos(dx + c) + a}}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] ((a^2\*cos(d\*x + c) + 2\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 5\*(a^2\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.18, size = 269, normalized size = 2.36

$$\frac{\left(5 \cos^2(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + 10 \cos(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x)

[Out]  $-1/d*(5*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+10*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))+\cos(d*x+c)^2*\sin(d*x+c)+2*\cos(d*x+c)*\sin(d*x+c))*(a*(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)^2/(-1+\cos(d*x+c))/(1+\cos(d*x+c))^2/\cos(d*x+c)^{3/2}*a^2$

**maxima [B]** time = 1.82, size = 973, normalized size = 8.54

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out]  $1/4*(2*(a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (a^2*\cos(d*x + c) - a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1}*\sqrt{a} + 5*(a^2*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) - a^2*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sqrt{a} + 8*(a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (a^2*\cos(d*x + c) - a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a})/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^(3/2), x)
```

```
[Out] int((a + a*cos(c + d*x))^(5/2)/cos(c + d*x)^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)/cos(d*x+c)**(3/2), x)
```

```
[Out] Timed out
```

$$3.217 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{2a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{14a^3 \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $2*a^{(5/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d+14/3*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/3*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 2980, 2774, 216}

$$\frac{2a^2 \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{14a^3 \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(5/2), x]

[Out]  $(2*a^{(5/2)}*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d + (14*a^3*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)})$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2762

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || IntegerQ[m] && EqQ[c, 0])

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2980

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(

$c + d \cdot \sin(e + f \cdot x)^{(n+1)}, x, x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&$   
 $\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} - \frac{1}{3}(2a) \int \frac{\left(-\frac{7a}{2} - \frac{3}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^3(c + dx)} dx \\ &= \frac{14a^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} + a^2 \int \frac{(2a^2)}{\cos^3(c + dx)} dx \\ &= \frac{14a^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} - \frac{(2a^2)}{\cos^2(c + dx)} \\ &= \frac{2a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{14a^3 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 9.93, size = 356, normalized size = 3.02

$$\csc^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + 1)^{5/2} \left( 256 \sin^6\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(\frac{3}{2}, 2, \frac{7}{2}; 1, \frac{9}{2}; 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(5/2), x]

[Out] ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Csc[c/2 + (d\*x)/2]^3\*Sec[c/2 + (d\*x)/2]^5\*(25  
6\*Cos[(c + d\*x)/2]^4\*HypergeometricPFQ[{3/2, 2, 7/2}, {1, 9/2}, 2\*Sin[c/2 +  
(d\*x)/2]^2]\*Sin[c/2 + (d\*x)/2]^6 + 512\*Hypergeometric2F1[3/2, 7/2, 9/2, 2\*  
Sin[c/2 + (d\*x)/2]^2]\*Sin[c/2 + (d\*x)/2]^6\*(2 - 3\*Sin[c/2 + (d\*x)/2]^2 + Si  
n[c/2 + (d\*x)/2]^4) + (21\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sqrt[Sin[c/2 + (d\*x)/2]^2]  
])\*(15 - 10\*Sin[c/2 + (d\*x)/2]^2 + 3\*Sin[c/2 + (d\*x)/2]^4))/Sqrt[Sin[c/2 + (d\*x)/2]^4] - 14\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(45 + 30\*Sin[c/2 + (d\*x)/2]^2 - 31\*Sin[c/2 + (d\*x)/2]^4 + 12\*Sin[c/2 + (d\*x)/2]^6))/(672\*d)

**fricas [A]** time = 2.38, size = 131, normalized size = 1.11

$$\frac{2 \left( (8a^2 \cos(dx + c) + a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 3(a^2 \cos(dx + c)^3 + a^2 \cos(dx + c)^2) \right)}{3(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3\*((8\*a^2\*cos(d\*x + c) + a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))  
\*sin(d\*x + c) - 3\*(a^2\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2)\*sqrt(a)\*arctan(  
sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos  
(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.19, size = 333, normalized size = 2.82

$$2 \left( 3 \left( \cos^3(dx+c) \right) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \arctan \left( \frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 9 \left( \cos^2(dx+c) \right) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \arctan \left( \frac{\sin(dx+c)}{\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2),x)

[Out] 2/3/d\*(3\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+9\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+9\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+8\*cos(d\*x+c)^2\*sin(d\*x+c)+cos(d\*x+c)\*sin(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)^4/(-1+cos(d\*x+c))^2/(1+cos(d\*x+c))^3/cos(d\*x+c)^(5/2)\*a^2

**maxima [B]** time = 1.54, size = 1395, normalized size = 11.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/6\*(30\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(3/4)\*a^(5/2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((12\*a^2\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))\*sin(2\*d\*x + 2\*c) - 3\*a^2\*sin(2\*d\*x + 2\*c) - 4\*(3\*a^2\*cos(2\*d\*x + 2\*c) + 4\*a^2)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (12\*a^2\*sin(2\*d\*x + 2\*c)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 3\*a^2\*cos(2\*d\*x + 2\*c) - a^2 + 4\*(3\*a^2\*cos(2\*d\*x + 2\*c) + 4\*a^2)\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sqrt(a) + 3\*((a^2\*cos(2\*d\*x + 2\*c)^2 + a^2\*sin(2\*d\*x + 2\*c)^2 + 2\*a^2\*cos(2\*d\*x + 2\*c) + a^2)\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - (a^2\*cos(2\*d\*x + 2\*c)^2 + a^2\*sin(2\*d\*x + 2\*c)^2 + 2\*a^2\*cos(2\*d\*x + 2\*c) + a^2)\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))

$n2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - 1) - (a^2 \cos(2dx + 2c)^2 + a^2 \sin(2dx + 2c)^2 + 2a^2 \cos(2dx + 2c) + a^2) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) + (a^2 \cos(2dx + 2c)^2 + a^2 \sin(2dx + 2c)^2 + 2a^2 \cos(2dx + 2c) + a^2) \cdot \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \cdot \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1) \cdot \sqrt{a} / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \cdot d)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(5/2), x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(5/2), x)

[Out] Timed out



$$3.218 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=121

$$\frac{22a^3 \sin(c+dx)}{15d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{86a^3 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^2(c+dx)}$$

[Out]  $22/15*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+86/15*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/5*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}$

**Rubi [A]** time = 0.22, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2762, 2980, 2771}

$$\frac{22a^3 \sin(c+dx)}{15d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^2(c+dx)} + \frac{86a^3 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(7/2), x]

[Out]  $(22*a^3*\sin[c + d*x])/(15*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (86*a^3*\sin[c + d*x])/(15*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)})$

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || IntegerQ[m] && EqQ[c, 0])

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^{7/2}(c + dx)} dx &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d \cos^{5/2}(c + dx)} - \frac{1}{5}(2a) \int \frac{\left(-\frac{11a}{2} - \frac{7}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{5/2}(c + dx)} dx \\ &= \frac{22a^3 \sin(c + dx)}{15d \cos^{3/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d \cos^{5/2}(c + dx)} + \frac{1}{15} \int \frac{2a \sqrt{a + a \cos(c + dx)}}{\cos^{5/2}(c + dx)} dx \\ &= \frac{22a^3 \sin(c + dx)}{15d \cos^{3/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{86a^3 \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a}{15} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{5/2}(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 64, normalized size = 0.53

$$\frac{a^2(28 \cos(c + dx) + 43 \cos(2(c + dx)) + 49) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{15d \cos^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(7/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(49 + 28\*Cos[c + d\*x] + 43\*Cos[2\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(15\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 1.01, size = 81, normalized size = 0.67

$$\frac{2(43 a^2 \cos(dx + c)^2 + 14 a^2 \cos(dx + c) + 3 a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{15(d \cos(dx + c)^4 + d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15\*(43\*a^2\*cos(d\*x + c)^2 + 14\*a^2\*cos(d\*x + c) + 3\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.17, size = 67, normalized size = 0.55

$$\frac{2(43(\cos^3(dx + c)) - 29(\cos^2(dx + c)) - 11 \cos(dx + c) - 3) \sqrt{a(1 + \cos(dx + c))} a^2}{15d \sin(dx + c) \cos(dx + c)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x)

[Out] -2/15/d\*(43\*cos(d\*x+c)^3-29\*cos(d\*x+c)^2-11\*cos(d\*x+c)-3)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(5/2)\*a^2

**maxima [A]** time = 1.37, size = 151, normalized size = 1.25

$$\frac{8 \left( \frac{15 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{28 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{8 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{15 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] 8/15\*(15\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 35\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 28\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 8\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2))

**mupad [B]** time = 2.14, size = 135, normalized size = 1.12

$$\frac{2 a^2 \sqrt{a (\cos (c+d x)+1)} (98 \sin (c+d x)+56 \sin (2 c+2 d x)+141 \sin (3 c+3 d x)+28 \sin (4 c+4 d x))}{15 d \sqrt{\cos (c+d x)} (10 \cos (c+d x)+8 \cos (2 c+2 d x)+5 \cos (3 c+3 d x)+2 \cos (4 c+4 d x)+\cos (5 c+5 d x)+6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(7/2),x)

[Out] (2\*a^2\*(a\*(cos(c + d\*x) + 1))^(1/2)\*(98\*sin(c + d\*x) + 56\*sin(2\*c + 2\*d\*x) + 141\*sin(3\*c + 3\*d\*x) + 28\*sin(4\*c + 4\*d\*x) + 43\*sin(5\*c + 5\*d\*x)))/(15\*d\*cos(c + d\*x)^(1/2)\*(10\*cos(c + d\*x) + 8\*cos(2\*c + 2\*d\*x) + 5\*cos(3\*c + 3\*d\*x) + 2\*cos(4\*c + 4\*d\*x) + cos(5\*c + 5\*d\*x) + 6))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.219 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=161

$$\frac{46a^3 \sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{6a^3 \sin(c+dx)}{7d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{92a^3 \sin(c+dx)}{21d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $6/7*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+46/21*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+92/21*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}$

**Rubi [A]** time = 0.29, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 2980, 2772, 2771}

$$\frac{46a^3 \sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{6a^3 \sin(c+dx)}{7d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2 \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{7d \cos^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(9/2), x]

[Out]  $(6*a^3*\sin[c + d*x])/(7*d*\cos[c + d*x]^{(5/2)}*\sqrt{a + a*\cos[c + d*x]}) + (4*6*a^3*\sin[c + d*x])/(21*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (9*2*a^3*\sin[c + d*x])/(21*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(7*d*\cos[c + d*x]^{(7/2)})$

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^9(c + dx)} dx &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} - \frac{1}{7}(2a) \int \frac{\left(-\frac{15a}{2} - \frac{11}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^7(c + dx)} dx \\ &= \frac{6a^3 \sin(c + dx)}{7d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{1}{7} \int \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{\cos^7(c + dx)} dx \\ &= \frac{6a^3 \sin(c + dx)}{7d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \sin(c + dx)}{21d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2}{7} \int \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{\cos^7(c + dx)} dx \\ &= \frac{6a^3 \sin(c + dx)}{7d \cos^5(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \sin(c + dx)}{21d \cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2}{7} \int \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{\cos^7(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 5.26, size = 74, normalized size = 0.46

$$\frac{a^2(93 \cos(c + dx) + 23 \cos(2(c + dx)) + 23 \cos(3(c + dx)) + 29) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{21d \cos^7(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)/Cos[c + d*x]^(9/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(29 + 93*Cos[c + d*x] + 23*Cos[2*(c + d*x)] + 23*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(21*d*Cos[c + d*x]^(7/2))
```

**fricas [A]** time = 3.81, size = 94, normalized size = 0.58

$$\frac{2(46a^2 \cos(dx + c)^3 + 23a^2 \cos(dx + c)^2 + 12a^2 \cos(dx + c) + 3a^2) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{21(d \cos(dx + c)^5 + d \cos(dx + c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)/cos(d*x+c)^(9/2), x, algorithm="fricas")
```

```
[Out] 2/21*(46*a^2*cos(d*x + c)^3 + 23*a^2*cos(d*x + c)^2 + 12*a^2*cos(d*x + c) + 3*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)/cos(d*x+c)^(9/2), x, algorithm="giac")
```

```
[Out] Timed out
```

**maple [A]** time = 0.14, size = 77, normalized size = 0.48

$$\frac{2 \left( 46 \left( \cos^4(dx+c) \right) - 23 \left( \cos^3(dx+c) \right) - 11 \left( \cos^2(dx+c) \right) - 9 \cos(dx+c) - 3 \right) \sqrt{a(1+\cos(dx+c))} a^2}{21d \sin(dx+c) \cos(dx+c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x)

[Out] -2/21/d\*(46\*cos(d\*x+c)^4-23\*cos(d\*x+c)^3-11\*cos(d\*x+c)^2-9\*cos(d\*x+c)-3)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(7/2)\*a^2

**maxima [A]** time = 0.85, size = 243, normalized size = 1.51

$$\frac{8 \left( \frac{21 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{56 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{36 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{8 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{21 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 8/21\*(21\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)/(cos(d\*x+c)+1)-56\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^3/(cos(d\*x+c)+1)^3+63\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^5/(cos(d\*x+c)+1)^5-36\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^7/(cos(d\*x+c)+1)^7+8\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^9/(cos(d\*x+c)+1)^9)\*(sin(d\*x+c)^2/(cos(d\*x+c)+1)^2+1)^2/(d\*(sin(d\*x+c)/(cos(d\*x+c)+1)+1)^(9/2)\*(-sin(d\*x+c)/(cos(d\*x+c)+1)+1)^(9/2)\*(2\*sin(d\*x+c)^2/(cos(d\*x+c)+1)^2+sin(d\*x+c)^4/(cos(d\*x+c)+1)^4+1))

**mupad [B]** time = 4.46, size = 163, normalized size = 1.01

$$\frac{35 a^2 \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) \sqrt{a+a \cos(c+dx)} - \frac{35 a^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{2} + \frac{23 a^2 \sin\left(\frac{7c}{2} + \frac{7dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{2}}{\frac{63 d \sqrt{\cos(c+dx)} \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{63 d \sqrt{\cos(c+dx)} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{8} + \frac{21 d \sqrt{\cos(c+dx)} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{8} + \frac{21 d \sqrt{\cos(c+dx)} \cos\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{8}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(c+d\*x))^(5/2)/cos(c+d\*x)^(9/2),x)

[Out] (35\*a^2\*sin((3\*c)/2+(3\*d\*x)/2)\*(a+a\*cos(c+d\*x))^(1/2)-(35\*a^2\*sin(c/2+(d\*x)/2)\*(a+a\*cos(c+d\*x))^(1/2))/2+(23\*a^2\*sin((7\*c)/2+(7\*d\*x)/2)\*(a+a\*cos(c+d\*x))^(1/2))/2)/((63\*d\*cos(c+d\*x)^(1/2)\*cos(c/2+(d\*x)/2))/8+(63\*d\*cos(c+d\*x)^(1/2)\*cos((3\*c)/2+(3\*d\*x)/2))/8+(21\*d\*cos(c+d\*x)^(1/2)\*cos((5\*c)/2+(5\*d\*x)/2))/8+(21\*d\*cos(c+d\*x)^(1/2)\*cos((7\*c)/2+(7\*d\*x)/2))/8)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.220 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=201

$$\frac{584a^3 \sin(c+dx)}{315d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{146a^3 \sin(c+dx)}{105d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{38a^3 \sin(c+dx)}{63d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}}$$

[Out]  $38/63*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(7/2)}/(a+a*\cos(d*x+c))^{(1/2)}+146/105*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+584/315*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+1168/315*a^3*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}+2/9*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(9/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2762, 2980, 2772, 2771}

$$\frac{584a^3 \sin(c+dx)}{315d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{146a^3 \sin(c+dx)}{105d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{38a^3 \sin(c+dx)}{63d \cos^2(c+dx) \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(11/2), x]

[Out]  $(38*a^3*\sin[c + d*x])/(63*d*\cos[c + d*x]^{(7/2)}*\sqrt{a + a*\cos[c + d*x]}) + (146*a^3*\sin[c + d*x])/(105*d*\cos[c + d*x]^{(5/2)}*\sqrt{a + a*\cos[c + d*x]}) + (584*a^3*\sin[c + d*x])/(315*d*\cos[c + d*x]^{(3/2)}*\sqrt{a + a*\cos[c + d*x]}) + (1168*a^3*\sin[c + d*x])/(315*d*\sqrt{\cos[c + d*x]}*\sqrt{a + a*\cos[c + d*x]}) + (2*a^2*\sqrt{a + a*\cos[c + d*x]}*\sin[c + d*x])/(9*d*\cos[c + d*x]^{(9/2)})$

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -

1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^{11/2}(c + dx)} dx = \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} - \frac{1}{9}(2a) \int \frac{\left(-\frac{19a}{2} - \frac{15}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{9/2}(c + dx)} dx$$

$$= \frac{38a^3 \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{1}{21} \int \frac{\left(-\frac{19a}{2} - \frac{15}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{7/2}(c + dx)} dx$$

$$= \frac{38a^3 \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{146a^3 \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{315} \int \frac{\left(-\frac{19a}{2} - \frac{15}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{5/2}(c + dx)} dx$$

$$= \frac{38a^3 \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{146a^3 \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{315} \int \frac{\left(-\frac{19a}{2} - \frac{15}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{3/2}(c + dx)} dx$$

$$= \frac{38a^3 \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{146a^3 \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{1}{315} \int \frac{\left(-\frac{19a}{2} - \frac{15}{2}a \cos(c + dx)\right) \sqrt{a + a \cos(c + dx)}}{\cos^{1/2}(c + dx)} dx$$

**Mathematica [A]** time = 5.35, size = 84, normalized size = 0.42

$$\frac{a^2(698 \cos(c + dx) + 803 \cos(2(c + dx)) + 146 \cos(3(c + dx)) + 146 \cos(4(c + dx)) + 727) \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a \cos(c + dx)}}{315d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)/Cos[c + d*x]^(11/2), x]
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(727 + 698*Cos[c + d*x] + 803*Cos[2*(c + d*x)] + 146*Cos[3*(c + d*x)] + 146*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(315*d*Cos[c + d*x]^(9/2))
```

**fricas [A]** time = 1.94, size = 107, normalized size = 0.53

$$\frac{2(584 a^2 \cos(dx + c)^4 + 292 a^2 \cos(dx + c)^3 + 219 a^2 \cos(dx + c)^2 + 130 a^2 \cos(dx + c) + 35 a^2) \sqrt{a \cos(dx + c)}}{315(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)/cos(d*x+c)^(11/2), x, algorithm="fricas")
[Out] 2/315*(584*a^2*cos(d*x + c)^4 + 292*a^2*cos(d*x + c)^3 + 219*a^2*cos(d*x + c)^2 + 130*a^2*cos(d*x + c) + 35*a^2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^6 + d*cos(d*x + c)^5)
```



**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.16, size = 87, normalized size = 0.43

$$\frac{2(584(\cos^5(dx+c)) - 292(\cos^4(dx+c)) - 73(\cos^3(dx+c)) - 89(\cos^2(dx+c)) - 95\cos(dx+c) - 35)}{315d \sin(dx+c) \cos(dx+c)^9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(11/2),x)

[Out] -2/315/d\*(584\*cos(d\*x+c)^5-292\*cos(d\*x+c)^4-73\*cos(d\*x+c)^3-89\*cos(d\*x+c)^2-95\*cos(d\*x+c)-35)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(9/2)\*a^2

**maxima** [A] time = 1.16, size = 289, normalized size = 1.44

$$8 \left( \frac{315 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{945 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1449 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1287 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{572 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{104 \sqrt{2} a^{\frac{5}{2}} \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right) \\ 315 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left( \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(11/2),x, algorithm="maxima")

[Out] 8/315\*(315\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)/(cos(d\*x+c)+1) - 945\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^3/(cos(d\*x+c)+1)^3 + 1449\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^5/(cos(d\*x+c)+1)^5 - 1287\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^7/(cos(d\*x+c)+1)^7 + 572\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^9/(cos(d\*x+c)+1)^9 - 104\*sqrt(2)\*a^(5/2)\*sin(d\*x+c)^11/(cos(d\*x+c)+1)^11)\*(sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + 1)^3/(d\*(sin(d\*x+c)/(cos(d\*x+c)+1) + 1)^(11/2)\*(-sin(d\*x+c)/(cos(d\*x+c)+1) + 1)^(11/2)\*(3\*sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + 3\*sin(d\*x+c)^4/(cos(d\*x+c)+1)^4 + sin(d\*x+c)^6/(cos(d\*x+c)+1)^6 + 1))

**mupad** [B] time = 6.41, size = 279, normalized size = 1.39

$$\frac{\sqrt{a+a \cos(c+dx)} \left( \frac{192 a^2 e^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d} - \frac{16 a^2 e^{\frac{c9i}{2} + \frac{dx9i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{3d} \right)}{12 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 8 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 8 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + 8 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{7c}{2} + \frac{7dx}{2}\right) + 8 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{9c}{2} + \frac{9dx}{2}\right) + 8 \sqrt{\cos(c+dx)} e^{\frac{c9i}{2} + \frac{dx9i}{2}} \cos\left(\frac{11c}{2} + \frac{11dx}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(11/2),x)

[Out] ((a + a\*cos(c + d\*x))^(1/2)\*((192\*a^2\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*sin(c/2 + (d\*x)/2))/(5\*d) - (16\*a^2\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*sin((3\*c)/2 + (3\*d\*x)/2))/(3\*d) + (1168\*a^2\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*sin((5\*c)/2 + (5\*d\*x)/2))/(35\*d) + (2336\*a^2\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*sin((9\*c)/2 + (9\*d\*x)/2))/(315\*d)))/(12\*cos(c + d\*x)^(1/2)\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*cos(c/2 + (d\*x)/2) + 8\*cos(c + d\*x)^(1/2)\*exp((c\*9i)/2 + (d\*x\*9i)/2)\*cos((3\*c)/2 + (3\*d\*x)/2)

```

+ 8*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((5*c)/2 + (5*d*x)/2)
+ 2*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((7*c)/2 + (7*d*x)/2)
+ 2*cos(c + d*x)^(1/2)*exp((c*9i)/2 + (d*x*9i)/2)*cos((9*c)/2 + (9*d*x)/2)
)

```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(11/2),x)

[Out] Timed out

$$3.221 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\cos^4(c+dx)} dx$$

Optimal. Leaf size=38

$$\frac{4a^2 \sin(c+dx)}{d^4 \sqrt[4]{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $4*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/4)}/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2762, 8}

$$\frac{4a^2 \sin(c+dx)}{d^4 \sqrt[4]{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(5/4), x]

[Out] (4\*a^2\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(1/4)\*Sqrt[a + a\*Cos[c + d\*x]])

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

Rubi steps

$$\begin{aligned} \int \frac{(a+a \cos(c+dx))^{3/2}}{\cos^4(c+dx)} dx &= \frac{4a^2 \sin(c+dx)}{d^4 \sqrt[4]{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} - (4a) \int 0 dx \\ &= \frac{4a^2 \sin(c+dx)}{d^4 \sqrt[4]{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 51, normalized size = 1.34

$$\frac{2 \tan\left(\frac{1}{2}(c+dx)\right) \sec^2\left(\frac{1}{2}(c+dx)\right) (a(\cos(c+dx)+1))^{3/2}}{d^4 \sqrt[4]{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(5/4), x]

[Out] (2\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(d\*Cos[c + d\*x]^(1/4))

**fricas** [A] time = 1.10, size = 50, normalized size = 1.32

$$\frac{4 \sqrt{a \cos(dx+c) + a} a \cos(dx+c)^{\frac{3}{4}} \sin(dx+c)}{d \cos(dx+c)^2 + d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/4),x, algorithm="fricas")

[Out] 4\*sqrt(a\*cos(d\*x + c) + a)\*a\*cos(d\*x + c)^(3/4)\*sin(d\*x + c)/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/4),x, algorithm="giac")

[Out] Timed out

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{(a + a \cos(dx+c))^{\frac{3}{2}}}{\cos(dx+c)^{\frac{5}{4}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/4),x)

[Out] int((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/4),x)

**maxima** [B] time = 1.13, size = 121, normalized size = 3.18

$$\frac{4 \left( \frac{\sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{4}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{4}} \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/4),x, algorithm="maxima")

[Out] 4\*(sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/4)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/4)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^(1/4))

**mupad** [B] time = 0.58, size = 42, normalized size = 1.11

$$\frac{4 a \sin(c+d x) \sqrt{a(\cos(c+d x)+1)}}{d \cos(c+d x)^{1/4}(\cos(c+d x)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(5/4),x)

[Out] (4\*a\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^(1/2))/(d\*cos(c + d\*x)^(1/4)\*(cos(c + d\*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(c + dx) + 1))^{\frac{3}{2}}}{\cos^{\frac{5}{4}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(5/4),x)

[Out] Integral((a\*(cos(c + d\*x) + 1))\*\*(3/2)/cos(c + d\*x)\*\*(5/4), x)

$$3.222 \quad \int \frac{\sqrt{a+a \cos(e+fx)}}{\sqrt{\cos(e+fx)}} dx$$

**Optimal.** Leaf size=37

$$\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a \cos(e+fx)+a}}\right)}{f}$$

[Out] 2\*arcsin(sin(f\*x+e)\*a^(1/2)/(a+a\*cos(f\*x+e))^(1/2))\*a^(1/2)/f

**Rubi [A]** time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2774, 216}

$$\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a \cos(e+fx)+a}}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[e + f\*x]]/Sqrt[Cos[e + f\*x]],x]

[Out] (2\*Sqrt[a]\*ArcSin[(Sqrt[a]\*Sin[e + f\*x])/Sqrt[a + a\*Cos[e + f\*x]]])/f

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(e+fx)}}{\sqrt{\cos(e+fx)}} dx &= \frac{2 \text{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, -\frac{a \sin(e+fx)}{\sqrt{a+a \cos(e+fx)}}\right)}{f} \\ &= \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a+a \cos(e+fx)}}\right)}{f} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 50, normalized size = 1.35

$$\frac{\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(e+fx)\right)\right) \sec\left(\frac{1}{2}(e+fx)\right) \sqrt{a(\cos(e+fx)+1)}}{f}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[e + f\*x]]/Sqrt[Cos[e + f\*x]],x]

[Out] (Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(e + f\*x)/2]]\*Sqrt[a\*(1 + Cos[e + f\*x])]\*Sec[(e + f\*x)/2])/f

**fricas** [A] time = 1.14, size = 119, normalized size = 3.22

$$\frac{\sqrt{-a} \log\left(\frac{2a \cos(fx+e)^2 - 2\sqrt{a \cos(fx+e)+a} \sqrt{-a} \sqrt{\cos(fx+e)} \sin(fx+e) + a \cos(fx+e) - a}{\cos(fx+e)+1}\right)}{f} - \frac{2\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(fx+e)+a} \sqrt{\cos(fx+e)}}{\sqrt{a} \sin(fx+e)}\right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(f\*x+e))^(1/2)/cos(f\*x+e)^(1/2),x, algorithm="fricas")

[Out] [sqrt(-a)\*log((2\*a\*cos(f\*x + e)^2 - 2\*sqrt(a\*cos(f\*x + e) + a)\*sqrt(-a)\*sqrt(cos(f\*x + e))\*sin(f\*x + e) + a\*cos(f\*x + e) - a)/(cos(f\*x + e) + 1))/f, - 2\*sqrt(a)\*arctan(sqrt(a\*cos(f\*x + e) + a)\*sqrt(cos(f\*x + e))/(sqrt(a)\*sin(f\*x + e)))/f]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a \cos(fx + e) + a}}{\sqrt{\cos(fx + e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(f\*x+e))^(1/2)/cos(f\*x+e)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(f\*x + e) + a)/sqrt(cos(f\*x + e)), x)

**maple** [B] time = 0.10, size = 80, normalized size = 2.16

$$\frac{2\sqrt{\frac{\cos(fx+e)}{1+\cos(fx+e)}} \sqrt{a(1+\cos(fx+e))} \arctan\left(\frac{\sin(fx+e)\sqrt{\frac{\cos(fx+e)}{1+\cos(fx+e)}}}{\cos(fx+e)}\right)}{f\sqrt{\cos(fx+e)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(f\*x+e))^(1/2)/cos(f\*x+e)^(1/2),x)

[Out] 2/f/cos(f\*x+e)^(1/2)\*(cos(f\*x+e)/(1+cos(f\*x+e)))^(1/2)\*(a\*(1+cos(f\*x+e)))^(1/2)\*arctan(sin(f\*x+e)\*(cos(f\*x+e)/(1+cos(f\*x+e)))^(1/2)/cos(f\*x+e))

**maxima** [B] time = 1.22, size = 146, normalized size = 3.95

$$\sqrt{a} \arctan\left(\left(\cos(2fx+2e)^2 + \sin(2fx+2e)^2 + 2\cos(2fx+2e) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2fx+2e), \cos(2fx+2e))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(f\*x+e))^(1/2)/cos(f\*x+e)^(1/2),x, algorithm="maxima")

[Out] sqrt(a)\*arctan2((cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1)) + sin(f\*x + e), (cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1)) + cos(f\*x + e))/f

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{a + a \cos(e + f x)}}{\sqrt{\cos(e + f x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(e + f\*x))^(1/2)/cos(e + f\*x)^(1/2), x)

[Out] int((a + a\*cos(e + f\*x))^(1/2)/cos(e + f\*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(e + f x) + 1)}}{\sqrt{\cos(e + f x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(f\*x+e))\*\*(1/2)/cos(f\*x+e)\*\*(1/2), x)

[Out] Integral(sqrt(a\*(cos(e + f\*x) + 1))/sqrt(cos(e + f\*x)), x)



$$3.223 \quad \int \frac{\sqrt{a-a \cos(e+fx)}}{\sqrt{-\cos(e+fx)}} dx$$

Optimal. Leaf size=38

$$-\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a-a \cos(e+fx)}}\right)}{f}$$

[Out]  $-2*\arcsin(\sin(f*x+e)*a^{(1/2)/(a-a*\cos(f*x+e))^{(1/2))}*a^{(1/2)}/f$

**Rubi [A]** time = 0.07, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2774, 216}

$$-\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a-a \cos(e+fx)}}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a\*Cos[e + f\*x]]/Sqrt[-Cos[e + f\*x]],x]

[Out]  $(-2*\text{Sqrt}[a]*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[e + f*x])/\text{Sqrt}[a - a*\text{Cos}[e + f*x]])/f$

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a-a \cos(e+fx)}}{\sqrt{-\cos(e+fx)}} dx &= \frac{2 \text{Subst} \left( \int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, \frac{a \sin(e+fx)}{\sqrt{a-a \cos(e+fx)}} \right)}{f} \\ &= -\frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(e+fx)}{\sqrt{a-a \cos(e+fx)}}\right)}{f} \end{aligned}$$

**Mathematica [C]** time = 3.61, size = 188, normalized size = 4.95

$$\frac{\sqrt{\cos(e)-i \sin(e)} \sqrt{-\cos(e+fx)} \left(\cot\left(\frac{1}{2}(e+fx)\right)+i\right) \sqrt{a-a \cos(e+fx)} \left(\tanh^{-1}\left(\frac{e^{ifx}}{\sqrt{\cos(e)-i \sin(e)} \sqrt{e^{2ifx}(\cos(e)+i \sin(e))}}\right)\right)}{\sqrt{2} f \sqrt{\cos(e+fx)(\cos(fx)+i \sin(fx))}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a\*Cos[e + f\*x]]/Sqrt[-Cos[e + f\*x]],x]

```
[Out] ((ArcTanh[E^(I*f*x)/(Sqrt[Cos[e] - I*Sin[e]]*Sqrt[Cos[e] + E^((2*I)*f*x)*(Cos[e] + I*Sin[e]) - I*Sin[e]])] + ArcTanh[Sqrt[Cos[e] + E^((2*I)*f*x)*(Cos[e] + I*Sin[e]) - I*Sin[e]]/Sqrt[Cos[e] - I*Sin[e]]])*Sqrt[-Cos[e + f*x]]*Sqrt[a - a*cos[e + f*x]]*(I + Cot[(e + f*x)/2])*Sqrt[Cos[e] - I*Sin[e]])/(Sqrt[2]*f*Sqrt[Cos[e + f*x]*(Cos[f*x] + I*Sin[f*x])])
```

**fricas** [A] time = 0.84, size = 164, normalized size = 4.32

$$\frac{\sqrt{-a} \log \left( \frac{4 \sqrt{-a \cos(fx+e)+a} (2 \cos(fx+e)^2 + 3 \cos(fx+e)+1) \sqrt{-a} \sqrt{-\cos(fx+e)} - (8a \cos(fx+e)^2 + 8a \cos(fx+e)+a) \sin(fx+e)}{\sin(fx+e)} \right)}{2f}, \sqrt{a} \arctan \left( \frac{\sqrt{-\frac{2 \cos(fx+e)}{1+\cos(fx+e)}} \sqrt{2}}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a-a*cos(f*x+e))^(1/2)/(-cos(f*x+e))^(1/2),x, algorithm="fricas")
```

```
[Out] [1/2*sqrt(-a)*log((4*sqrt(-a*cos(f*x + e) + a)*(2*cos(f*x + e)^2 + 3*cos(f*x + e) + 1)*sqrt(-a)*sqrt(-cos(f*x + e)) - (8*a*cos(f*x + e)^2 + 8*a*cos(f*x + e) + a)*sin(f*x + e))/sin(f*x + e))/f, sqrt(a)*arctan(1/2*sqrt(-a*cos(f*x + e) + a)*sqrt(-cos(f*x + e))*(2*cos(f*x + e) + 1)/(sqrt(a)*cos(f*x + e)*sin(f*x + e)))/f]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a-a*cos(f*x+e))^(1/2)/(-cos(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unable to check sign: (4*pi/x/2)>(-4*pi/x/2)-4*sqrt(2*a)*sign(sin(1/2*(f*x+exp(1))))*atan((-sqrt(2)+2*(4*sqrt(2)-2*sqrt(-tan(1/2*(1/2*f*x+1/2*exp(1))))^4+6*tan(1/2*(1/2*f*x+1/2*exp(1))))^2-1))/(-2*tan(1/2*(1/2*f*x+1/2*exp(1))))^2+6)/sqrt(2))/sqrt(2)/f
```

**maple** [B] time = 0.17, size = 91, normalized size = 2.39

$$\frac{\sqrt{-\frac{2 \cos(fx+e)}{1+\cos(fx+e)}} \sqrt{-2a(-1+\cos(fx+e))} \sin(fx+e) \arctan \left( \frac{\sqrt{-\frac{2 \cos(fx+e)}{1+\cos(fx+e)}} \sqrt{2}}{2} \right)}{f \sqrt{-\cos(fx+e)} (-1+\cos(fx+e))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a-a*cos(f*x+e))^(1/2)/(-cos(f*x+e))^(1/2),x)
```

```
[Out] -1/f*(-2*cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*(-2*a*(-1+cos(f*x+e)))^(1/2)*sin(f*x+e)*arctan(1/2*(-2*cos(f*x+e)/(1+cos(f*x+e)))^(1/2)*2^(1/2))/(-cos(f*x+e))^(1/2)/(-1+cos(f*x+e))
```

**maxima** [B] time = 0.86, size = 420, normalized size = 11.05

$$\frac{\sqrt{-a} \left( \log \left( 4 \sqrt{\cos(2fx+2e)^2 + \sin(2fx+2e)^2 + 2 \cos(2fx+2e) + 1} \cos \left( \frac{1}{2} \arctan \left( \sin(2fx+2e) \right), \cos \right) \right) \right)}{f \sqrt{-\cos(2fx+2e) + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(f\*x+e))^(1/2)/(-cos(f\*x+e))^(1/2),x, algorithm="maxima")

[Out] 1/2\*sqrt(-a)\*(log(4\*sqrt(cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)\*cos(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1))^2 + 4\*sqrt(cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)\*sin(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1))^2 + 8\*(cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1)) + 4) - log(cos(f\*x + e)^2 + sin(f\*x + e)^2 + sqrt(cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)\*(cos(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1))^2 + sin(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1))^2) + 2\*(cos(2\*f\*x + 2\*e)^2 + sin(2\*f\*x + 2\*e)^2 + 2\*cos(2\*f\*x + 2\*e) + 1)^(1/4)\*(cos(f\*x + e)\*cos(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1)) + sin(f\*x + e)\*sin(1/2\*arctan2(sin(2\*f\*x + 2\*e), cos(2\*f\*x + 2\*e) + 1)))))/f

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{a - a \cos(e + f x)}}{\sqrt{-\cos(e + f x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - a\*cos(e + f\*x))^(1/2)/(-cos(e + f\*x))^(1/2),x)

[Out] int((a - a\*cos(e + f\*x))^(1/2)/(-cos(e + f\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(e + f x) - 1)}}{\sqrt{-\cos(e + f x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(f\*x+e))\*\*(1/2)/(-cos(f\*x+e))\*\*(1/2),x)

[Out] Integral(sqrt(-a\*(cos(e + f\*x) - 1))/sqrt(-cos(e + f\*x)), x)

$$3.224 \quad \int \frac{\cos^5(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=171

$$\frac{\sin(c+dx) \cos^3(c+dx)}{2d\sqrt{a \cos(c+dx)+a}} + \frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

[Out] 7/4\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctan(1/2\*  
sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)  
/d/a^(1/2)+1/2\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)-1/4\*sin  
(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.42, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25, number of rules / integrand size = 0.280, Rules used = {2778, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{\sin(c+dx) \cos^3(c+dx)}{2d\sqrt{a \cos(c+dx)+a}} + \frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{a}d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (7\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(4\*Sqrt[a]\*d) -  
(Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{\sqrt{\cos(c+dx)}(-3a+a\cos(c+dx))}{\sqrt{a+a\cos(c+dx)}} dx}{4a} \\ &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{\frac{a^2}{2} - \frac{7}{2}a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)}} dx}{4a^2} \\ &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{7 \int \frac{\sqrt{a+a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{8a} \\ &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{\cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} - \frac{7 \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x\right)}{4ad} \\ &= \frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{\cos(c+dx)}}{4d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.25, size = 289, normalized size = 1.69

$$\cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \left(-4\sqrt{1+e^{2i(c+dx)}} \sin\left(\frac{1}{2}(c+dx)\right) + 2\sqrt{1+e^{2i(c+dx)}} \sin\left(\frac{3}{2}(c+dx)\right) - 7 \sin\left(\frac{1}{2}(c+dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)/Sqrt[a + a*Cos[c + d*x]], x]
```

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]\*((7\*I)\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]]\*Cos[(c + d\*x)/2] - 4\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sin[(c + d\*x)/2] - 7\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]]\*Sin[(c + d\*x)/2] + 7\*ArcSinh[E^(I\*(c + d\*x))]\*((-I)\*Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + 8\*Sqrt[2]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*((-I)\*Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sin[(3\*(c + d\*x)/2)])/(4\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 1.70, size = 155, normalized size = 0.91

$$\frac{\sqrt{a \cos(dx + c) + a} (2 \cos(dx + c) - 1) \sqrt{\cos(dx + c)} \sin(dx + c) - 7 \sqrt{a} (\cos(dx + c) + 1) \arctan\left(\frac{\sqrt{a \cos(dx + c) + a}}{\sqrt{a} \sin(dx + c)}\right)}{4 (ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/4\*(sqrt(a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c) - 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 7\*sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 4\*sqrt(2)\*(a\*cos(d\*x + c) + a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a))/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/sqrt(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.21, size = 196, normalized size = 1.15

$$\frac{\left(\cos^{\frac{5}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left(2 \sin(dx + c) \cos(dx + c) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} - \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right)}{8d \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{5}{2}} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2), x)

[Out] -1/8/d\*cos(d\*x+c)^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^3\*(2\*sin(d\*x+c)\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+7\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+8\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c)))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6\*2^(1/2)/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/sqrt(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.225 \quad \int \frac{\cos^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=128

$$-\frac{\sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out]  $-\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d/a^{(1/2)}+\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.28, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2778, 2982, 2782, 205, 2774, 216}

$$-\frac{\sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)/Sqrt[a + a*Cos[c + d*x]], x]`

[Out]  $-(\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(\text{Sqrt}[a]*d)) + (\text{Sqrt}[2]*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]/(\text{Sqrt}[a]*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 216

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

#### Rule 2774

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]`

#### Rule 2778

`Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(-2*d*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n - 1))/(f*(2*n - 1)*Sqrt[a + b*Sin[e + f*x]], x] - Dist[1/(b*(2*n - 1)), Int[((c + d*Sin[e + f*x])^(n - 2)*Simp[a*c*d - b*(2*d^2*(n - 1) + c^2*(2*n - 1)) + d*(a*d - b*c*(4*n - 3))*Sin[e + f*x], x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c`



$-b*d*x^2), x], x, (b*\cos[e + f*x])/(sqrt[a + b*\sin[e + f*x]]*sqrt[c + d*\sin[e + f*x]]), x] /; FreeQ[\{a, b, c, d, e, f\}, x] \&\& NeQ[b*c - a*d, 0] \&\& EqQ[a^2 - b^2, 0] \&\& NeQ[c^2 - d^2, 0]$

### Rule 2982

$Int[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(sqrt[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*sqrt[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> Dist[(A*b - a*B)/b, Int[1/(sqrt[a + b*\sin[e + f*x]]*sqrt[c + d*\sin[e + f*x]]), x], x] + Dist[B/b, Int[sqrt[a + b*\sin[e + f*x]]/sqrt[c + d*\sin[e + f*x]], x], x] /; FreeQ[\{a, b, c, d, e, f, A, B\}, x] \&\& NeQ[b*c - a*d, 0] \&\& EqQ[a^2 - b^2, 0] \&\& NeQ[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{-a+a\cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{2a} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{\sqrt{a+a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{2a} + \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} + \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{ad} \quad (2a) \text{ Subst} \\ &= -\frac{\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\sqrt{2}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\sqrt{\cos(c+dx)}}{d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.29, size = 227, normalized size = 1.77

$$\frac{ie^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \left(-\sqrt{2}e^{i(c+dx)} \sinh^{-1}\left(e^{i(c+dx)}\right) - 4e^{i(c+dx)} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\right)}{\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/sqrt[a + a\*cos[c + d\*x]], x]

[Out]  $((-I)*(-(sqrt[2]*E^(I*(c + d*x))*ArcSinh[E^(I*(c + d*x))]) - 4*E^(I*(c + d*x))*ArcTanh[(1 - E^(I*(c + d*x)))/(sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])] + sqrt[2]*((-1 + E^(I*(c + d*x)))*sqrt[1 + E^((2*I)*(c + d*x))]) + E^(I*(c + d*x))*ArcTanh[sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[(c + d*x)/2]*sqrt[Cos[c + d*x]])/(sqrt[2]*d*E^((I/2)*(c + d*x))*sqrt[1 + E^((2*I)*(c + d*x))]*sqrt[a*(1 + Cos[c + d*x])])$

**fricas [A]** time = 1.18, size = 143, normalized size = 1.12

$$\frac{\sqrt{a}(\cos(dx+c)+1)\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a}{\sqrt{a}\sin(dx+c)}\right) - \frac{\sqrt{2}(a\cos(dx+c)+a)\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \sqrt{a}\cos(dx+c)}{ad\cos(dx+c)+ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out]  $(\sqrt{a}(\cos(dx + c) + 1)\arctan(\sqrt{a\cos(dx + c) + a})\sqrt{\cos(dx + c)})/(\sqrt{a}\sin(dx + c))) - \sqrt{2}(a\cos(dx + c) + a)\arctan(\sqrt{2}\sqrt{a\cos(dx + c) + a})\sqrt{\cos(dx + c)}/(\sqrt{a}\sin(dx + c))/\sqrt{a} + \sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c)/(a\cos(dx + c) + a)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{\sqrt{a\cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate(cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)`

**maple** [A] time = 0.18, size = 159, normalized size = 1.24

$$\frac{\left(\cos^{\frac{3}{2}}(dx + c)\right)\sqrt{a(1 + \cos(dx + c))}(-1 + \cos(dx + c))^2\left(-\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sin(dx + c) + \sqrt{2}\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)}{2d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sin(dx + c)^4 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $-1/2/d*\cos(dx+c)^(3/2)*(a*(1+\cos(dx+c)))^(1/2)*(-1+\cos(dx+c))^(2)*(-2^(1/2))*(\cos(dx+c)/(1+\cos(dx+c)))^(1/2)*\sin(dx+c)+2^(1/2)*\arctan(\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^(1/2)/\cos(dx+c))+2*\arcsin((-1+\cos(dx+c))/\sin(dx+c)))/(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)/\sin(dx+c)^4*2^(1/2)/a$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{\sqrt{a\cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2}}{\sqrt{a + a\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(cos(c + d*x)**(3/2)/sqrt(a*(cos(c + d*x) + 1)), x)
```

$$3.226 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=95

$$\frac{2 \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} - \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

[Out] 2\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)

**Rubi [A]** time = 0.17, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2777, 2774, 216, 2782, 205}

$$\frac{2 \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} - \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(Sqrt[a]\*d) - (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2777

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+a\cos(c+dx)}} dx &= \frac{\int \frac{\sqrt{a+a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{a} - \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx \\ &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, -\frac{a\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{ad} + \frac{(2a) \operatorname{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{2 \sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} \end{aligned}$$

**Mathematica [C]** time = 0.44, size = 161, normalized size = 1.69

$$\frac{i(1+e^{i(c+dx)})\sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})}\left(-\sinh^{-1}(e^{i(c+dx)})+\sqrt{2}\tanh^{-1}\left(\frac{-1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)\right)+\tanh^{-1}\left(\sqrt{1+e^{2i(c+dx)}}\right)}{\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (I\*(1 + E^(I\*(c + d\*x)))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*(-ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*ArcTanh[(-1 + E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.10, size = 89, normalized size = 0.94

$$\frac{\sqrt{2}\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-2\sqrt{a}\arctan\left(\frac{\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] (sqrt(2)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(a\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.18, size = 125, normalized size = 1.32

$$\frac{(\sqrt{\cos(dx+c)} \sqrt{a(1+\cos(dx+c))} (-1+\cos(dx+c)) \left( \sqrt{2} \arctan \left( \frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + \arcsin \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) \right)}{d \sin(dx+c)^2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x)`

[Out] `-1/d*cos(d*x+c)^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))*(2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c))+arcsin((-1+cos(d*x+c))/sin(d*x+c))/sin(d*x+c)^2/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*2^(1/2)/a`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(1/2)/(a+a*cos(c+d*x))^(1/2),x)`

[Out] `int(cos(c+d*x)^(1/2)/(a+a*cos(c+d*x))^(1/2),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(cos(c+d*x))/sqrt(a*(cos(c+d*x)+1)),x)`

$$3.227 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=56

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

[Out] arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2782, 205}

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]), x]

[Out] (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx &= -\frac{(2a) \text{Subst} \left( \int \frac{1}{2a^2+ax^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right)}{d} \\ &= \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right)}{\sqrt{a} d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 51, normalized size = 0.91

$$\frac{2 \cos \left( \frac{1}{2}(c+dx) \right) \tan^{-1} \left( \frac{\sin \left( \frac{1}{2}(c+dx) \right)}{\sqrt{\cos(c+dx)}} \right)}{d \sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] (2\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]\*Cos[(c + d\*x)/2])/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 1.03, size = 159, normalized size = 2.84

$$\left[ \frac{\sqrt{2} \sqrt{-\frac{1}{a}} \log\left(\frac{2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{-\frac{1}{a}}\sqrt{\cos(dx+c)}\sin(dx+c)-3\cos(dx+c)^2-2\cos(dx+c)+1}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)}{2d}, \frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{2(\cos(dx+c)^2+\cos(dx+c)+1)}\right)}{\sqrt{a}d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2\*sqrt(2)\*sqrt(-1/a)\*log(-(2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-1/a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c) + 1)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/d, sqrt(2)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/((cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)))/(sqrt(a)\*d)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.13, size = 69, normalized size = 1.23

$$\frac{\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{2}}{d\sqrt{\cos(dx+c)} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -1/d/cos(d\*x+c)^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)/a

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mapad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(1/2)),x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(1/2)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(c + dx) + 1)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(a*(cos(c + d*x) + 1))*sqrt(cos(c + d*x))), x)`

$$3.228 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=93

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out]  $-\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})$

**Rubi [A]** time = 0.13, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2779, 12, 2782, 205}

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out]  $-\left(\frac{\text{Sqrt}[2]*\text{ArcTan}[\frac{\text{Sqrt}[a]*\text{Sin}[c+d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]}]}{\text{Sqrt}[a]*d}\right) + \frac{2*\text{Sin}[c+d*x]}{d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]}$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2779**

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx &= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} - \frac{\int \frac{a}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{a} \\
&= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} - \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx \\
&= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} + \frac{(2a) \operatorname{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}}\right)}{d} \\
&= -\frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 2.47, size = 180, normalized size = 1.94

$$\frac{2\sin\left(\frac{1}{2}(c+dx)\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{2}\cos(c+dx)(\cos(c+dx)+2)\csc^4\left(\frac{1}{2}(c+dx)\right)\right)\left(-\cos(c+dx)+\cos(c+dx)\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] (2\*Cos[(c + d\*x)/2]\*Sin[(c + d\*x)/2]\*((Cos[c + d\*x]\*(2 + Cos[c + d\*x])\*Csc[(c + d\*x)/2]^4\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]))/2 - (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)\*Sin[c + d\*x]\*Tan[c + d\*x])/10))/(d\*Cos[c + d\*x]^(3/2)\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.12, size = 132, normalized size = 1.42

$$\frac{\sqrt{2}(a\cos(dx+c)^2+a\cos(dx+c))\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(\cos(dx+c)^2+\cos(dx+c))\sqrt{a}}\right)}{\sqrt{a}} - 2\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)}{ad\cos(dx+c)^2+ad\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] -(sqrt(2)\*(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/((cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)))/sqrt(a) - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*d\*cos(d\*x + c)^2 + a\*d\*cos(d\*x + c))

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a\cos(dx+c)+a}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 0.17, size = 206, normalized size = 2.22

$$\frac{\left( \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \left(\cos^2(dx+c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 2 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \cos(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \cos^2(dx+c) \right)}{d(-1+\cos(dx+c))(1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2), x)

[Out] -1/d\*(arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)\*sin(d\*x+c)^2\*(a\*(1+cos(d\*x+c)))^(1/2)/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2/cos(d\*x+c)^(3/2)\*2^(1/2)/a

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^(1/2)), x)

[Out] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^(1/2)), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(c+dx)+1)} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a\*(cos(c+d\*x)+1))\*cos(c+d\*x)\*\*(3/2)), x)

$$3.229 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=131

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)+2/3\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)-2/3\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.24, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2779, 2984, 12, 2782, 205}

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(Sqrt[a]\*d) + (2\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx = \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{a - 2a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx}{3a}$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d} + \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [C]** time = 7.67, size = 473, normalized size = 3.61

$$2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 12 \sin^8\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right) + 12 \left( 3 \sin^4\left(\frac{c}{2} + \frac{dx}{2}\right) \right. \right.$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]),x]
```

```
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^4*(12*Cos[(c + d*x)/2]^4*Hypergeo
metricPFQ[{2, 2, 7/2}, {1, 9/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*
x)/2]^2)]*Sin[c/2 + (d*x)/2]^8 + 12*Hypergeometric2F1[2, 7/2, 9/2, Sin[c/2
+ (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin
[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (d*x)/2]^4) + 7*(1 - 2*Sin[c/2 + (d*x)/2]^2
)^3*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(15 - 20*Sin[c
/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d*x)/2]^4)*(ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^
2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(3 - 6*Sin[c/2 + (d*x)/2]^2) + Sqrt[Sin[c
/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(-3 + 7*Sin[c/2 + (d*x)/2]^2
)))/(63*d*Sqrt[a*(1 + Cos[c + d*x])]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2))
```

**fricas [A]** time = 2.21, size = 145, normalized size = 1.11

$$2 \sqrt{a \cos(dx + c) + a} (\cos(dx + c) - 1) \sqrt{\cos(dx + c)} \sin(dx + c) - \frac{3 \sqrt{2} (a \cos(dx + c)^3 + a \cos(dx + c)^2) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c)}}{2 (\cos(dx + c) - 1)}\right)}{\sqrt{a}}$$

$$3 (ad \cos(dx + c)^3 + ad \cos(dx + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 
$$-1/3*(2*\sqrt{a*\cos(d*x + c) + a}*(\cos(d*x + c) - 1)*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 3*\sqrt{2}*(a*\cos(d*x + c)^3 + a*\cos(d*x + c)^2)*\arctan(1/2*\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/((\cos(d*x + c)^2 + \cos(d*x + c))*\sqrt{a}))/\sqrt{a})/(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)^2)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.18, size = 274, normalized size = 2.09

$$\frac{\left(3 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \left(\cos^3(dx+c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} + 9 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \left(\cos^2(dx+c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 
$$-1/3/d*(3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^(5/2)+9*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^(5/2)+9*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(5/2)+3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^(5/2)+\cos(d*x+c)^2*\sin(d*x+c)*2^(1/2)-2^(1/2)*\cos(d*x+c)*\sin(d*x+c)*\sin(d*x+c)^4*(a*(1+\cos(d*x+c)))^(1/2)/(-1+\cos(d*x+c))^2/(1+\cos(d*x+c))^3/\cos(d*x+c)^(5/2)*2^(1/2)/a$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(c+dx)+1)} \cos^{\frac{5}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a\*(cos(c + d\*x) + 1))\*cos(c + d\*x)\*\*(5/2)), x)



$$3.230 \quad \int \frac{1}{\cos^{\frac{7}{2}}(c+dx) \sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=169

$$-\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{26 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}$$

[Out]  $-\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}+2/5*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}-2/15*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+26/15*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.36, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2779, 2984, 12, 2782, 205}

$$-\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{26 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out]  $-\left(\frac{\text{Sqrt}[2]*\text{ArcTan}\left[\frac{\text{Sqrt}[a]*\text{Sin}[c+d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]}\right]}{\text{Sqrt}[a]*d}\right) + \frac{2*\text{Sin}[c+d*x]}{5*d*\text{Cos}[c+d*x]^{(5/2)}*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]} - \frac{2*\text{Sin}[c+d*x]}{15*d*\text{Cos}[c+d*x]^{(3/2)}*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]} + \frac{26*\text{Sin}[c+d*x]}{15*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]}$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2779

Int[((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])\*Sqrt[(c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx = \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{a - 4a \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx}{5a}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{a} d} + \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [C]** time = 10.02, size = 1540, normalized size = 9.11

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]),x]
```

```
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^6*(4725*Sin[c/2 + (d*x)/2]^2 - 48 825*Sin[c/2 + (d*x)/2]^4 + 210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2 + (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^12 + 1770*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^12 + 22665 6*Sin[c/2 + (d*x)/2]^14 - 1500*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^14 - 42048*Sin[c/2 + (d*x)/2]^16 + 440*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^16 + 4725*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sqrt[Sin[c/2 + (d*x)/2]
```

$$\begin{aligned} &^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 56700*\operatorname{ArcTanh}[\operatorname{Sqrt}[\sin[c/2 + (d*x)/2]^2 \\ &/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^2*\operatorname{Sqrt}[\sin[c/2 + (d*x)/ \\ &2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 291060*\operatorname{ArcTanh}[\operatorname{Sqrt}[\sin[c/2 + (d*x)/2 \\ &]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^4*\operatorname{Sqrt}[\sin[c/2 + (d* \\ &x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 833760*\operatorname{ArcTanh}[\operatorname{Sqrt}[\sin[c/2 + (d*x \\ &)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^6*\operatorname{Sqrt}[\sin[c/2 + \\ &(d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 1458000*\operatorname{ArcTanh}[\operatorname{Sqrt}[\sin[c/2 + \\ &(d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^8*\operatorname{Sqrt}[\sin[c/ \\ &2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 1598400*\operatorname{ArcTanh}[\operatorname{Sqrt}[\sin[c/ \\ &2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^10*\operatorname{Sqrt}[S \\ &\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 1080000*\operatorname{ArcTanh}[\operatorname{Sqrt}[S \\ &\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^12*S \\ &\operatorname{qrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] - 414720*\operatorname{ArcTanh}[Sq \\ &\operatorname{rt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/2]^ \\ &14*\operatorname{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 69120*\operatorname{ArcTanh} \\ &[\operatorname{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]]*\sin[c/2 + (d*x)/ \\ &2]^16*\operatorname{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)] + 60*\operatorname{Cos}[(c \\ &+ d*x)/2]^4*\operatorname{HypergeometricPFQ}[\{2, 2, 9/2\}, \{1, 11/2\}, \sin[c/2 + (d*x)/2]^2/ \\ &(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*\sin[c/2 + (d*x)/2]^10*(-5 + 4*\sin[c/2 + (d*x \\ &)/2]^2))/(675*d*\operatorname{Sqrt}[a*(1 + \operatorname{Cos}[c + d*x])]*(1 - 2*\sin[c/2 + (d*x)/2]^2)^(7 \\ &/2)*(-1 + 2*\sin[c/2 + (d*x)/2]^2)) \end{aligned}$$

**fricas** [A] time = 2.01, size = 157, normalized size = 0.93

$$\frac{2\sqrt{a\cos(dx+c)+a}\left(13\cos(dx+c)^2-\cos(dx+c)+3\right)\sqrt{\cos(dx+c)}\sin(dx+c)-\frac{15\sqrt{2}\left(a\cos(dx+c)^4+a\cos(dx+c)\right)}{15\left(ad\cos(dx+c)^4+ad\cos(dx+c)^3\right)}}{15\sqrt{2}\left(a\cos(dx+c)^4+a\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
[Out] 1/15*(2*sqrt(a*cos(d*x + c) + a)*(13*cos(d*x + c)^2 - cos(d*x + c) + 3)*sqrt(cos(d*x + c))*sin(d*x + c) - 15*sqrt(2)*(a*cos(d*x + c)^4 + a*cos(d*x + c)^3)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/((cos(d*x + c)^2 + cos(d*x + c))*sqrt(a)))/sqrt(a))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a\cos(dx+c)+a}\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
[Out] integrate(1/(sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^(7/2)), x)
```

**maple** [B] time = 0.27, size = 341, normalized size = 2.02

$$\frac{\left(15\left(\cos^4(dx+c)\right)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{7}{2}}+60\left(\cos^3(dx+c)\right)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)\right)}{15\sqrt{2}\left(a\cos(dx+c)^4+a\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x)
```

```
[Out] -1/15/d*(15*cos(d*x+c)^4*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+
cos(d*x+c)))^(7/2)+60*cos(d*x+c)^3*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(
d*x+c)/(1+cos(d*x+c)))^(7/2)+90*cos(d*x+c)^2*arcsin((-1+cos(d*x+c))/sin(d*x
+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+60*cos(d*x+c)*arcsin((-1+cos(d*x+c))
/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+15*arcsin((-1+cos(d*x+c))/si
n(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+13*cos(d*x+c)^3*sin(d*x+c)*2^(1
/2)-cos(d*x+c)^2*sin(d*x+c)*2^(1/2)+3*2^(1/2)*cos(d*x+c)*sin(d*x+c)*sin(d*
x+c)^6*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))^3/(1+cos(d*x+c))^4/cos(d*x+
c)^(7/2)*2^(1/2)/a
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
sign: argument cannot be imaginary; found %i
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{7/2} \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c+d*x)^(7/2)*(a+a*cos(c+d*x))^(1/2)),x)
```

```
[Out] int(1/(cos(c+d*x)^(7/2)*(a+a*cos(c+d*x))^(1/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.231 \quad \int \frac{\cos^5(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=126

$$\frac{\sin(c+dx) \cos^3(c+dx)}{2d\sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{7 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{4d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{\cos(c+dx)+1}}$$

[Out] 7/4\*arcsin(sin(d\*x+c)/(1+cos(d\*x+c))^(1/2))/d-arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))^2^(1/2)/d+1/2\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(1+cos(d\*x+c))^(1/2)-1/4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.27, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2778, 2983, 2982, 2781, 216, 2774}

$$\frac{\sin(c+dx) \cos^3(c+dx)}{2d\sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{7 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{4d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out] -((Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])])/d) + (7\*ArcSin[Sin[c + d\*x]/Sqrt[1 + Cos[c + d\*x]]])/(4\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[1 + Cos[c + d\*x]]) + (Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[1 + Cos[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Ssin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Ssin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Ssin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{\cos^5(c + dx)}{\sqrt{1 + \cos(c + dx)}} dx = \frac{\cos^3(c + dx) \sin(c + dx)}{2d\sqrt{1 + \cos(c + dx)}} - \frac{1}{4} \int \frac{(-3 + \cos(c + dx))\sqrt{\cos(c + dx)}}{\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 + \cos(c + dx)}} + \frac{\cos^3(c + dx) \sin(c + dx)}{2d\sqrt{1 + \cos(c + dx)}} - \frac{1}{4} \int \frac{\frac{1}{2} - \frac{7}{2} \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 + \cos(c + dx)}} + \frac{\cos^3(c + dx) \sin(c + dx)}{2d\sqrt{1 + \cos(c + dx)}} + \frac{7}{8} \int \frac{\sqrt{1 + \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 + \cos(c + dx)}} + \frac{\cos^3(c + dx) \sin(c + dx)}{2d\sqrt{1 + \cos(c + dx)}} - \frac{7 \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sqrt{\cos(c + dx)}}{\sqrt{1 + \cos(c + dx)}}\right)}{4d}$$

$$= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c + dx)}{1 + \cos(c + dx)}\right)}{d} + \frac{7 \sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{1 + \cos(c + dx)}}\right)}{4d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 + \cos(c + dx)}} + \frac{\cos^3(c + dx) \sin(c + dx)}{2d\sqrt{1 + \cos(c + dx)}}$$

**Mathematica [C]** time = 0.90, size = 286, normalized size = 2.27

$$\cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \left(-4\sqrt{1 + e^{2i(c + dx)}} \sin\left(\frac{1}{2}(c + dx)\right) + 2\sqrt{1 + e^{2i(c + dx)}} \sin\left(\frac{3}{2}(c + dx)\right) - 7 \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)/Sqrt[1 + Cos[c + d*x]], x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*((7*I)*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]*Cos[(c + d*x)/2] - 4*Sqrt[1 + E^((2*I)*(c + d*x))]*Sin[(c + d*x)/2] - 7*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]*Sin[(c + d*x)/2] + 7*ArcSinh[E^(I*(c + d*x))]*((-I)*Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 8*Sqrt[2]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*((-I)*Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 2*Sqrt[1 + E^((2*I)*(c + d*x))]*Sin[(3*(c + d*x))/2]))/(4*d*Sqrt[1 + E^((2*I)*(c + d*x))])
```

**fricas [A]** time = 1.99, size = 135, normalized size = 1.07

$$\frac{(2 \cos(dx + c) - 1)\sqrt{\cos(dx + c) + 1} \sqrt{\cos(dx + c)} \sin(dx + c) + 4(\sqrt{2} \cos(dx + c) + \sqrt{2}) \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx + c)}}{\sin(dx + c)}\right)}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/4\*((2\*cos(d\*x + c) - 1)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) + 4\*(sqrt(2)\*cos(d\*x + c) + sqrt(2))\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) - 7\*(cos(d\*x + c) + 1)\*arctan(sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/sqrt(cos(d\*x + c) + 1), x)

**maple** [A] time = 0.16, size = 187, normalized size = 1.48

$$\sqrt{2+2\cos(dx+c)} \left( \cos^{\frac{5}{2}}(dx+c) \right) (-1+\cos(dx+c))^3 \left( 2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + 4\sqrt{2} \arcsin\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right) \right) + 8d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] -1/8/d\*(2+2\*cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(5/2)\*(-1+cos(d\*x+c))^3\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)+4\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+7\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6\*2^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/sqrt(cos(d\*x + c) + 1), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{5/2}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(cos(c + d\*x) + 1)^(1/2),x)

[Out] int(cos(c + d\*x)^(5/2)/(cos(c + d\*x) + 1)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)/(1+cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```



$$3.232 \quad \int \frac{\cos^3(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=85

$$\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{\sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{\cos(c+dx)+1}}$$

[Out]  $-\arcsin(\sin(d*x+c)/(1+\cos(d*x+c))^{(1/2)})/d+\arcsin(\sin(d*x+c)/(1+\cos(d*x+c)))^{*2^{(1/2)}/d+\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(1+\cos(d*x+c))^{(1/2)}}$

**Rubi [A]** time = 0.19, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2778, 2982, 2781, 216, 2774}

$$\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{\sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/Sqrt[1 + Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])])/d - ArcSin[Sin[c + d\*x]/Sqrt[1 + Cos[c + d\*x]]/d + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[1 + Cos[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dis

t[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{\sqrt{1 + \cos(c + dx)}} dx &= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 + \cos(c + dx)}} - \frac{1}{2} \int \frac{-1 + \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{1 + \cos(c + dx)}} dx \\ &= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 + \cos(c + dx)}} - \frac{1}{2} \int \frac{\sqrt{1 + \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx + \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{1 + \cos(c + dx)}} dx \\ &= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 + \cos(c + dx)}} + \frac{\text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2} \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, \frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} - \frac{\sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 + \cos(c + dx)}} \end{aligned}$$

**Mathematica** [C] time = 0.86, size = 224, normalized size = 2.64

$$\frac{ie^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \left(-\sqrt{2} e^{i(c+dx)} \sinh^{-1}\left(e^{i(c+dx)}\right) - 4e^{i(c+dx)} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\left(\sqrt{1+e^{2i(c+dx)}}\right)\right)}{\sqrt{2} d \sqrt{1 + e^{2i(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out] ((-1)\*(-(Sqrt[2]\*E^(I\*(c + d\*x))\*ArcSinh[E^(I\*(c + d\*x))]) - 4\*E^(I\*(c + d\*x))\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + Sqrt[2]\*((-1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])])/(Sqrt[2]\*d\*E^((I/2)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])

**fricas** [A] time = 1.47, size = 125, normalized size = 1.47

$$\frac{(\sqrt{2} \cos(dx + c) + \sqrt{2}) \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)}\right) - (\cos(dx + c) + 1) \arctan\left(\frac{\sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] -((sqrt(2)\*cos(d\*x + c) + sqrt(2))\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) - (cos(d\*x + c) + 1)\*arctan(sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) - sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c) + d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{\sqrt{\cos(dx + c) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/sqrt(cos(d\*x + c) + 1), x)

**maple** [A] time = 0.14, size = 151, normalized size = 1.78

$$\frac{\left(\cos^{\frac{3}{2}}(dx+c)\right)\sqrt{2+2\cos(dx+c)}(-1+\cos(dx+c))^2\left(\sqrt{2}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)-\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sin(dx+c)\right)}{2d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sin(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] -1/2/d\*cos(d\*x+c)^(3/2)\*(2+2\*cos(d\*x+c))^(1/2)\*(-1+cos(d\*x+c))^2\*(2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^4\*2^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/sqrt(cos(d\*x + c) + 1), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{\frac{3}{2}}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(cos(c + d\*x) + 1)^(1/2),x)

[Out] int(cos(c + d\*x)^(3/2)/(cos(c + d\*x) + 1)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(1+cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/sqrt(cos(c + d\*x) + 1), x)

$$3.233 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx$$

Optimal. Leaf size=54

$$\frac{2 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out] 2\*arcsin(sin(d\*x+c)/(1+cos(d\*x+c))^(1/2))/d-arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)/d

**Rubi [A]** time = 0.12, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2777, 2774, 216, 2781}

$$\frac{2 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[1 + Cos[c + d\*x]], x]

[Out] -((Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])])/d) + (2\*ArcSin[Sin[c + d\*x]/Sqrt[1 + Cos[c + d\*x]]])/d

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2777

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx &= - \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx + \int \frac{\sqrt{1+\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \\ &= - \frac{2 \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} + \frac{\sqrt{2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} \\ &= - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} + \frac{2 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.26, size = 135, normalized size = 2.50

$$\frac{i(1 + e^{i(c+dx)}) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \left( \sinh^{-1}(e^{i(c+dx)}) - \sqrt{2} \tanh^{-1}\left(\frac{-1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) - \tanh^{-1}\left(\sqrt{1+e^{2i(c+dx)}}\right) \right)}{d\sqrt{1+e^{2i(c+dx)}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[1 + Cos[c + d\*x]], x]

[Out]  $((-I)*(1 + E^{(I*(c + d*x))})*(ArcSinh[E^{(I*(c + d*x))}] - Sqrt[2]*ArcTanh[(-1 + E^{(I*(c + d*x))}]/(Sqrt[2]*Sqrt[1 + E^{((2*I)*(c + d*x))}]]] - ArcTanh[Sqrt[1 + E^{((2*I)*(c + d*x))}]])*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])/(d*Sqrt[1 + E^{((2*I)*(c + d*x))}])$

**fricas [A]** time = 0.88, size = 70, normalized size = 1.30

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\sqrt{\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right) - 2 \arctan\left(\frac{\sqrt{\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out]  $(\sqrt{2}*\arctan(\sqrt{2}*\sqrt{\cos(d*x + c) + 1}*\sqrt{\cos(d*x + c)})/\sin(d*x + c) - 2*\arctan(\sqrt{\cos(d*x + c) + 1}*\sqrt{\cos(d*x + c)})/\sin(d*x + c))/d$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(cos(d\*x + c) + 1), x)

**maple [B]** time = 0.14, size = 124, normalized size = 2.30

$$\frac{\sqrt{2+2\cos(dx+c)} \left(\sqrt{\cos(dx+c)}\right) (-1+\cos(dx+c)) \left(\sqrt{2} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) + 2 \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right)}{2d \sin(dx+c)^2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)/(1+cos(d*x+c))^(1/2),x)`

[Out] `-1/2/d*(2+2*cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2)*(-1+cos(d*x+c))*(2^(1/2)*arc  
sin((-1+cos(d*x+c))/sin(d*x+c))+2*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+  
c)))^(1/2)/cos(d*x+c)))/sin(d*x+c)^2/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*2^(1  
/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)/(1+cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(1/2)/(cos(c+d*x)+1)^(1/2),x)`

[Out] `int(cos(c+d*x)^(1/2)/(cos(c+d*x)+1)^(1/2),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(1+cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(cos(c+d*x))/sqrt(cos(c+d*x)+1),x)`

$$3.234 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=27

$$\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out] arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)/d

**Rubi [A]** time = 0.04, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2781, 216}

$$\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]),x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])])/d

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2781**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx &= -\frac{\sqrt{2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} \\ &= \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 49, normalized size = 1.81

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right)}{d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]),x]

[Out] (2\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]\*Cos[(c + d\*x)/2])/(d\*Sqrt[1 + Cos[c + d\*x]])

**fricas** [B] time = 0.66, size = 54, normalized size = 2.00

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)} \sin(dx+c)}{2(\cos(dx+c)^2 + \cos(dx+c))}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] sqrt(2)\*arctan(1/2\*sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(cos(d\*x + c)^2 + cos(d\*x + c)))/d

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.09, size = 63, normalized size = 2.33

$$\frac{\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{2+2\cos(dx+c)} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)}{d\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] -1/d/cos(d\*x+c)^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(2+2\*cos(d\*x+c))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(cos(c + d\*x) + 1)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(cos(c + d\*x) + 1)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(c+dx)+1} \sqrt{\cos(c+dx)}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(1/2)/(1+cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(1/(sqrt(cos(c + d*x) + 1)*sqrt(cos(c + d*x))), x)
```

$$3.235 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx) \sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=62

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out]  $-\arcsin(\sin(d*x+c)/(1+\cos(d*x+c)))*2^{(1/2)}/d+2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(1+\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2779, 2781, 216}

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*Sqrt[1 + Cos[c + d\*x]]), x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcSin}\left[\frac{\sin[c + d*x]}{1 + \cos[c + d*x]}\right]}{d}\right) + \frac{2 \sin[c + d*x]}{d \sqrt{\cos[c + d*x]} \sqrt{1 + \cos[c + d*x]}}$

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2779**

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2781**

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*cos[e + f\*x])/(a + b\*sin[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\cos^{\frac{3}{2}}(c+dx) \sqrt{1+\cos(c+dx)}} dx &= \frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} - \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx \\ &= \frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} + \frac{\sqrt{2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} \\ &= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} + \frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.79, size = 178, normalized size = 2.87

$$2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(\frac{1}{2} \cos(c + dx)(\cos(c + dx) + 2) \csc^4\left(\frac{1}{2}(c + dx)\right)\right) \left(-\cos(c + dx) + \cos(c + dx)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*Sqrt[1 + Cos[c + d\*x]]),x]

[Out] (2\*Cos[(c + d\*x)/2]\*Sin[(c + d\*x)/2]\*((Cos[c + d\*x]\*(2 + Cos[c + d\*x])\*Csc[(c + d\*x)/2]^4\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]))/2 - (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Sin[c + d\*x]\*Tan[c + d\*x])/10))/(d\*Cos[c + d\*x]^(3/2)\*Sqrt[1 + Cos[c + d\*x]])

**fricas [B]** time = 2.13, size = 121, normalized size = 1.95

$$\frac{\left(\sqrt{2} \cos(dx + c)^2 + \sqrt{2} \cos(dx + c)\right) \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)} \sin(dx+c)}{2(\cos(dx+c)^2 + \cos(dx+c))}\right) - 2 \sqrt{\cos(dx + c) + 1} \sqrt{\cos(dx + c)}}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] -((sqrt(2)\*cos(d\*x + c)^2 + sqrt(2)\*cos(d\*x + c))\*arctan(1/2\*sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(cos(d\*x + c)^2 + cos(d\*x + c))) - 2\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx + c) + 1} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 0.15, size = 210, normalized size = 3.39

$$\left(\sqrt{2} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^2(dx + c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 2\sqrt{2} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\cos(dx + c)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)\right) 2d(-1 + \cos(dx + c))(1$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] -1/2/d\*(2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*cos(d\*x+c)\*sin(d\*x+c))\*sin(d\*x+c)^2\*(2+2\*cos(d\*x+c))^(1/2)/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2/cos(d\*x+c)^(3/2)\*2^(1/2)

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\cos(c+dx)^{3/2} \sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(3/2)\*(cos(c+d\*x)+1)^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^(3/2)\*(cos(c+d\*x)+1)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(c+dx)+1} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(1+cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(cos(c+d\*x)+1)\*cos(c+d\*x)\*\*(3/2)), x)

$$3.236 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx) \sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=98

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} + \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{\cos(c+dx)+1}}$$

[Out] arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)/d+2/3\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2)-2/3\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.17, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2779, 2984, 12, 2781, 216}

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} + \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*Sqrt[1 + Cos[c + d\*x]]),x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])])/d + (2\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[1 + Cos[c + d\*x]]) - (2\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2984

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Sim

```
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx = \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{1}{3} \int \frac{1 - 2 \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{1 + \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{1 + \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{1 + \cos(c + dx)}}$$

$$= \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} + \frac{2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{1 + \cos(c + dx)}}$$

**Mathematica [C]** time = 6.63, size = 471, normalized size = 4.81

$$2 \cot\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 12 \sin^8\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right) + 12 \left( 3 \sin^4\left(\frac{c}{2} + \frac{dx}{2}\right) \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Cos[c + d*x]^(5/2)*Sqrt[1 + Cos[c + d*x]]),x]
```

```
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^4*(12*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^8 + 12*Hypergeometric2F1[2, 7/2, 9/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (d*x)/2]^4) + 7*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(15 - 20*Sin[c/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d*x)/2]^4)*(ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(3 - 6*Sin[c/2 + (d*x)/2]^2) + Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(-3 + 7*Sin[c/2 + (d*x)/2]^2)))/(63*d*Sqrt[1 + Cos[c + d*x]]*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(7/2))
```

**fricas [A]** time = 3.61, size = 134, normalized size = 1.37

$$\frac{2 \sqrt{\cos(dx + c) + 1} (\cos(dx + c) - 1) \sqrt{\cos(dx + c)} \sin(dx + c) - 3 \left( \sqrt{2} \cos(dx + c)^3 + \sqrt{2} \cos(dx + c)^2 \right) \arctan\left(\frac{\sqrt{2} \cos(dx + c)}{1 + \cos(dx + c)}\right)}{3 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 
$$-1/3*(2*\sqrt{\cos(dx+c)+1}*(\cos(dx+c)-1)*\sqrt{\cos(dx+c)}*\sin(dx+c) - 3*(\sqrt{2}*\cos(dx+c)^3 + \sqrt{2}*\cos(dx+c)^2)*\arctan(1/2*\sqrt{2}*\sqrt{\cos(dx+c)+1}*\sqrt{\cos(dx+c)}*\sin(dx+c)/(\cos(dx+c)^2 + \cos(dx+c))))/(d*\cos(dx+c)^3 + d*\cos(dx+c)^2)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx+c)+1} \cos^{\frac{5}{2}}(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.14, size = 278, normalized size = 2.84

$$\left( 3\sqrt{2} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^3(dx+c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} + 9\sqrt{2} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^2(dx+c)) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] 
$$-1/6/d*(3*2^{1/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{5/2}+9*2^{1/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{5/2}+9*2^{1/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{5/2}+3*2^{1/2}*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^{5/2}+2*\cos(dx+c)^2*\sin(dx+c)-2*\cos(dx+c)*\sin(dx+c))*\sin(dx+c)^4*(2+2*\cos(dx+c))^{1/2}/(-1+\cos(dx+c))^2/(1+\cos(dx+c))^3/\cos(dx+c)^{5/2}*2^{1/2}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{5/2} \sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(cos(c + d\*x) + 1)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(cos(c + d\*x) + 1)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(c+dx)+1} \cos^{\frac{5}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(5/2)/(1+cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(1/(sqrt(cos(c + d*x) + 1)*cos(c + d*x)**(5/2)), x)
```



$$3.237 \quad \int \frac{1}{\cos^{\frac{7}{2}}(c+dx) \sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=134

$$-\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{2}{15d \sqrt{\cos(c+dx)}}$$

[Out]  $-\arcsin(\sin(d*x+c)/(1+\cos(d*x+c)))*2^{(1/2)}/d+2/5*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(1+\cos(d*x+c))^{(1/2)}-2/15*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(1+\cos(d*x+c))^{(1/2)}+26/15*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(1+\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2779, 2984, 12, 2781, 216}

$$-\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{2}{15d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(7/2)\*Sqrt[1 + Cos[c + d\*x]]), x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcSin}\left[\frac{\sin[c+d*x]}{1+\cos[c+d*x]}\right]}{d} + \frac{2 \sin[c+d*x]}{5d \cos[c+d*x]^{5/2} \sqrt{1+\cos[c+d*x]}} - \frac{2 \sin[c+d*x]}{15d \cos[c+d*x]^{3/2} \sqrt{1+\cos[c+d*x]}} + \frac{26 \sin[c+d*x]}{15d \sqrt{\cos[c+d*x]}}\right)$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2779**

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*sin[e + f\*x], x]/Sqrt[a + b\*sin[e + f\*x]], x, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2781**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*cos[e + f\*x])/(a + b\*sin[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

**Rule 2984**

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{7}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx = \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{1}{5} \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} + \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} + \dots$$

$$= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} + \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} - \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}}$$

**Mathematica [C]** time = 7.92, size = 1538, normalized size = 11.48

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Cos[c + d*x]^(7/2)*Sqrt[1 + Cos[c + d*x]]),x]
```

```
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^6*(4725*Sin[c/2 + (d*x)/2]^2 - 48 825*Sin[c/2 + (d*x)/2]^4 + 210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2 + (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^12 + 1770*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^12 + 226656*Sin[c/2 + (d*x)/2]^14 - 1500*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^14 - 42048*Sin[c/2 + (d*x)/2]^16 + 440*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^16 + 4725*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] - 56700*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^2*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] + 291060*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^4*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] - 833760*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^6*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]
```

) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 6 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] + 1458000 \* ArcTanh[Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 8 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] - 1598400 \* ArcTanh[Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 10 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] + 1080000 \* ArcTanh[Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 12 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] - 414720 \* ArcTanh[Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 14 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] + 69120 \* ArcTanh[Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))] \* Sin[c / 2 + (d \* x) / 2] ^ 16 \* Sqrt[Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] + 60 \* Cos[(c + d \* x) / 2] ^ 4 \* HypergeometricPFQ[{2, 2, 9 / 2}, {1, 11 / 2}, Sin[c / 2 + (d \* x) / 2] ^ 2 / (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2)] \* Sin[c / 2 + (d \* x) / 2] ^ 10 \* (-5 + 4 \* Sin[c / 2 + (d \* x) / 2] ^ 2)) / (675 \* d \* Sqrt[1 + Cos[c + d \* x]] \* (1 - 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2) ^ (7 / 2) \* (-1 + 2 \* Sin[c / 2 + (d \* x) / 2] ^ 2))

**fricas** [A] time = 2.24, size = 146, normalized size = 1.09

$$\frac{2 \left( 13 \cos(dx + c)^2 - \cos(dx + c) + 3 \right) \sqrt{\cos(dx + c) + 1} \sqrt{\cos(dx + c)} \sin(dx + c) - 15 \left( \sqrt{2} \cos(dx + c)^4 + \dots \right)}{15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")  
 [Out] 1/15\*(2\*(13\*cos(d\*x + c)^2 - cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 15\*(sqrt(2)\*cos(d\*x + c)^4 + sqrt(2)\*cos(d\*x + c)^3)\*arctan(1/2\*sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(cos(d\*x + c)^2 + cos(d\*x + c))))/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx + c) + 1} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")  
 [Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*cos(d\*x + c)^(7/2)), x)

**maple** [B] time = 0.17, size = 344, normalized size = 2.57

$$\frac{\left( 15 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{2} \left(\cos^4(dx + c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{7}{2}} + 60 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{2} \left(\cos^3(dx + c)\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{7}{2}} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(7/2)/(1+cos(d\*x+c))^(1/2),x)  
 [Out] -1/30/d\*(15\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)+60\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)+90\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)+60\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)+15\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2))

```
))^(7/2)+26*cos(d*x+c)^3*sin(d*x+c)-2*cos(d*x+c)^2*sin(d*x+c)+6*cos(d*x+c)*
sin(d*x+c))*sin(d*x+c)^6*(2+2*cos(d*x+c))^(1/2)/(-1+cos(d*x+c))^3/(1+cos(d*
x+c))^4/cos(d*x+c)^(7/2)*2^(1/2)
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(7/2)/(1+cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:
sign: argument cannot be imaginary; found %i
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{7/2} \sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c+d*x)^(7/2)*(cos(c+d*x)+1)^(1/2)),x)
```

```
[Out] int(1/(cos(c+d*x)^(7/2)*(cos(c+d*x)+1)^(1/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(7/2)/(1+cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.238 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=174

$$-\frac{3 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{9 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} + \frac{3 \sin(c+dx) \sqrt{\cos(c+dx)}}{2ad \sqrt{a \cos(c+dx)}}$$

[Out]  $-3 \arcsin(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d - 1/2 \cos(dx+c)^{3/2} \cdot \sin(dx+c) / d / (a+a \cos(dx+c))^{3/2} + 9/4 \arctan(1/2 \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{3/2} / d \cdot 2^{1/2} + 3/2 \sin(dx+c) \cdot \cos(dx+c)^{1/2} / a / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.42, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2765, 2983, 2982, 2782, 205, 2774, 216}

$$-\frac{3 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{9 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} + \frac{3 \sin(c+dx) \sqrt{\cos(c+dx)}}{2ad \sqrt{a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-3 \text{ArcSin}[\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]] / \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) / (a^{3/2} \cdot d) + (9 \text{ArcTan}[\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]] / (\text{Sqrt}[2] \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])) / (2 \cdot \text{Sqrt}[2] \cdot a^{3/2} \cdot d) - (\text{Cos}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (2 \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{3/2}) + (3 \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (2 \cdot a \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n-1)/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-2)\*Simp[b\*(c^2\*(m+1) + d^2\*(n-1)) + a\*c\*d\*(m-n+1) + d\*(a\*d\*(m-n+1) + b\*c\*(m+n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])^(n_)/(Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= \frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3a}{2} - 3a \cos(c+dx)\right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{\int \frac{-\frac{3a^2}{2} + 3a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx}{2a^3} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{3 \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{2a^2} + \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{9 \text{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x\right)}{2a^2} \\ &= -\frac{3 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} + \frac{9 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\cos^3(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 5.36, size = 229, normalized size = 1.32

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left( \frac{\left(2 \sin\left(\frac{1}{2}(c+dx)\right) + \sin\left(\frac{3}{2}(c+dx)\right)\right) \sqrt{\cos(c+dx)} \sec^2\left(\frac{1}{2}(c+dx)\right)}{d} + \frac{3ie^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})} \left(2 \sinh^{-1}(e^{i(c+dx)}) + 3\sqrt{2} \tanh^{-1}(e^{i(c+dx)})\right)}{\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}} \right)}{(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]^3\*((3\*I)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*(2\*ArcSinh[E^(I\*(c + d\*x))] + 3\*Sqrt[2]\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) - 2\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + (Sqrt[Cos[c + d\*x]]\*Sec[(c + d\*x)/2]^2\*(2\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/d)/(a\*(1 + Cos[c + d\*x]))^(3/2)

**fricas** [A] time = 1.74, size = 192, normalized size = 1.10

$$\frac{9\sqrt{2}(\cos(dx+c)^2 + 2\cos(dx+c) + 1)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - 2\sqrt{a\cos(dx+c)+a}(2\cos(dx+c) + 1)}{4(a^2d\cos(dx+c))^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] -1/4\*(9\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 12\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

**maple** [A] time = 0.18, size = 227, normalized size = 1.30

$$\frac{\left(\cos^{\frac{5}{2}}(dx+c)\right)(-1+\cos(dx+c))^3\sqrt{a(1+\cos(dx+c))}\left(2(\cos^2(dx+c))\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}+\cos(dx+c)\right)}{4d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2), x)

[Out] 1/4/d\*cos(d\*x+c)^(5/2)\*(-1+cos(d\*x+c))^3\*(a\*(1+cos(d\*x+c)))^(1/2)\*(2\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+6\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)+9\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^7\*2^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{(a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out



$$3.239 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=134

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] 2\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d-5/4\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)-1/2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.29, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2765, 2982, 2782, 205, 2774, 216}

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(3/2)\*d) - (5\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2765**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2774**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

**Rule 2782**

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x])/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\frac{a}{2} - 2a \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx}{a^2} - \frac{5 \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx}{4a}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{5 \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{2d}$$

$$= \frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{3/2}d} - \frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2}d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [C]** time = 3.79, size = 215, normalized size = 1.60

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \left( -\frac{\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec\left(\frac{1}{2}(c + dx)\right)}{d} - \frac{ie^{\frac{1}{2}(c + dx)} \sqrt{e^{-i(c + dx)}(1 + e^{2i(c + dx)})}}{\sqrt{2}d\sqrt{1 + e^{2i(c + dx)}}} \left( 4 \sinh^{-1}(e^{i(c + dx)}) + 5\sqrt{2} \tanh^{-1}\left(\frac{1 - e^{i(c + dx)}}{\sqrt{2}\sqrt{1 + e^{2i(c + dx)}}}\right) \right) \right) / (a(\cos(c + dx) + 1))^{3/2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)/(a + a*Cos[c + d*x])^(3/2), x]
[Out] (Cos[(c + d*x)/2]^3*(((-1)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*(4*ArcSinh[E^(I*(c + d*x))] + 5*Sqrt[2]*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))])]) - 4*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/(Sqrt[2]*d*Sqrt[1 + E^((2*I)*(c + d*x))]) - (Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Tan[(c + d*x)/2])/d))/(a*(1 + Cos[c + d*x]))^(3/2)
```

**fricas [A]** time = 1.83, size = 182, normalized size = 1.36

$$\frac{5\sqrt{2}(\cos(dx + c)^2 + 2\cos(dx + c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - 8(\cos(dx + c)^2 + 2\cos(dx + c) + 1)}{4(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{4}*(5*\sqrt{2}*(\cos(dx+c)^2+2*\cos(dx+c)+1)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - 8*(\cos(dx+c)^2+2*\cos(dx+c)+1)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - 2*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)}*\sin(dx+c)/(a^2*d*\cos(dx+c)^2+2*a^2*d*\cos(dx+c)+a^2*d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(cos(d\*x+c)^(3/2)/(a\*cos(d\*x+c)+a)^(3/2), x)

**maple** [A] time = 0.17, size = 195, normalized size = 1.46

$$\frac{\left(\cos^{\frac{3}{2}}(dx+c)\right)(-1+\cos(dx+c))^2\sqrt{a(1+\cos(dx+c))}\left(4\arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\sqrt{2}\sin(dx+c)+\cos(dx+c)\right)}{4d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out]  $\frac{1}{4}/d*\cos(dx+c)^{(3/2)}*(-1+\cos(dx+c))^2*(a*(1+\cos(dx+c)))^{(1/2)}*(4*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*2^{(1/2)}*\sin(dx+c)+\cos(dx+c)*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+5*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)})/(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}/\sin(dx+c)^5*2^{(1/2)}/a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x+c)^(3/2)/(a\*cos(d\*x+c)+a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{(a+a\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(3/2)/(a+a\*cos(c+d\*x))^(3/2),x)

[Out] int(cos(c+d\*x)^(3/2)/(a+a\*cos(c+d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

$$3.240 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=97

$$\frac{\tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

[Out] 1/4\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)+1/2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.13, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2764, 12, 2782, 205}

$$\frac{\tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{a}{2\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{4a} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{\text{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{2d} \\
&= \frac{\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.34, size = 118, normalized size = 1.22

$$\frac{\cos\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)+1}\left(\sqrt{\cos(c+dx)+1}\sin^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}}\right)+2\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\right)}{2d(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[1 + Cos[c + d\*x]]\*(ArcSin[Sin[(c + d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2]]\*Sqrt[1 + Cos[c + d\*x]] + 2\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sin[(c + d\*x)/2]))/(2\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas [A]** time = 3.33, size = 145, normalized size = 1.49

$$\frac{\sqrt{2}(\cos(dx+c)^2 + 2\cos(dx+c) + 1)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) + 2\sqrt{a\cos(dx+c)+a}}{4(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/4\*(sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) + 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a\cos(dx+c)+a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)

**maple [A]** time = 0.15, size = 146, normalized size = 1.51

$$\frac{(\sqrt{\cos(dx+c)}\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))\left(\cos(dx+c)\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}-\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)+a}{4d\sin(dx+c)^3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x)`

[Out]  $\frac{1}{4}d\cos(d*x+c)^{(1/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}*(-1+\cos(d*x+c))*(\cos(d*x+c))^2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)/\sin(d*x+c)^3/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*2^{(1/2)}/a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(1/2)/(a+a*cos(c+d*x))^(3/2),x)`

[Out] `int(cos(c+d*x)^(1/2)/(a+a*cos(c+d*x))^(3/2),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{(a(\cos(c+dx)+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(3/2),x)`

[Out] `Integral(sqrt(cos(c+d*x))/(a*(cos(c+d*x)+1))**(3/2),x)`

$$3.241 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=97

$$\frac{3 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

[Out] 3/4\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)-1/2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.13, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2766, 12, 2782, 205}

$$\frac{3 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{2d(a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x]))^(3/2)),x]

[Out] (3\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x]))^(3/2)

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps



$$\begin{aligned}
\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{3a}{2\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{3 \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{4a} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{3 \operatorname{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)}}\right)}{2d} \\
&= \frac{3 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.58, size = 106, normalized size = 1.09

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right) \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \left(3 \cot^2\left(\frac{1}{2}(c+dx)\right) \sqrt{2-2\sec(c+dx)} \tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)}\right)\right)}{2d(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)), x]

[Out] -1/2\*(Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]\*(2 + 3\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]]\*Cot[(c + d\*x)/2]^2\*Sqrt[2 - 2\*Sec[c + d\*x]])\*Sin[(c + d\*x)/2])/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**fricas [A]** time = 1.14, size = 146, normalized size = 1.51

$$\frac{3\sqrt{2}(\cos(dx+c)^2 + 2\cos(dx+c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) - 2\sqrt{a\cos(dx+c)}}{4(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] 1/4\*(3\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a\cos(dx+c) + a)^{\frac{3}{2}} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c))), x)

**maple [B]** time = 0.14, size = 170, normalized size = 1.75

$$\frac{\sqrt{a(1+\cos(dx+c))} \left(3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \cos(dx+c) + 3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)}{4d(1+\cos(dx+c))\sqrt{\cos(dx+c)}\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x)`

[Out] 
$$-1/4/d*(a*(1+\cos(d*x+c)))^{1/2}*(3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-\cos(d*x+c)^2*2^{1/2}+\cos(d*x+c)*2^{1/2})/(1+\cos(d*x+c))/\cos(d*x+c)^{1/2}/\sin(d*x+c)*2^{1/2}/a^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2), x, algorithm="maxima")`

[Out] `integrate(1/((a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(3/2)), x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(a + a*cos(c + d*x))^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(3/2), x)`

[Out] `Integral(1/((a*(cos(c + d*x) + 1))**(3/2)*sqrt(cos(c + d*x))), x)`

$$3.242 \quad \int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=137

$$\frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{5 \sin(c+dx)}{2ad\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx)}{2d\sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

[Out] -7/4\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(3/2)/d\*2^(1/2)-1/2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2)+5/2\*sin(d\*x+c)/a/d/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.25, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2766, 2984, 12, 2782, 205}

$$\frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{5 \sin(c+dx)}{2ad\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx)}{2d\sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)),x]

[Out] (-7\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - Sin[c + d\*x]/(2\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)) + (5\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2}} dx = -\frac{\sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{5a}{2} - a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{5 \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{\sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{5 \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{\sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{5 \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2} a^{3/2} d} - \frac{\sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [C]** time = 7.31, size = 456, normalized size = 3.33

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right) \left( \frac{4 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{5}{2}; \frac{9}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right)}{70 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 35} - \frac{1}{6} \left(1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)), x]
[Out] (2*Cos[c/2 + (d*x)/2]^3*Sec[(c + d*x)/2]^2*Sin[c/2 + (d*x)/2]*((4*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 5/2}, {1, 9/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^2)/(-35 + 70*Sin[c/2 + (d*x)/2]^2) - (Csc[c/2 + (d*x)/2]^6*(1 - 2*Sin[c/2 + (d*x)/2]^2)^2*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(-3*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)])*(-25 + 91*Sin[c/2 + (d*x)/2]^2 - 100*Sin[c/2 + (d*x)/2]^4 + 34*Sin[c/2 + (d*x)/2]^6) + Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*(-75 + 298*Sin[c/2 + (d*x)/2]^2 - 350*Sin[c/2 + (d*x)/2]^4 + 124*Sin[c/2 + (d*x)/2]^6))/6)/(d*(a*(1 + Cos[c + d*x])^(3/2)*(1 - 2*Sin[c/2 + (d*x)/2]^2)^(3/2))
```

**fricas [A]** time = 1.19, size = 171, normalized size = 1.25

$$7 \sqrt{2} (\cos(dx + c)^3 + 2 \cos(dx + c)^2 + \cos(dx + c)) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sqrt{\cos(dx+c)} \sin(dx+c)}{2(a \cos(dx+c)^2 + a \cos(dx+c))}\right) - 2 \sqrt{a} \cos(dx + c)$$


---


$$4(a^2 d \cos(dx + c)^3 + 2 a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 
$$-1/4*(7*\sqrt{2}*(\cos(dx+c)^3 + 2*\cos(dx+c)^2 + \cos(dx+c))*\sqrt{a}*\arctan(1/2*\sqrt{2}*\sqrt{a*\cos(dx+c)+a}*\sqrt{a}*\sqrt{\cos(dx+c)}*\sin(dx+c)/(a*\cos(dx+c)^2 + a*\cos(dx+c))) - 2*\sqrt{a*\cos(dx+c)+a}*(5*\cos(dx+c)+4)*\sqrt{\cos(dx+c)}*\sin(dx+c))/(a^2*d*\cos(dx+c)^3 + 2*a^2*d*\cos(dx+c)^2 + a^2*d*\cos(dx+c))$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x+c)+a)^(3/2)\*cos(d\*x+c)^(3/2)), x)

**maple** [B] time = 0.18, size = 245, normalized size = 1.79

$$\left( -7 \left( \cos^2(dx+c) \right) \sin(dx+c) \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} - 14 \cos(dx+c) \sin(dx+c) \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] 
$$1/4/d*(-7*\cos(dx+c)^2*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)-14*\cos(dx+c)*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)-7*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*(\cos(dx+c)/(1+\cos(dx+c)))^(3/2)+5*\cos(dx+c)^3*2^(1/2)-\cos(dx+c)^2*2^(1/2)-4*\cos(dx+c)*2^(1/2))*\sin(dx+c)*(a*(1+\cos(dx+c)))^(1/2)/(-1+\cos(dx+c))/(1+\cos(dx+c))^2/\cos(dx+c)^(3/2)*2^(1/2)/a^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x+c)+a)^(3/2)\*cos(d\*x+c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} (a+a \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^(3/2)),x)

[Out] int(1/(cos(c+d\*x)^(3/2)\*(a+a\*cos(c+d\*x))^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a(\cos(c+dx)+1))^{\frac{3}{2}} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(1/((a\*(cos(c + d\*x) + 1))\*\*(3/2)\*cos(c + d\*x)\*\*(3/2)), x)

$$3.243 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{\frac{3}{2}}} dx$$

**Optimal.** Leaf size=177

$$\frac{11 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{7 \sin(c+dx)}{6ad \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)}$$

[Out]  $-1/2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+11/4*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(3/2)}/d*2^{(1/2)}+7/6*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-19/6*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.39, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2766, 2984, 12, 2782, 205}

$$\frac{11 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{7 \sin(c+dx)}{6ad \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(3/2)),x]

[Out] (11\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - Sin[c + d\*x]/(2\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)) + (7\*Sin[c + d\*x])/(6\*a\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - (19\*Sin[c + d\*x])/(6\*a\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} dx = -\frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{\int \frac{\frac{7a}{2}-2a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{2a^2}$$

$$= -\frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{7\sin(c+dx)}{6ad\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}}$$

$$= -\frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{7\sin(c+dx)}{6ad\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}}$$

$$= -\frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{7\sin(c+dx)}{6ad\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}}$$

$$= -\frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{7\sin(c+dx)}{6ad\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}}$$

$$= \frac{11 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{\frac{3}{2}}d} - \frac{\sin(c+dx)}{2d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}}$$

**Mathematica [C]** time = 9.24, size = 589, normalized size = 3.33

$$\cot^3\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c+dx)\right) \left(-80 \sin^{10}\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^6\left(\frac{1}{2}(c+dx)\right) {}_4F_3\left(2, 2, 2, \frac{7}{2}; 1, 1, \frac{11}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])^(3/2)),x]

```
[Out] (Cot[c/2 + (d*x)/2]^3*Csc[c/2 + (d*x)/2]^4*Sec[(c + d*x)/2]^2*(-80*Cos[(c +
d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 7/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/
2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 + 120*Cos[(c + d*
x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1
+ 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10*(-5 + 4*Sin[c/2 + (d*x)/2]
^2) + 21*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*S
```



$\text{in}[c/2 + (d*x)/2]^2)]*(-15*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*(-392 + 2347*\text{Sin}[c/2 + (d*x)/2]^2 - 5391*\text{Sin}[c/2 + (d*x)/2]^4 + 5972*\text{Sin}[c/2 + (d*x)/2]^6 - 3232*\text{Sin}[c/2 + (d*x)/2]^8 + 696*\text{Sin}[c/2 + (d*x)/2]^10) + \text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*(-5880 + 37165*\text{Sin}[c/2 + (d*x)/2]^2 - 89856*\text{Sin}[c/2 + (d*x)/2]^4 + 103992*\text{Sin}[c/2 + (d*x)/2]^6 - 58336*\text{Sin}[c/2 + (d*x)/2]^8 + 12960*\text{Sin}[c/2 + (d*x)/2]^10)))/(945*d*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)}*(1 - 2*\text{Sin}[c/2 + (d*x)/2]^2)^{(7/2)})$

**fricas** [A] time = 1.27, size = 185, normalized size = 1.05

$$\frac{33\sqrt{2}\left(\cos(dx+c)^4 + 2\cos(dx+c)^3 + \cos(dx+c)^2\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) - 2\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right)}{12\left(a^2d\cos(dx+c)^4 + 2a^2d\cos(dx+c)^3 + a^2d\cos(dx+c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out]  $\frac{1}{12}*(33*\text{sqrt}(2)*(\cos(d*x + c)^4 + 2*\cos(d*x + c)^3 + \cos(d*x + c)^2)*\text{sqrt}(a)*\arctan(1/2*\text{sqrt}(2)*\text{sqrt}(a*\cos(d*x + c) + a)*\text{sqrt}(a)*\text{sqrt}(\cos(d*x + c))*\sin(d*x + c)/(a*\cos(d*x + c)^2 + a*\cos(d*x + c))) - 2*\text{sqrt}(a*\cos(d*x + c) + a)*(19*\cos(d*x + c)^2 + 12*\cos(d*x + c) - 4)*\text{sqrt}(\cos(d*x + c))*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.19, size = 313, normalized size = 1.77

$$\frac{\left(33\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^3(dx+c)\right)\sin(dx+c) + 99\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^3(dx+c)\right)\sin(dx+c)\right)}{\left(a^2d\cos(dx+c)^4 + 2a^2d\cos(dx+c)^3 + a^2d\cos(dx+c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out]  $-1/12/d*(33*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^3*\sin(d*x+c)+99*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)+99*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)+33*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-19*\cos(d*x+c)^4*2^{(1/2)}+7*\cos(d*x+c)^3*2^{(1/2)}+16*\cos(d*x+c)^2*2^{(1/2)}-4*\cos(d*x+c)*2^{(1/2)})*\sin(d*x+c)^3*(a*(1+\cos(d*x+c)))^{(1/2)}/(-1+\cos(d*x+c))^{(1/2)}/(1+\cos(d*x+c))^{(3/2)}/\cos(d*x+c)^{(5/2)}*2^{(1/2)}/a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + a\*cos(c + d\*x))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.244 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=214

$$-\frac{5 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{115 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} + \frac{35 \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2 d \sqrt{a \cos(c+dx)+a}} - \frac{\sin(c+dx) \cos(c+dx)}{4d(a \cos(c+dx)+a)}$$

[Out]  $-5 \arcsin(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{5/2} / d - 1/4 \cos(dx+c)^{5/2} \sin(dx+c) / d / (a+a \cos(dx+c))^{5/2} - 15/16 \cos(dx+c)^{3/2} \sin(dx+c) / a / d / (a+a \cos(dx+c))^{3/2} + 115/32 \arctan(1/2 \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{5/2} / d \cdot 2^{1/2} + 35/16 \sin(dx+c) \cdot \cos(dx+c)^{1/2} / a^2 / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.58, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2765, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$-\frac{5 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{35 \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{115 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{\sin(c+dx) \cos(c+dx)}{4d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-5 \text{ArcSin}[\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]] / \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]]) / (a^{5/2} \cdot d) + (115 \cdot \text{ArcTan}[\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]] / (\text{Sqrt}[2] \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])) / (16 \cdot \text{Sqrt}[2] \cdot a^{5/2} \cdot d) - (\text{Cos}[c + d \cdot x]^{5/2} \cdot \text{Sin}[c + d \cdot x]) / (4 \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{5/2}) - (15 \cdot \text{Cos}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (16 \cdot a \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{3/2}) + (35 \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (16 \cdot a^2 \cdot d \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n-1)/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-2)\*Simp[b\*(c^2\*(m+1) + d^2\*(n-1)) + a\*c\*d\*(m-n+1) + d\*(a\*d\*(m-n+1) + b\*c\*(m+n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq

$Q[a^2 - b^2, 0]$  && EqQ[d, a/b]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx &= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5a}{2}-5a\cos(c+dx)\right)}{(a+a\cos(c+dx))^{\frac{3}{2}}} dx}{4a^2} \\
&= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{15\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{45a^2}{4}-\frac{35}{2}a\cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx}{8a^4} \\
&= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{15\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{35\sqrt{\cos(c+dx)}\sin(c+dx)}{16a^2d\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{15\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{35\sqrt{\cos(c+dx)}\sin(c+dx)}{16a^2d\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{15\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{35\sqrt{\cos(c+dx)}\sin(c+dx)}{16a^2d\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{5\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{\frac{5}{2}}d} + \frac{115\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{\frac{5}{2}}d} - \frac{\cos^{\frac{5}{2}}(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}}
\end{aligned}$$

**Mathematica [C]** time = 6.71, size = 385, normalized size = 1.80

$$\frac{\sqrt{\cos(c+dx)}\cos^5\left(\frac{c}{2}+\frac{dx}{2}\right)\left(\frac{8\sin\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{d}+\frac{8\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{d}-\frac{\sec\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)\sec^4\left(\frac{c}{2}+\frac{dx}{2}\right)}{2d}-\frac{\tan\left(\frac{c}{2}\right)\sec^3\left(\frac{c}{2}+\frac{dx}{2}\right)}{2d}+\frac{23\sec\left(\frac{c}{2}\right)\sec^2\left(\frac{c}{2}+\frac{dx}{2}\right)}{2d}\right)}{(a(\cos(c+dx)+1))^{\frac{5}{2}}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (((5\*I)/2)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*(8\*ArcSinh[E^(I\*(c + d\*x))] + (23\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[2] - 8\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]]\*Cos[c/2 + (d\*x)/2]^5)/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*(a\*(1 + Cos[c + d\*x]))^(5/2)) + (Cos[c/2 + (d\*x)/2]^5\*Sqrt[Cos[c + d\*x]]\*((8\*Cos[(d\*x)/2]\*Sin[c/2])/d + (8\*Cos[c/2]\*Sin[(d\*x)/2])/d + (23\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*Sin[(d\*x)/2])/(4\*d) - (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^4\*Sin[(d\*x)/2])/(2\*d) + (23\*Sec[c/2 + (d\*x)/2]\*Tan[c/2])/(4\*d) - (Sec[c/2 + (d\*x)/2]^3\*Tan[c/2])/(2\*d)))/(a\*(1 + Cos[c + d\*x]))^(5/2)

**fricas [A]** time = 1.78, size = 236, normalized size = 1.10

$$\frac{115\sqrt{2}\left(\cos(dx+c)^3+3\cos(dx+c)^2+3\cos(dx+c)+1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-2\sqrt{a}\cos(dx+c)}{(a(\cos(dx+c)+1))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] -1/32\*(115\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(16\*cos(d\*x + c)^2 + 55\*cos(d

$*x + c) + 35)*\sqrt{\cos(dx + c)}*\sin(dx + c) - 160*(\cos(dx + c)^3 + 3*\cos(dx + c)^2 + 3*\cos(dx + c) + 1)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c)))/(\sqrt{a^3*d*\cos(dx + c)^3 + 3*a^3*d*\cos(dx + c)^2 + 3*a^3*d*\cos(dx + c) + a^3*d})$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**maple** [A] time = 0.19, size = 344, normalized size = 1.61

$$\left(\cos^{\frac{7}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \left(16(\cos^3(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 39(\cos^2(dx + c) + \dots)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/d\*cos(d\*x+c)^(7/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^5\*(16\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+39\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+80\*cos(d\*x+c)\*sin(d\*x+c)\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+115\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-20\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+80\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*2^(1/2)\*sin(d\*x+c)+115\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-35\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)/sin(d\*x+c)^11\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{7/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)^(7/2)/(a + a\*cos(c + d\*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.245 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=174

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{\sin(c+dx) \cos^3(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} - \frac{11 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx)+a)^{5/2}}$$

[Out] 2\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d-1/4\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)-43/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)-11/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.44, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2765, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{\sin(c+dx) \cos^3(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} - \frac{11 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(a^(5/2)\*d) - (43\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - (Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (11\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]



Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3a}{2} - 4a \cos(c+dx)\right)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{\int \frac{\frac{11a^2}{4} - 8a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx}{8a^4} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{a^3} \\ &= -\frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{11\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} a dx\right)}{a} \\ &= \frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{5/2}d} - \frac{43 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2} a^{5/2}d} - \frac{\cos^3(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} \end{aligned}$$

Mathematica [C] time = 6.64, size = 349, normalized size = 2.01

$$\frac{\cos^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\cos(c + dx)} \left(\frac{\sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{2d} + \frac{\tan\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{2d} - \frac{15 \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} - \frac{15 \tan\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d}\right)}{(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^(5/2), x]

[Out]  $\left(\frac{-1}{4}I\right)E^{\left(\frac{I}{2}(c+d*x)\right)}\sqrt{\left(1+E^{\left(2I(c+d*x)\right)}\right)}/E^{I(c+d*x)}\left(32\text{ArcSinh}\left[E^{I(c+d*x)}\right]+43\sqrt{2}\text{ArcTanh}\left[\frac{1-E^{I(c+d*x)}}{\sqrt{2}\sqrt{1+E^{2I(c+d*x)}}}\right]-32\text{ArcTanh}\left[\sqrt{1+E^{2I(c+d*x)}}\right]\right)\cos\left[\frac{c}{2}+\frac{d*x}{2}\right]^5/\left(\sqrt{2}d\sqrt{1+E^{2I(c+d*x)}}\right)+\left(\cos\left[\frac{c}{2}+\frac{d*x}{2}\right]^5\sqrt{\cos[c+d*x]}\right)\left(-15\text{Sec}\left[\frac{c}{2}\right]\text{Sec}\left[\frac{c}{2}+\frac{d*x}{2}\right]^2\text{Sin}\left[\frac{d*x}{2}\right]\right)/(4d)+\left(\text{Sec}\left[\frac{c}{2}\right]\text{Sec}\left[\frac{c}{2}+\frac{d*x}{2}\right]^4\text{Sin}\left[\frac{d*x}{2}\right]\right)/(2d)-\left(15\text{Sec}\left[\frac{c}{2}+\frac{d*x}{2}\right]\text{Tan}\left[\frac{c}{2}\right]\right)/(4d)+\left(\text{Sec}\left[\frac{c}{2}+\frac{d*x}{2}\right]^3\text{Tan}\left[\frac{c}{2}\right]\right)/(2d)\right)/(a(1+\cos[c+d*x])^{5/2})$

**fricas** [A] time = 2.03, size = 226, normalized size = 1.30

$$\frac{43\sqrt{2}\left(\cos(dx+c)^3+3\cos(dx+c)^2+3\cos(dx+c)+1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-2\sqrt{a}\cos(dx+c)}{32\left(a^3d\cos(dx+c)+a^3d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out]  $\frac{1}{32}\left(43\sqrt{2}\left(\cos(dx+c)^3+3\cos(dx+c)^2+3\cos(dx+c)+1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-2\sqrt{a}\cos(dx+c)\right)/\left(a^3d\cos(dx+c)+a^3d\right)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.17, size = 312, normalized size = 1.79

$$\left(\cos^{\frac{5}{2}}(dx+c)\right)\left(-1+\cos(dx+c)\right)^4\sqrt{a(1+\cos(dx+c))}\left(15\left(\cos^2(dx+c)\right)\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}+32\cos(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2), x)

[Out]  $\frac{1}{32}d\cos(dx+c)^{5/2}\left(-1+\cos(dx+c)\right)^4\left(a(1+\cos(dx+c))\right)^{1/2}\left(15\cos(dx+c)^2\left(2^{1/2}\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{1/2}+32\cos(dx+c)\sin(dx+c)\right)^{1/2}\arctan\left(\frac{\sin(dx+c)\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{1/2}}{\cos(dx+c)}\right)+43\cos(dx+c)\sin(dx+c)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)-4\cos(dx+c)\left(2^{1/2}\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{1/2}+32\arctan\left(\frac{\sin(dx+c)\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{1/2}}{\cos(dx+c)}\right)\right)^{1/2}\sin(dx+c)+43\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\sin(dx+c)-11\left(2^{1/2}\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{1/2}\right)/\left(\cos(dx+c)/(1+\cos(dx+c))\right)^{5/2}/\sin(dx+c)^{9/2}/a^3\right)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{5/2}}{(a+a\cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.246 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=137

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{7 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{3/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx) + a)^{5/2}}$$

[Out] 3/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)-1/4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(5/2)+7/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.26, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2765, 2978, 12, 2782, 205}

$$\frac{3 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{7 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{3/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (3\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + (7\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{\frac{a}{2} - 3a \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\
&= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{7\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{\int -\frac{3a^2}{4\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}}{8a^4} \\
&= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{7\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{3 \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}}{32a^2} \\
&= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{7\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{3 \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx\right)}{32a^2} \\
&= \frac{3 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{7\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.82, size = 149, normalized size = 1.09

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left( 3\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sin^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)}}\right) + \sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \left(5 - 2 \tan^2\left(\frac{1}{2}(c + dx)\right)\right) \right)}{4d\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} (a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (Cos[(c + d\*x)/2]^5\*(3\*ArcSin[Sin[(c + d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2])\*Sqrt[Cos[(c + d\*x)/2]^2] + Sqrt[2]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sin[(c + d\*x)/2]\*(5 - 2\*Tan[(c + d\*x)/2]^2))/(4\*d\*Sqrt[Cos[(c + d\*x)/2]^2]\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [A]** time = 0.95, size = 180, normalized size = 1.31

$$\frac{3\sqrt{2}(\cos(dx + c)^3 + 3\cos(dx + c)^2 + 3\cos(dx + c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right)}{32(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + 1)\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/32\*(3\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c)))

) $\sin(dx + c)/(a\cos(dx + c)^2 + a\cos(dx + c)) + 2\sqrt{a\cos(dx + c) + a}(7\cos(dx + c) + 3)\sqrt{\cos(dx + c)}\sin(dx + c)/(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{(a\cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^(5/2), x, algorithm="giac")

[Out] integrate(cos(dx + c)^(3/2)/(a\*cos(dx + c) + a)^(5/2), x)

**maple** [A] time = 0.16, size = 214, normalized size = 1.56

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left( \cos^{\frac{3}{2}}(dx + c) \right) \left( 7(\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} - 4\cos(dx + c) \sqrt{2} \right)$$

$$32d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^(5/2), x)

[Out] 1/32/d\*(a\*(1+cos(dx+c)))^(1/2)\*(-1+cos(dx+c))^3\*cos(dx+c)^(3/2)\*(7\*cos(dx+c)^2\*2^(1/2)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)-4\*cos(dx+c)\*2^(1/2)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)+3\*cos(dx+c)\*sin(dx+c)\*arcsin((-1+cos(dx+c))/sin(dx+c))-3\*2^(1/2)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)+3\*arcsin((-1+cos(dx+c))/sin(dx+c))\*sin(dx+c))/(cos(dx+c)/(1+cos(dx+c)))^(3/2)/sin(dx+c)^7\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{(a\cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)/(a+a\*cos(dx+c))^(5/2), x, algorithm="maxima")

[Out] integrate(cos(dx + c)^(3/2)/(a\*cos(dx + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{\frac{3}{2}}}{(a + a\cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^(3/2)/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Integral(cos(c + d*x)**(3/2)/(a*(cos(c + d*x) + 1))**(5/2), x)
```

$$3.247 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=137

$$\frac{5 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out] 5/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)+1/4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(5/2)+1/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.25, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2764, 2978, 12, 2782, 205}

$$\frac{5 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2} a^{5/2} d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (5\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m+1)\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m+1)\*(c + d\*Ssin[e + f\*x])^(n-1)\*Simp[a\*d\*n - b\*c\*(m+1) - b\*d\*(m+n+1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978



```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^{5/2}} dx = \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{a}{2} + a \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx}{4a^2}$$

$$= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{5a^2}{4\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}}{8a^4}$$

$$= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{5 \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}}{32a^2}$$

$$= \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{5 \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx\right)}{32a^2}$$

$$= \frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [A]** time = 1.04, size = 122, normalized size = 0.89

$$\frac{\sin^3\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \left(6 \csc^2\left(\frac{1}{2}(c + dx)\right) - 5 \cot^4\left(\frac{1}{2}(c + dx)\right) \sqrt{2 - 2 \sec(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right)\right)}{8d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]/(a + a*Cos[c + d*x])^(5/2), x]
[Out] (Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*(-2 + 6*Csc[(c + d*x)/2]^2 - 5*ArcTanh
[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)])*Cot[(c + d*x)/2]^4*Sqrt[2 - 2*Se
c[c + d*x]])*Sin[(c + d*x)/2]^3)/(8*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

**fricas [A]** time = 1.23, size = 178, normalized size = 1.30

$$\frac{5\sqrt{2}(\cos(dx + c)^3 + 3\cos(dx + c)^2 + 3\cos(dx + c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) + \dots}{32(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2), x, algorithm="fricas")
[Out] 1/32*(5*sqrt(2)*(cos(d*x + c)^3 + 3*cos(d*x + c)^2 + 3*cos(d*x + c) + 1)*sq
rt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c)
)*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) + 2*sqrt(a*cos(d*x + c)
+ a)*(cos(d*x + c) + 5)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x +
c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^(5/2), x)

**maple** [A] time = 0.16, size = 213, normalized size = 1.55

$$\frac{(\sqrt{\cos(dx+c)} \sqrt{a(1+\cos(dx+c))} (-1+\cos(dx+c))^2 \left( (\cos^2(dx+c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 4 \cos(dx+c) \right) \sqrt{a(1+\cos(dx+c))}}{32d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] -1/32/d\*cos(d\*x+c)^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^2\*(cos(d\*x+c))^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+4\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+5\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-5\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+5\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)/sin(d\*x+c)^5/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(1/2)/(a+a\*cos(c+d\*x))^(5/2),x)

[Out] int(cos(c+d\*x)^(1/2)/(a+a\*cos(c+d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{(a(\cos(c+dx)+1))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(sqrt(cos(c+d\*x))/(a\*(cos(c+d\*x)+1))\*\*(5/2), x)

$$3.248 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=137

$$\frac{19 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{9 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{3/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx) + a)^{5/2}}$$

[Out] 19/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(5/2)/d\*2^(1/2)-1/4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(5/2)-9/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.26, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2766, 2978, 12, 2782, 205}

$$\frac{19 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{9 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{3/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{4d(a \cos(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)),x]

[Out] (19\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (9\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx &= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{7a}{2}-a\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{9\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{1}{4\sqrt{\cos(c+dx)}} dx}{4a^2} \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{9\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{19}{4a^2} \int \frac{1}{\sqrt{\cos(c+dx)}} dx \\
&= -\frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{9\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{19}{4a^2} \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-u}} du, \frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \\
&= \frac{19 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{9\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.28, size = 134, normalized size = 0.98

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^2\left(\frac{1}{2}(c+dx)\right) \left(\cos(c+dx)(9\cos(c+dx)+13)\sqrt{2-2\sec(c+dx)} - 76\cos^4\left(\frac{1}{2}(c+dx)\right)\right) \tanh\left(\frac{1}{2}(c+dx)\right)}{32\sqrt{2}a^2d\sqrt{\cos(c+dx)-1}\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)), x]

[Out] -1/32\*(Sec[(c + d\*x)/2]^2\*(-76\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^4 + Cos[c + d\*x]\*(13 + 9\*Cos[c + d\*x])\*Sqrt[2 - 2\*Sec[c + d\*x]])\*Tan[(c + d\*x)/2])/(Sqrt[2]\*a^2\*d\*Sqrt[-1 + Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.12, size = 180, normalized size = 1.31

$$\frac{19\sqrt{2}(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) - 2\sqrt{\cos(dx+c)}\sin(dx+c)}{32(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/32\*(19\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c))

) + a)\*(9\*cos(d\*x + c) + 13)\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.17, size = 245, normalized size = 1.79

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c)) \left( 19 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^2(dx + c)) \sin(dx + c) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))\*(19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+38\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-9\*cos(d\*x+c)^3\*2^(1/2)+19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-4\*cos(d\*x+c)^2\*2^(1/2)+13\*cos(d\*x+c)\*2^(1/2))/(1+cos(d\*x+c))/cos(d\*x+c)^(1/2)/sin(d\*x+c)^3\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(5/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a(\cos(c + dx) + 1))^{\frac{5}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(1/((a\*(cos(c + d\*x) + 1))\*\*(5/2)\*sqrt(cos(c + d\*x))), x)

$$3.249 \quad \int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=177

$$\frac{75 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{49 \sin(c+dx)}{16a^2 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{13 \sin(c+dx)}{16ad \sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

[Out]  $-75/32 \arctan(1/2 \sin(dx+c) a^{1/2} 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{5/2} / d 2^{1/2} - 1/4 \sin(dx+c) / d / (a+a \cos(dx+c))^{5/2} / \cos(dx+c)^{1/2} - 13/16 \sin(dx+c) / a / d / (a+a \cos(dx+c))^{3/2} / \cos(dx+c)^{1/2} + 49/16 \sin(dx+c) / a^2 / d / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.40, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2766, 2978, 2984, 12, 2782, 205}

$$\frac{49 \sin(c+dx)}{16a^2 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{75 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{13 \sin(c+dx)}{16ad \sqrt{\cos(c+dx)} (a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)),x]

[Out]  $(-75 \text{ArcTan}[\text{Sqrt}[a] \text{Sin}[c + d*x]] / (\text{Sqrt}[2] \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sqrt}[a + a \text{Cos}[c + d*x]])) / (16 \text{Sqrt}[2] a^{5/2} d) - \text{Sin}[c + d*x] / (4 d \text{Sqrt}[\text{Cos}[c + d*x]] (a + a \text{Cos}[c + d*x])^{5/2}) - (13 \text{Sin}[c + d*x]) / (16 a d \text{Sqrt}[\text{Cos}[c + d*x]] (a + a \text{Cos}[c + d*x])^{3/2}) + (49 \text{Sin}[c + d*x]) / (16 a^2 d \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sqrt}[a + a \text{Cos}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2 \* Cos[e + f\*x] \* (a + b \* Sin[e + f\*x])^m \* (c + d \* Sin[e + f\*x])^(n + 1)) / (a \* f \* (2 \* m + 1) \* (b \* c - a \* d)), x] + Dist[1 / (a \* (2 \* m + 1) \* (b \* c - a \* d)), Int[(a + b \* Sin[e + f\*x])^(m + 1) \* (c + d \* Sin[e + f\*x])^n \* Simp[b \* c \* (m + 1) - a \* d \* (2 \* m + n + 2) + b \* d \* (m + n + 2) \* Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b \* c - a \* d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2 \* m, 2 \* n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b \* Cos[e + f\*x]) / (Sqrt[a + b \* Sin[e + f\*x]] \* Sqrt[c + d \* Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b \* c - a \* d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

Rule 2984

```

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])

```

Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} dx &= -\frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{9a}{2}-2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^3} dx}{4a^2} \\
&= -\frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} \\
&= -\frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} \\
&= -\frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} \\
&= -\frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} - \frac{13\sin(c+dx)}{16ad\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} \\
&= -\frac{75 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{\sin(c+dx)}{4d\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}}
\end{aligned}$$

**Mathematica [C]** time = 7.90, size = 506, normalized size = 2.86

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^4\left(\frac{1}{2}(c+dx)\right) \left( \frac{8 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^6\left(\frac{1}{2}(c+dx)\right) {}_4F_3\left(2, 2, 2, \frac{5}{2}; 1, 1, \frac{11}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right)}{315 \left(2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1\right)} + \frac{1}{120} \left(1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^(5/2)),x]

[Out] (2\*cos[c/2 + (d\*x)/2]^5\*Sec[(c + d\*x)/2]^4\*sin[c/2 + (d\*x)/2]\*((8\*cos[(c + d\*x)/2]^6\*HypergeometricPFQ[{2, 2, 2, 5/2}, {1, 1, 11/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^2)/(315\*(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)) + (Csc[c/2 + (d\*x)/2]^8\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^2\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-15\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]])\*Cos[(c + d\*x)/2]^4\*(-343 + 1465\*Sin[c/2 + (d\*x)/2]^2 - 2021\*Sin[c/2 + (d\*x)/2]^4 + 824\*Sin[c/2 + (d\*x)/2]^6) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-5145 + 33980\*Sin[c/2 + (d\*x)/2]^2 - 87764\*Sin[c/2 + (d\*x)/2]^4 + 109737\*Sin[c/2 + (d\*x)/2]^6 - 66122\*Sin[c/2 + (d\*x)/2]^8 + 15344\*Sin[c/2 + (d\*x)/2]^10))/120))/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2))

**fricas** [A] time = 2.26, size = 205, normalized size = 1.16

$$\frac{75\sqrt{2}\left(\cos(dx+c)^4 + 3\cos(dx+c)^3 + 3\cos(dx+c)^2 + \cos(dx+c)\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right)}{32\left(a^3d\cos(dx+c)^4 + 3a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + a^3d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/32\*(75\*sqrt(2)\*(cos(d\*x + c)^4 + 3\*cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(49\*cos(d\*x + c)^2 + 85\*cos(d\*x + c) + 32)\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^4 + 3\*a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + a^3\*d\*cos(d\*x + c))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

**maple** [B] time = 0.19, size = 303, normalized size = 1.71

$$\frac{\left(75\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^3(dx+c)\right)\sin(dx+c) + 225\left(\cos^2(dx+c)\right)\sin(dx+c)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)}{32\left(a^3d\cos(dx+c)^4 + 3a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + a^3d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 1/32/d\*(75\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)+225\*cos(d\*x+c)^2\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+225\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+75\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-49\*cos(d\*x+c)^4\*2^(1/2)-36\*cos(d\*x+c)^3\*2^(1/2)+53\*cos(d\*x+c)^2\*2^(1/2))



+32\*cos(d\*x+c)\*2^(1/2))\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/(1+cos(d\*x+c))^2/cos(d\*x+c)^(3/2)\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + a\*cos(c + d\*x))^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.250 \quad \int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=217

$$\frac{163 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} + \frac{95 \sin(c+dx)}{48a^2 d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{299 \sin(c+dx)}{48a^2 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $-1/4*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(5/2)}-17/16*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+163/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(5/2)}/d*2^{(1/2)}+95/48*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-299/48*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.55, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2766, 2978, 2984, 12, 2782, 205}

$$\frac{95 \sin(c+dx)}{48a^2 d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{299 \sin(c+dx)}{48a^2 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{163 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(5/2)),x]

[Out]  $(163*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])])/(16*\text{Sqrt}[2]*a^{(5/2)*d}) - \text{Sin}[c+d*x]/(4*d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^{(5/2)}) - (17*\text{Sin}[c+d*x])/((16*a*d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^{(3/2)}) + (95*\text{Sin}[c+d*x])/(48*a^2*d*\text{Cos}[c+d*x]^{(3/2)}*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - (299*\text{Sin}[c+d*x])/(48*a^2*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*S

$\text{in}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 2978

$\text{Int}[(a + b*\sin[e + f*x])^m * (A + B*\sin[e + f*x]) * (c + d*\sin[e + f*x])^n, x\_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{n+1}) / (a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1 / (a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * (c + d*\sin[e + f*x])^n * \text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\sin[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ !\text{GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

### Rule 2984

$\text{Int}[(a + b*\sin[e + f*x])^m * (A + B*\sin[e + f*x]) * (c + d*\sin[e + f*x])^n, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{n+1}) / (f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1 / (b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * (c + d*\sin[e + f*x])^{n+1} * \text{Simp}[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*\sin[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ (\text{IntegerQ}[n] \ || \ \text{EqQ}[m + 1/2, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^2(c+dx)(a+a\cos(c+dx))^{5/2}} dx &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{11a}{2}-3a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^3} dx}{4a^2} \\ &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} - \frac{17\sin(c+dx)}{16ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \\ &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} - \frac{17\sin(c+dx)}{16ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \\ &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} - \frac{17\sin(c+dx)}{16ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \\ &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} - \frac{17\sin(c+dx)}{16ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \\ &= -\frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} - \frac{17\sin(c+dx)}{16ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \\ &= \frac{163 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{\sin(c+dx)}{4d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}} \end{aligned}$$

**Mathematica [C]** time = 10.79, size = 639, normalized size = 2.94

$$\cot^5\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \left(640 \sin^{12}\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^8\left(\frac{1}{2}(c + dx)\right) {}_5F_4\left(2, 2, 2, 2, \frac{7}{2}; 1, 1, 1, \frac{13}{2}; \frac{\sin}{2 \sin}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])^(5/2)),x]

[Out] 
$$\frac{-1/41580 * (\cot[c/2 + (d*x)/2]^5 * \csc[c/2 + (d*x)/2]^4 * \sec[(c + d*x)/2]^4 * (640 * \cos[(c + d*x)/2]^8 * \text{HypergeometricPFQ}[\{2, 2, 2, 2, 7/2\}, \{1, 1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2 / (-1 + 2 * \sin[c/2 + (d*x)/2]^2]) * \sin[c/2 + (d*x)/2]^12 - 1280 * \cos[(c + d*x)/2]^6 * \text{HypergeometricPFQ}[\{2, 2, 2, 7/2\}, \{1, 1, 13/2\}, \sin[c/2 + (d*x)/2]^2 / (-1 + 2 * \sin[c/2 + (d*x)/2]^2]) * \sin[c/2 + (d*x)/2]^12 * (-6 + 5 * \sin[c/2 + (d*x)/2]^2) + 33 * (1 - 2 * \sin[c/2 + (d*x)/2]^2)^3 * \sqrt{\sin[c/2 + (d*x)/2]^2 / (-1 + 2 * \sin[c/2 + (d*x)/2]^2]) * (-105 * \text{ArcTanh}[\sqrt{\sin[c/2 + (d*x)/2]^2 / (-1 + 2 * \sin[c/2 + (d*x)/2]^2])]) * \cos[(c + d*x)/2]^4 * (-10935 + 72902 * \sin[c/2 + (d*x)/2]^2 - 188110 * \sin[c/2 + (d*x)/2]^4 + 234156 * \sin[c/2 + (d*x)/2]^6 - 140732 * \sin[c/2 + (d*x)/2]^8 + 33208 * \sin[c/2 + (d*x)/2]^10) + \sqrt{\sin[c/2 + (d*x)/2]^2 / (-1 + 2 * \sin[c/2 + (d*x)/2]^2]) * (-1148175 + 10333785 * \sin[c/2 + (d*x)/2]^2 - 38990350 * \sin[c/2 + (d*x)/2]^4 + 79946462 * \sin[c/2 + (d*x)/2]^6 - 96281836 * \sin[c/2 + (d*x)/2]^8 + 68243596 * \sin[c/2 + (d*x)/2]^10 - 26448512 * \sin[c/2 + (d*x)/2]^12 + 4344400 * \sin[c/2 + (d*x)/2]^14)}{d * (a * (1 + \cos[c + d*x])^(5/2) * (1 - 2 * \sin[c/2 + (d*x)/2]^2)^(7/2))}$$

**fricas [A]** time = 1.78, size = 219, normalized size = 1.01

$$\frac{489 \sqrt{2} \left( \cos(dx + c)^5 + 3 \cos(dx + c)^4 + 3 \cos(dx + c)^3 + \cos(dx + c)^2 \right) \sqrt{a} \arctan\left( \frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a} \sqrt{\cos(dx+c)}}{2(a \cos(dx+c)^2 + a \cos(dx+c))} \right)}{96 \left( a^3 d \cos(dx + c)^5 + 3 a^3 d \cos(dx + c)^4 + 3 a^3 d \cos(dx + c)^3 + a^3 d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 
$$\frac{1/96 * (489 * \sqrt{2} * (\cos(d*x + c)^5 + 3 * \cos(d*x + c)^4 + 3 * \cos(d*x + c)^3 + \cos(d*x + c)^2) * \sqrt{a} * \arctan(1/2 * \sqrt{2} * \sqrt{a * \cos(d*x + c) + a} * \sqrt{a} * \sqrt{\cos(d*x + c)}) * \sin(d*x + c) / (a * \cos(d*x + c)^2 + a * \cos(d*x + c))) - 2 * (2 * 99 * \cos(d*x + c)^3 + 503 * \cos(d*x + c)^2 + 160 * \cos(d*x + c) - 32) * \sqrt{a * \cos(d*x + c) + a} * \sqrt{\cos(d*x + c)} * \sin(d*x + c) / (a^3 * d * \cos(d*x + c)^5 + 3 * a^3 * d * \cos(d*x + c)^4 + 3 * a^3 * d * \cos(d*x + c)^3 + a^3 * d * \cos(d*x + c)^2)}$$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(5/2)), x)

**maple [B]** time = 0.19, size = 377, normalized size = 1.74

$$\left( 489 \arcsin\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}\right) (\cos^4(dx + c)) \sin(dx + c) \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{\frac{5}{2}} + 1956 \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{\frac{5}{2}} \arcsin\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}\right) (\cos^4(dx + c)) \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x)`

[Out]  $\frac{1}{96d} \left( 489 \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \cos(d*x+c)^4 \sin(d*x+c) \left(\frac{\cos(d*x+c)}{1+\cos(d*x+c)}\right)^{5/2} + 1956 \left(\frac{\cos(d*x+c)}{1+\cos(d*x+c)}\right)^{5/2} \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \cos(d*x+c)^3 \sin(d*x+c) + 2934 \left(\frac{\cos(d*x+c)}{1+\cos(d*x+c)}\right)^{5/2} \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \cos(d*x+c)^2 \sin(d*x+c) + 1956 \left(\frac{\cos(d*x+c)}{1+\cos(d*x+c)}\right)^{5/2} \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \cos(d*x+c) \sin(d*x+c) + 489 \left(\frac{\cos(d*x+c)}{1+\cos(d*x+c)}\right)^{5/2} \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \sin(d*x+c) - 299 \cdot 2^{1/2} \cos(d*x+c)^5 - 204 \cos(d*x+c)^4 \cdot 2^{1/2} + 343 \cos(d*x+c)^3 \cdot 2^{1/2} + 192 \cos(d*x+c)^2 \cdot 2^{1/2} - 32 \cos(d*x+c) \cdot 2^{1/2} \right) \sin(d*x+c) \cdot \left(a \cdot (1+\cos(d*x+c))\right)^{1/2} / \left(-1+\cos(d*x+c)\right) / \left(1+\cos(d*x+c)\right)^3 / \cos(d*x+c)^{5/2} \cdot 2^{1/2} / a^3$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{5/2} (a+a\cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c+d*x)^(5/2)*(a+a*cos(c+d*x))^(5/2)),x)`

[Out] `int(1/(cos(c+d*x)^(5/2)*(a+a*cos(c+d*x))^(5/2)),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2),x)`

[Out] Timed out

$$3.251 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=254

$$-\frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{637 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{189 \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^3 d \sqrt{a \cos(c+dx)+a}} - \frac{259 \sin(c+dx)}{192a^2 d (a \cos(c+dx)+a)^{3/2}}$$

[Out]  $-7 \operatorname{arcsin}(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{7/2} / d - 1/6 \cos(dx+c)^{7/2} \cdot \sin(dx+c) / d / (a+a \cos(dx+c))^{7/2} - 7/16 \cos(dx+c)^{5/2} \cdot \sin(dx+c) / a / d / (a+a \cos(dx+c))^{5/2} - 259/192 \cos(dx+c)^{3/2} \cdot \sin(dx+c) / a^2 / d / (a+a \cos(dx+c))^{3/2} + 637/128 \operatorname{arctan}(1/2 \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{7/2} / d \cdot 2^{1/2} + 189/64 \sin(dx+c) \cdot \cos(dx+c)^{1/2} / a^3 / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.75, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2765, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{259 \sin(c+dx) \cos^2(c+dx)}{192a^2 d (a \cos(c+dx)+a)^{3/2}} - \frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{189 \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^3 d \sqrt{a \cos(c+dx)+a}} + \frac{637 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Cos}[c+d*x]^{9/2} / (a+a \operatorname{Cos}[c+d*x])^{7/2}, x]$

[Out]  $(-7 \operatorname{ArcSin}[(\operatorname{Sqrt}[a] \operatorname{Sin}[c+d*x]) / \operatorname{Sqrt}[a+a \operatorname{Cos}[c+d*x]])] / (a^{7/2} * d) + (637 \operatorname{ArcTan}[(\operatorname{Sqrt}[a] \operatorname{Sin}[c+d*x]) / (\operatorname{Sqrt}[2] * \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]] * \operatorname{Sqrt}[a+a \operatorname{Cos}[c+d*x]])]) / (64 * \operatorname{Sqrt}[2] * a^{7/2} * d) - (\operatorname{Cos}[c+d*x]^{7/2} * \operatorname{Sin}[c+d*x]) / (6 * d * (a+a \operatorname{Cos}[c+d*x])^{7/2}) - (7 * \operatorname{Cos}[c+d*x]^{5/2} * \operatorname{Sin}[c+d*x]) / (16 * a * d * (a+a \operatorname{Cos}[c+d*x])^{5/2}) - (259 * \operatorname{Cos}[c+d*x]^{3/2} * \operatorname{Sin}[c+d*x]) / (192 * a^2 * d * (a+a \operatorname{Cos}[c+d*x])^{3/2}) + (189 * \operatorname{Sqrt}[\operatorname{Cos}[c+d*x]] * \operatorname{Sin}[c+d*x]) / (64 * a^3 * d * \operatorname{Sqrt}[a+a \operatorname{Cos}[c+d*x]])$

### Rule 205

$\operatorname{Int}[(a_+ + (b_+)(x_+)^2)^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] * \operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]]) / a, x] /;$   $\operatorname{FreeQ}\{a, b\}, x$  &&  $\operatorname{PosQ}[a/b]$

### Rule 216

$\operatorname{Int}[1/\operatorname{Sqrt}[(a_+ + (b_+)(x_+)^2), x\_Symbol] \rightarrow \operatorname{Simp}[\operatorname{ArcSin}[(\operatorname{Rt}[-b, 2] * x) / \operatorname{Sqrt}[a]] / \operatorname{Rt}[-b, 2], x] /;$   $\operatorname{FreeQ}\{a, b\}, x$  &&  $\operatorname{GtQ}[a, 0]$  &&  $\operatorname{NegQ}[b]$

### Rule 2765

$\operatorname{Int}[(a_+ + (b_+) \sin[(e_+) + (f_+)(x_+)])^{m_+} ((c_+) + (d_+) \sin[(e_+) + (f_+)(x_+)])^{n_+}, x\_Symbol] \rightarrow \operatorname{Simp}[(b*c - a*d) \operatorname{Cos}[e + f*x] * (a + b \operatorname{Sin}[e + f*x])^{m_+} (c + d \operatorname{Sin}[e + f*x])^{n_+ - 1} / (a*f*(2*m + 1)), x] + \operatorname{Dist}[1/(a*b*(2*m + 1)), \operatorname{Int}[(a + b \operatorname{Sin}[e + f*x])^{m_+ + 1} (c + d \operatorname{Sin}[e + f*x])^{n_+ - 2} \operatorname{Simp}[b*(c^2*(m + 1) + d^2*(n - 1)) + a*c*d*(m - n + 1) + d*(a*d*(m - n + 1) + b*c*(m + n)) \operatorname{Sin}[e + f*x], x], x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x$  &&  $\operatorname{NeQ}[b*c - a*d, 0]$  &&  $\operatorname{EqQ}[a^2 - b^2, 0]$  &&  $\operatorname{NeQ}[c^2 - d^2, 0]$  &&  $\operatorname{LtQ}[m, -1]$  &&  $\operatorname{GtQ}[n, 1]$  &&  $(\operatorname{IntegersQ}[2*m, 2*n] \mid \mid (\operatorname{IntegerQ}[m] \&\& \operatorname{EqQ}[c, 0]))$

### Rule 2774

$\operatorname{Int}[\operatorname{Sqrt}[(a_+ + (b_+) \sin[(e_+) + (f_+)(x_+)]) / \operatorname{Sqrt}[(d_+) \sin[(e_+) + (f_+)(x_+)]]], x\_Symbol] \rightarrow \operatorname{Dist}[-2/f, \operatorname{Subst}[\operatorname{Int}[1/\operatorname{Sqrt}[1 - x^2/a], x], x, (b \operatorname{Cos}$

$[e + f*x]/\sqrt{a + b*\sin[e + f*x]}$ , x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Ssin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b\*Ssin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^9(c+dx)}{(a+a\cos(c+dx))^{7/2}} dx &= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{\int \frac{\cos^5(c+dx)\left(\frac{7a}{2}-7a\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\cos^3(c+dx)\left(\frac{105a^2}{4}-\frac{77}{2}a^2\cos(c+dx)\right)}{(a+a\cos(c+dx))^{3/2}} dx}{24a^4} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{259\cos^3(c+dx)\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{259\cos^3(c+dx)\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{259\cos^3(c+dx)\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{259\cos^3(c+dx)\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= -\frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{7\cos^5(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{259\cos^3(c+dx)\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= -\frac{7\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{7/2}d} + \frac{637\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{\cos^7(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}}
\end{aligned}$$

**Mathematica [C]** time = 6.75, size = 448, normalized size = 1.76

$$\frac{\sqrt{\cos(c+dx)} \cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \frac{16 \sin\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right)}{d} + \frac{16 \cos\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right)}{d} + \frac{\sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{\tan\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} - \frac{15 \sec\left(\frac{c}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} \right)}{(a(\cos(c+dx)+1))^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(9/2)/(a + a\*cos[c + d\*x])^(7/2), x]

[Out] (((7\*I)/8)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*(64\*ArcSinh[E^(I\*(c + d\*x))] + 91\*Sqrt[2]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - 64\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]]\*Cos[c/2 + (d\*x)/2]^7)/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*(a\*(1 + Cos[c + d\*x])^(7/2)) + (Cos[c/2 + (d\*x)/2]^7\*Sqrt[Cos[c + d\*x]]\*((16\*Cos[(d\*x)/2]\*Sin[c/2])/d + (16\*Cos[c/2]\*Sin[(d\*x)/2])/d + (523\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*Sin[(d\*x)/2])/(24\*d) - (15\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^4\*Sin[(d\*x)/2])/(4\*d) + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(3\*d) + (523\*Sec[c/2 + (d\*x)/2]\*Tan[c/2])/(24\*d) - (15\*Sec[c/2 + (d\*x)/2]^3\*Tan[c/2])/(4\*d) + (Sec[c/2 + (d\*x)/2]^5\*Tan[c/2])/(3\*d)))/(a\*(1 + Cos[c + d\*x])^(7/2))

**fricas [A]** time = 3.85, size = 280, normalized size = 1.10

$$\frac{1911\sqrt{2}\left(\cos(dx+c)^4 + 4\cos(dx+c)^3 + 6\cos(dx+c)^2 + 4\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{(a(\cos(dx+c)+1))^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 
$$-1/384*(1911*\sqrt{2}*(\cos(dx+c)^4+4*\cos(dx+c)^3+6*\cos(dx+c)^2+4*\cos(dx+c)+1)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - 2*(192*\cos(dx+c)^3+1099*\cos(dx+c)^2+1442*\cos(dx+c)+567)*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)}*\sin(dx+c) - 2688*(\cos(dx+c)^4+4*\cos(dx+c)^3+6*\cos(dx+c)^2+4*\cos(dx+c)+1)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c)))/(a^4*d*\cos(dx+c)^4+4*a^4*d*\cos(dx+c)^3+6*a^4*d*\cos(dx+c)^2+4*a^4*d*\cos(dx+c)+a^4*d)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(a \cos(dx+c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**maple** [B] time = 0.19, size = 464, normalized size = 1.83

$$\left(\cos^{\frac{9}{2}}(dx+c)\right)(-1+\cos(dx+c))^7 \sqrt{a(1+\cos(dx+c))} \left(192\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^4(dx+c)) + 907(\cos^3(dx+c))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^(7/2),x)

[Out] 
$$1/384/d*\cos(dx+c)^{(9/2)}*(-1+\cos(dx+c))^7*(a*(1+\cos(dx+c)))^{(1/2)}*(192*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^4+907*\cos(dx+c)^3*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+1344*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c))))^{(1/2)}/\cos(dx+c))*2^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)+1911*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+343*\cos(dx+c)^2*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+2688*\cos(dx+c)*\sin(dx+c)*2^{(1/2)}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c))))^{(1/2)}/\cos(dx+c))+3822*\cos(dx+c)*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))-875*\cos(dx+c)*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+1344*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c))))^{(1/2)}/\cos(dx+c))*2^{(1/2)}*\sin(dx+c)+1911*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-567*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)})/(\cos(dx+c)/(1+\cos(dx+c)))^{(9/2)}/\sin(dx+c)^{15}*2^{(1/2)}/a^4$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(a \cos(dx+c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{9/2}}{(a+a \cos(c+dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(9/2)/(a + a*cos(c + d*x))^(7/2), x)
```

```
[Out] int(cos(c + d*x)^(9/2)/(a + a*cos(c + d*x))^(7/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(9/2)/(a+a*cos(d*x+c))**(7/2), x)
```

```
[Out] Timed out
```

$$3.252 \quad \int \frac{\cos^7(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=214

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{177 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} - \frac{49 \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^2d(a \cos(c+dx)+a)^{3/2}} - \frac{\sin(c+dx) \cos(c+dx)}{6d(a \cos(c+dx)+a)}$$

[Out]  $2 \arcsin(\sin(dx+c) \cdot a^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{7/2} / d - 1/6 \cos(dx+c)^{5/2} \sin(dx+c) / d / (a+a \cos(dx+c))^{7/2} - 17/48 \cos(dx+c)^{3/2} \sin(dx+c) / a / d / (a+a \cos(dx+c))^{5/2} - 177/128 \arctan(1/2 \sin(dx+c) \cdot a^{1/2} \cdot 2^{1/2} / \cos(dx+c)^{1/2} / (a+a \cos(dx+c))^{1/2}) / a^{7/2} / d \cdot 2^{1/2} - 49/64 \sin(dx+c) \cdot \cos(dx+c)^{1/2} / a^2 / d / (a+a \cos(dx+c))^{3/2}$

**Rubi [A]** time = 0.60, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2765, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{49 \sin(c+dx) \sqrt{\cos(c+dx)}}{64a^2d(a \cos(c+dx)+a)^{3/2}} - \frac{177 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} - \frac{\sin(c+dx) \cos(c+dx)}{6d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out]  $(2 \cdot \text{ArcSin}[(\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]) / \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])] / (a^{7/2} \cdot d) - (177 \cdot \text{ArcTan}[(\text{Sqrt}[a] \cdot \text{Sin}[c + d \cdot x]) / (\text{Sqrt}[2] \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sqrt}[a + a \cdot \text{Cos}[c + d \cdot x]])]) / (64 \cdot \text{Sqrt}[2] \cdot a^{7/2} \cdot d) - (\text{Cos}[c + d \cdot x]^{5/2} \cdot \text{Sin}[c + d \cdot x]) / (6 \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{7/2}) - (17 \cdot \text{Cos}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (48 \cdot a \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{5/2}) - (49 \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (64 \cdot a^2 \cdot d \cdot (a + a \cdot \text{Cos}[c + d \cdot x])^{3/2})$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n-1))/(a\*f\*(2\*m+1)), x] + Dist[1/(a\*b\*(2\*m+1)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-2)\*Simp[b\*(c^2\*(m+1) + d^2\*(n-1)) + a\*c\*d\*(m-n+1) + d\*(a\*d\*(m-n+1) + b\*c\*(m+n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq

Q[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\cos^7(c+dx)}{(a+a\cos(c+dx))^{7/2}} dx = -\frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{\int \frac{\cos^3(c+dx)\left(\frac{5a}{2}-6a\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{17\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{51a^2}{4}-24a^2\cos(c+dx)\right)}{(a+a\cos(c+dx))^{3/2}} dx}{24a^4}$$

$$= -\frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{17\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{49\sqrt{\cos(c+dx)}\sin(c+dx)}{64a^2d(a+a\cos(c+dx))^{3/2}}$$

$$= -\frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{17\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{49\sqrt{\cos(c+dx)}\sin(c+dx)}{64a^2d(a+a\cos(c+dx))^{3/2}}$$

$$= -\frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{17\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{49\sqrt{\cos(c+dx)}\sin(c+dx)}{64a^2d(a+a\cos(c+dx))^{3/2}}$$

$$= \frac{2\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{7/2}d} - \frac{177\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}}$$

**Mathematica [C]** time = 6.74, size = 412, normalized size = 1.93

$$\cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\cos(c + dx)} \left( -\frac{\sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} - \frac{\tan\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{11 \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} + \frac{11 \tan\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} \right) \frac{1}{(a(\cos(c + dx) + 1))^{7/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + a\*cos[c + d\*x])^(7/2), x]

[Out]  $((-1/4*I)*E^{((I/2)*(c + d*x))*Sqrt[(1 + E^{((2*I)*(c + d*x))})/E^{I*(c + d*x)}}] * (64*ArcSinh[E^{I*(c + d*x)}] + (177*ArcTanh[(1 - E^{I*(c + d*x)})/(Sqrt[2]*Sqrt[1 + E^{((2*I)*(c + d*x))}])])]/Sqrt[2] - 64*ArcTanh[Sqrt[1 + E^{((2*I)*(c + d*x))}]]*Cos[c/2 + (d*x)/2]^7)/(Sqrt[2]*d*Sqrt[1 + E^{((2*I)*(c + d*x))}]) * (a*(1 + Cos[c + d*x]))^(7/2)) + (Cos[c/2 + (d*x)/2]^7*Sqrt[Cos[c + d*x]] * ((-247*Sec[c/2]*Sec[c/2 + (d*x)/2]^2*Sin[(d*x)/2])/(24*d) + (11*Sec[c/2]*Sec[c/2 + (d*x)/2]^4*Sin[(d*x)/2])/(4*d) - (Sec[c/2]*Sec[c/2 + (d*x)/2]^6*Sin[(d*x)/2])/(3*d) - (247*Sec[c/2 + (d*x)/2]*Tan[c/2])/(24*d) + (11*Sec[c/2 + (d*x)/2]^3*Tan[c/2])/(4*d) - (Sec[c/2 + (d*x)/2]^5*Tan[c/2])/(3*d)))/(a*(1 + Cos[c + d*x]))^(7/2)$

**fricas [A]** time = 3.50, size = 270, normalized size = 1.26

$$531 \sqrt{2} \left( \cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(7/2), x, algorithm="fricas")

[Out]  $1/384*(531*\sqrt{2}*(\cos(d*x + c)^4 + 4*\cos(d*x + c)^3 + 6*\cos(d*x + c)^2 + 4*\cos(d*x + c) + 1)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - 2*\sqrt{a*\cos(d*x + c) + a}*(247*\cos(d*x + c)^2 + 362*\cos(d*x + c) + 147)*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 768*(\cos(d*x + c)^4 + 4*\cos(d*x + c)^3 + 6*\cos(d*x + c)^2 + 4*\cos(d*x + c) + 1)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c)))/ (a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)$

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(7/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**maple [B]** time = 0.18, size = 432, normalized size = 2.02

$$\left(\cos^{\frac{7}{2}}(dx + c)\right) (-1 + \cos(dx + c))^6 \sqrt{a(1 + \cos(dx + c))} \left( 384 \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \sqrt{2} \left(\cos^2(dx + c) + \dots\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(7/2),x)`

[Out]  $\frac{1}{384}d\cos(d*x+c)^{(7/2)}*(-1+\cos(d*x+c))^{6*(a*(1+\cos(d*x+c)))^{(1/2)}}*(384*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+247*\cos(d*x+c)^3*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+768*\cos(d*x+c)*\sin(d*x+c)*2^{(1/2)}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))+115*\cos(d*x+c)^2*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+531*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)+384*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)-215*\cos(d*x+c)*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+1062*\cos(d*x+c)*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-147*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+531*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c))/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)}/\sin(d*x+c)^{13}*2^{(1/2)}/a^4$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a\cos(dx+c)+a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")`

[Out] `integrate(cos(d*x+c)^(7/2)/(a*cos(d*x+c)+a)^(7/2),x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{7/2}}{(a+a\cos(c+dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(7/2)/(a+a*cos(c+d*x))^(7/2),x)`

[Out] `int(cos(c+d*x)^(7/2)/(a+a*cos(c+d*x))^(7/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(7/2),x)`

[Out] Timed out

$$3.253 \quad \int \frac{\cos^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=177

$$\frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{67 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} - \frac{\sin(c+dx) \cos^3(c+dx)}{6d(a \cos(c+dx) + a)^{7/2}} - \frac{13 \sin(c+dx) \sqrt{\cos(c+dx)}}{48ad(a \cos(c+dx) + a)^{3/2}}$$

[Out]  $-1/6*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}+5/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(7/2)}/d*2^{(1/2)}-13/48*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(5/2)}+67/192*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}$

**Rubi [A]** time = 0.40, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2765, 2977, 2978, 12, 2782, 205}

$$\frac{67 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{5 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{\sin(c+dx) \cos^3(c+dx)}{6d(a \cos(c+dx) + a)^{7/2}} - \frac{13 \sin(c+dx) \sqrt{\cos(c+dx)}}{48ad(a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^(7/2), x]

[Out]  $(5*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - (\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/((6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - (13*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(48*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) + (67*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)})$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

## Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

## Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{7/2}} dx &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3a}{2}-5a\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\frac{13a^2}{4}-\frac{27}{2}a^2\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))}}{24a^4} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \frac{67\sqrt{\cos(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \frac{67\sqrt{\cos(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\ &= -\frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \frac{67\sqrt{\cos(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\ &= \frac{5\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{13\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} \end{aligned}$$

**Mathematica** [A] time = 2.68, size = 176, normalized size = 0.99

$$\frac{\cos^7\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\cos(c+dx)+1)}\left(15\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}\sin^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}}\right)+\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{\cos(c+dx)}{\cos\left(\frac{1}{2}(c+dx)\right)}}\right)}{24a^4d\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}(\cos(c+dx)+1)^4}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^(7/2), x]



[Out]  $(\cos[(c + dx)/2])^7 \sqrt{a(1 + \cos[c + dx])} (15 \operatorname{ArcSin}[\sin[(c + dx)/2]] / \sqrt{\cos[(c + dx)/2]^2}) \sqrt{\cos[(c + dx)/2]^2 + \sqrt{2} \sqrt{\cos[c + dx]}} / (1 + \cos[c + dx]) \sin[(c + dx)/2] (33 - 26 \tan[(c + dx)/2]^2 + 8 \tan[(c + dx)/2]^4) / (24 a^4 d \sqrt{\cos[(c + dx)/2]^2} (1 + \cos[c + dx])^4)$

**fricas** [A] time = 1.43, size = 214, normalized size = 1.21

$$\frac{15 \sqrt{2} (\cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{a}}{2(a \cos(dx+c)^2 + a)}\right)}{384 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")`

[Out]  $1/384 * (15 * \sqrt{2}) * (\cos(dx + c)^4 + 4 * \cos(dx + c)^3 + 6 * \cos(dx + c)^2 + 4 * \cos(dx + c) + 1) * \sqrt{a} * \arctan(1/2 * \sqrt{2} * \sqrt{a * \cos(dx + c) + a}) * \sqrt{a} * \sqrt{\cos(dx + c)} * \sin(dx + c) / (a * \cos(dx + c)^2 + a * \cos(dx + c)) + 2 * \sqrt{a * \cos(dx + c) + a} * (67 * \cos(dx + c)^2 + 50 * \cos(dx + c) + 15) * \sqrt{\cos(dx + c)} * \sin(dx + c) / (a^4 * d * \cos(dx + c)^4 + 4 * a^4 * d * \cos(dx + c)^3 + 6 * a^4 * d * \cos(dx + c)^2 + 4 * a^4 * d * \cos(dx + c) + a^4 * d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")`

[Out] `integrate(cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(7/2), x)`

**maple** [A] time = 0.18, size = 280, normalized size = 1.58

$$\frac{(\cos^2(dx + c)) (-1 + \cos(dx + c))^5 \sqrt{a(1 + \cos(dx + c))} \left(67 (\cos^3(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 15 \arcsin\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x)`

[Out]  $1/384/d * \cos(dx+c)^{(5/2)} * (-1 + \cos(dx+c))^5 * (a * (1 + \cos(dx+c)))^{(1/2)} * (67 * \cos(dx+c)^3 * 2^{(1/2)} * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} + 15 * \arcsin((-1 + \cos(dx+c))/\sin(dx+c)) * \cos(dx+c)^2 * \sin(dx+c) - 17 * \cos(dx+c)^2 * 2^{(1/2)} * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} + 30 * \cos(dx+c) * \sin(dx+c) * \arcsin((-1 + \cos(dx+c))/\sin(dx+c)) - 35 * \cos(dx+c) * 2^{(1/2)} * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} + 15 * \arcsin((-1 + \cos(dx+c))/\sin(dx+c)) * \sin(dx+c) - 15 * 2^{(1/2)} * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}) / (\cos(dx+c)/(1+\cos(dx+c)))^{(5/2)} / \sin(dx+c)^{11} * 2^{(1/2)} / a^4$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(7/2),x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

$$3.254 \quad \int \frac{\cos^3(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=177

$$\frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{17 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{3 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{6d (a \cos(c+dx) + a)^{3/2}}$$

[Out] 7/128\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(7/2)/d\*2^(1/2)-1/6\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(7/2)+3/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(5/2)+17/192\*2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^2/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.40, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2765, 2978, 12, 2782, 205}

$$\frac{17 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{3 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} - \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{6d (a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (7\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(64\*Sqrt[2]\*a^(7/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + (3\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + (17\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx = -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{\int \frac{\frac{a}{2} - 4a \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} - \frac{\int \frac{-\frac{a^2}{4} - \frac{9}{2}a^2 \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} dx}{24a^4}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} + \frac{17\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} + \frac{17\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} + \frac{17\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{7 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

**Mathematica [A]** time = 1.93, size = 148, normalized size = 0.84

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \left( (135 \cos(c + dx) + 140 \cos(2(c + dx)) + 17 \cos(3(c + dx)) + 140) \sqrt{2 - 2 \sec(c + dx)} \right)}{3072 \sqrt{2} a^3 d \sqrt{\cos(c + dx)} - 1 \sqrt{a(\cos(c + dx))}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)/(a + a*cos[c + d*x])^(7/2), x]
```

```
[Out] (Sec[(c + d*x)/2]^4*(672*ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]])*Cos[(c + d*x)/2]^6 + (140 + 135*Cos[c + d*x] + 140*Cos[2*(c + d*x)] + 17*Cos[3*(c + d*x)])*Sqrt[2 - 2*Sec[c + d*x]]*Tan[(c + d*x)/2]/(3072*Sqrt[2]*a^3*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])])
```

**fricas [A]** time = 1.15, size = 214, normalized size = 1.21

$$\frac{21 \sqrt{2} (\cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c)} + a \sqrt{a} \sqrt{\cos(dx + c)}}{2(a \cos(dx + c)^2 + a \cos(dx + c) + 1)}\right)}{384 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + 1) \sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="fricas")
```

```
[Out] 1/384*(21*sqrt(2))*(cos(d*x + c)^4 + 4*cos(d*x + c)^3 + 6*cos(d*x + c)^2 + 4*cos(d*x + c) + 1)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) + 2*sqrt(a*cos(d*x + c) + a)*(17*cos(d*x + c)^2 + 70*cos(d*x + c) + 21)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate(cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2), x)
```

**maple** [A] time = 0.18, size = 280, normalized size = 1.58

$$\frac{\left(\cos^{\frac{3}{2}}(dx + c)\right) \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^4 \left(17 \left(\cos^3(dx + c)\right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 53 \left(\cos^2(dx + c)\right) \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x)
```

```
[Out] -1/384/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^4*(17*cos(d*x+c)^3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+53*cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+21*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-49*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+42*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-21*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+21*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c))/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^9*2^(1/2)/a^4
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate(cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x))^(7/2),x)
```

```
[Out] int(cos(c + d*x)^(3/2)/(a + a*cos(c + d*x))^(7/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.255 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=177

$$\frac{13 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{5 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{6d (a \cos(c+dx) + a)^{3/2}}$$

[Out] 13/128\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(7/2)/d\*2^(1/2)+1/6\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(7/2)+1/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(5/2)-5/192\*2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^2/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.40, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2764, 2978, 12, 2782, 205}

$$-\frac{5 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{13 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{6d (a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (13\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (5\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

## Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\frac{a}{2} + 2a\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{11a^2}{4} + \frac{3}{2}a^2\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{24a^4} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{5\sqrt{\cos(c+dx)} \sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{5\sqrt{\cos(c+dx)} \sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{5\sqrt{\cos(c+dx)} \sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
&= \frac{13 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\sqrt{\cos(c+dx)}}{16ad(a+a\cos(c+dx))^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 2.86, size = 149, normalized size = 0.84

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right) \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \sqrt{a(\cos(c+dx)+1)} \left(4\cos(c+dx) - 5\cos(2(c+dx)) - 156\cos^4\left(\frac{1}{2}(c+dx)\right)\right)}{192a^4d(\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(73 + 4\*Cos[c + d\*x] - 5\*Cos[2\*(c + d\*x)] - 156\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^4\*Cot[(c + d\*x)/2]^2\*Sqrt[2 - 2\*Sec[c + d\*x]])\*Sin[(c + d\*x)/2])/(192\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**fricas [A]** time = 1.13, size = 214, normalized size = 1.21

$$\frac{39\sqrt{2}(\cos(dx+c)^4 + 4\cos(dx+c)^3 + 6\cos(dx+c)^2 + 4\cos(dx+c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}}{2(a\cos(dx+c)^2+a\cos(dx+c)+1)}\right)}{384(a^4d\cos(dx+c)^4 + 4a^4d\cos(dx+c)^3 + 6a^4d\cos(dx+c)^2 + 4a^4d\cos(dx+c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2), x, algorithm="fricas")



[Out]  $1/384*(39*\sqrt{2}*(\cos(dx + c)^4 + 4*\cos(dx + c)^3 + 6*\cos(dx + c)^2 + 4*\cos(dx + c) + 1)*\sqrt{a}*\arctan(1/2*\sqrt{2}*\sqrt{a*\cos(dx + c) + a}*\sqrt{a}*\sqrt{\cos(dx + c)}*\sin(dx + c)/(a*\cos(dx + c)^2 + a*\cos(dx + c))) - 2*\sqrt{a*\cos(dx + c) + a}*(5*\cos(dx + c)^2 - 2*\cos(dx + c) - 39)*\sqrt{\cos(dx + c)}*\sin(dx + c))/(a^4*d*\cos(dx + c)^4 + 4*a^4*d*\cos(dx + c)^3 + 6*a^4*d*\cos(dx + c)^2 + 4*a^4*d*\cos(dx + c) + a^4*d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(1/2)/(a+a*cos(dx+c))^(7/2),x, algorithm="giac")`

[Out] `integrate(sqrt(cos(dx + c))/(a*cos(dx + c) + a)^(7/2), x)`

**maple** [A] time = 0.17, size = 280, normalized size = 1.58

$$\frac{(\sqrt{\cos(dx + c)} \sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^3 \left( -5(\cos^3(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 39 \arcsin \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(1/2)/(a+a*cos(dx+c))^(7/2),x)`

[Out]  $1/384/d*\cos(dx+c)^{(1/2)}*(a*(1+\cos(dx+c)))^{(1/2)}*(-1+\cos(dx+c))^3*(-5*\cos(dx+c)^3*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+39*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\cos(dx+c)^2*\sin(dx+c)+7*\cos(dx+c)^2*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+78*\cos(dx+c)*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))+37*\cos(dx+c)*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}+39*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-39*2^{(1/2)}*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)})/\sin(dx+c)^7/(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*2^{(1/2)}/a^4$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(1/2)/(a+a*cos(dx+c))^(7/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(cos(dx + c))/(a*cos(dx + c) + a)^(7/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + dx)^(1/2)/(a + a*cos(c + dx))^(7/2),x)`

[Out] `int(cos(c + dx)^(1/2)/(a + a*cos(c + dx))^(7/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.256 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=177

$$\frac{63 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{103 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} - \frac{5 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} - \frac{\sin(c+dx)}{6d (a \cos(c+dx) + a)^{3/2}}$$

[Out] 63/128\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(7/2)/d\*2^(1/2)-1/6\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(7/2)-5/16\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a/d/(a+a\*cos(d\*x+c))^(5/2)-103/192\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/a^2/d/(a+a\*cos(d\*x+c))^(3/2)

**Rubi [A]** time = 0.41, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, number of rules / integrand size = 0.200, Rules used = {2766, 2978, 12, 2782, 205}

$$\frac{103 \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{63 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{5 \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad (a \cos(c+dx) + a)^{5/2}} - \frac{\sin(c+dx)}{6d (a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(7/2)),x]

[Out] (63\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) - (5\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - (103\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rubi steps

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{7/2}} dx = -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{11a}{2} - 2a \cos(c + dx)}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{73a}{4}}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2}} dx}{6a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} - \frac{103\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} - \frac{103\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} - \frac{103\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{63 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{103\sqrt{\cos(c + dx)} \sin(c + dx)}{192a^2d(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [A]** time = 2.17, size = 148, normalized size = 0.84

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \left( (1089 \cos(c + dx) + 532 \cos(2(c + dx)) + 103 \cos(3(c + dx)) + 532) \sqrt{2 - 2 \sec(c + dx)} \right)}{3072 \sqrt{2} a^3 d \sqrt{\cos(c + dx)} - 1 \sqrt{a} (\cos(c + dx) + 1)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/(Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(7/2)), x]
[Out] -1/3072*(Sec[(c + d*x)/2]^4*(-6048*ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]]*Cos[(c + d*x)/2]^6 + (532 + 1089*Cos[c + d*x] + 532*Cos[2*(c + d*x)] + 103*Cos[3*(c + d*x)])*Sqrt[2 - 2*Sec[c + d*x]])*Tan[(c + d*x)/2])/(Sqrt[2]*a^3*d*Sqrt[-1 + Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])])
```

**fricas [A]** time = 1.16, size = 214, normalized size = 1.21

$$\frac{189 \sqrt{2} (\cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c)} \sqrt{a} \sqrt{\cos(dx + c)}}{2(a \cos(dx + c)^2 + a \cos(dx + c) + 1)}\right)}{384 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384\*(189\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(103\*cos(d\*x + c)^2 + 266\*cos(d\*x + c) + 195)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sqrt(cos(d\*x + c))), x)

maple [B] time = 0.17, size = 313, normalized size = 1.77

$$\frac{\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^2 \left( -189 \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) (\cos^3(dx + c)) \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x)

[Out] 1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^2\*(-189\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+103\*cos(d\*x+c)^4\*2^(1/2)-567\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+163\*cos(d\*x+c)^3\*2^(1/2)-567\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-71\*cos(d\*x+c)^2\*2^(1/2)-189\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-195\*cos(d\*x+c)\*2^(1/2))/(1+cos(d\*x+c))/cos(d\*x+c)^(1/2)/sin(d\*x+c)^5\*2^(1/2)/a^4

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sqrt(cos(d\*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(7/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + a\*cos(c + d\*x))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**3.257**  $\int \frac{1}{\cos^2(c+dx)(a+a \cos(c+dx))^{7/2}} dx$

**Optimal.** Leaf size=217

$$\frac{363 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2}d} + \frac{691 \sin(c+dx)}{192a^3d\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{199 \sin(c+dx)}{192a^2d\sqrt{\cos(c+dx)} (a \cos(c+dx)+a)^{3/2}}$$

[Out] -363/128\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))/a^(7/2)/d\*2^(1/2)-1/6\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(7/2)/cos(d\*x+c)^(1/2)-19/48\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2)-199/192\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2)+691/192\*sin(d\*x+c)/a^3/d/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.55, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2766, 2978, 2984, 12, 2782, 205}

$$\frac{691 \sin(c+dx)}{192a^3d\sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} - \frac{199 \sin(c+dx)}{192a^2d\sqrt{\cos(c+dx)} (a \cos(c+dx)+a)^{3/2}} - \frac{363 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{64\sqrt{2} a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^(7/2)),x]

[Out] (-363\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*cos[c + d\*x]])])/(64\*Sqrt[2]\*a^(7/2)\*d) - Sin[c + d\*x]/(6\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^(7/2)) - (19\*Sin[c + d\*x])/(48\*a\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^(5/2)) - (199\*Sin[c + d\*x])/(192\*a^2\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^(3/2)) + (691\*Sin[c + d\*x])/(192\*a^3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*cos[c + d\*x]])

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2766**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*sin[e + f\*x])^(m + 1)\*(c + d\*sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]])]

in[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx = -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{13a}{2} - 3a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{19 \sin(c + dx)}{48ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{363 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{64\sqrt{2} a^{7/2} d} - \frac{\sin(c + dx)}{6d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$



**Mathematica [C]** time = 8.44, size = 559, normalized size = 2.58

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^6\left(\frac{1}{2}(c + dx)\right) \left( \frac{16 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^8\left(\frac{1}{2}(c + dx)\right) {}_5F_4\left(2, 2, 2, 2, \frac{5}{2}; 1, 1, 1, \frac{13}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right)}{3465 \left(2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1\right)} - \frac{(1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\sqrt{a} \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{3465 \left(2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1\right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(7/2)),x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^7\*Sec[(c + d\*x)/2]^6\*Sin[c/2 + (d\*x)/2]\*((16\*Cos[(c + d\*x)/2]^8\*HypergeometricPFQ[{2, 2, 2, 2, 5/2}, {1, 1, 1, 13/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^2)/(3465\*(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)) - (Csc[c/2 + (d\*x)/2]^10\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^2\*sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(105\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Cos[(c + d\*x)/2]^6\*(2187 - 12908\*Sin[c/2 + (d\*x)/2]^2 + 27986\*Sin[c/2 + (d\*x)/2]^4 - 26380\*Sin[c/2 + (d\*x)/2]^6 + 8752\*Sin[c/2 + (d\*x)/2]^8) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-229635 + 2120790\*Sin[c/2 + (d\*x)/2]^2 - 8267707\*Sin[c/2 + (d\*x)/2]^4 + 17646926\*Sin[c/2 + (d\*x)/2]^6 - 22251094\*Sin[c/2 + (d\*x)/2]^8 + 16548816\*Sin[c/2 + (d\*x)/2]^10 - 6712984\*Sin[c/2 + (d\*x)/2]^12 + 1144608\*Sin[c/2 + (d\*x)/2]^14))/1680)/(d\*(a\*(1 + Cos[c + d\*x])^(7/2)\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)))

**fricas [A]** time = 1.00, size = 239, normalized size = 1.10

$$\frac{1089 \sqrt{2} \left( \cos(dx + c)^5 + 4 \cos(dx + c)^4 + 6 \cos(dx + c)^3 + 4 \cos(dx + c)^2 + \cos(dx + c) \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sin(dx + c)}{\sqrt{a} \cos(dx + c)}\right)}{384 \left( a^4 d \cos(dx + c)^5 + 4 a^4 d \cos(dx + c)^4 + 6 a^4 d \cos(dx + c)^3 + 4 a^4 d \cos(dx + c)^2 + a^4 d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] -1/384\*(1089\*sqrt(2)\*(cos(d\*x + c)^5 + 4\*cos(d\*x + c)^4 + 6\*cos(d\*x + c)^3 + 4\*cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*(691\*cos(d\*x + c)^3 + 1874\*cos(d\*x + c)^2 + 1599\*cos(d\*x + c) + 384)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^5 + 4\*a^4\*d\*cos(d\*x + c)^4 + 6\*a^4\*d\*cos(d\*x + c)^3 + 4\*a^4\*d\*cos(d\*x + c)^2 + a^4\*d\*cos(d\*x + c))

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 0.21, size = 377, normalized size = 1.74

$$(-1 + \cos(dx + c)) \left( -1089 \left( \cos^4(dx + c) \right) \sin(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{3}{2}} - 4356 \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x)`

[Out]  $1/384/d*(-1+\cos(d*x+c))*(-1089*\cos(d*x+c)^4*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-4356*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^3*\sin(d*x+c)-6534*\cos(d*x+c)^2*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+691*2^{1/2}*\cos(d*x+c)^5-4356*\cos(d*x+c)*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+1183*\cos(d*x+c)^4*2^{1/2}-1089*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-275*\cos(d*x+c)^3*2^{1/2}-1215*\cos(d*x+c)^2*2^{1/2}-384*\cos(d*x+c)*2^{1/2})*(a*(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)^3/(1+\cos(d*x+c))^2/\cos(d*x+c)^{3/2}*2^{1/2}/a^4$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2), x, algorithm="maxima")`

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(7/2)), x)`

[Out] `int(1/(cos(c + d*x)^(3/2)*(a + a*cos(c + d*x))^(7/2)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2), x)`

[Out] Timed out

$$3.258 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=257

$$\frac{1015 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2} a^{7/2} d} + \frac{193 \sin(c+dx)}{64a^3 d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{629 \sin(c+dx)}{64a^3 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out]  $-1/6*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(7/2)}-23/48*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(5/2)}-109/64*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(3/2)}+1015/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(7/2)}/d*2^{(1/2)}+193/64*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}-629/64*\sin(d*x+c)/a^3/d/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.70, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2766, 2978, 2984, 12, 2782, 205}

$$\frac{193 \sin(c+dx)}{64a^3 d \cos^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} - \frac{109 \sin(c+dx)}{64a^2 d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)^{3/2}} - \frac{629 \sin(c+dx)}{64a^3 d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(7/2)),x]

[Out]  $(1015*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - \text{Sin}[c+d*x]/(6*d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^{(7/2)}) - (23*\text{Sin}[c+d*x])/((48*a*d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^{(5/2)})) - (109*\text{Sin}[c+d*x])/((64*a^2*d*\text{Cos}[c+d*x]^{(3/2)}*(a+a*\text{Cos}[c+d*x])^{(3/2)})) + (193*\text{Sin}[c+d*x])/((64*a^3*d*\text{Cos}[c+d*x]^{(3/2)}*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - (629*\text{Sin}[c+d*x])/((64*a^3*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} dx &= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\frac{15a}{2}-4a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{5/2}}}{6a^2} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= -\frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} - \frac{23\sin(c+dx)}{48ad\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} \\
&= \frac{1015 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{\sin(c+dx)}{6d\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}}
\end{aligned}$$

**Mathematica [C]** time = 8.43, size = 273, normalized size = 1.06

$$\frac{ie^{-\frac{3}{2}i(c+dx)} \cos^7\left(\frac{1}{2}(c+dx)\right) \left(3045\sqrt{2} (1 + e^{i(c+dx)})^6 (1 + e^{2i(c+dx)})^{3/2} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) - 2(8277e^{i(c+dx)} + 96d(1 + e^{i(c+dx)}))\right)}{96d(1 + e^{i(c+dx)})}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])^(7/2)),x]

[Out] ((I/96)\*(-2\*(1887 + 8277\*E^(I\*(c + d\*x)) + 14388\*E^((2\*I)\*(c + d\*x)) + 13108\*E^((3\*I)\*(c + d\*x)) + 5622\*E^((4\*I)\*(c + d\*x)) - 5622\*E^((5\*I)\*(c + d\*x)) - 13108\*E^((6\*I)\*(c + d\*x)) - 14388\*E^((7\*I)\*(c + d\*x)) - 8277\*E^((8\*I)\*(c + d\*x)) - 1887\*E^((9\*I)\*(c + d\*x))) + 3045\*Sqrt[2]\*(1 + E^(I\*(c + d\*x)))^6\*(1 + E^((2\*I)\*(c + d\*x)))^(3/2)\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]\*Cos[(c + d\*x)/2]^7)/(d\*E^((3\*I)/2\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))^6\*Cos[c + d\*x]^(3/2)\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**fricas [A]** time = 0.98, size = 253, normalized size = 0.98

$$\frac{3045\sqrt{2}(\cos(dx+c)^6 + 4\cos(dx+c)^5 + 6\cos(dx+c)^4 + 4\cos(dx+c)^3 + \cos(dx+c)^2)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)}{384(a^4d\cos(dx+c))^6}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")
[Out] 1/384*(3045*sqrt(2)*(cos(d*x + c)^6 + 4*cos(d*x + c)^5 + 6*cos(d*x + c)^4 +
4*cos(d*x + c)^3 + cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d
*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*
cos(d*x + c))) - 2*(1887*cos(d*x + c)^4 + 5082*cos(d*x + c)^3 + 4251*cos(d*
x + c)^2 + 896*cos(d*x + c) - 128)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x +
c))*sin(d*x + c))/(a^4*d*cos(d*x + c)^6 + 4*a^4*d*cos(d*x + c)^5 + 6*a^4*d*
cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + a^4*d*cos(d*x + c)^2)
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
[Out] integrate(1/((a*cos(d*x + c) + a)^(7/2)*cos(d*x + c)^(5/2)), x)
maple [B] time = 0.21, size = 435, normalized size = 1.69
```

$$\left( -3045 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^5(dx+c)) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} - 15225 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^4(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x)
[Out] 1/384/d*(-3045*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^5*sin(d*x+c)*(
cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-15225*arcsin((-1+cos(d*x+c))/sin(d*x+c))*c
os(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)-30450*(cos(d*x+c)/
(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*sin(d
*x+c)-30450*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*
x+c))*cos(d*x+c)^2*sin(d*x+c)-15225*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsi
n((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*sin(d*x+c)+1887*2^(1/2)*cos(d*x+c)
^6-3045*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c)
)*sin(d*x+c)+3195*2^(1/2)*cos(d*x+c)^5-831*cos(d*x+c)^4*2^(1/2)-3355*cos(d*
x+c)^3*2^(1/2)-1024*cos(d*x+c)^2*2^(1/2)+128*cos(d*x+c)*2^(1/2))*(a*(1+cos(
d*x+c)))^(1/2)/sin(d*x+c)/(1+cos(d*x+c))^3/cos(d*x+c)^(5/2)*2^(1/2)/a^4
maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
[Out] Timed out
mupad [F] time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(7/2)),x)
```

```
[Out] int(1/(cos(c + d*x)^(5/2)*(a + a*cos(c + d*x))^(7/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.259 \quad \int \frac{\cos^7(c+dx)}{(a+a \cos(c+dx))^{9/2}} dx$$

**Optimal.** Leaf size=217

$$\frac{35 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{1024\sqrt{2} a^{9/2}d} + \frac{853 \sin(c+dx) \sqrt{\cos(c+dx)}}{3072a^3d(a \cos(c+dx)+a)^{3/2}} - \frac{187 \sin(c+dx) \sqrt{\cos(c+dx)}}{768a^2d(a \cos(c+dx)+a)^{5/2}} - \frac{\sin(c+dx)}{8d(a \cos(c+dx)+a)}$$

[Out]  $-1/8*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(9/2)}-19/96*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(7/2)}+35/2048*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(9/2)}/d*2^{(1/2)}-187/768*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(5/2)}+853/3072*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(3/2)}$

**Rubi [A]** time = 0.56, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2765, 2977, 2978, 12, 2782, 205}

$$\frac{853 \sin(c+dx) \sqrt{\cos(c+dx)}}{3072a^3d(a \cos(c+dx)+a)^{3/2}} - \frac{187 \sin(c+dx) \sqrt{\cos(c+dx)}}{768a^2d(a \cos(c+dx)+a)^{5/2}} + \frac{35 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{1024\sqrt{2} a^{9/2}d} - \frac{\sin(c+dx)}{8d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + a\*Cos[c + d\*x])^(9/2), x]

[Out]  $(35*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(1024*\text{Sqrt}[2]*a^{(9/2)}*d) - (\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(8*d*(a + a*\text{Cos}[c + d*x])^{(9/2)}) - (19*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(96*a*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}) - (187*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(768*a^2*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) + (853*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3072*a^3*d*(a + a*\text{Cos}[c + d*x])^{(3/2)})$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])]



in[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rubi steps

$$\int \frac{\cos^7(c + dx)}{(a + a \cos(c + dx))^{9/2}} dx = -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{\int \frac{\cos^3(c + dx) \left(\frac{5a}{2} - 7a \cos(c + dx)\right)}{(a + a \cos(c + dx))^{7/2}} dx}{8a^2}$$

$$= -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} - \frac{\int \frac{\sqrt{\cos(c + dx)} \left(\frac{57a^2}{4} - \frac{65}{2}a\right)}{(a + a \cos(c + dx))^{5/2}} dx}{48a^4}$$

$$= -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} - \frac{187\sqrt{\cos(c + dx)} \sin(c + dx)}{768a^2d(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} - \frac{187\sqrt{\cos(c + dx)} \sin(c + dx)}{768a^2d(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} - \frac{187\sqrt{\cos(c + dx)} \sin(c + dx)}{768a^2d(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} - \frac{187\sqrt{\cos(c + dx)} \sin(c + dx)}{768a^2d(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{35 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{1024\sqrt{2} a^{9/2}d} - \frac{\cos^5(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{19 \cos^3(c + dx) \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}}$$

**Mathematica [A]** time = 6.04, size = 347, normalized size = 1.60

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^9\left(\frac{c}{2} + \frac{dx}{2}\right) \left(1 - \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right)\right)^{9/2} \left( \frac{1}{8} \left( \frac{1}{1 - \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right)} + \frac{7}{6 \left(1 - \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right)\right)} \right) \right) \frac{1}{d \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + a\*cos[c + d\*x])^(9/2), x]

[Out] (2\*cos[c/2 + (d\*x)/2]^9\*sin[c/2 + (d\*x)/2]\*(1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^(9/2)\*((35\*ArcSin[Sin[c/2 + (d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2])\*Sqrt[Cos[(c + d\*x)/2]^2]\*Csc[c/2 + (d\*x)/2])/(128\*(1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^(9/2)) + (35/(16\*(1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^4) + 35/(24\*(1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^3) + 7/(6\*(1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^2) + (1 - Sec[(c + d\*x)/2]^2\*sin[c/2 + (d\*x)/2]^2)^(-1))/8)/(d\*Sqrt[Cos[(c + d\*x)/2]^2]\*(a\*(1 + Cos[c + d\*x]))^(9/2))

**fricas [A]** time = 2.03, size = 248, normalized size = 1.14

$$105 \sqrt{2} \left( \cos(dx + c)^5 + 5 \cos(dx + c)^4 + 10 \cos(dx + c)^3 + 10 \cos(dx + c)^2 + 5 \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \cos(dx + c)}{\sqrt{a} + \sqrt{a \cos(dx + c)}}\right) \frac{1}{6144 \left( a^5 d \cos(dx + c)^5 + 5 a^5 d \cos(dx + c)^4 + 10 a^5 d \cos(dx + c)^3 + 10 a^5 d \cos(dx + c)^2 + 5 a^5 d \cos(dx + c) + a^5 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(9/2), x, algorithm="fricas")

[Out] 1/6144\*(105\*sqrt(2)\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) + 2\*(853\*cos(d\*x + c)^3 + 819\*cos(d\*x + c)^2 + 455\*cos(d\*x + c) + 105)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{7/2}}{(a \cos(dx + c) + a)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(9/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^(9/2), x)

**maple [A]** time = 0.19, size = 346, normalized size = 1.59

$$\left( \cos^{\frac{7}{2}}(dx + c) \right) (-1 + \cos(dx + c))^7 \sqrt{a(1 + \cos(dx + c))} \left( 853\sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} (\cos^4(dx + c)) + 105 \arcsin\left(\frac{\cos(dx + c)}{\sqrt{1 + \cos(dx + c)}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(9/2),x)`

[Out]  $\frac{1}{6144} \frac{\cos(d*x+c)^{7/2} (-1+\cos(d*x+c))^7 (a(1+\cos(d*x+c)))^{1/2} (853*2^{1/2} \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \cos(d*x+c)^4 + 105 \arcsin((-1+\cos(d*x+c))/\sin(d*x+c)) \cos(d*x+c)^3 \sin(d*x+c) - 34 \cos(d*x+c)^3 2^{1/2} (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} + 315 \arcsin((-1+\cos(d*x+c))/\sin(d*x+c)) \cos(d*x+c)^2 \sin(d*x+c) - 364 \cos(d*x+c)^2 2^{1/2} (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} + 315 \cos(d*x+c) \sin(d*x+c) \arcsin((-1+\cos(d*x+c))/\sin(d*x+c)) - 350 \cos(d*x+c) 2^{1/2} (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} + 105 \arcsin((-1+\cos(d*x+c))/\sin(d*x+c)) \sin(d*x+c) - 105 2^{1/2} (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}}{\cos(d*x+c)/(1+\cos(d*x+c))^{7/2} \sin(d*x+c)^{15} 2^{1/2} / a^5}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(a \cos(dx+c) + a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(9/2),x, algorithm="maxima")`

[Out] `integrate(cos(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(9/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{7/2}}{(a+a \cos(c+dx))^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(7/2)/(a+a*cos(c+d*x))^(9/2),x)`

[Out] `int(cos(c+d*x)^(7/2)/(a+a*cos(c+d*x))^(9/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(9/2),x)`

[Out] Timed out

$$3.260 \quad \int \frac{\cos^5(c+dx)}{(a+a \cos(c+dx))^{9/2}} dx$$

**Optimal.** Leaf size=217

$$\frac{45 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{1024\sqrt{2} a^{9/2}d} + \frac{73 \sin(c+dx)\sqrt{\cos(c+dx)}}{1024a^3d(a \cos(c+dx)+a)^{3/2}} + \frac{33 \sin(c+dx)\sqrt{\cos(c+dx)}}{256a^2d(a \cos(c+dx)+a)^{5/2}} - \frac{\sin(c+dx)}{8d(a \cos(c+dx)+a)^{7/2}}$$

[Out]  $-1/8*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(9/2)}+45/2048*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/a^{(9/2)}/d*2^{(1/2)}-5/32*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(7/2)}+33/256*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(5/2)}+73/1024*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(3/2)}$

**Rubi [A]** time = 0.57, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2765, 2977, 2978, 12, 2782, 205}

$$\frac{73 \sin(c+dx)\sqrt{\cos(c+dx)}}{1024a^3d(a \cos(c+dx)+a)^{3/2}} + \frac{33 \sin(c+dx)\sqrt{\cos(c+dx)}}{256a^2d(a \cos(c+dx)+a)^{5/2}} + \frac{45 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{1024\sqrt{2} a^{9/2}d} - \frac{\sin(c+dx)}{8d(a \cos(c+dx)+a)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(9/2), x]

[Out]  $(45*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])])/(1024*\text{Sqrt}[2]*a^{(9/2)}*d) - (\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(8*d*(a + a*\text{Cos}[c + d*x])^{(9/2)}) - (5*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(32*a*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}) + (33*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(256*a^2*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) + (73*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(1024*a^3*d*(a + a*\text{Cos}[c + d*x])^{(3/2)})$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])]

in[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{9/2}} dx &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{\int \frac{\sqrt{\cos(c+dx)} \left(\frac{3a}{2} - 6a \cos(c+dx)\right)}{(a+a \cos(c+dx))^{7/2}} dx}{8a^2} \\ &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} - \frac{\int \frac{\frac{15a^2}{4} - 21a^2 \cos(c+dx)}{\sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{5/2}} dx}{48a^4} \\ &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} + \frac{33\sqrt{\cos(c + dx)} \sin(c + dx)}{256a^2d(a + a \cos(c + dx))^{5/2}} \\ &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} + \frac{33\sqrt{\cos(c + dx)} \sin(c + dx)}{256a^2d(a + a \cos(c + dx))^{5/2}} \\ &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} + \frac{33\sqrt{\cos(c + dx)} \sin(c + dx)}{256a^2d(a + a \cos(c + dx))^{5/2}} \\ &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} + \frac{33\sqrt{\cos(c + dx)} \sin(c + dx)}{256a^2d(a + a \cos(c + dx))^{5/2}} \\ &= \frac{45 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right)}{1024\sqrt{2} a^{9/2}d} - \frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2}} - \frac{5\sqrt{\cos(c + dx)} \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \end{aligned}$$

**Mathematica [A]** time = 2.21, size = 158, normalized size = 0.73

$$\tan\left(\frac{1}{2}(c + dx)\right) \sec^6\left(\frac{1}{2}(c + dx)\right) \left( (2466 \cos(c + dx) + 1072 \cos(2(c + dx)) + 702 \cos(3(c + dx)) + 73 \cos(4(c + dx)) + \dots) \right)$$


---


$$65536\sqrt{2} a^4 d \sqrt{\cos(c + dx)} - \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^(9/2), x]

[Out] (Sec[(c + d\*x)/2]^6\*(5760\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^8 + (999 + 2466\*Cos[c + d\*x] + 1072\*Cos[2\*(c + d\*x)] + 70\*2\*Cos[3\*(c + d\*x)] + 73\*Cos[4\*(c + d\*x)])\*Sqrt[2 - 2\*Sec[c + d\*x]])\*Tan[(c + d\*x)/2])/(65536\*Sqrt[2]\*a^4\*d\*Sqrt[-1 + Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 1.14, size = 248, normalized size = 1.14

$$\frac{45\sqrt{2}\left(\cos(dx+c)^5 + 5\cos(dx+c)^4 + 10\cos(dx+c)^3 + 10\cos(dx+c)^2 + 5\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}}{2}\right)}{2048\left(a^5d\cos(dx+c)^5 + 5a^5d\cos(dx+c)^4 + 10a^5d\cos(dx+c)^3 + 10a^5d\cos(dx+c)^2 + 5a^5d\cos(dx+c) + a^5d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(9/2), x, algorithm="fricas")

[Out] 1/2048\*(45\*sqrt(2)\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) + 2\*(73\*cos(d\*x + c)^3 + 351\*cos(d\*x + c)^2 + 195\*cos(d\*x + c) + 45)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(9/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(9/2), x)

**maple** [A] time = 0.19, size = 346, normalized size = 1.59

$$\frac{\left(\cos^{\frac{5}{2}}(dx+c)\right)(-1+\cos(dx+c))^6\sqrt{a(1+\cos(dx+c))}\left(73\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\left(\cos^4(dx+c)\right)+278\left(\cos^3(dx+c)\right)\right)}{2048\left(a^5d\cos(dx+c)^5+5a^5d\cos(dx+c)^4+10a^5d\cos(dx+c)^3+10a^5d\cos(dx+c)^2+5a^5d\cos(dx+c)+a^5d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(9/2), x)

[Out] -1/2048/d\*cos(d\*x+c)^(5/2)\*(-1+cos(d\*x+c))^6\*(a\*(1+cos(d\*x+c)))^(1/2)\*(73\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4+278\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+45\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)-156\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+135\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-150\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+135\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-45\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+45\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^13\*2^(1/2)/a^5

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(9/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{\frac{5}{2}}}{(a+a\cos(c+dx))^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(9/2), x)

[Out] int(cos(c + d\*x)^(5/2)/(a + a\*cos(c + d\*x))^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(9/2),x)

[Out] Timed out

$$3.261 \quad \int \frac{1}{\sqrt{\cos(x)} \sqrt{1+\cos(x)}} dx$$

**Optimal.** Leaf size=16

$$\sqrt{2} \sin^{-1} \left( \frac{\sin(x)}{\cos(x) + 1} \right)$$

[Out] arcsin(sin(x)/(1+cos(x)))\*2^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 15,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$ , Rules used = {2781, 216}

$$\sqrt{2} \sin^{-1} \left( \frac{\sin(x)}{\cos(x) + 1} \right)$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[x]]\*Sqrt[1 + Cos[x]]),x]

[Out] Sqrt[2]\*ArcSin[Sin[x]/(1 + Cos[x])]

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2781**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)])\*Sqrt[(a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] :> -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{\cos(x)} \sqrt{1+\cos(x)}} dx &= - \left( \sqrt{2} \text{Subst} \left( \int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(x)}{1+\cos(x)} \right) \right) \\ &= \sqrt{2} \sin^{-1} \left( \frac{\sin(x)}{1+\cos(x)} \right) \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 30, normalized size = 1.88

$$\frac{2 \cos\left(\frac{x}{2}\right) \tan^{-1} \left( \frac{\sin\left(\frac{x}{2}\right)}{\sqrt{\cos(x)}} \right)}{\sqrt{\cos(x) + 1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[x]]\*Sqrt[1 + Cos[x]]),x]

[Out] (2\*ArcTan[Sin[x/2]/Sqrt[Cos[x]]\*Cos[x/2])/Sqrt[1 + Cos[x]]

**fricas [B]** time = 0.81, size = 31, normalized size = 1.94

$$\sqrt{2} \arctan \left( \frac{\sqrt{2} \sqrt{\cos(x) + 1} \sqrt{\cos(x)} \sin(x)}{2 (\cos(x)^2 + \cos(x))} \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(1+cos(x))^(1/2),x, algorithm="fricas")

[Out] sqrt(2)\*arctan(1/2\*sqrt(2)\*sqrt(cos(x) + 1)\*sqrt(cos(x))\*sin(x)/(cos(x)^2 + cos(x)))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(x)+1} \sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(1+cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(x) + 1)\*sqrt(cos(x))), x)

**maple** [B] time = 0.05, size = 36, normalized size = 2.25

$$\frac{\sqrt{\frac{\cos(x)}{\cos(x)+1}} \sqrt{2+2\cos(x)} \arcsin\left(\frac{-1+\cos(x)}{\sin(x)}\right)}{\sqrt{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(x)^(1/2)/(cos(x)+1)^(1/2),x)

[Out] -1/cos(x)^(1/2)\*(cos(x)/(cos(x)+1))^(1/2)\*(2+2\*cos(x))^(1/2)\*arcsin((-1+cos(x))/sin(x))

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(1+cos(x))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{\sqrt{\cos(x)} \sqrt{\cos(x)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(x)^(1/2)\*(cos(x) + 1)^(1/2)),x)

[Out] int(1/(cos(x)^(1/2)\*(cos(x) + 1)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(x)+1} \sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)\*\*(1/2)/(1+cos(x))\*\*(1/2),x)

[Out] Integral(1/(sqrt(cos(x) + 1)\*sqrt(cos(x))), x)

$$3.262 \quad \int \frac{1}{\sqrt{\cos(x)} \sqrt{a+a \cos(x)}} dx$$

**Optimal.** Leaf size=41

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{\cos(x)} \sqrt{a \cos(x)+a}} \right)}{\sqrt{a}}$$

[Out] arctan(1/2\*sin(x)\*a^(1/2)\*2^(1/2)/cos(x)^(1/2)/(a+a\*cos(x))^(1/2))\*2^(1/2)/a^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {2782, 205}

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{\cos(x)} \sqrt{a \cos(x)+a}} \right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[x]]\*Sqrt[a + a\*Cos[x]]),x]

[Out] (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[x])/(Sqrt[2]\*Sqrt[Cos[x]]\*Sqrt[a + a\*Cos[x]])])/Sqrt[a]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x])\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{\cos(x)} \sqrt{a+a \cos(x)}} dx &= - \left( (2a) \text{Subst} \left( \int \frac{1}{2a^2 + ax^2} dx, x, -\frac{a \sin(x)}{\sqrt{\cos(x)} \sqrt{a+a \cos(x)}} \right) \right) \\ &= \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{\cos(x)} \sqrt{a+a \cos(x)}} \right)}{\sqrt{a}} \end{aligned}$$

**Mathematica [A]** time = 0.02, size = 32, normalized size = 0.78

$$\frac{2 \cos\left(\frac{x}{2}\right) \tan^{-1} \left( \frac{\sin\left(\frac{x}{2}\right)}{\sqrt{\cos(x)}} \right)}{\sqrt{a(\cos(x)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[x]]\*Sqrt[a + a\*Cos[x]]),x]

[Out] (2\*ArcTan[Sin[x/2]/Sqrt[Cos[x]])\*Cos[x/2])/Sqrt[a\*(1 + Cos[x])]

**fricas** [A] time = 0.97, size = 105, normalized size = 2.56

$$\left[ \frac{1}{2} \sqrt{2} \sqrt{-\frac{1}{a}} \log \left( -\frac{2 \sqrt{2} \sqrt{a \cos(x) + a} \sqrt{-\frac{1}{a}} \sqrt{\cos(x)} \sin(x) - 3 \cos(x)^2 - 2 \cos(x) + 1}{\cos(x)^2 + 2 \cos(x) + 1} \right), \frac{\sqrt{2} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(x) + a} \sqrt{\cos(x)} \sin(x)}{2 \cos(x) + 1} \right)}{\sqrt{a}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(a+a\*cos(x))^(1/2),x, algorithm="fricas")

[Out] [1/2\*sqrt(2)\*sqrt(-1/a)\*log(-(2\*sqrt(2)\*sqrt(a\*cos(x) + a)\*sqrt(-1/a)\*sqrt(cos(x))\*sin(x) - 3\*cos(x)^2 - 2\*cos(x) + 1)/(cos(x)^2 + 2\*cos(x) + 1)), sqrt(2)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(x) + a)\*sqrt(cos(x))\*sin(x)/((cos(x)^2 + cos(x))\*sqrt(a)))/sqrt(a)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(x) + a} \sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(a+a\*cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(x) + a)\*sqrt(cos(x))), x)

**maple** [A] time = 0.06, size = 42, normalized size = 1.02

$$\frac{\sqrt{\frac{\cos(x)}{\cos(x)+1}} \sqrt{a(\cos(x)+1)} \arcsin\left(\frac{-1+\cos(x)}{\sin(x)}\right) \sqrt{2}}{\sqrt{\cos(x)} a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(x)^(1/2)/(a+a\*cos(x))^(1/2),x)

[Out] -1/cos(x)^(1/2)\*(cos(x)/(cos(x)+1))^(1/2)\*(a\*(cos(x)+1))^(1/2)\*arcsin((-1+cos(x))/sin(x))\*2^(1/2)/a

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)^(1/2)/(a+a\*cos(x))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(x)} \sqrt{a + a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(x)^(1/2)\*(a + a\*cos(x))^(1/2)),x)

[Out] int(1/(cos(x)^(1/2)\*(a + a\*cos(x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(x) + 1)} \sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(x)\*\*(1/2)/(a+a\*cos(x))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a\*(cos(x) + 1))\*sqrt(cos(x))), x)

### 3.263 $\int \cos^3(c + dx) \sqrt{a - a \cos(c + dx)} dx$

**Optimal.** Leaf size=129

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{2d\sqrt{a - a \cos(c + dx)}} + \frac{3a \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{a - a \cos(c + dx)}} - \frac{3\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}}\right)}{4d}$$

[Out]  $-3/4 * \operatorname{arctanh}(\sin(d*x+c) * a^{(1/2)} / \cos(d*x+c)^{(1/2)} / (a - a * \cos(d*x+c))^{(1/2)}) * a^{(1/2)} / d - 1/2 * a * \cos(d*x+c)^{(3/2)} * \sin(d*x+c) / d / (a - a * \cos(d*x+c))^{(1/2)} + 3/4 * a * \sin(d*x+c) * \cos(d*x+c)^{(1/2)} / d / (a - a * \cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.19, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {2770, 2775, 207}

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{2d\sqrt{a - a \cos(c + dx)}} + \frac{3a \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{a - a \cos(c + dx)}} - \frac{3\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}}\right)}{4d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\operatorname{Cos}[c + d*x]^{(3/2)} * \operatorname{Sqrt}[a - a * \operatorname{Cos}[c + d*x]], x]$

[Out]  $(-3 * \operatorname{Sqrt}[a] * \operatorname{ArcTanh}[(\operatorname{Sqrt}[a] * \operatorname{Sin}[c + d*x]) / (\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * \operatorname{Sqrt}[a - a * \operatorname{Cos}[c + d*x]])]) / (4 * d) + (3 * a * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * \operatorname{Sin}[c + d*x]) / (4 * d * \operatorname{Sqrt}[a - a * \operatorname{Cos}[c + d*x]]) - (a * \operatorname{Cos}[c + d*x]^{(3/2)} * \operatorname{Sin}[c + d*x]) / (2 * d * \operatorname{Sqrt}[a - a * \operatorname{Cos}[c + d*x]])$

**Rule 207**

$\operatorname{Int}[(a + (b * x)^2)^{-1}, x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[(\operatorname{Rt}[b, 2] * x) / \operatorname{Rt}[-a, 2]] / (\operatorname{Rt}[-a, 2] * \operatorname{Rt}[b, 2]), x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b] \&\& (\operatorname{LtQ}[a, 0] \mid \mid \operatorname{GtQ}[b, 0])$

**Rule 2770**

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b * x) * \sin[(e + f * x)]) * ((c + (d * x) * \sin[(e + f * x)]) * (f * x))]^{(n)}, x\_Symbol] \rightarrow \operatorname{Simp}[(-2 * b * \operatorname{Cos}[e + f * x] * (c + d * \operatorname{Sin}[e + f * x])^{(n)}) / (f * (2 * n + 1) * \operatorname{Sqrt}[a + b * \operatorname{Sin}[e + f * x]]), x] + \operatorname{Dist}[(2 * n * (b * c + a * d)) / (b * (2 * n + 1)), \operatorname{Int}[\operatorname{Sqrt}[a + b * \operatorname{Sin}[e + f * x]] * (c + d * \operatorname{Sin}[e + f * x])^{(n - 1)}, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b * c - a * d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2 * n]$

**Rule 2775**

$\operatorname{Int}[\operatorname{Sqrt}[(a + (b * x) * \sin[(e + f * x)]) / \operatorname{Sqrt}[(c + (d * x) * \sin[(e + f * x)]) * (f * x)]], x\_Symbol] \rightarrow \operatorname{Dist}[(-2 * b) / f, \operatorname{Subst}[\operatorname{Int}[1 / (b + d * x^2), x], x, (b * \operatorname{Cos}[e + f * x]) / (\operatorname{Sqrt}[a + b * \operatorname{Sin}[e + f * x]] * \operatorname{Sqrt}[c + d * \operatorname{Sin}[e + f * x]])], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \operatorname{NeQ}[b * c - a * d, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0]$

**Rubi steps**

$$\begin{aligned}
\int \cos^3(c+dx)\sqrt{a-a\cos(c+dx)} dx &= -\frac{a\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} - \frac{3}{4} \int \sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)} dx \\
&= \frac{3a\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}} - \frac{a\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} + \frac{3}{8} \int \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \\
&= \frac{3a\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}} - \frac{a\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} + \frac{(3a)\operatorname{Subst}\left(\int \frac{\sqrt{a-a\cos(u)}}{\sqrt{\cos(u)}} du\right)}{4d} \\
&= -\frac{3\sqrt{a}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{4d} + \frac{3a\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}}
\end{aligned}$$

**Mathematica** [C] time = 4.22, size = 289, normalized size = 2.24

$$\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}\left(2\sqrt{2}\left(\cos\left(\frac{3}{2}(c+dx)\right)-2\cos\left(\frac{1}{2}(c+dx)\right)\right)\csc\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}(\cos(c+dx))^{\frac{3}{2}}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] -1/8\*(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]]\*(3\*ArcTanh[E^(I\*d\*x)]/(Sqrt[Cos[c] - I\*Sin[c]]\*Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]))\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + 3\*ArcTanh[Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]/Sqrt[Cos[c] - I\*Sin[c]]]\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + 2\*Sqrt[2]\*(-2\*Cos[(c + d\*x)/2] + Cos[(3\*(c + d\*x))/2])\*Csc[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]\*(Cos[d\*x] + I\*Sin[d\*x])])/(d\*Sqrt[(1 + E^((2\*I)\*d\*x))\*Cos[c] + I\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]])

**fricas** [A] time = 0.61, size = 155, normalized size = 1.20

$$\frac{3\sqrt{a}\log\left(\frac{4\sqrt{-a\cos(dx+c)+a}(2\cos(dx+c)^2+3\cos(dx+c)+1)\sqrt{a}\sqrt{\cos(dx+c)}-(8a\cos(dx+c)^2+8a\cos(dx+c)+a)\sin(dx+c)}{\sin(dx+c)}\right)\sin(dx+c)-4}{16d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/16\*(3\*sqrt(a)\*log((4\*sqrt(-a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*sqrt(cos(d\*x + c)) - (8\*a\*cos(d\*x + c)^2 + 8\*a\*cos(d\*x + c) + a)\*sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c) - 4\*sqrt(-a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c)^2 - cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c)))/(d\*sin(d\*x + c))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.20, size = 165, normalized size = 1.28

$$\frac{(-1 + \cos(dx + c)) \left( 2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) - 3 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 3 \operatorname{arctanh} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)}{8d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a-a\*cos(d\*x+c))^(1/2),x)

[Out] 1/8/d\*(-1+cos(d\*x+c))\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+3\*arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)))\*(-2\*a\*(-1+cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^3\*2^(1/2))

**maxima [B]** time = 1.09, size = 1063, normalized size = 8.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a-a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/16\*(2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(2\*d\*x + 2\*c) - (cos(2\*d\*x + 2\*c) - 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + ((cos(2\*d\*x + 2\*c) - 2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + cos(2\*d\*x + 2\*c) - 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))))\*sqrt(-a) + 3\*sqrt(-a)\*(arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + 1) - arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) - 1) + arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) - arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) - 1)))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} \sqrt{a - a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(3/2)*(a - a*cos(c + d*x))^(1/2), x)`

[Out] `int(cos(c + d*x)^(3/2)*(a - a*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-a(\cos(c + dx) - 1)} \cos^{\frac{3}{2}}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(a-a*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(-a*(cos(c + d*x) - 1))*cos(c + d*x)**(3/2), x)`



### 3.264 $\int \sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)} dx$

Optimal. Leaf size=85

$$\frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d} - \frac{a \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a-a \cos(c+dx)}}$$

[Out] arctanh(sin(d\*x+c)\*a^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))\*a^(1/2)/d-a\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a-a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {2770, 2775, 207}

$$\frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d} - \frac{a \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a-a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] (Sqrt[a]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/d - (a\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a - a\*Cos[c + d\*x]])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)} dx &= -\frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} - \frac{1}{2} \int \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \\ &= -\frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} - \frac{a \operatorname{Subst}\left(\int \frac{1}{-a+x^2} dx, x, \frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{d} \\ &= \frac{\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{d} - \frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.75, size = 264, normalized size = 3.11

$$\frac{\sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)} \left(-2\sqrt{2} \cot\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)(\cos(dx)+i\sin(dx))} + \sqrt{\cos(c)-i\sin(c)}\right)}{4d \sin(dx+c)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]]\*(ArcTanh[E^(I\*d\*x)/(Sqrt[Cos[c] - I\*Sin[c]])\*Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]])]\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + ArcTanh[Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]/Sqrt[Cos[c] - I\*Sin[c]]]\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] - 2\*Sqrt[2]\*Cot[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]\*(Cos[d\*x] + I\*Sin[d\*x])])/(2\*d\*Sqrt[(1 + E^((2\*I)\*d\*x))\*Cos[c] + I\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]])

**fricas [A]** time = 0.94, size = 142, normalized size = 1.67

$$\frac{\sqrt{a} \log\left(-\frac{4\sqrt{-a\cos(dx+c)+a}(2\cos(dx+c)^2+3\cos(dx+c)+1)\sqrt{a}\sqrt{\cos(dx+c)}+(8a\cos(dx+c)^2+8a\cos(dx+c)+a)\sin(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) - 4d \sin(dx+c)}{4d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/4\*(sqrt(a)\*log(-4\*sqrt(-a\*cos(d\*x+c)+a)\*(2\*cos(d\*x+c)^2+3\*cos(d\*x+c)+1)\*sqrt(a)\*sqrt(cos(d\*x+c))+(8\*a\*cos(d\*x+c)^2+8\*a\*cos(d\*x+c)+a)\*sin(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-4\*sqrt(-a\*cos(d\*x+c)+a)\*(cos(d\*x+c)+1)\*sqrt(cos(d\*x+c))/(d\*sin(d\*x+c))

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-a\cos(dx+c)+a}\sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-a\*cos(d\*x+c)+a)\*sqrt(cos(d\*x+c)),x)

**maple [A]** time = 0.15, size = 94, normalized size = 1.11

$$\frac{(1+\cos(dx+c))\left(-\operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}+\cos(dx+c)\right)\sqrt{-2a(-1+\cos(dx+c))}\sqrt{2}}{2d\sqrt{\cos(dx+c)}\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(a-a*cos(d*x+c))^(1/2),x)`

[Out] `-1/2/d*(1+cos(d*x+c))*(-arctanh((cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+cos(d*x+c))/cos(d*x+c)^(1/2)/sin(d*x+c)*(-2*a*(-1+cos(d*x+c)))^(1/2)*2^(1/2)`

**maxima** [B] time = 0.98, size = 795, normalized size = 9.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a-a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `-1/4*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - (cos(d*x + c) + 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(-a) + sqrt(-a)*(arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1) - arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) + arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) + 1) - arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - 1)))/d`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(1/2)*(a - a*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)^(1/2)*(a - a*cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-a(\cos(c + dx) - 1)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(a-a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(-a*(cos(c + d*x) - 1))*sqrt(cos(c + d*x)), x)`

$$3.265 \quad \int \frac{\sqrt{a-a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=48

$$\frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d}$$

[Out]  $-2*\operatorname{arctanh}(\sin(d*x+c)*a^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a-a*\cos(d*x+c))^{(1/2)})*a^{(1/2)}/d$

**Rubi [A]** time = 0.07, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {2775, 207}

$$\frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]], x]

[Out]  $(-2*\operatorname{Sqrt}[a]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[a]*\operatorname{Sin}[c + d*x])/(\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[a - a*\operatorname{Cos}[c + d*x]])])/d$

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[Rt[b, 2]\*x]/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x])]], x /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{a-a \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx = \frac{(2a) \operatorname{Subst}\left(\int \frac{1}{-a+x^2} dx, x, \frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d} = \frac{2\sqrt{a} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d}$$

**Mathematica [C]** time = 0.54, size = 278, normalized size = 5.79

$$\frac{2e^{idx} \left( \cos\left(\frac{c}{2}\right) + i \sin\left(\frac{c}{2}\right) \right) \sqrt{\cos(c) - i \sin(c)} \sqrt{a - a \cos(c + dx)} \sqrt{e^{-idx} \left( i \sin(c) (-1 + e^{2idx}) + \cos(c) (1 + e^{2idx}) \right)}}{d \left( i \cos\left(\frac{c}{2}\right) (-1 + e^{idx}) - \sin\left(\frac{c}{2}\right) (1 + e^{idx}) \right) \sqrt{2i \sin(c)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*E^(I\*d\*x)\*(ArcTanh[E^(I\*d\*x)/(Sqrt[Cos[c] - I\*Sin[c]]\*Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]])] + ArcTanh[Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]/Sqrt[Cos[c] - I\*Sin[c]])\*Sqrt[a - a\*Cos[c + d\*x]]\*(Cos[c/2] + I\*Sin[c/2])\*Sqrt[Cos[c] - I\*Sin[c]]\*Sqrt[((1 + E^((2\*I)\*d\*x))\*Cos[c] + I\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)])/(d\*(I\*(-1 + E^(I\*d\*x))\*Cos[c/2] - (1 + E^(I\*d\*x))\*Sin[c/2])\*Sqrt[2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]])

**fricas** [A] time = 0.95, size = 155, normalized size = 3.23

$$\frac{\sqrt{a} \log\left(\frac{4\sqrt{-a\cos(dx+c)+a}(2\cos(dx+c)^2+3\cos(dx+c)+1)\sqrt{a}\sqrt{\cos(dx+c)}-(8a\cos(dx+c)^2+8a\cos(dx+c)+a)\sin(dx+c)}{\sin(dx+c)}\right)}{2d}, \sqrt{-a} \arctan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/2\*sqrt(a)\*log((4\*sqrt(-a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*sqrt(cos(d\*x + c)) - (8\*a\*cos(d\*x + c)^2 + 8\*a\*cos(d\*x + c) + a)\*sin(d\*x + c))/sin(d\*x + c))/d, sqrt(-a)\*arctan(1/2\*sqrt(-a\*cos(d\*x + c) + a)\*sqrt(-a)\*(2\*cos(d\*x + c) + 1)/(a\*sqrt(cos(d\*x + c))\*sin(d\*x + c)))/d]

**giac** [B] time = 1.05, size = 122, normalized size = 2.54

$$\frac{2\sqrt{a} \log\left(\frac{2\left(\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+2\sqrt{2}-\sqrt{\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1+1}\right)}{-2\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+4\sqrt{2}+2\sqrt{\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1-2}}\right) \operatorname{sgn}\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] 2\*sqrt(a)\*log(2\*(tan(1/4\*d\*x + 1/4\*c)^2 + 2\*sqrt(2) - sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1) + 1)/abs(-2\*tan(1/4\*d\*x + 1/4\*c)^2 + 4\*sqrt(2) + 2\*sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1) - 2))\*sgn(sin(1/2\*d\*x + 1/2\*c))/d

**maple** [B] time = 0.12, size = 84, normalized size = 1.75

$$\frac{\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{-2a(-1+\cos(dx+c))} \sin(dx+c) \operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)}{d\sqrt{\cos(dx+c)}(-1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 1/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-2\*a\*(-1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/cos(d\*x+c)^(1/2)/(-1+cos(d\*x+c))

**maxima** [B] time = 1.05, size = 148, normalized size = 3.08

$$\sqrt{-a} \arctan\left(\left(\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2dx+2c)), \cos(2dx+2c)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] sqrt(-a)\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + cos(d\*x + c))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a - a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(1/2),x)

[Out] int((a - a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(c + dx) - 1)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(1/2),x)

[Out] Integral(sqrt(-a\*(cos(c + d\*x) - 1))/sqrt(cos(c + d\*x)), x)

$$3.266 \quad \int \frac{\sqrt{a - a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Optimal. Leaf size=37

$$\frac{2a \sin(c + dx)}{d\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}}$$

[Out] 2\*a\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.06, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.038$ , Rules used = {2771}

$$\frac{2a \sin(c + dx)}{d\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*a\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{a - a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx = \frac{2a \sin(c + dx)}{d\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}}$$

Mathematica [A] time = 0.05, size = 40, normalized size = 1.08

$$\frac{2 \cot\left(\frac{1}{2}(c + dx)\right) \sqrt{a - a \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*Sqrt[a - a\*Cos[c + d\*x]]\*Cot[(c + d\*x)/2])/(d\*Sqrt[Cos[c + d\*x]])

fricas [A] time = 2.32, size = 42, normalized size = 1.14

$$\frac{2\sqrt{-a \cos(dx + c) + a} (\cos(dx + c) + 1)}{d\sqrt{\cos(dx + c)} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] 2\*sqrt(-a\*cos(d\*x + c) + a)\*(cos(d\*x + c) + 1)/(d\*sqrt(cos(d\*x + c))\*sin(d\*x + c))

**giac** [A] time = 1.08, size = 62, normalized size = 1.68

$$\frac{2\sqrt{2}\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 1\right)\sqrt{a}\operatorname{sgn}\left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\sqrt{\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] -2\*sqrt(2)\*(tan(1/4\*d\*x + 1/4\*c)^2 - 1)\*sqrt(a)\*sgn(sin(1/2\*d\*x + 1/2\*c))/(sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)\*d)

**maple** [A] time = 0.12, size = 46, normalized size = 1.24

$$\frac{\sqrt{-2a(-1 + \cos(dx + c))} \sin(dx + c) \sqrt{2}}{d(-1 + \cos(dx + c)) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x)

[Out] -1/d\*(-2\*a\*(-1+cos(d\*x+c))^(1/2)\*sin(d\*x+c)/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)\*2^(1/2)

**maxima** [B] time = 0.63, size = 82, normalized size = 2.22

$$\frac{2\left(\sqrt{2}\sqrt{a} - \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)}{d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 2\*(sqrt(2)\*sqrt(a) - sqrt(2)\*sqrt(a)\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2))

**mupad** [B] time = 0.79, size = 42, normalized size = 1.14

$$\frac{2\sin(c + dx)\sqrt{-a(\cos(c + dx) - 1)}}{d\sqrt{\cos(c + dx)}(\cos(c + dx) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(3/2),x)

[Out] -(2\*sin(c + d\*x)\*(-a\*(cos(c + d\*x) - 1))^(1/2))/(d\*cos(c + d\*x)^(1/2)\*(cos(c + d\*x) - 1))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(c + dx) - 1)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral(sqrt(-a\*(cos(c + d\*x) - 1))/cos(c + d\*x)\*\*(3/2), x)



$$3.267 \quad \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=79

$$\frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

[Out]  $2/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a-a*\cos(d*x+c))^{(1/2)}-4/3*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a-a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {2772, 2771}

$$\frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out]  $(2*a*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)}*\sqrt{a - a*\cos[c + d*x]}) - (4*a*\sin[c + d*x])/(3*d*\sqrt{\cos[c + d*x]}*\sqrt{a - a*\cos[c + d*x]})$

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^2(c+dx)} dx &= \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{2}{3} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{4a \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 52, normalized size = 0.66

$$\frac{2(2 \cos(c+dx) - 1) \cot\left(\frac{1}{2}(c+dx)\right) \sqrt{a-a \cos(c+dx)}}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out] (-2\*(-1 + 2\*Cos[c + d\*x])\*Sqrt[a - a\*Cos[c + d\*x]]\*Cot[(c + d\*x)/2])/(3\*d\*Cos[c + d\*x]^(3/2))

**fricas** [A] time = 2.98, size = 52, normalized size = 0.66

$$\frac{2\sqrt{-a\cos(dx+c)+a}\left(2\cos(dx+c)^2+\cos(dx+c)-1\right)}{3d\cos(dx+c)^{\frac{3}{2}}\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] -2/3\*sqrt(-a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c)^2 + cos(d\*x + c) - 1)/(d\*cos(d\*x + c)^(3/2)\*sin(d\*x + c))

**giac** [A] time = 0.96, size = 90, normalized size = 1.14

$$\frac{2\sqrt{2}\left(\left(\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2-15\right)\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+15\right)\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2-1\right)\sqrt{a}\operatorname{sgn}\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{3\left(\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1\right)^{\frac{3}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] 2/3\*sqrt(2)\*(((tan(1/4\*d\*x + 1/4\*c)^2 - 15)\*tan(1/4\*d\*x + 1/4\*c)^2 + 15)\*tan(1/4\*d\*x + 1/4\*c)^2 - 1)\*sqrt(a)\*sgn(sin(1/2\*d\*x + 1/2\*c))/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(3/2)\*d)

**maple** [A] time = 0.13, size = 56, normalized size = 0.71

$$\frac{(-1 + 2\cos(dx+c))\sqrt{-2a(-1 + \cos(dx+c))}\sin(dx+c)\sqrt{2}}{3d(-1 + \cos(dx+c))\cos(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x)

[Out] 1/3/d\*(-1+2\*cos(d\*x+c))\*(-2\*a\*(-1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)/(-1+cos(d\*x+c))/cos(d\*x+c)^(3/2)\*2^(1/2)

**maxima** [B] time = 0.85, size = 174, normalized size = 2.20

$$\frac{2\left(\sqrt{2}\sqrt{a}-\frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{3\sqrt{2}\sqrt{a}\sin(dx+c)^4}{(\cos(dx+c)+1)^4}\right)\left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+1\right)^2}{3d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)^{\frac{5}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1}+1\right)^{\frac{5}{2}}\left(\frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] -2/3\*(sqrt(2)\*sqrt(a) - 4\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

$*(-\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{(5/2)}*(2*\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + \sin(dx + c)^4/(\cos(dx + c) + 1)^4 + 1))$

**mupad [B]** time = 1.39, size = 85, normalized size = 1.08

$$\frac{4\sqrt{-a(\cos(c+dx)-1)}(\sin(c+dx) - \sin(2c+2dx) + \sin(3c+3dx))}{3d\sqrt{\cos(c+dx)}(3\cos(c+dx) - 2\cos(2c+2dx) + \cos(3c+3dx) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - a*cos(c + d*x))^(1/2)/cos(c + d*x)^(5/2), x)`

[Out]  $(4*(-a*(\cos(c + dx) - 1))^{(1/2)}*(\sin(c + dx) - \sin(2*c + 2*dx) + \sin(3*c + 3*dx)))/(3*d*\cos(c + dx)^{(1/2)}*(3*\cos(c + dx) - 2*\cos(2*c + 2*dx) + \cos(3*c + 3*dx) - 2))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(c+dx)-1)}}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a-a*cos(d*x+c))**(1/2)/cos(d*x+c)**(5/2), x)`

[Out] `Integral(sqrt(-a*(cos(c + d*x) - 1))/cos(c + d*x)**(5/2), x)`

$$3.268 \quad \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{16a \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

[Out]  $2/5*a*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}/(a-a*\cos(d*x+c))^{(1/2)}-8/15*a*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(a-a*\cos(d*x+c))^{(1/2)}+16/15*a*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(a-a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.17, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {2772, 2771}

$$\frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{16a \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out]  $(2*a*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)}*\sqrt{a - a*\cos[c + d*x]}) - (8*a*\sin[c + d*x])/(15*d*\cos[c + d*x]^{(3/2)}*\sqrt{a - a*\cos[c + d*x]}) + (16*a*\sin[c + d*x])/(15*d*\sqrt{\cos[c + d*x]}*\sqrt{a - a*\cos[c + d*x]})$

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^2(c+dx)} dx &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{4}{5} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{8}{15} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx \\ &= \frac{2a \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} - \frac{8a \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{8}{15d \sqrt{\cos(c+dx)}} \int \frac{\sqrt{a-a \cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 62, normalized size = 0.53

$$\frac{2(-4 \cos(c + dx) + 4 \cos(2(c + dx)) + 7) \cot\left(\frac{1}{2}(c + dx)\right) \sqrt{a - a \cos(c + dx)}}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a\*Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[a - a\*Cos[c + d\*x]]\*(7 - 4\*Cos[c + d\*x] + 4\*Cos[2\*(c + d\*x)])\*Cot[(c + d\*x)/2])/(15\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 0.69, size = 64, normalized size = 0.54

$$\frac{2\left(8 \cos(dx + c)^3 + 4 \cos(dx + c)^2 - \cos(dx + c) + 3\right) \sqrt{-a \cos(dx + c) + a}}{15d \cos(dx + c)^{\frac{5}{2}} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15\*(8\*cos(d\*x + c)^3 + 4\*cos(d\*x + c)^2 - cos(d\*x + c) + 3)\*sqrt(-a\*cos(d\*x + c) + a)/(d\*cos(d\*x + c)^(5/2)\*sin(d\*x + c))

**giac [A]** time = 2.30, size = 120, normalized size = 1.02

$$\frac{2\sqrt{2}\left(\left(\left(\left(7 \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 75\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 430\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 430\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 75\right)}{15\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6 \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1\right)^{\frac{5}{2}}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] -2/15\*sqrt(2)\*((((7\*tan(1/4\*d\*x + 1/4\*c)^2 - 75)\*tan(1/4\*d\*x + 1/4\*c)^2 + 430)\*tan(1/4\*d\*x + 1/4\*c)^2 - 430)\*tan(1/4\*d\*x + 1/4\*c)^2 + 75)\*tan(1/4\*d\*x + 1/4\*c)^2 - 7)\*sqrt(a)\*sgn(sin(1/2\*d\*x + 1/2\*c))/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(5/2)\*d)

**maple [A]** time = 0.12, size = 66, normalized size = 0.56

$$\frac{\left(8 \left(\cos^2(dx + c)\right) - 4 \cos(dx + c) + 3\right) \sqrt{-2a(-1 + \cos(dx + c))} \sin(dx + c) \sqrt{2}}{15d(-1 + \cos(dx + c)) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x)

[Out] -1/15/d\*(8\*cos(d\*x+c)^2-4\*cos(d\*x+c)+3)\*(-2\*a\*(-1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)/(-1+cos(d\*x+c))/cos(d\*x+c)^(5/2)\*2^(1/2)

**maxima [B]** time = 0.98, size = 221, normalized size = 1.87

$$\frac{2\left(7\sqrt{2}\sqrt{a} - \frac{17\sqrt{2}\sqrt{a}\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{25\sqrt{2}\sqrt{a}\sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{15\sqrt{2}\sqrt{a}\sin(dx+c)^6}{(\cos(dx+c)+1)^6}\right)\left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1\right)^3}{15d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{7}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{7}{2}}\left(\frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out]  $2/15*(7*\sqrt{2}*\sqrt{a} - 17*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 25*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - 15*\sqrt{2}*\sqrt{a}*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6)*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^3/(d*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{7/2}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{7/2}*(3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + 1))$

**mupad [B]** time = 2.89, size = 158, normalized size = 1.34

$$\frac{8\sqrt{2a\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2} (7\sin(c + dx) - 4\sin(2c + 2dx) + 9\sin(3c + 3dx) - 2\sin(4c + 4dx) + 2\sin(5c + 5dx))}{15d\sqrt{1 - 2\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2} \left(-16\sin(c + dx)^2 - 4\sin(2c + 2dx)^2 + 20\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 10\sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)^2 + 2\sin\left(\frac{5c}{2} + \frac{5dx}{2}\right)^2 - 16\sin(c + dx)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - a\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(7/2),x)

[Out]  $(8*(2*a*\sin(c/2 + (d*x)/2)^2)^{1/2}*(7*\sin(c + d*x) - 4*\sin(2*c + 2*d*x) + 9*\sin(3*c + 3*d*x) - 2*\sin(4*c + 4*d*x) + 2*\sin(5*c + 5*d*x)))/(15*d*(1 - 2*\sin(c/2 + (d*x)/2)^2)^{1/2}*(20*\sin(c/2 + (d*x)/2)^2 - 4*\sin(2*c + 2*d*x)^2 + 10*\sin((3*c)/2 + (3*d*x)/2)^2 + 2*\sin((5*c)/2 + (5*d*x)/2)^2 - 16*\sin(c + d*x)^2))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.269 \quad \int \sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=114

$$-\frac{\sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{2d\sqrt{1 - \cos(c + dx)}} + \frac{3 \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{1 - \cos(c + dx)}} - \frac{3 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{4d}$$

[Out]  $-3/4*\operatorname{arctanh}(\sin(d*x+c)/(1-\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)})/d-1/2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(1-\cos(d*x+c))^{(1/2)}+3/4*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(1-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.15, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2770, 2775, 207}

$$-\frac{\sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{2d\sqrt{1 - \cos(c + dx)}} + \frac{3 \sin(c + dx) \sqrt{\cos(c + dx)}}{4d\sqrt{1 - \cos(c + dx)}} - \frac{3 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2), x]

[Out]  $(-3*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]/(\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])]/(4*d) + (3*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*d*\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]]) - (\operatorname{Cos}[c + d*x]^{(3/2)}*\operatorname{Sin}[c + d*x])/(2*d*\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]])$

**Rule 207**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

**Rule 2770**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

**Rule 2775**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rubi steps**

$$\begin{aligned}
\int \sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx) dx &= -\frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d\sqrt{1 - \cos(c + dx)}} - \frac{3}{4} \int \sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)} dx \\
&= \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 - \cos(c + dx)}} - \frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d\sqrt{1 - \cos(c + dx)}} + \frac{3}{8} \int \frac{\sqrt{1 - \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 - \cos(c + dx)}} - \frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d\sqrt{1 - \cos(c + dx)}} + \frac{3 \operatorname{Subst}\left(\int \frac{1}{-1+x} dx\right)}{2d\sqrt{1 - \cos(c + dx)}} \\
&= -\frac{3 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{4d} + \frac{3\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{1 - \cos(c + dx)}} - \frac{\cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d\sqrt{1 - \cos(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 0.48, size = 284, normalized size = 2.49

$$\frac{\sqrt{-((\cos(c + dx) - 1) \cos(c + dx))} \left(2\sqrt{2} \left(\cos\left(\frac{3}{2}(c + dx)\right) - 2\cos\left(\frac{1}{2}(c + dx)\right)\right) \csc\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{8d \sin(dx + c)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2), x]

[Out] -1/8\*(Sqrt[-((-1 + Cos[c + d\*x])\*Cos[c + d\*x])]\*(3\*ArcTanh[E^(I\*d\*x)/(Sqrt[Cos[c] - I\*Sin[c]]\*Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]])\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + 3\*ArcTanh[Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]/Sqrt[Cos[c] - I\*Sin[c]]]\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + 2\*Sqrt[2]\*(-2\*Cos[(c + d\*x)/2] + Cos[(3\*(c + d\*x))/2])\*Csc[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]\*(Cos[d\*x] + I\*Sin[d\*x])]))/(d\*Sqrt[(1 + E^((2\*I)\*d\*x))\*Cos[c] + I\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]])

**fricas [A]** time = 0.86, size = 124, normalized size = 1.09

$$\frac{2 \left(2 \cos(dx + c)^2 - \cos(dx + c) - 3\right) \sqrt{-\cos(dx + c) + 1} \sqrt{\cos(dx + c)} - 3 \log\left(-\frac{2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{8d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/8\*(2\*(2\*cos(d\*x + c)^2 - cos(d\*x + c) - 3)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - 3\*log(-(2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (2\*cos(d\*x + c) + 1)\*sin(d\*x + c))/sin(d\*x + c)))/sin(d\*x + c)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out



**maple [A]** time = 0.15, size = 164, normalized size = 1.44

$$\frac{(-1 + \cos(dx + c)) \left( 2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) - 3 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 3 \operatorname{arctanh}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right) \right)}{8d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2),x)

[Out] 1/8/d\*(-1+cos(d\*x+c))\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))+3\*arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)))\*(2-2\*cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^3\*2^(1/2)

**maxima [B]** time = 0.75, size = 1305, normalized size = 11.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/32\*(4\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(((cos(2\*d\*x + 2\*c) - 2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + cos(2\*d\*x + 2\*c) - 2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - (cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(2\*d\*x + 2\*c) - (cos(2\*d\*x + 2\*c) - 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - sin(2\*d\*x + 2\*c))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + 3\*log(sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + 2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) - 3\*log(sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 - 2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + 3\*log(((cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + (cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2)\*sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1) + 2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + 1) - 3\*log(((cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))^2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + (cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2)\*sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1) - 2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))

$x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + 1))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} \sqrt{1 - \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(3/2)*(1 - cos(c + d*x))^(1/2), x)`

[Out] `int(cos(c + d*x)^(3/2)*(1 - cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-cos(d*x+c))**(1/2)*cos(d*x+c)**(3/2), x)`

[Out] `Integral(sqrt(1 - cos(c + d*x))*cos(c + d*x)**(3/2), x)`

### 3.270 $\int \sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)} dx$

Optimal. Leaf size=72

$$\frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{1-\cos(c+dx)}}$$

[Out] arctanh(sin(d\*x+c)/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2))/d-sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(1-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2770, 2775, 207}

$$\frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{1-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]], x]

[Out] ArcTanh[Sin[c + d\*x]/(Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])]/d - (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[1 - Cos[c + d\*x]])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :-> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :-> Simp[(-2\*b\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*sin[e + f\*x]]\*(c + d\*sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :-> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)} dx &= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)}} - \frac{1}{2} \int \frac{\sqrt{1 - \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)}} - \frac{\text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.73, size = 252, normalized size = 3.50

$$\frac{\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)\cos(c+dx)\left(-2\sqrt{2}\cot\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)(\cos(dx)+i\sin(dx))}+\sqrt{\cos(c)-i\sin(c)}\right)}}{\sin(dx+c)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]], x]

[Out] ((ArcTanh[E^(I\*d\*x)/(Sqrt[Cos[c] - I\*Sin[c]])\*Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]])\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] + ArcTanh[Sqrt[Cos[c] + E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c]) - I\*Sin[c]]/Sqrt[Cos[c] - I\*Sin[c]])\*(I + Cot[(c + d\*x)/2])\*Sqrt[Cos[c] - I\*Sin[c]] - 2\*Sqrt[2]\*Cot[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]\*(Cos[d\*x] + I\*Sin[d\*x])])\*Sqrt[Cos[c + d\*x]\*Sin[(c + d\*x)/2]^2]/(2\*d\*Sqrt[Cos[c + d\*x]\*(Cos[d\*x] + I\*Sin[d\*x])])

**fricas [A]** time = 0.79, size = 111, normalized size = 1.54

$$\frac{2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}-\log\left(-\frac{2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}+(2\cos(dx+c)+1)}{\sin(dx+c)}\right)}{2d\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] -1/2\*(2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - log((-2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + (2\*cos(d\*x + c) + 1)\*sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c))/(d\*sin(d\*x + c))

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)), x)

**maple [A]** time = 0.13, size = 94, normalized size = 1.31

$$\frac{(1 + \cos(dx + c)) \left( \operatorname{arctanh} \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} - \cos(dx + c) \right) \sqrt{2 - 2\cos(dx + c)} \sqrt{2}}{2d\sqrt{\cos(dx + c)} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(1/2), x)

[Out] 1/2/d\*(1+cos(d\*x+c))\*(arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-cos(d\*x+c))\*(2-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)/sin(d\*x+c)\*2^(1/2)

**maxima [B]** time = 1.03, size = 966, normalized size = 13.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-cos(d*x+c))^(1/2)*cos(d*x+c)^(1/2),x, algorithm="maxima")
[Out] 1/8*(4*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((cos(d*x + c) + 1)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) - log(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 + sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 + 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + log(sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 + sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 - 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) - log(((cos(d*x + c)^2 + sin(d*x + c)^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 + (cos(d*x + c)^2 + sin(d*x + c)^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2)*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1) + 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1) + log(((cos(d*x + c)^2 + sin(d*x + c)^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2 + (cos(d*x + c)^2 + sin(d*x + c)^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))^2)*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1) - 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) + 1))/d
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} \sqrt{1 - \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/2)*(1 - cos(c + d*x))^(1/2),x)
```

```
[Out] int(cos(c + d*x)^(1/2)*(1 - cos(c + d*x))^(1/2), x)
```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-cos(d*x+c))**(1/2)*cos(d*x+c)**(1/2),x)
```

```
[Out] Integral(sqrt(1 - cos(c + d*x))*sqrt(cos(c + d*x)), x)
```

$$3.271 \quad \int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=37

$$\frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

[Out]  $-2*\operatorname{arctanh}(\sin(d*x+c)/(1-\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)})/d$

**Rubi [A]** time = 0.04, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2775, 207}

$$\frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out]  $(-2*\operatorname{ArcTanh}[\sin[c + d*x]/(\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])])/d$

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x])]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.51, size = 277, normalized size = 7.49

$$\frac{2e^{idx} \left( \cos\left(\frac{c}{2}\right) + i \sin\left(\frac{c}{2}\right) \right) \sqrt{\cos(c) - i \sin(c)} \sqrt{1 - \cos(c + dx)} \sqrt{e^{-idx} \left( i \sin(c) (-1 + e^{2idx}) + \cos(c) (1 + e^{2idx}) \right)} \left( \tan\left(\frac{c}{2}\right) + i \right)}{d \left( i \cos\left(\frac{c}{2}\right) (-1 + e^{idx}) - \sin\left(\frac{c}{2}\right) (1 + e^{idx}) \right) \sqrt{2i \sin(c)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out]  $(2*E^{(I*d*x)}*(\operatorname{ArcTanh}[E^{(I*d*x)}/(\operatorname{Sqrt}[\operatorname{Cos}[c] - I*\operatorname{Sin}[c]]*\operatorname{Sqrt}[\operatorname{Cos}[c] + E^{((2*I)*d*x)}*(\operatorname{Cos}[c] + I*\operatorname{Sin}[c]) - I*\operatorname{Sin}[c]])]) + \operatorname{ArcTanh}[\operatorname{Sqrt}[\operatorname{Cos}[c] + E^{((2*I)*d*x)}*(\operatorname{Cos}[c] + I*\operatorname{Sin}[c]) - I*\operatorname{Sin}[c]])])/d$

) \* d \* x) \* (Cos[c] + I \* Sin[c]) - I \* Sin[c]] / Sqrt[Cos[c] - I \* Sin[c]]) \* Sqrt[1 - Cos[c + d \* x]] \* (Cos[c/2] + I \* Sin[c/2]) \* Sqrt[Cos[c] - I \* Sin[c]] \* Sqrt[((1 + E^((2 \* I) \* d \* x)) \* Cos[c] + I \* (-1 + E^((2 \* I) \* d \* x)) \* Sin[c]) / E^(I \* d \* x)]) / (d \* (I \* (-1 + E^(I \* d \* x)) \* Cos[c/2] - (1 + E^(I \* d \* x)) \* Sin[c/2]) \* Sqrt[2 \* (1 + E^((2 \* I) \* d \* x)) \* Cos[c] + (2 \* I) \* (-1 + E^((2 \* I) \* d \* x)) \* Sin[c]])

**fricas** [A] time = 0.87, size = 64, normalized size = 1.73

$$\frac{\log\left(-\frac{2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}-(2\cos(dx+c)+1)\sin(dx+c)}{\sin(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] log(-(2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (2\*cos(d\*x + c) + 1)\*sin(d\*x + c))/sin(d\*x + c))/d

**giac** [B] time = 1.40, size = 119, normalized size = 3.22

$$\frac{2 \log\left(\frac{2\left(\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+2\sqrt{2}-\sqrt{\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1+1}\right)}{-2\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+4\sqrt{2}+2\sqrt{\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^4-6\tan\left(\frac{1}{4}dx+\frac{1}{4}c\right)^2+1-2}}\right) \operatorname{sgn}\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] 2\*log(2\*(tan(1/4\*d\*x + 1/4\*c)^2 + 2\*sqrt(2) - sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1) + 1)/abs(-2\*tan(1/4\*d\*x + 1/4\*c)^2 + 4\*sqrt(2) + 2\*sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1) - 2))\*sgn(sin(1/2\*d\*x + 1/2\*c))/d

**maple** [B] time = 0.09, size = 83, normalized size = 2.24

$$\frac{\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{2-2\cos(dx+c)} \sin(dx+c) \operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)}{d\sqrt{\cos(dx+c)}(-1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 1/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(2-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)\*arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/cos(d\*x+c)^(1/2)/(-1+cos(d\*x+c))

**maxima** [B] time = 1.07, size = 221, normalized size = 5.97

$$2 \operatorname{arsinh}(1) + \log\left(\cos(dx+c)^2 + \sin(dx+c)^2 + \sqrt{\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2\cos(2dx+2c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/2\*(2\*arsinh(1) + log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c),

```
cos(2*d*x + 2*c) + 1))^2) + 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1)))))/d
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sqrt{1 - \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1 - cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)
```

```
[Out] int((1 - cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1 - \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2), x)
```

```
[Out] Integral(sqrt(1 - cos(c + d*x))/sqrt(cos(c + d*x)), x)
```



$$3.272 \quad \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=35

$$\frac{2 \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}}$$

[Out] 2\*sin(d\*x+c)/d/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2771}

$$\frac{2 \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*Sin[c + d\*x])/(d\*Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx = \frac{2 \sin(c + dx)}{d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}}$$

Mathematica [A] time = 0.04, size = 39, normalized size = 1.11

$$\frac{2\sqrt{1-\cos(c+dx)} \cot\left(\frac{1}{2}(c+dx)\right)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*Sqrt[1 - Cos[c + d\*x]]\*Cot[(c + d\*x)/2])/(d\*Sqrt[Cos[c + d\*x]])

fricas [A] time = 0.74, size = 41, normalized size = 1.17

$$\frac{2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}}{d\sqrt{\cos(dx+c)} \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] 2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)/(d\*sqrt(cos(d\*x + c))\*sin(d\*x + c))

**giac** [A] time = 0.64, size = 59, normalized size = 1.69

$$\frac{2\sqrt{2}\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 1\right)\operatorname{sgn}\left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\sqrt{\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] -2\*sqrt(2)\*(tan(1/4\*d\*x + 1/4\*c)^2 - 1)\*sgn(sin(1/2\*d\*x + 1/2\*c))/(sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)\*d)

**maple** [A] time = 0.10, size = 45, normalized size = 1.29

$$\frac{\sin(dx+c)\sqrt{2-2\cos(dx+c)}\sqrt{2}}{d(-1+\cos(dx+c))\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x)

[Out] -1/d\*sin(d\*x+c)\*(2-2\*cos(d\*x+c))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)\*2^(1/2)

**maxima** [B] time = 0.78, size = 75, normalized size = 2.14

$$\frac{2\left(\sqrt{2} - \frac{\sqrt{2}\sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)}{d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 2\*(sqrt(2) - sqrt(2)\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2))

**mupad** [B] time = 0.87, size = 31, normalized size = 0.89

$$\frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{1-\cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - cos(c + d\*x))^(1/2)/cos(c + d\*x)^(3/2),x)

[Out] (2\*sin(c + d\*x))/(d\*cos(c + d\*x)^(1/2)\*(1 - cos(c + d\*x))^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral(sqrt(1 - cos(c + d\*x))/cos(c + d\*x)\*\*(3/2), x)

$$3.273 \quad \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx$$

Optimal. Leaf size=75

$$\frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} - \frac{4 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

[Out]  $2/3*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(1-\cos(d*x+c))^{(1/2)}-4/3*\sin(d*x+c)/d/(1-\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2772, 2771}

$$\frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} - \frac{4 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out]  $(2*\sin[c + d*x])/(3*d*\text{Sqrt}[1 - \text{Cos}[c + d*x]]*\text{Cos}[c + d*x]^{(3/2)}) - (4*\sin[c + d*x])/(3*d*\text{Sqrt}[1 - \text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{5}{2}}(c+dx)} dx &= \frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} - \frac{2}{3} \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} dx \\ &= \frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} - \frac{4 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 51, normalized size = 0.68

$$\frac{2\sqrt{1-\cos(c+dx)}(2\cos(c+dx)-1)\cot\left(\frac{1}{2}(c+dx)\right)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out] (-2\*Sqrt[1 - Cos[c + d\*x]]\*(-1 + 2\*Cos[c + d\*x])\*Cot[(c + d\*x)/2])/(3\*d\*Cos[c + d\*x]^(3/2))

**fricas** [A] time = 2.05, size = 51, normalized size = 0.68

$$\frac{2 \left( 2 \cos(dx + c)^2 + \cos(dx + c) - 1 \right) \sqrt{-\cos(dx + c) + 1}}{3 d \cos(dx + c)^{\frac{3}{2}} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] -2/3\*(2\*cos(d\*x + c)^2 + cos(d\*x + c) - 1)\*sqrt(-cos(d\*x + c) + 1)/(d\*cos(d\*x + c)^(3/2)\*sin(d\*x + c))

**giac** [A] time = 1.41, size = 87, normalized size = 1.16

$$\frac{2 \sqrt{2} \left( \left( \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 - 15 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 15 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 - 1}{3 \left( \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^4 - 6 \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 1 \right)^{\frac{3}{2}} d} \operatorname{sgn}\left(\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] 2/3\*sqrt(2)\*(((tan(1/4\*d\*x + 1/4\*c)^2 - 15)\*tan(1/4\*d\*x + 1/4\*c)^2 + 15)\*tan(1/4\*d\*x + 1/4\*c)^2 - 1)\*sgn(sin(1/2\*d\*x + 1/2\*c))/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(3/2)\*d)

**maple** [A] time = 0.11, size = 55, normalized size = 0.73

$$\frac{(-1 + 2 \cos(dx + c)) \sin(dx + c) \sqrt{2 - 2 \cos(dx + c)} \sqrt{2}}{3 d (-1 + \cos(dx + c)) \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x)

[Out] 1/3/d\*(-1+2\*cos(d\*x+c))\*sin(d\*x+c)\*(2-2\*cos(d\*x+c))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)^(3/2)\*2^(1/2)

**maxima** [B] time = 0.89, size = 164, normalized size = 2.19

$$\frac{2 \left( \sqrt{2} - \frac{4 \sqrt{2} \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sqrt{2} \sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{3 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] -2/3\*(sqrt(2) - 4\*sqrt(2)\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sqrt(2)\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

$+ c) + 1) + 1)^{5/2} * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1))$

**mupad [B]** time = 1.55, size = 84, normalized size = 1.12

$$\frac{4 \sqrt{1 - \cos(c + dx)} (\sin(c + dx) - \sin(2c + 2dx) + \sin(3c + 3dx))}{3d \sqrt{\cos(c + dx)} (3 \cos(c + dx) - 2 \cos(2c + 2dx) + \cos(3c + 3dx) - 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1 - cos(c + d*x))^(1/2)/cos(c + d*x)^(5/2), x)`

[Out]  $(4 * (1 - \cos(c + d*x))^{1/2} * (\sin(c + d*x) - \sin(2*c + 2*d*x) + \sin(3*c + 3*d*x))) / (3*d*\cos(c + d*x)^{1/2} * (3*\cos(c + d*x) - 2*\cos(2*c + 2*d*x) + \cos(3*c + 3*d*x) - 2))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1 - \cos(c + dx)}}{\cos^{5/2}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1-cos(d*x+c))**(1/2)/cos(d*x+c)**(5/2), x)`

[Out] `Integral(sqrt(1 - cos(c + d*x))/cos(c + d*x)**(5/2), x)`

$$3.274 \quad \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=112

$$-\frac{8 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \cos^3(c+dx)} + \frac{2 \sin(c+dx)}{5d\sqrt{1-\cos(c+dx)} \cos^5(c+dx)} + \frac{16 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

[Out] 2/5\*sin(d\*x+c)/d/cos(d\*x+c)^(5/2)/(1-cos(d\*x+c))^(1/2)-8/15\*sin(d\*x+c)/d/cos(d\*x+c)^(3/2)/(1-cos(d\*x+c))^(1/2)+16/15\*sin(d\*x+c)/d/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.13, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2772, 2771}

$$-\frac{8 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \cos^3(c+dx)} + \frac{2 \sin(c+dx)}{5d\sqrt{1-\cos(c+dx)} \cos^5(c+dx)} + \frac{16 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (2\*Sin[c + d\*x])/(5\*d\*Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(5/2)) - (8\*Sin[c + d\*x])/(15\*d\*Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)) + (16\*Sin[c + d\*x])/(15\*d\*Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^2(c+dx)} dx &= \frac{2 \sin(c+dx)}{5d\sqrt{1-\cos(c+dx)} \cos^5(c+dx)} - \frac{4}{5} \int \frac{\sqrt{1-\cos(c+dx)}}{\cos^2(c+dx)} dx \\ &= \frac{2 \sin(c+dx)}{5d\sqrt{1-\cos(c+dx)} \cos^5(c+dx)} - \frac{8 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \cos^3(c+dx)} + \frac{8}{15} \int \frac{\sqrt{1-\cos(c+dx)}}{\cos(c+dx)} dx \\ &= \frac{2 \sin(c+dx)}{5d\sqrt{1-\cos(c+dx)} \cos^5(c+dx)} - \frac{8 \sin(c+dx)}{15d\sqrt{1-\cos(c+dx)} \cos^3(c+dx)} + \frac{8}{15d\sqrt{1-\cos(c+dx)}} \int \frac{1}{\cos(c+dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 61, normalized size = 0.54

$$\frac{2\sqrt{1 - \cos(c + dx)} (8 \cos^2(c + dx) - 4 \cos(c + dx) + 3) \cot\left(\frac{1}{2}(c + dx)\right)}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[1 - Cos[c + d\*x]]\*(3 - 4\*Cos[c + d\*x] + 8\*Cos[c + d\*x]^2)\*Cot[(c + d\*x)/2])/(15\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 1.19, size = 63, normalized size = 0.56

$$\frac{2(8 \cos(dx + c)^3 + 4 \cos(dx + c)^2 - \cos(dx + c) + 3)\sqrt{-\cos(dx + c) + 1}}{15d \cos(dx + c)^{\frac{5}{2}} \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15\*(8\*cos(d\*x + c)^3 + 4\*cos(d\*x + c)^2 - cos(d\*x + c) + 3)\*sqrt(-cos(d\*x + c) + 1)/(d\*cos(d\*x + c)^(5/2)\*sin(d\*x + c))

**giac [A]** time = 0.82, size = 117, normalized size = 1.04

$$\frac{2\sqrt{2}\left(\left(\left(\left(7 \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 75\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 430\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 430\right) \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 75\right)}{15\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6 \tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1\right)^{\frac{5}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] -2/15\*sqrt(2)\*((((7\*tan(1/4\*d\*x + 1/4\*c)^2 - 75)\*tan(1/4\*d\*x + 1/4\*c)^2 + 430)\*tan(1/4\*d\*x + 1/4\*c)^2 - 430)\*tan(1/4\*d\*x + 1/4\*c)^2 + 75)\*tan(1/4\*d\*x + 1/4\*c)^2 - 7)\*sgn(sin(1/2\*d\*x + 1/2\*c))/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(5/2)\*d)

**maple [A]** time = 0.11, size = 65, normalized size = 0.58

$$\frac{(8(\cos^2(dx + c)) - 4 \cos(dx + c) + 3)\sqrt{2 - 2 \cos(dx + c)} \sin(dx + c)\sqrt{2}}{15d(-1 + \cos(dx + c)) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x)

[Out] -1/15/d\*(8\*cos(d\*x+c)^2-4\*cos(d\*x+c)+3)\*(2-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)/(1+cos(d\*x+c))/cos(d\*x+c)^(5/2)\*2^(1/2)

**maxima [B]** time = 0.66, size = 209, normalized size = 1.87

$$\frac{2\left(7\sqrt{2} - \frac{17\sqrt{2}\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{25\sqrt{2}\sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{15\sqrt{2}\sin(dx+c)^6}{(\cos(dx+c)+1)^6}\right)\left(\frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1\right)^3}{15d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{7}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{7}{2}}\left(\frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] 2/15\*(7\*sqrt(2) - 17\*sqrt(2)\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 25\*sqrt(2)\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 - 15\*sqrt(2)\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^3/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(3\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + 1))

mupad [B] time = 2.00, size = 156, normalized size = 1.39

$$\frac{8\sqrt{2\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2} (7\sin(c + dx) - 4\sin(2c + 2dx) + 9\sin(3c + 3dx) - 2\sin(4c + 4dx) + 2\sin(5c + 5dx))}{15d\sqrt{1 - 2\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2} \left(-16\sin(c + dx)^2 - 4\sin(2c + 2dx)^2 + 20\sin\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 10\sin\left(\frac{3c}{2} + \frac{3dx}{2}\right)^2 + 2\sin\left(\frac{5c}{2} + \frac{5dx}{2}\right)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - cos(c + d\*x))^(1/2)/cos(c + d\*x)^(7/2),x)

[Out] (8\*(2\*sin(c/2 + (d\*x)/2)^2)^(1/2)\*(7\*sin(c + d\*x) - 4\*sin(2\*c + 2\*d\*x) + 9\*sin(3\*c + 3\*d\*x) - 2\*sin(4\*c + 4\*d\*x) + 2\*sin(5\*c + 5\*d\*x)))/(15\*d\*(1 - 2\*sin(c/2 + (d\*x)/2)^2)^(1/2)\*(20\*sin(c/2 + (d\*x)/2)^2 - 4\*sin(2\*c + 2\*d\*x)^2 + 10\*sin((3\*c)/2 + (3\*d\*x)/2)^2 + 2\*sin((5\*c)/2 + (5\*d\*x)/2)^2 - 16\*sin(c + d\*x)^2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out



$$3.275 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{a-a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=185

$$\frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{a-a \cos(c+dx)}} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{a-a \cos(c+dx)}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{1}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{\sqrt{a}}$$

[Out] 7/4\*arctanh(sin(d\*x+c)\*a^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)+1/2\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(a-a\*cos(d\*x+c))^(1/2)+1/4\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a-a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.45, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.269$ , Rules used = {2778, 2983, 2982, 2782, 208, 2775, 207}

$$\frac{\sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{a-a \cos(c+dx)}} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{a-a \cos(c+dx)}} + \frac{7 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{1}{\sqrt{2} \sqrt{\cos(c+dx)}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] (7\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/(4\*Sqrt[a]\*d) - (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a - a\*Cos[c + d\*x]]) + (Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a - a\*Cos[c + d\*x]])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2778

Int[((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n-1))/(f\*(2\*n-1)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n-1)), Int[((c + d\*sin[e + f\*x])^(n-2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n-1) + c^2\*(2\*n-1)) + d\*(a\*d - b\*c\*(4\*n-3))\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)}{\sqrt{a-a\cos(c+dx)}} dx &= \frac{\cos^3(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} + \frac{\int \frac{\sqrt{\cos(c+dx)}(3a+a\cos(c+dx))}{\sqrt{a-a\cos(c+dx)}} dx}{4a} \\ &= \frac{\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}} + \frac{\cos^3(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} - \frac{\int \frac{-\frac{a^2}{2}-\frac{7}{2}a^2\cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx}{4a^2} \\ &= \frac{\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}} + \frac{\cos^3(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} - \frac{7\int \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{8a} + \int \frac{1}{\sqrt{\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a-a\cos(c+dx)}} + \frac{\cos^3(c+dx)\sin(c+dx)}{2d\sqrt{a-a\cos(c+dx)}} - \frac{7\text{Subst}\left(\int \frac{1}{-a+x^2} dx, x, \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)}{4d} \\ &= \frac{7\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{4\sqrt{a}d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\sqrt{\cos(c+dx)}}{4d} \end{aligned}$$

**Mathematica [C]** time = 1.15, size = 256, normalized size = 1.38

$$\frac{ie^{-2i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{\cos(c+dx)}\left(7\sqrt{2}e^{2i(c+dx)}\sinh^{-1}\left(e^{i(c+dx)}\right) - 16e^{2i(c+dx)}\tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\right)}{8\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}\sqrt{a-a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/Sqrt[a - a\*cos[c + d\*x]], x]

```
[Out] ((-1/8*I)*(-1 + E^(I*(c + d*x)))*(7*Sqrt[2]*E^((2*I)*(c + d*x))*ArcSinh[E^(I*(c + d*x))] - 16*E^((2*I)*(c + d*x))*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + Sqrt[2]*(Sqrt[1 + E^((2*I)*(c + d*x))]*(1 + 2*E^(I*(c + d*x)) + 2*E^((2*I)*(c + d*x)) + E^((3*I)*(c + d*x)))) + 7*E^((2*I)*(c + d*x))*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sqrt[Cos[c + d*x]])/(Sqrt[2]*d*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Sqrt[a - a*Cos[c + d*x]])
```

**fricas** [A] time = 0.80, size = 226, normalized size = 1.22

$$4\sqrt{2}\sqrt{a}\log\left(-\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}\cos(dx+c)+1\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{\sqrt{a}(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c) + 7\sqrt{a}\log\left(-\frac{2\sqrt{-a\cos(dx+c)+a}}{\cos(dx+c)+1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/8*(4*sqrt(2)*sqrt(a)*log(-2*sqrt(2)*sqrt(-a*cos(d*x + c) + a)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/sqrt(a) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) - 1)*sin(d*x + c))*sin(d*x + c) + 7*sqrt(a)*log(-2*sqrt(-a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c)) + (2*a*cos(d*x + c) + a)*sin(d*x + c))/sin(d*x + c))*sin(d*x + c) + 2*sqrt(-a*cos(d*x + c) + a)*(2*cos(d*x + c)^2 + 3*cos(d*x + c) + 1)*sqrt(cos(d*x + c)))/(a*d*sin(d*x + c))
```

**giac** [A] time = 4.30, size = 157, normalized size = 0.85

$$\sqrt{2}\left(\frac{7\sqrt{2}|a|\arctan\left(\frac{\sqrt{2}\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{2\sqrt{-a}}\right)}{\sqrt{-a}a} - \frac{8|a|\arctan\left(\frac{\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{\sqrt{-a}}\right)}{\sqrt{-a}a} - \frac{2\left(-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{3}{2}}|a|+2\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^2a}\right)$$

$8d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] -1/8*sqrt(2)*(7*sqrt(2)*abs(a)*arctan(1/2*sqrt(2)*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)/sqrt(-a))/(sqrt(-a)*a) - 8*abs(a)*arctan(sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)/sqrt(-a))/(sqrt(-a)*a) - 2*((-a*tan(1/2*d*x + 1/2*c)^2 + a)^(3/2)*abs(a) + 2*sqrt(-a*tan(1/2*d*x + 1/2*c)^2 + a)*a*abs(a))/((a*tan(1/2*d*x + 1/2*c)^2 + a)^2*a))/d
```

**maple** [A] time = 0.16, size = 197, normalized size = 1.06

$$\left(\cos^{\frac{5}{2}}(dx+c)\right)(-1+\cos(dx+c))^3\left(-2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\left(\cos^2(dx+c)\right)+4\sqrt{2}\operatorname{arctanh}\left(\frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right)-3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)$$


---


$$4d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\sqrt{-2a(-1+\cos(dx+c))}\sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x)
```

```
[Out] 1/4/d*cos(d*x+c)^(5/2)*(-1+cos(d*x+c))^3*(-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2+4*2^(1/2)*arctanh(1/2*2^(1/2)/(cos(d*x+c)/(1+cos(d*x+c))))^
```

$(1/2)) - 3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * \cos(dx+c) - 7 * \operatorname{arctanh}((\cos(dx+c)/(1+\cos(dx+c)))^{1/2}) - (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} / (\cos(dx+c)/(1+\cos(dx+c)))^{5/2} / (-2*a*(-1+\cos(dx+c)))^{1/2} / \sin(dx+c)^{5*2^{1/2}}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{5/2}}{\sqrt{-a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)/(a-a\*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(dx + c)^(5/2)/sqrt(-a\*cos(dx + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{5/2}}{\sqrt{a-a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)^(5/2)/(a - a\*cos(c + dx))^(1/2),x)

[Out] int(cos(c + dx)^(5/2)/(a - a\*cos(c + dx))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(5/2)/(a-a\*cos(dx+c))\*\*(1/2),x)

[Out] Timed out

$$3.276 \quad \int \frac{\cos^3(c+dx)}{\sqrt{a-a\cos(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{a-a\cos(c+dx)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d}$$

[Out] arctanh(sin(d\*x+c)\*a^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)+sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(a-a\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.30, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$ , Rules used = {2778, 2982, 2782, 208, 2775, 207}

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{a-a\cos(c+dx)}} + \frac{\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])]/(Sqrt[a]\*d) - (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a - a\*Cos[c + d\*x]])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{\sqrt{a-a\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} + \frac{\int \frac{a+a\cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx}{2a} \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} - \frac{\int \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{2a} + \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{a-a\cos(c+dx)}} - \frac{\text{Subst}\left(\int \frac{1}{-a+x^2} dx, x, \frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{d} \quad (2a) \text{ Subst} \\ &= \frac{\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{\sqrt{\cos(c+dx)}}{d\sqrt{a}} \end{aligned}$$

**Mathematica** [C] time = 0.89, size = 228, normalized size = 1.62

$$\frac{ie^{-i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{\cos(c+dx)}\left(\sqrt{2}e^{i(c+dx)}\sinh^{-1}\left(e^{i(c+dx)}\right) - 4e^{i(c+dx)}\tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\left(\sqrt{1+e^{2i(c+dx)}}\right)\right)}{2\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}\sqrt{a-a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/Sqrt[a - a\*Cos[c + d\*x]], x]

[Out] ((-1/2\*I)\*(-1 + E^(I\*(c + d\*x)))\*(Sqrt[2]\*E^(I\*(c + d\*x))\*ArcSinh[E^(I\*(c + d\*x))] - 4\*E^(I\*(c + d\*x))\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + Sqrt[2]\*((1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Sqrt[Cos[c + d\*x]])/(Sqrt[2]\*d\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[a - a\*Cos[c + d\*x]])

**fricas** [A] time = 0.77, size = 212, normalized size = 1.50

$$\frac{\sqrt{2}\sqrt{a}\log\left(-\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}\cos(dx+c)+1\sqrt{\cos(dx+c)}}{\sqrt{a}}-(3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c) + \sqrt{a}\log\left(-\frac{2\sqrt{-a\cos(dx+c)+a}\sqrt{a}}{2ad\sin(dx+c)}\right)}{2ad\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{2} \sqrt{2} \sqrt{a} \log(-2 \sqrt{2} \sqrt{-a \cos(dx+c)+a} (\cos(dx+c)+1) \sqrt{\cos(dx+c)}) / \sqrt{a} - (3 \cos(dx+c)+1) \sin(dx+c) / ((\cos(dx+c)-1) \sin(dx+c)) \sin(dx+c) + \sqrt{a} \log(-2 \sqrt{-a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)+1) \sqrt{\cos(dx+c)}) + (2a \cos(dx+c)+a) \sin(dx+c) / \sin(dx+c) \sin(dx+c) + 2 \sqrt{-a \cos(dx+c)+a} (\cos(dx+c)+1) \sqrt{\cos(dx+c)}) / (a d \sin(dx+c))$

**giac** [A] time = 2.60, size = 131, normalized size = 0.93

$$\frac{\sqrt{2} \left( \frac{\sqrt{2} |a| \arctan\left(\frac{\sqrt{2} \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}{2 \sqrt{-a}}\right)}{\sqrt{-a} a} - \frac{2 |a| \arctan\left(\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a} a} - \frac{2 \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} |a|}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a\right) a} \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $-\frac{1}{2} \sqrt{2} (\sqrt{2} \sqrt{a} \arctan(1/2 \sqrt{2} \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a}) / \sqrt{-a}) / (\sqrt{-a} a) - 2 \sqrt{a} \arctan(\sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a}) / \sqrt{-a} / (\sqrt{-a} a) - 2 \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a} a \arctan(a \tan(1/2 dx + 1/2 c)^2 + a) / d$

**maple** [A] time = 0.15, size = 167, normalized size = 1.18

$$\frac{\left(\cos^3(dx+c)\right) (-1 + \cos(dx+c))^2 \left( \sqrt{2} \operatorname{arctanh}\left(\frac{\sqrt{2}}{2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right) - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) - \operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right) \right)}{d \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^3 \sqrt{-2a(-1 + \cos(dx+c))} \sin(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x)

[Out]  $-\frac{1}{d} \cos(dx+c)^{3/2} (-1 + \cos(dx+c))^2 (2^{1/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} / (\cos(dx+c)/(1+\cos(dx+c)))^{1/2}) - (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cos(dx+c) - \operatorname{arctanh}((\cos(dx+c)/(1+\cos(dx+c)))^{1/2}) - (\cos(dx+c)/(1+\cos(dx+c)))^{1/2}) / (\cos(dx+c)/(1+\cos(dx+c)))^{3/2} / (-2a(-1 + \cos(dx+c)))^{1/2} / \sin(dx+c) \cdot 3 \cdot 2^{1/2})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{3/2}}{\sqrt{-a \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(dx+c)^(3/2)/sqrt(-a\*cos(dx+c)+a),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{\sqrt{a-a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(3/2)/(a - a*cos(c + d*x))^(1/2), x)`

[Out] `int(cos(c + d*x)^(3/2)/(a - a*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{-a(\cos(c + dx) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)/(a-a*cos(d*x+c))**(1/2), x)`

[Out] `Integral(cos(c + d*x)**(3/2)/sqrt(-a*(cos(c + d*x) - 1)), x)`



$$3.277 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a-a\cos(c+dx)}} dx$$

Optimal. Leaf size=107

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a} d}$$

[Out] 2\*arctanh(sin(d\*x+c)\*a^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))/d/a^(1/2)-arctanh(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)

Rubi [A] time = 0.18, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {2777, 2775, 207, 2782, 208}

$$\frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a} d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] (2\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (Sqrt[2]\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)

Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

Rule 208

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2777

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x]

$\text{in}[e + f*x]]], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a-a\cos(c+dx)}} dx &= -\frac{\int \frac{\sqrt{a-a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{a} + \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx \\ &= -\frac{2 \text{Subst}\left(\int \frac{1}{-a+x^2} dx, x, \frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{d} - \frac{(2a) \text{Subst}\left(\int \frac{1}{2a^2-ax^2} dx, x, \frac{1}{\sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} \end{aligned}$$

**Mathematica [C]** time = 0.38, size = 161, normalized size = 1.50

$$\frac{i(-1 + e^{i(c+dx)})\sqrt{e^{-i(c+dx)}(1 + e^{2i(c+dx)})}\left(\sinh^{-1}(e^{i(c+dx)}) - \sqrt{2} \tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)\right) + \tanh^{-1}\left(\sqrt{1 + e^{2i(c+dx)}}\right)}{\sqrt{2}d\sqrt{1 + e^{2i(c+dx)}}\sqrt{a - a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[a - a\*Cos[c + d\*x]],x]

[Out] ((-I)\*(-1 + E^(I\*(c + d\*x)))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))] \*(ArcSinh[E^(I\*(c + d\*x))] - Sqrt[2]\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[a - a\*Cos[c + d\*x]])

**fricas [A]** time = 0.92, size = 162, normalized size = 1.51

$$\frac{\sqrt{2}\sqrt{a} \log\left(-\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}\cos(dx+c+1)\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{\sqrt{a}(\cos(dx+c)-1)\sin(dx+c)}\right) + 2\sqrt{a} \log\left(-\frac{2\sqrt{-a\cos(dx+c)+a}\sqrt{a}(\cos(dx+c)+1)\sin(dx+c)}{\sin(dx+c)}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*sqrt(a)\*log(-(2\*sqrt(2)\*sqrt(-a\*cos(d\*x + c) + a)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sqrt(a) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))/(cos(d\*x + c) - 1)\*sin(d\*x + c))) + 2\*sqrt(a)\*log(-(2\*sqrt(-a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + (2\*a\*cos(d\*x + c) + a)\*sin(d\*x + c))/sin(d\*x + c)))/(a\*d)

**giac [A]** time = 1.93, size = 86, normalized size = 0.80

$$\frac{\sqrt{2} \left( \frac{\sqrt{2} a \arctan\left(\frac{\sqrt{2}\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}{2\sqrt{-a}}\right)}{\sqrt{-a}} - \frac{a \arctan\left(\frac{\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a}} \right)}{a^2 d} |a|$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $-\sqrt{2}*(\sqrt{2}*a*\arctan(1/2*\sqrt{2}*\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})/\sqrt{-a})/\sqrt{-a} - a*\arctan(\sqrt{-a*\tan(1/2*d*x + 1/2*c)^2 + a})/\sqrt{-a})/\sqrt{-a})*\text{abs}(a)/(a^2*d)$

**maple** [A] time = 0.11, size = 118, normalized size = 1.10

$$\frac{(\sqrt{\cos(dx+c)})(-1+\cos(dx+c))\left(-\sqrt{2}\operatorname{arctanh}\left(\frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right)+2\operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)\right)\sqrt{2}}{d\sqrt{-2a(-1+\cos(dx+c))}\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2),x)

[Out]  $-1/d*\cos(d*x+c)^(1/2)*(-1+\cos(d*x+c))*(-2^(1/2)*\operatorname{arctanh}(1/2*2^(1/2)/(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2))+2*\operatorname{arctanh}((\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)))/(-2*a*(-1+\cos(d*x+c))^(1/2)/\sin(d*x+c)/(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*2^(1/2))$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a-a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(1/2)/(a-a\*cos(c+d\*x))^(1/2),x)

[Out] int(cos(c+d\*x)^(1/2)/(a-a\*cos(c+d\*x))^(1/2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-a(\cos(c+dx)-1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a-a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(cos(c+d\*x))/sqrt(-a\*(cos(c+d\*x)-1)),x)

$$3.278 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=58

$$-\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(d*x+c) a^{1/2} 2^{1/2}}{\cos(d*x+c)^{1/2} (a-a \cos(d*x+c))^{1/2}}\right) 2^{1/2} / d a^{1/2}$

**Rubi [A]** time = 0.07, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {2782, 208}

$$-\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]]),x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sin[c + d*x]}{\sqrt{2} \sqrt{\cos[c + d*x]} \sqrt{a - a \cos[c + d*x]}}\right]}{\sqrt{a} d}\right)$

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} dx = -\frac{(2a) \operatorname{Subst}\left(\int \frac{1}{2a^2-ax^2} dx, x, \frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{d} = -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

**Mathematica [C]** time = 0.33, size = 118, normalized size = 2.03

$$\frac{i(-1 + e^{i(c+dx)}) \sqrt{e^{-i(c+dx)} (1 + e^{2i(c+dx)})} \tanh^{-1}\left(\frac{1 + e^{i(c+dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c+dx)}}}\right)}{d \sqrt{1 + e^{2i(c+dx)}} \sqrt{a - a \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]]),x]

[Out]  $(I*(-1 + E^{(I*(c + d*x))}) * \text{Sqrt}[(1 + E^{((2*I)*(c + d*x))})/E^{(I*(c + d*x))}] * \text{ArcTanh}[(1 + E^{(I*(c + d*x))})/(\text{Sqrt}[2] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))})])]) / (d * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{Sqrt}[a - a * \text{Cos}[c + d*x]])$

**fricas** [A] time = 1.33, size = 144, normalized size = 2.48

$$\frac{\sqrt{2} \log\left(\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}\sqrt{\cos(dx+c)} - (3\cos(dx+c)+1)\sin(dx+c)}{\sqrt{a}(\cos(dx+c)-1)\sin(dx+c)}\right)}{2\sqrt{a}d}, \frac{\sqrt{2}\sqrt{-\frac{1}{a}} \arctan\left(\frac{\sqrt{2}\sqrt{-a\cos(dx+c)+a}\sqrt{-\frac{1}{a}}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(1/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $[1/2 * \text{sqrt}(2) * \log(-2 * \text{sqrt}(2) * \text{sqrt}(-a * \cos(d * x + c) + a) * (\cos(d * x + c) + 1) * \text{sqrt}(\cos(d * x + c)) / \text{sqrt}(a) - (3 * \cos(d * x + c) + 1) * \sin(d * x + c)) / ((\cos(d * x + c) - 1) * \sin(d * x + c)) / (\text{sqrt}(a) * d), \text{sqrt}(2) * \text{sqrt}(-1/a) * \arctan(\text{sqrt}(2) * \text{sqrt}(-a * \cos(d * x + c) + a) * \text{sqrt}(-1/a) * \text{sqrt}(\cos(d * x + c)) / \sin(d * x + c)) / d]$

**giac** [B] time = 0.76, size = 137, normalized size = 2.36

$$\frac{\sqrt{2} \left( \frac{a^2 \left( \frac{\arctan\left(\frac{\sqrt{2}\sqrt{a}}{\sqrt{-a}}\right)}{\sqrt{-a}a} - \frac{\arctan\left(\frac{\sqrt{-a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a}a} \right)}{|a| \text{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)} - \frac{\left(a \arctan\left(\frac{\sqrt{2}\sqrt{a}}{\sqrt{-a}}\right) - a \arctan\left(\frac{\sqrt{a}}{\sqrt{-a}}\right)\right) \text{sgn}\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\sqrt{-a}|a|} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(1/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out]  $-\text{sqrt}(2) * (a^2 * (\arctan(\text{sqrt}(2) * \text{sqrt}(a) / \text{sqrt}(-a)) / (\text{sqrt}(-a) * a) - \arctan(\text{sqrt}(-a * \tan(1/2 * d * x + 1/2 * c)^2 + a) / \text{sqrt}(-a)) / (\text{sqrt}(-a) * a)) / (\text{abs}(a) * \text{sgn}(\tan(1/2 * d * x + 1/2 * c)))) - (a * \arctan(\text{sqrt}(2) * \text{sqrt}(a) / \text{sqrt}(-a)) - a * \arctan(\text{sqrt}(a) / \text{sqrt}(-a))) * \text{sgn}(\tan(1/2 * d * x + 1/2 * c)) / (\text{sqrt}(-a) * \text{abs}(a))) / d$

**maple** [A] time = 0.14, size = 77, normalized size = 1.33

$$\frac{2 \sin(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \operatorname{arctanh}\left(\frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right)}{d\sqrt{-2a(-1+\cos(dx+c))}\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(1/2)/(a-a*cos(d*x+c))^(1/2),x)`

[Out]  $-2/d * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * \operatorname{arctanh}(1/2 * 2^{1/2} / ((\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2})) / (-2 * a * (-1 + \cos(d * x + c)))^{1/2} / \cos(d * x + c)^{1/2}$

**maxima** [C] time = 1.36, size = 209, normalized size = 3.60

$$\sqrt{2} \arctan \left( \frac{2 \sqrt{2} (\cos(2 dx+2 c)^2 + \sin(2 dx+2 c)^2 + 2 \cos(2 dx+2 c)+1)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2 dx+2 c), \cos(2 dx+2 c)+1)\right)}{\sqrt{a} |e^{i(dx+c)}-1|} \right), \frac{2 \left( \sqrt{2} (\cos(2 dx+2 c)^2 + \sin(2 dx+2 c)^2 + 2 \cos(2 dx+2 c)+1)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2 dx+2 c), \cos(2 dx+2 c)+1)\right) \right)}{\sqrt{-a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(1/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="maxima")
[Out] -sqrt(2)*arctan2(2*sqrt(2)*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))/(sqrt(a)*abs(e^(I*d*x + I*c) - 1)), 2*(sqrt(2)*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sqrt(a)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - sqrt(-a)*abs(e^(I*d*x + I*c) - 1) + 2*sqrt(a))/(a*abs(e^(I*d*x + I*c) - 1)))/(sqrt(-a)*d)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a - a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)^(1/2)*(a - a*cos(c + d*x))^(1/2)),x)
[Out] int(1/(cos(c + d*x)^(1/2)*(a - a*cos(c + d*x))^(1/2)), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a(\cos(c + dx) - 1)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(1/2)/(a-a*cos(d*x+c))**(1/2),x)
[Out] Integral(1/(sqrt(-a*(cos(c + d*x) - 1))*sqrt(cos(c + d*x))), x)
```

$$3.279 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=95

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(dx+c) a^{1/2} 2^{1/2}}{\cos(dx+c)^{1/2} (a-a \cos(dx+c))^{1/2}}\right) 2^{1/2} / d a^{1/2} + 2 \sin(dx+c) / d \cos(dx+c)^{1/2} (a-a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.13, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$ , Rules used = {2779, 12, 2782, 208}

$$\frac{2 \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a - a\*Cos[c + d\*x]]),x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sin[c+d*x]}{\sqrt{2} \sqrt{\cos[c+d*x]} \sqrt{a-a \cos[c+d*x]}}\right]}{\sqrt{a} d}\right) + \frac{2 \sin[c+d*x]}{d \sqrt{\cos[c+d*x]} \sqrt{a-a \cos[c+d*x]}}$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

**Rule 208**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[-(a/b), 2]\*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

**Rule 2779**

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rubi steps**

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} dx &= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} + \frac{\int \frac{a}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx}{a} \\
&= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} + \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} dx \\
&= \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} - \frac{(2a) \operatorname{Subst}\left(\int \frac{1}{2a^2-ax^2} dx, x, \frac{1}{\sqrt{\cos(c+dx)}}\right)}{d} \\
&= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{2\sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 0.38, size = 157, normalized size = 1.65

$$\frac{2\sin\left(\frac{1}{2}(c+dx)\right)\left(2\sqrt{1+e^{2i(c+dx)}}\cos\left(\frac{1}{2}(c+dx)\right) - \frac{e^{-\frac{1}{2}i(c+dx)}(1+e^{2i(c+dx)})\tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)}{\sqrt{2}}\right)}{d\sqrt{1+e^{2i(c+dx)}}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a - a\*Cos[c + d\*x]]),x]

[Out] (2\*(-(((1 + E^((2\*I)\*(c + d\*x))) \* ArcTanh[(1 + E^(I\*(c + d\*x))]) / (Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])]) / (Sqrt[2]\*E^((I/2)\*(c + d\*x)))) + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[(c + d\*x)/2]\*Sin[(c + d\*x)/2]) / (d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a - a\*Cos[c + d\*x]])

**fricas [A]** time = 0.58, size = 152, normalized size = 1.60

$$\frac{\sqrt{2}\sqrt{a}\cos(dx+c)\log\left(-\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}(\cos(dx+c)+1)\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{\sqrt{a}(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c)+4\sqrt{-a\cos(dx+c)}}{2ad\cos(dx+c)\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*sqrt(a)\*cos(d\*x + c)\*log(-(2\*sqrt(2)\*sqrt(-a\*cos(d\*x + c) + a)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sqrt(a) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))/((cos(d\*x + c) - 1)\*sin(d\*x + c)))\*sin(d\*x + c) + 4\*sqrt(-a\*cos(d\*x + c) + a)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c)\*sin(d\*x + c))

**giac [A]** time = 0.77, size = 68, normalized size = 0.72

$$\frac{\sqrt{2}a\left(\frac{\arctan\left(\frac{\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{\sqrt{-a}}\right)}{\sqrt{-a}|a|} + \frac{2}{\sqrt{-a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a|a|}}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(1/cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] sqrt(2)\*a\*(arctan(sqrt(-a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)/sqrt(-a))/(sqrt(-a)\*abs(a) + 2/(sqrt(-a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*abs(a)))/d

**maple** [A] time = 0.14, size = 160, normalized size = 1.68

$$\frac{(\sin^3(dx+c)) \left( \sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) \cos(dx+c) + \sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) \right)}{d\sqrt{-2a(-1+\cos(dx+c))} \cos(dx+c)^{\frac{3}{2}} (\cos^2(dx+c)-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*sin(d\*x+c)^3\*(2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arctanh(1/2\*2^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*cos(d\*x+c)+2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arctanh(1/2\*2^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))-2\*cos(d\*x+c)/(-2\*a\*(-1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)^(3/2)/(cos(d\*x+c)^2-1)\*2^(1/2)

**maxima** [C] time = 1.00, size = 351, normalized size = 3.69

$$2 \cos\left(\frac{1}{2} \arctan(\sin(2dx+2c), \cos(2dx+2c)+1)\right) \sin(dx+c) - 2(\cos(dx+c)+1) \sin\left(\frac{1}{2} \arctan(\sin(2dx+2c), \cos(2dx+2c)+1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] (2\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - 2\*(cos(d\*x + c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - sqrt(2)\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*arctan2(2\*sqrt(2)\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))/(sqrt(a)\*abs(e^(I\*d\*x + I\*c) - 1)), 2\*(sqrt(2)\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sqrt(a)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - sqrt(-a)\*abs(e^(I\*d\*x + I\*c) - 1) + 2\*sqrt(a))/(a\*abs(e^(I\*d\*x + I\*c) - 1)))/((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sqrt(-a)\*d)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} \sqrt{a-a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(3/2)\*(a-a\*cos(c+d\*x))^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^(3/2)\*(a-a\*cos(c+d\*x))^(1/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a(\cos(c+dx)-1)} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(3/2)/(a-a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(1/(sqrt(-a*(cos(c + d*x) - 1))*cos(c + d*x)**(3/2)), x)
```

$$3.280 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=135

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(d*x+c) * a^{1/2} * 2^{1/2}}{\cos(d*x+c)^{1/2} (a-a*\cos(d*x+c))^{1/2}}\right) * 2^{1/2} / d / a^{1/2} + 2/3 * \sin(d*x+c) / d / \cos(d*x+c)^{3/2} / (a-a*\cos(d*x+c))^{1/2} + 2/3 * \sin(d*x+c) / d / \cos(d*x+c)^{1/2} / (a-a*\cos(d*x+c))^{1/2}$

**Rubi [A]** time = 0.25, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {2779, 2984, 12, 2782, 208}

$$\frac{2 \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2 \sin(c+dx)}{3d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] `Int[1/(Cos[c + d*x]^(5/2)*Sqrt[a - a*Cos[c + d*x]]),x]`

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcTanh}\left[\frac{\sqrt{a} \sin[c + d*x]}{\sqrt{2} \sqrt{\cos[c + d*x]}}\right] \sqrt{a - a \cos[c + d*x]}}{\sqrt{a} d} + \frac{2 \sin[c + d*x]}{3 d \cos[c + d*x]^{3/2} \sqrt{a - a \cos[c + d*x]}} + \frac{2 \sin[c + d*x]}{3 d \sqrt{\cos[c + d*x]} \sqrt{a - a \cos[c + d*x]}}\right)$

**Rule 12**

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]`

**Rule 208**

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

**Rule 2779**

`Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := -Simp[(d*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Ssin[e + f*x]]), x] - Dist[1/(2*b*(n + 1)*(c^2 - d^2)), Int[((c + d*Ssin[e + f*x])^(n + 1)*Simp[a*d - 2*b*c*(n + 1) + b*d*(2*n + 3)*Sin[e + f*x], x])/Sqrt[a + b*Ssin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

**Rule 2782**

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

**Rule 2984**

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} dx &= \frac{2\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} + \frac{\int \frac{a+2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} dx}{3a} \\
&= \frac{2\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} + \frac{2\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} \\
&= \frac{2\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} + \frac{2\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} \\
&= \frac{2\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}} + \frac{2\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}} \\
&= -\frac{\sqrt{2}\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a-a\cos(c+dx)}}\right)}{\sqrt{a}d} + \frac{2\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 0.32, size = 171, normalized size = 1.27

$$\frac{2\sin\left(\frac{1}{2}(c+dx)\right)\left(2\sqrt{1+e^{2i(c+dx)}}\cos\left(\frac{1}{2}(c+dx)\right)(\cos(c+dx)+1) - \frac{3e^{-\frac{3}{2}i(c+dx)}(1+e^{2i(c+dx)})^2\tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)}{2\sqrt{2}}\right)}{3d\sqrt{1+e^{2i(c+dx)}}\cos^{\frac{3}{2}}(c+dx)\sqrt{a-a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*Sqrt[a - a\*Cos[c + d\*x]]),x]

[Out] (2\*((-3\*(1 + E^((2\*I)\*(c + d\*x))))^2\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(2\*Sqrt[2]\*E^(((3\*I)/2)\*(c + d\*x))) + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[(c + d\*x)/2]\*(1 + Cos[c + d\*x]))\*Sin[(c + d\*x)/2])/(3\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c + d\*x]^(3/2)\*Sqrt[a - a\*Cos[c + d\*x]])

**fricas [A]** time = 1.03, size = 165, normalized size = 1.22

$$\frac{3\sqrt{2}\sqrt{a}\cos(dx+c)^2\log\left(-\frac{2\sqrt{2}\sqrt{-a\cos(dx+c)+a}(\cos(dx+c)+1)\sqrt{\cos(dx+c)}}{\sqrt{a}} - (3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c) + 4\sqrt{-a\cos(dx+c)}}{6ad\cos(dx+c)^2\sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{6} \cdot (3 \sqrt{2}) \sqrt{a} \cos(dx + c)^2 \log(-2 \sqrt{2}) \sqrt{-a \cos(dx + c) + a} (\cos(dx + c) + 1) \sqrt{\cos(dx + c)} / \sqrt{a} - (3 \cos(dx + c) + 1) \sin(dx + c) / ((\cos(dx + c) - 1) \sin(dx + c)) \sin(dx + c) + 4 \sqrt{-a \cos(dx + c) + a} (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) \sqrt{\cos(dx + c)}} / (a d \cos(dx + c)^2 \sin(dx + c))$

**giac** [A] time = 0.73, size = 90, normalized size = 0.67

$$\frac{\sqrt{2} a \left( \frac{3 \arctan\left(\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a} |a|} - \frac{4 a}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a\right) \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a |a|}} \right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out]  $\frac{1}{3} \sqrt{2} a (3 \arctan(\sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a}) / \sqrt{-a}) / (\sqrt{-a} \operatorname{abs}(a) - 4 a / ((a \tan(1/2 dx + 1/2 c)^2 - a) \sqrt{-a \tan(1/2 dx + 1/2 c)^2 + a} \operatorname{abs}(a))) / d$

**maple** [A] time = 0.17, size = 171, normalized size = 1.27

$$\frac{(\sin^5(dx + c)) \left( 3\sqrt{2} \cos(dx + c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \operatorname{arctanh}\left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) + 3\sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \operatorname{arctanh}\left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) \right)}{3d(-1 + \cos(dx + c))^2 \sqrt{-2a(-1 + \cos(dx + c))} (1 + \cos(dx + c)) \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x)`

[Out]  $-1/3 d \sin(dx + c)^5 (3 \cdot 2^{1/2} \cos(dx + c) (\cos(dx + c) / (1 + \cos(dx + c)))^{5/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} / (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2}) + 3 \cdot 2^{1/2} (\cos(dx + c) / (1 + \cos(dx + c)))^{5/2} \operatorname{arctanh}(1/2 \cdot 2^{1/2} / (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2}) - 2 \cos(dx + c) / (-1 + \cos(dx + c))^2 / (-2 a (-1 + \cos(dx + c))^{1/2} / (1 + \cos(dx + c)) / \cos(dx + c)^{5/2} \cdot 2^{1/2})$

**maxima** [C] time = 1.19, size = 504, normalized size = 3.73

$$3 \left( \sqrt{2} \cos(2 dx + 2 c)^2 + \sqrt{2} \sin(2 dx + 2 c)^2 + 2 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2} \right) \operatorname{arctan} \left( \frac{2 \sqrt{2} (\cos(2 dx + 2 c)^2 + \sin(2 dx + 2 c)^2 + 2 \cos(2 dx + 2 c) + \sqrt{2})}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)^(5/2)/(a-a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]  $-1/3 (3 (\sqrt{2} \cos(2 dx + 2 c)^2 + \sqrt{2} \sin(2 dx + 2 c)^2 + 2 \sqrt{2} \cos(2 dx + 2 c) + \sqrt{2}) \operatorname{arctan} \left( \frac{2 \sqrt{2} (\cos(2 dx + 2 c)^2 + \sin(2 dx + 2 c)^2 + 2 \cos(2 dx + 2 c) + 1)^{1/4} \sin(1/2 \operatorname{arctan} \left( \frac{\sin(2 dx + 2 c)}{\cos(2 dx + 2 c) + 1} \right))}{\sqrt{a} \operatorname{abs}(e^{I dx + I c} - 1)} \right) + 2 (\sqrt{2} \cos(2 dx + 2 c)^2 + \sqrt{2} \sin(2 dx + 2 c)^2 + 2 \cos(2 dx + 2 c) + 1)^{1/4} \sqrt{a} \cos(1/2 \operatorname{arctan} \left( \frac{\sin(2 dx + 2 c)}{\cos(2 dx + 2 c) + 1} \right)) - \sqrt{-a} \operatorname{abs}(e^{I dx + I c} - 1) + 2 \sqrt{a}) / (a \operatorname{abs}(e^{I dx + I c} - 1))) - 2 (\cos(dx + c) \sin(dx + c) \sqrt{-a \cos(dx + c) + a} \operatorname{abs}(a) - 4 a \sqrt{-a \cos(dx + c) + a} \operatorname{abs}(a)) / (3 \sqrt{2} a (\cos(dx + c) \sqrt{-a \cos(dx + c) + a} \operatorname{abs}(a) - 4 a \sqrt{-a \cos(dx + c) + a} \operatorname{abs}(a))) / d$

$(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{3/4} (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) - (\cos(dx + c) + 3) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 4(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} (\cos(3/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) - (\cos(dx + c) - 1) \sin(3/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)))) / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1) \sqrt{-a} dx)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} \sqrt{a - a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a - a\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a - a\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a} (\cos(c + dx) - 1) \cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a-a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(-a\*(cos(c + d\*x) - 1))\*cos(c + d\*x)\*\*(5/2)), x)

$$3.281 \quad \int \frac{1}{\cos^{\frac{7}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=173

$$\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{26 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1}{2} \sin(dx+c) a^{1/2} 2^{1/2} / \cos(dx+c)^{1/2} / (a-a \cos(dx+c))^{1/2}\right) 2^{1/2} / d a^{1/2} + 2/5 \sin(dx+c) / d \cos(dx+c)^{5/2} / (a-a \cos(dx+c))^{1/2} + 2/15 \sin(dx+c) / d \cos(dx+c)^{3/2} / (a-a \cos(dx+c))^{1/2} + 26/15 \sin(dx+c) / d \cos(dx+c)^{1/2} / (a-a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.40, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.192$ , Rules used = {2779, 2984, 12, 2782, 208}

$$\frac{2 \sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx) \sqrt{a-a \cos(c+dx)}} + \frac{26 \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[1/(\operatorname{Cos}[c+dx]^{7/2} \operatorname{Sqrt}[a-a \operatorname{Cos}[c+dx]]), x]$

[Out]  $-\left(\frac{\operatorname{Sqrt}[2] \operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[a] \operatorname{Sin}[c+dx]}{\operatorname{Sqrt}[2] \operatorname{Sqrt}[\operatorname{Cos}[c+dx]]} \operatorname{Sqrt}[a-a \operatorname{Cos}[c+dx]]\right]}{\operatorname{Sqrt}[a] d} + \frac{2 \operatorname{Sin}[c+dx]}{5 d \operatorname{Cos}[c+dx]^{5/2} \operatorname{Sqrt}[a-a \operatorname{Cos}[c+dx]]} + \frac{2 \operatorname{Sin}[c+dx]}{15 d \operatorname{Cos}[c+dx]^{3/2} \operatorname{Sqrt}[a-a \operatorname{Cos}[c+dx]]} + \frac{26 \operatorname{Sin}[c+dx]}{15 d \operatorname{Sqrt}[\operatorname{Cos}[c+dx]] \operatorname{Sqrt}[a-a \operatorname{Cos}[c+dx]]}\right)$

### Rule 12

$\operatorname{Int}[(a_*)(u_), x\_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

### Rule 208

$\operatorname{Int}[(a_*) + (b_*)(x_)^2]^{-1}, x\_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2] \operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}[\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

### Rule 2779

$\operatorname{Int}[(c_*) + (d_*) \operatorname{sin}[(e_*) + (f_*)(x_)]]^{(n_*)} / \operatorname{Sqrt}[(a_*) + (b_*) \operatorname{sin}[(e_*) + (f_*)(x_)]], x\_Symbol] \rightarrow -\operatorname{Simp}[(d \operatorname{Cos}[e+fx] (c+d \operatorname{Sin}[e+fx])^{(n+1)}) / (f(n+1)(c^2-d^2) \operatorname{Sqrt}[a+b \operatorname{Sin}[e+fx]]), x] - \operatorname{Dist}[1/(2*b*(n+1)(c^2-d^2)), \operatorname{Int}[(c+d \operatorname{Sin}[e+fx])^{(n+1)} \operatorname{Simp}[a*d-2*b*c*(n+1)+b*d*(2*n+3) \operatorname{Sin}[e+fx], x] / \operatorname{Sqrt}[a+b \operatorname{Sin}[e+fx]], x], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{NeQ}[b*c-a*d, 0] \ \&\& \ \operatorname{EqQ}[a^2-b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2-d^2, 0] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ \operatorname{IntegerQ}[2*n]$

### Rule 2782

$\operatorname{Int}[1/(\operatorname{Sqrt}[(a_*) + (b_*) \operatorname{sin}[(e_*) + (f_*)(x_)]] \operatorname{Sqrt}[(c_*) + (d_*) \operatorname{sin}[(e_*) + (f_*)(x_)]]), x\_Symbol] \rightarrow \operatorname{Dist}[(-2*a)/f, \operatorname{Subst}[\operatorname{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b \operatorname{Cos}[e+fx]) / (\operatorname{Sqrt}[a+b \operatorname{Sin}[e+fx]] \operatorname{Sqrt}[c+d \operatorname{Sin}[e+fx]])], x] /; \operatorname{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \operatorname{NeQ}[b*c-a*d, 0] \ \&\& \ \operatorname{EqQ}[a^2-b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2-d^2, 0]$

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\int \frac{1}{\cos^{\frac{7}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} dx = \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} + \frac{\int \frac{a+4a \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a-a \cos(c+dx)}} dx}{5a}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} + \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} + \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} + \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

$$= \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}} + \frac{2 \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

$$= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a-a \cos(c+dx)}}\right)}{\sqrt{a} d} + \frac{2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

**Mathematica [C]** time = 0.66, size = 218, normalized size = 1.26

$$\frac{e^{-\frac{5}{2}i(c+dx)} \sin\left(\frac{1}{2}(c + dx)\right) \left(2\sqrt{1 + e^{2i(c+dx)}} \left(15e^{i(c+dx)} + 40e^{2i(c+dx)} + 40e^{3i(c+dx)} + 15e^{4i(c+dx)} + 13e^{5i(c+dx)} + 13\right) - 15\right)}{60d\sqrt{1 + e^{2i(c+dx)}} \cos^{\frac{5}{2}}(c + dx)\sqrt{a - a \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Cos[c + d*x]^(7/2)*Sqrt[a - a*Cos[c + d*x]]), x]
[Out] ((2*Sqrt[1 + E^((2*I)*(c + d*x))])*(13 + 15*E^(I*(c + d*x)) + 40*E^((2*I)*(c + d*x)) + 40*E^((3*I)*(c + d*x)) + 15*E^((4*I)*(c + d*x)) + 13*E^((5*I)*(c + d*x))) - 15*Sqrt[2]*(1 + E^((2*I)*(c + d*x)))^3*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Sin[(c + d*x)/2])/(60*d*E^((5*I)/2)*(c + d*x)*Sqrt[1 + E^((2*I)*(c + d*x))]*Cos[c + d*x]^(5/2)*Sqrt[a - a*Cos[c + d*x]])
```

**fricas [A]** time = 0.91, size = 177, normalized size = 1.02

$$15 \sqrt{2} \sqrt{a} \cos(dx + c)^3 \log\left(-\frac{2 \sqrt{2} \sqrt{-a \cos(dx+c)+a} (\cos(dx+c)+1) \sqrt{\cos(dx+c)}}{\sqrt{a}} - (3 \cos(dx+c)+1) \sin(dx+c)}{(\cos(dx+c)-1) \sin(dx+c)}\right) \sin(dx + c) + 4 \left(13 \cos(dx + c)\right)$$


---


$$30 ad \cos(dx + c)^3 \sin(dx + c)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out]  $\frac{1}{30} \cdot (15 \sqrt{2}) \sqrt{a} \cos(d*x + c)^3 \log(-2 \sqrt{2}) \sqrt{-a \cos(d*x + c) + a} \cdot (\cos(d*x + c) + 1) \sqrt{\cos(d*x + c)} / \sqrt{a} - (3 \cos(d*x + c) + 1) \sin(d*x + c) / ((\cos(d*x + c) - 1) \sin(d*x + c)) \sin(d*x + c) + 4 \cdot (13 \cos(d*x + c)^3 + 14 \cos(d*x + c)^2 + 4 \cos(d*x + c) + 3) \sqrt{-a \cos(d*x + c) + a} \sqrt{\cos(d*x + c)} / (a \cdot d \cos(d*x + c)^3 \sin(d*x + c))$

**giac** [A] time = 1.28, size = 136, normalized size = 0.79

$$\frac{\sqrt{2} a \left( \frac{15 \arctan\left(\frac{\sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}}{\sqrt{-a}}\right)}{\sqrt{-a} |d|} + \frac{2 \left( 15 \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2 + 10 \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right) a + 12 a^2 \right)}{\left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - a \right)^2 \sqrt{-a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} |a|} \right)}{15 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{15} \sqrt{2} a \cdot (15 \arctan(\sqrt{-a \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a}) / \sqrt{-a}) / (\sqrt{-a} \cdot \text{abs}(a)) + 2 \cdot (15 \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a)^2 + 10 \cdot (a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a) \cdot a + 12 \cdot a^2) / ((a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - a)^2 \sqrt{-a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a} \cdot \text{abs}(a)) / d$

**maple** [B] time = 0.20, size = 305, normalized size = 1.76

$$\frac{(\sin^7(dx + c)) \left( 15\sqrt{2} (\cos^3(dx + c)) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{7}{2}} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) + 45\sqrt{2} (\cos^2(dx + c)) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right) \right)}{15 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(7/2)/(a-a\*cos(d\*x+c))^(1/2),x)

[Out]  $\frac{1}{15} \cdot \frac{1}{d} \cdot \sin(d*x+c)^7 \cdot (15 \cdot 2^{(1/2)} \cdot \cos(d*x+c)^3 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} / (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}) + 45 \cdot 2^{(1/2)} \cdot \cos(d*x+c)^2 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} / (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}) + 45 \cdot 2^{(1/2)} \cdot \cos(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} / (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}) + 15 \cdot 2^{(1/2)} \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)} \cdot \operatorname{arctanh}(1/2 \cdot 2^{(1/2)} / (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}) - 26 \cdot \cos(d*x+c)^3 - 2 \cdot \cos(d*x+c)^2 - 6 \cdot \cos(d*x+c)) / (-1 + \cos(d*x+c))^{(3/2)} / (-2 \cdot a \cdot (-1 + \cos(d*x+c))^{(1/2)} / (1 + \cos(d*x+c))^{(3/2)} / \cos(d*x+c)^{(7/2)} \cdot 2^{(1/2)})$

**maxima** [C] time = 0.98, size = 692, normalized size = 4.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/2)/(a-a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out]  $-1/15 \cdot (15 \cdot (\sqrt{2}) \cdot \cos(2 \cdot d \cdot x + 2 \cdot c)^2 + \sqrt{2}) \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)^2 + 2 \cdot \sqrt{2} \cdot \cos(2 \cdot d \cdot x + 2 \cdot c) + \sqrt{2}) \cdot (\cos(2 \cdot d \cdot x + 2 \cdot c)^2 + \sin(2 \cdot d \cdot x + 2 \cdot c)^2 + 2 \cdot \cos(2 \cdot d \cdot x + 2 \cdot c) + 1)^{(1/4)} \cdot \operatorname{arctan}^2(2 \cdot \sqrt{2}) \cdot (\cos(2 \cdot d \cdot x + 2 \cdot c)^2 + \sin(2 \cdot d \cdot x + 2 \cdot c)^2 + 2 \cdot \cos(2 \cdot d \cdot x + 2 \cdot c) + 1)^{(1/4)} \cdot \sin(1/2 \cdot \operatorname{arctan}^2(\sin(2 \cdot d \cdot x + 2 \cdot c)^2 + 2 \cdot \cos(2 \cdot d \cdot x + 2 \cdot c) + 1)^{(1/4)})$

```
*c), cos(2*d*x + 2*c) + 1))/(sqrt(a)*abs(e^(I*d*x + I*c) - 1)), 2*(sqrt(2)*
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sq
rt(a)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - sqrt(-a)*a
bs(e^(I*d*x + I*c) - 1) + 2*sqrt(a))/(a*abs(e^(I*d*x + I*c) - 1))) - 26*(co
s(2*d*x + 2*c)^2*sin(d*x + c) + sin(2*d*x + 2*c)^2*sin(d*x + c) + 2*cos(2*d
*x + 2*c)*sin(d*x + c) + sin(d*x + c))*cos(1/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1)) + 24*cos(5/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c
) + 1))*sin(d*x + c) - 24*(cos(d*x + c) + 1)*sin(5/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1)) + 2*((13*cos(d*x + c) + 15)*cos(2*d*x + 2*c)^2 +
(13*cos(d*x + c) + 15)*sin(2*d*x + 2*c)^2 + 2*(13*cos(d*x + c) + 15)*cos(2
*d*x + 2*c) + 13*cos(d*x + c) + 15)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1)) - 4*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(
2*d*x + 2*c) + 1)*(7*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1
))*sin(d*x + c) - (7*cos(d*x + c) + 5)*sin(3/2*arctan2(sin(2*d*x + 2*c), co
s(2*d*x + 2*c) + 1))))/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*
d*x + 2*c) + 1)^(5/4)*sqrt(-a)*d)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{7/2} \sqrt{a - a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(7/2)\*(a - a\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(7/2)\*(a - a\*cos(c + d\*x))^(1/2)), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(7/2)/(a-a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.282 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{\sqrt{1-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=161

$$\frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{1-\cos(c+dx)}} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{1-\cos(c+dx)}} + \frac{7 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{4d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}}\right)}{d}$$

[Out] 7/4\*arctanh(sin(d\*x+c)/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2))/d-arctanh(1/2\*  
\*sin(d\*x+c)\*2^(1/2)/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2))\*2^(1/2)/d+1/2\*co  
s(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(1-cos(d\*x+c))^(1/2)+1/4\*sin(d\*x+c)\*cos(d\*x+c)^(  
1/2)/d/(1-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.30, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2778, 2983, 2982, 2782, 206, 2775, 207}

$$\frac{\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{1-\cos(c+dx)}} + \frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{4d\sqrt{1-\cos(c+dx)}} + \frac{7 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{4d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/Sqrt[1 - Cos[c + d\*x]], x]

[Out] (7\*ArcTanh[Sin[c + d\*x]/(Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])]/(4\*d) - (Sqrt[2]\*ArcTanh[Sin[c + d\*x]/(Sqrt[2]\*Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])]/d + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[1 - Cos[c + d\*x]]) + (Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[1 - Cos[c + d\*x]])

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)}{\sqrt{1-\cos(c+dx)}} dx &= \frac{\cos^3(c+dx) \sin(c+dx)}{2d\sqrt{1-\cos(c+dx)}} + \frac{1}{4} \int \frac{\sqrt{\cos(c+dx)} (3 + \cos(c+dx))}{\sqrt{1-\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{1-\cos(c+dx)}} + \frac{\cos^3(c+dx) \sin(c+dx)}{2d\sqrt{1-\cos(c+dx)}} - \frac{1}{4} \int \frac{-\frac{1}{2} - \frac{7}{2} \cos(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{1-\cos(c+dx)}} + \frac{\cos^3(c+dx) \sin(c+dx)}{2d\sqrt{1-\cos(c+dx)}} - \frac{7}{8} \int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx + \dots \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{4d\sqrt{1-\cos(c+dx)}} + \frac{\cos^3(c+dx) \sin(c+dx)}{2d\sqrt{1-\cos(c+dx)}} - \frac{7 \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)}{4d} \\ &= \frac{7 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{4d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} + \frac{\sqrt{\cos(c+dx)}}{4d\sqrt{1-\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.19, size = 255, normalized size = 1.58

$$\frac{ie^{-2i(c+dx)} (-1 + e^{i(c+dx)}) \sqrt{\cos(c+dx)} \left(7\sqrt{2} e^{2i(c+dx)} \sinh^{-1}\left(e^{i(c+dx)}\right) - 16e^{2i(c+dx)} \tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2} \sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\right)}{8\sqrt{2} d \sqrt{1+e^{2i(c+dx)}} \sqrt{1-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/Sqrt[1 - Cos[c + d\*x]], x]

[Out] ((-1/8\*I)\*(-1 + E^(I\*(c + d\*x))))\*(7\*Sqrt[2]\*E^((2\*I)\*(c + d\*x))\*ArcSinh[E^(I\*(c + d\*x))] - 16\*E^((2\*I)\*(c + d\*x))\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[

2)\*Sqrt[1 + E^((2\*I)\*(c + d\*x))] + Sqrt[2]\*(Sqrt[1 + E^((2\*I)\*(c + d\*x))] \* (1 + 2\*E^(I\*(c + d\*x)) + 2\*E^((2\*I)\*(c + d\*x)) + E^((3\*I)\*(c + d\*x))) + 7\*E^((2\*I)\*(c + d\*x))\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Sqrt[Cos[c + d\*x]])/(Sqrt[2]\*d\*E^((2\*I)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[1 - Cos[c + d\*x]])

**fricas** [A] time = 0.93, size = 239, normalized size = 1.48

$$4\sqrt{2}\log\left(-\frac{2(\sqrt{2}\cos(dx+c)+\sqrt{2})\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c)+2(2\cos(dx+c))^2+$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1-cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/8\*(4\*sqrt(2)\*log(-(2\*(sqrt(2)\*cos(d\*x + c) + sqrt(2))\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))/((cos(d\*x + c) - 1)\*sin(d\*x + c)))\*sin(d\*x + c) + 2\*(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + 7\*log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c) - 7\*log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c))/(d\*sin(d\*x + c))

**giac** [A] time = 1.81, size = 162, normalized size = 1.01

$$\sqrt{2}\left(7\sqrt{2}\log\left(\frac{\sqrt{2}-\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}}{\sqrt{2}+\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}}\right)-\frac{4\left(-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{\frac{3}{2}}+2\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^2}+8\log\left(\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}\right)\right)$$

16d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] -1/16\*sqrt(2)\*(7\*sqrt(2)\*log((sqrt(2) - sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1)))/(sqrt(2) + sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))) - 4\*((-tan(1/2\*d\*x + 1/2\*c)^2 + 1)^(3/2) + 2\*sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2 + 8\*log(sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1) - 8\*log(-sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1))/d

**maple** [A] time = 0.15, size = 194, normalized size = 1.20

$$\left(\cos^{\frac{5}{2}}(dx+c)\right)(-1+\cos(dx+c))^3\left(2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\left(\cos^2(dx+c)\right)+3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\cos(dx+c)-4\sqrt{2}\arctanh\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)\right)+4d\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\sin(dx+c)^5\sqrt{2-2\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(1-cos(d\*x+c))^(1/2),x)

[Out] -1/4/d\*cos(d\*x+c)^(5/2)\*(-1+cos(d\*x+c))^3\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-4\*2^(1/2)\*arctanh(1/2\*2^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))+7\*arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^5/(2-2\*cos(d\*x+c))^(1/2)\*2^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{\sqrt{-\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(1-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/sqrt(-cos(d\*x + c) + 1), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{5/2}}{\sqrt{1-\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(1 - cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(5/2)/(1 - cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(1-cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.283 \quad \int \frac{\cos^3(c+dx)}{\sqrt{1-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=118

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{1-\cos(c+dx)}} + \frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

[Out] arctanh(sin(d\*x+c)/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2))/d-arctanh(1/2\*sin(d\*x+c)\*2^(1/2)/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2))\*2^(1/2)/d+sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(1-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.21, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2778, 2982, 2782, 206, 2775, 207}

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{1-\cos(c+dx)}} + \frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2}\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/Sqrt[1 - Cos[c + d\*x]], x]

[Out] ArcTanh[Sin[c + d\*x]/(Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])]/d - (Sqrt[2]\*ArcTanh[Sin[c + d\*x]/(Sqrt[2]\*Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])]/d + (Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[1 - Cos[c + d\*x]])

**Rule 206**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

**Rule 207**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

**Rule 2775**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2778**

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x)]/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2782**

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{\sqrt{1-\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{1-\cos(c+dx)}} + \frac{1}{2} \int \frac{1+\cos(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{1-\cos(c+dx)}} - \frac{1}{2} \int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx + \int \frac{1}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx \\ &= \frac{\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{1-\cos(c+dx)}} - \frac{\text{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} - \frac{2 \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{\tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} + \frac{\sqrt{\cos(c+dx)}}{d\sqrt{1-\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.21, size = 227, normalized size = 1.92

$$\frac{ie^{-i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{\cos(c+dx)}\left(\sqrt{2}e^{i(c+dx)}\sinh^{-1}\left(e^{i(c+dx)}\right) - 4e^{i(c+dx)}\tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \sqrt{2}\left(\sqrt{1+e^{2i(c+dx)}}\right)\right)}{2\sqrt{2}d\sqrt{1+e^{2i(c+dx)}}\sqrt{1-\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)/Sqrt[1 - Cos[c + d*x]], x]
```

```
[Out] ((-1/2*I)*(-1 + E^(I*(c + d*x)))*(Sqrt[2]*E^(I*(c + d*x))*ArcSinh[E^(I*(c + d*x))] - 4*E^(I*(c + d*x))*ArcTanh[(1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + Sqrt[2]*((1 + E^(I*(c + d*x)))*Sqrt[1 + E^((2*I)*(c + d*x))] + E^(I*(c + d*x))*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sqrt[Cos[c + d*x]])/(Sqrt[2]*d*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Sqrt[1 - Cos[c + d*x]])
```

**fricas [B]** time = 1.29, size = 225, normalized size = 1.91

$$\sqrt{2} \log\left(-\frac{2(\sqrt{2}\cos(dx+c)+\sqrt{2})\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right)\sin(dx+c) + 2(\cos(dx+c)+1)\sqrt{-\cos(dx+c)+1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)/(1-cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/2*(sqrt(2)*log(-2*(sqrt(2)*cos(d*x + c) + sqrt(2))*sqrt(-cos(d*x + c) + 1)*sqrt(cos(d*x + c)) - (3*cos(d*x + c) + 1)*sin(d*x + c))/((cos(d*x + c) -
```



1)\*sin(d\*x + c))\*sin(d\*x + c) + 2\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c) - log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - sin(d\*x + c))/sin(d\*x + c))\*sin(d\*x + c))/(d\*sin(d\*x + c))

**giac** [A] time = 1.75, size = 141, normalized size = 1.19

$$\frac{\sqrt{2} \left( \sqrt{2} \log \left( \frac{\sqrt{2} - \sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}}{\sqrt{2} + \sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}} \right) - \frac{4 \sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 2 \log \left( \sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 1 \right) - 2 \log \left( \sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} - 1 \right) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(1-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] -1/4\*sqrt(2)\*(sqrt(2)\*log((sqrt(2) - sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))/(sqrt(2) + sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))) - 4\*sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1)/(tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 2\*log(sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1) - 2\*log(-sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1))/d

**maple** [A] time = 0.13, size = 166, normalized size = 1.41

$$\frac{\left( \cos^{\frac{3}{2}}(dx + c) \right) (-1 + \cos(dx + c))^2 \left( \sqrt{2} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) - \operatorname{arctanh} \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right) \right)}{d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sqrt{2 - 2 \cos(dx + c)} \sin(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(1-cos(d\*x+c))^(1/2),x)

[Out] -1/d\*cos(d\*x+c)^(3/2)\*(-1+cos(d\*x+c))^2\*(2^(1/2)\*arctanh(1/2\*2^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-arctanh((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(2-2\*cos(d\*x+c))^(1/2)/sin(d\*x+c)^3\*2^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{\sqrt{-\cos(dx + c) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(1-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/sqrt(-cos(d\*x + c) + 1), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{3/2}}{\sqrt{1 - \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(1 - cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(3/2)/(1 - cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{1 - \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(1-cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/sqrt(1 - cos(c + d\*x)), x)

$$3.284 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=85

$$\frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

[Out]  $2*\operatorname{arctanh}(\sin(d*x+c)/(1-\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)})/d - \operatorname{arctanh}(1/2*\sin(d*x+c)*2^{(1/2)}/(1-\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)})*2^{(1/2)}/d$

**Rubi [A]** time = 0.13, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2777, 2775, 207, 2782, 206}

$$\frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[1 - Cos[c + d\*x]], x]

[Out]  $(2*\operatorname{ArcTanh}[\sin[c + d*x]/(\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])])/d - (\operatorname{Sqrt}[2]*\operatorname{ArcTanh}[\sin[c + d*x]/(\operatorname{Sqrt}[2]*\operatorname{Sqrt}[1 - \operatorname{Cos}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])])/d$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 207

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTanh[(Rt[b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (LtQ[a, 0] || GtQ[b, 0])

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2777

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1-\cos(c+dx)}} dx &= \int \frac{1}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}} dx - \int \frac{\sqrt{1-\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx \\ &= \frac{2 \operatorname{Subst}\left(\int \frac{1}{2-x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{-1+x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} \\ &= \frac{2 \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.12, size = 160, normalized size = 1.88

$$\frac{i(-1 + e^{i(c+dx)})\sqrt{e^{-i(c+dx)}(1 + e^{2i(c+dx)})}\left(\sinh^{-1}(e^{i(c+dx)}) - \sqrt{2} \tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)\right) + \tanh^{-1}\left(\sqrt{1 + e^{2i(c+dx)}}\right)}{\sqrt{2}d\sqrt{1 + e^{2i(c+dx)}}\sqrt{1 - \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[1 - Cos[c + d\*x]], x]

[Out] ((-I)\*(-1 + E^(I\*(c + d\*x)))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))] \*(ArcSinh[E^(I\*(c + d\*x))] - Sqrt[2]\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(Sqrt[2]\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[1 - Cos[c + d\*x]])

**fricas [B]** time = 1.20, size = 170, normalized size = 2.00

$$\frac{\sqrt{2} \log\left(-\frac{2(\sqrt{2}\cos(dx+c)+\sqrt{2})\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}-(3\cos(dx+c)+1)\sin(dx+c)}{(\cos(dx+c)-1)\sin(dx+c)}\right) + 2 \log\left(\frac{2(\sqrt{-\cos(dx+c)+1}\sqrt{\cos(dx+c)}+\sin(dx+c))}{\sin(dx+c)}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(1-cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*log(-(2\*(sqrt(2)\*cos(d\*x + c) + sqrt(2))\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))/((cos(d\*x + c) - 1)\*sin(d\*x + c))) + 2\*log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) + sin(d\*x + c))/sin(d\*x + c)) - 2\*log(2\*(sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - sin(d\*x + c))/sin(d\*x + c)))/d

**giac [A]** time = 1.80, size = 105, normalized size = 1.24

$$\frac{\sqrt{2} \left( \sqrt{2} \log\left(\frac{\sqrt{2}-\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}}{\sqrt{2}+\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}}\right) + \log\left(\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}+1\right) - \log\left(-\sqrt{-\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1}-1\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(1-cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] -1/2\*sqrt(2)\*(sqrt(2)\*log((sqrt(2) - sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))/(sqrt(2) + sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1))) + log(sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1) - log(-sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1))/d

**maple** [A] time = 0.10, size = 117, normalized size = 1.38

$$\frac{(\sqrt{\cos(dx+c)})(-1+\cos(dx+c))\left(-\sqrt{2}\operatorname{arctanh}\left(\frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right)+2\operatorname{arctanh}\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)\right)\sqrt{2}}{d\sin(dx+c)\sqrt{2-2\cos(dx+c)}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(1-cos(d\*x+c))^(1/2), x)

[Out]  $-1/d*\cos(d*x+c)^{(1/2)}*(-1+\cos(d*x+c))*(-2^{(1/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}))+2*\operatorname{arctanh}((\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)})/s\operatorname{in}(d*x+c)/(2-2*\cos(d*x+c))^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*2^{(1/2)})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(1-cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-cos(d\*x + c) + 1), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1-\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(1/2)/(1-cos(c+d\*x))^(1/2), x)

[Out] int(cos(c+d\*x)^(1/2)/(1-cos(c+d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1-\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(1-cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(cos(c+d\*x))/sqrt(1-cos(c+d\*x)), x)

$$3.285 \quad \int \frac{1}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=47

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(dx+c) \sqrt{2} / ((1-\cos(dx+c))^{1/2} \cos(dx+c)^{1/2}) \sqrt{2}}{d}\right)$

**Rubi [A]** time = 0.05, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2782, 206}

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out]  $-\left(\frac{\operatorname{ArcTanh}\left[\frac{\sin[c + dx]}{\sqrt{2} \sqrt{1 - \cos[c + dx]}}\right] \sqrt{\cos[c + dx]}}{d}\right)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx &= -\frac{2 \operatorname{Subst}\left(\int \frac{1}{2-x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} \\ &= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 0.14, size = 110, normalized size = 2.34

$$\frac{ie^{-i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{1 + e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1 + e^{i(c+dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c+dx)}}}\right)}{\sqrt{2} d \sqrt{-((\cos(c + dx) - 1) \cos(c + dx))}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out]  $(I*(-1 + E^{(I*(c + d*x))}) * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] * \text{ArcTanh}[(1 + E^{(I*(c + d*x))}) / (\text{Sqrt}[2] * \text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])]) / (\text{Sqrt}[2] * d * E^{(I*(c + d*x))} * \text{Sqrt}[(-(-1 + \text{Cos}[c + d*x]) * \text{Cos}[c + d*x])])]$

**fricas** [B] time = 0.82, size = 84, normalized size = 1.79

$$\frac{\sqrt{2} \log\left(\frac{-2(\sqrt{2} \cos(dx+c)+\sqrt{2})\sqrt{-\cos(dx+c)+1} \sqrt{\cos(dx+c)} - (3 \cos(dx+c)+1) \sin(dx+c)}{(\cos(dx+c)-1) \sin(dx+c)}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out]  $1/2 * \text{sqrt}(2) * \log(-2 * (\text{sqrt}(2) * \cos(d*x + c) + \text{sqrt}(2)) * \text{sqrt}(-\cos(d*x + c) + 1) * \text{sqrt}(\cos(d*x + c)) - (3 * \cos(d*x + c) + 1) * \sin(d*x + c)) / ((\cos(d*x + c) - 1) * \sin(d*x + c))) / d$

**giac** [A] time = 0.62, size = 79, normalized size = 1.68

$$\frac{\sqrt{2} \left( \log(\sqrt{2} + 1) - \log(\sqrt{2} - 1) - \log\left(\sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 1\right) + \log\left(-\sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 1\right) \right)}{2d \text{sgn}\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out]  $1/2 * \text{sqrt}(2) * (\log(\text{sqrt}(2) + 1) - \log(\text{sqrt}(2) - 1) - \log(\text{sqrt}(-\tan(1/2*d*x + 1/2*c)^2 + 1) + 1) + \log(-\text{sqrt}(-\tan(1/2*d*x + 1/2*c)^2 + 1) + 1)) / (d * \text{sgn}(\tan(1/2*d*x + 1/2*c)))$

**maple** [B] time = 0.13, size = 84, normalized size = 1.79

$$\frac{4 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (-1 + \cos(dx+c)) \sin(dx+c) \text{arctanh}\left(\frac{\sqrt{2}}{2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right)}{d \sqrt{\cos(dx+c)} (2 - 2 \cos(dx+c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out]  $4/d * (\cos(d*x+c) / (1+\cos(d*x+c)))^{1/2} * (-1+\cos(d*x+c)) * \sin(d*x+c) * \text{arctanh}(1/2 * 2^{1/2} / (\cos(d*x+c) / (1+\cos(d*x+c)))^{1/2}) / \cos(d*x+c)^{1/2} / (2-2*\cos(d*x+c))^{3/2}$

**maxima** [C] time = 0.99, size = 248, normalized size = 5.28

$$\sqrt{2} \log\left(\frac{4 \left( |i e^{(i dx+i c)} - i|^2 + 2 \sqrt{\cos(2 dx+2 c)^2 + \sin(2 dx+2 c)^2} + 2 \cos(2 dx+2 c) + 1 \right) \left( \cos\left(\frac{1}{2} \arctan(\sin(2 dx+2 c), \cos(2 dx+2 c)+1)\right) \right)^2 + \sin\left(\frac{1}{2} \arctan(\sin(2 dx+2 c), \cos(2 dx+2 c)+1)\right)}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out]  $1/2 * \text{sqrt}(2) * \log(4 * (\text{abs}(I * e^{(I*d*x + I*c)} - I)^2 + 2 * \text{sqrt}(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)) * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)+1)))^2 + \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)+1)))$

+ 2\*c), cos(2\*d\*x + 2\*c) + 1))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))^2) - 2\*(sqrt(2)\*abs(I\*e^(I\*d\*x + I\*c) - I)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 2\*sqrt(2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4) + 4)/abs(I\*e^(I\*d\*x + I\*c) - I)^2)/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{1 - \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(1 - cos(c + d\*x))^(1/2)), x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(1 - cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(1/2), x)

[Out] Integral(1/(sqrt(1 - cos(c + d\*x))\*sqrt(cos(c + d\*x))), x)



$$3.286 \quad \int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=83

$$\frac{2 \sin(c+dx)}{d\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2\sin(dx+c)2^{1/2}}{(1-\cos(dx+c))^{1/2}/\cos(dx+c)^{1/2}}\right)2^{1/2}/d+2\sin(dx+c)/d/(1-\cos(dx+c))^{1/2}/\cos(dx+c)^{1/2}$

**Rubi [A]** time = 0.09, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2779, 2782, 206}

$$\frac{2 \sin(c+dx)}{d\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out]  $-\left(\frac{\sqrt{2}\operatorname{ArcTanh}\left[\frac{\sin[c+dx]}{\sqrt{2}\sqrt{1-\cos[c+dx]}\sqrt{\cos[c+dx]}}\right]}{d} + \frac{2\sin[c+dx]}{d\sqrt{1-\cos[c+dx]}\sqrt{\cos[c+dx]}}\right)$

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} dx &= \frac{2 \sin(c+dx)}{d \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} + \int \frac{1}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} dx \\ &= \frac{2 \sin(c+dx)}{d \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} - \frac{2 \operatorname{Subst}\left(\int \frac{1}{2-x^2} dx, x, \frac{\sin(c+dx)}{\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} \\ &= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2} \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}}\right)}{d} + \frac{2 \sin(c+dx)}{d \sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.17, size = 152, normalized size = 1.83

$$\frac{2 \sin\left(\frac{1}{2}(c+dx)\right) \left( 2 \sqrt{1+e^{2i(c+dx)}} \cos\left(\frac{1}{2}(c+dx)\right) - \frac{e^{-\frac{1}{2}i(c+dx)} (1+e^{2i(c+dx)}) \tanh^{-1}\left(\frac{1+e^{i(c+dx)}}{\sqrt{2} \sqrt{1+e^{2i(c+dx)}}}\right)}{\sqrt{2}} \right)}{d \sqrt{1+e^{2i(c+dx)}} \sqrt{-(\cos(c+dx)-1) \cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] (2\*(-(((1 + E^((2\*I)\*(c + d\*x))))\*ArcTanh[(1 + E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]))/(Sqrt[2]\*E^((I/2)\*(c + d\*x)))) + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[(c + d\*x)/2])\*Sin[(c + d\*x)/2]/(d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[-((-1 + Cos[c + d\*x])\*Cos[c + d\*x])])

**fricas [A]** time = 0.84, size = 144, normalized size = 1.73

$$\frac{\sqrt{2} \cos(dx+c) \log\left(-\frac{2(\sqrt{2} \cos(dx+c)+\sqrt{2})\sqrt{-\cos(dx+c)+1} \sqrt{\cos(dx+c)} - (3 \cos(dx+c)+1) \sin(dx+c)}{(\cos(dx+c)-1) \sin(dx+c)}\right) \sin(dx+c) + 4(\cos(dx+c)+1) \sqrt{-\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{2 d \cos(dx+c) \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] 1/2\*(sqrt(2)\*cos(d\*x + c)\*log(-(2\*(sqrt(2)\*cos(d\*x + c) + sqrt(2))\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))/((cos(d\*x + c) - 1)\*sin(d\*x + c)))\*sin(d\*x + c) + 4\*(cos(d\*x + c) + 1)\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/(d\*cos(d\*x + c)\*sin(d\*x + c))

**giac [A]** time = 0.64, size = 72, normalized size = 0.87

$$\frac{\sqrt{2} \left( \frac{4}{\sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1}} - \log\left(\sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 1\right) + \log\left(-\sqrt{-\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1} + 1\right) \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] 1/2\*sqrt(2)\*(4/sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) - log(sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1) + log(-sqrt(-tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 1))/d

**maple [B]** time = 0.13, size = 159, normalized size = 1.92

$$\frac{(\sin^3(dx+c)) \left( \sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \operatorname{arctanh}\left(\frac{\sqrt{2}}{2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right) \cos(dx+c) + \sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \operatorname{arctanh}\left(\frac{\sqrt{2}}{2 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}\right) \right)}{d \sqrt{2-2 \cos(dx+c)} \cos(dx+c)^{\frac{3}{2}} (\cos^2(dx+c)-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(1-cos(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x)`

[Out]  $1/d*\sin(d*x+c)^3*(2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}))*\cos(d*x+c)+2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)})-2*\cos(d*x+c)/(2-2*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(3/2)}/(\cos(d*x+c)^{-2-1})*2^{(1/2)}$

**maxima** [C] time = 1.02, size = 400, normalized size = 4.82

$$\sqrt{2} \left( 2\sqrt{2} \sin(dx+c) \sin\left(\frac{1}{2} \arctan(\sin(2dx+2c), \cos(2dx+2c)+1)\right) + 2(\sqrt{2} \cos(dx+c) + \sqrt{2}) \cos \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-cos(d*x+c))^(1/2)/cos(d*x+c)^(3/2),x, algorithm="maxima")`

[Out]  $-1/2*\sqrt{2}*(2*\sqrt{2}*\sin(d*x+c)*\sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1)) + 2*(\sqrt{2}*\cos(d*x+c) + \sqrt{2}))*\cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1)) - (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c)+1)^{(1/4)}*\log(4*(\operatorname{abs}(I*e^{(I*d*x+I*c)} - I))^2 + 2*\sqrt{\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c)+1}*(\cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1)))^2 + \sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1))^2) - 2*(\sqrt{2}*\operatorname{abs}(I*e^{(I*d*x+I*c)} - I))*\sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1)) - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)+1)))*(\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c)+1)^{(1/4)} + 4)/\operatorname{abs}(I*e^{(I*d*x+I*c)} - I)^2)/((\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c)+1)^{(1/4)}*d)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^{3/2} \sqrt{1-\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c+d*x)^(3/2)*(1-cos(c+d*x))^(1/2)),x)`

[Out] `int(1/(cos(c+d*x)^(3/2)*(1-cos(c+d*x))^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(1-cos(d*x+c))**(1/2)/cos(d*x+c)**(3/2),x)`

[Out] `Integral(1/(sqrt(1-cos(c+d*x))*cos(c+d*x)**(3/2)),x)`

$$3.287 \quad \int \frac{1}{\sqrt{1-\cos(c+dx)} \cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=122

$$\frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

[Out]  $-\operatorname{arctanh}\left(\frac{1/2 \sin(dx+c) 2^{1/2}}{(1-\cos(dx+c))^{1/2} \cos(dx+c)^{1/2}}\right) 2^{1/2} / d + 2/3 \sin(dx+c) / d \cos(dx+c)^{3/2} / (1-\cos(dx+c))^{1/2} + 2/3 \sin(dx+c) / d / (1-\cos(dx+c))^{1/2} / \cos(dx+c)^{1/2}$

**Rubi [A]** time = 0.18, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2779, 2984, 12, 2782, 206}

$$\frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} + \frac{2 \sin(c+dx)}{3d\sqrt{1-\cos(c+dx)} \sqrt{\cos(c+dx)}} - \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c+dx)}{\sqrt{2}\sqrt{1-\cos(c+dx)}\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[1/(Sqrt[1 - Cos[c + d*x]]*Cos[c + d*x]^(5/2)),x]`

[Out]  $-\left(\frac{\operatorname{ArcTanh}\left[\frac{\sin[c+dx]}{\sqrt{2}\sqrt{1-\cos[c+dx]}\sqrt{\cos[c+dx]}}\right]}{\sqrt{2}\sqrt{1-\cos[c+dx]}\sqrt{\cos[c+dx]}}\right) / d + \frac{2 \sin[c+dx]}{3d\sqrt{1-\cos[c+dx]} \cos^{3/2}[c+dx]} + \frac{2 \sin[c+dx]}{3d\sqrt{1-\cos[c+dx]} \sqrt{\cos[c+dx]}}$

### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

### Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

### Rule 2779

`Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)/Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := -Simp[(d*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] - Dist[1/(2*b*(n + 1)*(c^2 - d^2)), Int[((c + d*Sin[e + f*x])^(n + 1)*Simp[a*d - 2*b*c*(n + 1) + b*d*(2*n + 3)*Sin[e + f*x], x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2*n]`

### Rule 2782

`Int[1/(Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{1 - \cos(c + dx)} \cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3} \int \frac{1 + 2 \cos(c + dx)}{\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}} \\ &= \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}} \\ &= \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}} \\ &= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sin(c + dx)}{\sqrt{2} \sqrt{1 - \cos(c + dx)} \sqrt{\cos(c + dx)}}\right)}{d} + \frac{2 \sin(c + dx)}{3d\sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 0.28, size = 170, normalized size = 1.39

$$\frac{2 \sin\left(\frac{1}{2}(c + dx)\right) \left( 2\sqrt{1 + e^{2i(c+dx)}} \cos\left(\frac{1}{2}(c + dx)\right) (\cos(c + dx) + 1) - \frac{3e^{-\frac{3}{2}i(c+dx)} (1 + e^{2i(c+dx)})^2 \tanh^{-1}\left(\frac{1 + e^{i(c+dx)}}{\sqrt{2} \sqrt{1 + e^{2i(c+dx)}}}\right)}{2\sqrt{2}} \right)}{3d\sqrt{1 + e^{2i(c+dx)}} \sqrt{1 - \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 - Cos[c + d\*x]])\*Cos[c + d\*x]^(5/2),x]

[Out] (2\*((-3\*(1 + E^((2\*I)\*(c + d\*x))))^2\*ArcTanh[(1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]/(2\*Sqrt[2]\*E^(((3\*I)/2)\*(c + d\*x))) + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[(c + d\*x)/2]\*(1 + Cos[c + d\*x]))\*Sin[(c + d\*x)/2]/(3\*d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Sqrt[1 - Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2))

**fricas [A]** time = 0.89, size = 157, normalized size = 1.29

$$\frac{3\sqrt{2} \cos(dx + c)^2 \log\left(-\frac{2(\sqrt{2} \cos(dx+c) + \sqrt{2})\sqrt{-\cos(dx+c)+1} \sqrt{\cos(dx+c)} - (3 \cos(dx+c)+1) \sin(dx+c)}{(\cos(dx+c)-1) \sin(dx+c)}\right) \sin(dx + c) + 4(\cos(dx + c) + 1) \sqrt{\cos(dx + c)}}{6d \cos(dx + c)^2 \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] 1/6\*(3\*sqrt(2)\*cos(d\*x + c)^2\*log(-2\*(sqrt(2)\*cos(d\*x + c) + sqrt(2))\*sqrt(-cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c)) - (3\*cos(d\*x + c) + 1)\*sin(d\*x + c))

$$\frac{((\cos(dx + c) - 1)\sin(dx + c))\sin(dx + c) + 4(\cos(dx + c)^2 + 2\cos(dx + c) + 1)\sqrt{-\cos(dx + c) + 1}\sqrt{\cos(dx + c)}}{(d\cos(dx + c))^2\sin(dx + c)}$$

**giac** [A] time = 0.79, size = 89, normalized size = 0.73

$$\frac{\sqrt{2} \left( \frac{8}{\left( \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1 \right) \sqrt{-\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}} + 3 \log \left( \sqrt{-\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 1 \right) - 3 \log \left( -\sqrt{-\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} \right) \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] 
$$-1/6\sqrt{2}*(8/((\tan(1/2*d*x + 1/2*c)^2 - 1)*\sqrt{-\tan(1/2*d*x + 1/2*c)^2 + 1}) + 3*\log(\sqrt{-\tan(1/2*d*x + 1/2*c)^2 + 1} + 1) - 3*\log(-\sqrt{-\tan(1/2*d*x + 1/2*c)^2 + 1} + 1))/d$$

**maple** [A] time = 0.15, size = 170, normalized size = 1.39

$$\frac{(\sin^5(dx + c)) \left( 3\sqrt{2} \cos(dx + c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) + 3\sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \operatorname{arctanh} \left( \frac{\sqrt{2}}{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}} \right) \right)}{3d(-1 + \cos(dx + c))^2 \sqrt{2 - 2\cos(dx + c)} (1 + \cos(dx + c)) \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x)

[Out] 
$$-1/3/d*\sin(d*x+c)^5*(3*2^{(1/2)}*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)})+3*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\operatorname{arctanh}(1/2*2^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)})-2*\cos(d*x+c)/(-1+\cos(d*x+c))^2/(2-2*\cos(d*x+c))^{(1/2)}/(1+\cos(d*x+c))/\cos(d*x+c)^{(5/2)}*2^{(1/2)}$$

**maxima** [C] time = 1.01, size = 563, normalized size = 4.61

$$3 \left( \cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2 \cos(2dx + 2c) + 1 \right) \log \left( \frac{4 \left( \left| i e^{i(dx+ic)} - i \right|^2 + 2 \sqrt{\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2} \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(1-cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 
$$1/3*(3*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(4*(\operatorname{abs}(I*e^{(I*d*x + I*c)} - I)^2 + 2*\sqrt{\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1}*(\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))^2 + \sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))^2) - 2*(\sqrt{2}*\operatorname{abs}(I*e^{(I*d*x + I*c)} - I)*\sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 2*\sqrt{2}*\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} + 4)/\operatorname{abs}(I*e^{(I*d*x + I*c)} - I)^2 - 2*(\sqrt{2}*\sin(dx + c)*\sin(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (\sqrt{2}*\cos(dx + c) + 3*\sqrt{2})*\cos(1/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(3/4)} - 4*(\sqrt{2}*\sin(dx + c)*\sin(3/2*\operatorname{arctan2}(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))$$

```
*x + 2*c) + 1)) + (sqrt(2)*cos(d*x + c) - sqrt(2))*cos(3/2*arctan2(sin(2*d*
x + 2*c), cos(2*d*x + 2*c) + 1))*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4))/((sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin
(2*d*x + 2*c)^2 + 2*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*d)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} \sqrt{1 - \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)^(5/2)*(1 - cos(c + d*x))^(1/2)), x)
```

```
[Out] int(1/(cos(c + d*x)^(5/2)*(1 - cos(c + d*x))^(1/2)), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{1 - \cos(c + dx)} \cos^{5/2}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(1-cos(d*x+c))**(1/2)/cos(d*x+c)**(5/2), x)
```

```
[Out] Integral(1/(sqrt(1 - cos(c + d*x))*cos(c + d*x)**(5/2)), x)
```

### 3.288 $\int \cos^{\frac{4}{3}}(c + dx) \sqrt[3]{a + a \cos(c + dx)} dx$

**Optimal.** Leaf size=78

$$\frac{2^{5/6} \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a} F_1\left(\frac{1}{2}; -\frac{4}{3}, \frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{5/6}}$$

[Out]  $2^{5/6} \text{AppellF1}(1/2, -4/3, 1/6, 3/2, 1 - \cos(d*x+c), 1/2 - 1/2 * \cos(d*x+c)) * (a + a * \cos(d*x+c))^{1/3} * \sin(d*x+c) / d / (1 + \cos(d*x+c))^{5/6}$

**Rubi [A]** time = 0.11, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2787, 2785, 133}

$$\frac{2^{5/6} \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a} F_1\left(\frac{1}{2}; -\frac{4}{3}, \frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{5/6}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{4/3} * (a + a * \text{Cos}[c + d*x])^{1/3}, x]$

[Out]  $(2^{5/6} * \text{AppellF1}[1/2, -4/3, 1/6, 3/2, 1 - \text{Cos}[c + d*x], (1 - \text{Cos}[c + d*x])/2] * (a + a * \text{Cos}[c + d*x])^{1/3} * \text{Sin}[c + d*x]) / (d * (1 + \text{Cos}[c + d*x])^{5/6})$

#### Rule 133

$\text{Int}[(b * x)^m * ((c) + (d * x)^n * ((e) + (f * x)^p)), x\_Symbol] \rightarrow \text{Simp}[(c^n * e^p * (b * x)^{m+1} * \text{AppellF1}[m+1, -n, -p, m+2, -((d * x)/c), -((f * x)/e)]) / (b * (m+1)), x] /;$  FreeQ[{b, c, d, e, f, m, n, p}, x] & & !IntegerQ[m] & & !IntegerQ[n] & & GtQ[c, 0] & & (IntegerQ[p] || GtQ[e, 0])

#### Rule 2785

$\text{Int}[(d * \sin(e) + f * x)^n * ((a) + (b * \sin(e) + f * x)^m), x\_Symbol] \rightarrow -\text{Dist}[(b * (d/b)^n * \text{Cos}[e + f * x]) / (f * \text{Sqrt}[a + b * \sin[e + f * x]] * \text{Sqrt}[a - b * \sin[e + f * x]]), \text{Subst}[\text{Int}[(a - x)^n * (2 * a - x)^{m-1/2}] / \text{Sqrt}[x], x], x, a - b * \sin[e + f * x], x] /;$  FreeQ[{a, b, d, e, f, m, n}, x] & & EqQ[a^2 - b^2, 0] & & !IntegerQ[m] & & GtQ[a, 0] & & GtQ[d/b, 0]

#### Rule 2787

$\text{Int}[(d * \sin(e) + f * x)^n * ((a) + (b * \sin(e) + f * x)^m), x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[m]} * (a + b * \sin[e + f * x])^{\text{FracPart}[m]}) / (1 + (b * \sin[e + f * x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b * \sin[e + f * x])/a)^m * (d * \sin[e + f * x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, m, n}, x] & & EqQ[a^2 - b^2, 0] & & !IntegerQ[m] & & !GtQ[a, 0]

#### Rubi steps



$$\int \cos^{\frac{4}{3}}(c+dx) \sqrt[3]{a+a\cos(c+dx)} dx = \frac{\sqrt[3]{a+a\cos(c+dx)} \int \cos^{\frac{4}{3}}(c+dx) \sqrt[3]{1+\cos(c+dx)} dx}{\sqrt[3]{1+\cos(c+dx)}}$$

$$= \frac{(\sqrt[3]{a+a\cos(c+dx)} \sin(c+dx)) \operatorname{Subst}\left(\int \frac{(1-x)^{4/3}}{\sqrt[6]{2-x}\sqrt{x}} dx, x, 1-\cos(c+dx)\right)}{d\sqrt{1-\cos(c+dx)}(1+\cos(c+dx))^{5/6}}$$

$$= \frac{2^{5/6} F_1\left(\frac{1}{2}; -\frac{4}{3}, \frac{1}{6}; \frac{3}{2}; 1-\cos(c+dx), \frac{1}{2}(1-\cos(c+dx))\right) \sqrt[3]{a+a\cos(c+dx)}}{d(1+\cos(c+dx))^{5/6}}$$

**Mathematica** [F] time = 15.61, size = 0, normalized size = 0.00

$$\int \cos^{\frac{4}{3}}(c+dx) \sqrt[3]{a+a\cos(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(4/3)\*(a + a\*Cos[c + d\*x])^(1/3), x]

[Out] Integrate[Cos[c + d\*x]^(4/3)\*(a + a\*Cos[c + d\*x])^(1/3), x]

**fricas** [F] time = 1.01, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\left(a\cos(dx+c) + a\right)^{\frac{1}{3}} \cos(dx+c)^{\frac{4}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(1/3), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)^(1/3)\*cos(d\*x + c)^(4/3), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(1/3), x, algorithm="giac")

[Out] Timed out

**maple** [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \left(\cos^{\frac{4}{3}}(dx+c)\right) (a+a\cos(dx+c))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(1/3), x)

[Out] int(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(1/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a\cos(dx+c) + a)^{\frac{1}{3}} \cos(dx+c)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(1/3), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^(1/3)\*cos(d\*x + c)^(4/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{4/3} (a + a \cos(c + dx))^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(4/3)\*(a + a\*cos(c + d\*x))^(1/3), x)

[Out] int(cos(c + d\*x)^(4/3)\*(a + a\*cos(c + d\*x))^(1/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(4/3)\*(a+a\*cos(d\*x+c))\*\*(1/3), x)

[Out] Timed out

$$3.289 \quad \int \cos^{\frac{4}{3}}(c + dx)(a + a \cos(c + dx))^{2/3} dx$$

**Optimal.** Leaf size=79

$$\frac{2\sqrt[6]{2} \sin(c + dx)(a \cos(c + dx) + a)^{2/3} F_1\left(\frac{1}{2}; -\frac{4}{3}, -\frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{7/6}}$$

[Out]  $2*2^{(1/6)}*AppellF1(1/2, -4/3, -1/6, 3/2, 1 - \cos(d*x+c), 1/2 - 1/2*\cos(d*x+c))*(a+a*\cos(d*x+c))^{(2/3)}*\sin(d*x+c)/d/(1+\cos(d*x+c))^{(7/6)}$

**Rubi [A]** time = 0.12, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2787, 2785, 133}

$$\frac{2\sqrt[6]{2} \sin(c + dx)(a \cos(c + dx) + a)^{2/3} F_1\left(\frac{1}{2}; -\frac{4}{3}, -\frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{7/6}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(4/3)}*(a + a*\text{Cos}[c + d*x])^{(2/3)}, x]$

[Out]  $(2*2^{(1/6)}*AppellF1[1/2, -4/3, -1/6, 3/2, 1 - \text{Cos}[c + d*x], (1 - \text{Cos}[c + d*x])/2]*(a + a*\text{Cos}[c + d*x])^{(2/3)}*\text{Sin}[c + d*x])/(d*(1 + \text{Cos}[c + d*x])^{(7/6)})$

#### Rule 133

$\text{Int}[(b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}*((e_*) + (f_*)*(x_*)^{(p_*)}), x\_Symbol] :> \text{Simp}[(c^n * e^p * (b*x)^{(m+1)} * AppellF1[m+1, -n, -p, m+2, -((d*x)/c), -((f*x)/e)])/(b*(m+1)), x] /; \text{FreeQ}\{b, c, d, e, f, m, n, p\}, x] \& \& \text{IntegerQ}[m] \& \& \text{IntegerQ}[n] \& \& \text{GtQ}[c, 0] \& \& (\text{IntegerQ}[p] \parallel \text{GtQ}[e, 0])$

#### Rule 2785

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}), x\_Symbol] :> -\text{Dist}[(b*(d/b)^n * \text{Cos}[e + f*x])/(f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]])*\text{Sqrt}[a - b*\text{Sin}[e + f*x]], \text{Subst}[\text{Int}[(a - x)^n * (2*a - x)^{(m-1/2)} / \text{Sqrt}[x], x], x, a - b*\text{Sin}[e + f*x]], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{IntegerQ}[m] \& \& \text{GtQ}[a, 0] \& \& \text{GtQ}[d/b, 0]$

#### Rule 2787

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}), x\_Symbol] :> \text{Dist}[(a^m * \text{IntPart}[m] * (a + b*\text{Sin}[e + f*x])^{\text{FracPart}[m]}) / (1 + (b*\text{Sin}[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\text{Sin}[e + f*x])/a)^m * (d*\text{Sin}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{IntegerQ}[m] \& \& \text{GtQ}[a, 0]$

#### Rubi steps

$$\int \cos^{\frac{4}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx = \frac{(a+a\cos(c+dx))^{2/3} \int \cos^{\frac{4}{3}}(c+dx)(1+\cos(c+dx))^{2/3} dx}{(1+\cos(c+dx))^{2/3}}$$

$$= \frac{((a+a\cos(c+dx))^{2/3} \sin(c+dx)) \operatorname{Subst}\left(\int \frac{(1-x)^{4/3} \sqrt[6]{2-x}}{\sqrt{x}} dx, x, 1-\cos(c+dx)\right)}{d\sqrt{1-\cos(c+dx)}(1+\cos(c+dx))^{7/6}}$$

$$= \frac{2\sqrt[6]{2} F_1\left(\frac{1}{2}; -\frac{4}{3}, -\frac{1}{6}; \frac{3}{2}; 1-\cos(c+dx), \frac{1}{2}(1-\cos(c+dx))\right) (a+a\cos(c+dx))^{2/3}}{d(1+\cos(c+dx))^{7/6}}$$

**Mathematica** [F] time = 3.43, size = 0, normalized size = 0.00

$$\int \cos^{\frac{4}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(4/3)\*(a + a\*Cos[c + d\*x])^(2/3), x]

[Out] Integrate[Cos[c + d\*x]^(4/3)\*(a + a\*Cos[c + d\*x])^(2/3), x]

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] Timed out

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] Timed out

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \left(\cos^{\frac{4}{3}}(dx+c)\right) (a+a\cos(dx+c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(2/3), x)

[Out] int(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(2/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a\cos(dx+c) + a)^{\frac{2}{3}} \cos(dx+c)^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^(2/3)\*cos(d\*x + c)^(4/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{4/3} (a + a \cos(c + dx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(4/3)\*(a + a\*cos(c + d\*x))^(2/3), x)

[Out] int(cos(c + d\*x)^(4/3)\*(a + a\*cos(c + d\*x))^(2/3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(4/3)\*(a+a\*cos(d\*x+c))\*\*(2/3), x)

[Out] Timed out

$$3.290 \quad \int \cos^{\frac{5}{3}}(c + dx)(a + a \cos(c + dx))^{2/3} dx$$

**Optimal.** Leaf size=79

$$\frac{2\sqrt[6]{2} \sin(c + dx)(a \cos(c + dx) + a)^{2/3} F_1\left(\frac{1}{2}; -\frac{5}{3}, -\frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{7/6}}$$

[Out]  $2*2^{(1/6)}*AppellF1(1/2, -5/3, -1/6, 3/2, 1 - \cos(d*x+c), 1/2 - 1/2*\cos(d*x+c))*(a+a*\cos(d*x+c))^{(2/3)}*\sin(d*x+c)/d/(1+\cos(d*x+c))^{(7/6)}$

**Rubi [A]** time = 0.12, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2787, 2785, 133}

$$\frac{2\sqrt[6]{2} \sin(c + dx)(a \cos(c + dx) + a)^{2/3} F_1\left(\frac{1}{2}; -\frac{5}{3}, -\frac{1}{6}; \frac{3}{2}; 1 - \cos(c + dx), \frac{1}{2}(1 - \cos(c + dx))\right)}{d(\cos(c + dx) + 1)^{7/6}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/3)}*(a + a*\text{Cos}[c + d*x])^{(2/3)}, x]$

[Out]  $(2*2^{(1/6)}*AppellF1[1/2, -5/3, -1/6, 3/2, 1 - \text{Cos}[c + d*x], (1 - \text{Cos}[c + d*x])/2]*(a + a*\text{Cos}[c + d*x])^{(2/3)}*\text{Sin}[c + d*x])/(d*(1 + \text{Cos}[c + d*x])^{(7/6)})$

#### Rule 133

$\text{Int}[(b_*)*(x_*)^{(m_*)}*((c_*) + (d_*)*(x_*)^{(n_*)}*((e_*) + (f_*)*(x_*)^{(p_*)}), x\_Symbol] :> \text{Simp}[(c^n * e^p * (b*x)^{(m+1)} * AppellF1[m+1, -n, -p, m+2, -(d*x)/c, -(f*x)/e]) / (b*(m+1)), x] /; \text{FreeQ}\{b, c, d, e, f, m, n, p\}, x] \& \& \text{IntegerQ}[m] \& \& \text{IntegerQ}[n] \& \& \text{GtQ}[c, 0] \& \& (\text{IntegerQ}[p] \parallel \text{GtQ}[e, 0])$

#### Rule 2785

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}), x\_Symbol] :> -\text{Dist}[(b*(d/b)^n * \text{Cos}[e + f*x]) / (f*\text{Sqrt}[a + b*\sin[e + f*x]] * \text{Sqrt}[a - b*\sin[e + f*x]]), \text{Subst}[\text{Int}[(a - x)^n * (2*a - x)^{(m-1/2)}] / \text{Sqrt}[x], x], x, a - b*\sin[e + f*x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{IntegerQ}[m] \& \& \text{GtQ}[a, 0] \& \& \text{GtQ}[d/b, 0]$

#### Rule 2787

$\text{Int}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}), x\_Symbol] :> \text{Dist}[(a^m * \text{IntPart}[m] * (a + b*\sin[e + f*x])^{\text{FracPart}[m]}) / (1 + (b*\sin[e + f*x])/a)^{\text{FracPart}[m]}, \text{Int}[(1 + (b*\sin[e + f*x])/a)^m * (d*\sin[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n\}, x] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{IntegerQ}[m] \& \& \text{GtQ}[a, 0]$

#### Rubi steps

$$\int \cos^{\frac{5}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx = \frac{(a+a\cos(c+dx))^{2/3} \int \cos^{\frac{5}{3}}(c+dx)(1+\cos(c+dx))^{2/3} dx}{(1+\cos(c+dx))^{2/3}}$$

$$= \frac{\left((a+a\cos(c+dx))^{2/3} \sin(c+dx)\right) \text{Subst}\left(\int \frac{(1-x)^{5/3} \sqrt[6]{2-x}}{\sqrt{x}} dx, x, 1-\cos(c+dx)\right)}{d\sqrt{1-\cos(c+dx)}(1+\cos(c+dx))^{7/6}}$$

$$= \frac{2\sqrt[6]{2} F_1\left(\frac{1}{2}; -\frac{5}{3}, -\frac{1}{6}; \frac{3}{2}; 1-\cos(c+dx), \frac{1}{2}(1-\cos(c+dx))\right) (a+a\cos(c+dx))^{2/3}}{d(1+\cos(c+dx))^{7/6}}$$

**Mathematica [F]** time = 2.70, size = 0, normalized size = 0.00

$$\int \cos^{\frac{5}{3}}(c+dx)(a+a\cos(c+dx))^{2/3} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(5/3)\*(a + a\*Cos[c + d\*x])^(2/3), x]

[Out] Integrate[Cos[c + d\*x]^(5/3)\*(a + a\*Cos[c + d\*x])^(2/3), x]

**fricas [F]** time = 1.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a\cos(dx+c) + a\right)^{\frac{2}{3}} \cos(dx+c)^{\frac{5}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)^(2/3)\*cos(d\*x + c)^(5/3), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] Timed out

**maple [F]** time = 0.13, size = 0, normalized size = 0.00

$$\int \left(\cos^{\frac{5}{3}}(dx+c)\right) (a+a\cos(dx+c))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/3)\*(a+a\*cos(d\*x+c))^(2/3), x)

[Out] int(cos(d\*x+c)^(5/3)\*(a+a\*cos(d\*x+c))^(2/3), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a\cos(dx+c) + a)^{\frac{2}{3}} \cos(dx+c)^{\frac{5}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)\*(a+a\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^(2/3)\*cos(d\*x + c)^(5/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{5/3} (a + a \cos(c + dx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/3)\*(a + a\*cos(c + d\*x))^(2/3), x)

[Out] int(cos(c + d\*x)^(5/3)\*(a + a\*cos(c + d\*x))^(2/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/3)\*(a+a\*cos(d\*x+c))\*\*(2/3), x)

[Out] Timed out



### 3.291 $\int (a + a \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=151

$$\frac{2a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{6a \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out]  $\frac{2}{3} a \sec(dx+c)^{(3/2)} \sin(dx+c)/d + \frac{2}{5} a \sec(dx+c)^{(5/2)} \sin(dx+c)/d + \frac{6}{5} a \sin(dx+c) \sec(dx+c)^{(1/2)}/d - \frac{6}{5} a (\cos(1/2 dx + 1/2 c))^2)^{(1/2)}/\cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)}/d + \frac{2}{3} a (\cos(1/2 dx + 1/2 c))^2)^{(1/2)}/\cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3768, 3771, 2641, 2639}

$$\frac{2a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{6a \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out]  $(-6*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (6*a*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c -  
Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x  
\_)]^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)  
\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&  
!IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]  
]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), I  
nt[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&  
IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x]  
)^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&  
EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx)) dx \\
 &= a \int \sec^{\frac{5}{2}}(c + dx) dx + a \int \sec^{\frac{7}{2}}(c + dx) dx \\
 &= \frac{2a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{3}a \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{6a \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{2a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{6a \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
 &= -\frac{6a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
 \end{aligned}$$

Mathematica [C] time = 1.63, size = 268, normalized size = 1.77

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left( i\sqrt{2} e^{-i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \left( 9(-1 + e^{2ic}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*((I\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x))))\*(9\*(1 + E^((2\*I)\*(c + d\*x)))) + 9\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c + d\*x)) + (1 - E^((2\*I)\*c))\*Sqrt[Sec[c + d\*x]]\*(9\*Cos[d\*x]\*Csc[c] + (5 + 3\*Sec[c + d\*x])\*Tan[c + d\*x]))/(15\*(d - d\*E^((2\*I)\*c)))

fricas [F] time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left((a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**maple [B]** time = 0.79, size = 384, normalized size = 2.54

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left( -\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{40\left(-\frac{1}{2} + \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{3\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{5\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x)

[Out]  $-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-1/40*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^3-3/5*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)/(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+7/15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/10*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))-1/12*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x)),x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x)), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.292 $\int (a + a \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$

**Optimal.** Leaf size=123

$$\frac{2a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $\frac{2}{3} a \sec(d*x+c)^{(3/2)} \sin(d*x+c) / d + 2 a \sin(d*x+c) \sec(d*x+c)^{(1/2)} / d - 2 a \sqrt{\cos(1/2*d*x+1/2*c)}^2 \sqrt{\sec(1/2*d*x+1/2*c)} \operatorname{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)} / d + 2/3 a \sqrt{\cos(1/2*d*x+1/2*c)}^2 \sqrt{\sec(1/2*d*x+1/2*c)} \operatorname{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) \cos(d*x+c)^{(1/2)} \sec(d*x+c)^{(1/2)} / d$

**Rubi [A]** time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a \cos[c + d*x]) \sec[c + d*x]^{(5/2)}, x]$

[Out]  $(-2*a*\sqrt{\cos[c + d*x]}*\operatorname{EllipticE}[(c + d*x)/2, 2]*\sqrt{\sec[c + d*x]})/d + (2*a*\sqrt{\cos[c + d*x]}*\operatorname{EllipticF}[(c + d*x)/2, 2]*\sqrt{\sec[c + d*x]})/(3*d) + (2*a*\sqrt{\sec[c + d*x]}*\sin[c + d*x])/d + (2*a*\sec[c + d*x]^{(3/2)}*\sin[c + d*x])/(3*d)$

#### Rule 2639

$\text{Int}[\sqrt{\sin[(c_.) + (d_.)*(x_)]}, x\_Symbol] \rightarrow \text{Simp}[(2*\operatorname{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\sqrt{\sin[(c_.) + (d_.)*(x_)]}, x\_Symbol] \rightarrow \text{Simp}[(2*\operatorname{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\csc[(e_.) + (f_.)*(x_)]*(d_.))^{(m_)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)})^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\csc[e + f*x])^{(m - n*p)}*(b + a*\csc[e + f*x]^n)^p, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n, p\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\csc[(c_.) + (d_.)*(x_)]*(b_.))^{(n_)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\cos[c + d*x]*(b*\csc[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^{2*(n - 2)})/(n - 1), \text{Int}[(b*\csc[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3771

$\text{Int}[(\csc[(c_.) + (d_.)*(x_)]*(b_.))^{(n_)}, x\_Symbol] \rightarrow \text{Dist}[(b*\csc[c + d*x])^n*\sin[c + d*x]^n, \text{Int}[1/\sin[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3787

$\text{Int}[(\text{csc}[e\_.] + (f\_.)*(x\_)]*(d\_.)^{(n\_.)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(b\_.) + (a\_.) , x\_Symbol] \text{ :> Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] \text{ /; FreeQ}\{a, b, d, e, f, n\}, x]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx)) dx \\ &= a \int \sec^{\frac{3}{2}}(c + dx) dx + a \int \sec^{\frac{5}{2}}(c + dx) dx \\ &= \frac{2a\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3}a \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2a\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (a\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - \frac{2a\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \end{aligned}$$

**Mathematica [C]** time = 1.15, size = 255, normalized size = 2.07

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left( i\sqrt{2} e^{-i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \left( 3(-1 + e^{2ic}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -e^{2i(c+dx)}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*((I\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x))))\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c + d\*x)) - (-1 + E^((2\*I)\*c))\*Sqrt[Sec[c + d\*x]]\*(3\*Cos[d\*x]\*Csc[c] + Tan[c + d\*x]))/(3\*(d - d\*E^((2\*I)\*c)))

**fricas [F]** time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left((a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**maple [B]** time = 0.98, size = 369, normalized size = 3.00

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out]  $\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 12 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) - (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 8 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c)) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x)), x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x)), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2), x)

[Out] Timed out

### 3.293 $\int (a + a \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=97

$$\frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $2*a*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.09, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out]  $(-2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx)) dx \\
 &= a \int \sqrt{\sec(c + dx)} dx + a \int \sec^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{2a\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - a \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \\
 &= \frac{2a\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a\sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
 &= -\frac{2a\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
 \end{aligned}$$

**Mathematica [C]** time = 1.35, size = 124, normalized size = 1.28

$$\frac{2iae^{-i(c+dx)} \left( \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) + e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) - 1 \right) \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] ((-2\*I)\*a\*(-1 + Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])\*Sqrt[Sec[c + d\*x]])/(d\*E^(I\*(c + d\*x)))

**fricas [F]** time = 2.62, size = 0, normalized size = 0.00

$$\text{integral}\left((a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**maple [A]** time = 0.61, size = 146, normalized size = 1.51

$$\frac{2a \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))*sec(d*x+c)^(3/2),x)`

[Out]  $-2*a*((\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))+(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x)),x)`

[Out] `int((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*sec(d*x+c)**(3/2),x)`

[Out] Timed out

### 3.294 $\int (a + a \cos(c + dx)) \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=75

$$\frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out]  $2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.08, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3238, 3787, 3771, 2639, 2641}

$$\frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]`

[Out]  $(2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

#### Rule 3787

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]`

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{a + a \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= a \int \frac{1}{\sqrt{\sec(c + dx)}} dx + a \int \sqrt{\sec(c + dx)} dx \\
&= (a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (a \sqrt{\cos(c + dx)} \\
&= \frac{2a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}
\end{aligned}$$

**Mathematica [C]** time = 1.11, size = 141, normalized size = 1.88

$$\frac{2ia \left( -2\sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) + 2e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) + e^{2i(c+dx)} + 1 \right)}{d(1 + e^{2i(c+dx)}) \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] ((-2\*I)\*a\*(1 + E^((2\*I)\*(c + d\*x))) - 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 2\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/ (d\*(1 + E^((2\*I)\*(c + d\*x))))\*Sqrt[Sec[c + d\*x]]

**fricas [F]** time = 0.79, size = 0, normalized size = 0.00

$$\text{integral} \left( (a \cos(dx + c) + a) \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**maple [A]** time = 0.51, size = 150, normalized size = 2.00

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+s

$\ln(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x)), x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2), x)

[Out] a\*(Integral(cos(c + d\*x)\*sqrt(sec(c + d\*x)), x) + Integral(sqrt(sec(c + d\*x)), x))

$$3.295 \quad \int \frac{a+a \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{2a \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d}$$

[Out] 2/3\*a\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+2\*a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+2/3\*a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.09, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])/Sqrt[Sec[c + d\*x]],x]

[Out] (2\*a\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{a + a \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx &= \int \frac{a + a \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= a \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + a \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2a \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3}a \int \sqrt{\sec(c + dx)} dx + (a\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
 &= \frac{2a\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} (a\sqrt{\cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
 &= \frac{2a\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d}
 \end{aligned}$$

**Mathematica** [C] time = 1.29, size = 140, normalized size = 1.39

$$\frac{ae^{-2ic}(\sin(2c) - i \cos(2c)) \left( -\frac{12 {}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} + 2\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \right) \sec(c + dx) + 2i \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])/Sqrt[Sec[c + d\*x]], x]

[Out] (a\*((-I)\*Cos[2\*c] + Sin[2\*c])\*(6 - (12\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + 2\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]\*Sec[c + d\*x] + (2\*I)\*Sin[c + d\*x]))/(3\*d\*E^((2\*I)\*c)\*Sqrt[Sec[c + d\*x]])

**fricas** [F] time = 1.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.51, size = 225, normalized size = 2.23

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(4\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out]  $-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(4*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + a \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(1/2), x)

[Out] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \frac{\cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{1}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2), x)

[Out] a\*(Integral(cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(1/sqrt(sec(c + d\*x)), x))

$$3.296 \quad \int \frac{a+a \cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=127

$$\frac{2a \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} + \frac{2a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{6a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

[Out] 2/5\*a\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+2/3\*a\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+6/5\*a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+2/3\*a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.10, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2639, 2641}

$$\frac{2a \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} + \frac{2a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{6a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])/Sec[c + d\*x]^(3/2),x]

[Out] (6\*a\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*a\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*a\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d^n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&



EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{a + a \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{a + a \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= a \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + a \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} a \int \sqrt{\sec(c + dx)} dx + \frac{1}{5} (3a) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{6a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

Mathematica [C] time = 0.94, size = 224, normalized size = 1.76

$$iae^{-3i(c+dx)} \left( -72e^{2i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) + 40e^{3i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])/Sec[c + d\*x]^(3/2), x]

```
[Out] ((-1/120*I)*a*(1 + Cos[c + d*x])*(-3 - 10*E^(I*(c + d*x)) + 33*E^((2*I)*(c + d*x)) + 39*E^((4*I)*(c + d*x)) + 10*E^((5*I)*(c + d*x)) + 3*E^((6*I)*(c + d*x)) - 72*E^((2*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] + 40*E^((3*I)*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))])*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]/(d*E^((3*I)*(c + d*x))))
```

fricas [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.49, size = 219, normalized size = 1.72

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(24\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 28\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 5\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2}\right)}{15\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(24\*cos(1/2\*d\*x+1/2\*c)^7-28\*cos(1/2\*d\*x+1/2\*c)^5+5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+4\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + a \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(3/2),x)

[Out] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \frac{\cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] a\*(Integral(cos(c + d\*x)/sec(c + d\*x)\*\*(3/2), x) + Integral(sec(c + d\*x)\*\*(-3/2), x))

$$3.297 \quad \int \frac{a+a \cos(c+dx)}{5 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=151

$$\frac{2a \sin(c+dx)}{5d \sec^3(c+dx)} + \frac{2a \sin(c+dx)}{7d \sec^5(c+dx)} + \frac{10a \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{10a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{6a \sqrt{\cos(c+dx)}}{21d}$$

[Out]  $2/7*a*\sin(d*x+c)/d/\sec(d*x+c)^(5/2)+2/5*a*\sin(d*x+c)/d/\sec(d*x+c)^(3/2)+10/21*a*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+6/5*a*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+10/21*a*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a \sin(c+dx)}{5d \sec^3(c+dx)} + \frac{2a \sin(c+dx)}{7d \sec^5(c+dx)} + \frac{10a \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{10a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{6a \sqrt{\cos(c+dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])/Sec[c + d\*x]^(5/2), x]

[Out]  $(6*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (10*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*a*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^(5/2)) + (2*a*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^(3/2)) + (10*a*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3769**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + a \cos(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{a + a \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= a \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx + a \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(3a) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \frac{1}{7}(5a) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{10a \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{21}(5a) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{6a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \dots \\
&= \frac{6a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{10a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d} + \dots
\end{aligned}$$

**Mathematica** [C] time = 2.16, size = 198, normalized size = 1.31

$$ae^{-4i(c+dx)}\sqrt{\sec(c+dx)}(\cos(4(c+dx))+i\sin(4(c+dx)))\left(504ie^{-i(c+dx)}\sqrt{1+e^{2i(c+dx)}}{}_2F_1\left(-\frac{1}{4},\frac{1}{2};\frac{3}{4};-e^{2i(c+dx)}\right)-2\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])/Sec[c + d*x]^(5/2), x]
```

```
[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[4*(c + d*x)] + I*Sin[4*(c + d*x)])*((-504*I)*Cos
[c + d*x] + ((504*I)*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4,
1/2, 3/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) - (200*I)*Sqrt[1 + E^((2*I)
)*(c + d*x)]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))] + 42*S
in[c + d*x] + 130*Sin[2*(c + d*x)] + 42*Sin[3*(c + d*x)] + 15*Sin[4*(c + d*
x)])))/(420*d*E^((4*I)*(c + d*x)))
```

**fricas** [F] time = 4.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((a*cos(d*x + c) + a)/sec(d*x + c)^(5/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)/sec(d\*x + c)^(5/2), x)

**maple** [A] time = 0.55, size = 270, normalized size = 1.79

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a \left(240 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 528 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2}\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(240\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-528\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+448\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+25\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-63\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-122\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a \cos(dx + c) + a}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)/sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + a \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(5/2),x)

[Out] int((a + a\*cos(c + d\*x))/(1/cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.298 $\int (a + a \cos(c + dx))^2 \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=161

$$\frac{2a^2 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{4a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{16a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{5d}$$

[Out]  $4/3*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a^2*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+16/5*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-16/5*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.15, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3768, 3771, 2641, 4046, 2639}

$$\frac{2a^2 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{4a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{16a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]^{(7/2)}, x]$

[Out]  $(-16*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (16*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (4*a^2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a^2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}]^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n, p\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^{(n-1)}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\&$

EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2 dx \\
&= (2a^2) \int \sec^{\frac{5}{2}}(c + dx) dx + \int \sec^{\frac{3}{2}}(c + dx) (a^2 + a^2 \sec^2(c + dx)) dx \\
&= \frac{4a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{3} (2a^2) \\
&= \frac{16a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{4a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a^2}{3} \\
&= \frac{4a^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{16a^2 \sqrt{\sec(c + dx)}}{5d} \\
&= -\frac{16a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2 \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

Mathematica [C] time = 1.87, size = 261, normalized size = 1.62

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (24 \csc(c) \cos(dx) + \tan(c + dx)(3 \sec(c + dx) + 10)) - \frac{2i \sqrt{\sec(c + dx)}}{\cos(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(7/2), x]

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(((2*I)*Sqrt[2]*Sqrt[E^(I*(c
+ d*x))/(1 + E^((2*I)*(c + d*x)))]*(12*(1 + E^((2*I)*(c + d*x))) + 12*(-1 +
E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/
4, -E^((2*I)*(c + d*x))] + 5*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^
((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))
/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sqrt[Sec[c + d*x]]*(24*Cos[d*x]*Csc
[c] + (10 + 3*Sec[c + d*x])*Tan[c + d*x]))/(30*d)
```

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

**maple** [B] time = 1.02, size = 386, normalized size = 2.40

$$8\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left( -\frac{4\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)}{5\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} + \frac{17\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{30\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x)

[Out] -8\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(-4/5\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+17/30\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2/5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-1/80\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-1/12\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^2, x)



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.299 $\int (a + a \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx) dx$

**Optimal.** Leaf size=131

$$\frac{2a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{4a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{8a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - 4a^2$$

[Out]  $2/3*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+4*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+8/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.13, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3768, 3771, 2639, 4046, 2641}

$$\frac{2a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{4a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{8a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - 4a^2$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2), x]`

[Out]  $(-4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (8*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (4*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*a^2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)),
x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 dx \\ &= (2a^2) \int \sec^{\frac{3}{2}}(c + dx) dx + \int \sqrt{\sec(c + dx)} (a^2 + a^2 \sec^2(c + dx)) dx \\ &= \frac{4a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (4a^2 \int \sec^{\frac{3}{2}}(c + dx) dx) \\ &= \frac{4a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (4a^2 \int \sec^{\frac{3}{2}}(c + dx) dx) \\ &= -\frac{4a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{8a^2 \sqrt{\cos(c + dx)}}{6d} \end{aligned}$$

**Mathematica [C]** time = 1.36, size = 250, normalized size = 1.91

$$a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (\tan(c + dx) + 6 \csc(c) \cos(dx)) - \frac{2i\sqrt{2} e^{-i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}}{3} \right)$$


---

6d

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*Sec[c + d*x]^(5/2), x]
```

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(((2*I)*Sqrt[2]*Sqrt[E^(I*(c
+ d*x))/(1 + E^((2*I)*(c + d*x)))]*(3*(1 + E^((2*I)*(c + d*x))) + 3*(-1 + E
^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4,
-E^((2*I)*(c + d*x))]) + 2*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((
2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))])))/(
E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + Sqrt[Sec[c + d*x]]*(6*Cos[d*x]*Csc[c]
+ Tan[c + d*x])))/(6*d)
```

**fricas [F]** time = 1.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*sec(d*x+c)^(5/2), x, algorithm="fricas")
```

```
[Out] integral((a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2)*sec(d*x + c)^(5/2),
x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**maple** [B] time = 0.98, size = 371, normalized size = 2.83

$$4\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(4\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x)

[Out] 4/3\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2/(4\*sin(1/2\*d\*x+1/2\*c)^4-4\*sin(1/2\*d\*x+1/2\*c)^2+1)/sin(1/2\*d\*x+1/2\*c)^3\*(4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*sin(1/2\*d\*x+1/2\*c)^2+6\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2-12\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+7\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*2\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.300 $\int (a + a \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx) dx$

**Optimal.** Leaf size=64

$$\frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $2*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+4*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 64, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3238, 3788, 3771, 2641, 4043}

$$\frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]^{(3/2)}, x]$

[Out]  $(4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /;$   $\text{FreeQ}\{a, b, d, e, f, m, n, p\}, x]$  &&  $!\text{IntegerQ}[m]$  &&  $\text{IntegersQ}[n, p]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$   $\text{FreeQ}\{b, c, d\}, x]$  &&  $\text{EqQ}[n^2, 1/4]$

#### Rule 3788

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x\_Symbol] \rightarrow \text{Dist}[(2*a*b)/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] + \text{Int}[(d*\text{Csc}[e + f*x])^n*(a^2 + b^2*\text{Csc}[e + f*x]^2), x] /;$   $\text{FreeQ}\{a, b, d, e, f, n\}, x]$

#### Rule 4043

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x\_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] /;$   $\text{FreeQ}\{b, e, f, A, C, m\}, x]$  &&  $\text{EqQ}[C*m + A*(m + 1), 0]$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^2}{\sqrt{\sec(c + dx)}} dx \\
&= (2a^2) \int \sqrt{\sec(c + dx)} dx + \int \frac{a^2 + a^2 \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (2a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{4a^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 48, normalized size = 0.75

$$\frac{2a^2 \sqrt{\sec(c + dx)} \left( \sin(c + dx) + 2\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*a^2\*Sqrt[Sec[c + d\*x]]\*(2\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + Sin[c + d\*x]))/d

**fricas [F]** time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x)

**maple [A]** time = 0.55, size = 104, normalized size = 1.62

$$\frac{4a^2 \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2), x)

[Out] -4\*a^2\*((sin(1/2\*d\*x+1/2\*c))^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

### 3.301 $\int (a + a \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=107

$$\frac{2a^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{8a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $2/3*a^2*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+4*a^2*(\cos(1/2*d*x+1/2*c)^(1/2))/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+8/3*a^2*(\cos(1/2*d*x+1/2*c)^(1/2))/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.12, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3788, 3771, 2639, 4045, 2641}

$$\frac{2a^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{8a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]],x]`

[Out]  $(4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (8*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

#### Rule 3788

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]`

#### Rule 4045



```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= (2a^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \int \frac{a^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} (4a^2) \int \sqrt{\sec(c + dx)} dx + (2a^2 \sqrt{\cos(c + dx)}) \\
&= \frac{4a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{8a^2 \sqrt{\cos(c + dx)}}{d}
\end{aligned}$$

**Mathematica [C]** time = 1.05, size = 127, normalized size = 1.19

$$\frac{a^2 \left( \frac{{}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} + 2 \left( -4i\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + \sin(c+dx) - 6i \right) \right)}{3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a^2*(((24*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))])/Sqrt
[1 + E^((2*I)*(c + d*x))] + 2*(-6*I - (4*I)*Sqrt[1 + E^((2*I)*(c + d*x))]*H
ypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] + Sin[c
+ d*x])))/(3*d*Sqrt[Sec[c + d*x]])
```

**fricas [F]** time = 2.13, size = 0, normalized size = 0.00

$$\text{integral} \left( (a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*sec(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2)*sqrt(sec(d*x + c)), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*sec(d*x+c)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)
```

**maple** [A] time = 0.47, size = 228, normalized size = 2.13

$$\frac{4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(1/2),x)

[Out] -4/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(2\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int 2 \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int \cos^2(c + dx) \sqrt{\sec(c + dx)} dx + \int \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*2\*sec(d\*x+c)\*\*(1/2),x)

[Out] a\*\*2\*(Integral(2\*cos(c + d\*x)\*sqrt(sec(c + d\*x)), x) + Integral(cos(c + d\*x)\*\*2\*sqrt(sec(c + d\*x)), x) + Integral(sqrt(sec(c + d\*x)), x))

$$3.302 \quad \int \frac{(a+a \cos(c+dx))^2}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=135

$$\frac{2a^2 \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{4a^2 \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} + \frac{4a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{16a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

[Out]  $2/5*a^2*\sin(d*x+c)/d/\sec(d*x+c)^(3/2)+4/3*a^2*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+16/5*a^2*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+4/3*a^2*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.14, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3769, 3771, 2641, 4045, 2639}

$$\frac{2a^2 \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{4a^2 \sin(c+dx)}{3d \sqrt{\sec(c+dx)}} + \frac{4a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{16a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2/Sqrt[Sec[c + d\*x]], x]

[Out]  $(16*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^(3/2)) + (4*a^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d^n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= (2a^2) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{a^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (2a^2) \int \sqrt{\sec(c + dx)} dx + \frac{1}{5} (8a^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (2a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{16a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica** [C] time = 1.51, size = 136, normalized size = 1.01

$$\frac{a^2 \left( \frac{192i {}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 40i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + 40 \sin(c+dx) + 6 \sin(2(c+dx)) \right)}{30d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

**[In]** Integrate[(a + a\*Cos[c + d\*x])^2/Sqrt[Sec[c + d\*x]],x]

```
[Out] (a^2*(-96*I + ((192*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))]))/Sqrt[1 + E^((2*I)*(c + d*x))] - (40*I)*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] + 40*Sin[c + d*x] + 6*Sin[2*(c + d*x)])/(30*d*Sqrt[Sec[c + d*x]])
```

**fricas** [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

**[In]** integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.75, size = 250, normalized size = 1.85

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(-12 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 32\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x)

[Out] -4/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(-12\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+32\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-12\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-13\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^2}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(1/2),x)

[Out] int((a + a\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int \frac{2 \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{\cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{1}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2/sec(d*x+c)**(1/2),x)
```

```
[Out] a**2*(Integral(2*cos(c + d*x)/sqrt(sec(c + d*x)), x) + Integral(cos(c + d*x)  
)**2/sqrt(sec(c + d*x)), x) + Integral(1/sqrt(sec(c + d*x)), x))
```

$$3.303 \quad \int \frac{(a+a \cos(c+dx))^2}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=161

$$\frac{4a^2 \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{2a^2 \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{8a^2 \sin(c+dx)}{7d \sqrt{\sec(c+dx)}} + \frac{8a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d} + \frac{12a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d}$$

```
[Out] 2/7*a^2*sin(d*x+c)/d/sec(d*x+c)^(5/2)+4/5*a^2*sin(d*x+c)/d/sec(d*x+c)^(3/2)
+8/7*a^2*sin(d*x+c)/d/sec(d*x+c)^(1/2)+12/5*a^2*(cos(1/2*d*x+1/2*c)^2)^(1/2)
)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)
*sec(d*x+c)^(1/2)/d+8/7*a^2*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)
*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d
```

**Rubi [A]** time = 0.15, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3769, 3771, 2639, 4045, 2641}

$$\frac{4a^2 \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{2a^2 \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{8a^2 \sin(c+dx)}{7d \sqrt{\sec(c+dx)}} + \frac{8a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d} + \frac{12a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{7d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^2/Sec[c + d*x]^(3/2), x]
```

```
[Out] (12*a^2*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5
*d) + (8*a^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]
])/ (7*d) + (2*a^2*Sin[c + d*x])/ (7*d*Sec[c + d*x]^(5/2)) + (4*a^2*Sin[c + d
*x])/ (5*d*Sec[c + d*x]^(3/2)) + (8*a^2*Sin[c + d*x])/ (7*d*Sqrt[Sec[c + d*x]
])
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 3238

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(n_.)^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)
*(b + a*Csc[e + f*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&
!IntegerQ[m] && IntegersQ[n, p]
```

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] + Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] + Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{(a + a \sec(c + dx))^2}{\sec^{\frac{7}{2}}(c + dx)} dx$$

$$= (2a^2) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + \int \frac{a^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5} (6a^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \frac{1}{7} (12a^2) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{8a^2 \sin(c + dx)}{7d \sqrt{\sec(c + dx)}} + \frac{1}{7} (4a^2) \int \sqrt{\sec(c + dx)} dx$$

$$= \frac{12a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{12a^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8a^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d}$$

**Mathematica [C]** time = 1.71, size = 149, normalized size = 0.93

$$\frac{a^2 \left( \frac{672i {}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} + 2 \left( -80i \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c + dx) + 85 \sin(c + dx) + 28 \sin(2(c + dx)) \right) \right)}{140d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2/Sec[c + d*x]^(3/2), x]
[Out] (a^2*(((672*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))])/Sqrt[1 + E^((2*I)*(c + d*x))] + 2*(-168*I - (80*I)*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] + 85*Sin[c + d*x] + 28*Sin[2*(c + d*x)] + 5*Sin[3*(c + d*x)])))/(140*d*Sqrt[Sec[c + d*x]])
```



**fricas** [F] time = 2.20, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)/sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.60, size = 272, normalized size = 1.69

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^2 \left(40 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 116 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2}\right.\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x)

[Out] -4/35\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(40\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-116\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+126\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-39\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^2}{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^2/(1/cos(c + d*x))^(3/2), x)`

[Out] `int((a + a*cos(c + d*x))^2/(1/cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int \frac{2 \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{\cos^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2/sec(d*x+c)**(3/2), x)`

[Out] `a**2*(Integral(2*cos(c + d*x)/sec(c + d*x)**(3/2), x) + Integral(cos(c + d*x)**2/sec(c + d*x)**(3/2), x) + Integral(sec(c + d*x)**(-3/2), x))`

### 3.304 $\int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx$

**Optimal.** Leaf size=187

$$\frac{2a^3 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d} + \frac{6a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{52a^3 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{28a^3 \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{5d}$$

[Out]  $52/21*a^3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+6/5*a^3*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/7*a^3*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d+28/5*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-28/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+52/21*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.23, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3768, 3771, 2639, 2641}

$$\frac{2a^3 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d} + \frac{6a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{52a^3 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{28a^3 \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(9/2), x]

[Out]  $(-28*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (52*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (28*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (52*a^3*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (6*a^3*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^3*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3791

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\_], x\_Symbol] :> Int[ExpandTrig[(a + b\*csc[e + f\*x])^m\*(d\*csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^3 \sec^{\frac{9}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^3 dx \\
 &= \int \left( a^3 \sec^{\frac{3}{2}}(c + dx) + 3a^3 \sec^{\frac{5}{2}}(c + dx) + 3a^3 \sec^{\frac{7}{2}}(c + dx) + a^3 \sec^{\frac{9}{2}}(c + dx) \right) dx \\
 &= a^3 \int \sec^{\frac{3}{2}}(c + dx) dx + a^3 \int \sec^{\frac{9}{2}}(c + dx) dx + (3a^3) \int \sec^{\frac{5}{2}}(c + dx) dx \\
 &= \frac{2a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^3 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d} + \frac{6a^3 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d} \\
 &= \frac{28a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{52a^3 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} + \frac{6a^3 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{21d} \\
 &= -\frac{2a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} - \frac{2a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} \\
 &= -\frac{28a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} - \frac{52a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d}
 \end{aligned}$$

**Mathematica** [C] time = 2.75, size = 279, normalized size = 1.49

$$a^3 (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (294 \csc(c) \cos(dx) + (63 \cos(c + dx) + 65 \cos(2(c + dx))) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(9/2), x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*(((2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(147\*(1 + E^((2\*I)\*(c + d\*x))) + 147\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]] + 65\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]]))/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) + Sqrt[Sec[c + d\*x]]\*(294\*Cos[d\*x]\*Csc[c] + (80 + 63\*Cos[c + d\*x] + 65\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^2\*Tan[c + d\*x])))/(420\*d)

**fricas** [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2), x)

maple [B] time = 1.05, size = 439, normalized size = 2.35

$$16\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left( -\frac{3\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{160\left(-\frac{1}{2} + \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} - \frac{7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{10\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x)

[Out] -16\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(-3/160\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-7/10\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+53/105\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-7/20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-1/448\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^4-13/168\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.305 $\int (a + a \cos(c + dx))^3 \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=157

$$\frac{2a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a^3 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{d} + \frac{36a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3 \sqrt{\cos(c + dx)}}{d}$$

[Out]  $2*a^3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a^3*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+36/5*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-36/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.21, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3771, 2641, 3768, 2639}

$$\frac{2a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{2a^3 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{d} + \frac{36a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3 \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^{(7/2)}, x]$

[Out]  $(-36*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (36*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*a^3*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/d + (2*a^3*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x] /; \text{FreeQ}[\{a, b, d, e, f, m, n, p\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3791

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> Int[ExpandTrig[(a + b\*csc[e + f\*x])^m\*(d\*csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^3 \sec^{\frac{7}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3 dx \\
 &= \int \left( a^3 \sqrt{\sec(c + dx)} + 3a^3 \sec^{\frac{3}{2}}(c + dx) + 3a^3 \sec^{\frac{5}{2}}(c + dx) + a^3 \sec^{\frac{7}{2}}(c + dx) \right) dx \\
 &= a^3 \int \sqrt{\sec(c + dx)} dx + a^3 \int \sec^{\frac{7}{2}}(c + dx) dx + (3a^3) \int \sec^{\frac{5}{2}}(c + dx) dx \\
 &= \frac{6a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^3 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d} + \frac{2a^3 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d} \\
 &= \frac{2a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{36a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
 &= -\frac{6a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \\
 &= -\frac{36a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
 \end{aligned}$$

**Mathematica** [C] time = 1.90, size = 259, normalized size = 1.65

$$\frac{a^3 (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (18 \csc(c) \cos(dx) + \tan(c + dx)(\sec(c + dx) + 5)) - \frac{2i\sqrt{2}e^{-i(c + dx)}}{20d} \right)}{20d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2), x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*(((-2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x))))\*(9\*(1 + E^((2\*I)\*(c + d\*x))) + 9\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c)) + Sqrt[Sec[c + d\*x]]\*(18\*Cos[d\*x]\*Csc[c] + (5 + Sec[c + d\*x])\*Tan[c + d\*x]))/(20\*d)

**fricas** [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(7/2), x)



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

**maple** [B] time = 0.95, size = 386, normalized size = 2.46

$$16\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left( \frac{7\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{10\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} - \cos \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(7/2),x)

[Out] -16\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(7/10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-1/160\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-9/10\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-9/20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-1/16\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.306 $\int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx$

**Optimal.** Leaf size=131

$$\frac{2a^3 \sin(c + dx) \sec^3(c + dx)}{3d} + \frac{6a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{20a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out]  $2/3*a^3*\sec(d*x+c)^(3/2)*\sin(d*x+c)/d+6*a^3*\sin(d*x+c)*\sec(d*x+c)^(1/2)/d-4*a^3*(\cos(1/2*d*x+1/2*c)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+20/3*a^3*(\cos(1/2*d*x+1/2*c)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.18, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3771, 2639, 2641, 3768}

$$\frac{2a^3 \sin(c + dx) \sec^3(c + dx)}{3d} + \frac{6a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{20a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^(5/2), x]$

[Out]  $(-4*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (20*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (6*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*a^3*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^(m_.)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(n_.)]^(p_.), x\_Symbol] \rightarrow \text{Dist}[d^(n*p), \text{Int}[(d*\text{Csc}[e + f*x])^(m - n*p)*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n, p\}, x] \&\amp; !\text{IntegerQ}[m] \&\amp; \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^(n - 1))/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^(n - 2), x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\amp; \text{GtQ}[n, 1] \&\amp; \text{IntegerQ}[2*n]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\amp; \text{EqQ}[n^2, 1/4]$

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^(m_.), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3}{\sqrt{\sec(c + dx)}} dx \\
&= \int \left( \frac{a^3}{\sqrt{\sec(c + dx)}} + 3a^3 \sqrt{\sec(c + dx)} + 3a^3 \sec^{\frac{3}{2}}(c + dx) + a^3 \sec^{\frac{5}{2}}(c + dx) \right) dx \\
&= a^3 \int \frac{1}{\sqrt{\sec(c + dx)}} dx + a^3 \int \sec^{\frac{5}{2}}(c + dx) dx + (3a^3) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{6a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^3 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} a^3 \int \sec^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{6a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{4a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{20a^3 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 0.97, size = 157, normalized size = 1.20

$$\frac{ia^3 \sec^{\frac{3}{2}}(c + dx) \left( 6e^{-2i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) + 20\sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2), x]

[Out] ((-1/3\*I)\*a^3\*Sec[c + d\*x]^(3/2)\*(-6 - 6\*Cos[2\*(c + d\*x)] + (6\*(1 + E^((2\*I)\*(c + d\*x)))^(3/2)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) / E^((2\*I)\*(c + d\*x)) + 20\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c + d\*x]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))] + (2\*I)\*Sin[c + d\*x] + (9\*I)\*Sin[2\*(c + d\*x)])) / d

**fricas [F]** time = 1.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2), x)

**maple [B]** time = 0.88, size = 371, normalized size = 2.83

$$4\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x)

[Out]  $\frac{4}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (10 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2)^{(1/2)}) * \sin(1/2 * d * x + 1/2 * c)^2 + 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2)^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^2 - 18 * \sin(1/2 * d * x + 1/2 * c)^4 * \cos(1/2 * d * x + 1/2 * c) - 5 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2)^{(1/2)}) - 3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2)^{(1/2)}) + 10 * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.307 $\int (a + a \cos(c + dx))^3 \sec^2(c + dx) dx$

**Optimal.** Leaf size=131

$$\frac{2a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a^3 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{20a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^3 \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $2/3*a^3*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+4*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+20/3*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.18, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3791, 3769, 3771, 2641, 2639, 3768}

$$\frac{2a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a^3 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{20a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^3 \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2), x]

[Out]  $(4*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (20*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^3*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rubi steps

$$\int (a + a \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx) dx = \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \int \left( \frac{a^3}{\sec^{\frac{3}{2}}(c + dx)} + \frac{3a^3}{\sqrt{\sec(c + dx)}} + 3a^3 \sqrt{\sec(c + dx)} + a^3 \sec^{\frac{3}{2}}(c + dx) \right) dx$$

$$= a^3 \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + a^3 \int \sec^{\frac{3}{2}}(c + dx) dx + (3a^3) \int \frac{1}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2a^3 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{3} a^3 \int \sqrt{\sec(c + dx)} dx$$

$$= \frac{6a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{6a^3 \sqrt{\cos(c + dx)} F\left(\dots\right)}{d}$$

$$= \frac{4a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{20a^3 \sqrt{\cos(c + dx)} F\left(\dots\right)}{d}$$

**Mathematica [C]** time = 1.31, size = 135, normalized size = 1.03

$$\frac{a^3 \left( \frac{{}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} + 2 \left( -10i\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c + dx) + \sin(c + dx) + 3 \tan(c + dx) \right) \right)}{3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^3*(((24*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))])/Sqrt
[1 + E^((2*I)*(c + d*x))] + 2*(-6*I - (10*I)*Sqrt[1 + E^((2*I)*(c + d*x))]*
Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] + Sin[c
+ d*x] + 3*Tan[c + d*x])))/(3*d*Sqrt[Sec[c + d*x]])
```

**fricas [F]** time = 2.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.76, size = 172, normalized size = 1.31

$$\frac{4a^3 \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \cos \left( \frac{dx}{2} + \frac{c}{2} \right) + 5 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) \right)}{3 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{2} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x)

[Out]  $-4/3*a^3*(2*\sin(1/2*d*x+1/2*c))^4*\cos(1/2*d*x+1/2*c)+5*(\sin(1/2*d*x+1/2*c))^{2*(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^{2})^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-4*\sin(1/2*d*x+1/2*c)^{2*\cos(1/2*d*x+1/2*c)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{2-1})^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

### 3.308 $\int (a + a \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=131

$$\frac{2a^3 \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\sec(c + dx)}} + \frac{4a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{36a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{5d}$$

[Out]  $2/5*a^3*\sin(d*x+c)/d/\sec(d*x+c)^(3/2)+2*a^3*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+3/5*a^3*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+4*a^3*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.18, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3769, 3771, 2639, 2641}

$$\frac{2a^3 \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\sec(c + dx)}} + \frac{4a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{36a^3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]],x]`

[Out]  $(36*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^3*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^(3/2)) + (2*a^3*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]`

#### Rule 3769

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`



Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)^(m_.), x_Symbol] :> Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \int \left( \frac{a^3}{\sec^{\frac{5}{2}}(c + dx)} + \frac{3a^3}{\sec^{\frac{3}{2}}(c + dx)} + \frac{3a^3}{\sqrt{\sec(c + dx)}} + a^3 \sqrt{\sec(c + dx)} \right) dx \\
&= a^3 \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + a^3 \int \sqrt{\sec(c + dx)} dx + (3a^3) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\sec(c + dx)}} + \frac{1}{5} (3a^3) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{6a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^3 \sqrt{\cos(c + dx)}}{d} \\
&= \frac{36a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^3 \sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

**Mathematica [C]** time = 1.28, size = 137, normalized size = 1.05

$$\frac{a^3 \left( \frac{{}_{2}F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} + 2 \left( -20i\sqrt{1+e^{2i(c+dx)}} {}_{2}F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + 10 \sin(c+dx) + \sin(2(c+dx)) \right) \right)}{10d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]], x]

[Out] (a^3\*(((144\*I)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + 2\*(-36\*I - (20\*I)\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]\*Sec[c + d\*x] + 10\*Sin[c + d\*x] + Sin[2\*(c + d\*x)])))/(10\*d\*Sqrt[Sec[c + d\*x]])

**fricas [F]** time = 1.13, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sqrt(sec(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.56, size = 250, normalized size = 1.91

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(-4\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 14\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

5√

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x)

[Out] -4/5\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(-4\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+14\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-6\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int 3 \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int 3 \cos^2(c + dx) \sqrt{\sec(c + dx)} dx + \int \cos^3(c + dx) \sqrt{\sec(c + dx)} dx + \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(1/2),x)

[Out] a\*\*3\*(Integral(3\*cos(c + d\*x)\*sqrt(sec(c + d\*x)), x) + Integral(3\*cos(c + d\*x)\*\*2\*sqrt(sec(c + d\*x)), x) + Integral(cos(c + d\*x)\*\*3\*sqrt(sec(c + d\*x)), x) + Integral(sqrt(sec(c + d\*x)), x))

$$3.309 \quad \int \frac{(a+a \cos(c+dx))^3}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=161

$$\frac{6a^3 \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a^3 \sin(c+dx)}{7d \sec^{\frac{5}{2}}(c+dx)} + \frac{52a^3 \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{52a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{28a^3}{21d}$$

```
[Out] 2/7*a^3*sin(d*x+c)/d/sec(d*x+c)^(5/2)+6/5*a^3*sin(d*x+c)/d/sec(d*x+c)^(3/2)
+52/21*a^3*sin(d*x+c)/d/sec(d*x+c)^(1/2)+28/5*a^3*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+52/21*a^3*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d
```

**Rubi [A]** time = 0.21, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3769, 3771, 2641, 2639}

$$\frac{6a^3 \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a^3 \sin(c+dx)}{7d \sec^{\frac{5}{2}}(c+dx)} + \frac{52a^3 \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{52a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{28a^3}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^3/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (28*a^3*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (52*a^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^3*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (6*a^3*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (52*a^3*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3238

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]
```

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

### Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && ! GtQ[m, 0] && RationalQ[n]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^3}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{7}{2}}(c + dx)} dx \\
 &= \int \left( \frac{a^3}{\sec^{\frac{7}{2}}(c + dx)} + \frac{3a^3}{\sec^{\frac{5}{2}}(c + dx)} + \frac{3a^3}{\sec^{\frac{3}{2}}(c + dx)} + \frac{a^3}{\sqrt{\sec(c + dx)}} \right) dx \\
 &= a^3 \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx + a^3 \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (3a^3) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + (3a^3) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{d \sqrt{\sec(c + dx)}} + \frac{1}{7} (5a^3) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{28a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \\
 &= \frac{28a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{52a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
 \end{aligned}$$

**Mathematica [C]** time = 1.80, size = 146, normalized size = 0.91

$$\frac{a^3 \left( \frac{4704i {}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 1040i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + 1070 \sin(c+dx) + 252 \sin(2(c+dx)) \right)}{420d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3/Sqrt[Sec[c + d\*x]], x]

[Out] (a^3\*(-2352\*I + ((4704\*I)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] - (1040\*I)\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]\*Sec[c + d\*x] + 1070\*Sin[c + d\*x] + 252\*Sin[2\*(c + d\*x)] + 30\*Sin[3\*(c + d\*x)])/(420\*d\*Sqrt[Sec[c + d\*x]])

**fricas [F]** time = 0.90, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.71, size = 272, normalized size = 1.69

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(120 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 432 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x)

[Out] -4/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(120\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-432\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+602\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+65\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-147\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-208\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^3}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(1/2),x)

[Out] int((a + a\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int \frac{3 \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{3 \cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{\cos^3(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{1}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(1/2),x)

[Out] a\*\*3\*(Integral(3\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(3\*cos(c + d\*x)\*\*2/sqrt(sec(c + d\*x)), x) + Integral(cos(c + d\*x)\*\*3/sqrt(sec(c + d\*x)), x) + Integral(1/sqrt(sec(c + d\*x)), x))

$$3.310 \quad \int \frac{(a+a \cos(c+dx))^3}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=187

$$\frac{68a^3 \sin(c+dx)}{45d \sec^2(c+dx)} + \frac{6a^3 \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{2a^3 \sin(c+dx)}{9d \sec^2(c+dx)} + \frac{44a^3 \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{44a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{\sin(c+dx)}{2}, 2\right)}{21d}$$

[Out]  $2/9*a^3*\sin(d*x+c)/d/\sec(d*x+c)^{(7/2)}+6/7*a^3*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+68/45*a^3*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+44/21*a^3*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+68/15*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+44/21*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.23, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3769, 3771, 2639, 2641}

$$\frac{68a^3 \sin(c+dx)}{45d \sec^2(c+dx)} + \frac{6a^3 \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{2a^3 \sin(c+dx)}{9d \sec^2(c+dx)} + \frac{44a^3 \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{44a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{\sin(c+dx)}{2}, 2\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3/Sec[c + d\*x]^(3/2), x]

[Out]  $(68*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d) + (44*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*a^3*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{(7/2)}) + (6*a^3*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)}) + (68*a^3*\text{Sin}[c + d*x])/(45*d*\text{Sec}[c + d*x]^{(3/2)}) + (44*a^3*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3769**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 3771**

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e +
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{9}{2}}(c + dx)} dx \\ &= \int \left( \frac{a^3}{\sec^{\frac{9}{2}}(c + dx)} + \frac{3a^3}{\sec^{\frac{7}{2}}(c + dx)} + \frac{3a^3}{\sec^{\frac{5}{2}}(c + dx)} + \frac{a^3}{\sec^{\frac{3}{2}}(c + dx)} \right) dx \\ &= a^3 \int \frac{1}{\sec^{\frac{9}{2}}(c + dx)} dx + a^3 \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx + (3a^3) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + (3a^3) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^3 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} a^3 \int \frac{1}{\sec^{\frac{1}{2}}(c + dx)} dx \\ &= \frac{2a^3 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{6a^3 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{68a^3 \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{44a^3 \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{15} (7 \\ &= \frac{18a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\ &= \frac{68a^3 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{44a^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica** [C] time = 2.29, size = 156, normalized size = 0.83

$$\frac{a^3 \left( \frac{22848i {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 5280i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -e^{2i(c+dx)}\right) \sec(c+dx) + 5820 \sin(c+dx) + 2044 \sin(2(c+dx)) \right)}{2520d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^3*(-11424*I + ((22848*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c
+ d*x))])/Sqrt[1 + E^((2*I)*(c + d*x))] - (5280*I)*Sqrt[1 + E^((2*I)*(c +
d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] +
5820*Sin[c + d*x] + 2044*Sin[2*(c + d*x)] + 540*Sin[3*(c + d*x)] + 70*Sin[
4*(c + d*x)]))/(2520*d*Sqrt[Sec[c + d*x]])
```

**fricas** [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)/sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3/sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.60, size = 260, normalized size = 1.39

$$4\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^3 \left(560\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 600\left(\cos^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 212\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x)

[Out] -4/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(560\*cos(1/2\*d\*x+1/2\*c)^11-600\*cos(1/2\*d\*x+1/2\*c)^9+212\*cos(1/2\*d\*x+1/2\*c)^7+66\*cos(1/2\*d\*x+1/2\*c)^5-430\*cos(1/2\*d\*x+1/2\*c)^3+165\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-357\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+192\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^3}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(3/2),x)

[Out] int((a + a\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^3 \left( \int \frac{3 \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{3 \cos^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{\cos^3(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3/sec(d*x+c)**(3/2),x)
```

```
[Out] a**3*(Integral(3*cos(c + d*x)/sec(c + d*x)**(3/2), x) + Integral(3*cos(c + d*x)**2/sec(c + d*x)**(3/2), x) + Integral(cos(c + d*x)**3/sec(c + d*x)**(3/2), x) + Integral(sec(c + d*x)**(-3/2), x))
```

### 3.311 $\int (a + a \cos(c + dx))^4 \sec^2(c + dx) dx$

**Optimal.** Leaf size=187

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d} + \frac{8a^4 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{94a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{64a^4 \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{5d}$$

[Out]  $94/21*a^4*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+8/5*a^4*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/7*a^4*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d+64/5*a^4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-64/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+136/21*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.25, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3771, 2641, 3768, 2639}

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d} + \frac{8a^4 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{94a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{64a^4 \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(9/2), x]

[Out]  $(-64*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (136*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (64*a^4*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (94*a^4*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d) + (8*a^4*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^4*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3791

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\_], x\_Symbol] :> Int[ExpandTrig[(a + b\*csc[e + f\*x])^m\*(d\*csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 \sec^{\frac{9}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^4 dx \\
&= \int \left( a^4 \sqrt{\sec(c + dx)} + 4a^4 \sec^{\frac{3}{2}}(c + dx) + 6a^4 \sec^{\frac{5}{2}}(c + dx) + 4a^4 \sec^{\frac{7}{2}}(c + dx) + a^4 \sec^{\frac{9}{2}}(c + dx) \right) dx \\
&= a^4 \int \sqrt{\sec(c + dx)} dx + a^4 \int \sec^{\frac{9}{2}}(c + dx) dx + (4a^4) \int \sec^{\frac{3}{2}}(c + dx) dx + (6a^4) \int \sec^{\frac{5}{2}}(c + dx) dx + (4a^4) \int \sec^{\frac{7}{2}}(c + dx) dx \\
&= \frac{8a^4 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{4a^4 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d} + \frac{8a^4 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= \frac{2a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{64a^4 \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= -\frac{8a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{6a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \\
&= -\frac{64a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{136a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
\end{aligned}$$

**Mathematica [C]** time = 2.03, size = 271, normalized size = 1.45

$$a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (672 \csc(c) \cos(dx) + \tan(c + dx) (15 \sec^2(c + dx) + 84 \sec(c + dx))) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(9/2), x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*((( -4\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(168\*(1 + E^((2\*I)\*(c + d\*x)))) + 168\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) + 85\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])]/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) + Sqrt[Sec[c + d\*x]]\*(672\*Cos[d\*x]\*Csc[c] + (235 + 84\*Sec[c + d\*x] + 15\*Sec[c + d\*x]^2)\*Tan[c + d\*x]))/(840\*d)

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*sec(d\*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(9/2), x)

maple [B] time = 1.02, size = 439, normalized size = 2.35

$$32\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left( \frac{253\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)}{420\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(9/2),x)

[Out] -32\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(253/420\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-1/80\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-4/5\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2/5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-1/896\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^4-47/672\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.312 $\int (a + a \cos(c + dx))^4 \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=161

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{8a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{66a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{32a^4 \sqrt{\cos(c + dx)}}{d}$$

[Out]  $8/3*a^4*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a^4*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+66/5*a^4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-56/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+32/3*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.23, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3771, 2639, 2641, 3768}

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{8a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{66a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{32a^4 \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(7/2),x]

[Out]  $(-56*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (32*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (66*a^4*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (8*a^4*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a^4*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3791

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\_], x\_Symbol] :> Int[ExpandTrig[(a + b\*csc[e + f\*x])^m\*(d\*csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 \sec^{\frac{7}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^4}{\sqrt{\sec(c + dx)}} dx \\
 &= \int \left( \frac{a^4}{\sqrt{\sec(c + dx)}} + 4a^4 \sqrt{\sec(c + dx)} + 6a^4 \sec^{\frac{3}{2}}(c + dx) + 4a^4 \sec^{\frac{5}{2}}(c + dx) + a^4 \sec^{\frac{7}{2}}(c + dx) \right) dx \\
 &= a^4 \int \frac{1}{\sqrt{\sec(c + dx)}} dx + a^4 \int \sec^{\frac{7}{2}}(c + dx) dx + (4a^4) \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{12a^4 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{8a^4 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a^4 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{2a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{8a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
 &= -\frac{10a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{32a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} \\
 &= -\frac{56a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{32a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

Mathematica [C] time = 2.49, size = 278, normalized size = 1.73

$$a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (30 \cos(c) \sin(dx) - 3(5 \cos(2c) - 61) \csc(c) \cos(dx) + 2 \tan(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(7/2), x]

[Out] (a^4\*(1 + Cos[c + d\*x])^4\*Sec[(c + d\*x)/2]^8\*(((-8\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(21\*(1 + E^((2\*I)\*(c + d\*x)))) + 21\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]] + 20\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) + Sqrt[Sec[c + d\*x]]\*(-3\*(-61 + 5\*Cos[2\*c])\*Cos[d\*x]\*Csc[c] + 30\*Cos[c]\*Sin[d\*x] + 2\*(20 + 3\*Sec[c + d\*x])\*Tan[c + d\*x]))/(240\*d)

fricas [F] time = 1.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*sec(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(7/2), x)

**maple** [B] time = 1.08, size = 386, normalized size = 2.40

$$32\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left( \frac{7\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) - \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)\right)}{20\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(7/2),x)

[Out] -32\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(-7/20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+41/60\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-1/320\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^3-33/40\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-1/24\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.313 $\int (a + a \cos(c + dx))^4 \sec^{\frac{5}{2}}(c + dx) dx$

**Optimal.** Leaf size=118

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{8a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{40a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

[Out]  $2/3*a^4*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/3*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+8*a^4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+40/3*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.21, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3791, 3769, 3771, 2641, 2639, 3768}

$$\frac{2a^4 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{8a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{40a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4*\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(40*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^4*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (8*a^4*\text{Sqrt}[\text{Sec}[c + d*x]])*\text{Sin}[c + d*x]/d + (2*a^4*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}]^{(p_.)}, x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /; \text{FreeQ}[\{a, b, d, e, f, m, n, p\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n + 1)})/(b*d*n), x] + \text{Dist}[(n + 1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 3771

$\text{Int}[(\text{csc}[(c\_.) + (d\_.)*(x\_)]*(b\_.) )^n, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$  FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3791

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(d\_.) )^n*(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.) + (a\_.) )^m, x\_Symbol] \rightarrow \text{Int}[\text{ExpandTrig}[(a + b*\text{csc}[e + f*x])^m*(d*\text{csc}[e + f*x])^n, x], x] /;$  FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I GtQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^4}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \int \left( \frac{a^4}{\sec^{\frac{3}{2}}(c + dx)} + \frac{4a^4}{\sqrt{\sec(c + dx)}} + 6a^4 \sqrt{\sec(c + dx)} + 4a^4 \sec^{\frac{3}{2}}(c + dx) \right) dx \\ &= a^4 \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + a^4 \int \sec^{\frac{5}{2}}(c + dx) dx + (4a^4) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a^4 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{8a^4 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^4 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\ &= \frac{8a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{12a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\ &= \frac{40a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2a^4 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2a^4 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.34, size = 70, normalized size = 0.59

$$\frac{a^4 \sec^{\frac{3}{2}}(c + dx) \left( 5 \sin(c + dx) + 24 \sin(2(c + dx)) + \sin(3(c + dx)) + 80 \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(5/2), x]

[Out] (a^4\*Sec[c + d\*x]^(3/2)\*(80\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 5\*Sin[c + d\*x] + 24\*Sin[2\*(c + d\*x)] + Sin[3\*(c + d\*x)])/(6\*d)

**fricas** [F] time = 1.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*sec(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(5/2), x)

**maple** [B] time = 0.82, size = 292, normalized size = 2.47

$$8\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} a^4 \left(2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(5/2),x)

[Out] 8/3\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4/(4\*sin(1/2\*d\*x+1/2\*c)^4-4\*sin(1/2\*d\*x+1/2\*c)^2+1)/sin(1/2\*d\*x+1/2\*c)^3\*(2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*sin(1/2\*d\*x+1/2\*c)^2-14\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+7\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.314 $\int (a + a \cos(c + dx))^4 \sec^{\frac{3}{2}}(c + dx) dx$

**Optimal.** Leaf size=159

$$\frac{2a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{8a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{32a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{3d}$$

[Out]  $2/5*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+8/3*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+2*a^4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+56/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+32/3*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.21, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3791, 3769, 3771, 2639, 2641, 3768}

$$\frac{2a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^4 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{8a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{32a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sec[c + d\*x]^(3/2),x]

[Out]  $(56*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (32*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^4*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (8*a^4*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^4*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^(m_), x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f
*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && I
GtQ[m, 0] && RationalQ[n]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^4}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \int \left( \frac{a^4}{\sec^{\frac{5}{2}}(c + dx)} + \frac{4a^4}{\sec^{\frac{3}{2}}(c + dx)} + \frac{6a^4}{\sqrt{\sec(c + dx)}} + 4a^4 \sqrt{\sec(c + dx)} \right) dx \\ &= a^4 \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + a^4 \int \sec^{\frac{3}{2}}(c + dx) dx + (4a^4) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2a^4 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\ &= \frac{12a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{8a^4 \sqrt{\cos(c + dx)}}{d} \\ &= \frac{56a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{32a^4 \sqrt{\cos(c + dx)}}{5d} \end{aligned}$$

**Mathematica [C]** time = 1.50, size = 150, normalized size = 0.94

$$\frac{a^4 \left( \frac{{}_2F_1\left(-\frac{1}{4}, \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 320i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + 80 \sin(c+dx) + 63 \tan(c+dx) \right)}{30d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*Sec[c + d*x]^(3/2), x]
[Out] (a^4*(-336*I + ((672*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))])/Sqrt[1 + E^((2*I)*(c + d*x))] - (320*I)*Sqrt[1 + E^((2*I)*(c + d*x))] *Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))] *Sec[c + d*x] + 80*S in[c + d*x] + 3*Sec[c + d*x]*Sin[3*(c + d*x)] + 63*Tan[c + d*x]))/(30*d*Sqr t[Sec[c + d*x]])
```

**fricas [F]** time = 1.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^4 \cos(dx + c)^4 + 4 a^4 \cos(dx + c)^3 + 6 a^4 \cos(dx + c)^2 + 4 a^4 \cos(dx + c) + a^4\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.68, size = 194, normalized size = 1.22

$$8a^4 \left( -6 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left( \sin^6\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 26 \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 20 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} \right)$$

15 si

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(3/2),x)

[Out] -8/15\*a^4\*(-6\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+26\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-19\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^4,x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out



### 3.315 $\int (a + a \cos(c + dx))^4 \sqrt{\sec(c + dx)} dx$

Optimal. Leaf size=161

$$\frac{8a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^4 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{94a^4 \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{136a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots$$

[Out]  $2/7*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}+8/5*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+94/21*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+64/5*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+136/21*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.23, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3769, 3771, 2641, 2639}

$$\frac{8a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a^4 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{94a^4 \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{136a^4 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*Sqrt[Sec[c + d\*x]],x]

[Out]  $(64*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (136*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(21*d) + (2*a^4*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)}) + (8*a^4*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (94*a^4*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3791

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\_], x\_Symbol] :> Int[ExpandTrig[(a + b\*csc[e + f\*x])^m\*(d\*csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[m, 0] && RationalQ[n]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 \sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^4}{\sec^2(c + dx)} dx \\
 &= \int \left( \frac{a^4}{\sec^2(c + dx)} + \frac{4a^4}{\sec^{\frac{5}{2}}(c + dx)} + \frac{6a^4}{\sec^{\frac{3}{2}}(c + dx)} + \frac{4a^4}{\sqrt{\sec(c + dx)}} + a^4 \right) dx \\
 &= a^4 \int \frac{1}{\sec^2(c + dx)} dx + a^4 \int \sqrt{\sec(c + dx)} dx + (4a^4) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^4 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{8a^4 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^4 \sin(c + dx)}{d \sqrt{\sec(c + dx)}} + \frac{1}{7} (5a^4) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{8a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \\
 &= \frac{64a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{6a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \\
 &= \frac{64a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{136a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
 \end{aligned}$$

**Mathematica [C]** time = 1.56, size = 146, normalized size = 0.91

$$\frac{a^4 \left( \frac{{}_{10}F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 2720i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}, \frac{5}{4}, -e^{2i(c+dx)}\right) \sec(c+dx) + 1910 \sin(c+dx) + 336 \sin[2(c+dx)] + 30 \sin[3(c+dx)] \right)}{420d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*Sqrt[Sec[c + d\*x]],x]

[Out] (a^4\*(-5376\*I + ((10752\*I)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] - (2720\*I)\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]\*Sec[c + d\*x] + 1910\*Sin[c + d\*x] + 336\*Sin[2\*(c + d\*x)] + 30\*Sin[3\*(c + d\*x)]))/(420\*d\*Sqrt[Sec[c + d\*x]])

**fricas [F]** time = 1.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out]  $\int (a^4 \cos(dx + c)^4 + 4a^4 \cos(dx + c)^3 + 6a^4 \cos(dx + c)^2 + 4a^4 \cos(dx + c) + a^4) \sqrt{\sec(dx + c)} dx$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^(1/2),x, algorithm="giac")`

[Out]  $\int (a \cos(dx + c) + a)^4 \sqrt{\sec(dx + c)} dx$

**maple** [A] time = 0.54, size = 272, normalized size = 1.69

$$8 \sqrt{2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} a^4 \left( 60 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 258 \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^4*sec(d*x+c)^(1/2),x)`

[Out] 
$$-8/105 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ 4 * (60 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 8 - 258 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + 448 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + 85 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 168 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 167 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c)) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]  $\int (a \cos(dx + c) + a)^4 \sqrt{\sec(dx + c)} dx$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^4,x)`

[Out] `int((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^4, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^4 \left( \int 4 \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int 6 \cos^2(c + dx) \sqrt{\sec(c + dx)} dx + \int 4 \cos^3(c + dx) \sqrt{\sec(c + dx)} dx + \int 4 \cos^4(c + dx) \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4*sec(d*x+c)**(1/2),x)
```

```
[Out] a**4*(Integral(4*cos(c + d*x)*sqrt(sec(c + d*x)), x) + Integral(6*cos(c + d*x)**2*sqrt(sec(c + d*x)), x) + Integral(4*cos(c + d*x)**3*sqrt(sec(c + d*x)), x) + Integral(cos(c + d*x)**4*sqrt(sec(c + d*x)), x) + Integral(sqrt(sec(c + d*x)), x))
```

$$3.316 \quad \int \frac{(a+a \cos(c+dx))^4}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=187

$$\frac{122a^4 \sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{8a^4 \sin(c+dx)}{7d \sec^{\frac{5}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{9d \sec^{\frac{7}{2}}(c+dx)} + \frac{32a^4 \sin(c+dx)}{7d \sqrt{\sec(c+dx)}} + \frac{32a^4 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{7d}$$

[Out]  $2/9*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(7/2)}+8/7*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}$   
 $+122/45*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+32/7*a^4*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}$   
 $+152/15*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})$   
 $*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+32/7*a^4*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})$   
 $*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.26, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3791, 3769, 3771, 2639, 2641}

$$\frac{122a^4 \sin(c+dx)}{45d \sec^{\frac{3}{2}}(c+dx)} + \frac{8a^4 \sin(c+dx)}{7d \sec^{\frac{5}{2}}(c+dx)} + \frac{2a^4 \sin(c+dx)}{9d \sec^{\frac{7}{2}}(c+dx)} + \frac{32a^4 \sin(c+dx)}{7d \sqrt{\sec(c+dx)}} + \frac{32a^4 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{7d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4/Sqrt[Sec[c + d\*x]],x]

[Out]  $(152*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(15*d)$   
 $+ (32*a^4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(7*d)$   
 $+ (2*a^4*\text{Sin}[c + d*x])/(9*d*\text{Sec}[c + d*x]^{(7/2)}) + (8*a^4*\text{Sin}[c + d*x])/(7*d*\text{Sec}[c + d*x]^{(5/2)})$   
 $+ (122*a^4*\text{Sin}[c + d*x])/(45*d*\text{Sec}[c + d*x]^{(3/2)}) + (32*a^4*\text{Sin}[c + d*x])/(7*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

### Rule 3791

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^m, x_Symbol] := Int[ExpandTrig[(a + b*csc[e + f*x])^m*(d*csc[e + f*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n}, x] && EqQ[a^2 - b^2, 0] && ! GtQ[m, 0] && RationalQ[n]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^4}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^4}{\sec^2(c + dx)} dx \\ &= \int \left( \frac{a^4}{\sec^2(c + dx)} + \frac{4a^4}{\sec^2(c + dx)} + \frac{6a^4}{\sec^2(c + dx)} + \frac{4a^4}{\sec^2(c + dx)} + \frac{a^4}{\sqrt{\sec(c + dx)}} \right) dx \\ &= a^4 \int \frac{1}{\sec^2(c + dx)} dx + a^4 \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (4a^4) \int \frac{1}{\sec^2(c + dx)} dx + (4a^4) \int \frac{1}{\sec^2(c + dx)} dx \\ &= \frac{2a^4 \sin(c + dx)}{9d \sec^2(c + dx)} + \frac{8a^4 \sin(c + dx)}{7d \sec^2(c + dx)} + \frac{12a^4 \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{8a^4 \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{9} (7a^4) \int \frac{1}{\sec^2(c + dx)} dx \\ &= \frac{2a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^4 \sin(c + dx)}{9d \sec^2(c + dx)} + \frac{8a^4 \sin(c + dx)}{7d \sec^2(c + dx)} \\ &= \frac{46a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\ &= \frac{152a^4 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{32a^4 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{7d} \end{aligned}$$

**Mathematica [C]** time = 2.12, size = 156, normalized size = 0.83

$$\frac{a^4 \left( \frac{51072i {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right)}{\sqrt{1+e^{2i(c+dx)}}} - 11520i \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) \sec(c+dx) + 12240 \sin(c+dx) + 3556 \sin[2(c+dx)] + 720 \sin[3(c+dx)] + 70 \sin[4(c+dx)] \right)}{2520d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a^4*(-25536*I + ((51072*I)*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))])/Sqrt[1 + E^((2*I)*(c + d*x))] - (11520*I)*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]*Sec[c + d*x] + 12240*Sin[c + d*x] + 3556*Sin[2*(c + d*x)] + 720*Sin[3*(c + d*x)] + 70*Sin[4*(c + d*x)])/(2520*d*Sqrt[Sec[c + d*x]])
```

**fricas [F]** time = 0.96, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{a^4 \cos(dx + c)^4 + 4 a^4 \cos(dx + c)^3 + 6 a^4 \cos(dx + c)^2 + 4 a^4 \cos(dx + c) + a^4}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.58, size = 260, normalized size = 1.39

$$8\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) a^4 \left(280\left(\cos^{11}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 120\left(\cos^9\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 34\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 12\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 2\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4/sec(d\*x+c)^(1/2),x)

[Out] -8/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^4\*(280\*cos(1/2\*d\*x+1/2\*c)^11-120\*cos(1/2\*d\*x+1/2\*c)^9+34\*cos(1/2\*d\*x+1/2\*c)^7+72\*cos(1/2\*d\*x+1/2\*c)^5-485\*cos(1/2\*d\*x+1/2\*c)^3+180\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-399\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+219\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^4}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^4}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^4/(1/cos(c + d\*x))^(1/2),x)

[Out] int((a + a\*cos(c + d\*x))^4/(1/cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^4 \left( \int \frac{4 \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{6 \cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{4 \cos^3(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{\cos^4(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{1}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4/sec(d\*x+c)\*\*(1/2), x)

[Out] a\*\*4\*(Integral(4\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(6\*cos(c + d\*x)\*\*2/sqrt(sec(c + d\*x)), x) + Integral(4\*cos(c + d\*x)\*\*3/sqrt(sec(c + d\*x))), x) + Integral(cos(c + d\*x)\*\*4/sqrt(sec(c + d\*x)), x) + Integral(1/sqrt(sec(c + d\*x)), x))



$$3.317 \quad \int \frac{\sec^5(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=164

$$\frac{\sin(c+dx) \sec^5(c+dx)}{d(a \sec(c+dx) + a)} + \frac{5 \sin(c+dx) \sec^3(c+dx)}{3ad} - \frac{3 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

[Out]  $5/3 \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a/d - \sec(d*x+c)^{(5/2)} * \sin(d*x+c) / d / (a+a*\sec(d*x+c)) - 3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)} / a/d + 3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a/d + 5/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a/d$

**Rubi [A]** time = 0.17, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3818, 3787, 3768, 3771, 2639, 2641}

$$\frac{\sin(c+dx) \sec^5(c+dx)}{d(a \sec(c+dx) + a)} + \frac{5 \sin(c+dx) \sec^3(c+dx)}{3ad} - \frac{3 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x]),x]

[Out]  $(3*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (a*d) + (5*\text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (3*a*d) - (3*\text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (a*d) + (5*\text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (3*a*d) - (\text{Sec}[c + d*x]^{(5/2)} * \text{Sin}[c + d*x]) / (d*(a + a*\text{Sec}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(d\_))^(m\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3768**

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1)) / (d\*(n - 1)), x] + Dist[(b^2\*(n - 2)) / (n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 3771**

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3818

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(d^2*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 2))/(f*(a +
b*Csc[e + f*x])), x] - Dist[d^2/(a*b), Int[(d*Csc[e + f*x])^(n - 2)*(b*(n
- 2) - a*(n - 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[
a^2 - b^2, 0] && GtQ[n, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c + dx)}{a + a \cos(c + dx)} dx &= \int \frac{\sec^{\frac{7}{2}}(c + dx)}{a + a \sec(c + dx)} dx \\
&= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sec^{\frac{3}{2}}(c + dx) \left( \frac{3a}{2} - \frac{5}{2}a \sec(c + dx) \right) dx}{a^2} \\
&= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{3 \int \sec^{\frac{3}{2}}(c + dx) dx}{2a} + \frac{5 \int \sec^{\frac{5}{2}}(c + dx) dx}{2a} \\
&= -\frac{3\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{5 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} - \frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
&= -\frac{3\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{5 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} - \frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} \\
&= \frac{3\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{5\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3ad}
\end{aligned}$$

Mathematica [C] time = 3.29, size = 285, normalized size = 1.74

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( -\sqrt{\sec(c + dx)} \left( 18 \csc(c) \cos(dx) + \sec(c + dx) \left( \tan\left(\frac{1}{2}(c + dx)\right) - 5 \sin\left(\frac{3}{2}(c + dx)\right) \sec\left(\frac{1}{2}(c + dx)\right) \right) \right) \right)$$


---


$$3ad(c + dx)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x]), x]

```
[Out] (Cos[(c + d*x)/2]^2*(((2*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c +
d*x))))*(9*(1 + E^((2*I)*(c + d*x))) + 9*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2
*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))]) - 5
*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeom
etric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(E^(I*(c + d*x))*(-1 + E^((
2*I)*c))) - Sqrt[Sec[c + d*x]*(18*Cos[d*x]*Csc[c] + Sec[c + d*x]*(-5*Sec[(
c + d*x)/2]*Sin[(3*(c + d*x))/2] + Tan[(c + d*x)/2])))]/(3*a*d*(1 + Cos[c +
d*x]))
```

**fricas** [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sec(dx+c)^{\frac{5}{2}}}{a \cos(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.90, size = 413, normalized size = 2.52

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x)

[Out] 1/3\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/a/cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)^3/(4\*sin(1/2\*d\*x+1/2\*c)^4-4\*sin(1/2\*d\*x+1/2\*c)^2+1)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-18\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-36\*sin(1/2\*d\*x+1/2\*c)^6-5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)+9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)+44\*sin(1/2\*d\*x+1/2\*c)^4-11\*sin(1/2\*d\*x+1/2\*c)^2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{5}{2}}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x)),x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(a+a*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.318 \quad \int \frac{\sec^3(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=136

$$\frac{\sin(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)} + \frac{3 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{3 \sqrt{\cos(c+dx)}}{ad}$$

[Out]  $-\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))+3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d-3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d$

**Rubi [A]** time = 0.15, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3818, 3787, 3771, 2641, 3768, 2639}

$$\frac{\sin(c+dx) \sec^3(c+dx)}{d(a \sec(c+dx) + a)} + \frac{3 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{3 \sqrt{\cos(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x]),x]

[Out]  $(-3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) + (3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a*d) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3768**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3818

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_/((csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Simp[(d^2*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 2))/(f*(a +
b*Csc[e + f*x])), x] - Dist[d^2/(a*b), Int[(d*Csc[e + f*x])^(n - 2)*(b*(n
- 2) - a*(n - 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[
a^2 - b^2, 0] && GtQ[n, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)}{a+a\cos(c+dx)} dx &= \int \frac{\sec^5(c+dx)}{a+a\sec(c+dx)} dx \\
&= -\frac{\sec^3(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \sqrt{\sec(c+dx)} \left(\frac{a}{2} - \frac{3}{2}a\sec(c+dx)\right) dx}{a^2} \\
&= -\frac{\sec^3(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \sqrt{\sec(c+dx)} dx}{2a} + \frac{3 \int \sec^3(c+dx) dx}{2a} \\
&= \frac{3\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\sec^3(c+dx)\sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{3 \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} - \frac{(\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)})}{ad} \\
&= -\frac{\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad} + \frac{3\sqrt{\sec(c+dx)}\sin(c+dx)}{ad} - \frac{\sec^3(c+dx)}{d(a+a\sec(c+dx))} \\
&= -\frac{3\sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad} - \frac{\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad}
\end{aligned}$$

Mathematica [C] time = 1.96, size = 256, normalized size = 1.88

$$\cos^2\left(\frac{1}{2}(c+dx)\right) \left( \frac{\sqrt{\sec(c+dx)} \left(6 \csc(c) \cos(dx) - 2 \tan\left(\frac{1}{2}(c+dx)\right)\right)}{d} - \frac{2i\sqrt{2} e^{-i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \left(3(-1+e^{2ic})\sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}, \frac{3}{4}, -E^{\left(\frac{1}{2}(c+dx)\right)}\right)\right)}{(-1+e^{2i(c+dx)})} \right)$$


---


$$a(\cos(c+dx)+1)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x]), x]

```
[Out] (Cos[(c + d*x)/2]^2*(((2*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c
+ d*x))))*(3*(1 + E^((2*I)*(c + d*x)))) + 3*(-1 + E^((2*I)*c))*Sqrt[1 + E^((
2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] -
E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeome
tric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(d*E^(I*(c + d*x))*(-1 + E^
(2*I)*c)) + (Sqrt[Sec[c + d*x]]*(6*Cos[d*x]*Csc[c] - 2*Tan[(c + d*x)/2]))/(
d)/(a*(1 + Cos[c + d*x]))
```

**fricas** [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sec(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.66, size = 253, normalized size = 1.86

$$\frac{-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)}{a \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x)

[Out] -(-cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))))+6\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-5\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2)/a/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x)),x)

[Out] `int((1/cos(c + d*x))^(3/2)/(a + a*cos(c + d*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sec^2(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(3/2)/(a+a*cos(d*x+c)), x)`

[Out] `Integral(sec(c + d*x)**(3/2)/(cos(c + d*x) + 1), x)/a`



$$3.319 \quad \int \frac{\sqrt{\sec(c+dx)}}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=110

$$-\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad}$$

[Out]  $-\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\sec(d*x+c))+(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}* \sec(d*x+c)^{(1/2)}/a/d+(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a/d$

**Rubi [A]** time = 0.14, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3818, 3787, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x]),x]

[Out]  $(\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3818

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_)), x_Symbol] := Simp[(d^2*Cot[e + f*x]*(d*Csc[e + f*x])^(n - 2))/(f*(a +
b*Csc[e + f*x])), x] - Dist[d^2/(a*b), Int[(d*Csc[e + f*x])^(n - 2)*(b*(n
- 2) - a*(n - 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[
a^2 - b^2, 0] && GtQ[n, 1]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{a+a\cos(c+dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c+dx)}{a+a\sec(c+dx)} dx \\ &= -\frac{\sqrt{\sec(c+dx)} \sin(c+dx)}{d(a+a\sec(c+dx))} - \frac{\int \frac{-\frac{a}{2}-\frac{1}{2}a\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\ &= -\frac{\sqrt{\sec(c+dx)} \sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{\int \sqrt{\sec(c+dx)} dx}{2a} \\ &= -\frac{\sqrt{\sec(c+dx)} \sin(c+dx)}{d(a+a\sec(c+dx))} + \frac{(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(\sqrt{\cos(c+dx)}) \int \sqrt{\sec(c+dx)} dx}{2a} \\ &= \frac{\sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad} + \frac{\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad} \end{aligned}$$

**Mathematica** [C] time = 1.02, size = 180, normalized size = 1.64

$$\frac{4i \left( - \left( (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1 \left( -\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)} \right) \right) + e^{i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1 \left( \frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)} \right) \right)}{ad (1 + e^{i(c+dx)})^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x]), x]

[Out] ((-4\*I)\*Cos[(c + d\*x)/2]^2\*(1 + E^((2\*I)\*(c + d\*x)) - (1 + E^(I\*(c + d\*x))))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])\*Sqrt[Sec[c + d\*x]])/(a\*d\*(1 + E^(I\*(c + d\*x)))^3)

**fricas** [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{\sec(dx+c)}}{a \cos(dx+c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{a \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**maple [A]** time = 0.52, size = 200, normalized size = 1.82

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) - \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right)\right) + 2\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\right)}{a\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \sin$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x)

[Out] ((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{a+a\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x)),x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x)), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\sqrt{\sec(c+dx)}}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c)),x)

[Out] Integral(sqrt(sec(c + d\*x))/(cos(c + d\*x) + 1), x)/a

$$3.320 \quad \int \frac{1}{(a+a \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=110

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{ad}$$

[Out] sin(d\*x+c)\*sec(d\*x+c)^(1/2)/d/(a+a\*sec(d\*x+c))-(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d+(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d

**Rubi [A]** time = 0.14, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3820, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]),x]

[Out] -((Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d)) + (Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + (Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x])^n]^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3820

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> -Simp[(b\*d\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(a + b\*Csc[e + f\*x])), x] + Dist[(d\*(n - 1))/(a\*b), Int[(d\*Csc[e + f\*x])^(n - 1)\*(a - b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)}}{a + a \sec(c + dx)} dx \\ &= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \frac{a - a \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{2a^2} \\ &= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a} + \frac{\int \sqrt{\sec(c + dx)} dx}{2a} \\ &= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{2a} \\ &= -\frac{\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a} \end{aligned}$$

**Mathematica [C]** time = 0.96, size = 181, normalized size = 1.65

$$\frac{4i \left( (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; -e^{2i(c+dx)}\right) + e^{i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{4}, \frac{1}{2}; \frac{5}{4}; -e^{2i(c+dx)}\right) \right)}{ad (1 + e^{i(c+dx)})^3}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((-4\*I)\*Cos[(c + d\*x)/2]^2\*(-1 - E^((2\*I)\*(c + d\*x))) + (1 + E^(I\*(c + d\*x))) \*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])\*Sqrt[Sec[c + d\*x]])/(a\*d\*(1 + E^(I\*(c + d\*x)))^3)

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral(1/((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**maple** [A] time = 0.60, size = 198, normalized size = 1.80

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right) + \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right)\right) + 2\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 - \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2\right)}{a\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out] -((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))))+2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)/a/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))), x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos(c+dx)\sqrt{\sec(c+dx)} + \sqrt{\sec(c+dx)}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2), x)

[Out] Integral(1/(cos(c + d\*x)\*sqrt(sec(c + d\*x)) + sqrt(sec(c + d\*x))), x)/a

$$3.321 \quad \int \frac{1}{(a+a \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=112

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad}$$

[Out]  $-\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\sec(d*x+c))+3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\sec(d*x+c)^{(1/2)}/a/d$

**Rubi [A]** time = 0.14, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3819, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)),x]

[Out]  $(3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*d) - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(d*(a + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x] /; FreeQ[{a, b, d, e, f, n}, x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3819

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Simp[(Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(a + b\*Csc[e + f\*x])), x] - Dist[1/a^2, Int[(d\*Csc[e + f\*x])^n\*(a\*(n - 1) - b\*n\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{1}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))} dx \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{3a}{2} + \frac{1}{2}a \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{a^2} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{\int \sqrt{\sec(c + dx)} dx}{2a} + \frac{3 \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{2a} \\ &= \frac{3\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} \end{aligned}$$

**Mathematica [C]** time = 1.69, size = 311, normalized size = 2.78

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( -\frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( \cos\left(\frac{1}{2}(c - dx)\right) + 2 \cos\left(\frac{1}{2}(3c + dx)\right) + 2 \cos\left(\frac{1}{2}(c + 3dx)\right) + \cos\left(\frac{1}{2}(5c + 3dx)\right) \right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)}}{2d} + \frac{2i\sqrt{2} e^{-i(c + dx)}}{a(\cos(c + dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)), x]

[Out] (Cos[(c + d\*x)/2]^2\*((2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(3\*(1 + E^((2\*I)\*(c + d\*x))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(d\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) - ((Cos[(c - d\*x)/2] + 2\*Cos[(3\*c + d\*x)/2] + 2\*Cos[(c + 3\*d\*x)/2] + Cos[(5\*c + 3\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]])/(2\*d))/(a\*(1 + Cos[c + d\*x]))

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.53, size = 199, normalized size = 1.78

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right)\right) + 3\text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{1/2}\right)\right) + 2\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 - \sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2}{a\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sin\left(\frac{dx}{2} + \frac{c}{2}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x)

[Out] ((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*  
\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(c  
os(1/2\*d\*x+1/2\*c), 2^(1/2))+3\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))+2\*sin(1  
/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)/a/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*  
x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*  
c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))), x)

[Out] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos(c+dx) \sec^{\frac{3}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2), x)

[Out] Integral(1/(cos(c + d\*x)\*sec(c + d\*x)\*\*(3/2) + sec(c + d\*x)\*\*(3/2)), x)/a

$$3.322 \quad \int \frac{1}{(a+a \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=140

$$\frac{5 \sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a \sec(c+dx)+a)} + \frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3\sqrt{\cos(c+dx)}}{3ad}$$

[Out] 5/3\*sin(d\*x+c)/a/d/sec(d\*x+c)^(1/2)-sin(d\*x+c)/d/(a+a\*sec(d\*x+c))/sec(d\*x+c)^(1/2)-3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d+5/3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d

**Rubi [A]** time = 0.16, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3819, 3787, 3769, 3771, 2641, 2639}

$$\frac{5 \sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} - \frac{\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a \sec(c+dx)+a)} + \frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)),x]

[Out] (-3\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + (5\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) + (5\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) - Sin[c + d\*x]/(d\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d^n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3819

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Simp[(Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(a + b\*Csc[e + f\*x])), x] - Dist[1/a^2, Int[(d\*Csc[e + f\*x])^n\*(a\*(n - 1) - b\*n\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]

Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} dx$$

$$= -\frac{\sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{5a}{2} + \frac{3}{2}a \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx}{a^2}$$

$$= -\frac{\sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} - \frac{3 \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a} + \frac{5 \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx}{2a}$$

$$= \frac{5 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}} - \frac{\sin(c + dx)}{d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} + \frac{5 \int \sqrt{\sec(c + dx)} dx}{6a}$$

$$= -\frac{3\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{5 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}}$$

$$= -\frac{3\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{5\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad}$$

Mathematica [C] time = 4.12, size = 312, normalized size = 2.23

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( 2\sqrt{\sec(c + dx)} \left( \sin(2c) \cos(2dx) - 6 \cos(c) \sin(dx) + \cos(2c) \sin(2dx) + 3(\cos(2c) + 2) \csc(c) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)),x]
[Out] (Cos[(c + d*x)/2]^2*(((2*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(9*(1 + E^((2*I)*(c + d*x))) + 9*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))]] + 5*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) + 2*Sqrt[Sec[c + d*x]]*(3*(2 + Cos[2*c])*Cos[d*x]*Csc[c] + Cos[2*d*x]*Sin[2*c] - 3*Sec[c/2]*Sec[(c + d*x)/2]*Sin[(d*x)/2] - 6*Cos[c]*Sin[d*x] + Cos[2*c]*Sin[2*d*x] - 3*Tan[c/2])))/(3*a*d*(1 + Cos[c + d*x]))
```

**fricas** [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.83, size = 215, normalized size = 1.54

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \left(9 \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) - 3a \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x)

[Out] -1/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(9\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+5\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-8\*sin(1/2\*d\*x+1/2\*c)^6+18\*sin(1/2\*d\*x+1/2\*c)^4-7\*sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))),x)

```
[Out] int(1/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))/sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

$$3.323 \quad \int \frac{1}{(a+a \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=168

$$-\frac{\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} + \frac{7 \sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} - \frac{5 \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3ad}$$

[Out] 7/5\*sin(d\*x+c)/a/d/sec(d\*x+c)^(3/2)-sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*sec(d\*x+c))-5/3\*sin(d\*x+c)/a/d/sec(d\*x+c)^(1/2)+21/5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d-5/3\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d

**Rubi [A]** time = 0.17, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3819, 3787, 3769, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)}{d \sec^{\frac{3}{2}}(c+dx)(a \sec(c+dx)+a)} + \frac{7 \sin(c+dx)}{5ad \sec^{\frac{3}{2}}(c+dx)} - \frac{5 \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2)),x]

[Out] (21\*sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(5\*a\*d) - (5\*sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(3\*a\*d) + (7\*Sin[c + d\*x])/(5\*a\*d\*Sec[c + d\*x]^(3/2)) - (5\*Sin[c + d\*x])/(3\*a\*d\*sqrt[Sec[c + d\*x]]) - Sin[c + d\*x]/(d\*Sec[c + d\*x]^(3/2)\*(a + a\*Sec[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

### Rule 3787

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]`

### Rule 3819

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Simp[(Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(a + b*Csc[e + f*x])), x] - Dist[1/a^2, Int[(d*Csc[e + f*x])^n*(a*(n - 1) - b*n*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, 0]`

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + a \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)} dx &= \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx \\
 &= \frac{\sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{\int \frac{-\frac{7a}{2} + \frac{5}{2}a \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx}{a^2} \\
 &= \frac{\sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{5 \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx}{2a} + \frac{7 \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx}{2a} \\
 &= \frac{7 \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{5 \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{\sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= \frac{7 \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} - \frac{5 \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} - \frac{\sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= \frac{21 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} - \frac{5 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5ad}
 \end{aligned}$$

**Mathematica [C]** time = 2.69, size = 341, normalized size = 2.03

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( -\sqrt{\sec(c + dx)} \left( 18(11 \cos(2c) + 17) \csc(c) \cos(dx) + 4 \left( 10 \sin(2c) \cos(2dx) - 3 \sin(3c) \cos(dx) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2)),x]

[Out] (Cos[(c + d\*x)/2]^2\*(((8\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(63\*(1 + E^((2\*I)\*(c + d\*x))) + 63\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 25\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*(c + d\*x))\*(-1 + E

$\wedge((2*I)*c))) - \text{Sqrt}[\text{Sec}[c + d*x]]*(18*(17 + 11*\text{Cos}[2*c])*\text{Cos}[d*x]*\text{Csc}[c] + 4*(10*\text{Cos}[2*d*x]*\text{Sin}[2*c] - 3*\text{Cos}[3*d*x]*\text{Sin}[3*c] - 30*\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]*\text{Sin}[(d*x)/2] - 99*\text{Cos}[c]*\text{Sin}[d*x] + 10*\text{Cos}[2*c]*\text{Sin}[2*d*x] - 3*\text{Cos}[3*c]*\text{Sin}[3*d*x] - 30*\text{Tan}[c/2])))/(60*a*d*(1 + \text{Cos}[c + d*x]))$

**fricas** [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2)), x)

**maple** [A] time = 0.59, size = 229, normalized size = 1.36

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)\left(25\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right) + 63\text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2^{\frac{1}{2}}\right)\right) + 48\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^8 - 56\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^6 - 30\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^4 + 23\sin\left(\frac{dx}{2} + \frac{c}{2}\right)^2}{a \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(7/2),x)

[Out]  $-1/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(25*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+63*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+48*\sin(1/2*d*x+1/2*c)^8-56*\sin(1/2*d*x+1/2*c)^6-30*\sin(1/2*d*x+1/2*c)^4+23*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))),x)
```

```
[Out] int(1/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.324 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=202

$$-\frac{7 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{10 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d} - \frac{7 \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} + \frac{10 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2d}$$

[Out]  $10/3 \sec(d*x+c)^{(3/2)} \sin(d*x+c)/a^2/d - 7/3 \sec(d*x+c)^{(5/2)} \sin(d*x+c)/a^2/d / (1+\sec(d*x+c)) - 1/3 \sec(d*x+c)^{(7/2)} \sin(d*x+c)/d / (a+a*\sec(d*x+c))^2 - 7*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d + 7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d + 10/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.27, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3816, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{7 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{10 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d} - \frac{7 \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} + \frac{10 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] `Int[Sec[c + d*x]^(5/2)/(a + a*Cos[c + d*x])^2, x]`

[Out]  $(7*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (10*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d) - (7*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d) + (10*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a^2*d) - (7*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - (\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

**Rule 2639**

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

**Rule 2641**

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

**Rule 3238**

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)]^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]`

**Rule 3768**

`Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3816

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(2\*m + 1)), x] + Dist[d^2/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(b\*(n - 2) + a\*(m - n + 2)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 2] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{9}{2}}(c + dx)}{(a + a \sec(c + dx))^2} dx \\
 &= -\frac{\sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\sec^{\frac{5}{2}}(c + dx) \left(\frac{5a}{2} - \frac{9}{2}a \sec(c + dx)\right)}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= -\frac{7 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} - \frac{\sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \sec^{\frac{3}{2}}(c + dx) \left(\frac{21a^2}{2} - 3a\right)}{3a^2} \\
 &= -\frac{7 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} - \frac{\sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{7 \int \sec^{\frac{3}{2}}(c + dx) dx}{2a^2} + \\
 &= -\frac{7 \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} + \frac{10 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d} - \frac{7 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} \\
 &= -\frac{7 \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} + \frac{10 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d} - \frac{7 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} \\
 &= \frac{7 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{10 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d}
 \end{aligned}$$

**Mathematica [C]** time = 2.44, size = 287, normalized size = 1.42

$$\frac{(-1 + e^{ic}) \csc\left(\frac{c}{2}\right) e^{-\frac{1}{2}i(4c+3dx)} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(7e^{i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} (1 + e^{i(c+dx)})^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, \dots\right)\right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + a\*cos[c + d\*x])^2,x]

[Out] -1/12\*((-1 + E^(I\*c))\*Cos[(c + d\*x)/2]\*Csc[c/2]\*(-10 - 37\*E^(I\*(c + d\*x)) - 65\*E^((2\*I)\*(c + d\*x)) - 82\*E^((3\*I)\*(c + d\*x)) - 68\*E^((4\*I)\*(c + d\*x)) - 53\*E^((5\*I)\*(c + d\*x)) - 21\*E^((6\*I)\*(c + d\*x)) + (10\*I)\*(1 + E^(I\*(c + d\*x))))^3\*(1 + E^((2\*I)\*(c + d\*x)))\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 7\*E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))^3\*(1 + E^((2\*I)\*(c + d\*x)))^(3/2)\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]\*Sqrt[Sec[c + d\*x]]/(a^2\*d\*E^((I/2)\*(4\*c + 3\*d\*x))\*(1 + E^((2\*I)\*(c + d\*x)))\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 1.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(dx+c)^{\frac{5}{2}}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(5/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple [A]** time = 0.99, size = 413, normalized size = 2.04

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)} \left( \frac{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{3\cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3} + \frac{6\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)} - \frac{22\sqrt{\frac{1}{2}}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/2\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/a^2\*(1/3\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3+6\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)-22/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+14\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*s

```
in(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+16*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)/(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)-2/3*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a \cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] integrate(sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^2, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+a \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^2,x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^2, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.325 \quad \int \frac{\sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=176

$$-\frac{5 \sin(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{4 \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} - \frac{4 \sqrt{\cos(c+dx)}}{3a^2d}$$

[Out]  $-5/3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(1+\sec(d*x+c))-1/3*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^2+4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d-4*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d-5/3*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.25, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3816, 4019, 3787, 3771, 2641, 3768, 2639}

$$-\frac{5 \sin(c+dx) \sec^3(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{4 \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} - \frac{4 \sqrt{\cos(c+dx)}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^2,x]

[Out]  $(-4*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) - (5*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d) + (4*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d) - (5*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Sec}[c + d*x])) - (\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3816

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(2\*m + 1)), x] + Dist[d^2/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(b\*(n - 2) + a\*(m - n + 2)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 2] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{7}{2}}(c + dx)}{(a + a \sec(c + dx))^2} dx \\
 &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\sec^{\frac{3}{2}}(c + dx) \left(\frac{3a}{2} - \frac{7}{2}a \sec(c + dx)\right)}{a + a \sec(c + dx)} dx}{3a^2} \\
 &= -\frac{5 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} - \frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \sqrt{\sec(c + dx)} \left(\frac{5a^2}{2} - \dots\right)}{3a^4} \\
 &= -\frac{5 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} - \frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{5 \int \sqrt{\sec(c + dx)} dx}{6a^2} + \dots \\
 &= \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} - \frac{5 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2 d (1 + \sec(c + dx))} - \frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))} \\
 &= -\frac{5\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3a^2 d} + \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d} - \dots \\
 &= -\frac{4\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d}
 \end{aligned}$$

**Mathematica** [C] time = 1.30, size = 252, normalized size = 1.43

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-4ie^{-i(c+dx)} \sqrt{1+e^{2i(c+dx)}} (1+e^{i(c+dx)})\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^2,x]

[Out] -1/6\*(Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*((( -4\*I)\*(1 + E^(I\*(c + d\*x))))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c + d\*x)) + 40\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*(Cos[(c + d\*x)/2] - I\*Sin[(c + d\*x)/2]) + I\*(29 + 50\*Cos[c + d\*x] + 17\*Cos[2\*(c + d\*x)] + (12\*I)\*Sin[c + d\*x] + (7\*I)\*Sin[2\*(c + d\*x)]))\*(Cos[(c + 3\*d\*x)/2] + I\*Sin[(c + 3\*d\*x)/2]))/(a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**fricas** [F] time = 1.02, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sec(dx+c)^{\frac{3}{2}}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(3/2)/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.75, size = 405, normalized size = 2.30

$$2\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \left(5 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] -1/6\*(2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)-48\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^6+86\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-37\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*



$\sin(1/2*d*x+1/2*c)^2/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2})/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^{\frac{3}{2}}(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Integral(sec(c + d\*x)\*\*(3/2)/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x)/a\*\*2

$$3.326 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=149

$$-\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

[Out]  $-1/3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{2-\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^{2/d}/(1+\sec(d*x+c))+(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{2/d+2/3*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{2/d}$

**Rubi [A]** time = 0.24, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3816, 4019, 3787, 3771, 2639, 2641}

$$-\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^2, x]

[Out]  $(\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^{2*d}) + (2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^{2*d}) - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^{2*d}*(1 + \text{Sec}[c + d*x])) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^{2})$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3816

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(2\*m + 1)), x] + Dist[d^2/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(b\*(n - 2) + a\*(m - n + 2)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 2] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}}{(a+a\cos(c+dx))^2} dx &= \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\sec(c+dx))^2} dx \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{\sqrt{\sec(c+dx)}\left(\frac{a}{2}-\frac{5}{2}a\sec(c+dx)\right)}{a+a\sec(c+dx)} dx}{3a^2} \\
&= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} - \frac{\int \frac{-\frac{3a^2}{2}-a^2\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{3a^4} \\
&= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{\int \sqrt{\sec(c+dx)} dx}{3a^2} + \dots \\
&= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d(1+\sec(c+dx))} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\sec(c+dx))^2} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3a} \\
&= \frac{\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{2\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3a^2d}
\end{aligned}$$

**Mathematica [C]** time = 1.21, size = 242, normalized size = 1.62

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-ie^{-i(c+dx)}\sqrt{1+e^{2i(c+dx)}}(1+e^{i(c+dx)})\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(((-1)\*(1 + E^(I\*(c + d\*x))))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c + d\*x)) + 16\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*(Cos[(c + d\*x)/2] - I\*Sin[(c + d\*x)/2]) + I\*(5 + 14\*Cos[c + d\*x] + 5\*Cos[2\*(c + d\*x)] + I\*Sin[2\*(c + d\*x)])\*(Cos[(c + 3\*d\*x)/2] + I\*Sin[(c + 3\*d\*x)/2]))/(6\*a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**fricas** [F] time = 1.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\sec(dx+c)}}{a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(sqrt(sec(d\*x + c))/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**maple** [A] time = 0.65, size = 257, normalized size = 1.72

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(12\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 4\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{6a^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x)

[Out] 1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^6-4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-16\*cos(1/2\*d\*x+1/2\*c)^4+3\*cos(1/2\*d\*x+1/2\*c)^2+1)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^2,x)

[Out] `int((1/cos(c + d*x))^(1/2)/(a + a*cos(c + d*x))^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2\cos(c+dx)+1} dx$$

$$\frac{\int \frac{\sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**2,x)`

[Out] `Integral(sqrt(sec(c + d*x))/(cos(c + d*x)**2 + 2*cos(c + d*x) + 1), x)/a**2`

$$3.327 \quad \int \frac{1}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=77

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} + \frac{\sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3d(a \sec(c+dx) + a)^2}$$

[Out]  $1/3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{2+1/3*(\cos(1/2*d*x+1/2*c))^{2}}^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{2/d}$

**Rubi [A]** time = 0.10, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3238, 3815, 21, 3771, 2641}

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2d} + \frac{\sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3d(a \sec(c+dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]), x]

[Out] (Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*d) + (Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*Sec[c + d\*x])^2)

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3815

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> Simp[(b\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[d/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*(a\*(n - 1) - b\*(m + n)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(a + a \sec(c + dx))^2} dx \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\sqrt{\sec(c+dx)} \left(\frac{a}{2} + \frac{1}{2} a \sec(c+dx)\right)}{a+a \sec(c+dx)} dx}{3a^2} \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \sqrt{\sec(c + dx)} dx}{6a^2} \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{6a^2} \\
&= \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3a^2 d} + \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.37, size = 98, normalized size = 1.27

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(-\sin\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{3}{2}(c + dx)\right) + 4\sqrt{\cos(c + dx)} \cos^3\left(\frac{1}{2}(c + dx)\right) F\left(\frac{1}{2}(c + dx) \middle| 2\right)\right)}{3a^2 d (\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(4\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(1/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sqrt(sec(d\*x + c))), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c))), x)

**maple [B]** time = 0.56, size = 188, normalized size = 2.44

$$\frac{\sqrt{\left(2 \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \middle| 2\right) + \sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{6a^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3 \sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x)`

[Out] 
$$-1/6*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\cos(1/2*d*x+1/2*c)^3+2*\cos(1/2*d*x+1/2*c)^4-3*\cos(1/2*d*x+1/2*c)^2+1)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/((a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2),x)`

[Out] `int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^2(c+dx)\sqrt{\sec(c+dx)}+2\cos(c+dx)\sqrt{\sec(c+dx)}+\sqrt{\sec(c+dx)}} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c)**2/sec(d*x+c)**(1/2),x)`

[Out] `Integral(1/(cos(c + d*x)**2*sqrt(sec(c + d*x)) + 2*cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))), x)/a**2`



$$3.328 \quad \int \frac{1}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=149

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

[Out]  $-1/3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{2+\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^{2/d}/(1+\sec(d*x+c))-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{2/d+2/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{2/d}$

**Rubi [A]** time = 0.24, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3817, 4019, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2)),x]

[Out]  $-(\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d*(1 + \text{Sec}[c + d*x])) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Sec}[c + d*x])^2)$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3817

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x_Symbol] := -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*(a*(2*m + n + 1) - b*(m + n + 1)*Csc[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2*m, 2*n] || IntegerQ[m])
```

Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]
```

Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{\sqrt{\sec(c + dx)}}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\sqrt{\sec(c+dx)} \left(-\frac{5a}{2} + \frac{1}{2}a \sec(c+dx)\right)}{a+a \sec(c+dx)} dx}{3a^2}$$

$$= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{\frac{3a^2}{2} - a^2 \sec(c+dx)}{\sqrt{\sec(c+dx)}}}{3a^4}$$

$$= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \sqrt{\sec(c + dx)}}{3a^2}$$

$$= \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d(1 + \sec(c + dx))} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(\sqrt{\cos(c + dx)})}{3a^2}$$

$$= -\frac{\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2}$$

**Mathematica** [C] time = 1.39, size = 239, normalized size = 1.60

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(i \left(e^{-i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} (1 + e^{i(c+dx)})^3\right)\right)}{3a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)),x]
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(16*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + I*(-7 - 10*Cos[c + d*x] - 7*Cos[2*(c + d*x)] + ((1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]))/E^(I*(c + d*x)) + I*Sin[2*(c + d*x)]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Cos[c + d*x])^2)
```

**fricas** [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{\left( a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2 \right) \sec(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(1/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(3/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.69, size = 257, normalized size = 1.72

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(12 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 4 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{6a^2 \sqrt{-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*cos(1/2\*d\*x+1/2\*c)^6+4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+6\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-20\*cos(1/2\*d\*x+1/2\*c)^4+9\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2), x)`

[Out] `int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\frac{\cos^2(c+dx) \sec^{\frac{3}{2}}(c+dx) + 2 \cos(c+dx) \sec^{\frac{3}{2}}(c+dx) + \sec^{\frac{3}{2}}(c+dx)}{a^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+a*cos(d*x+c))**2/sec(d*x+c)**(3/2), x)`

[Out] `Integral(1/(cos(c + d*x)**2*sec(c + d*x)**(3/2) + 2*cos(c + d*x)*sec(c + d*x)**(3/2) + sec(c + d*x)**(3/2)), x)/a**2`

$$3.329 \quad \int \frac{1}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=152

$$\frac{5 \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} + \frac{4 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d}$$

[Out]  $-5/3 * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / a^2 / d / (1 + \sec(d*x+c)) - 1/3 * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / d / (a + a * \sec(d*x+c))^{2+4 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c)} * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2 / d - 5/3 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c)} * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2 / d$

**Rubi [A]** time = 0.24, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3817, 4020, 3787, 3771, 2639, 2641}

$$\frac{5 \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} + \frac{4 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)),x]

[Out]  $(4 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (a^2 * d) - (5 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (3 * a^2 * d) - (5 * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (3 * a^2 * d * (1 + \text{Sec}[c + d*x])) - (\text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (3 * d * (a + a * \text{Sec}[c + d*x])^2)$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

**Rule 3787**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3817

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Simp[(Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e
+ f*x])^n)/(f*(2*m + 1)), x] + Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e +
f*x])^(m + 1)*(d*Csc[e + f*x])^n*(a*(2*m + n + 1) - b*(m + n + 1)*Csc[e + f
*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m,
-1] && (IntegersQ[2*m, 2*n] || IntegerQ[m])
```

Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] :> -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{1}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2} dx \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{7a}{2} + \frac{3}{2}a \sec(c + dx)}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))} dx}{3a^2} \\ &= -\frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{\int \frac{-6a^2 + \frac{5}{2}a^2 \sec(c + dx)}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))} dx}{3a^2} \\ &= -\frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{5 \int \sqrt{\sec(c + dx)} dx}{6a^2} \\ &= -\frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2 d(1 + \sec(c + dx))} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{(5\sqrt{\cos(c + dx)})}{3a^2} \\ &= \frac{4\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2} \end{aligned}$$

Mathematica [C] time = 1.99, size = 259, normalized size = 1.70

$$\sin(c) \operatorname{csc}\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(2ie^{-\frac{1}{2}i(c + dx)} \sqrt{1 + e^{2i(c + dx)}} (1 + e^{i(c + dx)})\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)),x]

[Out] -1/6\*(Cos[(c + d\*x)/2]\*Csc[c/2]\*Sec[c/2]\*Sqrt[Sec[c + d\*x]]\*Sin[c]\*(Cos[d\*x] + I\*Sin[d\*x])\*((-24\*I)\*Cos[(c + d\*x)/2] - (18\*I)\*Cos[(3\*(c + d\*x))/2] - (6\*I)\*Cos[(5\*(c + d\*x))/2] + 20\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + ((2\*I)\*(1 + E^(I\*(c + d\*x))))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^((I/2)\*(c + d\*x)) + Sin[(c + d\*x)/2] + 2\*Sin[(3\*(c + d\*x))/2] + 3\*Sin[(5\*(c + d\*x))/2]))/(a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**fricas** [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{(a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2) \sec(dx+c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(1/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(5/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.65, size = 257, normalized size = 1.69

$$\frac{\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(24 \left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{6a^2 \sqrt{-2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x)

[Out] 1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(24\*cos(1/2\*d\*x+1/2\*c)^6+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+24\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-38\*cos(1/2\*d\*x+1/2\*c)^4+15\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2), x)
```

```
[Out] int(1/((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**2/sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```



$$3.330 \quad \int \frac{1}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=178

$$\frac{10 \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)}} - \frac{7 \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)} (\sec(c+dx)+1)} + \frac{10 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{7 \sqrt{\cos(c+dx)}}{3a^2 d}$$

[Out]  $10/3*\sin(d*x+c)/a^2/d/\sec(d*x+c)^{(1/2)}-7/3*\sin(d*x+c)/a^2/d/(1+\sec(d*x+c))/\sec(d*x+c)^{(1/2)}-1/3*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^2/\sec(d*x+c)^{(1/2)}-7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d+10/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.26, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3817, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{10 \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)}} - \frac{7 \sin(c+dx)}{3a^2 d \sqrt{\sec(c+dx)} (\sec(c+dx)+1)} + \frac{10 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{7 \sqrt{\cos(c+dx)}}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(7/2)), x]

[Out]  $(-7*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (10*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*d) + (10*\text{Sin}[c + d*x])/(3*a^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (7*\text{Sin}[c + d*x])/(3*a^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(1 + \text{Sec}[c + d*x])) - \text{Sin}[c + d*x]/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]*(a + a*\text{Sec}[c + d*x])^2)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3817

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a\*(2\*m + n + 1) - b\*(m + n + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + a \cos(c + dx))^2 \sec^2(c + dx)} dx &= \int \frac{1}{\sec^2(c + dx)(a + a \sec(c + dx))^2} dx \\
 &= -\frac{\sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{9a}{2} + \frac{5}{2}a \sec(c + dx)}{\sec^2(c + dx)(a + a \sec(c + dx))} dx}{3a^2} \\
 &= -\frac{7 \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{\sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
 &= -\frac{7 \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{\sin(c + dx)}{3d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} \\
 &= \frac{10 \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} - \frac{7 \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} - \frac{\sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
 &= -\frac{7\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{10 \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} \\
 &= -\frac{7\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{10\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d}
 \end{aligned}$$

**Mathematica [C]** time = 1.81, size = 257, normalized size = 1.44

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} (\cos(dx) + i \sin(dx)) \left(7ie^{-\frac{1}{2}i(c+dx)} \sqrt{1+e^{2i(c+dx)}} (1+e^{i(c+dx)})^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(7/2)),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x]))\*((-84\*I)\*Cos[(c + d\*x)/2] - (63\*I)\*Cos[(3\*(c + d\*x))/2] - (21\*I)\*Cos[(5\*(c + d\*x))/2] + 80\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + ((7\*I)\*(1 + E^(I\*(c + d\*x)))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^((I/2)\*(c + d\*x)) + 3\*Sin[(c + d\*x)/2] + 10\*Sin[(3\*(c + d\*x))/2] + 12\*Sin[(5\*(c + d\*x))/2] + Sin[(7\*(c + d\*x))/2])/(6\*a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2) \sec(dx+c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral(1/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(7/2)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2)), x)

**maple [A]** time = 0.64, size = 270, normalized size = 1.52

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(16\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 12\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 20\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)} \sqrt{-}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(7/2),x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(16\*cos(1/2\*d\*x+1/2\*c)^8+12\*cos(1/2\*d\*x+1/2\*c)^6+20\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+42\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-48\*cos(1/2\*d\*x+1/2\*c)^4+21\*cos(1/2\*d\*x+1/2\*c)^2-1)/a^2/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^3/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^2),x)

[Out] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*2/sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.331 \quad \int \frac{1}{(a+a \cos(c+dx))^2 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=200

$$-\frac{3 \sin(c+dx)}{a^2 d \sec^2(c+dx)(\sec(c+dx)+1)} + \frac{56 \sin(c+dx)}{15 a^2 d \sec^2(c+dx)} - \frac{5 \sin(c+dx)}{a^2 d \sqrt{\sec(c+dx)}} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{a^2 d}$$

[Out] 56/15\*sin(d\*x+c)/a^2/d/sec(d\*x+c)^(3/2)-3\*sin(d\*x+c)/a^2/d/sec(d\*x+c)^(3/2)/(1+sec(d\*x+c))-1/3\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*sec(d\*x+c))^2-5\*sin(d\*x+c)/a^2/d/sec(d\*x+c)^(1/2)+56/5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^2/d-5\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^2/d

**Rubi [A]** time = 0.28, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3817, 4020, 3787, 3769, 3771, 2639, 2641}

$$-\frac{3 \sin(c+dx)}{a^2 d \sec^2(c+dx)(\sec(c+dx)+1)} + \frac{56 \sin(c+dx)}{15 a^2 d \sec^2(c+dx)} - \frac{5 \sin(c+dx)}{a^2 d \sqrt{\sec(c+dx)}} - \frac{5 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}\right)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(9/2)),x]

[Out] (56\*sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(5\*a^2\*d) - (5\*sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(a^2\*d) + (56\*Sin[c + d\*x])/(15\*a^2\*d\*Sec[c + d\*x]^(3/2)) - (5\*Sin[c + d\*x])/(a^2\*d\*sqrt[Sec[c + d\*x]]) - (3\*Sin[c + d\*x])/(a^2\*d\*Sec[c + d\*x]^(3/2)\*(1 + Sec[c + d\*x])) - Sin[c + d\*x]/(3\*d\*Sec[c + d\*x]^(3/2)\*(a + a\*Sec[c + d\*x])^2)

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3817

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a\*(2\*m + n + 1) - b\*(m + n + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + a \cos(c + dx))^2 \sec^{\frac{9}{2}}(c + dx)} dx &= \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))^2} dx \\
 &= -\frac{\sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{11a}{2} + \frac{7}{2}a \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx}{3a^2} \\
 &= -\frac{3 \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{\sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= -\frac{3 \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} - \frac{\sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
 &= \frac{56 \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5 \sin(c + dx)}{a^2 d \sqrt{\sec(c + dx)}} - \frac{3 \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
 &= \frac{56 \sin(c + dx)}{15a^2 d \sec^{\frac{3}{2}}(c + dx)} - \frac{5 \sin(c + dx)}{a^2 d \sqrt{\sec(c + dx)}} - \frac{3 \sin(c + dx)}{a^2 d \sec^{\frac{3}{2}}(c + dx)(1 + \sec(c + dx))} \\
 &= \frac{56 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5a^2 d} - \frac{5 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5a^2 d}
 \end{aligned}$$

**Mathematica [C]** time = 1.84, size = 271, normalized size = 1.36

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} (\cos(dx) + i \sin(dx)) \left(-112ie^{-\frac{1}{2}i(c+dx)} \sqrt{1+e^{2i(c+dx)}} (1+e^{i(c+dx)})^3 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -E^{((2I)*(c+dx))}\right)\right) / (60*a^2*d*E^{(I*d*x)}*(1+\cos[c+d*x])^2)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(9/2)),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x]))\*((1344\*I)\*Cos[(c + d\*x)/2] + (1008\*I)\*Cos[(3\*(c + d\*x))/2] + (336\*I)\*Cos[(5\*(c + d\*x))/2] - 1200\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - (112\*I)\*(1 + E^(I\*(c + d\*x)))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^((I/2)\*(c + d\*x)) - 34\*Sin[(c + d\*x)/2] - 148\*Sin[(3\*(c + d\*x))/2] - 168\*Sin[(5\*(c + d\*x))/2] - 11\*Sin[(7\*(c + d\*x))/2] + 3\*Sin[(9\*(c + d\*x))/2]))/(60\*a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**fricas [F]** time = 1.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2) \sec(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral(1/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(9/2)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^2 \sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(9/2)), x)

**maple [A]** time = 0.67, size = 283, normalized size = 1.42

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) \left(96\left(\cos^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 352\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 120\left(\cos^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(9/2),x)

[Out] -1/30\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(96\*cos(1/2\*d\*x+1/2\*c)^10-352\*cos(1/2\*d\*x+1/2\*c)^8+120\*cos(1/2\*d\*x+1/2\*c)^6-150\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3-336\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^3\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+266\*cos(1/2\*d\*x+1/2\*c)^4-135\*cos(1/2\*d\*x+1/2\*c)^2+5)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(9/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{9/2} (a + a \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^2),x)

[Out] int(1/((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*2/sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out



$$3.332 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=221

$$\frac{13 \sin(c+dx) \sec^2(c+dx)}{6d(a^3 \sec(c+dx) + a^3)} + \frac{49 \sin(c+dx) \sqrt{\sec(c+dx)}}{10a^3d} - \frac{13 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d}$$

```
[Out] -1/5*sec(d*x+c)^(7/2)*sin(d*x+c)/d/(a+a*sec(d*x+c))^3-8/15*sec(d*x+c)^(5/2)
*sin(d*x+c)/a/d/(a+a*sec(d*x+c))^2-13/6*sec(d*x+c)^(3/2)*sin(d*x+c)/d/(a^3+
a^3*sec(d*x+c))+49/10*sin(d*x+c)*sec(d*x+c)^(1/2)/a^3/d-49/10*(cos(1/2*d*x+
1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*co
s(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a^3/d-13/6*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos
(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(
d*x+c)^(1/2)/a^3/d
```

**Rubi [A]** time = 0.37, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3816, 4019, 3787, 3771, 2641, 3768, 2639}

$$\frac{13 \sin(c+dx) \sec^2(c+dx)}{6d(a^3 \sec(c+dx) + a^3)} + \frac{49 \sin(c+dx) \sqrt{\sec(c+dx)}}{10a^3d} - \frac{13 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(3/2)/(a + a*Cos[c + d*x])^3,x]
```

```
[Out] (-49*sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]])/(10*a
^3*d) - (13*sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*sqrt[Sec[c + d*x]]
)/(6*a^3*d) + (49*sqrt[Sec[c + d*x]]*Sin[c + d*x])/(10*a^3*d) - (Sec[c + d*
x]^(7/2)*Sin[c + d*x])/(5*d*(a + a*Sec[c + d*x])^3) - (8*Sec[c + d*x]^(5/2)
*Sin[c + d*x])/(15*a*d*(a + a*Sec[c + d*x])^2) - (13*Sec[c + d*x]^(3/2)*Sin
[c + d*x])/(6*d*(a^3 + a^3*Sec[c + d*x]))
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 3238**

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.)^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(n_.)^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)
*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&
!IntegerQ[m] && IntegerQ[n, p]
```

**Rule 3768**

```
Int[(csc[(c_.) + (d_.)*(x_)])*(b_.)^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3816

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(2\*m + 1)), x] + Dist[d^2/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(b\*(n - 2) + a\*(m - n + 2)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 2] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m])

Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)}{(a+a\cos(c+dx))^3} dx &= \int \frac{\sec^9(c+dx)}{(a+a\sec(c+dx))^3} dx \\
&= -\frac{\sec^7(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{\int \frac{\sec^5(c+dx)\left(\frac{5a}{2}-\frac{11}{2}a\sec(c+dx)\right)}{(a+a\sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{\sec^7(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{8\sec^5(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{\int \frac{\sec^3(c+dx)\left(12a^2-\frac{41}{2}a^2\sec(c+dx)\right)}{a+a\sec(c+dx)} dx}{15a^4} \\
&= -\frac{\sec^7(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{8\sec^5(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{13\sec^3(c+dx)\sin(c+dx)}{6d(a^3+a^3\sec(c+dx))} \\
&= -\frac{\sec^7(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{8\sec^5(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} - \frac{13\sec^3(c+dx)\sin(c+dx)}{6d(a^3+a^3\sec(c+dx))} \\
&= \frac{49\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} - \frac{\sec^7(c+dx)\sin(c+dx)}{5d(a+a\sec(c+dx))^3} - \frac{8\sec^5(c+dx)\sin(c+dx)}{15ad(a+a\sec(c+dx))^2} \\
&= -\frac{13\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{6a^3d} + \frac{49\sqrt{\sec(c+dx)}\sin(c+dx)}{10a^3d} \\
&= -\frac{49\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{10a^3d} - \frac{13\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d}
\end{aligned}$$

**Mathematica [C]** time = 2.31, size = 363, normalized size = 1.64

$$2 \cos^6\left(\frac{1}{2}(c+dx)\right) \left( \frac{1}{32} \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( 1284 \cos\left(\frac{1}{2}(c-dx)\right) + 921 \cos\left(\frac{1}{2}(3c+dx)\right) + 1243 \cos\left(\frac{1}{2}(c+3dx)\right) + \dots \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^3,x]

[Out] (2\*Cos[(c + d\*x)/2]^6\*(((2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(147\*(1 + E^((2\*I)\*(c + d\*x))) + 147\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]) - 65\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) + ((1284\*Cos[(c - d\*x)/2] + 921\*Cos[(3\*c + d\*x)/2] + 1243\*Cos[(c + 3\*d\*x)/2] + 374\*Cos[(5\*c + 3\*d\*x)/2] + 670\*Cos[(3\*c + 5\*d\*x)/2] + 65\*Cos[(7\*c + 5\*d\*x)/2] + 147\*Cos[(5\*c + 7\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5\*Sqrt[Sec[c + d\*x]]/32)/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [F]** time = 1.08, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sec(dx+c)^3}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\text{integral}(\sec(dx + c)^{(3/2)} / (a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3), x)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^{3/2}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(dx+c)^{(3/2)} / (a+a*\cos(dx+c))^3, x, \text{algorithm}="giac")$

[Out]  $\text{integrate}(\sec(dx + c)^{(3/2)} / (a*\cos(dx + c) + a)^3, x)$

**maple** [B] time = 0.91, size = 555, normalized size = 2.51

$$\frac{-2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \left(65 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) - 147 \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(dx+c)^{(3/2)} / (a+a*\cos(dx+c))^3, x)$

[Out]  $-1/60*(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(65*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-147*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)+588*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^8-1634*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^6+1488*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-439*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(dx+c)^{(3/2)} / (a+a*\cos(dx+c))^3, x, \text{algorithm}="maxima")$

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((1/\cos(c + d*x))^{(3/2)} / (a + a*\cos(c + d*x))^3, x)$

```
[Out] int((1/cos(c + d*x))^(3/2)/(a + a*cos(c + d*x))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.333 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=195

$$-\frac{9 \sin(c+dx) \sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{2a^3d} + \frac{9\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3d}$$

[Out]  $-1/5*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{-3}-2/5*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\sec(d*x+c))^{-2}-9/10*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))+9/10*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

**Rubi [A]** time = 0.36, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3816, 4019, 3787, 3771, 2639, 2641}

$$-\frac{9 \sin(c+dx) \sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx) + a^3)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{2a^3d} + \frac{9\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^3, x]

[Out]  $(9*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*a^3*d) - (\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - (2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*a*d*(a + a*\text{Sec}[c + d*x])^2) - (9*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(10*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3816

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_))* (d_.)^{(n_)} * (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)]^{(m_)}, x\_Symbol] := -\text{Simp}[(d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 2)})/(f*(2*m + 1)), x] + \text{Dist}[d^2/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*(b*(n - 2) + a*(m - n + 2)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 2] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m])$

### Rule 4019

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_))* (d_.)^{(n_)} * (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)]^{(m_)} * (\text{csc}[e_.] + (f_.)*(x_))* (B_.) + (A_)), x\_Symbol] := \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^3} dx &= \int \frac{\sec^{\frac{7}{2}}(c + dx)}{(a + a \sec(c + dx))^3} dx \\ &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{\sec^{\frac{3}{2}}(c + dx) \left(\frac{3a}{2} - \frac{9}{2}a \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} - \frac{\int \frac{\sqrt{\sec(c + dx)} \left(3a^2 - \frac{21}{2}a^2 \sec(c + dx)\right)}{a + a \sec(c + dx)} dx}{15a^4} \\ &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} - \frac{9\sqrt{\sec(c + dx)} \sin(c + dx)}{10d(a^3 + a^3 \sec(c + dx))} \\ &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} - \frac{9\sqrt{\sec(c + dx)} \sin(c + dx)}{10d(a^3 + a^3 \sec(c + dx))} \\ &= -\frac{\sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} - \frac{9\sqrt{\sec(c + dx)} \sin(c + dx)}{10d(a^3 + a^3 \sec(c + dx))} \\ &= \frac{9\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{2a^3d} \end{aligned}$$

**Mathematica [C]** time = 2.35, size = 274, normalized size = 1.41

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(-3ie^{-2i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} (1 + e^{i(c+dx)})\right)}{10a^3d + 2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^3,x]

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(((-3*I)*(1 + E^(I*(c + d*x)))^5*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^((2*I)*(c + d*x)) + 160*Cos[(c + d*x)/2]^5*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + (2*I)*(34 + 69*Cos[c + d*x] + 34*Cos[2*(c + d*x)] + 7*Cos[3*(c + d*x)] + (2*I)*Sin[c + d*x] + (6*I)*Sin[2*(c + d*x)] + (2*I)*Sin[3*(c + d*x)]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(40*a^3*d*E^(I*d*x)*(1 + Cos[c + d*x])^3)
```

**fricas** [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\sec(dx+c)}}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral(sqrt(sec(d*x + c))/(a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^3, x)
```

**maple** [A] time = 0.56, size = 268, normalized size = 1.37

$$\frac{\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(36\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}{20a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x)
```

```
[Out] 1/20*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(36*cos(1/2*d*x+1/2*c)^8-10*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2))*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+18*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*cos(1/2*d*x+1/2*c)^5*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-46*cos(1/2*d*x+1/2*c)^6+8*cos(1/2*d*x+1/2*c)^4+cos(1/2*d*x+1/2*c)^2+1/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^3, x)
```



**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^3, x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c+dx)}}{\frac{\cos^3(c+dx)+3\cos^2(c+dx)+3\cos(c+dx)+1}{a^3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*3, x)

[Out] Integral(sqrt(sec(c + d\*x))/(cos(c + d\*x)\*\*3 + 3\*cos(c + d\*x)\*\*2 + 3\*cos(c + d\*x) + 1), x)/a\*\*3

$$3.334 \quad \int \frac{1}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=195

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

[Out]  $-1/5*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{-3-4/15}*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\sec(d*x+c))^{-2+1/6}*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))+1/10*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/6*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

**Rubi [A]** time = 0.35, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3816, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3d} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

Antiderivative was successfully verified.

[In] `Int[1/((a + a*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]), x]`

[Out]  $(\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - (4*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) + (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(6*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.))^(p_.), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

#### Rule 3787

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[`

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3816

$\text{Int}[(\text{csc}[e\_.] + (f\_.)*(x\_)]*(d\_.)^{(n\_)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(b\_.) + (a\_.)^{(m\_)}, x\_Symbol] := -\text{Simp}[(d^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 2)})/(f*(2*m + 1)), x] + \text{Dist}[d^2/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 2)}*(b*(n - 2) + a*(m - n + 2)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 2] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m])$

### Rule 4019

$\text{Int}[(\text{csc}[e\_.] + (f\_.)*(x\_)]*(d\_.)^{(n\_)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(b\_.) + (a\_.)^{(m\_)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(B\_.) + (A\_.)], x\_Symbol] := \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

### Rule 4020

$\text{Int}[(\text{csc}[e\_.] + (f\_.)*(x\_)]*(d\_.)^{(n\_)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(b\_.) + (a\_.)^{(m\_)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(B\_.) + (A\_.)], x\_Symbol] := -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n]/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)}{(a + a \sec(c + dx))^3} dx \\ &= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{\sqrt{\sec(c + dx)} \left(\frac{a}{2} - \frac{7}{2}a \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{-2a^2}{\sqrt{\sec(c + dx)}} dx}{6d(a^3 + a^2 \sec(c + dx))} \\ &= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{6d(a^3 + a^2 \sec(c + dx))} \\ &= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{6d(a^3 + a^2 \sec(c + dx))} \\ &= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{4\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{6d(a^3 + a^2 \sec(c + dx))} \\ &= \frac{\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6d(a^3 + a^2 \sec(c + dx))} \end{aligned}$$

**Mathematica** [C] time = 2.09, size = 363, normalized size = 1.86

$$2 \cos^6\left(\frac{1}{2}(c + dx)\right) \left( -\frac{1}{32} \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( 36 \cos\left(\frac{1}{2}(c - dx)\right) + 9 \cos\left(\frac{1}{2}(3c + dx)\right) + 7 \cos\left(\frac{1}{2}(c + 3dx)\right) + 26 \cos\left(\frac{1}{2}(c + dx)\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]),x]
[Out] (2*Cos[(c + d*x)/2]^6*((2*I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*(3*(1 + E^((2*I)*(c + d*x))) + 3*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2*I)*(c + d*x))] - 5*E^(I*(c + d*x))*(-1 + E^((2*I)*c))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2*I)*(c + d*x))]))/(E^(I*(c + d*x))*(-1 + E^((2*I)*c))) - ((36*Cos[(c - d*x)/2] + 9*Cos[(3*c + d*x)/2] + 7*Cos[(c + 3*d*x)/2] + 26*Cos[(5*c + 3*d*x)/2] + 10*Cos[(3*c + 5*d*x)/2] + 5*Cos[(7*c + 5*d*x)/2] + 3*Cos[(5*c + 7*d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2]^5*Sqrt[Sec[c + d*x]]/32)/(15*a^3*d*(1 + Cos[c + d*x])^3)
```

**fricas** [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="fricas")
[Out] integral(1/((a^3*cos(d*x + c)^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3)*sqrt(sec(d*x + c))), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x, algorithm="giac")
[Out] integrate(1/((a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c))), x)
```

**maple** [A] time = 0.63, size = 270, normalized size = 1.38

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(12 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 10 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \right) + 1} \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)$$

60a<sup>3</sup>

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+a*cos(d*x+c))^3/sec(d*x+c)^(1/2),x)
[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(12*cos(1/2*d*x+1/2*c)^8-10*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2))*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+6*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*cos(1/2*d*x+1/2*c)^5*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-22*cos(1/2*d*x+1/2*c)^6+6*cos(1/2*d*x+1/2*c)^4+7*cos(1/2*d*x+1/2*c)^2-3/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^2)
```

$\frac{1}{2}c)^4 + \sin(\frac{1}{2}d*x + \frac{1}{2}c)^2)^{1/2} / \sin(\frac{1}{2}d*x + \frac{1}{2}c) / (2*\cos(\frac{1}{2}d*x + \frac{1}{2}c)^2 - 1)^{1/2} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{\cos^3(c+dx)\sqrt{\sec(c+dx)} + 3\cos^2(c+dx)\sqrt{\sec(c+dx)} + 3\cos(c+dx)\sqrt{\sec(c+dx)} + \sqrt{\sec(c+dx)}} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral(1/(cos(c + d\*x)\*\*3\*sqrt(sec(c + d\*x)) + 3\*cos(c + d\*x)\*\*2\*sqrt(sec(c + d\*x)) + 3\*cos(c + d\*x)\*sqrt(sec(c + d\*x)) + sqrt(sec(c + d\*x))), x)/a\*\*3

$$3.335 \quad \int \frac{1}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=195

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx)+a^3)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

[Out] 1/5\*sec(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(a+a\*sec(d\*x+c))^3-1/15\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/a/d/(a+a\*sec(d\*x+c))^2+1/6\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/d/(a^3+a^3\*sec(d\*x+c))-1/10\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^3/d+1/6\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^3/d

**Rubi [A]** time = 0.35, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3815, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx)+a^3)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2)),x]

[Out] -(Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + (Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(6\*a^3\*d) + (Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Sec[c + d\*x])^3) - (Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Sec[c + d\*x])^2) + (Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a^3 + a^3\*Sec[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

#### Rule 3815

$\text{Int}[(\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (d_{\_})]^{(n_{\_})} \cdot (\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (b_{\_}) + (a_{\_})]^{(m_{\_})}, x\_Symbol] := \text{Simp}[(b \cdot d \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)}) / (a \cdot f \cdot (2 \cdot m + 1)), x] - \text{Dist}[d / (a \cdot b \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m + 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)} \cdot (a \cdot (n - 1) - b \cdot (m + n) \cdot \text{Csc}[e + f \cdot x])], x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{LtQ}[1, n, 2] \ \&\& \ (\text{IntegersQ}[2 \cdot m, 2 \cdot n] \ || \ \text{IntegerQ}[m])$

#### Rule 4019

$\text{Int}[(\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (d_{\_})]^{(n_{\_})} \cdot (\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (b_{\_}) + (a_{\_})]^{(m_{\_})} \cdot (\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (B_{\_}) + (A_{\_})], x\_Symbol] := \text{Simp}[(d \cdot (A \cdot b - a \cdot B) \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)}) / (a \cdot f \cdot (2 \cdot m + 1)), x] - \text{Dist}[1 / (a \cdot b \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m + 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^{(n - 1)} \cdot \text{Simp}[A \cdot (a \cdot d \cdot (n - 1)) - B \cdot (b \cdot d \cdot (n - 1)) - d \cdot (a \cdot B \cdot (m - n + 1) + A \cdot b \cdot (m + n)) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4020

$\text{Int}[(\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (d_{\_})]^{(n_{\_})} \cdot (\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (b_{\_}) + (a_{\_})]^{(m_{\_})} \cdot (\text{csc}[e_{\_}] + (f_{\_}) \cdot (x_{\_})) \cdot (B_{\_}) + (A_{\_})], x\_Symbol] := -\text{Simp}[(A \cdot b - a \cdot B) \cdot \text{Cot}[e + f \cdot x] \cdot (a + b \cdot \text{Csc}[e + f \cdot x])^m \cdot (d \cdot \text{Csc}[e + f \cdot x])^n] / (b \cdot f \cdot (2 \cdot m + 1)), x] - \text{Dist}[1 / (a^2 \cdot (2 \cdot m + 1)), \text{Int}[(a + b \cdot \text{Csc}[e + f \cdot x])^{(m + 1)} \cdot (d \cdot \text{Csc}[e + f \cdot x])^n \cdot \text{Simp}[b \cdot B \cdot n - a \cdot A \cdot (2 \cdot m + n + 1) + (A \cdot b - a \cdot B) \cdot (m + n + 1) \cdot \text{Csc}[e + f \cdot x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \ \&\& \ \text{NeQ}[A \cdot b - a \cdot B, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ !\text{GtQ}[n, 0]$

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(a + a \sec(c + dx))^3} dx \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sqrt{\sec(c+dx)} \left(\frac{a}{2} + \frac{3}{2}a \sec(c+dx)\right)}{(a+a \sec(c+dx))^2} dx \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\frac{a^2}{2} + 3a^2 \sec(c + dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a^3 + a^3 \sec^2(c + dx))} \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a^3 + a^3 \sec^2(c + dx))} \\
&= \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a^3 + a^3 \sec^2(c + dx))} \\
&= -\frac{\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3}
\end{aligned}$$

**Mathematica [C]** time = 2.00, size = 363, normalized size = 1.86

$$2 \cos^6\left(\frac{1}{2}(c + dx)\right) \left( \frac{1}{32} \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( 36 \cos\left(\frac{1}{2}(c - dx)\right) + 9 \cos\left(\frac{1}{2}(3c + dx)\right) + 17 \cos\left(\frac{1}{2}(c + 3dx)\right) + 16 \cos\left(\frac{1}{2}(c + dx)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2)),x]

[Out] (2\*Cos[(c + d\*x)/2]^6\*(((-2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(3\*(1 + E^((2\*I)\*(c + d\*x)))) + 3\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))]] + 5\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) + ((36\*Cos[(c - d\*x)/2] + 9\*Cos[(3\*c + d\*x)/2] + 17\*Cos[(c + 3\*d\*x)/2] + 16\*Cos[(5\*c + 3\*d\*x)/2] + 20\*Cos[(3\*c + 5\*d\*x)/2] - 5\*Cos[(7\*c + 5\*d\*x)/2] + 3\*Cos[(5\*c + 7\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5\*Sqrt[Sec[c + d\*x]]/32)/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas [F]** time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(1/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2)), x)



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.64, size = 270, normalized size = 1.38

$$\sqrt{2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 12 \left( \cos^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 10 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x)

[Out]  $-1/60 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (12 * \cos(1/2 * d * x + 1/2 * c) ^ 8 + 10 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(1/2 * d * x + 1/2 * c) ^ 5 + 6 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) ^ 5 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 2 * \cos(1/2 * d * x + 1/2 * c) ^ 6 - 24 * \cos(1/2 * d * x + 1/2 * c) ^ 4 + 17 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 3) / a ^ 3 / \cos(1/2 * d * x + 1/2 * c) ^ 5 / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^3/2)\*(a + a\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^3/2)\*(a + a\*cos(c + d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.336 \quad \int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=195

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{2d(a^3 \sec(c+dx)+a^3)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{9\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

[Out]  $-1/5*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\sec(d*x+c))^{3+2/5}*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\sec(d*x+c))^{2+1/2}*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a^3+a^3*\sec(d*x+c))-9/10*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d+1/2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/d$

**Rubi [A]** time = 0.36, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3817, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{2d(a^3 \sec(c+dx)+a^3)} + \frac{\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} - \frac{9\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{10a^3d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(-9*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*a^3*d) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) + (2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*a*d*(a + a*\text{Sec}[c + d*x])^2) + (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3817

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] := -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m)}*(d*\text{Csc}[e + f*x])^{(n)})/(f*(2*m + 1)), x] + \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n)}*(a*(2*m + n + 1) - b*(m + n + 1)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m])$

Rule 4019

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] := \text{Simp}[(d*(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m)}*(d*\text{Csc}[e + f*x])^{(n - 1)})/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m - n + 1) + A*b*(m + n))*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0]$

Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] := -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m)}*(d*\text{Csc}[e + f*x])^{(n)})/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^{(n)}*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}}{(a + a \sec(c + dx))^3} dx \\ &= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{\sqrt{\sec(c + dx)} \left(-\frac{9a}{2} + \frac{3}{2}a \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} - \frac{\int \frac{3a^2}{\sqrt{\sec(c + dx)}} dx}{5a^2} \\ &= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{2d(a^3 + a^2)} \\ &= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{2d(a^3 + a^2)} \\ &= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{5ad(a + a \sec(c + dx))^2} + \frac{\sqrt{\sec(c + dx)}}{2d(a^3 + a^2)} \\ &= -\frac{9\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} + \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{\sqrt{\sec(c + dx)}}{2d(a^3 + a^2)} \end{aligned}$$

**Mathematica** [C] time = 3.04, size = 272, normalized size = 1.39

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(i\left(3e^{-2i(c+dx)} \sqrt{1+e^{2i(c+dx)}} (1+e^{i(c+dx)})\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2)),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(160\*Cos[(c + d\*x)/2]^5\*Sqrt[Cos[c + d\*x]])\*EllipticF[(c + d\*x)/2, 2]\*(Cos[(c + d\*x)/2] - I\*Sin[(c + d\*x)/2]) + I\*(-68 - 128\*Cos[c + d\*x] - 68\*Cos[2\*(c + d\*x)] - 24\*Cos[3\*(c + d\*x)] + (3\*(1 + E^(I\*(c + d\*x)))^5\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^((2\*I)\*(c + d\*x)) + (6\*I)\*Sin[c + d\*x] + (8\*I)\*Sin[2\*(c + d\*x)] + (6\*I)\*Sin[3\*(c + d\*x)]\*(Cos[(c + 3\*d\*x)/2] + I\*Sin[(c + 3\*d\*x)/2]))/(40\*a^3\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^3)

**fricas** [F] time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3) \sec(dx+c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(1/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^3 \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.66, size = 270, normalized size = 1.38

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(36\left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 10\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x)

[Out] -1/20\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(36\*cos(1/2\*d\*x+1/2\*c)^8+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2))\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+18\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-66\*cos(1/2\*d\*x+1/2\*c)^6+38\*cos(1/2\*d\*x+1/2\*c)^4-9\*cos(1/2\*d\*x+1/2\*c)^2+1/a^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^5/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.337 \quad \int \frac{1}{(a+a \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=195

$$-\frac{13 \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{13 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{49 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3 d}$$

[Out]  $-1/5 * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / d / (a+a*\sec(d*x+c))^{3-8/15} * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / a / d / (a+a*\sec(d*x+c))^{2-13/6} * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / d / (a^3+a^3*\sec(d*x+c))+49/10 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^3/d - 13/6 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^3/d$

**Rubi [A]** time = 0.36, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3817, 4020, 3787, 3771, 2639, 2641}

$$-\frac{13 \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} - \frac{13 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{49 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{10a^3 d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2)), x]

[Out]  $(49*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(10*a^3*d) - (13*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(6*a^3*d) - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Sec}[c + d*x])^3) - (8*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Sec}[c + d*x])^2) - (13*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(6*d*(a^3 + a^3*\text{Sec}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)]^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

**Rule 3787**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3817

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] := -\text{Simp}[(\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(f*(2*m + 1)), x] + \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*(a*(2*m + n + 1) - b*(m + n + 1)*\text{Csc}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m])$

### Rule 4020

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] := -\text{Simp}[(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^n)/(b*f*(2*m + 1)), x] - \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*\text{Csc}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{1}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3} dx \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{\int \frac{-\frac{11a}{2} + \frac{5}{2}a \sec(c + dx)}{\sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2} dx}{5a^2} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{8\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{\int \frac{\frac{41a}{2}}{\sqrt{\sec(c + dx)}} dx}{6d(a^3)} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{8\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{13\sqrt{\sec(c + dx)}}{6d(a^3)} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{8\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{13\sqrt{\sec(c + dx)}}{6d(a^3)} \\ &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{8\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{13\sqrt{\sec(c + dx)}}{6d(a^3)} \\ &= \frac{49\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{13\sqrt{\cos(c + dx)}}{6d(a^3)} \end{aligned}$$

**Mathematica [C]** time = 2.15, size = 378, normalized size = 1.94

$$2 \cos^6\left(\frac{1}{2}(c + dx)\right) \left( -\frac{1}{32} \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( 1134 \cos\left(\frac{1}{2}(c - dx)\right) + 1071 \cos\left(\frac{1}{2}(3c + dx)\right) + 923 \cos\left(\frac{1}{2}(c + 3dx)\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2)),x]

[Out] (2\*Cos[(c + d\*x)/2]^6\*((2\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(147\*(1 + E^((2\*I)\*(c + d\*x))) + 147\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + 65\*E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))])/(E^(I\*(c + d\*x))\*(-1 + E^((2\*I)\*c))) - ((1134\*Cos[(c - d\*x)/2] + 1071\*Cos[(3\*c + d\*x)/2] + 923\*Cos[(c + 3\*d\*x)/2] + 694\*Cos[(5\*c + 3\*d\*x)/2] + 470\*Cos[(3\*c + 5\*d\*x)/2] + 265\*Cos[(7\*c + 5\*d\*x)/2] + 117\*Cos[(5\*c + 7\*d\*x)/2] + 30\*Cos[(9\*c + 7\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5\*Sqrt[Sec[c + d\*x]]/32)/(15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**fricas** [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{1}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral(1/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(7/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2)), x)

**maple** [A] time = 0.89, size = 270, normalized size = 1.38

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(348 \left(\cos^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 130 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\right) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x)

[Out] 1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(348\*cos(1/2\*d\*x+1/2\*c)^8+130\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+294\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-578\*cos(1/2\*d\*x+1/2\*c)^6+264\*cos(1/2\*d\*x+1/2\*c)^4-37\*cos(1/2\*d\*x+1/2\*c)^2+3)/a^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^5/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.338 \quad \int \frac{1}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=221

$$\frac{11 \sin(c+dx)}{2a^3 d \sqrt{\sec(c+dx)}} - \frac{119 \sin(c+dx)}{30d \sqrt{\sec(c+dx)} (a^3 \sec(c+dx) + a^3)} + \frac{11 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{2a^3 d} - 119$$

[Out] 11/2\*sin(d\*x+c)/a^3/d/sec(d\*x+c)^(1/2)-1/5\*sin(d\*x+c)/d/(a+a\*sec(d\*x+c))^3/sec(d\*x+c)^(1/2)-2/3\*sin(d\*x+c)/a/d/(a+a\*sec(d\*x+c))^2/sec(d\*x+c)^(1/2)-119/30\*sin(d\*x+c)/d/(a^3+a^3\*sec(d\*x+c))/sec(d\*x+c)^(1/2)-119/10\*(cos(1/2\*d\*x+1/2\*c))^2^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^3/d+11/2\*(cos(1/2\*d\*x+1/2\*c))^2^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^3/d

**Rubi [A]** time = 0.38, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3817, 4020, 3787, 3769, 3771, 2641, 2639}

$$\frac{11 \sin(c+dx)}{2a^3 d \sqrt{\sec(c+dx)}} - \frac{119 \sin(c+dx)}{30d \sqrt{\sec(c+dx)} (a^3 \sec(c+dx) + a^3)} + \frac{11 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{2a^3 d} - 119$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(9/2)),x]

[Out] (-119\*sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + (11\*sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*sqrt[Sec[c + d\*x]])/(2\*a^3\*d) + (11\*Sin[c + d\*x])/(2\*a^3\*d\*sqrt[Sec[c + d\*x]]) - Sin[c + d\*x]/(5\*d\*sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^3) - (2\*Sin[c + d\*x])/(3\*a\*d\*sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^2) - (119\*Sin[c + d\*x])/(30\*d\*sqrt[Sec[c + d\*x]]\*(a^3 + a^3\*Sec[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x]^(n + 1)))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3817

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a\*(2\*m + n + 1) - b\*(m + n + 1)\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && EqQ[a^2 - b^2, 0] && LtQ[m, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m])

Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[((A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{1}{\sec^2(c + dx)(a + a \sec(c + dx))^3} dx \\
&= -\frac{\sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{\int \frac{-\frac{13a}{2} + \frac{7}{2}a \sec(c + dx)}{\sec^2(c + dx)(a + a \sec(c + dx))^2} dx}{5a^2} \\
&= -\frac{\sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} \\
&= -\frac{11 \sin(c + dx)}{2a^3 d \sqrt{\sec(c + dx)}} - \frac{\sin(c + dx)}{5d\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} - \frac{2 \sin(c + dx)}{3ad\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} \\
&= -\frac{119\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} + \frac{11 \sin(c + dx)}{2a^3 d \sqrt{\sec(c + dx)}} \\
&= -\frac{119\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} + \frac{11\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3 d}
\end{aligned}$$

**Mathematica** [C] time = 2.32, size = 285, normalized size = 1.29

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left(119ie^{-\frac{3}{2}i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} (1 + e^{i(c+dx)})^5 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{i(c+dx)}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(9/2)),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x]))\*((-5355\*I)\*Cos[(c + d\*x)/2] - (3927\*I)\*Cos[(3\*(c + d\*x))/2] - (1785\*I)\*Cos[(5\*(c + d\*x))/2] - (357\*I)\*Cos[(7\*(c + d\*x))/2] + 5280\*Cos[(c + d\*x)/2]^5\*Sqrt[Cos[c + d\*x]])\*EllipticF[(c + d\*x)/2, 2] + ((119\*I)\*(1 + E^(I\*(c + d\*x)))^5\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(((3\*I)/2)\*(c + d\*x)) + 193\*Sin[(c + d\*x)/2] + 579\*Sin[(3\*(c + d\*x))/2] + 555\*Sin[(5\*(c + d\*x))/2] + 227\*Sin[(7\*(c + d\*x))/2] + 10\*Sin[(9\*(c + d\*x))/2]))/(120\*a^3\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^3)

**fricas** [F] time = 1.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral(1/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(9/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2)), x)

**maple** [A] time = 0.78, size = 283, normalized size = 1.28

$$\sqrt{2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \left( 160 \left( \cos^{10} \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 468 \left( \cos^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 330 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(9/2),x)

[Out] -1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(160\*cos(1/2\*d\*x+1/2\*c)^10+468\*cos(1/2\*d\*x+1/2\*c)^8+330\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+714\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^5\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-1058\*cos(1/2\*d\*x+1/2\*c)^6+474\*cos(1/2\*d\*x+1/2\*c)^4-47\*cos(1/2\*d\*x+1/2\*c)^2+3)/a^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)^5/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left( \frac{1}{\cos(c+dx)} \right)^{9/2} (a + a \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^9/2)\*(a + a\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^9/2)\*(a + a\*cos(c + d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.339 $\int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=153

$$\frac{2a \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{12a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{32a \sin(c + dx) \sqrt{\sec(c + dx)}}{35d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $16/35*a*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+12/35*a*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+32/35*a*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.28, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2772, 2771}

$$\frac{2a \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{12a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{32a \sin(c + dx) \sqrt{\sec(c + dx)}}{35d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2), x]

[Out]  $(32*a*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(35*d*Sqrt[a + a*Cos[c + d*x]]) + (16*a*Sec[c + d*x]^{(3/2)}*Sin[c + d*x])/(35*d*Sqrt[a + a*Cos[c + d*x]]) + (12*a*Sec[c + d*x]^{(5/2)}*Sin[c + d*x])/(35*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*Sec[c + d*x]^{(7/2)}*Sin[c + d*x])/(7*d*Sqrt[a + a*Cos[c + d*x]])$

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} \sec^{\frac{9}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2a \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7} \left( 6\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{12a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{35} \left( 24\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{16a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{12a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{35} \left( 16\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{32a\sqrt{\sec(c + dx)} \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{16a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{12a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 71, normalized size = 0.46

$$\frac{2(18 \cos(c + dx) + 4 \cos(2(c + dx)) + 4 \cos(3(c + dx)) + 9) \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{7}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{35d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(9 + 18\*Cos[c + d\*x] + 4\*Cos[2\*(c + d\*x)] + 4\*Cos[3\*(c + d\*x)])\*Sec[c + d\*x]^(7/2)\*Tan[(c + d\*x)/2])/(35\*d)

**fricas [A]** time = 0.98, size = 81, normalized size = 0.53

$$\frac{2\left(16 \cos(dx + c)^3 + 8 \cos(dx + c)^2 + 6 \cos(dx + c) + 5\right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{35\left(d \cos(dx + c)^4 + d \cos(dx + c)^3\right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(9/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/35\*(16\*cos(d\*x + c)^3 + 8\*cos(d\*x + c)^2 + 6\*cos(d\*x + c) + 5)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)\*sqrt(cos(d\*x + c)))

**giac [A]** time = 1.16, size = 143, normalized size = 0.93

$$\frac{4\sqrt{2}\left(\left(\left(\left(7\left(5\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 10\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 267\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 3684\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1869\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 - 350\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 35\right)\sqrt{a}\operatorname{sgn}(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right))\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)}{\left(\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1\right)^{\frac{7}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(9/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 4/35\*sqrt(2)\*(((7\*(5\*(tan(1/4\*d\*x + 1/4\*c)^2 - 10)\*tan(1/4\*d\*x + 1/4\*c)^2 + 267)\*tan(1/4\*d\*x + 1/4\*c)^2 - 3684)\*tan(1/4\*d\*x + 1/4\*c)^2 + 1869)\*tan(1/4\*d\*x + 1/4\*c)^2 - 350)\*tan(1/4\*d\*x + 1/4\*c)^2 + 35)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(7/2)\*d)

**maple [A]** time = 0.22, size = 82, normalized size = 0.54

$$\frac{2 \left( 16 \left( \cos^4(dx+c) \right) - 8 \left( \cos^3(dx+c) \right) - 2 \left( \cos^2(dx+c) \right) - \cos(dx+c) - 5 \right) \cos(dx+c) \left( \frac{1}{\cos(dx+c)} \right)^{\frac{9}{2}} \sqrt{a(1 + \dots)}}{35d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(9/2)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -2/35/d\*(16\*cos(d\*x+c)^4-8\*cos(d\*x+c)^3-2\*cos(d\*x+c)^2-cos(d\*x+c)-5)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(9/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**maxima [B]** time = 1.02, size = 283, normalized size = 1.85

$$\frac{2 \left( \frac{35 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{70 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{84 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{58 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{9 \sqrt{2} \sqrt{a} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)}{35 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{\sin(dx+c)^8}{(\cos(dx+c)+1)^8} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(9/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 2/35\*(35\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 70\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 84\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 58\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 9\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^4/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(4\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 6\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 4\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + sin(d\*x + c)^8/(cos(d\*x + c) + 1)^8 + 1))

**mupad [B]** time = 5.19, size = 163, normalized size = 1.07

$$\frac{14 \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) \sqrt{a + a \cos(c + dx)} \sqrt{\frac{2e^{c1i+dx1i}}{e^{c2i+dx2i}+1}} + 4 \sin\left(\frac{7c}{2} + \frac{7dx}{2}\right) \sqrt{a + a \cos(c + dx)} \sqrt{\frac{2e^{c1i+dx1i}}{e^{c2i+dx2i}+1}}}{\frac{105d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{105d \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{8} + \frac{35d \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{8} + \frac{35d \cos\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{8}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (14\*sin((3\*c)/2 + (3\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2) + 4\*sin((7\*c)/2 + (7\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2))/((105\*d\*cos(c/2 + (d\*x)/2))/8 + (105\*d\*cos((3\*c)/2 + (3\*d\*x)/2))/8 + (35\*d\*cos((5\*c)/2 + (5\*d\*x)/2))/8 + (35\*d\*cos((7\*c)/2 + (7\*d\*x)/2))/8)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(9/2)\*(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out



### 3.340 $\int \sqrt{a + a \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=115

$$\frac{2a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{8a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $8/15*a*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/5*a*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+16/15*a*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.22, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2772, 2771}

$$\frac{2a \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{8a \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{16a \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(7/2), x]`

[Out]  $(16*a*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (8*a*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 2771

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rule 2772

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

#### Rule 4222

`Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]`

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + a \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \left( 4\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{8a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{15} \left( 8\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{16a\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{8a \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 61, normalized size = 0.53

$$\frac{2(4 \cos(c + dx) + 4 \cos(2(c + dx)) + 7) \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(7 + 4\*Cos[c + d\*x] + 4\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^(5/2)\*Tan[(c + d\*x)/2])/(15\*d)

**fricas [A]** time = 1.03, size = 71, normalized size = 0.62

$$\frac{2\sqrt{a \cos(dx + c) + a} (8 \cos(dx + c)^2 + 4 \cos(dx + c) + 3) \sin(dx + c)}{15(d \cos(dx + c)^3 + d \cos(dx + c)^2) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/15\*sqrt(a\*cos(d\*x + c) + a)\*(8\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 3)\*sin(d\*x + c)/((d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)))

**giac [A]** time = 0.59, size = 116, normalized size = 1.01

$$\frac{4\sqrt{2} \left( \left( \left( 5 \left( 3 \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 - 20 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 282 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 - 100 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 15 \right) \sqrt{a}}{15 \left( \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^4 - 6 \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 1 \right)^{\frac{5}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 4/15\*sqrt(2)\*(((5\*(3\*tan(1/4\*d\*x + 1/4\*c)^2 - 20)\*tan(1/4\*d\*x + 1/4\*c)^2 + 282)\*tan(1/4\*d\*x + 1/4\*c)^2 - 100)\*tan(1/4\*d\*x + 1/4\*c)^2 + 15)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(5/2)\*d)

**maple [A]** time = 0.21, size = 72, normalized size = 0.63

$$\frac{2 \left( \cos^3(dx + c) - 4 \left( \cos^2(dx + c) \right) - \cos(dx + c) - 3 \right) \cos(dx + c) \left( \frac{1}{\cos(dx + c)} \right)^{\frac{7}{2}} \sqrt{a(1 + \cos(dx + c))}}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $-2/15/d*(8*\cos(d*x+c)^3-4*\cos(d*x+c)^2-\cos(d*x+c)-3)*\cos(d*x+c)*(1/\cos(d*x+c))^{7/2}*(a*(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)$

**maxima** [B] time = 0.98, size = 237, normalized size = 2.06

$$\frac{2 \left( \frac{15 \sqrt{2} \sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{25 \sqrt{2} \sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17 \sqrt{2} \sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{7 \sqrt{2} \sqrt{a} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^3}{15 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out]  $2/15*(15*\sqrt{2}*\sqrt{a}*\sin(d*x+c)/(\cos(d*x+c)+1) - 25*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 17*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5 - 7*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7)*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^3/(d*(\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{7/2}*(-\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{7/2}*(3*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 3*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + \sin(d*x+c)^6/(\cos(d*x+c)+1)^6 + 1))$

**mupad** [B] time = 1.84, size = 134, normalized size = 1.17

$$\frac{8 \sqrt{a (\cos(c + dx) + 1)} \sqrt{\frac{1}{\cos(c + dx)}} (7 \sin(c + dx) + 4 \sin(2c + 2dx) + 9 \sin(3c + 3dx) + 2 \sin(4c + 4dx))}{15 d (10 \cos(c + dx) + 8 \cos(2c + 2dx) + 5 \cos(3c + 3dx) + 2 \cos(4c + 4dx) + \cos(5c + 5dx) + 6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c+d*x))^(7/2)*(a+a*cos(c+d*x))^(1/2),x)`

[Out]  $(8*(a*(\cos(c+d*x)+1))^{1/2}*(1/\cos(c+d*x))^{7/2}*(7*\sin(c+d*x)+4*\sin(2*c+2*d*x)+9*\sin(3*c+3*d*x)+2*\sin(4*c+4*d*x)+2*\sin(5*c+5*d*x)))/(15*d*(10*\cos(c+d*x)+8*\cos(2*c+2*d*x)+5*\cos(3*c+3*d*x)+2*\cos(4*c+4*d*x)+\cos(5*c+5*d*x)+6))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(7/2)*(a+a*cos(d*x+c))^(1/2),x)`

[Out] Timed out

### 3.341 $\int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=77

$$\frac{2a \sin(c + dx) \sec^3(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{4a \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $2/3*a*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+4/3*a*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.16, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2772, 2771}

$$\frac{2a \sin(c + dx) \sec^3(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{4a \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2), x]`

[Out]  $(4*a*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 2771

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rule 2772

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

#### Rule 4222

`Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]`

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx \\ &= \frac{2a \sec^3(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{3} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^2(c + dx)} dx \\ &= \frac{4a\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a \sec^3(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 51, normalized size = 0.66

$$\frac{2(2 \cos(c + dx) + 1) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(1 + 2\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)\*Tan[(c + d\*x)/2])/(3\*d)

**fricas [A]** time = 0.79, size = 59, normalized size = 0.77

$$\frac{2 \sqrt{a \cos(dx + c) + a} (2 \cos(dx + c) + 1) \sin(dx + c)}{3 \left( d \cos(dx + c)^2 + d \cos(dx + c) \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] 2/3\*sqrt(a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c) + 1)\*sin(d\*x + c)/((d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))\*sqrt(cos(d\*x + c)))

**giac [A]** time = 0.62, size = 87, normalized size = 1.13

$$\frac{4 \sqrt{2} \left( \left( 3 \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 - 10 \right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 3 \right) \sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)}{3 \left( \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^4 - 6 \tan\left(\frac{1}{4} dx + \frac{1}{4} c\right)^2 + 1 \right)^{\frac{3}{2}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] 4/3\*sqrt(2)\*((3\*tan(1/4\*d\*x + 1/4\*c)^2 - 10)\*tan(1/4\*d\*x + 1/4\*c)^2 + 3)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/((tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)^(3/2)\*d)

**maple [A]** time = 0.20, size = 62, normalized size = 0.81

$$\frac{2 \left( 2 \left( \cos^2(dx + c) - \cos(dx + c) - 1 \right) \cos(dx + c) \left( \frac{1}{\cos(dx + c)} \right)^{\frac{5}{2}} \sqrt{a(1 + \cos(dx + c))} \right)}{3d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x)

[Out] -2/3/d\*(2\*cos(d\*x+c)^2-cos(d\*x+c)-1)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**maxima [B]** time = 1.12, size = 190, normalized size = 2.47

$$\frac{2 \left( \frac{3 \sqrt{2} \sqrt{a} \sin(dx + c)}{\cos(dx + c) + 1} - \frac{4 \sqrt{2} \sqrt{a} \sin(dx + c)^3}{(\cos(dx + c) + 1)^3} + \frac{\sqrt{2} \sqrt{a} \sin(dx + c)^5}{(\cos(dx + c) + 1)^5} \right) \left( \frac{\sin(dx + c)^2}{(\cos(dx + c) + 1)^2} + 1 \right)^2}{3d \left( \frac{\sin(dx + c)}{\cos(dx + c) + 1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx + c)}{\cos(dx + c) + 1} + 1 \right)^{\frac{5}{2}} \left( \frac{2 \sin(dx + c)^2}{(\cos(dx + c) + 1)^2} + \frac{\sin(dx + c)^4}{(\cos(dx + c) + 1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out]  $\frac{2}{3} \cdot (3 \sqrt{2} \sqrt{a} \sin(d*x + c) / (\cos(d*x + c) + 1) - 4 \sqrt{2} \sqrt{a} \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + \sqrt{2} \sqrt{a} \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5) \cdot (\sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + 1)^2 / (d \cdot (\sin(d*x + c) / (\cos(d*x + c) + 1) + 1)^{5/2} \cdot (-\sin(d*x + c) / (\cos(d*x + c) + 1) + 1)^{5/2} \cdot (2 \sin(d*x + c)^2 / (\cos(d*x + c) + 1)^2 + \sin(d*x + c)^4 / (\cos(d*x + c) + 1)^4 + 1))$

**mupad [B]** time = 0.78, size = 84, normalized size = 1.09

$$\frac{4 \sqrt{a (\cos(c + dx) + 1)} \sqrt{\frac{1}{\cos(c + dx)}} (\sin(c + dx) + \sin(2c + 2dx) + \sin(3c + 3dx))}{3d (3 \cos(c + dx) + 2 \cos(2c + 2dx) + \cos(3c + 3dx) + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(1/2),x)

[Out]  $(4 \cdot (a \cdot (\cos(c + d*x) + 1))^{1/2} \cdot (1/\cos(c + d*x))^{1/2} \cdot (\sin(c + d*x) + \sin(2*c + 2*d*x) + \sin(3*c + 3*d*x))) / (3*d \cdot (3 \cdot \cos(c + d*x) + 2 \cdot \cos(2*c + 2*d*x) + \cos(3*c + 3*d*x) + 2))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)\*(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.342 \quad \int \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) dx$$

Optimal. Leaf size=36

$$\frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

[Out] 2\*a\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.10, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {4222, 2771}

$$\frac{2a \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*a\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 39, normalized size = 1.08

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]\*Tan[(c + d\*x)/2])/d

fricas [A] time = 1.00, size = 40, normalized size = 1.11

$$\frac{2 \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{(d \cos(dx + c) + d) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c) + d)\*sqrt(cos(d\*x + c)))

**giac** [A] time = 0.94, size = 58, normalized size = 1.61

$$\frac{4\sqrt{2}\sqrt{a}\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)}{\sqrt{\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^4 - 6\tan\left(\frac{1}{4}dx + \frac{1}{4}c\right)^2 + 1}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 4\*sqrt(2)\*sqrt(a)\*sgn(cos(1/2\*d\*x + 1/2\*c))\*tan(1/4\*d\*x + 1/4\*c)/(sqrt(tan(1/4\*d\*x + 1/4\*c)^4 - 6\*tan(1/4\*d\*x + 1/4\*c)^2 + 1)\*d)

**maple** [A] time = 0.20, size = 50, normalized size = 1.39

$$\frac{2(-1 + \cos(dx + c))\cos(dx + c)\left(\frac{1}{\cos(dx+c)}\right)^{\frac{3}{2}}\sqrt{a(1 + \cos(dx + c))}}{d\sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(-1+cos(d\*x+c))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**maxima** [B] time = 1.24, size = 98, normalized size = 2.72

$$\frac{2\left(\frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{d\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}\left(-\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 2\*(sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2))

**mupad** [B] time = 0.29, size = 43, normalized size = 1.19

$$\frac{2\sin(c + dx)\sqrt{a(\cos(c + dx) + 1)}\sqrt{\frac{1}{\cos(c+dx)}}}{d(\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (2\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^(1/2)\*(1/cos(c + d\*x))^(1/2))/(d\*(cos(c + d\*x) + 1))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

### 3.343 $\int \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} dx$

Optimal. Leaf size=57

$$\frac{2\sqrt{a} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out]  $2*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}*a^{(1/2)*\cos(d*x+c)^{(1/2)}}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2774, 216}

$$\frac{2\sqrt{a} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]],x]

[Out]  $(2*\text{Sqrt}[a]*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)])\*(c\_)^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \text{Subst}\left(\int \frac{1}{\sqrt{1-\frac{x^2}{a}}} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{2\sqrt{a} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 70, normalized size = 1.23

$$\frac{\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]])/d

**fricas** [A] time = 1.20, size = 119, normalized size = 2.09

$$\left[ \frac{\sqrt{-a} \log\left(\frac{2a \cos(dx+c)^2 - 2\sqrt{a \cos(dx+c)+a} \sqrt{-a} \sqrt{\cos(dx+c)} \sin(dx+c) + a \cos(dx+c) - a}{\cos(dx+c)+1}\right)}{d}, -\frac{2\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [sqrt(-a)\*log((2\*a\*cos(d\*x + c)^2 - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) + a\*cos(d\*x + c) - a)/(cos(d\*x + c) + 1))/d, - 2\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/d]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**maple** [B] time = 0.23, size = 100, normalized size = 1.75

$$\frac{2\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx+c) - 1)}{d \sin(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*(cos(d\*x+c)^2-1)

**maxima** [B] time = 1.46, size = 146, normalized size = 2.56

$$\sqrt{a} \arctan\left(\left(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2dx + 2c), \cos(2dx + 2c))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] sqrt(a)\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + cos(d\*x + c))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{\frac{1}{\cos(c + dx)}} \sqrt{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a(\cos(c + dx) + 1)} \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*sqrt(sec(c + d\*x)), x)

$$3.344 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=92

$$\frac{\sqrt{a} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a \sin(c+dx)}{d \sqrt{\sec(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out] a\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)+arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.16, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2770, 2774, 216}

$$\frac{\sqrt{a} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{a \sin(c+dx)}{d \sqrt{\sec(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[a]\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/d + (a\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]])

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2770**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

**Rule 2774**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

**Rule 4222**

Int[(csc[(a\_) + (b\_.)\*(x\_)])\*(c\_)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} dx \\
&= \frac{a \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{a \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx \right)}{d} \\
&= \frac{\sqrt{a} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{a \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 97, normalized size = 1.05

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{2} \sin^{-1} \left( \sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) \right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2]))/(2\*d)

**fricas [A]** time = 0.75, size = 88, normalized size = 0.96

$$\frac{\sqrt{a}(\cos(dx + c) + 1) \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)} \sin(dx+c)}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] -(sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)))/(sqrt(a)\*sin(d\*x + c))) - sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**maple [A]** time = 0.22, size = 132, normalized size = 1.43

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^2 \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) + \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \right)}{d \sqrt{\frac{1}{\cos(dx+c)}} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sin(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x)`

[Out]  $1/d*(a*(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*(-1+\cos(d*x+c))^2*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c)))/(1/\cos(d*x+c))^{1/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}/\sin(d*x+c)^4$

**maxima** [B] time = 1.63, size = 791, normalized size = 8.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]  $1/4*(2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - (\cos(d*x + c) - 1)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + \sqrt{a}*(\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - \arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\frac{1}{\cos(c + dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/(1/cos(c + d*x))^(1/2),x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/(1/cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))/sqrt(sec(c + d*x)), x)`

$$3.345 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=136

$$\frac{a \sin(c+dx)}{2d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{3\sqrt{a} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{3a \sin(c+dx)}{4d \sqrt{\sec(c+dx)} \sqrt{a}}$$

[Out] 1/2\*a\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)+3/4\*a\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)+3/4\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*a^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.23, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2770, 2774, 216}

$$\frac{a \sin(c+dx)}{2d \sec^{\frac{3}{2}}(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{3\sqrt{a} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{3a \sin(c+dx)}{4d \sqrt{\sec(c+dx)} \sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]/Sec[c + d\*x]^(3/2), x]

[Out] (3\*Sqrt[a]\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(4\*d) + (a\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (3\*a\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{a + a \cos(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\
&= \frac{a \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} (3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{a \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{3a \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{8} (3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \\
&= \frac{a \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{3a \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{1}{8} (3 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \\
&= \frac{3 \sqrt{a} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} + \frac{a \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.26, size = 111, normalized size = 0.82

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \left(2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]/Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(3\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(2\*Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))) / (8\*d)

**fricas [A]** time = 1.22, size = 108, normalized size = 0.79

$$\frac{3 \sqrt{a} (\cos(dx + c) + 1) \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{\sqrt{a \cos(dx+c)+a} (2 \cos(dx+c)^2 + 3 \cos(dx+c)) \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{4 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/4\*(3\*sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - sqrt(a\*cos(d\*x + c) + a)\*(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c))\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate(sqrt(a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**maple [A]** time = 0.24, size = 169, normalized size = 1.24

$$\frac{\sqrt{a(1+\cos(dx+c))} \cos(dx+c) (-1+\cos(dx+c))^3 \left( 2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + 3\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)}{4d \left( \frac{1}{\cos(dx+c)} \right)^{\frac{3}{2}} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \sin(dx+c)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x)

[Out] -1/4/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^3\*(2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+3\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c))/(1/cos(d\*x+c))^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6

**maxima [B]** time = 1.64, size = 1059, normalized size = 7.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] 1/16\*(2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(2\*d\*x + 2\*c) - (cos(2\*d\*x + 2\*c) - 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + ((cos(2\*d\*x + 2\*c) - 2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - cos(2\*d\*x + 2\*c) + 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) \* sqrt(a) + 3\*sqrt(a)\*(arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - 1) - arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))) / d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(1/2)/(1/cos(c + d\*x))^(3/2), x)

[Out] int((a + a\*cos(c + d\*x))^(1/2)/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))/sec(c + d\*x)\*\*(3/2), x)

### 3.346 $\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=161

$$\frac{2a^2 \sin(c + dx) \sec^7(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{26a^2 \sin(c + dx) \sec^5(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{104a^2 \sin(c + dx) \sec^3(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{208a^2 \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $104/105*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+26/35*a^2*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a^2*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+208/105*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.31, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 21, 2772, 2771}

$$\frac{2a^2 \sin(c + dx) \sec^7(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{26a^2 \sin(c + dx) \sec^5(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{104a^2 \sin(c + dx) \sec^3(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{208a^2 \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^{(9/2)}, x]$

[Out]  $(208*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (104*a^2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (26*a^2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(35*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_*))^{(m_*)}*((c_*) + (d_*)*(v_*))^{(n_*)}, x\_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2762

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] := -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n + 1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[a*c*(m - 2) - b*d*(m - 2*n - 4) - (b*c*(m - 1) - a*d*(m + 2*n + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m + 1/2] || (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]/((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(3/2)}, x\_Symbol] := \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(n + 1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dis}$

$t[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 4222

$\text{Int}[(\text{csc}[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)}*(u_.), x\_Symbol] \text{ :> } \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] /;$  FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^9(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^9(c + dx)} dx \\ &= \frac{2a^2 \sec^7(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{1}{7} \left( 2a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^8(c + dx)} dx \\ &= \frac{2a^2 \sec^7(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7} \left( 13a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^7(c + dx)} dx \\ &= \frac{26a^2 \sec^5(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sec^7(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{35} \int \frac{1}{\cos^6(c + dx)} dx \\ &= \frac{104a^2 \sec^3(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{26a^2 \sec^5(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2}{35} \int \frac{1}{\cos^5(c + dx)} dx \\ &= \frac{208a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{104a^2 \sec^3(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2}{35} \int \frac{1}{\cos^4(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.28, size = 72, normalized size = 0.45

$$\frac{2a(117 \cos(c + dx) + 26 \cos(2(c + dx)) + 26 \cos(3(c + dx)) + 41) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx))}}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(9/2), x]

[Out] (2\*a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(41 + 117\*Cos[c + d\*x] + 26\*Cos[2\*(c + d\*x)] + 26\*Cos[3\*(c + d\*x)])\*Sec[c + d\*x]^(7/2)\*Tan[(c + d\*x)/2])/(105\*d)

**fricas [A]** time = 0.66, size = 86, normalized size = 0.53

$$\frac{2(104a \cos(dx + c)^3 + 52a \cos(dx + c)^2 + 39a \cos(dx + c) + 15a) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{105(d \cos(dx + c)^4 + d \cos(dx + c)^3) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] 2/105\*(104\*a\*cos(d\*x + c)^3 + 52\*a\*cos(d\*x + c)^2 + 39\*a\*cos(d\*x + c) + 15\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)\*sqrt(cos(d\*x + c)))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.20, size = 83, normalized size = 0.52

$$\frac{2 \left( 104 \left( \cos^4(dx+c) \right) - 52 \left( \cos^3(dx+c) \right) - 13 \left( \cos^2(dx+c) \right) - 24 \cos(dx+c) - 15 \right) \cos(dx+c) \sqrt{a(1+\cos(dx+c))}}{105d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x)

[Out] -2/105/d\*(104\*cos(d\*x+c)^4-52\*cos(d\*x+c)^3-13\*cos(d\*x+c)^2-24\*cos(d\*x+c)-15)\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(9/2)/sin(d\*x+c)\*a

**maxima** [A] time = 1.25, size = 263, normalized size = 1.63

$$\frac{4 \left( \frac{105 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{245 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{273 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{171 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{38 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^9}{(\cos(dx+c)+1)^9} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)}{105 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 4/105\*(105\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)/(cos(d\*x+c)+1) - 245\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^3/(cos(d\*x+c)+1)^3 + 273\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^5/(cos(d\*x+c)+1)^5 - 171\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^7/(cos(d\*x+c)+1)^7 + 38\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^9/(cos(d\*x+c)+1)^9)\*(sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + 1)^(9/2)\*(-sin(d\*x+c)/(cos(d\*x+c)+1) + 1)^(9/2)\*(3\*sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + 3\*sin(d\*x+c)^4/(cos(d\*x+c)+1)^4 + sin(d\*x+c)^6/(cos(d\*x+c)+1)^6 + 1)

**mupad** [B] time = 4.14, size = 221, normalized size = 1.37

$$\frac{-35 a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a + a \cos(c + dx)} \sqrt{\frac{2 e^{c 1i + dx 1i}}{e^{c 2i + dx 2i + 1}}} + 91 a \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) \sqrt{a + a \cos(c + dx)} \sqrt{\frac{2 e^{c 1i + dx 1i}}{e^{c 2i + dx 2i + 1}}} + \frac{315 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{315 d \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right)}{8} + \frac{105 d \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right)}{8} + \frac{105 d \cos\left(\frac{7c}{2} + \frac{7dx}{2}\right)}{8}}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+d\*x))^(9/2)\*(a+a\*cos(c+d\*x))^(3/2),x)

[Out] (91\*a\*sin((3\*c)/2 + (3\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2) - 35\*a\*sin(c/2 + (d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2) + 26\*a\*sin((7\*c)/2 + (7\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2))/((315\*d\*cos(c/2 + (d\*x)/2))/8 + (315\*d\*cos((3\*c)/2 + (3\*d\*x)/2))/8 + (105\*d\*cos((5\*c)/2 + (5\*d\*x)/2))/8 + (105\*d\*cos((7\*c)/2 + (7\*d\*x)/2))/8)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.347 $\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=121

$$\frac{2a^2 \sin(c + dx) \sec^2(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{6a^2 \sin(c + dx) \sec^2(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{12a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $6/5*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/5*a^2*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+12/5*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 21, 2772, 2771}

$$\frac{2a^2 \sin(c + dx) \sec^2(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{6a^2 \sin(c + dx) \sec^2(c + dx)}{5d\sqrt{a \cos(c + dx) + a}} + \frac{12a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{5d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^{(7/2)}, x]$

[Out]  $(12*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (6*a^2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_*)*((a_*) + (b_*)*(v_*))^{(m_*)}*((c_*) + (d_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2762

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n + 1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[a*c*(m - 2) - b*d*(m - 2*n - 4) - (b*c*(m - 1) - a*d*(m + 2*n + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]/((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(3/2)}, x\_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(n + 1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*(2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x]$



`&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]`

### Rule 4222

`Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]`

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^{\frac{7}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} - \frac{1}{5} \left( 2a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \left( 9a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{6a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \left( 6a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \\ &= \frac{12a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{6a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2a}{5} \int \frac{1}{\cos^{\frac{1}{2}}(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 62, normalized size = 0.51

$$\frac{2a(3 \cos(c + dx) + 3 \cos(2(c + dx)) + 4) \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(4 + 3\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^(5/2)\*Tan[(c + d\*x)/2])/(5\*d)

**fricas [A]** time = 0.69, size = 73, normalized size = 0.60

$$\frac{2 \left( 6a \cos(dx + c)^2 + 3a \cos(dx + c) + a \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{5 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/5\*(6\*a\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)))

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.20, size = 73, normalized size = 0.60

$$\frac{2 \left( 6 \left( \cos^3(dx+c) \right) - 3 \left( \cos^2(dx+c) \right) - 2 \cos(dx+c) - 1 \right) \cos(dx+c) \sqrt{a(1+\cos(dx+c))} \left( \frac{1}{\cos(dx+c)} \right)^{\frac{7}{2}} a}{5d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2),x)

[Out] -2/5/d\*(6\*cos(d\*x+c)^3-3\*cos(d\*x+c)^2-2\*cos(d\*x+c)-1)\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(7/2)/sin(d\*x+c)\*a

**maxima [B]** time = 0.96, size = 217, normalized size = 1.79

$$\frac{4 \left( \frac{5 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{5d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] 4/5\*(5\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)/(cos(d\*x+c)+1) - 10\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^3/(cos(d\*x+c)+1)^3 + 7\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^5/(cos(d\*x+c)+1)^5 - 2\*sqrt(2)\*a^(3/2)\*sin(d\*x+c)^7/(cos(d\*x+c)+1)^7)\* (sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + 1)^2/(d\*(sin(d\*x+c)/(cos(d\*x+c)+1) + 1)^(7/2)\*(-sin(d\*x+c)/(cos(d\*x+c)+1) + 1)^(7/2)\*(2\*sin(d\*x+c)^2/(cos(d\*x+c)+1)^2 + sin(d\*x+c)^4/(cos(d\*x+c)+1)^4 + 1))

**mupad [B]** time = 1.63, size = 135, normalized size = 1.12

$$\frac{4a \sqrt{a(\cos(c+dx)+1)} \sqrt{\frac{1}{\cos(c+dx)}} (8 \sin(c+dx) + 6 \sin(2c+2dx) + 11 \sin(3c+3dx) + 3 \sin(4c+4dx) + \cos(5c+5dx))}{5d (10 \cos(c+dx) + 8 \cos(2c+2dx) + 5 \cos(3c+3dx) + 2 \cos(4c+4dx) + \cos(5c+5dx))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+d\*x))^(7/2)\*(a+a\*cos(c+d\*x))^(3/2),x)

[Out] (4\*a\*(a\*(cos(c+d\*x)+1))^(1/2)\*(1/cos(c+d\*x))^(1/2)\*(8\*sin(c+d\*x) + 6\*sin(2\*c+2\*d\*x) + 11\*sin(3\*c+3\*d\*x) + 3\*sin(4\*c+4\*d\*x) + 3\*sin(5\*c+5\*d\*x)))/(5\*d\*(10\*cos(c+d\*x) + 8\*cos(2\*c+2\*d\*x) + 5\*cos(3\*c+3\*d\*x) + 2\*cos(4\*c+4\*d\*x) + cos(5\*c+5\*d\*x) + 6))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.348 $\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=81

$$\frac{2a^2 \sin(c + dx) \sec^2(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{10a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $2/3*a^2*\sec(d*x+c)^(3/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+10/3*a^2*\sin(d*x+c)*\sec(d*x+c)^(1/2)/d/(a+a*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.17, antiderivative size = 81, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2762, 21, 2771}

$$\frac{2a^2 \sin(c + dx) \sec^2(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{10a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sec}[c + d*x]^(5/2), x]$

[Out]  $(10*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^(m + n), x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2762

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^(n_.), x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^(m - 2)*(c + d*\text{Sin}[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n + 1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m - 2)*(c + d*\text{Sin}[e + f*x])^(n + 1)*\text{Simp}[a*c*(m - 2) - b*d*(m - 2*n - 4) - (b*c*(m - 1) - a*d*(m + 2*n + 1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^(3/2), x\_Symbol] \rightarrow \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 4222

$\text{Int}[(\text{csc}[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^{3/2} \sec^{\frac{5}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} - \frac{1}{3} \left( 2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{1}{3} \left( 5a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{10a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 52, normalized size = 0.64

$$\frac{2a(5 \cos(c + dx) + 1) \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(1 + 5\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)\*Tan[(c + d\*x)/2])/(3\*d)

**fricas [A]** time = 0.90, size = 60, normalized size = 0.74

$$\frac{2(5a \cos(dx + c) + a) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3(d \cos(dx + c)^2 + d \cos(dx + c)) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] 2/3\*(5\*a\*cos(d\*x + c) + a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c))^2 + d\*cos(d\*x + c))\*sqrt(cos(d\*x + c))

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2), x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.18, size = 63, normalized size = 0.78

$$\frac{2 \left( \cos^2(dx + c) - 4 \cos(dx + c) - 1 \right) \cos(dx + c) \sqrt{a(1 + \cos(dx + c))} \left( \frac{1}{\cos(dx + c)} \right)^{\frac{5}{2}} a}{3d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2), x)

[Out] -2/3/d\*(5\*cos(d\*x+c)^2-4\*cos(d\*x+c)-1)\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(5/2)/sin(d\*x+c)\*a

**maxima** [A] time = 1.01, size = 125, normalized size = 1.54

$$\frac{4 \left( \frac{3 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{2 \sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{3 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 4/3\*(3\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 5\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 2\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

**mupad** [B] time = 0.79, size = 91, normalized size = 1.12

$$\frac{2 a \sqrt{a (\cos(c + d x) + 1)} \sqrt{\frac{1}{\cos(c+d x)}} (5 \sin(c + d x) + 2 \sin(2 c + 2 d x) + 5 \sin(3 c + 3 d x))}{3 d (3 \cos(c + d x) + 2 \cos(2 c + 2 d x) + \cos(3 c + 3 d x) + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(3/2),x)

[Out] (2\*a\*(a\*(cos(c + d\*x) + 1))^(1/2)\*(1/cos(c + d\*x))^(1/2)\*(5\*sin(c + d\*x) + 2\*sin(2\*c + 2\*d\*x) + 5\*sin(3\*c + 3\*d\*x)))/(3\*d\*(3\*cos(c + d\*x) + 2\*cos(2\*c + 2\*d\*x) + cos(3\*c + 3\*d\*x) + 2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.349 $\int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=96

$$\frac{2a^{3/2} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{d} + \frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

[Out]  $2a^{3/2} \arcsin(\sin(dx+c) a^{1/2} / (a+a \cos(dx+c))^{1/2}) \cos(dx+c)^{1/2} \sec(dx+c)^{1/2} / d + 2a^2 \sin(dx+c) \sec(dx+c)^{1/2} / d / (a+a \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.19, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 21, 2774, 216}

$$\frac{2a^{3/2} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{d} + \frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2), x]

[Out]  $(2a^{3/2} \text{ArcSin}[\text{Sqrt}[a] \text{Sin}[c + d*x]] / \text{Sqrt}[a + a \text{Cos}[c + d*x]]) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sqrt}[\text{Sec}[c + d*x]] / d + (2a^2 \text{Sqrt}[\text{Sec}[c + d*x]] \text{Sin}[c + d*x]) / (d \text{Sqrt}[a + a \text{Cos}[c + d*x]])$

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \left( 2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \left( a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \frac{\left( 2a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{2a^2 \sqrt{\sec(c + dx)}}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 85, normalized size = 0.89

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( 2 \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right) \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*Sin[(c + d*x)/2]))/d
```

**fricas [A]** time = 1.17, size = 91, normalized size = 0.95

$$\frac{2 \left( (a \cos(dx + c) + a) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{\sqrt{a \cos(dx+c)+a} a \sin(dx+c)}{\sqrt{\cos(dx+c)}} \right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*sec(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] -2*((a*cos(d*x + c) + a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - sqrt(a*cos(d*x + c) + a)*a*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*sec(d*x+c)^(3/2), x, algorithm="giac")
```

```
[Out] Timed out
```

**maple [B]** time = 0.22, size = 168, normalized size = 1.75

$$\frac{2 \left( \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + \sin(dx+c) \right)}{d(1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(3/2),x)

[Out] 2/d\*(cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+sin(d\*x+c)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(1+cos(d\*x+c))\*a

**maxima [B]** time = 1.35, size = 997, normalized size = 10.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/2\*((a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sqrt(a) + 4\*(a\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a))/((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*d)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c+dx)} \right)^{3/2} (a + a \cos(c+dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2),x)
```

```
[Out] int((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

### 3.350 $\int (a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=95

$$\frac{3a^{3/2} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{d} + \frac{a^2 \sin(c + dx)}{d \sqrt{\sec(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

[Out]  $a^2 \sin(dx+c)/d/(a+a \cos(dx+c))^{(1/2)}/\sec(dx+c)^{(1/2)}+3a^{(3/2)} \arcsin(\sin(dx+c) \cdot a^{(1/2)}/(a+a \cos(dx+c))^{(1/2)}) \cdot \cos(dx+c)^{(1/2)} \cdot \sec(dx+c)^{(1/2)}/d$

**Rubi [A]** time = 0.18, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2763, 21, 2774, 216}

$$\frac{3a^{3/2} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{d} + \frac{a^2 \sin(c + dx)}{d \sqrt{\sec(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]], x]`

[Out] `(3*a^(3/2)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/d + (a^2*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])`

#### Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

#### Rule 216

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

#### Rule 2763

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a*b*c*(m - 2) + b^2*d*(n + 1) + a^2*d*(m + n) - b*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))`

#### Rule 2774

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]`

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{a^2 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( 3a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right. \\ &\qquad \qquad \qquad \left. (3a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \right) \\ &= \frac{a^2 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{3a^3 \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{1}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 99, normalized size = 1.04

$$\frac{a \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]],x]

[Out] (a\*Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(3\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2]))/(2\*d)

**fricas [A]** time = 1.07, size = 90, normalized size = 0.95

$$\frac{\sqrt{a \cos(dx + c) + a} a \sqrt{\cos(dx + c)} \sin(dx + c) - 3(a \cos(dx + c) + a) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] (sqrt(a\*cos(d\*x + c) + a)\*a\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*(a\*cos(d\*x + c) + a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [A]** time = 0.22, size = 130, normalized size = 1.37

$$\frac{\left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx+c) + 3 \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \right) \sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{d \sin(dx+c)^2} (\cos$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x)

[Out] -1/d\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+3\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*(cos(d\*x+c)^2-1)\*a

**maxima [B]** time = 1.26, size = 803, normalized size = 8.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4\*(2\*(a\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - (a\*cos(d\*x + c) - a)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sqrt(a) + 3\*(a\*arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + 1) - a\*arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) - 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*sqrt(a))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c+dx)}} (a+a\cos(c+dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+d\*x))^(1/2)\*(a+a\*cos(c+d\*x))^(3/2),x)

[Out] int((1/cos(c+d\*x))^(1/2)\*(a+a\*cos(c+d\*x))^(3/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.351 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=140

$$\frac{7a^{3/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a^2\sin(c+dx)}{2d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{7a^2\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a}}$$

[Out] 1/2\*a^2\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)+7/4\*a^2\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)+7/4\*a^(3/2)\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.24, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2763, 21, 2770, 2774, 216}

$$\frac{a^2\sin(c+dx)}{2d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{7a^{3/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{7a^2\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)/Sqrt[Sec[c + d\*x]], x]

[Out] (7\*a^(3/2)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(4\*d) + (a^2\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (7\*a^2\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

### Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rule 2763

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2770

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x],

x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\sqrt{\sec(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{a^2 \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{2} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{a^2 \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} (7a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{a^2 \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{7a^2 \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{8} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{a^2 \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{7a^2 \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{1}{8} \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx$$

$$= \frac{7a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} + \frac{a^2 \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.25, size = 111, normalized size = 0.79

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(-5 \sin\left(\frac{1}{2}(c + dx)\right) + 6 \sin\left(\frac{3}{2}(c + dx)\right) + \sin\left(\frac{5}{2}(c + dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)/Sqrt[Sec[c + d\*x]], x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(7\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] - 5\*Sin[(c + d\*x)/2] + 6\*Sin[(3\*(c + d\*x))/2] + Sin[(5\*(c + d\*x))/2]))/(8\*d)

**fricas [A]** time = 1.14, size = 112, normalized size = 0.80

$$\frac{7(a \cos(dx + c) + a)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(2a \cos(dx+c)^2 + 7a \cos(dx+c))\sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] 
$$-1/4*(7*(a*\cos(d*x + c) + a)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - (2*a*\cos(d*x + c)^2 + 7*a*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}}/(d*\cos(d*x + c) + d)$$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.24, size = 170, normalized size = 1.21

$$\frac{(-1 + \cos(dx + c))^2 \left( 2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) \sin(dx + c) + 7\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx + c) + 7 \arctan\left(\frac{\sin(dx+c)\sqrt{\cos(dx+c)}}{\cos(dx+c)}\right) \right)}{4d \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{\frac{1}{\cos(dx+c)}} \sin(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x)

[Out] 
$$1/4*d*(-1+\cos(d*x+c))^{2*}((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\sin(d*x+c)+7*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+7*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c)))*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^{1/2}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}/(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)^4)*a$$

**maxima** [B] time = 1.57, size = 1080, normalized size = 7.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 
$$1/16*(2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(2*d*x + 2*c) + a*\sin(2*d*x + 2*c) - (a*\cos(2*d*x + 2*c) - 6*a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - a*\cos(2*d*x + 2*c) + (a*\cos(2*d*x + 2*c) - 6*a)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 7*(a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*$$



```
*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) , (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))/d
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + dx))^{3/2}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(c + d*x))^(3/2)/(1/cos(c + d*x))^(1/2), x)
```

```
[Out] int((a + a*cos(c + d*x))^(3/2)/(1/cos(c + d*x))^(1/2), x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2), x)
```

```
[Out] Timed out
```

$$3.352 \quad \int \frac{(a+a \cos(c+dx))^{3/2}}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=180

$$\frac{11a^{3/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{11a^2\sin(c+dx)}{12d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)}{3d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}}$$

[Out]  $1/3*a^2*\sin(d*x+c)/d/\sec(d*x+c)^{(5/2)}/(a+a*\cos(d*x+c))^{(1/2)}+11/12*a^2*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}/(a+a*\cos(d*x+c))^{(1/2)}+11/8*a^2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}+11/8*a^{(3/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.31, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2763, 21, 2770, 2774, 216}

$$\frac{11a^2\sin(c+dx)}{12d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)}{3d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{11a^{3/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d}$$

Antiderivative was successfully verified.

[In] `Int[(a + a*Cos[c + d*x])^(3/2)/Sec[c + d*x]^(3/2), x]`

[Out] `(11*a^(3/2)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^2*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (11*a^2*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (11*a^2*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])`

### Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

### Rule 216

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[Rt[-b, 2]*x]/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

### Rule 2763

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a*b*c*(m - 2) + b^2*d*(n + 1) + a^2*d*(m + n) - b*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegerQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))`

### Rule 2770

`Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n - 1) + (a + b*Sin[e + f*x])^(n - 1) + (c + d*Sin[e + f*x])^(n - 1) + (a + b*Sin[e + f*x])^(n - 1))/d, x]`

```

^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

```

Rule 2774

```

Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

```

Rule 4222

```

Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^{3/2}}{\sec^2(c + dx)} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{3/2} dx \\
 &= \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{3} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{6} (11a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{11a^2 \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{8} \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{11a^2 \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{8} \int \cos^{\frac{3}{2}}(c + dx) dx \\
 &= \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{11a^2 \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{11a^{3/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \frac{a^2 \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)}
 \end{aligned}$$

**Mathematica [A]** time = 0.55, size = 126, normalized size = 0.70

$$\frac{a\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(33\sqrt{2} \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2(26s)}{48d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + a*Cos[c + d*x])^(3/2)/Sec[c + d*x]^(3/2), x]

```

```

[Out] (a*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(33*Sqrt[2]*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]

```

]]\*(26\*Sin[(c + d\*x)/2] + 9\*Sin[(3\*(c + d\*x))/2] + 2\*Sin[(5\*(c + d\*x))/2]))/(48\*d)

**fricas** [A] time = 0.80, size = 123, normalized size = 0.68

$$\frac{33(a \cos(dx+c) + a)\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8a \cos(dx+c)^3 + 22a \cos(dx+c)^2 + 33a \cos(dx+c))\sqrt{a \cos(dx+c)+a}}{\sqrt{\cos(dx+c)}}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] -1/24\*(33\*(a\*cos(d\*x + c) + a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (8\*a\*cos(d\*x + c)^3 + 22\*a\*cos(d\*x + c)^2 + 33\*a\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.26, size = 205, normalized size = 1.14

$$\frac{(-1 + \cos(dx+c))^3 \left( 8\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx+c)) \sin(dx+c) + 22\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + 33 \right)}{24d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \left( \frac{1}{\cos(dx+c)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x)

[Out] -1/24/d\*(-1+cos(d\*x+c))^3\*(8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+22\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)+33\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+33\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/(1/cos(d\*x+c))^(3/2)/sin(d\*x+c)^6\*a

**maxima** [B] time = 1.86, size = 1942, normalized size = 10.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/96\*(4\*(a\*cos(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*sin(3\*d\*x + 3\*c) - (a\*cos(3\*d\*x + 3\*c) - a)\*sin(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(3/4)\*sqrt(a) + 6\*(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), c



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + d x))^{3/2}}{\left(\frac{1}{\cos(c + d x)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(3/2)/(1/cos(c + d\*x))^(3/2), x)

[Out] int((a + a\*cos(c + d\*x))^(3/2)/(1/cos(c + d\*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

### 3.353 $\int (a + a \cos(c + dx))^{5/2} \sec^{\frac{11}{2}}(c + dx) dx$

**Optimal.** Leaf size=201

$$\frac{38a^3 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{146a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{584a^3 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}} + \frac{1168a^3 \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out]  $584/315*a^3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+146/105*a^3*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+38/63*a^3*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/9*a^2*\sec(d*x+c)^{(9/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+1168/315*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.41, antiderivative size = 201, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 2980, 2772, 2771}

$$\frac{2a^2 \sin(c + dx) \sec^{\frac{9}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}}{9d} + \frac{38a^3 \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{146a^3 \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(11/2)}, x]$

[Out]  $(1168*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (584*a^3*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(315*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (146*a^3*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(105*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (38*a^3*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(63*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(9/2)}*\text{Sin}[c + d*x])/(9*d)$

#### Rule 2762

$\text{Int}[(a + b*\sin[(e + f*x)])^{(m)}*((c + d*\sin[(e + f*x)])^{(n)}), x\_Symbol] := -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d))], x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m + 1/2] || (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a + b*\sin[(e + f*x)])^{(3/2)}], x\_Symbol] := \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a + b*\sin[(e + f*x)])^{(n)}], x\_Symbol] := \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -$

1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^{11/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^{11/2}(c + dx)} dx \\ &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{9d} - \frac{1}{9} \left( 2a \sqrt{\cos(c + dx)} \right) \\ &= \frac{38a^3 \sec^7(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^9(c + dx)}{9d} \\ &= \frac{146a^3 \sec^5(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{38a^3 \sec^7(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^9(c + dx)}{9d} \\ &= \frac{584a^3 \sec^3(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{146a^3 \sec^5(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{38a^3 \sec^7(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^9(c + dx)}{9d} \\ &= \frac{1168a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{584a^3 \sec^3(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{146a^3 \sec^5(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{38a^3 \sec^7(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^9(c + dx)}{9d} \end{aligned}$$

**Mathematica** [A] time = 5.38, size = 84, normalized size = 0.42

$$\frac{a^2(698 \cos(c + dx) + 803 \cos(2(c + dx)) + 146 \cos(3(c + dx)) + 146 \cos(4(c + dx)) + 727) \tan\left(\frac{1}{2}(c + dx)\right) \sec^9(c + dx)}{315d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(11/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(727 + 698\*Cos[c + d\*x] + 803\*Cos[2\*(c + d\*x)] + 146\*Cos[3\*(c + d\*x)] + 146\*Cos[4\*(c + d\*x)])\*Sec[c + d\*x]^(9/2)\*Tan[(c + d\*x)/2])/(315\*d)

**fricas** [A] time = 0.83, size = 107, normalized size = 0.53

$$\frac{2 \left( 584 a^2 \cos(dx + c)^4 + 292 a^2 \cos(dx + c)^3 + 219 a^2 \cos(dx + c)^2 + 130 a^2 \cos(dx + c) + 35 a^2 \right) \sqrt{a \cos(dx + c)}}{315 \left( d \cos(dx + c)^5 + d \cos(dx + c)^4 \right) \sqrt{\cos(dx + c)}}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x, algorithm="fricas")

[Out]  $\frac{2}{315}*(584*a^2*\cos(d*x + c)^4 + 292*a^2*\cos(d*x + c)^3 + 219*a^2*\cos(d*x + c)^2 + 130*a^2*\cos(d*x + c) + 35*a^2)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c) / ((d*\cos(d*x + c))^5 + d*\cos(d*x + c)^4)*\sqrt{\cos(d*x + c)}$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.21, size = 95, normalized size = 0.47

$$\frac{2 \left( 584 \left( \cos^5(dx+c) \right) - 292 \left( \cos^4(dx+c) \right) - 73 \left( \cos^3(dx+c) \right) - 89 \left( \cos^2(dx+c) \right) - 95 \cos(dx+c) - 35 \right)}{315d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x)

[Out]  $\frac{-2}{315d}*(584*\cos(d*x+c)^5-292*\cos(d*x+c)^4-73*\cos(d*x+c)^3-89*\cos(d*x+c)^2-95*\cos(d*x+c)-35)*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^{1/2}*(1/\cos(d*x+c))^{11/2} / \sin(d*x+c)*a^2$

**maxima** [A] time = 1.02, size = 289, normalized size = 1.44

$$\frac{8 \left( \frac{315 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{945 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{1449 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{1287 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} + \frac{572 \sqrt{2} a^2 \sin(dx+c)^9}{(\cos(dx+c)+1)^9} - \frac{104 \sqrt{2} a^2 \sin(dx+c)^{11}}{(\cos(dx+c)+1)^{11}} \right)}{315 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{11}{2}} \left( \frac{3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{\sin(dx+c)^6}{(\cos(dx+c)+1)^6} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x, algorithm="maxima")

[Out]  $\frac{8}{315}*(315*\sqrt{2}*a^{5/2}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 945*\sqrt{2}*a^{5/2}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 1449*\sqrt{2}*a^{5/2}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 1287*\sqrt{2}*a^{5/2}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7 + 572*\sqrt{2}*a^{5/2}*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 - 104*\sqrt{2}*a^{5/2}*\sin(d*x + c)^{11}/(\cos(d*x + c) + 1)^{11})*(\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 1)^3/(d*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{11/2}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{11/2}*(3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + 1))$

**mupad** [B] time = 4.85, size = 306, normalized size = 1.52

$$\frac{\sqrt{\frac{1}{\frac{e^{-c} 1i - dx 1i}{2} + \frac{e^{c} 1i + dx 1i}{2}}}}{\frac{192 a^2 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{5d} - \frac{16 a^2 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \sin\left(\frac{3c}{2} + \frac{3dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{3d} + \frac{1168 a^2 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \sin\left(\frac{5c}{2} + \frac{5dx}{2}\right) \sqrt{a+a \cos(c+dx)}}{15d}}{12 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \cos\left(\frac{c}{2} + \frac{dx}{2}\right) + 8 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \cos\left(\frac{3c}{2} + \frac{3dx}{2}\right) + 8 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}} \cos\left(\frac{5c}{2} + \frac{5dx}{2}\right) + 2 e^{\frac{c 9i}{2} + \frac{dx 9i}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(11/2)*(a + a*cos(c + d*x))^(5/2),x)`

[Out] 
$$\left(\frac{1}{\exp(-c*1i - d*x*1i)/2 + \exp(c*1i + d*x*1i)/2}\right)^{1/2} \left( \frac{192*a^2*\exp((c*9i)/2 + (d*x*9i)/2)*\sin(c/2 + (d*x)/2)*(a + a*\cos(c + d*x))^{1/2}}{5*d} - \frac{16*a^2*\exp((c*9i)/2 + (d*x*9i)/2)*\sin((3*c)/2 + (3*d*x)/2)*(a + a*\cos(c + d*x))^{1/2}}{3*d} + \frac{1168*a^2*\exp((c*9i)/2 + (d*x*9i)/2)*\sin((5*c)/2 + (5*d*x)/2)*(a + a*\cos(c + d*x))^{1/2}}{35*d} + \frac{2336*a^2*\exp((c*9i)/2 + (d*x*9i)/2)*\sin((9*c)/2 + (9*d*x)/2)*(a + a*\cos(c + d*x))^{1/2}}{315*d} \right) / \left( 12*\exp((c*9i)/2 + (d*x*9i)/2)*\cos(c/2 + (d*x)/2) + 8*\exp((c*9i)/2 + (d*x*9i)/2)*\cos((3*c)/2 + (3*d*x)/2) + 8*\exp((c*9i)/2 + (d*x*9i)/2)*\cos((5*c)/2 + (5*d*x)/2) + 2*\exp((c*9i)/2 + (d*x*9i)/2)*\cos((7*c)/2 + (7*d*x)/2) + 2*\exp((c*9i)/2 + (d*x*9i)/2)*\cos((9*c)/2 + (9*d*x)/2) \right)$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(5/2)*sec(d*x+c)**(11/2),x)`

[Out] Timed out

### 3.354 $\int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=161

$$\frac{6a^3 \sin(c + dx) \sec^2(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{46a^3 \sin(c + dx) \sec^2(c + dx)}{21d\sqrt{a \cos(c + dx) + a}} + \frac{92a^3 \sin(c + dx) \sqrt{\sec(c + dx)}}{21d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2 \sin(c + dx)}{7d}$$

[Out]  $46/21*a^3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+6/7*a^3*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/7*a^2*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+92/21*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 2980, 2772, 2771}

$$\frac{2a^2 \sin(c + dx) \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}}{7d} + \frac{6a^3 \sin(c + dx) \sec^2(c + dx)}{7d\sqrt{a \cos(c + dx) + a}} + \frac{46a^3 \sin(c + dx) \sec^2(c + dx)}{21d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(9/2)}, x]$

[Out]  $(92*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (46*a^3*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(21*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (6*a^3*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2762

$\text{Int}[(a + b*\sin(e + f*x))^m * (c + d*\sin(e + f*x))^n, x\_Symbol] := \text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \|\ \text{IntegerQ}[m + 1/2] \|\ (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a + b*\sin(e + f*x))^3], x\_Symbol] := \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a + b*\sin(e + f*x))^n], x\_Symbol] := \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{NeQ}[2*n + 3, 0] \&\& \text{IntegerQ}[2*n]$

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} - \frac{1}{7} \left( 2a \sqrt{\cos(c + dx)} \right) \\ &= \frac{6a^3 \sec^2(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} \\ &= \frac{46a^3 \sec^2(c + dx) \sin(c + dx)}{21d \sqrt{a + a \cos(c + dx)}} + \frac{6a^3 \sec^2(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} \\ &= \frac{92a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{21d \sqrt{a + a \cos(c + dx)}} + \frac{46a^3 \sec^2(c + dx) \sin(c + dx)}{21d \sqrt{a + a \cos(c + dx)}} + \frac{6a^3 \sec^2(c + dx) \sin(c + dx)}{7d} \end{aligned}$$

**Mathematica [A]** time = 5.36, size = 74, normalized size = 0.46

$$\frac{a^2(93 \cos(c + dx) + 23 \cos(2(c + dx)) + 23 \cos(3(c + dx)) + 29) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(9/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(29 + 93*Cos[c + d*x] + 23*Cos[2*(c + d*x)] + 23*Cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2])/(21*d)
```

**fricas [A]** time = 1.05, size = 94, normalized size = 0.58

$$\frac{2 \left( 46 a^2 \cos(dx + c)^3 + 23 a^2 \cos(dx + c)^2 + 12 a^2 \cos(dx + c) + 3 a^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{21 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^(9/2), x, algorithm="fricas")
```

```
[Out] 2/21*(46*a^2*cos(d*x + c)^3 + 23*a^2*cos(d*x + c)^2 + 12*a^2*cos(d*x + c) + 3*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c)^4 + d*cos(d*x + c)^3)*sqrt(cos(d*x + c)))
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.20, size = 85, normalized size = 0.53

$$\frac{2 \left( 46 \left( \cos^4(dx+c) \right) - 23 \left( \cos^3(dx+c) \right) - 11 \left( \cos^2(dx+c) \right) - 9 \cos(dx+c) - 3 \right) \cos(dx+c) \sqrt{a(1+\cos(dx+c))}}{21d \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x)

[Out] -2/21/d\*(46\*cos(d\*x+c)^4-23\*cos(d\*x+c)^3-11\*cos(d\*x+c)^2-9\*cos(d\*x+c)-3)\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(9/2)/sin(d\*x+c)\*a^2

**maxima** [A] time = 1.04, size = 243, normalized size = 1.51

$$\frac{8 \left( \frac{21 \sqrt{2} a^2 \sin^5(dx+c)}{\cos(dx+c)+1} - \frac{56 \sqrt{2} a^2 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{63 \sqrt{2} a^2 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} - \frac{36 \sqrt{2} a^2 \sin^7(dx+c)}{(\cos(dx+c)+1)^7} + \frac{8 \sqrt{2} a^2 \sin^9(dx+c)}{(\cos(dx+c)+1)^9} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)}{21 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 8/21\*(21\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 56\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 63\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 36\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 8\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1))

**mupad** [B] time = 4.21, size = 227, normalized size = 1.41

$$\frac{-\frac{35 a^2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a+a \cos(c+dx)} \sqrt{\frac{2 e^{c 1 i+d x 1 i}}{e^{c 2 i+d x 2 i+1}}}}{2} + 35 a^2 \sin\left(\frac{3 c}{2} + \frac{3 dx}{2}\right) \sqrt{a+a \cos(c+dx)} \sqrt{\frac{2 e^{c 1 i+d x 1 i}}{e^{c 2 i+d x 2 i+1}}} + \frac{23 a^2 \sin\left(\frac{5 c}{2} + \frac{5 dx}{2}\right) \sqrt{a+a \cos(c+dx)} \sqrt{\frac{2 e^{c 1 i+d x 1 i}}{e^{c 2 i+d x 2 i+1}}}}{8} + \frac{63 d \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{8} + \frac{63 d \cos\left(\frac{3 c}{2} + \frac{3 dx}{2}\right)}{8} + \frac{21 d \cos\left(\frac{5 c}{2} + \frac{5 dx}{2}\right)}{8} + \frac{21 d \cos\left(\frac{7 c}{2} + \frac{7 dx}{2}\right)}{8}}{21 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^(5/2),x)

[Out] (35\*a^2\*sin((3\*c)/2 + (3\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2) - (35\*a^2\*sin(c/2 + (d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2))/2 + (23\*a^2\*sin((7\*c)/2 + (7\*d\*x)/2)\*(a + a\*cos(c + d\*x))^(1/2)\*((2\*exp(c\*1i + d\*x\*1i))/(exp(c\*2i + d\*x\*2i) + 1))^(1/2))/2)/((63\*d\*cos(c/2 + (d\*x)/2))/8 + (63\*d\*cos((3\*c)/2 + (3\*d\*x)/2))/8 + (21\*d\*cos((5\*c)/2 + (5\*d\*x)/2))/8 + (21\*d\*cos((7\*c)/2 + (7\*d\*x)/2))/8)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.355 $\int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=121

$$\frac{22a^3 \sin(c + dx) \sec^2(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{86a^3 \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2 \sin(c + dx) \sec^2(c + dx)\sqrt{a \cos(c + dx) + a}}{5d}$$

[Out]  $22/15*a^3*\sec(d*x+c)^(3/2)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)+2/5*a^2*\sec(d*x+c)^(5/2)*\sin(d*x+c)*(a+a*\cos(d*x+c))^(1/2)/d+86/15*a^3*\sin(d*x+c)*\sec(d*x+c)^(1/2)/d/(a+a*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.29, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2762, 2980, 2771}

$$\frac{22a^3 \sin(c + dx) \sec^2(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2 \sin(c + dx) \sec^2(c + dx)\sqrt{a \cos(c + dx) + a}}{5d} + \frac{86a^3 \sin(c + dx)\sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^(5/2)*\text{Sec}[c + d*x]^(7/2), x]$

[Out]  $(86*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (22*a^3*\text{Sec}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^(5/2)*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2762

$\text{Int}[(a + b*\sin[(e + f*x)])^m * ((c + d*\sin[(e + f*x)])^n), x\_Symbol] := -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d))], x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] || \text{IntegerQ}[m + 1/2] || (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

#### Rule 2771

$\text{Int}[\text{Sqrt}[a + b*\sin[(e + f*x)]]/((c + d*\sin[(e + f*x)])^{3/2}), x\_Symbol] := \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2980

$\text{Int}[\text{Sqrt}[a + b*\sin[(e + f*x)]]*((A + B*\sin[(e + f*x)])^n), x\_Symbol] := -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(2*d*(n+1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

#### Rule 4222

$\text{Int}[(\text{csc}[a + b*x] + (b*x))^{m-1} * (\text{csc}[a + b*x])^m, x\_Symbol] := \text{Dist}[(\text{csc}[a + b*x])^{m-1} * (\text{csc}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(\text{csc}[a + b*x])^m, x], x]$

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} - \frac{1}{5} \left( 2a \sqrt{\cos(c + dx)} \right) \\ &= \frac{22a^3 \sec^2(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} \\ &= \frac{86a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{22a^3 \sec^2(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{\cos(c + dx)}}{5d} \end{aligned}$$

**Mathematica** [A] time = 0.28, size = 64, normalized size = 0.53

$$\frac{a^2(28 \cos(c + dx) + 43 \cos(2(c + dx)) + 49) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)}}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(7/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(49 + 28\*Cos[c + d\*x] + 43\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^(5/2)\*Tan[(c + d\*x)/2])/(15\*d)

**fricas** [A] time = 1.03, size = 81, normalized size = 0.67

$$\frac{2 \left( 43 a^2 \cos(dx + c)^2 + 14 a^2 \cos(dx + c) + 3 a^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{15 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] 2/15\*(43\*a^2\*cos(d\*x + c)^2 + 14\*a^2\*cos(d\*x + c) + 3\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2), x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.19, size = 75, normalized size = 0.62

$$\frac{2 \left( 43 \left( \cos^3(dx + c) \right) - 29 \left( \cos^2(dx + c) \right) - 11 \cos(dx + c) - 3 \right) \cos(dx + c) \sqrt{a(1 + \cos(dx + c))} \left( \frac{1}{\cos(dx + c)} \right)^{7/2} a}{15d \sin(dx + c)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^(7/2),x)`

[Out]  $-2/15/d*(43*\cos(d*x+c)^3-29*\cos(d*x+c)^2-11*\cos(d*x+c)-3)*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^{(1/2)}*(1/\cos(d*x+c))^{(7/2)}/\sin(d*x+c)*a^2$

**maxima** [A] time = 0.82, size = 151, normalized size = 1.25

$$\frac{8 \left( \frac{15 \sqrt{2} a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sqrt{2} a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{28 \sqrt{2} a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{8 \sqrt{2} a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{15 d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out]  $8/15*(15*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 28*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 8*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(d*(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)})$

**mupad** [B] time = 1.62, size = 137, normalized size = 1.13

$$\frac{2 a^2 \sqrt{a (\cos (c+d x)+1)} \sqrt{\frac{1}{\cos (c+d x)}} (98 \sin (c+d x)+56 \sin (2 c+2 d x)+141 \sin (3 c+3 d x)+28 \sin (4 c+4 d x)+43 \sin (5 c+5 d x))}{15 d (10 \cos (c+d x)+8 \cos (2 c+2 d x)+5 \cos (3 c+3 d x)+2 \cos (4 c+4 d x)+\cos (5 c+5 d x)+6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(5/2),x)`

[Out]  $(2*a^2*(a*(\cos(c + d*x) + 1))^{(1/2)}*(1/\cos(c + d*x))^{(1/2)}*(98*\sin(c + d*x) + 56*\sin(2*c + 2*d*x) + 141*\sin(3*c + 3*d*x) + 28*\sin(4*c + 4*d*x) + 43*\sin(5*c + 5*d*x)))/(15*d*(10*\cos(c + d*x) + 8*\cos(2*c + 2*d*x) + 5*\cos(3*c + 3*d*x) + 2*\cos(4*c + 4*d*x) + \cos(5*c + 5*d*x) + 6))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(5/2)*sec(d*x+c)**(7/2),x)`

[Out] Timed out

### 3.356 $\int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=138

$$\frac{2a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{14a^3\sin(c+dx)\sqrt{\sec(c+dx)}}{3d\sqrt{a\cos(c+dx)+a}} + \frac{2a^2\sin(c+dx)\sec^2(c+dx)}{3d}$$

[Out]  $2/3*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d+2*a^{(5/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+14/3*a^3*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.29, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 2980, 2774, 216}

$$\frac{2a^2\sin(c+dx)\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}}{3d} + \frac{2a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{14a^3\sin(c+dx)\sec^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(2*a^{(5/2)}*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (14*a^3*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

#### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] := \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2762

$\text{Int}(((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x\_Symbol) := -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[a*c*(m-2) - b*d*(m-2*n-4) - (b*c*(m-1) - a*d*(m+2*n+1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || IntegerQ[m] && EqQ[c, 0])

#### Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\sin[(e_) + (f_)*(x_)]], x\_Symbol] := \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /;$  FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2980

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x\_Symbol] := -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(2*d*(n+1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x]$

$c + d*\sin[e + f*x])^{(n + 1), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \& \& \text{NeQ}[b*c - a*d, 0] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{NeQ}[c^2 - d^2, 0] \& \& \text{LtQ}[n, -1]$

Rule 4222

$\text{Int}[(\text{csc}[a_.] + (b_.)*(x_))* (c_.)^{(m_.)}*(u_), x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\sin[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sin[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \& \& \text{IntegerQ}[m] \& \& \text{KnownSineIntegrandQ}[u, x]$

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} - \frac{1}{3} (2a \sqrt{\cos(c + dx)}) \\ &= \frac{14a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx)}{3d} \\ &= \frac{14a^3 \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sec^3(c + dx)}{3d} \\ &= \frac{2a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{14a^3 \sqrt{\sec(c + dx)}}{3d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.32, size = 404, normalized size = 2.93

$$\sqrt{\frac{1}{1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}} \sqrt{1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)} \csc^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) (a(\cos(c + dx) + 1))^{5/2} \left(256 \sin^6\left(\frac{c}{2} + \frac{dx}{2}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2),x]

[Out] ((a\*(1 + Cos[c + d\*x]))^(5/2)\*Csc[c/2 + (d\*x)/2]^3\*Sec[c/2 + (d\*x)/2]^5\*Sqrt[(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1)]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(256\*Cos[(c + d\*x)/2]^4\*HypergeometricPFQ[{3/2, 2, 7/2}, {1, 9/2}, 2\*Sin[c/2 + (d\*x)/2]^2]\*Sin[c/2 + (d\*x)/2]^6 + 512\*Hypergeometric2F1[3/2, 7/2, 9/2, 2\*Sin[c/2 + (d\*x)/2]^2]\*Sin[c/2 + (d\*x)/2]^6\*(2 - 3\*Sin[c/2 + (d\*x)/2]^2 + Sin[c/2 + (d\*x)/2]^4) + (21\*Sqrt[2]\*ArcSin[Sqrt[2]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]]\*(15 - 10\*Sin[c/2 + (d\*x)/2]^2 + 3\*Sin[c/2 + (d\*x)/2]^4))/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2] - 14\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(45 + 30\*Sin[c/2 + (d\*x)/2]^2 - 31\*Sin[c/2 + (d\*x)/2]^4 + 12\*Sin[c/2 + (d\*x)/2]^6))/(672\*d)

**fricas [A]** time = 1.05, size = 128, normalized size = 0.93

$$\frac{2 \left( 3 \left( a^2 \cos(dx + c)^2 + a^2 \cos(dx + c) \right) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8 a^2 \cos(dx+c)+a^2) \sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{\cos(dx+c)}} \right)}{3 \left( d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out]  $-2/3*(3*(a^2*\cos(dx+c)^2 + a^2*\cos(dx+c))*\sqrt{a}*\arctan(\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - (8*a^2*\cos(dx+c) + a^2)*\sqrt{a*\cos(dx+c)+a}*\sin(dx+c)/\sqrt{\cos(dx+c)})/(d*\cos(dx+c)^2 + d*\cos(dx+c))$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.22, size = 268, normalized size = 1.94

$$2 \left( 3 \left( \cos^2(dx+c) \right) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left( \frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) + 6 \cos(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arctan \left( \frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x)

[Out]  $-2/3/d*(3*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+6*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+3*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+8*\cos(dx+c)*\sin(dx+c)+\sin(dx+c)*\cos(dx+c)*\sin(dx+c)^2*(1/\cos(dx+c))^{5/2}*(a*(1+\cos(dx+c)))^{1/2}/(-1+\cos(dx+c)))/(1+\cos(dx+c))^2*a^2$

**maxima** [B] time = 1.81, size = 1395, normalized size = 10.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out]  $1/6*(30*(\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)^{(3/4)}*a^{5/2}*\sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)) - 2*(\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)^{(1/4)}*((12*a^2*\cos(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c))) * \sin(2*d*x+2*c) - 3*a^2*\sin(2*d*x+2*c) - 4*(3*a^2*\cos(2*d*x+2*c) + 4*a^2)*\sin(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)))) * \cos(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)) + (12*a^2*\sin(2*d*x+2*c)*\sin(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c))) + 3*a^2*\cos(2*d*x+2*c) - a^2 + 4*(3*a^2*\cos(2*d*x+2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c)))) * \sin(3/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1))) * \sqrt{a} + 3*((a^2*\cos(2*d*x+2*c)^2 + a^2*\sin(2*d*x+2*c)^2 + 2*a^2*\cos(2*d*x+2*c) + a^2)*\arctan2((\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)^{(1/4)} * (\cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c))) * \sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)) * \sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1))))), (\cos(2*d*x+2*c)^2 + \sin(2*d*x+2*c)^2 + 2*\cos(2*d*x+2*c) + 1)^{(1/4)} * (\cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)) * \cos(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1))) + \sin(1/2*\arctan2(\sin(2*d*x+2*c), \cos(2*d*x+2*c) + 1)))$

```
*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a)/((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*d)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{5/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)*(a + a*cos(c + d*x))^(5/2), x)
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

### 3.357 $\int (a + a \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=134

$$\frac{5a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^3\sin(c+dx)}{d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{2a^2\sin(c+dx)\sqrt{\sec(c+dx)}}{d}$$

[Out]  $-a^3\sin(dx+c)/d/(a+a\cos(dx+c))^{1/2}/\sec(dx+c)^{1/2}+5a^{5/2}\arcsin(\sin(dx+c)a^{1/2}/(a+a\cos(dx+c))^{1/2})*\cos(dx+c)^{1/2}*\sec(dx+c)^{1/2}/d+2a^2\sin(dx+c)*(a+a\cos(dx+c))^{1/2}*\sec(dx+c)^{1/2}/d$

**Rubi [A]** time = 0.28, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2762, 2981, 2774, 216}

$$\frac{5a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^3\sin(c+dx)}{d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{2a^2\sin(c+dx)\sqrt{\sec(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2), x]

[Out]  $(5*a^{5/2}*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/d - (a^3*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]] + (2*a^2*Sqrt[a + a*Cos[c + d*x]])*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[Rt[-b, 2]\*x]/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2762

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] + Dist[b^2/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*c\*(m - 2) - b\*d\*(m - 2\*n - 4) - (b\*c\*(m - 1) - a\*d\*(m + 2\*n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x]

/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^m\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sec^3(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2}}{\cos^3(c + dx)} dx \\ &= \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \left( 2a \sqrt{\cos(c + dx)} \right) \\ &= -\frac{a^3 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \\ &= -\frac{a^3 \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2 \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \\ &= \frac{5a^{5/2} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} - \frac{2a \sqrt{\cos(c + dx)}}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 3.00, size = 202, normalized size = 1.51

$$\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (a(\cos(c + dx) + 1))^{5/2} \left(6 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) + \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[(c + d\*x)/2]^4\*Sqrt[Sec[c + d\*x]]\*(7\*(89 + 28\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Hypergeometric2F1[1/2, 3/2, 7/2, 2\*Sin[(c + d\*x)/2]^2] + 24\*(3 + Cos[c + d\*x])\*Hypergeometric2F1[3/2, 5/2, 9/2, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^2 + 6\*Csc[(c + d\*x)/2]^2\*HypergeometricPFQ[{3/2, 2, 5/2}, {1, 9/2}, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^4)\*Tan[(c + d\*x)/2])/(420\*d)

**fricas [A]** time = 0.79, size = 111, normalized size = 0.83

$$\frac{5 \left( a^2 \cos(dx + c) + a^2 \right) \sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(a^2 \cos(dx+c) + 2a^2) \sqrt{a} \cos(dx+c) + a \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] -(5\*(a^2\*cos(d\*x + c) + a^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (a^2\*cos(d\*x + c) + 2\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.22, size = 186, normalized size = 1.39

$$\frac{\left(5 \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + \cos(dx+c) \sin(dx+c) + 5 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right)}{d(1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x)

[Out] 1/d\*(5\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+cos(d\*x+c)\*sin(d\*x+c)+5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+2\*sin(d\*x+c))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(1+cos(d\*x+c))\*a^2

**maxima** [B] time = 1.57, size = 973, normalized size = 7.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/4\*(2\*(a^2\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - (a^2\*cos(d\*x + c) - a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)\*sqrt(a) + 5\*(a^2\*arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + 1) - a^2\*arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) - 1) - a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sqrt(a) + 8\*(a^2\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(d\*x + c) - (a^2\*cos(d\*x + c) - a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c) - (a^2\*cos(d\*x + c) - a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c) - (a^2\*cos(d\*x + c) - a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c)



+ 2\*c) + 1))) \* sqrt(a) / ((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4) \* d)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

### 3.358 $\int (a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=140

$$\frac{19a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{9a^3\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{2d\sqrt{\sec(c+dx)}}$$

[Out]  $9/4*a^3*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}+1/2*a^2*\sin(d*x+c)*(a+a*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}+19/4*a^{(5/2)}*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.29, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2763, 2981, 2774, 216}

$$\frac{19a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{9a^3\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out]  $(19*a^{(5/2)}*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*d) + (9*a^3*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]) + (a^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

#### Rule 2763

$\text{Int}(((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*b*c*(m-2) + b^2*d*(n+1) + a^2*d*(m+n) - b*(b*c*(m-1) - a*d*(3*m+2*n-2))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ !\text{LtQ}[n, -1] \ \&\& \ (\text{IntegersQ}[2*m, 2*n] \ || \ \text{IntegerQ}[m + 1/2] \ || \ (\text{IntegerQ}[m] \ \&\& \ \text{EqQ}[c, 0]))$

#### Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\sin[(e_) + (f_)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[d, a/b]$

#### Rule 2981

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}}, x\_Symbol] \rightarrow \text{Simp}[( -2*b*B*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(2*n+3)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n+3) - B*(b*c - 2*a*d*(n+1)))/(b*d*(2*n+3)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 -$

$b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ !\text{LtQ}[n, -1]$

### Rule 4222

$\text{Int}[(\text{csc}[a_.] + (b_.) \cdot (x_.)] \cdot (c_.)^{(m_.)} \cdot (u_.), x\_Symbol] \rightarrow \text{Dist}[(c \cdot \text{Csc}[a + b \cdot x])^m \cdot (c \cdot \text{Sin}[a + b \cdot x])^m, \text{Int}[\text{ActivateTrig}[u]/(c \cdot \text{Sin}[a + b \cdot x])^m, x], x] /;$   
 $\text{FreeQ}\{a, b, c, m\}, x] \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ \text{KnownSineIntegrandQ}[u, x]$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)} \, dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} \, dx \\ &= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{9a^3 \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= \frac{9a^3 \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= \frac{19a^{5/2} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 3.01, size = 202, normalized size = 1.44

$$\frac{\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (a(\cos(c + dx) + 1))^{5/2} \left(2 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) + 1\right)}{4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Cos[c + d\*x]]\*(a\*(1 + Cos[c + d\*x]))^(5/2)\*Sec[(c + d\*x)/2]^4\*Sqrt[Sec[c + d\*x]]\*(7\*(89 + 28\*Cos[c + d\*x] + 3\*Cos[2\*(c + d\*x)])\*Hypergeometric2F1[1/2, 1/2, 7/2, 2\*Sin[(c + d\*x)/2]^2] + 8\*(3 + Cos[c + d\*x])\*Hypergeometric2F1[3/2, 3/2, 9/2, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^2 + 2\*Csc[(c + d\*x)/2]^2\*HypergeometricPFQ[{3/2, 3/2, 2}, {1, 9/2}, 2\*Sin[(c + d\*x)/2]^2]\*Sin[c + d\*x]^4)\*Tan[(c + d\*x)/2])/(420\*d)

**fricas [A]** time = 1.00, size = 120, normalized size = 0.86

$$\frac{19 \left( a^2 \cos(dx + c) + a^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(2a^2 \cos(dx+c)^2 + 11a^2 \cos(dx+c)) \sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] -1/4\*(19\*(a^2\*cos(d\*x + c) + a^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (2\*a^2\*cos(d\*x + c)^2 + 11\*a^2\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.24, size = 166, normalized size = 1.19

$$\frac{\left(2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx+c) \sin(dx+c) + 11\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sin(dx+c) + 19 \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right) \sqrt{a(1+\cos(dx+c))}}{4d \sin(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x)

[Out]  $-1/4/d*(2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\sin(d*x+c)+11*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)+19*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\cos(d*x+c))*(a*(1+\cos(d*x+c)))^{1/2}*(1/\cos(d*x+c))^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)^2*(\cos(d*x+c)^2-1)*a^2$

**maxima** [B] time = 1.74, size = 1106, normalized size = 7.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out]  $1/16*(2*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*((a^2*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*\sin(2*d*x + 2*c) + a^2*\sin(2*d*x + 2*c) - (a^2*\cos(2*d*x + 2*c) - 10*a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a^2*\sin(2*d*x + 2*c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - a^2*\cos(2*d*x + 2*c) + 10*a^2 + (a^2*\cos(2*d*x + 2*c) - 10*a^2)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + 19*(a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - a^2*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1))$

) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*sqrt(a))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + a \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*(1/2), x)

[Out] Timed out

$$3.359 \quad \int \frac{(a+a \cos(c+dx))^{5/2}}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=180

$$\frac{25a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{13a^3\sin(c+dx)}{12d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{25a^3\sin(c+dx)}{8d\sqrt{\sec(c+dx)}} + \dots$$

[Out] 13/12\*a^3\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)+1/3\*a^2\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d/sec(d\*x+c)^(3/2)+25/8\*a^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)+25/8\*a^(5/2)\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.36, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2763, 2981, 2770, 2774, 216}

$$\frac{13a^3\sin(c+dx)}{12d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{3d\sec^2(c+dx)} + \frac{25a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Sqrt[Sec[c + d\*x]], x]

[Out] (25\*a^(5/2)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(8\*d) + (13\*a^3\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sec[c + d\*x]^(3/2)) + (25\*a^3\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\sqrt{\sec(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{13a^3 \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{8} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{13a^3 \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{8d} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{13a^3 \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{8d} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{25a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \frac{13a^3 \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)}$$

**Mathematica [C]** time = 3.12, size = 202, normalized size = 1.12

---


$$\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (a(\cos(c + dx) + 1))^{5/2} \left(-2 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) + \frac{1}{2}(c + dx)\right)$$


---

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)/Sqrt[Sec[c + d*x]], x]
[Out] (Sqrt[Cos[c + d*x]]*(a*(1 + Cos[c + d*x]))^(5/2)*Sec[(c + d*x)/2]^4*Sqrt[Se
c[c + d*x]]*(7*(89 + 28*Cos[c + d*x] + 3*Cos[2*(c + d*x)])*Hypergeometric2F
1[-1/2, 1/2, 7/2, 2*Sin[(c + d*x)/2]^2] - 8*(3 + Cos[c + d*x])*Hypergeometr
ic2F1[1/2, 3/2, 9/2, 2*Sin[(c + d*x)/2]^2]*Sin[c + d*x]^2 - 2*Csc[(c + d*x)
```

$/2]^2 \text{HypergeometricPFQ}[\{1/2, 3/2, 2\}, \{1, 9/2\}, 2 \sin[(c + dx)/2]^2] \sin[c + dx]^4 \tan[(c + dx)/2]) / (420d)$

**fricas** [A] time = 0.82, size = 133, normalized size = 0.74

$$\frac{75(a^2 \cos(dx + c) + a^2) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(8a^2 \cos(dx+c)^3 + 34a^2 \cos(dx+c)^2 + 75a^2 \cos(dx+c)) \sqrt{a \cos(dx+c)}}{\sqrt{\cos(dx+c)}}}{24(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out]  $-1/24*(75*(a^2*\cos(d*x + c) + a^2)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(sqrt(a)*\sin(d*x + c))) - (8*a^2*\cos(d*x + c)^3 + 34*a^2*\cos(d*x + c)^2 + 75*a^2*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/sqrt(\cos(d*x + c)))/(d*\cos(d*x + c) + d)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple** [A] time = 0.25, size = 207, normalized size = 1.15

$$\frac{(-1 + \cos(dx + c))^2 \left( 8 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) \sin(dx + c) + 34 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \cos(dx + c) \sin(dx + c) + 75 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)}{24d \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sqrt{\frac{1}{\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x)

[Out]  $1/24/d*(-1+\cos(d*x+c))^2*(8*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*\cos(d*x+c)^2*\sin(d*x+c)+34*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*\cos(d*x+c)*\sin(d*x+c)+75*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)*\sin(d*x+c)+75*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^(1/2)/\cos(d*x+c))*\cos(d*x+c)*(a*(1+\cos(d*x+c)))^(1/2)/(\cos(d*x+c)/(1+\cos(d*x+c)))^(3/2)/(1/\cos(d*x+c))^(1/2)/\sin(d*x+c)^4*a^2)$

**maxima** [B] time = 1.71, size = 1964, normalized size = 10.91

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out]  $1/96*(4*(a^2*\cos(3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) + 1))*\sin(3*d*x + 3*c) - (a^2*\cos(3*d*x + 3*c) - a^2)*\sin(3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) + 1))*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) + 1)^(3/4)*\sqrt{a} + 30*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))))$



$$\begin{aligned}
& 3*c), \cos(3*d*x + 3*c))\wedge 2 + 2*\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))) + 1)\wedge (1/4)*((a\wedge 2*\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
& ))) + 5*a\wedge 2*\sin(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))))*\cos(1/2*a \\
& rctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - (a\wedge 2*\cos(2/3*\arctan 2(\sin(3*d \\
& *x + 3*c), \cos(3*d*x + 3*c))) + 3*a\wedge 2*\cos(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c))) - 4*a\wedge 2*\sin(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + \\
& 1)))*\sqrt{a} + 75*(a\wedge 2*\arctan 2(-(\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d* \\
& x + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + 2*c \\
& \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)\wedge (1/4)*(\cos(1/2*ar \\
& ctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2( \\
& \sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*\arctan 2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c))) - \cos(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& *\sin(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos( \\
& 2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3*\arctan 2(s \\
& in(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), c \\
& \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)) \\
& ) + 1)\wedge (1/4)*(\cos(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\cos(1/2* \\
& arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arcta \\
& n 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3*\arctan 2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + \\
& 1))) + 1) - a\wedge 2*\arctan 2(-(\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3* \\
& c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos(2/3 \\
& *\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)\wedge (1/4)*(\cos(1/2*\arctan 2(s \\
& in(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3* \\
& d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos( \\
& 3*d*x + 3*c))) - \cos(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1 \\
& /2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*ar \\
& ctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3*\arctan 2(\sin(3*d \\
& *x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d \\
& *x + 3*c)))\wedge 2 + 2*\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1) \\
& \wedge (1/4)*(\cos(1/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\cos(1/2*\arctan \\
& 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3*\arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c)))*\sin(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) \\
& - 1) - a\wedge 2*\arctan 2((\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 \\
& + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos(2/3*\arctan \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)\wedge (1/4)*\sin(1/2*\arctan 2(\sin(2/3*a \\
& rctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3* \\
& c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos \\
& (2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)\wedge (1/4)*\cos(1/2*\arctan \\
& 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + 1) + a\wedge 2*\arctan 2((\cos(2/3*\arctan 2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
& ))) + 1)\wedge (1/4)*\sin(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos( \\
& 2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + \sin(2/3*\arctan 2(\sin(3* \\
& d*x + 3*c), \cos(3*d*x + 3*c)))\wedge 2 + 2*\cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos( \\
& 3*d*x + 3*c))) + 1)\wedge (1/4)*\cos(1/2*\arctan 2(\sin(2/3*\arctan 2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))), \cos(2/3*\arctan 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + \\
& 1)) - 1))*\sqrt{a})/d
\end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(c + d x))^{5/2}}{\sqrt{\frac{1}{\cos(c + d x)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(1/2), x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(1/2), x)

[Out] Timed out

**3.360** 
$$\int \frac{(a+a \cos(c+dx))^{5/2}}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=220

$$\frac{163a^{5/2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{64d} + \frac{163a^3\sin(c+dx)}{96d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{17a^2\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{24d\sec^2(c+dx)}$$

[Out] 17/24\*a^3\*sin(d\*x+c)/d/sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2)+163/96\*a^3\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2)+1/4\*a^2\*sin(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)/d/sec(d\*x+c)^(5/2)+163/64\*a^3\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)+163/64\*a^(5/2)\*arcsin(sin(d\*x+c)\*a^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.42, antiderivative size = 220, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2763, 2981, 2770, 2774, 216}

$$\frac{163a^3\sin(c+dx)}{96d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{17a^3\sin(c+dx)}{24d\sec^2(c+dx)\sqrt{a\cos(c+dx)+a}} + \frac{a^2\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{4d\sec^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)/Sec[c + d\*x]^(3/2), x]

[Out] (163\*a^(5/2)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*d) + (17\*a^3\*Sin[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)) + (a^2\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sec[c + d\*x]^(5/2)) + (163\*a^3\*Sin[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (163\*a^3\*Sin[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

**Rule 2763**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegersQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2770**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\sec^3(c + dx)} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{3/2}(c + dx)(a + a \cos(c + dx))^{5/2} dx$$

$$= \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{3/2}(c + dx) dx$$

$$= \frac{17a^3 \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^5(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \frac{1}{48} (16 \dots)$$

$$= \frac{17a^3 \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^5(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \dots$$

$$= \frac{17a^3 \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^5(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \dots$$

$$= \frac{17a^3 \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)} \sec^5(c + dx)} + \frac{a^2 \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \dots$$

$$= \frac{163a^{5/2} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} + \frac{17a^3 \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}}$$

**Mathematica [C]** time = 3.10, size = 202, normalized size = 0.92

---


$$\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} (a(\cos(c + dx) + 1))^{5/2} \left(-6 \sin^4(c + dx) \csc^2\left(\frac{1}{2}(c + dx)\right) + \dots\right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)/Sec[c + d*x]^(3/2), x]
```

[Out]  $(\sqrt{\cos[c + dx]} * (a * (1 + \cos[c + dx]))^{5/2} * \sec[(c + dx)/2]^{4} * \sqrt{\sec[c + dx]} * (7 * (89 + 28 * \cos[c + dx]) + 3 * \cos[2 * (c + dx)]) * \text{Hypergeometric2F1}[-3/2, 1/2, 7/2, 2 * \sin[(c + dx)/2]^2] - 24 * (3 + \cos[c + dx]) * \text{Hypergeometric2F1}[-1/2, 3/2, 9/2, 2 * \sin[(c + dx)/2]^2] * \sin[c + dx]^2 - 6 * \text{Csc}[(c + dx)/2]^2 * \text{HypergeometricPFQ}[-1/2, 3/2, 2], \{1, 9/2\}, 2 * \sin[(c + dx)/2]^2] * \sin[c + dx]^4 * \tan[(c + dx)/2]) / (420 * d)$

**fricas** [A] time = 0.78, size = 146, normalized size = 0.66

$$\frac{489 \left( a^2 \cos(dx + c) + a^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(48 a^2 \cos(dx+c)^4 + 184 a^2 \cos(dx+c)^3 + 326 a^2 \cos(dx+c)^2 + 489 a^2 \cos(dx+c)) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{192 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")`

[Out]  $-1/192 * (489 * (a^2 * \cos(dx + c) + a^2) * \sqrt{a} * \arctan(\sqrt{a * \cos(dx + c) + a} * \sqrt{\cos(dx + c)} / (\sqrt{a} * \sin(dx + c))) - (48 * a^2 * \cos(dx + c)^4 + 184 * a^2 * \cos(dx + c)^3 + 326 * a^2 * \cos(dx + c)^2 + 489 * a^2 * \cos(dx + c)) * \sqrt{a * \cos(dx + c) + a} * \sin(dx + c) / \sqrt{\cos(dx + c)}) / (d * \cos(dx + c) + d)$

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="giac")`

[Out] Timed out

**maple** [A] time = 0.27, size = 242, normalized size = 1.10

$$(-1 + \cos(dx + c))^3 \left( 48 (\cos^3(dx + c)) \sin(dx + c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 184 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx + c)) \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x)`

[Out]  $-1/192/d * (-1 + \cos(dx + c))^3 * (48 * \cos(dx + c)^3 * \sin(dx + c) * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} + 184 * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} * \cos(dx + c)^2 * \sin(dx + c) + 326 * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} * \cos(dx + c) * \sin(dx + c) + 489 * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} * \sin(dx + c) + 489 * \arctan(\sin(dx + c) * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} / \cos(dx + c))) * \cos(dx + c) * (a * (1 + \cos(dx + c)))^{1/2} / (\cos(dx + c) / (1 + \cos(dx + c)))^{5/2} / (1 / \cos(dx + c))^{3/2} / \sin(dx + c)^6 * a^2)$

**maxima** [B] time = 2.14, size = 7450, normalized size = 33.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out]  $1/768 * (10 * (\cos(1/2 * \arctan2(\sin(4 * dx + 4 * c), \cos(4 * dx + 4 * c)))^2 + \sin(1/2 * \arctan2(\sin(4 * dx + 4 * c), \cos(4 * dx + 4 * c)))^2 + 2 * \cos(1/2 * \arctan2(\sin(4 * dx + 4 * c), \cos(4 * dx + 4 * c))) + 1)^{3/4} * ((3 * a^2 * \cos(4 * dx + 4 * c))^2 * \sin(4 * dx + 4 * c))^{3/4} / \sin(4 * dx + 4 * c)^{3/4})$

$$\begin{aligned}
& *x + 4*c) + 3*a^2*\sin(4*d*x + 4*c)^3 + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*(2*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + (8*a^2*\cos(4*d*x + 4*c)^2 + 8*a^2*\sin(4*d*x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(16*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\sin(4*d*x + 4*c)^2 - 19*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + 19*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 12*(4*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (3*a^2*\cos(4*d*x + 4*c)^3 - 8*a^2*\cos(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 14*a^2*\cos(4*d*x + 4*c)^2 + 19*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 - 8*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 2*a^2*\cos(4*d*x + 4*c)^2 - 13*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 - 8*a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (8*a^2*\cos(4*d*x + 4*c)^2 + 8*a^2*\sin(4*d*x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(16*a^2*\cos(4*d*x + 4*c)^2 + 16*a^2*\sin(4*d*x + 4*c)^2 - 19*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + 19*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 11*a^2*\cos(4*d*x + 4*c)^2 + 8*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(2*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)))*\sqrt{a} - 6*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4))*((3*a^2*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(4*d*x + 4*c)^3 + 3*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 4*(3*a^2*\sin(4*d*x + 4*c)^3 + 3*(a^2*\cos(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x
\end{aligned}$$

$$\begin{aligned}
& + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + 4*(3*a^2*\sin(4*d*x + 4*c)^3 + 160*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c)^2 + 6*a^2*\cos(4*d*x + 4*c) + 43*a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(6*a^2*\sin(4*d*x + 4*c)^3 + 3*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 6*(a^2*\cos(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (320*a^2*\cos(4*d*x + 4*c)^2 + 320*a^2*\sin(4*d*x + 4*c)^2 - 317*a^2*\cos(4*d*x + 4*c) - 3*a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(20*a^2*\cos(4*d*x + 4*c)^2 + 26*a^2*\sin(4*d*x + 4*c)^2 - 317*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*(10*a^2*\cos(4*d*x + 4*c)^2 + 13*a^2*\sin(4*d*x + 4*c)^2 - 160*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 10*a^2*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 3*(a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (160*a^2*\cos(4*d*x + 4*c)^2 + 160*a^2*\sin(4*d*x + 4*c)^2 + 3*a^2*\cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (3*a^2*\cos(4*d*x + 4*c)^3 + 120*a^2*\cos(4*d*x + 4*c)^2 - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 - 3*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(3*a^2*\cos(4*d*x + 4*c)^3 + 74*a^2*\cos(4*d*x + 4*c)^2 - 197*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) + 80*a^2)*\sin(4*d*x + 4*c)^2 + 120*a^2 - 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 + 126*a^2*\cos(4*d*x + 4*c)^2 + 243*a^2*\cos(4*d*x + 4*c) + 3*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c)^2 + 120*a^2 - 40*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(6*a^2*\cos(4*d*x + 4*c)^3 + 214*a^2*\cos(4*d*x + 4*c)^2 - 3*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 240*a^2*\cos(4*d*x + 4*c) + 2*(3*a^2*\cos(4*d*x + 4*c) + 110*a^2)*\sin(4*d*x + 4*c)^2 - (160*a^2*\cos(4*d*x + 4*c)^2 + 160*a^2*\sin(4*d*x + 4*c)^2 - 157*a^2*\cos(4*d*x + 4*c) - 3*a^2)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (80*a^2*\cos(4*d*x + 4*c)^2 + 80*a^2*\sin(4*d*x + 4*c)^2 + 3*a^2*\cos(4*d*x + 4*c))*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(320*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2*\sin(4*d*x + 4*c) + 157*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 8*(80*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - (3*a^2*\cos(4*d*x + 4*c) + 110*a^2)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 6*(a^2*\cos(4*d*x + 4*c) + 40*a^2)*\sin(4*d*x + 4*c) + 3*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))) * \sqrt{a} + 489*((a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2
\end{aligned}$$

$$\begin{aligned}
& 2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + \\
& 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a^2 \\
& *\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*\cos(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) \\
& )*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(\cos(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) \\
& *\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/4*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + \\
& 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2( \\
& \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4 \\
& *d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) + 1) - (a^2*\cos(4*d*x + 4*c)^2 + a^2 \\
& *\sin(4*d*x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - \\
& 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos( \\
& 4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 \\
& + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c) \\
& )*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*\cos(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a^2*\sin(4*d* \\
& x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& )) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
& )^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/4*\arctan2(\sin( \\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2* \\
& arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) - 1) - (a^2*\cos(4*d*x + 4*c) \\
& ^2 + a^2*\sin(4*d*x + 4*c)^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4 \\
& *c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2* \\
& a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c)))^2 + 4*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - a^2*\cos(4*d* \\
& x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a^2*c \\
& os(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a^2* \\
& \sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arct \\
& an2((\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d \\
& *x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c))) + 1)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(1/2*\arct
\end{aligned}$$



```

an2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c),
  cos(4*d*x + 4*c))) + 1)) + 1) + (a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x +
4*c)^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - 2*a^2*cos(4*d
*x + 4*c) + a^2)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4
*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 2*a^2*cos(4*d*x + 4*c)
+ a^2)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a^2*cos(
4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - a^2*cos(4*d*x + 4*c))*cos(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a^2*cos(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a^2*sin(4*d*x + 4*c))*sin
(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2
(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c),
  cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)), (cos(
1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(
4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c),
  cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) +
1)) - 1))*sqrt(a))/((4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*
d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*
(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*
arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(co
s(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(s
in(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arc
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*
c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*d)

```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + a \cos(c + dx))^{5/2}}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(3/2), x)

[Out] int((a + a\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(3/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

$$3.361 \quad \int \frac{\sec^{\frac{7}{2}}(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$$

Optimal. Leaf size=154

$$\frac{2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{5d\sqrt{\cos(c+dx)+1}} - \frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{26 \sin(c+dx)}{15d\sqrt{\cos(c+dx)+1}}$$

[Out]  $-2/15*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(1+\cos(d*x+c))^{(1/2)}+2/5*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(1+\cos(d*x+c))^{(1/2)}-\arcsin(\sin(d*x+c)/(1+\cos(d*x+c)))*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+26/15*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(1+\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.28, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {4222, 2779, 2984, 12, 2781, 216}

$$\frac{2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{5d\sqrt{\cos(c+dx)+1}} - \frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} + \frac{26 \sin(c+dx)}{15d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(7/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out]  $-((\text{Sqrt}[2]*\text{ArcSin}[\text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/d) + (26*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[1 + \text{Cos}[c + d*x]]) - (2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[1 + \text{Cos}[c + d*x]]) + (2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[1 + \text{Cos}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{\sec^{\frac{7}{2}}(c + dx)}{\sqrt{1 + \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{1 + \cos(c + dx)}} - \frac{1}{5} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{1 + \cos(c + dx)}} - \frac{1}{15} \left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{26\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{1 + \cos(c + dx)}} - \frac{1}{15} \left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{1}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{26\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{1 + \cos(c + dx)}} - \frac{1}{15} \left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{1}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{26\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{1 + \cos(c + dx)}} - \frac{1}{15} \left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 4 \cos(c + dx)}{\cos^{\frac{1}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{26\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{1 + \cos(c + dx)}}$$

**Mathematica [C]** time = 7.81, size = 1540, normalized size = 10.00

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(7/2)/Sqrt[1 + Cos[c + d*x]],x]
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^6*((1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1))^(-7/2)*(4725*Sin[c/2 + (d*x)/2]^2 - 48825*Sin[c/2 + (d*x)/2]^4 + 210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2 + (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^12 + 770*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 +
```

$(d*x)/2)^2]]*\text{Sin}[c/2 + (d*x)/2]^12 + 226656*\text{Sin}[c/2 + (d*x)/2]^14 - 1500*\text{Hypergeometric2F1}[2, 9/2, 11/2, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^14 - 42048*\text{Sin}[c/2 + (d*x)/2]^16 + 440*\text{Hypergeometric2F1}[2, 9/2, 11/2, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^16 + 4725*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 56700*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^2*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 291060*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^4*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 833760*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 1458000*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^8*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 1598400*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^10*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 1080000*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^12*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 414720*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^14*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 69120*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^16*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 60*\text{Cos}[(c + d*x)/2]^4*\text{HypergeometricPFQ}[\{2, 2, 9/2\}, \{1, 11/2\}, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^10*(-5 + 4*\text{Sin}[c/2 + (d*x)/2]^2))/(675*d*\text{Sqrt}[1 + \text{Cos}[c + d*x]]*(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2))$

**fricas [A]** time = 1.25, size = 130, normalized size = 0.84

$$\frac{15 \left( \sqrt{2} \cos(dx+c)^3 + \sqrt{2} \cos(dx+c)^2 \right) \arctan \left( \frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)} \right) + \frac{2 \left( 13 \cos(dx+c)^2 - \cos(dx+c) + 3 \right) \sqrt{\cos(dx+c)}}{\sqrt{\cos(dx+c)}}}{15 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/15\*(15\*(sqrt(2)\*cos(d\*x + c)^3 + sqrt(2)\*cos(d\*x + c)^2)\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) + 2\*(13\*cos(d\*x + c)^2 - cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c) + 1)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{7}{2}}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(7/2)/sqrt(cos(d\*x + c) + 1), x)

**maple [B]** time = 0.22, size = 294, normalized size = 1.91

$$\frac{\left( 15\sqrt{2} \arcsin \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) \left( \cos^3(dx+c) \right) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} + 45\sqrt{2} \arcsin \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) \left( \cos^2(dx+c) \right) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{5}{2}} \right)}{15 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(7/2)/(1+cos(d*x+c))^(1/2),x)`

[Out] `1/30/d*(15*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+45*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+45*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+15*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)+26*cos(d*x+c)^2*sin(d*x+c)-2*cos(d*x+c)*sin(d*x+c)+6*sin(d*x+c))*cos(d*x+c)*(2+2*cos(d*x+c))^(1/2)*sin(d*x+c)^4*(1/cos(d*x+c))^(7/2)/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3*2^(1/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(7/2)/(1+cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{7/2}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c+d*x))^(7/2)/(cos(c+d*x)+1)^(1/2),x)`

[Out] `int((1/cos(c+d*x))^(7/2)/(cos(c+d*x)+1)^(1/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(7/2)/(1+cos(d*x+c))**(1/2),x)`

[Out] Timed out

$$3.362 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3d\sqrt{\cos(c+dx)+1}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{\cos(c+dx)+1}}$$

[Out] 2/3\*sec(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(1+cos(d\*x+c))^(1/2)+arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d-2/3\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/d/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.20, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {4222, 2779, 2984, 12, 2781, 216}

$$\frac{2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3d\sqrt{\cos(c+dx)+1}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (2\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/((3\*d\*Sqrt[1 + Cos[c + d\*x]]) + (2\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[1 + Cos[c + d\*x]]))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*cos[e + f\*x])/(a + b\*sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2984

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Sim

p[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 4222

Int[(csc[a\_.] + (b\_.)\*(x\_.))\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{\sec^{\frac{5}{2}}(c + dx)}{\sqrt{1 + \cos(c + dx)}} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} - \frac{1}{3} \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 2 \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} - \frac{1}{3} \left(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 2 \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} + \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1 - 2 \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{1 + \cos(c + dx)}} dx$$

$$= -\frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} + \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} - \frac{\left(\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \sin^{-1}\left(\frac{\sin(c + dx)}{1 + \cos(c + dx)}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} - \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{1 + \cos(c + dx)}} + \dots$$

**Mathematica [C]** time = 6.61, size = 473, normalized size = 4.01

$$2 \left( \frac{1}{1 - 2 \sin^2\left(\frac{c + dx}{2}\right)} \right)^{7/2} \cot\left(\frac{c + dx}{2}\right) \csc^4\left(\frac{c + dx}{2}\right) \left( 12 \sin^8\left(\frac{c + dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; \frac{\sin^2\left(\frac{c + dx}{2}\right)}{2 \sin^2\left(\frac{c + dx}{2}\right)}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out] (-2\*Cot[c/2 + (d\*x)/2]\*Csc[c/2 + (d\*x)/2]^4\*((1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1))^(7/2)\*(12\*Cos[(c + d\*x)/2]^4\*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^8 + 12\*Hypergeometric2F1[2, 7/2, 9/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^8\*(4 - 7\*Sin[c/2 + (d\*x)/2]^2 + 3\*Sin[c/2 + (d\*x)/2]^4) + 7\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^3\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(15 - 20\*Sin[c/2 + (d\*x)/2]^2 + 8\*Sin[c/2 + (d\*x)/2]^4)\*(ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(3 - 6\*Sin[c/2 + (d\*x)/2]^2) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-3 + 7\*Sin[c/2 + (d\*x)/2]^2)))/(63\*d\*Sqrt[1 + Cos[c + d\*x]])

**fricas** [A] time = 1.10, size = 114, normalized size = 0.97

$$\frac{3\left(\sqrt{2}\cos(dx+c)^2 + \sqrt{2}\cos(dx+c)\right)\arctan\left(\frac{\sqrt{2}\sqrt{\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right) + \frac{2\sqrt{\cos(dx+c)+1}(\cos(dx+c)-1)\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{3\left(d\cos(dx+c)^2 + d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] -1/3\*(3\*(sqrt(2)\*cos(d\*x + c)^2 + sqrt(2)\*cos(d\*x + c))\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) + 2\*sqrt(cos(d\*x + c) + 1)\*(cos(d\*x + c) - 1)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{5/2}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/sqrt(cos(d\*x + c) + 1), x)

**maple** [B] time = 0.22, size = 228, normalized size = 1.93

$$\frac{\left(3\sqrt{2}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^2(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 6\sqrt{2}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\cos(dx+c)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\right)}{6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] 1/6/d\*(3\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+6\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+3\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*cos(d\*x+c)\*sin(d\*x+c)-2\*sin(d\*x+c))\*cos(d\*x+c)\*(2+2\*cos(d\*x+c))^(1/2)\*(1/cos(d\*x+c))^(5/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2\*2^(1/2)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((1/cos(c + d*x))^(5/2)/(cos(c + d*x) + 1)^(1/2),x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(cos(c + d*x) + 1)^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(1+cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.363 \quad \int \frac{\sec^3(c+dx)}{\sqrt{1+\cos(c+dx)}} dx$$

Optimal. Leaf size=82

$$\frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out]  $-\arcsin(\sin(d*x+c)/(1+\cos(d*x+c)))*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(1+\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {4222, 2779, 2781, 216}

$$\frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{\cos(c+dx)+1}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out]  $-\left(\frac{\sqrt{2} \operatorname{ArcSin}\left[\frac{\sin[c+d*x]}{1+\cos[c+d*x]}\right] \sqrt{\cos[c+d*x]} \sqrt{\sec[c+d*x]}}{d} + \frac{2 \sqrt{\sec[c+d*x]} \sin[c+d*x]}{d \sqrt{1+\cos[c+d*x]}}\right)$

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2779

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*cos[e + f\*x])/(a + b\*sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)}{\sqrt{1+\cos(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{1+\cos(c+dx)}} dx \\
&= \frac{2\sqrt{\sec(c+dx)} \sin(c+dx)}{d\sqrt{1+\cos(c+dx)}} - \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx \\
&= \frac{2\sqrt{\sec(c+dx)} \sin(c+dx)}{d\sqrt{1+\cos(c+dx)}} + \frac{\left(\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, \sqrt{\cos(c+dx)}\right)}{d} \\
&= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d} + \frac{2\sqrt{\sec(c+dx)} \sin(c+dx)}{d\sqrt{1+\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 1.95, size = 178, normalized size = 2.17

$$2 \sin\left(\frac{1}{2}(c+dx)\right) \cos\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{3}{2}}(c+dx) \left(\frac{1}{2} \cos(c+dx)(\cos(c+dx)+2) \csc^4\left(\frac{1}{2}(c+dx)\right) (-\cos(c+dx))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/Sqrt[1 + Cos[c + d\*x]], x]

[Out] (2\*Cos[(c + d\*x)/2]\*Sec[c + d\*x]^(3/2)\*Sin[(c + d\*x)/2]\*((Cos[c + d\*x]\*(2 + Cos[c + d\*x])\*Csc[(c + d\*x)/2]^4\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]))/2 - (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Sin[c + d\*x]\*Tan[c + d\*x])/10))/(d\*Sqrt[1 + Cos[c + d\*x]])

**fricas [A]** time = 1.69, size = 86, normalized size = 1.05

$$\frac{(\sqrt{2} \cos(dx+c) + \sqrt{2}) \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)}\right) + \frac{2 \sqrt{\cos(dx+c)+1} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] ((sqrt(2)\*cos(d\*x + c) + sqrt(2))\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) + 2\*sqrt(cos(d\*x + c) + 1)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/sqrt(cos(d\*x + c) + 1), x)

**maple [A]** time = 0.18, size = 144, normalized size = 1.76

$$\frac{\left(\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{2} \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 2 \sin(dx+c)\right)}{2d(1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(3/2)/(1+cos(d*x+c))^(1/2),x)`

[Out] `1/2/d*(arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+2*sin(d*x+c)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(2+2*cos(d*x+c))^(1/2)/(1+cos(d*x+c))*2^(1/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(3/2)/(1+cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(3/2)/(cos(c + d*x) + 1)^(1/2),x)`

[Out] `int((1/cos(c + d*x))^(3/2)/(cos(c + d*x) + 1)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(3/2)/(1+cos(d*x+c))**(1/2),x)`

[Out] `Integral(sec(c + d*x)**(3/2)/sqrt(cos(c + d*x) + 1), x)`

$$3.364 \quad \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx$$

Optimal. Leaf size=47

$$\frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out] arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

Rubi [A] time = 0.08, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {4222, 2781, 216}

$$\frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/Sqrt[1 + Cos[c + d\*x]], x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d

Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sine[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sine[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{1+\cos(c+dx)}} dx \\ &= \frac{\left(\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)}{d} \\ &= \frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d} \end{aligned}$$

Mathematica [A] time = 0.11, size = 68, normalized size = 1.45

$$\frac{2 \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/Sqrt[1 + Cos[c + d\*x]], x]

[Out] (2\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]]\*Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Sec[c + d\*x]])/d

**fricas** [A] time = 1.04, size = 39, normalized size = 0.83

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] -sqrt(2)\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c))/d

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{\sqrt{\cos(dx+c)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/sqrt(cos(d\*x + c) + 1), x)

**maple** [A] time = 0.19, size = 82, normalized size = 1.74

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{2 + 2 \cos(dx+c)} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx+c) - 1)}{d \sin(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x)

[Out] 1/d\*(1/cos(d\*x+c))^(1/2)\*(2+2\*cos(d\*x+c))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*(cos(d\*x+c)^2-1)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{\sqrt{\cos(c+dx)+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(cos(c + d\*x) + 1)^(1/2), x)

[Out] `int((1/cos(c + d*x))^(1/2)/(cos(c + d*x) + 1)^(1/2), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx) + 1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)/(1+cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(sec(c + d*x))/sqrt(cos(c + d*x) + 1), x)`

$$3.365 \quad \int \frac{1}{\sqrt{1+\cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=94

$$\frac{2\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

[Out] 2\*arcsin(sin(d\*x+c)/(1+cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d-arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))\*2^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.15, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {4222, 2777, 2774, 216, 2781}

$$\frac{2\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 + Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]),x]

[Out] -((Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d) + (2\*ArcSin[Sin[c + d\*x]/Sqrt[1 + Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2777

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2781

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)])\*(c\_)^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]



Rubi steps

$$\begin{aligned}
\int \frac{1}{\sqrt{1+\cos(c+dx)}\sqrt{\sec(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{1+\cos(c+dx)}} dx \\
&= -\left(\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{1+\cos(c+dx)}} dx\right) \\
&= -\frac{\left(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \text{Subst}\left(\int \frac{1}{\sqrt{1-x^2}} dx, x, -\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d} \\
&= -\frac{\sqrt{2} \sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{d} + \frac{2 \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{1+\cos(c+dx)}}\right)}{d}
\end{aligned}$$

**Mathematica [C]** time = 0.60, size = 171, normalized size = 1.82

$$\frac{i\sqrt{2} e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos\left(\frac{1}{2}(c+dx)\right) \left(-\sinh^{-1}\left(e^{i(c+dx)}\right) + \sqrt{2} \tanh^{-1}\left(\frac{-1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \tan\left(\frac{1}{2}(c+dx)\right)\right)}{d\sqrt{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[1 + Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]],x]

[Out] (I\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(-ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2])/(d\*E^((I/2)\*(c + d\*x))\*Sqrt[1 + Cos[c + d\*x]])

**fricas [A]** time = 1.09, size = 70, normalized size = 0.74

$$\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2}\sqrt{\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right) - 2 \arctan\left(\frac{\sqrt{\cos(dx+c)+1}\sqrt{\cos(dx+c)}}{\sin(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] (sqrt(2)\*arctan(sqrt(2)\*sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) - 2\*arctan(sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)))/d

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx+c)+1}\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(1/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*sqrt(sec(d\*x + c))), x)

**maple [A]** time = 0.21, size = 134, normalized size = 1.43

$$\frac{\sqrt{2+2\cos(dx+c)}\cos(dx+c)(-1+\cos(dx+c))^2\left(\sqrt{2}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)+2\arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right)\right)}{2d\sqrt{\frac{1}{\cos(dx+c)}}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\sin(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/sec(d*x+c)^(1/2)/(1+cos(d*x+c))^(1/2),x)`

[Out] `1/2/d*(2+2*cos(d*x+c))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^2*(2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+2*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^4*2^(1/2)`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/sec(d*x+c)^(1/2)/(1+cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c+dx)+1} \sqrt{\frac{1}{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((cos(c+d*x)+1)^(1/2)*(1/cos(c+d*x))^(1/2)),x)`

[Out] `int(1/((cos(c+d*x)+1)^(1/2)*(1/cos(c+d*x))^(1/2)),x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(c+dx)+1} \sqrt{\sec(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/sec(d*x+c)**(1/2)/(1+cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(cos(c+d*x)+1)*sqrt(sec(c+d*x))),x)`

$$3.366 \quad \int \frac{1}{\sqrt{1+\cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=125

$$\frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} + \frac{1}{d\sqrt{\cos(c+dx)}}$$

[Out] sin(d\*x+c)/d/(1+cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2)-arcsin(sin(d\*x+c)/(1+cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+arcsin(sin(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.23, antiderivative size = 125, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {4222, 2778, 2982, 2781, 216, 2774}

$$\frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)}{d} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sin(c+dx)}{\sqrt{\cos(c+dx)+1}}\right)}{d} + \frac{1}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[1 + Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)), x]

[Out] (Sqrt[2]\*ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (ArcSin[Sin[c + d\*x]/Sqrt[1 + Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + Sin[c + d\*x]/(d\*Sqrt[1 + Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2781

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[2]/(Sqrt[a]\*f), Subst[Int[1/Sqrt[1 - x^2], x], x, (b\*Cos[e + f\*x])/(a + b\*Sin[e + f\*x])], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b] && GtQ[a, 0]

#### Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{1}{\sqrt{1 + \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{\sin(c + dx)}{d\sqrt{1 + \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{\sin(c + dx)}{d\sqrt{1 + \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{1 + \cos(c + dx)}} dx$$

$$= \frac{\sin(c + dx)}{d\sqrt{1 + \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst} \left( \int \frac{1}{\sqrt{1 + \cos(u)}} du \right)}{d}$$

$$= \frac{\sqrt{2} \sin^{-1} \left( \frac{\sin(c + dx)}{1 + \cos(c + dx)} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} - \frac{\sin^{-1} \left( \frac{\sin(c + dx)}{\sqrt{1 + \cos(c + dx)}} \right)}{d}$$

**Mathematica [C]** time = 0.88, size = 257, normalized size = 2.06

$$\frac{ie^{-2i(c+dx)} (1 + e^{i(c+dx)}) \sqrt{\sec(c + dx)} \left( -e^{i(c+dx)} + e^{2i(c+dx)} - e^{3i(c+dx)} + e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1} \left( e^{i(c+dx)} \right) + 2\sqrt{2} \right)}{4d\sqrt{\cos(c + dx)} + \dots}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Sqrt[1 + Cos[c + d*x]]*Sec[c + d*x]^(3/2)), x]
```

```
[Out] ((I/4)*(1 + E^(I*(c + d*x)))*(1 - E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) - E^((3*I)*(c + d*x)) + E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))] + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Sqrt[Sec[c + d*x]])/(d*E^((2*I)*(c + d*x))*Sqrt[1 + Cos[c + d*x]])
```

**fricas [A]** time = 0.93, size = 125, normalized size = 1.00

$$\frac{\left( \sqrt{2} \cos(dx + c) + \sqrt{2} \right) \arctan \left( \frac{\sqrt{2} \sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)} \right) - (\cos(dx + c) + 1) \arctan \left( \frac{\sqrt{\cos(dx+c)+1} \sqrt{\cos(dx+c)}}{\sin(dx+c)} \right)}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/sec(d*x+c)^(3/2)/(1+cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] -((sqrt(2)*cos(d*x + c) + sqrt(2))*arctan(sqrt(2)*sqrt(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/sin(d*x + c)) - (cos(d*x + c) + 1)*arctan(sqrt(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/sin(d*x + c)))/d
```

) + 1)\*sqrt(cos(d\*x + c))/sin(d\*x + c)) - sqrt(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c) + d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx + c) + 1} \sec^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.22, size = 159, normalized size = 1.27

$$\frac{\sqrt{2 + 2 \cos(dx + c)} \cos(dx + c) (-1 + \cos(dx + c))^3 \left( \sqrt{2} \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) - \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) \right)}{2d \left(\frac{1}{\cos(dx + c)}\right)^{\frac{3}{2}} \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{\frac{5}{2}} \sin(dx + c)^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/sec(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x)

[Out] 1/2/d\*(2+2\*cos(d\*x+c))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^3\*(2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+arc tan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))/(1/cos(d\*x+c)^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6\*2^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(dx + c) + 1} \sec^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(1+cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(cos(d\*x + c) + 1)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx) + 1} \left(\frac{1}{\cos(c + dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((cos(c + d\*x) + 1)^(1/2)\*(1/cos(c + d\*x))^(3/2)),x)

[Out] int(1/((cos(c + d\*x) + 1)^(1/2)\*(1/cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(c + dx) + 1} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)\*\*(3/2)/(1+cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(cos(c + d\*x) + 1)\*sec(c + d\*x)\*\*(3/2)), x)

$$3.367 \quad \int \frac{\sec^7(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=189

$$\frac{2 \sin(c+dx) \sec^5(c+dx)}{5d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \sec^3(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{26 \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}}$$

[Out]  $-2/15*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}+2/5*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}-\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}+26/15*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.42, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2779, 2984, 12, 2782, 205}

$$\frac{2 \sin(c+dx) \sec^5(c+dx)}{5d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \sec^3(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{26 \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(7/2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out]  $-(\text{Sqrt}[2]*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(\text{Sqrt}[a]*d) + (26*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]))/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)])*(c_.)^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{\sec^{\frac{7}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{a - 4a \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{5a}$$

$$= -\frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} - \frac{(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{a - 4a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{5a}$$

$$= \frac{26 \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} - \frac{(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{a - 4a \cos(c + dx)}{\cos^{\frac{1}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{5a}$$

$$= \frac{26 \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} - \frac{(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{a - 4a \cos(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{5a}$$

$$= \frac{26 \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} - \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d} + \frac{26 \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}}$$

Mathematica [C] time = 7.76, size = 1542, normalized size = 8.16

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(7/2)/Sqrt[a + a*Cos[c + d*x]], x]
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^6*((1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1))^7/2*(4725*Sin[c/2 + (d*x)/2]^2 - 48825*Sin[c/2 + (d*x)/2]^4 + 210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2 + (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*Hyperg
```

eometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^10 - 518760\*Sin[c/2 + (d\*x)/2]^12 + 1770\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^12 + 226656\*Sin[c/2 + (d\*x)/2]^14 - 1500\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^14 - 42048\*Sin[c/2 + (d\*x)/2]^16 + 440\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^16 + 4725\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] - 56700\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^2\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] + 291060\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^4\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] - 833760\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^6\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] + 1458000\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^8\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] - 1598400\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^10\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] + 1080000\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^12\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] - 414720\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^14\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] + 69120\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sin[c/2 + (d\*x)/2]^16\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)] + 60\*Cos[(c + d\*x)/2]^4\*HypergeometricPFQ[{2, 2, 9/2}, {1, 11/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^10\*(-5 + 4\*Sin[c/2 + (d\*x)/2]^2))/(675\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])\*(-1 + 2\*Sin[c/2 + (d\*x)/2]^2))

**fricas** [A] time = 1.23, size = 141, normalized size = 0.75

$$\frac{15\sqrt{2}(a\cos(dx+c)^3+a\cos(dx+c)^2)\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2\sqrt{a\cos(dx+c)+a}(13\cos(dx+c)^2-\cos(dx+c)+3)\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{15(ad\cos(dx+c)^3+ad\cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/15\*(15\*sqrt(2)\*(a\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a) + 2\*sqrt(a\*cos(d\*x + c) + a)\*(13\*cos(d\*x + c)^2 - cos(d\*x + c) + 3)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c)^3 + a\*d\*cos(d\*x + c)^2)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{7}{2}}}{\sqrt{a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(7/2)/sqrt(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.25, size = 294, normalized size = 1.56

$$\left(15\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^3(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}+45\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^2(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}+4\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x)`

[Out]  $1/15/d*(15*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}+45*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}+45*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}+15*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{5/2}+13*\cos(d*x+c)^2*\sin(d*x+c)*2^{1/2}-2^{1/2})*\cos(d*x+c)*\sin(d*x+c)+3*\sin(d*x+c)*2^{1/2})*\cos(d*x+c)*\sin(d*x+c)^4*(1/\cos(d*x+c))^{7/2}*(a*(1+\cos(d*x+c)))^{1/2}/(-1+\cos(d*x+c))^{2/2}/(1+\cos(d*x+c))^{3*2^{1/2}}/a$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{7/2}}{\sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c+d*x))^(7/2)/(a+a*cos(c+d*x))^(1/2),x)`

[Out] `int((1/cos(c+d*x))^(7/2)/(a+a*cos(c+d*x))^(1/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(7/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

$$3.368 \quad \int \frac{\sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=151

$$\frac{2 \sin(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] 2/3\*sec(d\*x+c)^(3/2)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)+arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d/a^(1/2)-2/3\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.29, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, number of rules / integrand size = 0.240, Rules used = {4222, 2779, 2984, 12, 2782, 205}

$$\frac{2 \sin(c+dx) \sec^2(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) - (2\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[((c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*Sin[e + f\*x], x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1)/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x]
]; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx \\ &= \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} - \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{a-2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{3a} \\ &= -\frac{2\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} - \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{a-2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{3a} \\ &= -\frac{2\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{a-2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx \\ &= -\frac{2\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} - \frac{(2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{a-2a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{3a} \\ &= \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{a}d} - \frac{2\sqrt{\sec(c+dx)}}{3d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.63, size = 475, normalized size = 3.15

$$2 \left( \frac{1}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)} \right)^{7/2} \cot\left(\frac{c}{2} + \frac{dx}{2}\right) \csc^4\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 12 \sin^8\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c+dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(5/2)/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] (-2*Cot[c/2 + (d*x)/2]*Csc[c/2 + (d*x)/2]^4*((1 - 2*Sin[c/2 + (d*x)/2]^2)^(
-1))^(7/2)*(12*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2},
Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^8 +
12*Hypergeometric2F1[2, 7/2, 9/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d
*x)/2]^2)]*Sin[c/2 + (d*x)/2]^8*(4 - 7*Sin[c/2 + (d*x)/2]^2 + 3*Sin[c/2 + (
d*x)/2]^4) + 7*(1 - 2*Sin[c/2 + (d*x)/2]^2)^3*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1
+ 2*Sin[c/2 + (d*x)/2]^2)]*(15 - 20*Sin[c/2 + (d*x)/2]^2 + 8*Sin[c/2 + (d
*x)/2]^4)*(ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]])
```

$$\frac{(3 - 6\sin[c/2 + (d*x)/2]^2) + \sqrt{(\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)) * (-3 + 7\sin[c/2 + (d*x)/2]^2))}}{(63*d*\sqrt{a*(1 + \cos[c + d*x])})}$$

**fricas** [A] time = 0.72, size = 125, normalized size = 0.83

$$\frac{3\sqrt{2}(a\cos(dx+c)^2+a\cos(dx+c))\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + \frac{2\sqrt{a\cos(dx+c)+a}(\cos(dx+c)-1)\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{3(ad\cos(dx+c))^2 + ad\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 
$$-1/3*(3*\sqrt{2}*(a*\cos(d*x + c)^2 + a*\cos(d*x + c))*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c)))/\sqrt{a} + 2*\sqrt{2}*(a*\cos(d*x + c) + a)*(\cos(d*x + c) - 1)*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(a*d*\cos(d*x + c)^2 + a*d*\cos(d*x + c))$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{5/2}}{\sqrt{a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/sqrt(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.23, size = 227, normalized size = 1.50

$$\frac{\left(3\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\cos^2(dx+c)\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 6\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\cos(dx+c)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 3\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\cos^2(dx+c)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}\right)}{3d(-1+\cos(dx+c))^{\frac{3}{2}}\sqrt{a\cos(dx+c)+a}}$$

3d(-

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 
$$1/3*d*(3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+6*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+2^{1/2}*\cos(d*x+c)*\sin(d*x+c)-\sin(d*x+c)*2^{1/2})*\cos(d*x+c)*\sin(d*x+c)^2*(1/\cos(d*x+c))^{5/2}*(a*(1+\cos(d*x+c)))^{1/2}/(-1+\cos(d*x+c)))/(1+\cos(d*x+c))^2*2^{1/2}/a$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{\sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(1/2),x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

$$3.369 \quad \int \frac{\sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=113

$$\frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out]  $-\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}+2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.18, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2779, 12, 2782, 205}

$$\frac{2 \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out]  $-\left(\left(\text{Sqrt}[2]*\text{ArcTan}\left[\frac{\text{Sqrt}[a]*\text{Sin}[c+d*x]}{\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]}\right]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]]\right)/\left(\text{Sqrt}[a]*d\right)+\left(2*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x]\right)/\left(d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]\right)\right)$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2779

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*sin[e + f\*x]]), x] - Dist[1/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*sin[e + f\*x])^(n + 1)\*Simp[a\*d - 2\*b\*c\*(n + 1) + b\*d\*(2\*n + 3)\*sin[e + f\*x], x])/Sqrt[a + b\*sin[e + f\*x]], x, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*sin[a + b\*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{\sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^3(c + dx) \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{a}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx}{a}$$

$$= \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{2\sqrt{\sec(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{(2a\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx\right)}{d}$$

$$= -\frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d} + \frac{2\sqrt{\sec(c + dx)}}{d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [C]** time = 1.87, size = 180, normalized size = 1.59

$$2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \left(\frac{1}{2} \cos(c + dx)(\cos(c + dx) + 2) \csc^4\left(\frac{1}{2}(c + dx)\right) (-\cos(c + dx))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*Cos[(c + d\*x)/2]\*Sec[c + d\*x]^(3/2)\*Sin[(c + d\*x)/2]\*((Cos[c + d\*x]\*(2 + Cos[c + d\*x])\*Csc[(c + d\*x)/2]^4\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]))/2 - (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Sin[c + d\*x]\*Tan[c + d\*x])/10))/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.88, size = 98, normalized size = 0.87

$$\frac{\sqrt{2}(a \cos(dx+c)+a) \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{\sqrt{a}} + \frac{2 \sqrt{a \cos(dx+c)+a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}$$

$$ad \cos(dx + c) + ad$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] (sqrt(2)\*(a\*cos(d\*x + c) + a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a) + 2\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c) + a\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^3}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/sqrt(a\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.21, size = 142, normalized size = 1.26

$$\frac{\left(\cos(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)+\sin(dx+c)\sqrt{2}+\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)\cos(dx)}{d(1+\cos(dx+c))a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*(cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+sin(d\*x+c)\*2^(1/2)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c)))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(1+cos(d\*x+c))\*2^(1/2)/a

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{\sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*(3/2)/sqrt(a\*(cos(c + d\*x) + 1)), x)



$$3.370 \quad \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=56

$$\frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

[Out] arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*sec(d\*x+c)^(1/2)\*2^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*2^(1/2)/d/a^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 76, normalized size of antiderivative = 1.36, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2782, 205}

$$\frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d)

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x])\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx &= \left( \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} dx \\ &= \frac{(2a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \text{Subst} \left( \int \frac{1}{2a^2+ax^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right)}{d} \\ &= \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{\sqrt{a} d} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 71, normalized size = 1.27

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos(c + dx)}}\right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]])\*Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas [A]** time = 1.18, size = 144, normalized size = 2.57

$$\left[ \frac{\sqrt{2} \sqrt{-\frac{1}{a}} \log\left(-\frac{2 \sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{-\frac{1}{a}} \sqrt{\cos(dx+c)} \sin(dx+c) - 3 \cos(dx+c)^2 - 2 \cos(dx+c) + 1}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{2d}, -\frac{\sqrt{2} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{\sqrt{a} d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] [1/2\*sqrt(2)\*sqrt(-1/a)\*log(-(2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(-1/a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c) + 1)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/d, -sqrt(2)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/(sqrt(a)\*d)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{\sqrt{a \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/sqrt(a\*cos(d\*x + c) + a), x)

**maple [A]** time = 0.21, size = 88, normalized size = 1.57

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1 + \cos(dx+c))} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^2(dx+c) - 1) \sqrt{2}}{d \sin(dx+c)^2 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x)

[Out] 1/d\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*(cos(d\*x+c)^2-1)\*2^(1/2)/a

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima:  
sign: argument cannot be imaginary; found %i

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{\sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(1/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(sec(c + d\*x))/sqrt(a\*(cos(c + d\*x) + 1)), x)

$$3.371 \quad \int \frac{1}{\sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=105

$$\frac{2 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d} - \frac{\sqrt{2} \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx) \sqrt{\sec(c+dx)}}{\sqrt{2} \sqrt{a \cos(c+dx)+a}} \right)}{\sqrt{a} d}$$

[Out]  $2 \arctan(\sin(d*x+c)*a^{(1/2)}*\sec(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})/d/a^{(1/2)} - \arctan(1/2*\sin(d*x+c)*a^{(1/2)}*\sec(d*x+c)^{(1/2)}*2^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}/d/a^{(1/2)}$

**Rubi [A]** time = 0.25, antiderivative size = 135, normalized size of antiderivative = 1.29, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2777, 2774, 216, 2782, 205}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d} - \frac{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{a}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]),x]

[Out]  $(2*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) - (\text{Sqrt}[2]*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d)$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2777

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^m\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx \\ &= - \left( \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \right. \\ &\quad \left. (2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \right) \\ &= \frac{2 \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - \sqrt{2} \tan^{-1} \left( \frac{\sqrt{2}}{\sqrt{a}} \right)}{\sqrt{a} d} \end{aligned}$$

**Mathematica** [C] time = 0.25, size = 173, normalized size = 1.65

$$\frac{i\sqrt{2} e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos\left(\frac{1}{2}(c+dx)\right) \left(-\sinh^{-1}\left(e^{i(c+dx)}\right) + \sqrt{2} \tanh^{-1}\left(\frac{-1+e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + \tan^{-1}\left(\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}\right)\right)}{d\sqrt{a}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]),x]

[Out] (I\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(-ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2])/(d\*E^((I/2)\*(c + d\*x))\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 1.16, size = 89, normalized size = 0.85

$$\frac{\sqrt{2} \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - 2 \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] (sqrt(2)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(a\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**maple** [A] time = 0.22, size = 134, normalized size = 1.28

$$\frac{\sqrt{a(1+\cos(dx+c))} \cos(dx+c) (-1+\cos(dx+c))^2 \left( \sqrt{2} \arctan\left(\frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) + \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)}{d \sqrt{\frac{1}{\cos(dx+c)}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sin(dx+c)^4 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^2\*(2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+arcsin((-1+cos(d\*x+c))/sin(d\*x+c)))/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^4\*2^(1/2)/a

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: RuntimeError >> ECL says: Error executing code in Maxima: sign: argument cannot be imaginary; found %i

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} \sqrt{a+a \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(c+dx)+1)} \sqrt{\sec(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a\*(cos(c + d\*x) + 1))\*sqrt(sec(c + d\*x))), x)

$$3.372 \quad \int \frac{1}{\sqrt{a+a \cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=168

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sin(c+dx)}{d \sqrt{\sec(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

[Out]  $\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}-\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}+\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*2^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/a^{(1/2)}$

**Rubi [A]** time = 0.39, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2778, 2982, 2782, 205, 2774, 216}

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d} + \frac{\sin(c+dx)}{d \sqrt{\sec(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)),x]

[Out]  $-(\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + (\text{Sqrt}[2]*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(\text{Sqrt}[a]*d) + \text{Sin}[c + d*x]/(d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 2778

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*d\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(2\*n - 1)\*Sqrt[a + b\*Sin[e + f\*x]], x] - Dist[1/(b\*(2\*n - 1)), Int[((c + d\*Sin[e + f\*x])^(n - 2)\*Simp[a\*c\*d - b\*(2\*d^2\*(n - 1) + c^2\*(2\*n - 1)) + d\*(a\*d - b\*c\*(4\*n - 3))\*Sin[e + f\*x], x)]/Sqrt[a + b\*Sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*cos[e + f*x])/(Sqrt[a + b*sin[e + f*x])*Sqrt[c + d*sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*sin[e + f*x])*Sqrt[c + d*sin[e + f*x]])], x], x] + Dist[B/b, Int[Sqrt[a + b*sin[e + f*x])/Sqrt[c + d*sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*sin[a + b*x])^m, Int[ActivateTrig[u]/(c*sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{1}{\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{\sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a}$$

$$= \frac{\sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx$$

$$= \frac{\sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst}\left[\int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx, c + dx, u\right]}{2a}$$

$$= -\frac{\sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a} d} + \frac{\sqrt{2} \tan^{-1}\left(\frac{\sqrt{2} \sqrt{\cos(c + dx)}}{\sqrt{2} \sqrt{\cos(c + dx)}}\right)}{\sqrt{a} d}$$

**Mathematica [C]** time = 0.45, size = 259, normalized size = 1.54

$$\frac{i e^{-2i(c+dx)} \left(1 + e^{i(c+dx)}\right) \sqrt{\sec(c+dx)} \left(-e^{i(c+dx)} + e^{2i(c+dx)} - e^{3i(c+dx)} + e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1}\left(e^{i(c+dx)}\right) + 2\sqrt{2}\right)}{4d\sqrt{a}(\cos(c+dx) + 1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Sqrt[a + a*Cos[c + d*x])*Sec[c + d*x]^(3/2)),x]
[Out] ((I/4)*(1 + E^(I*(c + d*x)))*(1 - E^(I*(c + d*x)) + E^((2*I)*(c + d*x)) - E^((3*I)*(c + d*x)) + E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcSinh[E^(I*(c + d*x))] + 2*Sqrt[2]*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]]
```



$d*x))]]*Sqrt[Sec[c + d*x]]/(d*E^((2*I)*(c + d*x))*Sqrt[a*(1 + Cos[c + d*x])])$

**fricas** [A] time = 0.94, size = 143, normalized size = 0.85

$$\frac{\sqrt{a}(\cos(dx+c)+1)\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a}{\sqrt{a}\sin(dx+c)}\right) - \frac{\sqrt{2}(a\cos(dx+c)+a)\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \sqrt{a}\cos(dx+c)}{ad\cos(dx+c)+ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] (sqrt(a)\*(cos(d\*x + c) + 1)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))) - sqrt(2)\*(a\*cos(d\*x + c) + a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a) + sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a\cos(dx+c)+a}\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.22, size = 167, normalized size = 0.99

$$\frac{\sqrt{a(1+\cos(dx+c))}\cos(dx+c)(-1+\cos(dx+c))^3\left(-\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sin(dx+c)+\sqrt{2}\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right)}{2d\left(\frac{1}{\cos(dx+c)}\right)^{\frac{3}{2}}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}}\sin(dx+c)^6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 1/2/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^3\*(-2^(1/2))\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*sin(dx+c)+2^(1/2)\*arctan(sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)/cos(dx+c))+2\*arcsin((-1+cos(dx+c))/sin(dx+c)))/(1/cos(dx+c))^(3/2)/(cos(dx+c)/(1+cos(dx+c)))^(5/2)/sin(dx+c)^6\*2^(1/2)/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a\cos(dx+c)+a}\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}\sqrt{a+a\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2)),x)`

[Out] `int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a(\cos(c + dx) + 1)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(a*(cos(c + d*x) + 1))*sec(c + d*x)**(3/2)), x)`

$$3.373 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=197

$$\frac{11\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{7\sin(c+dx)\sec^2(c+dx)}{6ad\sqrt{a\cos(c+dx)+a}} - \frac{\sin(c+dx)\sec^3(c+dx)}{2d(a\cos(c+dx)+a)}$$

[Out]  $-1/2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}+7/6*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(1/2)}+11/4*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}-19/6*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.51, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2766, 2984, 12, 2782, 205}

$$\frac{11\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{7\sin(c+dx)\sec^2(c+dx)}{6ad\sqrt{a\cos(c+dx)+a}} - \frac{\sin(c+dx)\sec^3(c+dx)}{2d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(11*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - (19*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(6*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + (7*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(6*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2766**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

**Rule 2782**

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x])\*Sqrt[c + d\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{\sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

$$= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{7a}{2} - 2a \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{7 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{6ad \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{19 \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{7 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{19 \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{7 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{19 \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}} - \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{7 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{11 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{\frac{3}{2}} d} - \frac{19 \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad \sqrt{a + a \cos(c + dx)}}$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] \$Aborted

**fricas** [A] time = 1.07, size = 161, normalized size = 0.82

$$\frac{33\sqrt{2}\left(\cos(dx+c)^3+2\cos(dx+c)^2+\cos(dx+c)\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)+\frac{2\sqrt{a\cos(dx+c)+a}}{\sqrt{a}\sin(dx+c)}}{12\left(a^2d\cos(dx+c)^3+2a^2d\cos(dx+c)^2+a^2d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/12\*(33\*sqrt(2)\*(cos(d\*x + c)^3 + 2\*cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*sqrt(a\*cos(d\*x + c) + a)\*(19\*cos(d\*x + c)^2 + 12\*cos(d\*x + c) - 4)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^2\*d\*cos(d\*x + c)^3 + 2\*a^2\*d\*cos(d\*x + c)^2 + a^2\*d\*cos(d\*x + c))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

**maple** [A] time = 0.22, size = 258, normalized size = 1.31

$$\left(33\left(\cos^2(dx+c)\right)\sin(dx+c)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}+66\cos(dx+c)\sin(dx+c)\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] 1/12/d\*(33\*cos(d\*x+c)^2\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+66\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+33\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-19\*cos(d\*x+c)^3\*2^(1/2)+7\*cos(d\*x+c)^2\*2^(1/2)+16\*cos(d\*x+c)\*2^(1/2)-4\*2^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2\*2^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+a\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(3/2), x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(3/2), x)
```

```
[Out] Timed out
```

$$3.374 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=157

$$\frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{5\sin(c+dx)\sqrt{\sec(c+dx)}}{2ad\sqrt{a\cos(c+dx)+a}} - \frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{2d(a\cos(c+dx)+a)}$$

[Out]  $-1/2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(3/2)}-7/4*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}+5/2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2766, 2984, 12, 2782, 205}

$$\frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{5\sin(c+dx)\sqrt{\sec(c+dx)}}{2ad\sqrt{a\cos(c+dx)+a}} - \frac{\sin(c+dx)\sqrt{\sec(c+dx)}}{2d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-7*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + (5*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{\sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^2(c + dx)(a + a \cos(c + dx))^{3/2}} dx$$

$$= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{5a}{2} - a \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{7\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{7\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{5\sqrt{\sec(c + dx)} \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{7\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{7 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}$$

Mathematica [C] time = 6.51, size = 458, normalized size = 2.92

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \frac{1}{1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)} \right)^{3/2} \cos^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right) \frac{\left( 4 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^4\left(\frac{1}{2}(c + dx)\right) {}_3F_2\left(2, 2, \frac{5}{2}; 1, \frac{9}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right)}{70 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 35}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(3/2)/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*Cos[c/2 + (d*x)/2]^3*Sec[(c + d*x)/2]^2*Sin[c/2 + (d*x)/2]*((1 - 2*Sin[c/2 + (d*x)/2]^2)^(-1))^(3/2)*((4*Cos[(c + d*x)/2]^4*HypergeometricPFQ[{2, 2, 5/2}, {1, 9/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^2)/(-35 + 70*Sin[c/2 + (d*x)/2]^2) - (Csc[c/2 + (d*x)/2]^6*(1
```



$$- 2*\sin[c/2 + (d*x)/2]^2)^2*\sqrt{[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*(-3*\operatorname{ArcTanh}[\sqrt{[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)}]}*(-25 + 91*\sin[c/2 + (d*x)/2]^2 - 100*\sin[c/2 + (d*x)/2]^4 + 34*\sin[c/2 + (d*x)/2]^6) + \sqrt{[\sin[c/2 + (d*x)/2]^2/(-1 + 2*\sin[c/2 + (d*x)/2]^2)]*(-75 + 298*\sin[c/2 + (d*x)/2]^2 - 350*\sin[c/2 + (d*x)/2]^4 + 124*\sin[c/2 + (d*x)/2]^6)))/6)}/(d*(a*(1 + \cos[c + d*x]))^{3/2})$$

**fricas** [A] time = 1.12, size = 136, normalized size = 0.87

$$\frac{7\sqrt{2}\left(\cos(dx+c)^2+2\cos(dx+c)+1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)+\frac{2\sqrt{a\cos(dx+c)+a}(5\cos(dx+c)+4)\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{4\left(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 1/4\*(7\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*sqrt(a\*cos(d\*x + c) + a)\*(5\*cos(d\*x + c) + 4)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

**maple** [A] time = 0.20, size = 184, normalized size = 1.17

$$\frac{\left(-7\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\sin(dx+c)\cos(dx+c)+5\left(\cos^2(dx+c)\right)\sqrt{2}-7\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)\sin(dx+c)}{4d\sin(dx+c)(1+\cos(dx+c))^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] -1/4/d\*(-7\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)+5\*cos(d\*x+c)^2\*2^(1/2)-7\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-cos(d\*x+c)\*2^(1/2)-4\*2^(1/2))\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(3/2)/sin(d\*x+c)/(1+cos(d\*x+c))\*2^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a+a\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(3/2), x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a(\cos(c+dx)+1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sec(c + d\*x)\*\*(3/2)/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

$$3.375 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=117

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+3/4*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.22, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, number of rules / integrand size = 0.200, Rules used = {4222, 2766, 12, 2782, 205}

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(3*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - \text{Sin}[c + d*x]/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x]

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{(a+a\cos(c+dx))^{3/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}} dx \\ &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{2\sqrt{\cos(c+dx)}} dx}{2a^2} \\ &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} + \frac{\left(3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{4a} \\ &= -\frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} - \frac{\left(3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \text{Subst}\left(\int \frac{1}{\sqrt{\cos(c+dx)}} dx\right)}{2a} \\ &= \frac{3 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{2\sqrt{2}a^{3/2}d} - \frac{\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.52, size = 99, normalized size = 0.85

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right) \left(3 \cot^2\left(\frac{1}{2}(c+dx)\right) \sqrt{2-2\sec(c+dx)} \tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)(-\sec(c+dx))} + 2\right)\right)}{4ad\sqrt{\sec(c+dx)}\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] -1/4\*((2 + 3\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cot[(c + d\*x)/2]^2\*Sqrt[2 - 2\*Sec[c + d\*x]])\*Tan[(c + d\*x)/2]/(a\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])\*Sqrt[Sec[c + d\*x]])

**fricas [A]** time = 1.00, size = 126, normalized size = 1.08

$$\frac{3\sqrt{2}(\cos(dx+c)^2 + 2\cos(dx+c) + 1)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + 2\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{4(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] -1/4\*(3\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a\cos(dx+c)+a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)

**maple** [A] time = 0.20, size = 151, normalized size = 1.29

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \left( \cos(dx+c) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} - 3 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) - \sqrt{2} \right)}{4d \sin(dx+c)^3 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x)

[Out] -1/4/d\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-3\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^3\*(cos(d\*x+c)^2-1)\*2^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(3/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c + dx)}}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sqrt(sec(c + d\*x))/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

$$3.376 \quad \int \frac{1}{(a+a \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=117

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx)}{2d \sqrt{\sec(c+dx)} (a \cos(c+dx) + a)^{3/2}}$$

[Out]  $1/2 * \sin(d*x+c) / d / (a+a*\cos(d*x+c))^{(3/2)} / \sec(d*x+c)^{(1/2)} + 1/4 * \arctan(1/2 * \sin(d*x+c) * a^{(1/2)} * 2^{(1/2)} / \cos(d*x+c)^{(1/2)} / (a+a*\cos(d*x+c))^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^{(3/2)} / d * 2^{(1/2)}$

**Rubi [A]** time = 0.22, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2764, 12, 2782, 205}

$$\frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2} a^{3/2} d} + \frac{\sin(c+dx)}{2d \sqrt{\sec(c+dx)} (a \cos(c+dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] (ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) + Sin[c + d\*x]/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x

] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^{3/2}} dx \\ &= \frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{\tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{3/2} d} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.46, size = 140, normalized size = 1.20

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sqrt{\sec(c + dx)} \left( \sqrt{\cos(c + dx) + 1} \sin^{-1} \left( \frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)}} \right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \right)}{2ad\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Sec[c + d\*x]]\*(ArcSin[Sin[(c + d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2]]\*Sqrt[1 + Cos[c + d\*x]] + 2\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sin[(c + d\*x)/2])/(2\*a\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**fricas** [A] time = 1.34, size = 125, normalized size = 1.07

$$\frac{\sqrt{2} \left( \cos(dx + c)^2 + 2 \cos(dx + c) + 1 \right) \sqrt{a} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) - 2 \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{4 \left( a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] -1/4\*(sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c))), x)

**maple [A]** time = 0.21, size = 156, normalized size = 1.33

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^2 \left( \cos(dx + c) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} - \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + \arcsin\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right) \right)}{4d \sqrt{\frac{1}{\cos(dx+c)}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sin(dx + c)^5 a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x)

[Out] -1/4/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^2\*(cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^5\*2^(1/2)/a^2

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c))), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + a\*cos(c + d\*x))^(3/2)), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral(1/((a\*(cos(c + d\*x) + 1))\*\*(3/2)\*sqrt(sec(c + d\*x))), x)



$$3.377 \quad \int \frac{1}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=174

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d}$$

[Out]  $-1/2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+2*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)})/d-5/4*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(3/2)})/d*2^{(1/2)}$

**Rubi [A]** time = 0.40, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2765, 2982, 2782, 205, 2774, 216}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)),x]

[Out]  $(2*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^{(3/2)}*d) - (5*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*\text{Sqrt}[2]*a^{(3/2)}*d) - \text{Sin}[c + d*x]/(2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]], x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^{3/2} \sec^3(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx \\ &= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2} \\ &= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2} \\ &= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(5\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2} \\ &= \frac{2 \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} - \frac{5 \tan^{-1} \left( \frac{1}{\sqrt{2} \sqrt{\cos(c + dx)}} \right)}{a^2} \end{aligned}$$

**Mathematica [C]** time = 6.54, size = 316, normalized size = 1.82

$$\frac{\cos^3 \left( \frac{c}{2} + \frac{dx}{2} \right) \sqrt{\sec(c + dx)} \left( -\frac{2 \sin \left( \frac{c}{2} \right) \cos \left( \frac{dx}{2} \right)}{d} - \frac{2 \cos \left( \frac{c}{2} \right) \sin \left( \frac{dx}{2} \right)}{d} + \frac{\sec \left( \frac{c}{2} \right) \sin \left( \frac{dx}{2} \right) \sec^2 \left( \frac{c}{2} + \frac{dx}{2} \right)}{d} + \frac{\tan \left( \frac{c}{2} \right) \sec \left( \frac{c}{2} + \frac{dx}{2} \right)}{d} \right)}{(a(\cos(c + dx) + 1))^{3/2}} - i\sqrt{2} e^{-\frac{1}{2}i(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)),x]
```

```
[Out] ((-1)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(2*ArcSinh[E^(I*(c + d*x))]) + (5*ArcTanh[(1 - E^(I*(c + d*x)))]
```

$$\frac{x)))/(\text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}])]/\text{Sqrt}[2] - 2*\text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}]]*\text{Cos}[c/2 + (d*x)/2]^3/(d*E^{((I/2)*(c + d*x))}*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)}) + (\text{Cos}[c/2 + (d*x)/2]^3*\text{Sqrt}[\text{Sec}[c + d*x]]*((-2*\text{Cos}[(d*x)/2]*\text{Sin}[c/2])/d - (2*\text{Cos}[c/2]*\text{Sin}[(d*x)/2])/d + (\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sin}[(d*x)/2])/d + (\text{Sec}[c/2 + (d*x)/2]*\text{Tan}[c/2])/d))/(a*(1 + \text{Cos}[c + d*x]))^{(3/2)}$$

**fricas** [A] time = 1.42, size = 182, normalized size = 1.05

$$\frac{5\sqrt{2}\left(\cos(dx+c)^2 + 2\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - 8\left(\cos(dx+c)^2 + 2\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sin(dx+c)\sqrt{\cos(dx+c)}}{\cos(dx+c)}\right)\sqrt{2}\sin(dx+c) + \cos(dx+c)}{4\left(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] 1/4\*(5\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 8\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.21, size = 203, normalized size = 1.17

$$\frac{\sqrt{a(1 + \cos(dx+c))}(-1 + \cos(dx+c))^3 \cos(dx+c) \left( 4 \arctan\left(\frac{\sin(dx+c)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)}\right) \sqrt{2} \sin(dx+c) + \cos(dx+c) \right)}{4d \left(\frac{1}{\cos(dx+c)}\right)^{\frac{3}{2}} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{5}{2}} \sin(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x)

[Out] -1/4/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^3\*cos(d\*x+c)\*(4\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)+cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+5\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^7\*2^(1/2)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(3/2)), x)

[Out] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(3/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

$$3.378 \quad \int \frac{1}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)^{5/2}} dx$$

**Optimal.** Leaf size=214

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{9\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d}$$

[Out]  $-1/2*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{3/2}+3/2*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{1/2}/\sec(d*x+c)^{1/2}-3*\arcsin(\sin(d*x+c)*a^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*\sec(d*x+c)^{1/2}/a^{3/2}/d+9/4*\arctan(1/2*\sin(d*x+c)*a^{1/2}*2^{1/2}/\cos(d*x+c)^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*\sec(d*x+c)^{1/2}/a^{3/2}/d*2^{1/2}$

**Rubi [A]** time = 0.55, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2765, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{9\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(-3*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^{3/2}*d) + (9*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(2*\text{Sqrt}[2]*a^{3/2}*d) - \text{Sin}[c + d*x]/(2*d*(a + a*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{3/2}) + (3*\text{Sin}[c + d*x])/((2*a*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq

$Q[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[d, a/b]$

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\sin[(e_) + (f_)*(x_)])], x\_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])/( \text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] \ /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 2982

$\text{Int}(((A_) + (B_)*\sin[(e_) + (f_)*(x_)])/( \text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\sin[(e_) + (f_)*(x_)])], x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] \ /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 2983

$\text{Int}(((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x\_Symbol] \rightarrow -\text{Simp}[(B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{n-1}*\text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*\text{Sin}[e + f*x], x], x], x] \ /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ (\text{IntegerQ}[n] \ || \ \text{EqQ}[m + 1/2, 0])$

### Rule 4222

$\text{Int}((\text{csc}[(a_) + (b_)*(x_)]*(c_))^{(m_)}*(u_), x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] \ /; \text{FreeQ}\{a, b, c, m\}, x] \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ \text{KnownSineIntegrandQ}[u, x]$

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx \\
&= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{2ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{3 \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{3 \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{3 \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{3 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2}d} + \frac{9 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d}
\end{aligned}$$

**Mathematica [C]** time = 6.57, size = 316, normalized size = 1.48

$$\frac{\cos^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left( \frac{2 \sin\left(\frac{3c}{2}\right) \cos\left(\frac{3dx}{2}\right)}{d} + \frac{2 \cos\left(\frac{3c}{2}\right) \sin\left(\frac{3dx}{2}\right)}{d} - \frac{\sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} - \frac{\tan\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} \right)}{(a(\cos(c + dx) + 1))^{3/2}} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] ((3\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(ArcSinh[E^(I\*(c + d\*x))] + (3\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[2] - ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^3)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(3/2)) + (Cos[c/2 + (d\*x)/2]^3\*Sqrt[Sec[c + d\*x]]\*((2\*Cos[(3\*d\*x)/2]\*Sin[(3\*c)/2])/d - (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*Sin[(d\*x)/2])/d + (2\*Cos[(3\*c)/2]\*Sin[(3\*d\*x)/2])/d - (Sec[c/2 + (d\*x)/2]\*Tan[c/2])/d)/(a\*(1 + Cos[c + d\*x]))^(3/2)

**fricas [A]** time = 1.21, size = 201, normalized size = 0.94

$$\frac{9 \sqrt{2} (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - 12 (\cos(dx + c)^2 + 2 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{4 (a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/4\*(9\*sqrt(2)\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 12\*(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))

$a*\sqrt{\cos(dx + c)}/(\sqrt{a}*\sin(dx + c)) - 2*\sqrt{a*\cos(dx + c) + a}*(2*\cos(dx + c)^2 + 3*\cos(dx + c))*\sin(dx + c)/\sqrt{\cos(dx + c)}/(a^2*d*\cos(dx + c)^2 + 2*a^2*d*\cos(dx + c) + a^2*d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(dx+c))^(3/2)/sec(dx+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(dx + c) + a)^(3/2)\*sec(dx + c)^(5/2)), x)

**maple** [A] time = 0.22, size = 235, normalized size = 1.10

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^4 \cos(dx + c) \left( 2 (\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + \cos(dx + c) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right) \\ \frac{4d \left( \frac{1}{\cos(dx+c)} \right)^{\frac{5}{2}}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(dx+c))^(3/2)/sec(dx+c)^(5/2),x)

[Out]  $-1/4/d*(a*(1+\cos(dx+c)))^{1/2}*(-1+\cos(dx+c))^4*\cos(dx+c)*(2*\cos(dx+c)^2*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+\cos(dx+c)*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+6*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))*2^{1/2}*\sin(dx+c)+9*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-3*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2})/(1/\cos(dx+c))^{5/2}/(\cos(dx+c)/(1+\cos(dx+c)))^{7/2}/\sin(dx+c)^9*2^{1/2}/a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(dx+c))^(3/2)/sec(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(dx + c) + a)^(3/2)\*sec(dx + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(dx+c))\*\*(3/2)/sec(dx+c)\*\*(5/2),x)

[Out] Timed out



$$3.379 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=237

$$\frac{163\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{95\sin(c+dx)\sec^3(c+dx)}{48a^2d\sqrt{a\cos(c+dx)+a}} - \frac{299\sin(c+dx)}{48a^2d\sqrt{a\cos(c+dx)+a}}$$

[Out]  $-1/4*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}-17/16*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}+95/48*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}+163/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}-299/48*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.64, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2766, 2978, 2984, 12, 2782, 205}

$$\frac{95\sin(c+dx)\sec^3(c+dx)}{48a^2d\sqrt{a\cos(c+dx)+a}} - \frac{299\sin(c+dx)\sqrt{\sec(c+dx)}}{48a^2d\sqrt{a\cos(c+dx)+a}} + \frac{163\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(163*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - (299*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(48*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) - (\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - (17*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + (95*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(48*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c

```
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

#### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{5}{2}}} dx \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{11a}{2}-3a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{5}{2}}} dx}{4a^2} \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{17\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{3}{2}}} dx}{4a^2} \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{17\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} + \frac{95\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48a^2d\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{299\sqrt{\sec(c+dx)}\sin(c+dx)}{48a^2d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{17\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} \\
&= -\frac{299\sqrt{\sec(c+dx)}\sin(c+dx)}{48a^2d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{17\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} \\
&= -\frac{299\sqrt{\sec(c+dx)}\sin(c+dx)}{48a^2d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{17\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{3}{2}}} \\
&= \frac{163 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{\frac{5}{2}}d} - \frac{299\sqrt{\sec(c+dx)}\sin(c+dx)}{48a^2d\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 8.11, size = 641, normalized size = 2.70

$$\left(\frac{1}{1-2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)^{\frac{7}{2}} \cot^5\left(\frac{c}{2}+\frac{dx}{2}\right) \csc^4\left(\frac{c}{2}+\frac{dx}{2}\right) \sec^4\left(\frac{1}{2}(c+dx)\right) \left(640 \sin^{12}\left(\frac{c}{2}+\frac{dx}{2}\right) \cos^8\left(\frac{1}{2}(c+dx)\right) {}_5F_4\left(2, 2, 2, 2, 7/2, \{1, 1, 1, 13/2\}, \sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2/(-1+2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)\right) \sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{12} - 1280 \cos\left[\frac{c}{2}+\frac{dx}{2}\right]^6 \text{HypergeometricPFQ}\left[\{2, 2, 2, 7/2\}, \{1, 1, 13/2\}, \sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2/(-1+2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)\right) \sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{12} (-6+5\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2) + 33(1-2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)^3 \sqrt{\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2/(-1+2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)} (-105 \text{ArcTanh}\left[\sqrt{\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2/(-1+2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)}\right]) \cos\left[\frac{c}{2}+\frac{dx}{2}\right]^4 (-10935+72902\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2-188110\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^4+234156\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^6-140732\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^8+33208\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{10}) + \sqrt{\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2/(-1+2\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2)} (-1148175+10333785\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^2-38990350\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^4+79946462\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^6-96281836\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^8+68243596\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{10}-26448512\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{12}+4344400\sin\left[\frac{c}{2}+\frac{dx}{2}\right]^{14})\right)/\left(d(a(1+\cos(c+dx)))^{\frac{5}{2}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] -1/41580\*(Cot[c/2 + (d\*x)/2]^5\*Csc[c/2 + (d\*x)/2]^4\*Sec[(c + d\*x)/2]^4\*((1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1))^((7/2))\*(640\*Cos[(c + d\*x)/2]^8\*HypergeometricPFQ[{2, 2, 2, 7/2}, {1, 1, 1, 13/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^12 - 1280\*Cos[(c + d\*x)/2]^6\*HypergeometricPFQ[{2, 2, 2, 7/2}, {1, 1, 13/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^12\*(-6 + 5\*Sin[c/2 + (d\*x)/2]^2) + 33\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^3\*sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-105\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)])\*Cos[(c + d\*x)/2]^4\*(-10935 + 72902\*Sin[c/2 + (d\*x)/2]^2 - 188110\*Sin[c/2 + (d\*x)/2]^4 + 234156\*Sin[c/2 + (d\*x)/2]^6 - 140732\*Sin[c/2 + (d\*x)/2]^8 + 33208\*Sin[c/2 + (d\*x)/2]^10) + sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-1148175 + 10333785\*Sin[c/2 + (d\*x)/2]^2 - 38990350\*Sin[c/2 + (d\*x)/2]^4 + 79946462\*Sin[c/2 + (d\*x)/2]^6 - 96281836\*Sin[c/2 + (d\*x)/2]^8 + 68243596\*Sin[c/2 + (d\*x)/2]^10 - 26448512\*Sin[c/2 + (d\*x)/2]^12 + 4344400\*Sin[c/2 + (d\*x)/2]^14)))/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas** [A] time = 0.98, size = 195, normalized size = 0.82

$$\frac{489 \sqrt{2} \left( \cos(dx+c)^4 + 3 \cos(dx+c)^3 + 3 \cos(dx+c)^2 + \cos(dx+c) \right) \sqrt{a} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{96 \left( a^3 d \cos(dx+c)^4 + 3 a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/96\*(489\*sqrt(2)\*(cos(d\*x + c)^4 + 3\*cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))) + 2\*(299\*cos(d\*x + c)^3 + 503\*cos(d\*x + c)^2 + 160\*cos(d\*x + c) - 32)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^3\*d\*cos(d\*x + c)^4 + 3\*a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + a^3\*d\*cos(d\*x + c))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**maple** [A] time = 0.24, size = 316, normalized size = 1.33

$$\left( 489 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \arcsin \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) (\cos^3(dx+c)) \sin(dx+c) + 1467 (\cos^2(dx+c)) \sin(dx+c) \arcsin \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] -1/96/d\*(489\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)+1467\*cos(d\*x+c)^2\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+1467\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+489\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-299\*cos(d\*x+c)^4\*2^(1/2)-204\*cos(d\*x+c)^3\*2^(1/2)+343\*cos(d\*x+c)^2\*2^(1/2)+192\*cos(d\*x+c)\*2^(1/2)-32\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/(1+cos(d\*x+c))^2\*2^(1/2)/a^3

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left( \frac{1}{\cos(c+dx)} \right)^{5/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(5/2), x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)/(a + a*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

$$3.380 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=197

$$\frac{75\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{49\sin(c+dx)\sqrt{\sec(c+dx)}}{16a^2d\sqrt{a\cos(c+dx)+a}} - \frac{13\sin(c+dx)\sqrt{\sec(c+dx)}}{16ad(a\cos(c+dx)+a)}$$

[Out]  $-1/4*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(5/2)}-13/16*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(3/2)}-75/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}+49/16*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.49, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2766, 2978, 2984, 12, 2782, 205}

$$\frac{49\sin(c+dx)\sqrt{\sec(c+dx)}}{16a^2d\sqrt{a\cos(c+dx)+a}} - \frac{75\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{13\sin(c+dx)\sqrt{\sec(c+dx)}}{16ad(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-75*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(16*\text{Sqrt}[2]*a^{(5/2)*d} - (\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}) - (13*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}) + (49*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((16*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2978

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((A\_) + (B\_.)\*sin[(e\_) + (f\_.)\*(x\_)])\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2984

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((A\_) + (B\_.)\*sin[(e\_) + (f\_.)\*(x\_)])\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rule 4222

Int[(csc[(a\_) + (b\_.)\*(x\_)])\*(c\_)^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx \\
 &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{9a}{2} - 2a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx}{4a^2} \\
 &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{13\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{9a}{2} - 2a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx}{16a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{13\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{49\sqrt{\sec(c + dx)} \sin(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{13\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{49\sqrt{\sec(c + dx)} \sin(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{13\sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{49\sqrt{\sec(c + dx)} \sin(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{75 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d} - \frac{\sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}}
 \end{aligned}$$

**Mathematica [C]** time = 6.81, size = 508, normalized size = 2.58

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{1}{1 - 2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)^{3/2} \cos^5\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \frac{{}_4F_3\left(2, 2, 2, \frac{5}{2}; 1, 1, \frac{11}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1}\right)}{315 \left(2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^5\*Sec[(c + d\*x)/2]^4\*Sin[c/2 + (d\*x)/2]\*((1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1))^(3/2)\*((8\*Cos[(c + d\*x)/2]^6\*HypergeometricPFQ[{2, 2, 2, 5/2}, {1, 1, 11/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^2)/(315\*(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)) + (Csc[c/2 + (d\*x)/2]^8\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^2\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-15\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)])\*Cos[(c + d\*x)/2]^4\*(-343 + 1465\*Sin[c/2 + (d\*x)/2]^2 - 2021\*Sin[c/2 + (d\*x)/2]^4 + 824\*Sin[c/2 + (d\*x)/2]^6) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-5145 + 33980\*Sin[c/2 + (d\*x)/2]^2 - 87764\*Sin[c/2 + (d\*x)/2]^4 + 109737\*Sin[c/2 + (d\*x)/2]^6 - 66122\*Sin[c/2 + (d\*x)/2]^8 + 15344\*Sin[c/2 + (d\*x)/2]^10))/120))/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [A]** time = 0.89, size = 170, normalized size = 0.86

$$\frac{75 \sqrt{2} (\cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) + \frac{2 \sqrt{a \cos(dx+c)}}{2 \sqrt{a \cos(dx+c)}}}{32 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] 1/32\*(75\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*sqrt(a\*cos(d\*x + c) + a)\*(49\*cos(d\*x + c)^2 + 85\*cos(d\*x + c) + 32)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**maple [A]** time = 0.22, size = 258, normalized size = 1.31

$$(-1 + \cos(dx + c)) \left( 75 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos^2(dx + c)) \sin(dx + c) + 150 \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-1/32/d*(-1+\cos(d*x+c))*(75*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)+150*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-49*\cos(d*x+c)^3*2^{1/2}+75*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-36*\cos(d*x+c)^2*2^{1/2}+53*\cos(d*x+c)*2^{1/2}+32*2^{1/2})*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}*(a*(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)^3/(1+\cos(d*x+c))*2^{1/2}/a^3$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(5/2),x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + a\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.381 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=157

$$\frac{19\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{9\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{1}{4d\sqrt{a}}$$

[Out] -1/4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2)-9/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2)+19/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^(5/2)/d\*2^(1/2)

**Rubi [A]** time = 0.35, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2766, 2978, 12, 2782, 205}

$$\frac{19\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{9\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{1}{4d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (19\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(16\*Sqrt[2]\*a^(5/2)\*d) - Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - (9\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2978

```

Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])

```

### Rule 4222

```

Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}}{(a+a\cos(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{4a^2} \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} - \frac{9\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} - \frac{9\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} \\
&= -\frac{\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} - \frac{9\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} \\
&= \frac{19 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{16\sqrt{2}a^{5/2}d} - \frac{9\sin(c+dx)}{4d(a+a\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.94, size = 131, normalized size = 0.83

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}\left(76 \tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)(-\sec(c+dx))}\right) - \cos(c+dx)(9\cos(c+dx)+13)\right)}{64\sqrt{2}a^2d\sqrt{1-\sec(c+dx)}\sqrt{a(\cos(c+dx)+1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Sec[c + d*x]]/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((76*ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]] - Cos[c + d*x]*(13 +
9*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Sqrt[2 - 2*Sec[c + d*x]])*Sqrt[Sec[c +
d*x]]*Sin[c + d*x])/(64*Sqrt[2]*a^2*d*Sqrt[a*(1 + Cos[c + d*x]])*Sqrt[1 - S
ec[c + d*x]])
```

**fricas [A]** time = 1.10, size = 169, normalized size = 1.08

$$\frac{19\sqrt{2}\left(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + \frac{2\sqrt{a}\cos(dx+c)}{\sqrt{a}}}{32\left(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 
$$-1/32*(19*\sqrt{2}*(\cos(dx+c)^3 + 3*\cos(dx+c)^2 + 3*\cos(dx+c) + 1)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) + 2*\sqrt{a*\cos(dx+c)+a}*(9*\cos(dx+c)^2 + 13*\cos(dx+c))*\sin(dx+c)/\sqrt{\cos(dx+c)})/(a^3*d*\cos(dx+c)^3 + 3*a^3*d*\cos(dx+c)^2 + 3*a^3*d*\cos(dx+c) + a^3*d)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x+c))/(a\*cos(d\*x+c)+a)^(5/2),x)

**maple** [A] time = 0.21, size = 222, normalized size = 1.41

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}} \sqrt{a(1+\cos(dx+c))} \cos(dx+c) (-1+\cos(dx+c))^2 \left( 9(\cos^2(dx+c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} - 19 \cos(dx+c) \right)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] 
$$1/32/d*(1/\cos(dx+c))^{1/2}*(a*(1+\cos(dx+c)))^{1/2}*\cos(dx+c)*(-1+\cos(dx+c))^2*(9*\cos(dx+c)^2*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}-19*\cos(dx+c)*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))+4*\cos(dx+c)*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}-19*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-13*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2})/\sin(dx+c)^5/(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*2^{1/2}/a^3$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x+c))/(a\*cos(d\*x+c)+a)^(5/2),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a+a \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+d\*x))^(1/2)/(a+a\*cos(c+d\*x))^(5/2),x)

[Out] int((1/cos(c+d\*x))^(1/2)/(a+a\*cos(c+d\*x))^(5/2),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.382 \quad \int \frac{1}{(a+a \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=157

$$\frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{1}{4d\sqrt{\sec(c+dx)}}$$

[Out] 1/4\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2)+1/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2)+5/32\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^(5/2)/d\*2^(1/2)

**Rubi [A]** time = 0.35, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2764, 2978, 12, 2782, 205}

$$\frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{1}{4d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (5\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(16\*Sqrt[2]\*a^(5/2)\*d) + Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) + Sin[c + d\*x]/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^{5/2}} dx$$

$$= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}$$

$$= \frac{5 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d} +$$

**Mathematica [A]** time = 0.69, size = 122, normalized size = 0.78

$$\frac{-2 \tan^3 \left( \frac{1}{2}(c + dx) \right) + 48 \sin^4 \left( \frac{1}{2}(c + dx) \right) \csc^3(c + dx) - 5 \cot \left( \frac{1}{2}(c + dx) \right) \sqrt{2 - 2 \sec(c + dx)} \tanh^{-1} \left( \sqrt{\sin^2(c + dx)} \right)}{32a^2d\sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (-5*ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]]*Cot[(c + d*x)/2]*Sqrt
[2 - 2*Sec[c + d*x]] + 48*Csc[c + d*x]^3*Sin[(c + d*x)/2]^4 - 2*Tan[(c + d*
x)/2]^3)/(32*a^2*d*Sqrt[a*(1 + Cos[c + d*x])]*Sqrt[Sec[c + d*x]])
```

**fricas [A]** time = 1.20, size = 167, normalized size = 1.06

$$\frac{5 \sqrt{2} (\cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1) \sqrt{a} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{2 \sqrt{a \cos(dx+c)}}{\sqrt{a}}}{32 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
[Out] -1/32*(5*sqrt(2)*(cos(d*x + c)^3 + 3*cos(d*x + c)^2 + 3*cos(d*x + c) + 1)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*sqrt(a*cos(d*x + c) + a)*(cos(d*x + c)^2 + 5*cos(d*x + c))*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
[Out] integrate(1/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```

**maple** [A] time = 0.23, size = 221, normalized size = 1.41

$$\frac{\sqrt{a(1 + \cos(dx + c))} \cos(dx + c) (-1 + \cos(dx + c))^3 \left( (\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 4 \cos(dx + c) \sqrt{2} \sqrt{\frac{1}{1+\cos(dx+c)}} \right)}{32d \sqrt{\frac{1}{\cos(dx+c)}} \left( \frac{1}{1+\cos(dx+c)} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x)
[Out] 1/32/d*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^3*(cos(d*x+c)^2*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4*cos(d*x+c)*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+5*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-5*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+5*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^7*2^(1/2)/a^3
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
[Out] integrate(1/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2)),x)
[Out] int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(5/2)), x)
```



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.383 \quad \int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=157

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{7\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{1}{4d\sqrt{\sec(c+dx)}}$$

[Out]  $-1/4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}+7/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+3/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.35, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2765, 2978, 12, 2782, 205}

$$\frac{3\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{7\sin(c+dx)}{16ad\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{1}{4d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2)), x]

[Out] (3\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(16\*Sqrt[2]\*a^(5/2)\*d - Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) + (7\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx))^{5/2} \sec^3(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx$$

$$= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{3 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d}$$

**Mathematica [A]** time = 0.70, size = 164, normalized size = 1.04

$$\frac{\sqrt{\cos(c + dx)} (\cos(c + dx) + 1)^{3/2} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( 6 \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx) + 1} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \right)}{32d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)),x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])^(3/2)*Sec[(c + d*x)/2]*Sqrt[Sec[c +
d*x]]*(6*ArcSin[Sin[(c + d*x)/2]/Sqrt[Cos[(c + d*x)/2]^2]]*Cos[(c + d*x)/2]
^2*Sqrt[1 + Cos[c + d*x]] - Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*(Sin[(c +
d*x)/2] - 7*Sin[(3*(c + d*x))/2]))/(32*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

**fricas** [A] time = 1.04, size = 169, normalized size = 1.08

$$\frac{3\sqrt{2}\left(\cos(dx+c)^3 + 3\cos(dx+c)^2 + 3\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - \frac{2\sqrt{a\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}}{32\left(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c)^2 + 3a^3d\cos(dx+c) + a^3d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] -1/32\*(3\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(7\*cos(d\*x + c)^2 + 3\*cos(d\*x + c))\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.22, size = 222, normalized size = 1.41

$$\frac{\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^4\cos(dx+c)\left(7(\cos^2(dx+c))\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}-4\cos(dx+c)\sqrt{2}\right)}{32d\left(\frac{1}{\cos(dx+c)}\right)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x)

[Out] -1/32/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^4\*cos(d\*x+c)\*(7\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-4\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+3\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+3\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(1/cos(d\*x+c))^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^9\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2)),x)
```

```
[Out] int(1/((1/cos(c + d*x))^(3/2)*(a + a*cos(c + d*x))^(5/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

$$3.384 \quad \int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=214

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}$$

[Out]  $-1/4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(3/2)}-11/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+2*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d-43/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.53, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2765, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{43\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(2*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^{(5/2)}*d) - (43*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(16*\text{Sqrt}[2]*a^{(5/2)}*d) - \text{Sin}[c + d*x]/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(3/2)}) - (11*\text{Sin}[c + d*x])/((16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq

$Q[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[d, a/b]$

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_) + (b_)\sin[(e_) + (f_)(x_)])\text{Sqrt}[(c_) + (d_)\sin[(e_) + (f_)(x_)])], x\_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])/( \text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 2977

$\text{Int}[(a_) + (b_)\sin[(e_) + (f_)(x_)]^{(m_)} * ((A_) + (B_)\sin[(e_) + (f_)(x_)]^{(n_)}), x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -2^{(-1)}] \ \&\& \ \text{GtQ}[n, 0] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

### Rule 2982

$\text{Int}[(A_) + (B_)\sin[(e_) + (f_)(x_)] / (\text{Sqrt}[(a_) + (b_)\sin[(e_) + (f_)(x_)]*\text{Sqrt}[(c_) + (d_)\sin[(e_) + (f_)(x_)]]), x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 4222

$\text{Int}[(\text{csc}[(a_) + (b_)(x_)]*(c_))^{(m_)}*(u_), x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] \ /; \ \text{FreeQ}[\{a, b, c, m\}, x] \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ \text{KnownSineIntegrandQ}[u, x]$

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{11 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\cos(c + dx)}} \\
&= \frac{2 \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d} - \frac{43 \tan^{-1} \left( \frac{1}{\sqrt{2} \sqrt{\cos(c + dx)}} \right)}{a^{5/2} d}
\end{aligned}$$

**Mathematica [C]** time = 2.25, size = 373, normalized size = 1.74

$$e^{-\frac{1}{2}i(c+dx)} \left( \frac{1}{16} i e^{-2i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \cos\left(\frac{1}{2}(c+dx)\right) \left( \sqrt{2} \left( -7e^{i(c+dx)} - 8e^{2i(c+dx)} + 8e^{3i(c+dx)} + 7e^{4i(c+dx)} + 15e^{5i(c+dx)} \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] (((I/16)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(-43\*(1 + E^(I\*(c + d\*x)))^4\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + Sqrt[2]\*(-15 - 7\*E^(I\*(c + d\*x)) - 8\*E^((2\*I)\*(c + d\*x)) + 8\*E^((3\*I)\*(c + d\*x)) + 7\*E^((4\*I)\*(c + d\*x)) + 15\*E^((5\*I)\*(c + d\*x)) + 16\*(1 + E^(I\*(c + d\*x)))^4\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2])/E^((2\*I)\*(c + d\*x)) - (16\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcSinh[E^(I\*(c + d\*x))]\*Cos[(c + d\*x)/2]^5)/(4\*d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [A]** time = 1.54, size = 235, normalized size = 1.10

$$43 \sqrt{2} \left( \cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1 \right) \sqrt{a} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - 64 \left( \cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1 \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] 1/32\*(43\*sqrt(2)\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 64\*(cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2 + 3\*cos(d\*x + c) + 1)\*sqrt(a)



) \* sqrt(a) \* arctan(sqrt(a \* cos(d \* x + c) + a) \* sqrt(cos(d \* x + c)) / (sqrt(a) \* sin(d \* x + c))) - 2 \* sqrt(a \* cos(d \* x + c) + a) \* (15 \* cos(d \* x + c)^2 + 11 \* cos(d \* x + c)) \* sin(d \* x + c) / sqrt(cos(d \* x + c)) / (a^3 \* d \* cos(d \* x + c)^3 + 3 \* a^3 \* d \* cos(d \* x + c)^2 + 3 \* a^3 \* d \* cos(d \* x + c) + a^3 \* d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.22, size = 320, normalized size = 1.50

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \cos(dx + c) \left( 15 (\cos^2(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 32 \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x)

[Out] -1/32/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^5\*cos(d\*x+c)\*(15\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+32\*cos(d\*x+c)\*sin(d\*x+c)\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+43\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-4\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+32\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*2^(1/2)\*sin(d\*x+c)+43\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-11\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(5/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)/sin(d\*x+c)^11\*2^(1/2)/a^3

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.385 \quad \int \frac{1}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=254

$$\frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{115\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d}$$

[Out]  $-1/4*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(5/2)}-15/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(3/2)}+35/16*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}-5*\arcsin(\sin(d*x+c)*a^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d+115/32*\arctan(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/a^{(5/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.67, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2765, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{35\sin(c+dx)}{16a^2d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{115\sqrt{\cos(c+dx)}}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(7/2)),x]

[Out]  $(-5*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]/(a^{(5/2)*d}) + (115*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(16*\text{Sqrt}[2]*a^{(5/2)*d}) - \text{Sin}[c + d*x]/(4*d*(a + a*\text{Cos}[c + d*x])^{(5/2)*\text{Sec}[c + d*x]^{(5/2)})} - (15*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(3/2)*\text{Sec}[c + d*x]^{(3/2)})} + (35*\text{Sin}[c + d*x])/(16*a^2*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^2(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{\sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} - \frac{15 \sin(c + dx)}{16ad(a + a \cos(c + dx))^3} \\
&= -\frac{5 \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + 115 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2} d} + \frac{115 \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{5/2} d}
\end{aligned}$$

**Mathematica [C]** time = 3.23, size = 412, normalized size = 1.62

$$e^{-\frac{1}{2}i(c+dx)} \left( 40i\sqrt{2} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^5\left(\frac{1}{2}(c+dx)\right) \sinh^{-1}\left(e^{i(c+dx)}\right) + 115i \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^5\left(\frac{1}{2}(c+dx)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(7/2)),x]

[Out] ((40\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcSinh[E^(I\*(c + d\*x))]\*Cos[(c + d\*x)/2]^5 + (115\*I)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2]^5 - ((I/16)\*(-8 - 47\*E^(I\*(c + d\*x)) - 39\*E^((2\*I)\*(c + d\*x)) - 16\*E^((3\*I)\*(c + d\*x)) + 16\*E^((4\*I)\*(c + d\*x)) + 39\*E^((5\*I)\*(c + d\*x)) + 47\*E^((6\*I)\*(c + d\*x)) + 8\*E^((7\*I)\*(c + d\*x)) + 40\*E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))^4\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]])/E^((3\*I)\*(c + d\*x))/(4\*d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**fricas [A]** time = 1.80, size = 245, normalized size = 0.96

$$\frac{115 \sqrt{2} \left( \cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - 160 \left( \cos(dx + c)^3 + 3 \cos(dx + c)^2 + 3 \cos(dx + c) + 1 \right) \sqrt{a} \operatorname{arctanh}\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{32 \left( a^3 d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] 
$$-1/32*(115*\sqrt{2}*(\cos(dx+c)^3 + 3*\cos(dx+c)^2 + 3*\cos(dx+c) + 1)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - 160*(\cos(dx+c)^3 + 3*\cos(dx+c)^2 + 3*\cos(dx+c) + 1)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)})/(\sqrt{a}*\sin(dx+c))) - 2*(16*\cos(dx+c)^3 + 55*\cos(dx+c)^2 + 35*\cos(dx+c))*\sqrt{a*\cos(dx+c)+a}*\sin(dx+c)/\sqrt{\cos(dx+c)})/(a^3*d*\cos(dx+c)^3 + 3*a^3*d*\cos(dx+c)^2 + 3*a^3*d*\cos(dx+c) + a^3*d)$$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{5}{2}} \sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x+c)+a)^(5/2)\*sec(d\*x+c)^(7/2)), x)

**maple** [A] time = 0.24, size = 352, normalized size = 1.39

$$\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^6 \cos(dx+c) \left( 16(\cos^3(dx+c))\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 39(\cos^2(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(7/2),x)

[Out] 
$$-1/32/d*(a*(1+\cos(dx+c)))^{1/2}*(-1+\cos(dx+c))^6*\cos(dx+c)*(16*\cos(dx+c)^3*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+39*\cos(dx+c)^2*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+80*\cos(dx+c)*\sin(dx+c)*2^{1/2}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))+115*\cos(dx+c)*\sin(dx+c)*\arcsin((-1+\cos(dx+c))/\sin(dx+c))-20*\cos(dx+c)*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}+80*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}/\cos(dx+c))*2^{1/2}*\sin(dx+c)+115*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)-35*2^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2})/(1/\cos(dx+c))^{7/2}/(\cos(dx+c)/(1+\cos(dx+c)))^{9/2}/\sin(dx+c)^{13}*2^{1/2}/a^3$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{5}{2}} \sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x+c)+a)^(5/2)\*sec(d\*x+c)^(7/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a+a \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(5/2)),x)
```

```
[Out] int(1/((1/cos(c + d*x))^(7/2)*(a + a*cos(c + d*x))^(5/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.386 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=277

$$\frac{1015\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{193\sin(c+dx)\sec^3(c+dx)}{64a^3d\sqrt{a\cos(c+dx)+a}} - \frac{629\sin(c+dx)\sqrt{\sec(c+dx)}}{64a^3d\sqrt{a\cos(c+dx)+a}}$$

[Out]  $-1/6*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}-23/48*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}-109/64*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}+193/64*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}+1015/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}-629/64*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.78, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2766, 2978, 2984, 12, 2782, 205}

$$\frac{193\sin(c+dx)\sec^3(c+dx)}{64a^3d\sqrt{a\cos(c+dx)+a}} - \frac{109\sin(c+dx)\sec^3(c+dx)}{64a^2d(a\cos(c+dx)+a)^{3/2}} - \frac{629\sin(c+dx)\sqrt{\sec(c+dx)}}{64a^3d\sqrt{a\cos(c+dx)+a}} + \frac{1015\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{64\sqrt{2}a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out]  $(1015*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]])*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - (629*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/((64*a^3*d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - (\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(6*d*(a+a*\text{Cos}[c+d*x])^{(7/2)}) - (23*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(48*a*d*(a+a*\text{Cos}[c+d*x])^{(5/2)}) - (109*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(64*a^2*d*(a+a*\text{Cos}[c+d*x])^{(3/2)}) + (193*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(64*a^3*d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782



```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{7}{2}}} dx \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\frac{15a}{2}-4a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{7}{2}}} dx}{6a^2} \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{15a}{2}-4a\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a\cos(c+dx))^{\frac{7}{2}}} dx}{6a^2} \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{109\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64a^2d(a+a\cos(c+dx))^{\frac{3}{2}}} \\
&= -\frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} - \frac{109\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{64a^2d(a+a\cos(c+dx))^{\frac{3}{2}}} \\
&= -\frac{629\sqrt{\sec(c+dx)}\sin(c+dx)}{64a^3d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= -\frac{629\sqrt{\sec(c+dx)}\sin(c+dx)}{64a^3d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= -\frac{629\sqrt{\sec(c+dx)}\sin(c+dx)}{64a^3d\sqrt{a+a\cos(c+dx)}} - \frac{\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} - \frac{23\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{\frac{5}{2}}} \\
&= \frac{1015 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{64\sqrt{2}a^{\frac{7}{2}}d} - \frac{629\sqrt{\sec(c+dx)}\sin(c+dx)}{64a^3d\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 8.40, size = 696, normalized size = 2.51

$$\left(\frac{1}{1-2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}\right)^{\frac{7}{2}} \cot^7\left(\frac{c}{2}+\frac{dx}{2}\right) \csc^4\left(\frac{c}{2}+\frac{dx}{2}\right) \sec^6\left(\frac{1}{2}(c+dx)\right) \left(-7680 \sin^{14}\left(\frac{c}{2}+\frac{dx}{2}\right) \cos^{10}\left(\frac{1}{2}(c+dx)\right) {}_6F_5\left(2, 2, 2, 2, 2, 7/2; 1, 1, 1, 1, 15/2; \sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)\right) + 19200 \cos^8\left(\frac{c}{2}+\frac{dx}{2}\right) \text{HypergeometricPFQ}\left[\{2, 2, 2, 2, 7/2\}, \{1, 1, 1, 15/2\}, \sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)\right] + 143(1-2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right))^3 \sqrt{\frac{\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}{-1+2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}} \left(315 \text{ArcTanh}\left[\sqrt{\frac{\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}{-1+2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}}\right] \cos^6\left(\frac{c}{2}+\frac{dx}{2}\right) (351384-2928877\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)+9953934\sin^4\left(\frac{c}{2}+\frac{dx}{2}\right)-17629526\sin^6\left(\frac{c}{2}+\frac{dx}{2}\right)+17139064\sin^8\left(\frac{c}{2}+\frac{dx}{2}\right)-8670660\sin^{10}\left(\frac{c}{2}+\frac{dx}{2}\right)+1793816\sin^{12}\left(\frac{c}{2}+\frac{dx}{2}\right)) + \sqrt{\frac{\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}{-1+2\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)}} (-110685960+1291549455\sin^2\left(\frac{c}{2}+\frac{dx}{2}\right)-6601900452\sin^4\left(\frac{c}{2}+\frac{dx}{2}\right)+19406027859\sin^6\left(\frac{c}{2}+\frac{dx}{2}\right)-36160322412\sin^8\left(\frac{c}{2}+\frac{dx}{2}\right)+443132\sin^{10}\left(\frac{c}{2}+\frac{dx}{2}\right))\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cot[c/2 + (d\*x)/2]^7\*Csc[c/2 + (d\*x)/2]^4\*Sec[(c + d\*x)/2]^6\*((1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1))^((7/2))\*(-7680\*Cos[(c + d\*x)/2]^10\*HypergeometricPFQ[{2, 2, 2, 2, 7/2}, {1, 1, 1, 1, 15/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^14 + 19200\*Cos[(c + d\*x)/2]^8\*HypergeometricPFQ[{2, 2, 2, 2, 7/2}, {1, 1, 1, 15/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^14\*(-7 + 6\*Sin[c/2 + (d\*x)/2]^2) + 143\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^3\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(315\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^6\*(351384 - 2928877\*Sin[c/2 + (d\*x)/2]^2 + 9953934\*Sin[c/2 + (d\*x)/2]^4 - 17629526\*Sin[c/2 + (d\*x)/2]^6 + 17139064\*Sin[c/2 + (d\*x)/2]^8 - 8670660\*Sin[c/2 + (d\*x)/2]^10 + 1793816\*Sin[c/2 + (d\*x)/2]^12) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-110685960 + 1291549455\*Sin[c/2 + (d\*x)/2]^2 - 6601900452\*Sin[c/2 + (d\*x)/2]^4 + 19406027859\*Sin[c/2 + (d\*x)/2]^6 - 36160322412\*Sin[c/2 + (d\*x)/2]^8 + 443132\*Sin[c/2 + (d\*x)/2]^10))

22590\*Sin[c/2 + (d\*x)/2]^10 - 35736693140\*Sin[c/2 + (d\*x)/2]^12 + 183052542  
12\*Sin[c/2 + (d\*x)/2]^14 - 5410719584\*Sin[c/2 + (d\*x)/2]^16 + 704274992\*Sin  
[c/2 + (d\*x)/2]^18)))/(3243240\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**fricas** [A] time = 1.25, size = 229, normalized size = 0.83

$$\frac{3045\sqrt{2}\left(\cos(dx+c)^5 + 4\cos(dx+c)^4 + 6\cos(dx+c)^3 + 4\cos(dx+c)^2 + \cos(dx+c)\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}}{\sin(dx+c)}\right)}{384\left(a^4d\cos(dx+c)^5 + 4a^4d\cos(dx+c)^4 + 6a^4d\cos(dx+c)^3 + 4a^4d\cos(dx+c)^2 + a^4d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] -1/384\*(3045\*sqrt(2)\*(cos(d\*x + c)^5 + 4\*cos(d\*x + c)^4 + 6\*cos(d\*x + c)^3 + 4\*cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*(1887\*cos(d\*x + c)^4 + 5082\*cos(d\*x + c)^3 + 4251\*cos(d\*x + c)^2 + 896\*cos(d\*x + c) - 128)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^5 + 4\*a^4\*d\*cos(d\*x + c)^4 + 6\*a^4\*d\*cos(d\*x + c)^3 + 4\*a^4\*d\*cos(d\*x + c)^2 + a^4\*d\*cos(d\*x + c))

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(a\cos(dx+c)+a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**maple** [A] time = 0.25, size = 390, normalized size = 1.41

$$\frac{(-1 + \cos(dx+c)) \left( 3045 (\cos^4(dx+c)) \sin(dx+c) \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} + 12180 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \right)}{384 d (a \cos(dx+c) + a)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x)

[Out] 1/384/d\*(-1+cos(d\*x+c))\*(3045\*cos(d\*x+c)^4\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+12180\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)+18270\*cos(d\*x+c)^2\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+12180\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-1887\*2^(1/2)\*cos(d\*x+c)^5+3045\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-3195\*cos(d\*x+c)^4\*2^(1/2)+831\*cos(d\*x+c)^3\*2^(1/2)+3355\*cos(d\*x+c)^2\*2^(1/2)+1024\*cos(d\*x+c)\*2^(1/2)-128\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*a\*(1+cos(d\*x+c))^(1/2)/sin(d\*x+c)^3/(1+cos(d\*x+c))^2\*2^(1/2)/a^4

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+a\cos(c+dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + a\*cos(c + d\*x))^(7/2), x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + a\*cos(c + d\*x))^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(7/2), x)

[Out] Timed out

$$3.387 \quad \int \frac{\sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=237

$$\frac{363\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{691\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)+a}} - \frac{199\sin(c+dx)}{192a^2d(a\cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/6*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d/(a+a*\cos(d*x+c))^{(7/2)}-19/48*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/d/(a+a*\cos(d*x+c))^{(5/2)}-199/192*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}-363/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}+691/192*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.63, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2766, 2978, 2984, 12, 2782, 205}

$$\frac{691\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^3d\sqrt{a\cos(c+dx)+a}} - \frac{199\sin(c+dx)\sqrt{\sec(c+dx)}}{192a^2d(a\cos(c+dx)+a)^{3/2}} - \frac{363\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out]  $(-363*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - (\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/((6*d*(a+a*\text{Cos}[c+d*x])^{(7/2)}) - (19*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(48*a*d*(a+a*\text{Cos}[c+d*x])^{(5/2)}) - (199*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(192*a^2*d*(a+a*\text{Cos}[c+d*x])^{(3/2)}) + (691*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(192*a^3*d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])]$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c

```
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

#### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+a\cos(c+dx))^{7/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} dx \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\frac{13a}{2}-3a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} dx}{6a^2} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \frac{(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{13a}{2}-3a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{7/2}} dx}{6a^2} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{199\sqrt{\sec(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{199\sqrt{\sec(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{199\sqrt{\sec(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{199\sqrt{\sec(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
 &= -\frac{\sqrt{\sec(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} - \frac{19\sqrt{\sec(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} - \frac{199\sqrt{\sec(c+dx)}\sin(c+dx)}{192a^2d(a+a\cos(c+dx))^{3/2}} \\
 &= -\frac{363 \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{64\sqrt{2} a^{7/2} d} - \frac{\sqrt{\sec(c+dx)}}{6d(a+a\cos(c+dx))^{7/2}}
 \end{aligned}$$

**Mathematica [C]** time = 6.92, size = 561, normalized size = 2.37

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \left(\frac{1}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)^{3/2} \cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^6\left(\frac{1}{2}(c+dx)\right) \left(\frac{16 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \cos^8\left(\frac{1}{2}(c+dx)\right) {}_5F_4\left(2, 2, 2, 2, \frac{5}{2}; 1, 1, 1, \frac{13}{2}; \frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{3465 \left(2 \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) - 1\right)}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + a\*Cos[c + d\*x])^(7/2),x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^7\*Sec[(c + d\*x)/2]^6\*Sin[c/2 + (d\*x)/2]\*((1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1))^3/2\*((16\*Cos[(c + d\*x)/2]^8\*HypergeometricPFQ[{2, 2, 2, 2, 5/2}, {1, 1, 1, 13/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^2)/(3465\*(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)) - (Csc[c/2 + (d\*x)/2]^10\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^2\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(105\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^6\*(2187 - 12908\*Sin[c/2 + (d\*x)/2]^2 + 27986\*Sin[c/2 + (d\*x)/2]^4 - 26380\*Sin[c/2 + (d\*x)/2]^6 + 8752\*Sin[c/2 + (d\*x)/2]^8) + Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*(-229635 + 2120790\*Sin[c/2 + (d\*x)/2]^2 - 8267707\*Sin[c/2 + (d\*x)/2]^4 + 17646926\*Sin[c/2 + (d\*x)/2]^6 - 22251094\*Sin[c/2 + (d\*x)/2]^8 + 16548816\*Sin[c/2 + (d\*x)/2]^10 - 6712984\*Sin[c/2 + (d\*x)/2]^12 + 1144608\*Sin[c/2 + (d\*x)/2]^14))/1680)/(d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**fricas** [A] time = 1.07, size = 204, normalized size = 0.86

$$\frac{1089 \sqrt{2} \left( \cos(dx+c)^4 + 4 \cos(dx+c)^3 + 6 \cos(dx+c)^2 + 4 \cos(dx+c) + 1 \right) \sqrt{a} \arctan \left( \frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right)}{384 \left( a^4 d \cos(dx+c)^4 + 4 a^4 d \cos(dx+c)^3 + 6 a^4 d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384\*(1089\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*(691\*cos(d\*x + c)^3 + 1874\*cos(d\*x + c)^2 + 1599\*cos(d\*x + c) + 384)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(a \cos(dx+c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**maple** [A] time = 0.24, size = 326, normalized size = 1.38

$$\frac{(-1 + \cos(dx+c))^2 \left( -1089 \arcsin \left( \frac{-1 + \cos(dx+c)}{\sin(dx+c)} \right) (\cos^3(dx+c)) \sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1 + \cos(dx+c)}} + 691 (\cos^4(dx+c)) \right)}{384 \left( a^4 d \cos(dx+c)^4 + 4 a^4 d \cos(dx+c)^3 + 6 a^4 d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x)

[Out] -1/384/d\*(-1+cos(d\*x+c))^2\*(-1089\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+691\*cos(d\*x+c)^4\*2^(1/2))-3267\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+1183\*cos(d\*x+c)^3\*2^(1/2)-3267\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-275\*cos(d\*x+c)^2\*2^(1/2)-1089\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-1215\*cos(d\*x+c)\*2^(1/2)-384\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^5/(1+cos(d\*x+c))\*2^(1/2)/a^4

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left( \frac{1}{\cos(c+dx)} \right)^{3/2}}{(a + a \cos(c + dx))^{7/2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(3/2)/(a + a*cos(c + d*x))^(7/2),x)
```

```
[Out] int((1/cos(c + d*x))^(3/2)/(a + a*cos(c + d*x))^(7/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

$$3.388 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=197

$$\frac{63\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{103\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - 16a$$

[Out]  $-1/6*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(1/2)}-5/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}-103/192*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+63/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.48, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2766, 2978, 12, 2782, 205}

$$-\frac{103\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{63\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} - 16a$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out]  $(63*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - \text{Sin}[c + d*x]/(6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) - (5*\text{Sin}[c + d*x])/((16*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) - (103*\text{Sin}[c + d*x])/((192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2766

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m + 1) - a\*d\*(2\*m + n + 2) + b\*d\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{(a+a\cos(c+dx))^{7/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{7/2}} dx \\ &= -\frac{\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= -\frac{\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} - \frac{5\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} \\ &= -\frac{\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} - \frac{5\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} \\ &= -\frac{\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} - \frac{5\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} \\ &= -\frac{\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}\sqrt{\sec(c+dx)}} - \frac{5\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} \\ &= \frac{63 \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{64\sqrt{2}a^{7/2}d} - \frac{5\sin(c+dx)}{6d(a+a\cos(c+dx))^{5/2}\sqrt{\sec(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 3.77, size = 153, normalized size = 0.78

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sec^4\left(\frac{1}{2}(c+dx)\right)\left(6048\cos^6\left(\frac{1}{2}(c+dx)\right)\sec(c+dx)\tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)}(-\sec(c+dx))\right)\right)}{3072\sqrt{2}a^3d\sqrt{-((\sec(c+dx)-1)\sec(c+dx))}\sqrt{a\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Sec[(c + d\*x)/2]^4\*(-2\*(493 + 532\*Cos[c + d\*x] + 103\*Cos[2\*(c + d\*x)])\*Sqrt[2 - 2\*Sec[c + d\*x]] + 6048\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2

)]\*Cos[(c + d\*x)/2]^6\*Sec[c + d\*x])\*Tan[(c + d\*x)/2])/((3072\*Sqrt[2]\*a^3\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sqrt[-((-1 + Sec[c + d\*x])\*Sec[c + d\*x])])])

**fricas** [A] time = 1.08, size = 203, normalized size = 1.03

$$\frac{189\sqrt{2}\left(\cos(dx+c)^4 + 4\cos(dx+c)^3 + 6\cos(dx+c)^2 + 4\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{384\left(a^4d\cos(dx+c)^4 + 4a^4d\cos(dx+c)^3 + 6a^4d\cos(dx+c)^2 + 4a^4d\cos(dx+c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] -1/384\*(189\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*(103\*cos(d\*x + c)^3 + 266\*cos(d\*x + c)^2 + 195\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a\cos(dx+c)+a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(7/2), x)

**maple** [A] time = 0.22, size = 288, normalized size = 1.46

$$\frac{\sqrt{\frac{1}{\cos(dx+c)}}\sqrt{a(1+\cos(dx+c))}\cos(dx+c)(-1+\cos(dx+c))^3\left(103(\cos^3(dx+c))\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}-189a\right)}{384\left(a^4d\cos(dx+c)^4 + 4a^4d\cos(dx+c)^3 + 6a^4d\cos(dx+c)^2 + 4a^4d\cos(dx+c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x)

[Out] -1/384/d\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^3\*(103\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-189\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+163\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-378\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-71\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-189\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-195\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/sin(d\*x+c)^7/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(a\cos(dx+c)+a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(7/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + a\*cos(c + d\*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(7/2), x)

[Out] Timed out

$$3.389 \quad \int \frac{1}{(a+a \cos(c+dx))^{7/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=197

$$\frac{13\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{5\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{1}{16a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out] 1/6\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(1/2)+1/16\*sin(d\*x+c)/a/d/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2)-5/192\*sin(d\*x+c)/a^2/d/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2)+13/128\*arctan(1/2\*sin(d\*x+c)\*a^(1/2)\*2^(1/2)/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a^(7/2)/d\*2^(1/2)

**Rubi [A]** time = 0.48, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2764, 2978, 12, 2782, 205}

$$-\frac{5\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{13\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{1}{16a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (13\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) + Sin[c + d\*x]/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]) + Sin[c + d\*x]/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - (5\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2764

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*d\*n - b\*c\*(m + 1) - b\*d\*(m + n + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2978

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= \frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{\sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{13 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{2} a^{7/2} d}$$

**Mathematica [A]** time = 1.18, size = 125, normalized size = 0.63

$$\frac{\sin(c + dx)(4 \cos(c + dx) - 5 \cos(2(c + dx)) + 73) \sec^6\left(\frac{1}{2}(c + dx)\right) - 312 \cot\left(\frac{1}{2}(c + dx)\right) \sqrt{2 - 2 \sec(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right)}{3072a^3d\sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + a*Cos[c + d*x])^(7/2)*Sqrt[Sec[c + d*x]]),x]
[Out] (-312*ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]]*Cot[(c + d*x)/2]*Sqrt[2 - 2*Sec[c + d*x]] + (73 + 4*Cos[c + d*x] - 5*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^6*Sin[c + d*x])/(3072*a^3*d*Sqrt[a*(1 + Cos[c + d*x])]*Sqrt[Sec[c + d*x]])
```

**fricas** [A] time = 1.26, size = 203, normalized size = 1.03

$$\frac{39\sqrt{2}\left(\cos(dx+c)^4+4\cos(dx+c)^3+6\cos(dx+c)^2+4\cos(dx+c)+1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{384\left(a^4d\cos(dx+c)^4+4a^4d\cos(dx+c)^3+6a^4d\cos(dx+c)^2+4a^4d\cos(dx+c)+a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] -1/384\*(39\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*(5\*cos(d\*x + c)^3 - 2\*cos(d\*x + c)^2 - 39\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sqrt(sec(d\*x + c))), x)

**maple** [A] time = 0.22, size = 288, normalized size = 1.46

$$\sqrt{a(1+\cos(dx+c))}\cos(dx+c)(-1+\cos(dx+c))^4\left(5(\cos^3(dx+c))\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}-39\arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(1/2),x)

[Out] 1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^4\*(5\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-39\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-7\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-78\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-37\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-39\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)+39\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^9\*2^(1/2)/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}}(a+a\cos(c+dx))^{7/2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(7/2)),x)
```

```
[Out] int(1/((1/cos(c + d*x))^(1/2)*(a + a*cos(c + d*x))^(7/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.390 \quad \int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=197

$$\frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{17\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{1}{16a}$$

[Out]  $-1/6*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(1/2)}+3/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}+17/192*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+7/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.50, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2765, 2978, 12, 2782, 205}

$$\frac{17\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{1}{16a}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(3/2)), x]

[Out]  $(7*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - \text{Sin}[c + d*x]/(6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) + (3*\text{Sin}[c + d*x])/(16*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) + (17*\text{Sin}[c + d*x])/(192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx \\ &= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})^3}{16ad(a + a \cos(c + dx))^{7/2}} \\ &= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\ &= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\ &= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\ &= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{3 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{7/2}} \\ &= \frac{7 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{2} a^{7/2} d} \end{aligned}$$

**Mathematica [A]** time = 3.69, size = 153, normalized size = 0.78

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^4\left(\frac{1}{2}(c + dx)\right) \left(2(140 \cos(c + dx) + 17 \cos(2(c + dx))) + 59\right) \sqrt{2 - 2 \sec(c + dx)} + 672 \cos^6\left(\frac{1}{2}(c + dx)\right)}{3072 \sqrt{2} a^3 d \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)} \sqrt{a \cos\left(\frac{1}{2}(c + dx)\right)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(3/2)),x]

[Out] (Sec[(c + d\*x)/2]^4\*(2\*(59 + 140\*Cos[c + d\*x] + 17\*Cos[2\*(c + d\*x)])\*Sqrt[2 - 2\*Sec[c + d\*x]] + 672\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]])\*

$\text{Cos}[(c + d*x)/2]^6 * \text{Sec}[c + d*x] * \text{Tan}[(c + d*x)/2] / (3072 * \text{Sqrt}[2] * a^3 * d * \text{Sqrt}[a * (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[-((-1 + \text{Sec}[c + d*x]) * \text{Sec}[c + d*x])])$

**fricas** [A] time = 1.90, size = 203, normalized size = 1.03

$$\frac{21 \sqrt{2} (\cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{384 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out]  $-1/384 * (21 * \text{sqrt}(2) * (\cos(d*x + c)^4 + 4 * \cos(d*x + c)^3 + 6 * \cos(d*x + c)^2 + 4 * \cos(d*x + c) + 1) * \text{sqrt}(a) * \arctan(\text{sqrt}(2) * \text{sqrt}(a * \cos(d*x + c) + a) * \text{sqrt}(\cos(d*x + c)) / (\text{sqrt}(a) * \sin(d*x + c))) - 2 * (17 * \cos(d*x + c)^3 + 70 * \cos(d*x + c)^2 + 21 * \cos(d*x + c)) * \text{sqrt}(a * \cos(d*x + c) + a) * \sin(d*x + c) / \text{sqrt}(\cos(d*x + c))) / (a^4 * d * \cos(d*x + c)^4 + 4 * a^4 * d * \cos(d*x + c)^3 + 6 * a^4 * d * \cos(d*x + c)^2 + 4 * a^4 * d * \cos(d*x + c) + a^4 * d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.22, size = 288, normalized size = 1.46

$$\frac{\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^5 \cos(dx + c) \left(17 (\cos^3(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 53 (\cos^2(dx + c))\right)}{384 (a^4 d \cos(dx + c)^4 + 4 a^4 d \cos(dx + c)^3 + 6 a^4 d \cos(dx + c)^2 + 4 a^4 d \cos(dx + c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2),x)

[Out]  $1/384 / d * (a * (1 + \cos(d*x+c)))^{1/2} * (-1 + \cos(d*x+c))^5 * \cos(d*x+c) * (17 * \cos(d*x+c)^3 * 2^{1/2} * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} + 53 * \cos(d*x+c)^2 * 2^{1/2} * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} + 21 * \arcsin((-1 + \cos(d*x+c)) / \sin(d*x+c)) * \cos(d*x+c)^2 * \sin(d*x+c) - 49 * \cos(d*x+c) * 2^{1/2} * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} + 42 * \cos(d*x+c) * \sin(d*x+c) * \arcsin((-1 + \cos(d*x+c)) / \sin(d*x+c)) - 21 * 2^{1/2} * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} + 21 * \arcsin((-1 + \cos(d*x+c)) / \sin(d*x+c)) * \sin(d*x+c)) / (1 / \cos(d*x+c))^{3/2} / (\cos(d*x+c) / (1 + \cos(d*x+c)))^{5/2} / \sin(d*x+c)^{11} * 2^{1/2} / a^4$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(7/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(3/2)\*(a + a\*cos(c + d\*x))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(7/2)/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.391 \quad \int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=197

$$\frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{67\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/6*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(3/2)}-13/48*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}+67/192*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+5/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)})/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.49, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2765, 2977, 2978, 12, 2782, 205}

$$\frac{67\sin(c+dx)}{192a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{5\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(5*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - \text{Sin}[c + d*x]/(6*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}*\text{Sec}[c + d*x]^{(3/2)}) - (13*\text{Sin}[c + d*x])/(48*a*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) + (67*\text{Sin}[c + d*x])/(192*a^2*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{13 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{13 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{13 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{3}{2}}(c + dx)} - \frac{13 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}} \\
&= \frac{5 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64\sqrt{2} a^{7/2} d} - \frac{13 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 4.39, size = 196, normalized size = 0.99

$$\frac{\cos^7\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( 15 \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sin^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}}\right) + 24a^4d \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} (\cos(c + dx) + 1) \right)}{384 \left( a^4d \cos^4(dx + c) + 4a^4d \cos^3(dx + c) + 6a^4d \cos^2(dx + c) + 4a^4d \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] (Cos[(c + d\*x)/2]^7\*Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sqrt[Sec[c + d\*x]]\*(15\*ArcSin[Sin[(c + d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2]]\*Sqrt[Cos[(c + d\*x)/2]^2] + Sqrt[2]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sin[(c + d\*x)/2]\*(33 - 26\*Tan[(c + d\*x)/2]^2 + 8\*Tan[(c + d\*x)/2]^4))/(24\*a^4\*d\*Sqrt[Cos[(c + d\*x)/2]^2]\*(1 + Cos[c + d\*x])^4)

**fricas [A]** time = 1.23, size = 203, normalized size = 1.03

$$\frac{15 \sqrt{2} \left( \cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{384 \left( a^4d \cos^4(dx + c) + 4a^4d \cos^3(dx + c) + 6a^4d \cos^2(dx + c) + 4a^4d \cos(dx + c) + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/384\*(15\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*(67\*cos(d\*x + c)^3 + 50\*cos(d\*x + c)



)<sup>2</sup> + 15\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a<sup>4</sup>\*d\*cos(d\*x + c)<sup>4</sup> + 4\*a<sup>4</sup>\*d\*cos(d\*x + c)<sup>3</sup> + 6\*a<sup>4</sup>\*d\*cos(d\*x + c)<sup>2</sup> + 4\*a<sup>4</sup>\*d\*cos(d\*x + c) + a<sup>4</sup>\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.21, size = 288, normalized size = 1.46

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^6 \cos(dx + c) \left( 67 (\cos^3(dx + c)) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 15 \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(5/2),x)

[Out] -1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^6\*cos(d\*x+c)\*(67\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+15\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-17\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+30\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-35\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+15\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-15\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(5/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)/sin(d\*x+c)^13\*2^(1/2)/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(7/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(7/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.392 \quad \int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=254

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{177\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

[Out]  $-1/6*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{7/2}/\sec(d*x+c)^{5/2}-17/48*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{5/2}/\sec(d*x+c)^{3/2}-49/64*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{1/2}+2*\arcsin(\sin(d*x+c)*a^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*\sec(d*x+c)^{1/2}/a^{7/2}/d-177/128*\arctan(1/2*\sin(d*x+c)*a^{1/2}*2^{1/2}/\cos(d*x+c)^{1/2}/(a+a*\cos(d*x+c))^{1/2})*\cos(d*x+c)^{1/2}*\sec(d*x+c)^{1/2}/a^{7/2}/d*2^{1/2}$

**Rubi [A]** time = 0.67, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2765, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{49\sin(c+dx)}{64a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{177\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(7/2)),x]

[Out]  $(2*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^{7/2}*d) - (177*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(64*\text{Sqrt}[2]*a^{7/2}*d) - \text{Sin}[c + d*x]/(6*d*(a + a*\text{Cos}[c + d*x])^{7/2}*\text{Sec}[c + d*x]^{5/2}) - (17*\text{Sin}[c + d*x])/(48*a*d*(a + a*\text{Cos}[c + d*x])^{5/2}*\text{Sec}[c + d*x]^{3/2}) - (49*\text{Sin}[c + d*x])/(64*a^2*d*(a + a*\text{Cos}[c + d*x])^{3/2}*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\int \frac{1}{(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^7(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})^5}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} - \frac{17 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} - \frac{17 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} - \frac{17 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} - \frac{17 \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{2 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - 177 \tan^{-1}\left(\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{7/2}d}$$

**Mathematica [C]** time = 6.79, size = 454, normalized size = 1.79

$$\cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left( -\frac{247 \sin\left(\frac{c}{2}\right) \cos\left(\frac{dx}{2}\right)}{12d} - \frac{247 \cos\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right)}{12d} + \frac{\sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{\tan\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} - \frac{4}{(a(\cos(c + dx) + 1))^{5/2}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(7/2)),x]

[Out] ((-1/4\*I)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*(64\*ArcSinh[E^(I\*(c + d\*x))] + (177\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[2] - 64\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^7)/(Sqrt[2]\*d\*E^((I/2)\*(c + d\*x)))\*(a\*(1 + Cos[c + d\*x]))^(7/2) + (Cos[c/2 + (d\*x)/2]^7\*Sqrt[Sec[c + d\*x]])\*((-247\*Cos[(d\*x)/2]\*Sin[c/2])/(12\*d) - (247\*Cos[c/2]\*Sin[(d\*x)/2])/(12\*d) + (379\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*Sin[(d\*x)/2])/(24\*d) - (41\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^4\*Sin[(d\*x)/2])/(12\*d) + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(3\*d) + (379\*Sec[c/2 + (d\*x)/2]\*Tan[c/2])/(24\*d) - (41\*Sec[c/2 + (d\*x)/2]^3\*Tan[c/2])/(12\*d) + (Sec[c/2 + (d\*x)/2]^5\*Tan[c/2])/(3\*d))/(a\*(1 + Cos[c + d\*x]))^(7/2)

**fricas [A]** time = 2.29, size = 279, normalized size = 1.10

$$531 \sqrt{2} \left( \cos(dx + c)^4 + 4 \cos(dx + c)^3 + 6 \cos(dx + c)^2 + 4 \cos(dx + c) + 1 \right) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{384 (a^4 d)}{a^{7/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] 1/384\*(531\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 768\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*(247\*cos(d\*x + c)^3 + 362\*cos(d\*x + c)^2 + 147\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(7/2)), x)

**maple** [B] time = 0.26, size = 440, normalized size = 1.73

$$\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^7 \cos(dx + c) \left( 384 \arctan \left( \frac{\sin(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{\cos(dx+c)} \right) \sqrt{2} (\cos^2(dx + c)) \sin \right.$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x)

[Out] -1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^7\*cos(d\*x+c)\*(384\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+247\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)+768\*cos(d\*x+c)\*sin(d\*x+c)\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c))+115\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)+531\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+384\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)-215\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)+1062\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-147\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)+531\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)/(1/cos(d\*x+c))^(7/2)/(cos(d\*x+c)/(1+cos(d\*x+c))))^(9/2)/sin(d\*x+c)^15\*2^(1/2)/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(7/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^(7/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(7/2)/sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.393 \quad \int \frac{1}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=294

$$\frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{637\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

[Out]  $-1/6*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(7/2)}-7/16*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(5/2)}-259/192*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(3/2)}+189/64*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^{(1/2)}/\sec(d*x+c)^{(1/2)}-7*\arcsin(\sin(d*x+c)*a^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d+637/128*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(7/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.82, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2765, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{259 \sin(c+dx)}{192a^2d \sec^3(c+dx)(a \cos(c+dx)+a)^{3/2}} + \frac{7\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{189}{64a^3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(9/2)),x]

[Out]  $(-7*\text{ArcSin}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/\text{Sqrt}[a+a*\text{Cos}[c+d*x]])*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a^{(7/2)}*d) + (637*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c+d*x])/(2*\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])/(64*\text{Sqrt}[2]*a^{(7/2)}*d) - \text{Sin}[c+d*x]/(6*d*(a+a*\text{Cos}[c+d*x])^{(7/2)}*\text{Sec}[c+d*x]^{(7/2)}) - (7*\text{Sin}[c+d*x])/(16*a*d*(a+a*\text{Cos}[c+d*x])^{(5/2)}*\text{Sec}[c+d*x]^{(5/2)}) - (259*\text{Sin}[c+d*x])/(192*a^2*d*(a+a*\text{Cos}[c+d*x])^{(3/2)}*\text{Sec}[c+d*x]^{(3/2)}) + (189*\text{Sin}[c+d*x])/(64*a^3*d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2774



```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/
(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m +
1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m +
b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (Int
egerQ[2*n] || EqQ[c, 0])
```

### Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Si
mp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m +
n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x]
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{7/2} \sec^{\frac{9}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{9}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{\sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^{\frac{7}{2}}(c + dx)} - \frac{7 \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^{\frac{7}{2}}(c + dx)} \\
&= -\frac{7 \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^{7/2}d} + \frac{637 \tan^{-1}\left(\frac{1}{\sqrt{2}}\right)}{a^{7/2}d}
\end{aligned}$$

**Mathematica [C]** time = 3.48, size = 460, normalized size = 1.56

$$e^{-\frac{1}{2}i(c+dx)} \sqrt{a(\cos(c+dx)+1)} \left( 672i\sqrt{2} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \cos^7\left(\frac{1}{2}(c+dx)\right) \sinh^{-1}\left(e^{i(c+dx)}\right) - \frac{1}{64}ie^{-4i(c+dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(9/2)),x]

[Out] ((((-1/64\*I)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*(-1911\*E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))^6\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + Sqrt[2]\*(-96 - 1003\*E^(I\*(c + d\*x)) - 2169\*E^((2\*I)\*(c + d\*x)) - 2297\*E^((3\*I)\*(c + d\*x)) - 779\*E^((4\*I)\*(c + d\*x)) + 779\*E^((5\*I)\*(c + d\*x)) + 2297\*E^((6\*I)\*(c + d\*x)) + 2169\*E^((7\*I)\*(c + d\*x)) + 1003\*E^((8\*I)\*(c + d\*x)) + 96\*E^((9\*I)\*(c + d\*x)) + 672\*E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))^6\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2])/E^((4\*I)\*(c + d\*x)) + (672\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcSinh[E^(I\*(c + d\*x))]\*Cos[(c + d\*x)/2]^7)\*Sqrt[a\*(1 + Cos[c + d\*x])]/(24\*a^4\*d\*E^((I/2)\*(c + d\*x))\*(1 + Cos[c + d\*x])^4)

**fricas** [A] time = 2.38, size = 289, normalized size = 0.98

$$\frac{1911 \sqrt{2} (\cos(dx+c)^4 + 4 \cos(dx+c)^3 + 6 \cos(dx+c)^2 + 4 \cos(dx+c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a}}{\sqrt{a} \sin(dx+c)}\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] -1/384\*(1911\*sqrt(2)\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2688\*(cos(d\*x + c)^4 + 4\*cos(d\*x + c)^3 + 6\*cos(d\*x + c)^2 + 4\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*(192\*cos(d\*x + c)^4 + 1099\*cos(d\*x + c)^3 + 1442\*cos(d\*x + c)^2 + 567\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{7}{2}} \sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(9/2)), x)

**maple** [A] time = 0.26, size = 472, normalized size = 1.61

$$\sqrt{a(1+\cos(dx+c))} (-1+\cos(dx+c))^8 \cos(dx+c) \left( 192\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^4(dx+c)) + 907 (\cos^3(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(9/2),x)

[Out] -1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^8\*cos(d\*x+c)\*(192\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4+907\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+1344\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+1911\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)+343\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+2688\*cos(d\*x+c)\*sin(d\*x+c)\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+3822\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-875\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+1344\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c))\*2^(1/2)\*sin(d\*x+c)+1911\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-567\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(9/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(11/2)/sin(d\*x+c)^17\*2^(1/2)/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{7}{2}} \sec(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(9/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{9/2} (a + a \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^(7/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(9/2)\*(a + a\*cos(c + d\*x))^(7/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(7/2)/sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.394 \quad \int \frac{1}{(a+a \cos(c+dx))^{9/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=237

$$\frac{45\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{1024\sqrt{2}a^{9/2}d} + \frac{73\sin(c+dx)}{1024a^3d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/8*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(9/2)}/\sec(d*x+c)^{(3/2)}-5/32*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(1/2)}+33/256*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}+73/1024*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+45/2048*\arctan(1/2*\sin(d*x+c)*a^{(1/2)*2^{(1/2)}/\cos(d*x+c)^{(1/2)/(a+a*\cos(d*x+c))^{(1/2)}}*\cos(d*x+c)^{(1/2)*\sec(d*x+c)^{(1/2)}/a^{(9/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.63, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2765, 2977, 2978, 12, 2782, 205}

$$\frac{73\sin(c+dx)}{1024a^3d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} + \frac{33\sin(c+dx)}{256a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{5/2}} + \frac{45\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{1024a^3d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(9/2)\*Sec[c + d\*x]^(5/2)),x]

[Out]  $(45*\text{ArcTan}[(\text{Sqrt}[a]*\text{Sin}[c + d*x])/(\text{Sqrt}[2]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]])/(1024*\text{Sqrt}[2]*a^{(9/2)}*d) - \text{Sin}[c + d*x]/(8*d*(a + a*\text{Cos}[c + d*x])^{(9/2)}*\text{Sec}[c + d*x]^{(3/2)}) - (5*\text{Sin}[c + d*x])/((32*a*d*(a + a*\text{Cos}[c + d*x])^{(7/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) + (33*\text{Sin}[c + d*x])/((256*a^2*d*(a + a*\text{Cos}[c + d*x])^{(5/2)}*\text{Sqrt}[\text{Sec}[c + d*x]]) + (73*\text{Sin}[c + d*x])/((1024*a^3*d*(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[\text{Sec}[c + d*x]])$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n - 1)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c

```
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^2(c + dx)}{(a + a \cos(c + dx))^{9/2}} dx \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})^3}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{5 \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{5 \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{5 \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{5 \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^2(c + dx)} - \frac{5 \sin(c + dx)}{32ad(a + a \cos(c + dx))^{7/2}} \\
&= \frac{45 \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{1024 \sqrt{2} a^{9/2} d}
\end{aligned}$$

**Mathematica [A]** time = 4.35, size = 163, normalized size = 0.69

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^6\left(\frac{1}{2}(c + dx)\right) \left(2(999 \cos(c + dx) + 702 \cos(2(c + dx)) + 73 \cos(3(c + dx)) + 882) \sqrt{2 - 2 \sec(c + dx)}\right)}{65536 \sqrt{2} a^4 d \sqrt{-(\sec(c + dx) - 1) \sec(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(9/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] (Sec[(c + d\*x)/2]^6\*(2\*(882 + 999\*Cos[c + d\*x] + 702\*Cos[2\*(c + d\*x)] + 73\*Cos[3\*(c + d\*x)])\*Sqrt[2 - 2\*Sec[c + d\*x]] + 5760\*ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]]\*Cos[(c + d\*x)/2]^8\*Sec[c + d\*x])\*Tan[(c + d\*x)/2])/((65536\*Sqrt[2]\*a^4\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sqrt[-((-1 + Sec[c + d\*x])\*Sec[c + d\*x])])

**fricas [A]** time = 1.03, size = 237, normalized size = 1.00

$$\frac{45 \sqrt{2} (\cos(dx + c)^5 + 5 \cos(dx + c)^4 + 10 \cos(dx + c)^3 + 10 \cos(dx + c)^2 + 5 \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{2} \sqrt{\cos(dx + c)} \sqrt{a + a \cos(dx + c)}}\right)}{2048 (a^5 d \cos(dx + c)^5 + 5 a^5 d \cos(dx + c)^4 + 10 a^5 d \cos(dx + c)^3 + 10 a^5 d \cos(dx + c)^2 + 5 a^5 d \cos(dx + c) + 1) \sqrt{a} \arctan\left(\frac{\sqrt{a} \sin(dx + c)}{\sqrt{2} \sqrt{\cos(dx + c)} \sqrt{a + a \cos(dx + c)}}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/2048\*(45\*sqrt(2)\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos

$(d*x + c) + a) * \sqrt{\cos(d*x + c)} / (\sqrt{a} * \sin(d*x + c)) - 2 * (73 * \cos(d*x + c)^4 + 351 * \cos(d*x + c)^3 + 195 * \cos(d*x + c)^2 + 45 * \cos(d*x + c)) * \sqrt{a * \cos(d*x + c) + a} * \sin(d*x + c) / \sqrt{\cos(d*x + c)} / (a^5 * d * \cos(d*x + c)^5 + 5 * a^5 * d * \cos(d*x + c)^4 + 10 * a^5 * d * \cos(d*x + c)^3 + 10 * a^5 * d * \cos(d*x + c)^2 + 5 * a^5 * d * \cos(d*x + c) + a^5 * d)$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{9}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(9/2)\*sec(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.25, size = 354, normalized size = 1.49

$$\frac{\sqrt{a(1 + \cos(dx + c))} (-1 + \cos(dx + c))^7 \cos(dx + c) \left( 73\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos^4(dx + c)) + 278 (\cos^3(dx + c)) \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(5/2),x)

[Out] 1/2048/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^7\*cos(d\*x+c)\*(73\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4+278\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+45\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)-156\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+135\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-150\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+135\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-45\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+45\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(1/cos(d\*x+c))^(5/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)/sin(d\*x+c)^15\*2^(1/2)/a^5

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx + c) + a)^{\frac{9}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(9/2)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + a \cos(c + dx))^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(9/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + a\*cos(c + d\*x))^(9/2)), x)



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(9/2)/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.395 \quad \int \frac{1}{(a+a \cos(c+dx))^{9/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=237

$$\frac{35\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{1024\sqrt{2}a^{9/2}d} + \frac{853\sin(c+dx)}{3072a^3d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

[Out]  $-1/8*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(9/2)}/\sec(d*x+c)^{(5/2)}-19/96*\sin(d*x+c)/a/d/(a+a*\cos(d*x+c))^{(7/2)}/\sec(d*x+c)^{(3/2)}-187/768*\sin(d*x+c)/a^2/d/(a+a*\cos(d*x+c))^{(5/2)}/\sec(d*x+c)^{(1/2)}+853/3072*\sin(d*x+c)/a^3/d/(a+a*\cos(d*x+c))^{(3/2)}/\sec(d*x+c)^{(1/2)}+35/2048*\arctan(1/2*\sin(d*x+c)*a^{(1/2)}*2^{(1/2)}/\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^{(9/2)}/d*2^{(1/2)}$

**Rubi [A]** time = 0.64, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2765, 2977, 2978, 12, 2782, 205}

$$\frac{853\sin(c+dx)}{3072a^3d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}} - \frac{187\sin(c+dx)}{768a^2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{5/2}} + \frac{35\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{1024\sqrt{2}a^{9/2}d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + a\*Cos[c + d\*x])^(9/2)\*Sec[c + d\*x]^(7/2)),x]

[Out] (35\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(1024\*Sqrt[2]\*a^(9/2)\*d) - Sin[c + d\*x]/(8\*d\*(a + a\*Cos[c + d\*x])^(9/2)\*Sec[c + d\*x]^(5/2)) - (19\*Sin[c + d\*x])/(96\*a\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(3/2)) - (187\*Sin[c + d\*x])/(768\*a^2\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) + (853\*Sin[c + d\*x])/(3072\*a^3\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2765

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] + Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[b\*(c^2\*(m + 1) + d^2\*(n - 1)) + a\*c\*d\*(m - n + 1) + d\*(a\*d\*(m - n + 1) + b\*c\*(m + n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 1] && (IntegersQ[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)])*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + a \cos(c + dx))^{9/2} \sec^{7/2}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{7/2}(c + dx)}{(a + a \cos(c + dx))^{9/2}} dx \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{\sin(c + dx)}{8d(a + a \cos(c + dx))^{9/2} \sec^{5/2}(c + dx)} - \frac{19 \sin(c + dx)}{96ad(a + a \cos(c + dx))^{7/2}} \\
&= \frac{35 \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{1024\sqrt{2} a^{9/2} d} - \frac{8}{8}
\end{aligned}$$

**Mathematica [A]** time = 6.10, size = 395, normalized size = 1.67

$$2 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\frac{1}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}} \sqrt{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)} \cos^9\left(\frac{c}{2} + \frac{dx}{2}\right) \left(1 - \sin^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sec^2\left(\frac{1}{2}(c + dx)\right)\right)^{9/2} \left(\frac{1}{8} \left(\frac{1}{1-\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + a\*Cos[c + d\*x])^(9/2)\*Sec[c + d\*x]^(7/2)),x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^9\*Sin[c/2 + (d\*x)/2]\*Sqrt[(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1)]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^(9/2)\*((35\*ArcSin[Sin[c/2 + (d\*x)/2]/Sqrt[Cos[(c + d\*x)/2]^2]]\*Sqrt[Cos[(c + d\*x)/2]^2]\*Csc[c/2 + (d\*x)/2])/(128\*(1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^(9/2)) + (35/(16\*(1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^4) + 35/(24\*(1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^3) + 7/(6\*(1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^2) + (1 - Sec[(c + d\*x)/2]^2\*Sin[c/2 + (d\*x)/2]^2)^(-1))/8)/(d\*Sqrt[Cos[(c + d\*x)/2]^2]\*(a\*(1 + Cos[c + d\*x]))^(9/2))

**fricas** [A] time = 1.16, size = 237, normalized size = 1.00

$$\frac{105\sqrt{2}\left(\cos(dx+c)^5 + 5\cos(dx+c)^4 + 10\cos(dx+c)^3 + 10\cos(dx+c)^2 + 5\cos(dx+c) + 1\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}}{\sqrt{\cos(dx+c)}}\right)}{6144\left(a^5d\cos(dx+c)^5 + 5a^5d\cos(dx+c)^4 + 10a^5d\cos(dx+c)^3 + 10a^5d\cos(dx+c)^2 + 5a^5d\cos(dx+c) + a^5d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] -1/6144\*(105\*sqrt(2)\*(cos(d\*x + c)^5 + 5\*cos(d\*x + c)^4 + 10\*cos(d\*x + c)^3 + 10\*cos(d\*x + c)^2 + 5\*cos(d\*x + c) + 1)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*(853\*cos(d\*x + c)^4 + 819\*cos(d\*x + c)^3 + 455\*cos(d\*x + c)^2 + 105\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^5\*d\*cos(d\*x + c)^5 + 5\*a^5\*d\*cos(d\*x + c)^4 + 10\*a^5\*d\*cos(d\*x + c)^3 + 10\*a^5\*d\*cos(d\*x + c)^2 + 5\*a^5\*d\*cos(d\*x + c) + a^5\*d)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{9}{2}} \sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(9/2)\*sec(d\*x + c)^(7/2)), x)

**maple** [A] time = 0.25, size = 354, normalized size = 1.49

$$\frac{\sqrt{a(1+\cos(dx+c))}(-1+\cos(dx+c))^8\cos(dx+c)\left(853\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}(\cos^4(dx+c)) + 105\arcsin\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}}{\sqrt{\cos(dx+c)}}\right)\right)}{6144\left(a^5d\cos(dx+c)^5 + 5a^5d\cos(dx+c)^4 + 10a^5d\cos(dx+c)^3 + 10a^5d\cos(dx+c)^2 + 5a^5d\cos(dx+c) + a^5d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(7/2),x)

[Out] -1/6144/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^8\*cos(d\*x+c)\*(853\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4+105\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)-34\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+315\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-364\*cos(d\*x+c)^2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+315\*cos(d\*x+c)\*sin(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-350\*cos(d\*x+c)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+105\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-105\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))/(1/cos(d\*x+c))^(7/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)/sin(d\*x+c)^17\*2^(1/2)/a^5

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(dx+c) + a)^{\frac{9}{2}} \sec(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))^(9/2)/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(1/((a\*cos(d\*x + c) + a)^(9/2)\*sec(d\*x + c)^(7/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{7/2} (a + a \cos(c + dx))^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^(9/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(7/2)\*(a + a\*cos(c + d\*x))^(9/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a\*cos(d\*x+c))\*\*(9/2)/sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.396 \quad \int (a + a \cos(c + dx))^{3/2} \sec^{5/4}(c + dx) dx$$

**Optimal.** Leaf size=38

$$\frac{4a^2 \sin(c + dx) \sqrt[4]{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

[Out]  $4*a^2*\sec(d*x+c)^{(1/4)}*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {4222, 2762, 8}

$$\frac{4a^2 \sin(c + dx) \sqrt[4]{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^{(5/4)}, x]$

[Out]  $(4*a^2*\text{Sec}[c + d*x]^{(1/4)}*\text{Sin}[c + d*x])/(d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])$

**Rule 8**

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

**Rule 2762**

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))])^{(m_)}*((c_ + (d_)*\sin[(e_ + (f_)*(x_))])^{(n_)}), x\_Symbol] \rightarrow -\text{Simp}[(b^2*(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)), x] + \text{Dist}[b^2/(d*(n + 1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[a*c*(m - 2) - b*d*(m - 2*n - 4) - (b*c*(m - 1) - a*d*(m + 2*n + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegersQ}[2*m, 2*n] \parallel \text{IntegerQ}[m + 1/2] \parallel (\text{IntegerQ}[m] \&\& \text{EqQ}[c, 0]))$

**Rule 4222**

$\text{Int}[(\text{csc}[a_ + (b_)*(x_)]*(c_))^{(m_)}*(u_), x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$

**Rubi steps**

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} \sec^{5/4}(c + dx) dx &= \left( \sqrt[4]{\cos(c + dx)} \sqrt[4]{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^{5/4}(c + dx)} dx \\ &= \frac{4a^2 \sqrt[4]{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \left( 4a \sqrt[4]{\cos(c + dx)} \sqrt[4]{\sec(c + dx)} \right) \int \\ &= \frac{4a^2 \sqrt[4]{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 51, normalized size = 1.34

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt[4]{\sec(c + dx)} (a(\cos(c + dx) + 1))^{3/2}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/4), x]

[Out] (2\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*Sec[(c + d\*x)/2]^2\*Sec[c + d\*x]^(1/4)\*Tan[(c + d\*x)/2])/d

**fricas** [A] time = 1.09, size = 41, normalized size = 1.08

$$\frac{4 \sqrt{a \cos(dx + c) + a} a \sin(dx + c)}{(d \cos(dx + c) + d) \cos(dx + c)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/4), x, algorithm="fricas")

[Out] 4\*sqrt(a\*cos(d\*x + c) + a)\*a\*sin(d\*x + c)/((d\*cos(d\*x + c) + d)\*cos(d\*x + c)^(1/4))

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/4), x, algorithm="giac")

[Out] Timed out

**maple** [F] time = 0.23, size = 0, normalized size = 0.00

$$\int (a + a \cos(dx + c))^{\frac{3}{2}} \left( \sec^{\frac{5}{4}}(dx + c) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/4), x)

[Out] int((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/4), x)

**maxima** [B] time = 1.01, size = 121, normalized size = 3.18

$$\frac{4 \left( \frac{\sqrt{2} a^{\frac{3}{2}} \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2} a^{\frac{3}{2}} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{d \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{4}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{4}} \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/4), x, algorithm="maxima")

[Out] 4\*(sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(d\*(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/4)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/4)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^(1/4))

**mupad** [B] time = 0.74, size = 44, normalized size = 1.16

$$\frac{4 a \sin(c + d x) \sqrt{a (\cos(c + d x) + 1)} \left( \frac{1}{\cos(c + d x)} \right)^{\frac{1}{4}}}{d (\cos(c + d x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((1/cos(c + d*x))^(5/4)*(a + a*cos(c + d*x))^(3/2),x)
```

```
[Out] (4*a*sin(c + d*x)*(a*(cos(c + d*x) + 1))^(1/2)*(1/cos(c + d*x))^(1/4))/(d*(cos(c + d*x) + 1))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*sec(d*x+c)**(5/4),x)
```

```
[Out] Timed out
```

### 3.397 $\int \cos^m(c + dx)(a + a \cos(c + dx))^4 dx$

**Optimal.** Leaf size=302

$$\frac{a^4 (8m^2 + 40m + 35) \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)(m+2)(m+4)\sqrt{\sin^2(c + dx)}} - \frac{4a^4(2m+5) \sin(c + dx) \cos^m(c + dx)}{d(m+2)}$$

[Out]  $a^4(4m^2+29m+55)\cos(dx+c)^{(1+m)}\sin(dx+c)/d/(4+m)/(m^2+5m+6)+\cos(dx+c)^{(1+m)}(a^2+a^2\cos(dx+c))^2\sin(dx+c)/d/(4+m)+2(5+m)\cos(dx+c)^{(1+m)}(a^4+a^4\cos(dx+c))\sin(dx+c)/d/(3+m)/(4+m)-a^4(8m^2+40m+35)\cos(dx+c)^{(1+m)}\operatorname{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2}+\frac{1}{2}m\right], \left[\frac{3}{2}+\frac{1}{2}m\right], \cos(dx+c)^2\right)\sin(dx+c)/d/(m^3+7m^2+14m+8)/(\sin(dx+c)^2)^{(1/2)}-4a^4(5+2m)\cos(dx+c)^{(2+m)}\operatorname{hypergeom}\left(\left[\frac{1}{2}, 1+\frac{1}{2}m\right], \left[2+\frac{1}{2}m\right], \cos(dx+c)^2\right)\sin(dx+c)/d/(2+m)/(3+m)/(\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.53, antiderivative size = 302, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2763, 2976, 2968, 3023, 2748, 2643}

$$\frac{a^4 (8m^2 + 40m + 35) \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)(m+2)(m+4)\sqrt{\sin^2(c + dx)}} - \frac{4a^4(2m+5) \sin(c + dx) \cos^m(c + dx)}{d(m+2)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + a\*cos[c + d\*x])^4,x]

[Out]  $(a^4(55 + 29m + 4m^2)\cos[c + dx]^{(1+m)}\sin[c + dx])/(d(2+m)(3+m)(4+m)) + (\cos[c + dx]^{(1+m)}(a^2 + a^2\cos[c + dx])^2\sin[c + dx])/d(4+m) + (2(5+m)\cos[c + dx]^{(1+m)}(a^4 + a^4\cos[c + dx])\sin[c + dx])/d(3+m)(4+m) - (a^4(35 + 40m + 8m^2)\cos[c + dx]^{(1+m)}\operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, \cos[c + dx]^2\right]\sin[c + dx])/d(1+m)(2+m)(4+m)\sqrt{\sin[c + dx]^2} - (4a^4(5+2m)\cos[c + dx]^{(2+m)}\operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, \cos[c + dx]^2\right]\sin[c + dx])/d(2+m)(3+m)\sqrt{\sin[c + dx]^2}$

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2763

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m-2)\*(c + d\*sin[e + f\*x])^(n+1))/d\*f\*(m+n), x] + Dist[1/d\*(m+n), Int[(a + b\*sin[e + f\*x])^(m-2)\*(c + d\*sin[e + f\*x])^n\*Simp[a\*b\*c\*(m-2) + b^2\*d\*(n+1) + a^2\*d\*(m+n) - b\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c,

0]))

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos^m(c + dx)(a + a \cos(c + dx))^4 dx &= \frac{\cos^{1+m}(c + dx) (a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{d(4 + m)} + \frac{\int \cos^m(c + dx) dx}{d} \\
&= \frac{\cos^{1+m}(c + dx) (a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{d(4 + m)} + \frac{2(5 + m) \cos^{1+m}(c + dx)}{d} \\
&= \frac{\cos^{1+m}(c + dx) (a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{d(4 + m)} + \frac{2(5 + m) \cos^{1+m}(c + dx)}{d} \\
&= \frac{a^4 (55 + 29m + 4m^2) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m) (12 + 7m + m^2)} + \frac{\cos^{1+m}(c + dx)}{d} \\
&= \frac{a^4 (55 + 29m + 4m^2) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m) (12 + 7m + m^2)} + \frac{\cos^{1+m}(c + dx)}{d} \\
&= \frac{a^4 (55 + 29m + 4m^2) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m) (12 + 7m + m^2)} + \frac{\cos^{1+m}(c + dx)}{d}
\end{aligned}$$

Mathematica [F] time = 3.06, size = 0, normalized size = 0.00

$$\int \cos^m(c + dx)(a + a \cos(c + dx))^4 dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x])^4,x]

[Out] Integrate[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x])^4, x]

**fricas** [F] time = 1.13, size = 0, normalized size = 0.00

integral((a^4 cos(dx + c)^4 + 4 a^4 cos(dx + c)^3 + 6 a^4 cos(dx + c)^2 + 4 a^4 cos(dx + c) + a^4) cos(dx + c)^m, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] integral((a^4\*cos(d\*x + c)^4 + 4\*a^4\*cos(d\*x + c)^3 + 6\*a^4\*cos(d\*x + c)^2 + 4\*a^4\*cos(d\*x + c) + a^4)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*cos(d\*x + c)^m, x)

**maple** [F] time = 3.82, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c)) (a + a \cos(dx + c))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^4,x)

[Out] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^4,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^4 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^4\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^m (a + a \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x))^4,x)

[Out] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x))^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

### 3.398 $\int \cos^m(c + dx)(a + a \cos(c + dx))^3 dx$

**Optimal.** Leaf size=232

$$\frac{a^3(4m+5)\sin(c+dx)\cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}} - \frac{a^3(4m+11)\sin(c+dx)\cos^{m+2}(c+dx)}{d(m+2)(m+3)}$$

[Out]  $a^3(7+2m)\cos(dx+c)^{(1+m)}\sin(dx+c)/d/(2+m)/(3+m)+\cos(dx+c)^{(1+m)}(a^3+a^3\cos(dx+c))\sin(dx+c)/d/(3+m)-a^3(5+4m)\cos(dx+c)^{(1+m)}\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], \cos(dx+c)^2)\sin(dx+c)/d/(1+m)/(2+m)/(\sin(dx+c)^2)^{(1/2)}-a^3(11+4m)\cos(dx+c)^{(2+m)}\text{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], \cos(dx+c)^2)\sin(dx+c)/d/(2+m)/(3+m)/(\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.31, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2763, 2968, 3023, 2748, 2643}

$$\frac{a^3(4m+5)\sin(c+dx)\cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}} - \frac{a^3(4m+11)\sin(c+dx)\cos^{m+2}(c+dx)}{d(m+2)(m+3)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x])^3,x]

[Out]  $(a^3(7+2m)\cos[c+dx]^{(1+m)}\sin[c+dx])/(d(2+m)(3+m)) + (\cos[c+dx]^{(1+m)}(a^3+a^3\cos[c+dx])\sin[c+dx])/(d(3+m)) - (a^3(5+4m)\cos[c+dx]^{(1+m)}\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, \cos[c+dx]^2]\sin[c+dx])/(d(1+m)(2+m)\sqrt{\sin[c+dx]^2}) - (a^3(11+4m)\cos[c+dx]^{(2+m)}\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, \cos[c+dx]^2]\sin[c+dx])/(d(2+m)(3+m)\sqrt{\sin[c+dx]^2})$

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2763

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 2)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*SIN[e + f\*x])^(m - 2)\*(c + d\*SIN[e + f\*x])^n\*Simp[a\*b\*c\*(m - 2) + b^2\*d\*(n + 1) + a^2\*d\*(m + n) - b\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegerQ[2\*m, 2\*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \cos^m(c + dx)(a + a \cos(c + dx))^3 dx &= \frac{\cos^{1+m}(c + dx) (a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{d(3 + m)} + \frac{\int \cos^m(c + dx)(a + a \cos(c + dx))^3 dx}{d(3 + m)} \\ &= \frac{\cos^{1+m}(c + dx) (a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{d(3 + m)} + \frac{\int \cos^m(c + dx) (2a^3 \cos^2(c + dx) + a^3) dx}{d(3 + m)} \\ &= \frac{a^3(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{\cos^{1+m}(c + dx) (a^3 + a^3 \cos(c + dx))}{d(3 + m)} \\ &= \frac{a^3(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{\cos^{1+m}(c + dx) (a^3 + a^3 \cos(c + dx))}{d(3 + m)} \\ &= \frac{a^3(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{\cos^{1+m}(c + dx) (a^3 + a^3 \cos(c + dx))}{d(3 + m)} \end{aligned}$$

**Mathematica** [F] time = 1.27, size = 0, normalized size = 0.00

$$\int \cos^m(c + dx)(a + a \cos(c + dx))^3 dx$$

Verification is Not applicable to the result.

```
[In] Integrate[Cos[c + d*x]^m*(a + a*Cos[c + d*x])^3, x]
```

```
[Out] Integrate[Cos[c + d*x]^m*(a + a*Cos[c + d*x])^3, x]
```

**fricas** [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}((a^3 \cos(dx + c))^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3) \cos(dx + c)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(a+a*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral((a^3*cos(d*x + c))^3 + 3*a^3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) +
a^3)*cos(d*x + c)^m, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^m, x)

**maple** [F] time = 2.71, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c))(a + a \cos(dx + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^3,x)

[Out] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a)^3 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^m (a + a \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

### 3.399 $\int \cos^m(c + dx)(a + a \cos(c + dx))^2 dx$

**Optimal.** Leaf size=173

$$\frac{a^2(2m+3)\sin(c+dx)\cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}} - \frac{2a^2\sin(c+dx)\cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+2)\sqrt{\sin^2(c+dx)}}$$

[Out]  $a^2 \cos(dx+c)^{(1+m)} \sin(dx+c) / d / (2+m) - a^2 (3+2m) \cos(dx+c)^{(1+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2} + \frac{1}{2}m\right], \left[\frac{3}{2} + \frac{1}{2}m\right], \cos(dx+c)^2\right) \sin(dx+c) / d / (1+m) / (2+m) / (\sin(dx+c)^2)^{(1/2)} - 2a^2 \cos(dx+c)^{(2+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2} + \frac{1}{2}m\right], \left[\frac{3}{2} + \frac{1}{2}m\right], \cos(dx+c)^2\right) \sin(dx+c) / d / (2+m) / (\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2763, 2748, 2643}

$$\frac{a^2(2m+3)\sin(c+dx)\cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}} - \frac{2a^2\sin(c+dx)\cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+2)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^m*(a + a*cos[c + d*x])^2,x]`

[Out]  $(a^2 \cos[c + dx]^{(1+m)} \sin[c + dx]) / (d(2+m)) - (a^2 (3+2m) \cos[c + dx]^{(1+m)} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, \cos[c + dx]^2\right] \sin[c + dx]) / (d(1+m)(2+m) \sqrt{\sin[c + dx]^2}) - (2a^2 \cos[c + dx]^{(2+m)} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, \cos[c + dx]^2\right] \sin[c + dx]) / (d(2+m) \sqrt{\sin[c + dx]^2})$

#### Rule 2643

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n+1)*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d*x]^2]) / (b*d*(n+1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2763

`Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m-2)*(c + d*Sin[e + f*x])^(n+1)) / (d*f*(m+n)), x] + Dist[1/(d*(m+n)), Int[(a + b*Sin[e + f*x])^(m-2)*(c + d*Sin[e + f*x])^n*Simp[a*b*c*(m-2) + b^2*d*(n+1) + a^2*d*(m+n) - b*(b*c*(m-1) - a*d*(3*m+2*n-2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !LtQ[n, -1] && (IntegerQ[2*m, 2*n] || IntegerQ[m + 1/2] || (IntegerQ[m] && EqQ[c, 0]))`

#### Rubi steps



$$\begin{aligned} \int \cos^m(c+dx)(a+a\cos(c+dx))^2 dx &= \frac{a^2 \cos^{1+m}(c+dx) \sin(c+dx)}{d(2+m)} + \frac{\int \cos^m(c+dx) (a^2(3+2m) + 2a^2(2+m)) dx}{2+m} \\ &= \frac{a^2 \cos^{1+m}(c+dx) \sin(c+dx)}{d(2+m)} + (2a^2) \int \cos^{1+m}(c+dx) dx + \frac{(a^2(3+2m)) \int \cos^m(c+dx) dx}{2+m} \\ &= \frac{a^2 \cos^{1+m}(c+dx) \sin(c+dx)}{d(2+m)} - \frac{a^2(3+2m) \cos^{1+m}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}\right)}{d(1+m)(2+m)} \end{aligned}$$

**Mathematica** [F] time = 0.53, size = 0, normalized size = 0.00

$$\int \cos^m(c+dx)(a+a\cos(c+dx))^2 dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x])^2, x]

[Out] Integrate[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x])^2, x]

**fricas** [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left( (a^2 \cos(dx+c)^2 + 2a^2 \cos(dx+c) + a^2) \cos(dx+c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^2 \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^m, x)

**maple** [F] time = 3.57, size = 0, normalized size = 0.00

$$\int (\cos^m(dx+c))(a+a\cos(dx+c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^2,x)

[Out] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx+c) + a)^2 \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (a + a \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^m*(a + a*cos(c + d*x))^2,x)`

[Out] `int(cos(c + d*x)^m*(a + a*cos(c + d*x))^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left( \int 2 \cos(c + dx) \cos^m(c + dx) dx + \int \cos^2(c + dx) \cos^m(c + dx) dx + \int \cos^m(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**m*(a+a*cos(d*x+c))**2,x)`

[Out] `a**2*(Integral(2*cos(c + d*x)*cos(c + d*x)**m, x) + Integral(cos(c + d*x)**2*cos(c + d*x)**m, x) + Integral(cos(c + d*x)**m, x))`

### 3.400 $\int \cos^m(c + dx)(a + a \cos(c + dx)) dx$

**Optimal.** Leaf size=131

$$\frac{a \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)\sqrt{\sin^2(c + dx)}} - \frac{a \sin(c + dx) \cos^{m+2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c + dx)\right)}{d(m+2)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-a \cos(d*x+c)^{(1+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2}+\frac{1}{2}*m\right], \left[\frac{3}{2}+\frac{1}{2}*m\right], \cos(d*x+c)^2\right) * \sin(d*x+c) / d / (1+m) / (\sin(d*x+c)^2)^{(1/2)} - a \cos(d*x+c)^{(2+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2}+\frac{1}{2}*m\right], \left[\frac{3}{2}+\frac{1}{2}*m\right], \cos(d*x+c)^2\right) * \sin(d*x+c) / d / (2+m) / (\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2748, 2643}

$$\frac{a \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)\sqrt{\sin^2(c + dx)}} - \frac{a \sin(c + dx) \cos^{m+2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c + dx)\right)}{d(m+2)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x]),x]

[Out]  $-((a*\text{Cos}[c + d*x]^{(1 + m)}*\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1 + m)}{2}, \frac{(3 + m)}{2}, \text{Cos}[c + d*x]^2\right]*\text{Sin}[c + d*x]) / (d*(1 + m)*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (a*\text{Cos}[c + d*x]^{(2 + m)}*\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2 + m)}{2}, \frac{(4 + m)}{2}, \text{Cos}[c + d*x]^2\right]*\text{Sin}[c + d*x]) / (d*(2 + m)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2]) / (b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^m(c + dx)(a + a \cos(c + dx)) dx &= a \int \cos^m(c + dx) dx + a \int \cos^{1+m}(c + dx) dx \\ &= -\frac{a \cos^{1+m}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(c + dx)\right) \sin(c + dx)}{d(1+m)\sqrt{\sin^2(c + dx)}} - \frac{a \cos^{1+m}(c + dx)}{d(1+m)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.02, size = 208, normalized size = 1.59

$$\frac{ia2^{-m-2} \left(e^{-i(c+dx)} (1 + e^{2i(c+dx)})\right)^{m+1} (\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left((m-1)m {}_2F_1\left(1, \frac{m+1}{2}; \frac{1-m}{2}; -e^{2i(c+dx)}\right) + \dots\right)}{d(m-1)m(m+1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^m\*(a + a\*Cos[c + d\*x]),x]

[Out]  $(I^{2^{(-2 - m)}*a*((1 + E^{((2*I)*(c + d*x))})/E^{(I*(c + d*x))})^{(1 + m)*(1 + \cos[c + d*x])}*(-1 + m)*m*\text{Hypergeometric2F1}[1, (1 + m)/2, (1 - m)/2, -E^{((2*I)*(c + d*x))}] + E^{(I*(c + d*x))}*(1 + m)*(2*(-1 + m)*\text{Hypergeometric2F1}[1, (2 + m)/2, 1 - m/2, -E^{((2*I)*(c + d*x))}] + E^{(I*(c + d*x))}*m*\text{Hypergeometric2F1}[1, (3 + m)/2, (3 - m)/2, -E^{((2*I)*(c + d*x))}])*\text{Sec}[(c + d*x)/2]^2)/(d*(-1 + m)*m*(1 + m))$

**fricas** [F] time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}((a \cos(dx + c) + a) \cos(dx + c)^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**maple** [F] time = 1.04, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c))(a + a \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a \cos(dx + c) + a) \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (a + a \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(a + a\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left( \int \cos(c + dx) \cos^m(c + dx) dx + \int \cos^m(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**m*(a+a*cos(d*x+c)),x)
```

```
[Out] a*(Integral(cos(c + d*x)*cos(c + d*x)**m, x) + Integral(cos(c + d*x)**m, x)
)
```

$$3.401 \quad \int \frac{\cos^m(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=156

$$\frac{m \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{ad(m+1)\sqrt{\sin^2(c+dx)}} - \frac{\sin(c+dx) \cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \cos^2(c+dx)\right)}{ad\sqrt{\sin^2(c+dx)}}$$

[Out] cos(d\*x+c)^m\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))-cos(d\*x+c)^m\*hypergeom([1/2, 1/2\*m], [1+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/a/d/(sin(d\*x+c)^2)^(1/2)+m\*cos(d\*x+c)^(1+m)\*hypergeom([1/2, 1/2+1/2\*m], [3/2+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/a/d/(1+m)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.13, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2769, 2748, 2643}

$$\frac{\sin(c+dx) \cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \cos^2(c+dx)\right)}{ad\sqrt{\sin^2(c+dx)}} + \frac{m \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{ad(m+1)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m/(a + a\*Cos[c + d\*x]), x]

[Out] (Cos[c + d\*x]^m\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])) - (Cos[c + d\*x]^m\*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(a\*d\*Sqrt[Sin[c + d\*x]^2]) + (m\*Cos[c + d\*x]^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(a\*d\*(1 + m)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2769

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(a + b\*Sin[e + f\*x])), x] + Dist[(d\*n)/(a\*b), Int[(c + d\*Sin[e + f\*x])^(n - 1)\*(a - b\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^m(c+dx)}{a+a\cos(c+dx)} dx &= \frac{\cos^m(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{m \int \cos^{-1+m}(c+dx)(a-a\cos(c+dx)) dx}{a^2} \\
&= \frac{\cos^m(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{m \int \cos^{-1+m}(c+dx) dx}{a} - \frac{m \int \cos^m(c+dx) dx}{a} \\
&= \frac{\cos^m(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{\cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{2+m}{2}; \cos^2(c+dx)\right) \sin(c+dx)}{ad\sqrt{\sin^2(c+dx)}}
\end{aligned}$$

**Mathematica** [F] time = 0.87, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(c+dx)}{a+a\cos(c+dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^m/(a + a\*Cos[c + d\*x]), x]

[Out] Integrate[Cos[c + d\*x]^m/(a + a\*Cos[c + d\*x]), x]

**fricas** [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^m}{a\cos(dx+c)+a'}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^m/(a\*cos(d\*x + c) + a), x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+a\*cos(d\*x+c)), x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command: INP UT:sage2:=int(sage0,x):;OUTPUT:Unable to divide, perhaps due to rounding error %%%{1, [0, 1, 0]} / %%%{2, [0, 0, 1]} Error: Bad Argument Value

**maple** [F] time = 0.82, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(dx+c)}{a+a\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m/(a+a\*cos(d\*x+c)), x)

[Out] int(cos(d\*x+c)^m/(a+a\*cos(d\*x+c)), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^m}{a\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^m/(a\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^m}{a + a \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m/(a + a\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m/(a + a\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\cos^m(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m/(a+a\*cos(d\*x+c)),x)

[Out] Integral(cos(c + d\*x)\*\*m/(cos(c + d\*x) + 1), x)/a



$$3.402 \quad \int \frac{\cos^m(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=229

$$\frac{(1-2m)m \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{3a^2d(m+1)\sqrt{\sin^2(c+dx)}} - \frac{2(1-m)(m+1) \sin(c+dx) \cos^{m+2}(c+dx)}{3a^2d(m+2)\sqrt{\sin^2(c+dx)}}$$

[Out]  $-2/3*(1-m)*\cos(d*x+c)^(1+m)*\sin(d*x+c)/a^2/d/(1+\cos(d*x+c))-1/3*\cos(d*x+c)^(1+m)*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^2+1/3*(1-2*m)*m*\cos(d*x+c)^(1+m)*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/a^2/d/(1+m)/(\sin(d*x+c)^2)^(1/2)-2/3*(1-m)*(1+m)*\cos(d*x+c)^(2+m)*\text{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/a^2/d/(2+m)/(\sin(d*x+c)^2)^(1/2)$

**Rubi [A]** time = 0.30, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2766, 2978, 2748, 2643}

$$\frac{(1-2m)m \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{3a^2d(m+1)\sqrt{\sin^2(c+dx)}} - \frac{2(1-m)(m+1) \sin(c+dx) \cos^{m+2}(c+dx)}{3a^2d(m+2)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m/(a + a\*cos[c + d\*x])^2, x]

[Out]  $(-2*(1-m)*\cos[c+d*x]^(1+m)*\sin[c+d*x])/(3*a^2*d*(1+\cos[c+d*x])) - (\cos[c+d*x]^(1+m)*\sin[c+d*x])/(3*d*(a+a*\cos[c+d*x])^2) + ((1-2*m)*m*\cos[c+d*x]^(1+m)*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, \cos[c+d*x]^2]*\sin[c+d*x])/(3*a^2*d*(1+m)*\text{Sqrt}[\sin[c+d*x]^2]) - (2*(1-m)*(1+m)*\cos[c+d*x]^(2+m)*\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, \cos[c+d*x]^2]*\sin[c+d*x])/(3*a^2*d*(2+m)*\text{Sqrt}[\sin[c+d*x]^2])$

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2766

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b^2\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n+1))/(a\*f\*(2\*m+1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m+1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^n\*Simp[b\*c\*(m+1) - a\*d\*(2\*m+n+2) + b\*d\*(m+n+2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && !GtQ[n, 0] && (IntegerSqrt[2\*m, 2\*n] || (IntegerQ[m] && EqQ[c, 0]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Sim

$$\frac{p[(b*(A*b - a*B)*\cos[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{n+1})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m+1}*(c + d*\sin[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\sin[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid\mid \text{EqQ}[c, 0])$$

Rubi steps

$$\begin{aligned} \int \frac{\cos^m(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{\cos^{1+m}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\cos^m(c+dx)(a(2-m)+am \cos(c+dx))}{a+a \cos(c+dx)} dx}{3a^2} \\ &= -\frac{2(1-m) \cos^{1+m}(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^{1+m}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \cos^m(c + dx)}{3a^2} \\ &= -\frac{2(1-m) \cos^{1+m}(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^{1+m}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{((1-2m)m)}{3a^2} \\ &= -\frac{2(1-m) \cos^{1+m}(c + dx) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{\cos^{1+m}(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(1-2m)m \cos^m(c + dx)}{3a^2} \end{aligned}$$

**Mathematica** [F] time = 1.11, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(c + dx)}{(a + a \cos(c + dx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^m/(a + a\*cos[c + d\*x])^2,x]

[Out] Integrate[Cos[c + d\*x]^m/(a + a\*cos[c + d\*x])^2, x]

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx + c)^m}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^m/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error%%{1,[0,1,2,0]%%}+%%{1,[0,1,0,0]%%} / %%{4,[0,0,0,2]%%} Error: Bad Argument Value

**maple** [F] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(dx + c)}{(a + a \cos(dx + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^m/(a+a*cos(d*x+c))^2,x)`

[Out] `int(cos(d*x+c)^m/(a+a*cos(d*x+c))^2,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^m}{(a\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^m/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] `integrate(cos(d*x+c)^m/(a*cos(d*x+c)+a)^2,x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^m}{(a+a\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^m/(a+a*cos(c+d*x))^2,x)`

[Out] `int(cos(c+d*x)^m/(a+a*cos(c+d*x))^2,x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\cos^m(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**m/(a+a*cos(d*x+c))**2,x)`

[Out] `Integral(cos(c+d*x)**m/(cos(c+d*x)**2+2*cos(c+d*x)+1),x)/a**2`

### 3.403 $\int \cos^7(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=150

$$-\frac{a \sin^7(c + dx)}{7d} + \frac{3a \sin^5(c + dx)}{5d} - \frac{a \sin^3(c + dx)}{d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^7(c + dx)}{8d} + \frac{7b \sin(c + dx) \cos^5(c + dx)}{48d}$$

[Out] 35/128\*b\*x+a\*sin(d\*x+c)/d+35/128\*b\*cos(d\*x+c)\*sin(d\*x+c)/d+35/192\*b\*cos(d\*x+c)^3\*sin(d\*x+c)/d+7/48\*b\*cos(d\*x+c)^5\*sin(d\*x+c)/d+1/8\*b\*cos(d\*x+c)^7\*sin(d\*x+c)/d-a\*sin(d\*x+c)^3/d+3/5\*a\*sin(d\*x+c)^5/d-1/7\*a\*sin(d\*x+c)^7/d

**Rubi [A]** time = 0.10, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2633, 2635, 8}

$$-\frac{a \sin^7(c + dx)}{7d} + \frac{3a \sin^5(c + dx)}{5d} - \frac{a \sin^3(c + dx)}{d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^7(c + dx)}{8d} + \frac{7b \sin(c + dx) \cos^5(c + dx)}{48d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^7\*(a + b\*Cos[c + d\*x]),x]

[Out] (35\*b\*x)/128 + (a\*Sin[c + d\*x])/d + (35\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/(128\*d) + (35\*b\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(192\*d) + (7\*b\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(48\*d) + (b\*Cos[c + d\*x]^7\*Sin[c + d\*x])/(8\*d) - (a\*Sin[c + d\*x]^3)/d + (3\*a\*Sin[c + d\*x]^5)/(5\*d) - (a\*Sin[c + d\*x]^7)/(7\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d^n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned}
\int \cos^7(c+dx)(a+b\cos(c+dx))dx &= a \int \cos^7(c+dx)dx + b \int \cos^8(c+dx)dx \\
&= \frac{b \cos^7(c+dx) \sin(c+dx)}{8d} + \frac{1}{8}(7b) \int \cos^6(c+dx)dx - \frac{a \text{Subst}\left(\int (1\right. \\
&= \frac{a \sin(c+dx)}{d} + \frac{7b \cos^5(c+dx) \sin(c+dx)}{48d} + \frac{b \cos^7(c+dx) \sin(c+dx)}{8d} \\
&= \frac{a \sin(c+dx)}{d} + \frac{35b \cos^3(c+dx) \sin(c+dx)}{192d} + \frac{7b \cos^5(c+dx) \sin(c+dx)}{48d} \\
&= \frac{a \sin(c+dx)}{d} + \frac{35b \cos(c+dx) \sin(c+dx)}{128d} + \frac{35b \cos^3(c+dx) \sin(c+dx)}{192d} \\
&= \frac{35bx}{128} + \frac{a \sin(c+dx)}{d} + \frac{35b \cos(c+dx) \sin(c+dx)}{128d} + \frac{35b \cos^3(c+dx) \sin(c+dx)}{192d}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 135, normalized size = 0.90

$$\frac{a \sin^7(c+dx)}{7d} + \frac{3a \sin^5(c+dx)}{5d} - \frac{a \sin^3(c+dx)}{d} + \frac{a \sin(c+dx)}{d} + \frac{35b(c+dx)}{128d} + \frac{7b \sin(2(c+dx))}{32d} + \frac{7b \sin(4(c+dx))}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^7\*(a + b\*Cos[c + d\*x]),x]

[Out] (35\*b\*(c + d\*x))/(128\*d) + (a\*Sin[c + d\*x])/d - (a\*Sin[c + d\*x]^3)/d + (3\*a\*Sin[c + d\*x]^5)/(5\*d) - (a\*Sin[c + d\*x]^7)/(7\*d) + (7\*b\*Sin[2\*(c + d\*x)])/(32\*d) + (7\*b\*Sin[4\*(c + d\*x)])/(128\*d) + (b\*Sin[6\*(c + d\*x)])/(96\*d) + (b\*Sin[8\*(c + d\*x)])/(1024\*d)

**fricas [A]** time = 1.12, size = 97, normalized size = 0.65

$$\frac{3675 b d x + (1680 b \cos(dx+c))^7 + 1920 a \cos(dx+c)^6 + 1960 b \cos(dx+c)^5 + 2304 a \cos(dx+c)^4 + 2450 b \cos(dx+c)^3 + 3072 a \cos(dx+c)^2 + 3675 b \cos(dx+c) + 6144 a}{13440 d} \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^7\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/13440\*(3675\*b\*d\*x + (1680\*b\*cos(d\*x + c))^7 + 1920\*a\*cos(d\*x + c)^6 + 1960\*b\*cos(d\*x + c)^5 + 2304\*a\*cos(d\*x + c)^4 + 2450\*b\*cos(d\*x + c)^3 + 3072\*a\*cos(d\*x + c)^2 + 3675\*b\*cos(d\*x + c) + 6144\*a)\*sin(d\*x + c)/d

**giac [A]** time = 1.29, size = 122, normalized size = 0.81

$$\frac{35}{128} b x + \frac{b \sin(8 dx + 8 c)}{1024 d} + \frac{a \sin(7 dx + 7 c)}{448 d} + \frac{b \sin(6 dx + 6 c)}{96 d} + \frac{7 a \sin(5 dx + 5 c)}{320 d} + \frac{7 b \sin(4 dx + 4 c)}{128 d} + \frac{7 a \sin(3 dx + 3 c)}{64 d} + \frac{7 b \sin(2 dx + 2 c)}{32 d} + \frac{35 a \sin(dx+c)}{64 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^7\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 35/128\*b\*x + 1/1024\*b\*sin(8\*d\*x + 8\*c)/d + 1/448\*a\*sin(7\*d\*x + 7\*c)/d + 1/96\*b\*sin(6\*d\*x + 6\*c)/d + 7/320\*a\*sin(5\*d\*x + 5\*c)/d + 7/128\*b\*sin(4\*d\*x + 4\*c)/d + 7/64\*a\*sin(3\*d\*x + 3\*c)/d + 7/32\*b\*sin(2\*d\*x + 2\*c)/d + 35/64\*a\*sin(dx+c)/d

**maple [A]** time = 0.04, size = 100, normalized size = 0.67

$$\frac{b \left( \frac{\left( \cos^7(dx+c) + \frac{7 \cos^5(dx+c)}{6} + \frac{35 \cos^3(dx+c)}{24} + \frac{35 \cos(dx+c)}{16} \right) \sin(dx+c)}{8} + \frac{35 dx}{128} + \frac{35 c}{128} \right) + \frac{a \left( \frac{16}{5} + \cos^6(dx+c) + \frac{6 \cos^4(dx+c)}{5} + \frac{8 \cos^2(dx+c)}{5} \right) \sin(dx+c)}{7}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^7*(a+b*cos(d*x+c)),x)`

[Out]  $\frac{1}{d} \cdot (b \cdot (\frac{1}{8} \cdot (\cos(d \cdot x + c))^7 + \frac{7}{6} \cdot \cos(d \cdot x + c)^5 + \frac{35}{24} \cdot \cos(d \cdot x + c)^3 + \frac{35}{16} \cdot \cos(d \cdot x + c)) \cdot \sin(d \cdot x + c) + \frac{35}{128} \cdot d \cdot x + \frac{35}{128} \cdot c) + \frac{1}{7} \cdot a \cdot ((\frac{16}{5} + \cos(d \cdot x + c))^6 + \frac{6}{5} \cdot \cos(d \cdot x + c)^4 + \frac{8}{5} \cdot \cos(d \cdot x + c)^2) \cdot \sin(d \cdot x + c)$

**maxima** [A] time = 0.36, size = 105, normalized size = 0.70

$$\frac{3072 \left( 5 \sin(dx + c)^7 - 21 \sin(dx + c)^5 + 35 \sin(dx + c)^3 - 35 \sin(dx + c) \right) a + 35 \left( 128 \sin(2dx + 2c)^3 - 840 \right)}{107520 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^7*(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $-\frac{1}{107520} \cdot (3072 \cdot (5 \cdot \sin(d \cdot x + c)^7 - 21 \cdot \sin(d \cdot x + c)^5 + 35 \cdot \sin(d \cdot x + c)^3 - 35 \cdot \sin(d \cdot x + c)) \cdot a + 35 \cdot (128 \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)^3 - 840 \cdot d \cdot x - 840 \cdot c - 3 \cdot \sin(8 \cdot d \cdot x + 8 \cdot c) - 168 \cdot \sin(4 \cdot d \cdot x + 4 \cdot c) - 768 \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)) \cdot b) / d$

**mupad** [B] time = 3.23, size = 175, normalized size = 1.17

$$\frac{35bx}{128} + \frac{\left(2a - \frac{93b}{64}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{15} + \left(6a - \frac{91b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{13} + \left(\frac{106a}{5} - \frac{1799b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{1026a}{35} + \frac{1085b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{1026a}{35} - \frac{1085b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{1026a}{35} + \frac{1085b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{1026a}{35} - \frac{1085b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{1026a}{35} + \frac{1085b}{192}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \cdot (\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1)^8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^7*(a+b*cos(c+d*x)),x)`

[Out]  $\frac{(35 \cdot b \cdot x) / 128 + (\tan(c/2 + (d \cdot x) / 2) \cdot (2 \cdot a + (93 \cdot b) / 64) + \tan(c/2 + (d \cdot x) / 2)^5 \cdot (2 \cdot a - (93 \cdot b) / 64) + \tan(c/2 + (d \cdot x) / 2)^3 \cdot (6 \cdot a + (91 \cdot b) / 192) + \tan(c/2 + (d \cdot x) / 2)^{13} \cdot (6 \cdot a - (91 \cdot b) / 192) + \tan(c/2 + (d \cdot x) / 2)^5 \cdot ((106 \cdot a) / 5 + (1799 \cdot b) / 192) + \tan(c/2 + (d \cdot x) / 2)^{11} \cdot ((106 \cdot a) / 5 - (1799 \cdot b) / 192) + \tan(c/2 + (d \cdot x) / 2)^7 \cdot ((1026 \cdot a) / 35 - (1085 \cdot b) / 192) + \tan(c/2 + (d \cdot x) / 2)^9 \cdot ((1026 \cdot a) / 35 + (1085 \cdot b) / 192)) / (d \cdot (\tan(c/2 + (d \cdot x) / 2)^2 + 1)^8)$

**sympy** [A] time = 8.96, size = 286, normalized size = 1.91

$$\left\{ \begin{array}{l} \frac{16a \sin^7(c+dx)}{35d} + \frac{8a \sin^5(c+dx) \cos^2(c+dx)}{5d} + \frac{2a \sin^3(c+dx) \cos^4(c+dx)}{d} + \frac{a \sin(c+dx) \cos^6(c+dx)}{d} + \frac{35bx \sin^8(c+dx)}{128} + \frac{35bx \sin^6(c+dx) \cos^2(c+dx)}{32} \\ x(a + b \cos(c)) \cos^7(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**7*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((16*a*sin(c+d*x)**7/(35*d) + 8*a*sin(c+d*x)**5*cos(c+d*x)**2/(5*d) + 2*a*sin(c+d*x)**3*cos(c+d*x)**4/d + a*sin(c+d*x)*cos(c+d*x)**6/d + 35*b*x*sin(c+d*x)**8/128 + 35*b*x*sin(c+d*x)**6*cos(c+d*x)**2/32 + 105*b*x*sin(c+d*x)**4*cos(c+d*x)**4/64 + 35*b*x*sin(c+d*x)**2*cos(c+d*x)**6/32 + 35*b*x*cos(c+d*x)**8/128 + 35*b*sin(c+d*x)**7*cos(c+d*x)/(128*d) + 385*b*sin(c+d*x)**5*cos(c+d*x)**3/(384*d) + 511*b*sin(c+d*x)**3*cos(c+d*x)**5/(384*d) + 93*b*sin(c+d*x)*cos(c+d*x)**7/(128*d), Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**7, True))`

### 3.404 $\int \cos^6(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=128

$$\frac{a \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5a \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5a \sin(c + dx) \cos(c + dx)}{16d} + \frac{5ax}{16} - \frac{b \sin^7(c + dx)}{7d} + \frac{3b}{7d}$$

[Out] 5/16\*a\*x+b\*sin(d\*x+c)/d+5/16\*a\*cos(d\*x+c)\*sin(d\*x+c)/d+5/24\*a\*cos(d\*x+c)^3\*sin(d\*x+c)/d+1/6\*a\*cos(d\*x+c)^5\*sin(d\*x+c)/d-b\*sin(d\*x+c)^3/d+3/5\*b\*sin(d\*x+c)^5/d-1/7\*b\*sin(d\*x+c)^7/d

**Rubi [A]** time = 0.09, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2635, 8, 2633}

$$\frac{a \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5a \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5a \sin(c + dx) \cos(c + dx)}{16d} + \frac{5ax}{16} - \frac{b \sin^7(c + dx)}{7d} + \frac{3b}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^6\*(a + b\*Cos[c + d\*x]),x]

[Out] (5\*a\*x)/16 + (b\*Sin[c + d\*x])/d + (5\*a\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (5\*a\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (a\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(6\*d) - (b\*Sin[c + d\*x]^3)/d + (3\*b\*Sin[c + d\*x]^5)/(5\*d) - (b\*Sin[c + d\*x]^7)/(7\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned}
\int \cos^6(c+dx)(a+b\cos(c+dx))dx &= a \int \cos^6(c+dx)dx + b \int \cos^7(c+dx)dx \\
&= \frac{a \cos^5(c+dx) \sin(c+dx)}{6d} + \frac{1}{6}(5a) \int \cos^4(c+dx)dx - \frac{b \operatorname{Subst}\left(\int (1-3\right)}{6d} \\
&= \frac{b \sin(c+dx)}{d} + \frac{5a \cos^3(c+dx) \sin(c+dx)}{24d} + \frac{a \cos^5(c+dx) \sin(c+dx)}{6d} \\
&= \frac{b \sin(c+dx)}{d} + \frac{5a \cos(c+dx) \sin(c+dx)}{16d} + \frac{5a \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{5ax}{16} + \frac{b \sin(c+dx)}{d} + \frac{5a \cos(c+dx) \sin(c+dx)}{16d} + \frac{5a \cos^3(c+dx) \sin(c+dx)}{24d}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 89, normalized size = 0.70

$$\frac{35a(45 \sin(2(c+dx)) + 9 \sin(4(c+dx)) + \sin(6(c+dx)) + 60c + 60dx) - 960b \sin^7(c+dx) + 4032b \sin^5(c+dx)}{6720d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^6\*(a + b\*Cos[c + d\*x]),x]

[Out] (6720\*b\*Sin[c + d\*x] - 6720\*b\*Sin[c + d\*x]^3 + 4032\*b\*Sin[c + d\*x]^5 - 960\*b\*Sin[c + d\*x]^7 + 35\*a\*(60\*c + 60\*d\*x + 45\*Sin[2\*(c + d\*x)] + 9\*Sin[4\*(c + d\*x)] + Sin[6\*(c + d\*x)]))/(6720\*d)

**fricas [A]** time = 0.91, size = 86, normalized size = 0.67

$$\frac{525 adx + (240 b \cos(dx+c)^6 + 280 a \cos(dx+c)^5 + 288 b \cos(dx+c)^4 + 350 a \cos(dx+c)^3 + 384 b \cos(dx+c)^2 + 525 a \cos(dx+c) + 768 b) \sin(dx+c)}{1680 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/1680\*(525\*a\*d\*x + (240\*b\*cos(d\*x + c)^6 + 280\*a\*cos(d\*x + c)^5 + 288\*b\*cos(d\*x + c)^4 + 350\*a\*cos(d\*x + c)^3 + 384\*b\*cos(d\*x + c)^2 + 525\*a\*cos(d\*x + c) + 768\*b)\*sin(d\*x + c))/d

**giac [A]** time = 0.60, size = 107, normalized size = 0.84

$$\frac{5}{16} ax + \frac{b \sin(7dx+7c)}{448d} + \frac{a \sin(6dx+6c)}{192d} + \frac{7b \sin(5dx+5c)}{320d} + \frac{3a \sin(4dx+4c)}{64d} + \frac{7b \sin(3dx+3c)}{64d} + \frac{15a \sin(2dx+2c)}{64d} + \frac{35b \sin(dx+c)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^6\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 5/16\*a\*x + 1/448\*b\*sin(7\*d\*x + 7\*c)/d + 1/192\*a\*sin(6\*d\*x + 6\*c)/d + 7/320\*b\*sin(5\*d\*x + 5\*c)/d + 3/64\*a\*sin(4\*d\*x + 4\*c)/d + 7/64\*b\*sin(3\*d\*x + 3\*c)/d + 15/64\*a\*sin(2\*d\*x + 2\*c)/d + 35/64\*b\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 90, normalized size = 0.70

$$\frac{b \left( \frac{16}{5} + \cos^6(dx+c) + \frac{6(\cos^4(dx+c))}{5} + \frac{8(\cos^2(dx+c))}{5} \right) \sin(dx+c)}{7} + a \left( \frac{\left( \cos^5(dx+c) + \frac{5(\cos^3(dx+c))}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int(cos(d*x+c)^6*(a+b*cos(d*x+c)),x)`

[Out]  $\frac{1}{d} \left( \frac{1}{7} b \left( \frac{16}{5} + \cos(d*x+c)^6 + \frac{6}{5} \cos(d*x+c)^4 + \frac{8}{5} \cos(d*x+c)^2 \right) \sin(d*x+c) + a \left( \frac{1}{6} \cos(d*x+c)^5 + \frac{5}{4} \cos(d*x+c)^3 + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d*x + \frac{5}{16} c \right)$

**maxima** [A] time = 0.46, size = 94, normalized size = 0.73

$$\frac{35 \left( 4 \sin(2 dx + 2 c)^3 - 60 dx - 60 c - 9 \sin(4 dx + 4 c) - 48 \sin(2 dx + 2 c) \right) a + 192 \left( 5 \sin(dx + c)^7 - 21 \sin(dx + c)^5 + 35 \sin(dx + c) \right) b}{6720 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^6*(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $-\frac{1}{6720} \left( 35 \left( 4 \sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c) \right) *a + 192 \left( 5*\sin(d*x + c)^7 - 21*\sin(d*x + c)^5 + 35*\sin(d*x + c) \right) *b \right) / d$

**mupad** [B] time = 3.25, size = 154, normalized size = 1.20

$$\frac{5ax \left( 2b - \frac{11a}{8} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{13} + \left( 4b - \frac{7a}{6} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left( \frac{86b}{5} - \frac{85a}{24} \right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \frac{424b \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{35}}{16} + \frac{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^7}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^7}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^6*(a+b*cos(c+d*x)),x)`

[Out]  $\frac{5ax}{16} + \frac{\tan(c/2 + (d*x)/2) \left( (11a)/8 + 2b \right) + \tan(c/2 + (d*x)/2)^3 \left( (7a)/6 + 4b \right) - \tan(c/2 + (d*x)/2)^{11} \left( (7a)/6 - 4b \right) - \tan(c/2 + (d*x)/2)^{13} \left( (11a)/8 - 2b \right) + \tan(c/2 + (d*x)/2)^5 \left( (85a)/24 + (86b)/5 \right) - \tan(c/2 + (d*x)/2)^9 \left( (85a)/24 - (86b)/5 \right) + (424*b*\tan(c/2 + (d*x)/2)^7/35)}{d \left( \tan(c/2 + (d*x)/2)^2 + 1 \right)^7}$

**sympy** [A] time = 5.40, size = 238, normalized size = 1.86

$$\left\{ \begin{array}{l} \frac{5ax \sin^6(c+dx)}{16} + \frac{15ax \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{15ax \sin^2(c+dx) \cos^4(c+dx)}{16} + \frac{5ax \cos^6(c+dx)}{16} + \frac{5a \sin^5(c+dx) \cos(c+dx)}{16d} + \frac{5a \sin^3(c+dx) \cos^3(c+dx)}{16d} \\ x(a + b \cos(c)) \cos^6(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**6*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((5*a*x*sin(c+d*x)**6/16 + 15*a*x*sin(c+d*x)**4*cos(c+d*x)**2/16 + 15*a*x*sin(c+d*x)**2*cos(c+d*x)**4/16 + 5*a*x*cos(c+d*x)**6/16 + 5*a*sin(c+d*x)**5*cos(c+d*x)/(16*d) + 5*a*sin(c+d*x)**3*cos(c+d*x)**3/(6*d) + 11*a*sin(c+d*x)*cos(c+d*x)**5/(16*d) + 16*b*sin(c+d*x)**7/(35*d) + 8*b*sin(c+d*x)**5*cos(c+d*x)**2/(5*d) + 2*b*sin(c+d*x)**3*cos(c+d*x)**4/d + b*sin(c+d*x)*cos(c+d*x)**6/d, Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**6, True))`

### 3.405 $\int \cos^5(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=114

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5b \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5b \sin(c + dx) \cos(c + dx)}{24d}$$

[Out] 5/16\*b\*x+a\*sin(d\*x+c)/d+5/16\*b\*cos(d\*x+c)\*sin(d\*x+c)/d+5/24\*b\*cos(d\*x+c)^3\*sin(d\*x+c)/d+1/6\*b\*cos(d\*x+c)^5\*sin(d\*x+c)/d-2/3\*a\*sin(d\*x+c)^3/d+1/5\*a\*sin(d\*x+c)^5/d

**Rubi [A]** time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2633, 2635, 8}

$$\frac{a \sin^5(c + dx)}{5d} - \frac{2a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^5(c + dx)}{6d} + \frac{5b \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{5b \sin(c + dx) \cos(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5\*(a + b\*Cos[c + d\*x]),x]

[Out] (5\*b\*x)/16 + (a\*Sin[c + d\*x])/d + (5\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (5\*b\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (b\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(6\*d) - (2\*a\*Sin[c + d\*x]^3)/(3\*d) + (a\*Sin[c + d\*x]^5)/(5\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned}
\int \cos^5(c+dx)(a+b\cos(c+dx))dx &= a \int \cos^5(c+dx)dx + b \int \cos^6(c+dx)dx \\
&= \frac{b \cos^5(c+dx) \sin(c+dx)}{6d} + \frac{1}{6}(5b) \int \cos^4(c+dx)dx - \frac{a \operatorname{Subst}\left(\int (1\right.}{6d} \\
&= \frac{a \sin(c+dx)}{d} + \frac{5b \cos^3(c+dx) \sin(c+dx)}{24d} + \frac{b \cos^5(c+dx) \sin(c+dx)}{6d} \\
&= \frac{a \sin(c+dx)}{d} + \frac{5b \cos(c+dx) \sin(c+dx)}{16d} + \frac{5b \cos^3(c+dx) \sin(c+dx)}{24d} \\
&= \frac{5bx}{16} + \frac{a \sin(c+dx)}{d} + \frac{5b \cos(c+dx) \sin(c+dx)}{16d} + \frac{5b \cos^3(c+dx) \sin(c+dx)}{24d}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 78, normalized size = 0.68

$$\frac{192a \sin^5(c+dx) - 640a \sin^3(c+dx) + 960a \sin(c+dx) + 5b(45 \sin(2(c+dx)) + 9 \sin(4(c+dx)) + \sin(6(c+dx)))}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5\*(a + b\*Cos[c + d\*x]),x]

[Out] (960\*a\*Sin[c + d\*x] - 640\*a\*Sin[c + d\*x]^3 + 192\*a\*Sin[c + d\*x]^5 + 5\*b\*(60\*c + 60\*d\*x + 45\*Sin[2\*(c + d\*x)] + 9\*Sin[4\*(c + d\*x)] + Sin[6\*(c + d\*x)]))/(960\*d)

**fricas [A]** time = 0.99, size = 75, normalized size = 0.66

$$\frac{75bdx + (40b \cos(dx+c)^5 + 48a \cos(dx+c)^4 + 50b \cos(dx+c)^3 + 64a \cos(dx+c)^2 + 75b \cos(dx+c) + 5a \sin(dx+c))}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/240\*(75\*b\*d\*x + (40\*b\*cos(d\*x + c)^5 + 48\*a\*cos(d\*x + c)^4 + 50\*b\*cos(d\*x + c)^3 + 64\*a\*cos(d\*x + c)^2 + 75\*b\*cos(d\*x + c) + 128\*a)\*sin(d\*x + c))/d

**giac [A]** time = 0.50, size = 92, normalized size = 0.81

$$\frac{5}{16}bx + \frac{b \sin(6dx+6c)}{192d} + \frac{a \sin(5dx+5c)}{80d} + \frac{3b \sin(4dx+4c)}{64d} + \frac{5a \sin(3dx+3c)}{48d} + \frac{15b \sin(2dx+2c)}{64d} + \frac{5a \sin(dx+c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 5/16\*b\*x + 1/192\*b\*sin(6\*d\*x + 6\*c)/d + 1/80\*a\*sin(5\*d\*x + 5\*c)/d + 3/64\*b\*sin(4\*d\*x + 4\*c)/d + 5/48\*a\*sin(3\*d\*x + 3\*c)/d + 15/64\*b\*sin(2\*d\*x + 2\*c)/d + 5/8\*a\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 80, normalized size = 0.70

$$\frac{b \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{a \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5*(a+b*cos(d*x+c)),x)`

[Out]  $\frac{1}{d} \left( b \left( \frac{1}{6} \cos^5(d*x+c) + \frac{5}{4} \cos^3(d*x+c) + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d*x + \frac{5}{16} c \right) + \frac{1}{5} a \left( \frac{8}{3} \cos^4(d*x+c) + \frac{4}{3} \cos^2(d*x+c) \right) \sin(d*x+c)$

**maxima** [A] time = 0.58, size = 84, normalized size = 0.74

$$\frac{64 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a - 5 \left( 4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) \right)}{960 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5*(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{960} \left( 64 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) a - 5 \left( 4 \sin(2dx+2c)^3 - 60 dx - 60 c - 9 \sin(4dx+4c) - 48 \sin(2dx+2c) \right) b \right) / d$

**mupad** [B] time = 0.66, size = 115, normalized size = 1.01

$$\frac{5bx}{16} + \frac{8a \sin(c+dx)}{15d} + \frac{5b \cos(c+dx) \sin(c+dx)}{16d} + \frac{4a \cos(c+dx)^2 \sin(c+dx)}{15d} + \frac{a \cos(c+dx)^4 \sin(c+dx)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^5*(a+b*cos(c+d*x)),x)`

[Out]  $\frac{5bx}{16} + \frac{8a \sin(c+dx)}{15d} + \frac{5b \cos(c+dx) \sin(c+dx)}{16d} + \frac{4a \cos(c+dx)^2 \sin(c+dx)}{15d} + \frac{a \cos(c+dx)^4 \sin(c+dx)}{5d} + \frac{5b \cos(c+dx)^3 \sin(c+dx)}{24d} + \frac{b \cos(c+dx)^5 \sin(c+dx)}{6d}$

**sympy** [A] time = 3.27, size = 216, normalized size = 1.89

$$\left\{ \begin{array}{l} \frac{8a \sin^5(c+dx)}{15d} + \frac{4a \sin^3(c+dx) \cos^2(c+dx)}{3d} + \frac{a \sin(c+dx) \cos^4(c+dx)}{d} + \frac{5bx \sin^6(c+dx)}{16} + \frac{15bx \sin^4(c+dx) \cos^2(c+dx)}{16} + \frac{15bx \sin^2(c+dx) \cos^4(c+dx)}{16} \\ x(a + b \cos(c)) \cos^5(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**5*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((8*a*sin(c+d*x)**5/(15*d) + 4*a*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + a*sin(c+d*x)*cos(c+d*x)**4/d + 5*b*x*sin(c+d*x)**6/16 + 15*b*x*sin(c+d*x)**4*cos(c+d*x)**2/16 + 15*b*x*sin(c+d*x)**2*cos(c+d*x)**4/16 + 5*b*x*cos(c+d*x)**6/16 + 5*b*sin(c+d*x)**5*cos(c+d*x)/(16*d) + 5*b*sin(c+d*x)**3*cos(c+d*x)**3/(6*d) + 11*b*sin(c+d*x)*cos(c+d*x)**5/(16*d), Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**5, True))`

### 3.406 $\int \cos^4(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=92

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8} + \frac{b \sin^5(c + dx)}{5d} - \frac{2b \sin^3(c + dx)}{3d} + \frac{b \sin(c + dx)}{d}$$

[Out]  $3/8*a*x+b*\sin(d*x+c)/d+3/8*a*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a*\cos(d*x+c)^3*\sin(d*x+c)/d-2/3*b*\sin(d*x+c)^3/d+1/5*b*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.06, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2635, 8, 2633}

$$\frac{a \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3a \sin(c + dx) \cos(c + dx)}{8d} + \frac{3ax}{8} + \frac{b \sin^5(c + dx)}{5d} - \frac{2b \sin^3(c + dx)}{3d} + \frac{b \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4\*(a + b\*Cos[c + d\*x]),x]

[Out]  $(3*a*x)/8 + (b*\sin[c + d*x])/d + (3*a*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (a*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (2*b*\sin[c + d*x]^3)/(3*d) + (b*\sin[c + d*x]^5)/(5*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^4(c + dx)(a + b \cos(c + dx)) dx &= a \int \cos^4(c + dx) dx + b \int \cos^5(c + dx) dx \\ &= \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4}(3a) \int \cos^2(c + dx) dx - \frac{b \text{Subst}\left(\int (1 - x^2)^{\frac{n-1}{2}} dx\right)}{4d} \\ &= \frac{b \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{3ax}{8} + \frac{b \sin(c + dx)}{d} + \frac{3a \cos(c + dx) \sin(c + dx)}{8d} + \frac{a \cos^3(c + dx) \sin(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 89, normalized size = 0.97

$$\frac{3a(c+dx)}{8d} + \frac{a \sin(2(c+dx))}{4d} + \frac{a \sin(4(c+dx))}{32d} + \frac{b \sin^5(c+dx)}{5d} - \frac{2b \sin^3(c+dx)}{3d} + \frac{b \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4\*(a + b\*Cos[c + d\*x]),x]

[Out] (3\*a\*(c + d\*x))/(8\*d) + (b\*Sin[c + d\*x])/d - (2\*b\*Sin[c + d\*x]^3)/(3\*d) + (b\*Sin[c + d\*x]^5)/(5\*d) + (a\*Sin[2\*(c + d\*x)])/(4\*d) + (a\*Sin[4\*(c + d\*x)])/(32\*d)

**fricas [A]** time = 0.76, size = 64, normalized size = 0.70

$$\frac{45 adx + (24 b \cos(dx + c)^4 + 30 a \cos(dx + c)^3 + 32 b \cos(dx + c)^2 + 45 a \cos(dx + c) + 64 b) \sin(dx + c)}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(45\*a\*d\*x + (24\*b\*cos(d\*x + c)^4 + 30\*a\*cos(d\*x + c)^3 + 32\*b\*cos(d\*x + c)^2 + 45\*a\*cos(d\*x + c) + 64\*b)\*sin(d\*x + c))/d

**giac [A]** time = 0.48, size = 77, normalized size = 0.84

$$\frac{3}{8} ax + \frac{b \sin(5 dx + 5 c)}{80 d} + \frac{a \sin(4 dx + 4 c)}{32 d} + \frac{5 b \sin(3 dx + 3 c)}{48 d} + \frac{a \sin(2 dx + 2 c)}{4 d} + \frac{5 b \sin(dx + c)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 3/8\*a\*x + 1/80\*b\*sin(5\*d\*x + 5\*c)/d + 1/32\*a\*sin(4\*d\*x + 4\*c)/d + 5/48\*b\*sin(3\*d\*x + 3\*c)/d + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + 5/8\*b\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 70, normalized size = 0.76

$$\frac{b \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + a \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c)),x)

[Out] 1/d\*(1/5\*b\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+a\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c))

**maxima [A]** time = 0.47, size = 69, normalized size = 0.75

$$\frac{15(12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c))a + 32(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))b}{480 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/480\*(15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a + 32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*b)/d

**mupad [B]** time = 4.26, size = 115, normalized size = 1.25

$$\frac{3ax \left(2b - \frac{5a}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{8b}{3} - \frac{a}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \frac{116b \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} + \left(\frac{a}{2} + \frac{8b}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{5a}{4} + \frac{8b}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4*(a + b*cos(c + d*x)),x)`

[Out]  $(3*a*x)/8 + (\tan(c/2 + (d*x)/2)*((5*a)/4 + 2*b) + \tan(c/2 + (d*x)/2)^3*(a/2 + (8*b)/3) - \tan(c/2 + (d*x)/2)^9*((5*a)/4 - 2*b) - \tan(c/2 + (d*x)/2)^7*(a/2 - (8*b)/3) + (116*b*\tan(c/2 + (d*x)/2)^5)/15)/(d*(\tan(c/2 + (d*x)/2)^2 + 1)^5)$

**sympy [A]** time = 1.86, size = 168, normalized size = 1.83

$$\left\{ \begin{array}{l} \frac{3ax \sin^4(c+dx)}{8} + \frac{3ax \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3ax \cos^4(c+dx)}{8} + \frac{3a \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{5a \sin(c+dx) \cos^3(c+dx)}{8d} + \frac{8b \sin^5(c+dx)}{15d} \\ x(a + b \cos(c)) \cos^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((3*a*x*sin(c + d*x)**4/8 + 3*a*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*a*x*cos(c + d*x)**4/8 + 3*a*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*a*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 8*b*sin(c + d*x)**5/(15*d) + 4*b*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + b*sin(c + d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**4, True))`

### 3.407 $\int \cos^3(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=76

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3b \sin(c + dx) \cos(c + dx)}{8d} + \frac{3bx}{8}$$

[Out]  $3/8*b*x+a*\sin(d*x+c)/d+3/8*b*\cos(d*x+c)*\sin(d*x+c)/d+1/4*b*\cos(d*x+c)^3*\sin(d*x+c)/d-1/3*a*\sin(d*x+c)^3/d$

**Rubi [A]** time = 0.06, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2633, 2635, 8}

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos^3(c + dx)}{4d} + \frac{3b \sin(c + dx) \cos(c + dx)}{8d} + \frac{3bx}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x]),x]

[Out]  $(3*b*x)/8 + (a*\sin[c + d*x])/d + (3*b*\cos[c + d*x]*\sin[c + d*x])/(8*d) + (b*\cos[c + d*x]^3*\sin[c + d*x])/(4*d) - (a*\sin[c + d*x]^3)/(3*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sine[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sine[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sine[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sine[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \cos(c + dx)) dx &= a \int \cos^3(c + dx) dx + b \int \cos^4(c + dx) dx \\ &= \frac{b \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4}(3b) \int \cos^2(c + dx) dx - \frac{a \text{Subst}\left(\int (1 - x^2)^{\frac{n-1}{2}} dx\right)}{4d} \\ &= \frac{a \sin(c + dx)}{d} + \frac{3b \cos(c + dx) \sin(c + dx)}{8d} + \frac{b \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{3bx}{8} + \frac{a \sin(c + dx)}{d} + \frac{3b \cos(c + dx) \sin(c + dx)}{8d} + \frac{b \cos^3(c + dx) \sin(c + dx)}{4d} \end{aligned}$$



**Mathematica [A]** time = 0.09, size = 73, normalized size = 0.96

$$-\frac{a \sin^3(c + dx)}{3d} + \frac{a \sin(c + dx)}{d} + \frac{3b(c + dx)}{8d} + \frac{b \sin(2(c + dx))}{4d} + \frac{b \sin(4(c + dx))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x]), x]

[Out] (3\*b\*(c + d\*x))/(8\*d) + (a\*Sin[c + d\*x])/d - (a\*Sin[c + d\*x]^3)/(3\*d) + (b\*Sin[2\*(c + d\*x)])/(4\*d) + (b\*Sin[4\*(c + d\*x)])/(32\*d)

**fricas [A]** time = 1.03, size = 53, normalized size = 0.70

$$\frac{9 b d x + (6 b \cos(dx + c)^3 + 8 a \cos(dx + c)^2 + 9 b \cos(dx + c) + 16 a) \sin(dx + c)}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] 1/24\*(9\*b\*d\*x + (6\*b\*cos(d\*x + c)^3 + 8\*a\*cos(d\*x + c)^2 + 9\*b\*cos(d\*x + c) + 16\*a)\*sin(d\*x + c))/d

**giac [A]** time = 0.49, size = 62, normalized size = 0.82

$$\frac{3}{8} b x + \frac{b \sin(4 d x + 4 c)}{32 d} + \frac{a \sin(3 d x + 3 c)}{12 d} + \frac{b \sin(2 d x + 2 c)}{4 d} + \frac{3 a \sin(d x + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] 3/8\*b\*x + 1/32\*b\*sin(4\*d\*x + 4\*c)/d + 1/12\*a\*sin(3\*d\*x + 3\*c)/d + 1/4\*b\*sin(2\*d\*x + 2\*c)/d + 3/4\*a\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 60, normalized size = 0.79

$$\frac{b \left( \frac{\left( \cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a(2+\cos^2(dx+c)) \sin(dx+c)}{3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c)), x)

[Out] 1/d\*(b\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*a\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**maxima [A]** time = 0.90, size = 57, normalized size = 0.75

$$\frac{32 \left( \sin(dx + c)^3 - 3 \sin(dx + c) \right) a - 3 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) b}{96 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] -1/96\*(32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a - 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*b)/d

**mupad [B]** time = 0.58, size = 75, normalized size = 0.99

$$\frac{3 b x}{8} + \frac{2 a \sin(c + dx)}{3 d} + \frac{3 b \cos(c + dx) \sin(c + dx)}{8 d} + \frac{a \cos(c + dx)^2 \sin(c + dx)}{3 d} + \frac{b \cos(c + dx)^3 \sin(c + dx)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^3*(a + b*cos(c + d*x)),x)`

[Out]  $(3*b*x)/8 + (2*a*\sin(c + d*x))/(3*d) + (3*b*\cos(c + d*x)*\sin(c + d*x))/(8*d) + (a*\cos(c + d*x)^2*\sin(c + d*x))/(3*d) + (b*\cos(c + d*x)^3*\sin(c + d*x))/(4*d)$

**sympy** [A] time = 0.92, size = 144, normalized size = 1.89

$$\left\{ \begin{array}{l} \frac{2a \sin^3(c+dx)}{3d} + \frac{a \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3bx \sin^4(c+dx)}{8} + \frac{3bx \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3bx \cos^4(c+dx)}{8} + \frac{3b \sin^3(c+dx) \cos(c+dx)}{8d} + \dots \\ x(a + b \cos(c)) \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((2*a*sin(c + d*x)**3/(3*d) + a*sin(c + d*x)*cos(c + d*x)**2/d + 3*b*x*sin(c + d*x)**4/8 + 3*b*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*b*x*cos(c + d*x)**4/8 + 3*b*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*b*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**3, True))`

### 3.408 $\int \cos^2(c + dx)(a + b \cos(c + dx)) dx$

Optimal. Leaf size=54

$$\frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2} - \frac{b \sin^3(c + dx)}{3d} + \frac{b \sin(c + dx)}{d}$$

[Out] 1/2\*a\*x+b\*sin(d\*x+c)/d+1/2\*a\*cos(d\*x+c)\*sin(d\*x+c)/d-1/3\*b\*sin(d\*x+c)^3/d

**Rubi [A]** time = 0.05, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 2635, 8, 2633}

$$\frac{a \sin(c + dx) \cos(c + dx)}{2d} + \frac{ax}{2} - \frac{b \sin^3(c + dx)}{3d} + \frac{b \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x]),x]

[Out] (a\*x)/2 + (b\*Sin[c + d\*x])/d + (a\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) - (b\*Sin[c + d\*x]^3)/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx)) dx &= a \int \cos^2(c + dx) dx + b \int \cos^3(c + dx) dx \\ &= \frac{a \cos(c + dx) \sin(c + dx)}{2d} + \frac{1}{2}a \int 1 dx - \frac{b \text{Subst}\left(\int (1 - x^2) dx, x, -\frac{\sin(c + dx)}{d}\right)}{d} \\ &= \frac{ax}{2} + \frac{b \sin(c + dx)}{d} + \frac{a \cos(c + dx) \sin(c + dx)}{2d} - \frac{b \sin^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 57, normalized size = 1.06

$$\frac{a(c + dx)}{2d} + \frac{a \sin(2(c + dx))}{4d} - \frac{b \sin^3(c + dx)}{3d} + \frac{b \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*cos[c + d\*x]),x]

[Out] (a\*(c + d\*x))/(2\*d) + (b\*sin[c + d\*x])/d - (b\*sin[c + d\*x]^3)/(3\*d) + (a\*sin[2\*(c + d\*x)])/(4\*d)

**fricas** [A] time = 1.19, size = 42, normalized size = 0.78

$$\frac{3 a d x + \left(2 b \cos (d x + c)^2 + 3 a \cos (d x + c) + 4 b\right) \sin (d x + c)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/6\*(3\*a\*d\*x + (2\*b\*cos(d\*x + c)^2 + 3\*a\*cos(d\*x + c) + 4\*b)\*sin(d\*x + c))/d

**giac** [A] time = 0.44, size = 47, normalized size = 0.87

$$\frac{1}{2} a x + \frac{b \sin (3 d x + 3 c)}{12 d} + \frac{a \sin (2 d x + 2 c)}{4 d} + \frac{3 b \sin (d x + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*a\*x + 1/12\*b\*sin(3\*d\*x + 3\*c)/d + 1/4\*a\*sin(2\*d\*x + 2\*c)/d + 3/4\*b\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 49, normalized size = 0.91

$$\frac{\frac{b(2+\cos^2(dx+c))\sin(dx+c)}{3} + a\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c)),x)

[Out] 1/d\*(1/3\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.50, size = 46, normalized size = 0.85

$$\frac{3(2 d x + 2 c + \sin (2 d x + 2 c)) a - 4\left(\sin (d x + c)^3 - 3 \sin (d x + c)\right) b}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*b)/d

**mupad** [B] time = 0.58, size = 55, normalized size = 1.02

$$\frac{a x}{2} + \frac{2 b \sin (c + d x)}{3 d} + \frac{a \cos (c + d x) \sin (c + d x)}{2 d} + \frac{b \cos (c + d x)^2 \sin (c + d x)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x)),x)

[Out]  $(a*x)/2 + (2*b*\sin(c + d*x))/(3*d) + (a*\cos(c + d*x)*\sin(c + d*x))/(2*d) + (b*\cos(c + d*x)^2*\sin(c + d*x))/(3*d)$

sympy [A] time = 0.46, size = 92, normalized size = 1.70

$$\begin{cases} \frac{ax \sin^2(c+dx)}{2} + \frac{ax \cos^2(c+dx)}{2} + \frac{a \sin(c+dx) \cos(c+dx)}{2d} + \frac{2b \sin^3(c+dx)}{3d} + \frac{b \sin(c+dx) \cos^2(c+dx)}{d} & \text{for } d \neq 0 \\ x(a + b \cos(c)) \cos^2(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((a*x*sin(c + d*x)**2/2 + a*x*cos(c + d*x)**2/2 + a*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*b*sin(c + d*x)**3/(3*d) + b*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(a + b*cos(c))*cos(c)**2, True))`

### 3.409 $\int \cos(c + dx)(a + b \cos(c + dx)) dx$

Optimal. Leaf size=38

$$\frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos(c + dx)}{2d} + \frac{bx}{2}$$

[Out]  $1/2*b*x+a*\sin(d*x+c)/d+1/2*b*\cos(d*x+c)*\sin(d*x+c)/d$

**Rubi [A]** time = 0.02, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {2734}

$$\frac{a \sin(c + dx)}{d} + \frac{b \sin(c + dx) \cos(c + dx)}{2d} + \frac{bx}{2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x]),x]

[Out] (b\*x)/2 + (a\*Sin[c + d\*x])/d + (b\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\int \cos(c + dx)(a + b \cos(c + dx)) dx = \frac{bx}{2} + \frac{a \sin(c + dx)}{d} + \frac{b \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.06, size = 35, normalized size = 0.92

$$\frac{4a \sin(c + dx) + b(2(c + dx) + \sin(2(c + dx)))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x]),x]

[Out] (4\*a\*Sin[c + d\*x] + b\*(2\*(c + d\*x) + Sin[2\*(c + d\*x)]))/(4\*d)

**fricas [A]** time = 0.90, size = 29, normalized size = 0.76

$$\frac{bdx + (b \cos(dx + c) + 2a) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/2\*(b\*d\*x + (b\*cos(d\*x + c) + 2\*a)\*sin(d\*x + c))/d

**giac [A]** time = 0.43, size = 31, normalized size = 0.82

$$\frac{1}{2}bx + \frac{b \sin(2dx + 2c)}{4d} + \frac{a \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*b\*x + 1/4\*b\*sin(2\*d\*x + 2\*c)/d + a\*sin(d\*x + c)/d

maple [A] time = 0.04, size = 38, normalized size = 1.00

$$\frac{b \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \sin(dx+c) a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c)),x)

[Out] 1/d\*(b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+sin(d\*x+c)\*a)

maxima [A] time = 0.65, size = 34, normalized size = 0.89

$$\frac{(2 dx + 2 c + \sin(2 dx + 2 c))b + 4 a \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/4\*((2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*b + 4\*a\*sin(d\*x + c))/d

mupad [B] time = 0.52, size = 31, normalized size = 0.82

$$\frac{b x}{2} + \frac{b \sin(2 c + 2 d x)}{4 d} + \frac{a \sin(c + d x)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x)),x)

[Out] (b\*x)/2 + (b\*sin(2\*c + 2\*d\*x))/(4\*d) + (a\*sin(c + d\*x))/d

sympy [A] time = 0.20, size = 66, normalized size = 1.74

$$\begin{cases} \frac{a \sin(c+dx)}{d} + \frac{bx \sin^2(c+dx)}{2} + \frac{bx \cos^2(c+dx)}{2} + \frac{b \sin(c+dx) \cos(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \cos(c)) \cos(c) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c)),x)

[Out] Piecewise((a\*sin(c + d\*x)/d + b\*x\*sin(c + d\*x)\*\*2/2 + b\*x\*cos(c + d\*x)\*\*2/2 + b\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(a + b\*cos(c))\*cos(c), True))

### 3.410 $\int (a + b \cos(c + dx)) dx$

Optimal. Leaf size=15

$$ax + \frac{b \sin(c + dx)}{d}$$

[Out] a\*x+b\*sin(d\*x+c)/d

Rubi [A] time = 0.01, antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 10,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$ , Rules used = {2637}

$$ax + \frac{b \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[a + b\*Cos[c + d\*x], x]

[Out] a\*x + (b\*Sin[c + d\*x])/d

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /;  
FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) dx &= ax + b \int \cos(c + dx) dx \\ &= ax + \frac{b \sin(c + dx)}{d} \end{aligned}$$

Mathematica [A] time = 0.01, size = 26, normalized size = 1.73

$$ax + \frac{b \sin(c) \cos(dx)}{d} + \frac{b \cos(c) \sin(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[a + b\*Cos[c + d\*x], x]

[Out] a\*x + (b\*Cos[d\*x]\*Sin[c])/d + (b\*Cos[c]\*Sin[d\*x])/d

fricas [A] time = 0.76, size = 17, normalized size = 1.13

$$\frac{adx + b \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c), x, algorithm="fricas")

[Out] (a\*d\*x + b\*sin(d\*x + c))/d

giac [A] time = 0.33, size = 15, normalized size = 1.00

$$ax + \frac{b \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(a+b\*cos(d\*x+c),x, algorithm="giac")

[Out] a\*x + b\*sin(d\*x + c)/d

**maple** [A] time = 0.02, size = 16, normalized size = 1.07

$$ax + \frac{b \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b\*cos(d\*x+c),x)

[Out] a\*x+b\*sin(d\*x+c)/d

**maxima** [A] time = 0.67, size = 15, normalized size = 1.00

$$ax + \frac{b \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c),x, algorithm="maxima")

[Out] a\*x + b\*sin(d\*x + c)/d

**mupad** [B] time = 0.47, size = 17, normalized size = 1.13

$$\frac{b \sin(c + dx) + a dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b\*cos(c + d\*x),x)

[Out] (b\*sin(c + d\*x) + a\*d\*x)/d

**sympy** [A] time = 0.12, size = 17, normalized size = 1.13

$$ax + b \left( \begin{cases} \frac{\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x \cos(c) & \text{otherwise} \end{cases} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b\*cos(d\*x+c),x)

[Out] a\*x + b\*Piecewise((sin(c + d\*x)/d, Ne(d, 0)), (x\*cos(c), True))

### 3.411 $\int (a + b \cos(c + dx)) \sec(c + dx) dx$

Optimal. Leaf size=16

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + bx$$

[Out] b\*x+a\*arctanh(sin(d\*x+c))/d

**Rubi [A]** time = 0.02, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 17,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.118$ , Rules used = {2735, 3770}

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + bx$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] b\*x + (a\*ArcTanh[Sin[c + d\*x]])/d

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec(c + dx) dx &= bx + a \int \sec(c + dx) dx \\ &= bx + \frac{a \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 16, normalized size = 1.00

$$\frac{a \tanh^{-1}(\sin(c + dx))}{d} + bx$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] b\*x + (a\*ArcTanh[Sin[c + d\*x]])/d

**fricas [B]** time = 0.89, size = 36, normalized size = 2.25

$$\frac{2 b dx + a \log(\sin(dx + c) + 1) - a \log(-\sin(dx + c) + 1)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out]  $1/2*(2*b*d*x + a*\log(\sin(d*x + c) + 1) - a*\log(-\sin(d*x + c) + 1))/d$

**giac** [B] time = 0.75, size = 43, normalized size = 2.69

$$\frac{(dx + c)b + a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")`

[Out]  $((d*x + c)*b + a*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - a*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)))/d$

**maple** [A] time = 0.06, size = 30, normalized size = 1.88

$$bx + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{bc}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*sec(d*x+c),x)`

[Out]  $b*x + 1/d*a*\ln(\sec(d*x+c) + \tan(d*x+c)) + b*c/d$

**maxima** [A] time = 0.32, size = 28, normalized size = 1.75

$$\frac{(dx + c)b + a \log(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")`

[Out]  $((d*x + c)*b + a*\log(\sec(d*x + c) + \tan(d*x + c)))/d$

**mupad** [B] time = 0.54, size = 57, normalized size = 3.56

$$\frac{2a \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2b \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))/cos(c + d*x),x)`

[Out]  $(2*a*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))/d + (2*b*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d$

**sympy** [B] time = 4.98, size = 49, normalized size = 3.06

$$a \left( \begin{array}{l} \left( \frac{x \tan(c) \sec(c)}{\tan(c) + \sec(c)} + \frac{x \sec^2(c)}{\tan(c) + \sec(c)} \quad \text{for } d = 0 \right) \\ \left( \frac{\log(\tan(c + dx) + \sec(c + dx))}{d} \quad \text{otherwise} \right) \end{array} \right) + bx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sec(d*x+c),x)`

[Out]  $a*\text{Piecewise}((x*\tan(c)*\sec(c)/(\tan(c) + \sec(c)) + x*\sec(c)**2/(\tan(c) + \sec(c))), \text{Eq}(d, 0)), (\log(\tan(c + d*x) + \sec(c + d*x))/d, \text{True})) + b*x$

### 3.412 $\int (a + b \cos(c + dx)) \sec^2(c + dx) dx$

Optimal. Leaf size=24

$$\frac{a \tan(c + dx)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] b\*arctanh(sin(d\*x+c))/d+a\*tan(d\*x+c)/d

**Rubi [A]** time = 0.04, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 8, 3770}

$$\frac{a \tan(c + dx)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (b\*ArcTanh[Sin[c + d\*x]])/d + (a\*Tan[c + d\*x])/d

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec^2(c + dx) dx &= a \int \sec^2(c + dx) dx + b \int \sec(c + dx) dx \\ &= \frac{b \tanh^{-1}(\sin(c + dx))}{d} - \frac{a \operatorname{Subst}\left(\int 1 dx, x, -\tan(c + dx)\right)}{d} \\ &= \frac{b \tanh^{-1}(\sin(c + dx))}{d} + \frac{a \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 24, normalized size = 1.00

$$\frac{a \tan(c + dx)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (b\*ArcTanh[Sin[c + d\*x]])/d + (a\*Tan[c + d\*x])/d

**fricas** [B] time = 1.01, size = 60, normalized size = 2.50

$$\frac{b \cos(dx + c) \log(\sin(dx + c) + 1) - b \cos(dx + c) \log(-\sin(dx + c) + 1) + 2 a \sin(dx + c)}{2 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(b\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - b\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*a\*sin(d\*x + c))/(d\*cos(d\*x + c))

**giac** [B] time = 0.53, size = 63, normalized size = 2.62

$$\frac{b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2 a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] (b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*a\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1))/d

**maple** [A] time = 0.07, size = 32, normalized size = 1.33

$$\frac{b \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] 1/d\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+a\*tan(d\*x+c)/d

**maxima** [A] time = 0.70, size = 38, normalized size = 1.58

$$\frac{b(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2 a \tan(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(b\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*a\*tan(d\*x + c))/d

**mupad** [B] time = 0.51, size = 47, normalized size = 1.96

$$\frac{2 b \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{2 a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))/cos(c + d\*x)^2,x)

[Out]  $(2*b*atanh(\tan(c/2 + (d*x)/2)))/d - (2*a*\tan(c/2 + (d*x)/2))/(d*(\tan(c/2 + (d*x)/2)^2 - 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Integral((a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*2, x)

### 3.413 $\int (a + b \cos(c + dx)) \sec^3(c + dx) dx$

Optimal. Leaf size=47

$$\frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d} + \frac{b \tan(c + dx)}{d}$$

[Out] 1/2\*a\*arctanh(sin(d\*x+c))/d+b\*tan(d\*x+c)/d+1/2\*a\*sec(d\*x+c)\*tan(d\*x+c)/d

**Rubi [A]** time = 0.05, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {2748, 3768, 3770, 3767, 8}

$$\frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d} + \frac{b \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (b\*Tan[c + d\*x])/d + (a\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec^3(c + dx) dx &= a \int \sec^3(c + dx) dx + b \int \sec^2(c + dx) dx \\ &= \frac{a \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} a \int \sec(c + dx) dx - \frac{b \text{Subst}(\int 1 dx, x, -)}{d} \\ &= \frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b \tan(c + dx)}{d} + \frac{a \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 47, normalized size = 1.00

$$\frac{a \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx) \sec(c + dx)}{2d} + \frac{b \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (b\*Tan[c + d\*x])/d + (a\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**fricas [A]** time = 0.94, size = 74, normalized size = 1.57

$$\frac{a \cos(dx + c)^2 \log(\sin(dx + c) + 1) - a \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(2b \cos(dx + c) + a) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(a\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - a\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(2\*b\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [B]** time = 0.61, size = 105, normalized size = 2.23

$$a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^2}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(a\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a\*tan(1/2\*d\*x + 1/2\*c) + 2\*b\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2)/d

**maple [A]** time = 0.08, size = 51, normalized size = 1.09

$$\frac{a \sec(dx + c) \tan(dx + c)}{2d} + \frac{a \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{b \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))+b\*tan(d\*x+c)/d

**maxima [A]** time = 0.34, size = 58, normalized size = 1.23

$$\frac{a\left(\frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)\right) - 4b \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] -1/4\*(a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 4\*b\*tan(d\*x + c))/d



**mupad [B]** time = 1.13, size = 81, normalized size = 1.72

$$\frac{a \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} + \frac{(a - 2b) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (a + 2b) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))/cos(c + d\*x)^3,x)

[Out] (a\*atanh(tan(c/2 + (d\*x)/2)))/d + (tan(c/2 + (d\*x)/2)^3\*(a - 2\*b) + tan(c/2 + (d\*x)/2)\*(a + 2\*b))/(d\*(tan(c/2 + (d\*x)/2)^4 - 2\*tan(c/2 + (d\*x)/2)^2 + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Integral((a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*3, x)

### 3.414 $\int (a + b \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=63

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $1/2*b*\operatorname{arctanh}(\sin(d*x+c))/d+a*\tan(d*x+c)/d+1/2*b*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.05, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 3768, 3770}

$$\frac{a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^4, x]$

[Out]  $(b*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (a*\text{Tan}[c + d*x])/d + (b*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a*\text{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\text{csc}[(c_*) + (d_*)(x_*)]^{(n_*)}, x\_Symbol] :> -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_*) + (d_*)(x_*)]*(b_*))^{(n_*)}, x\_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_*) + (d_*)(x_*)], x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec^4(c + dx) dx &= a \int \sec^4(c + dx) dx + b \int \sec^3(c + dx) dx \\ &= \frac{b \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2}b \int \sec(c + dx) dx - \frac{a \text{Subst}\left(\int (1 + x^2) dx\right)}{d} \\ &= \frac{b \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a \tan(c + dx)}{d} + \frac{b \sec(c + dx) \tan(c + dx)}{2d} + \frac{a \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 60, normalized size = 0.95

$$\frac{a \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{b \tanh^{-1}(\sin(c + dx))}{2d} + \frac{b \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (b\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (b\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d

**fricas [A]** time = 0.79, size = 88, normalized size = 1.40

$$\frac{3 b \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3 b \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left( 4 a \cos(dx + c)^2 + 3 b \cos(dx + c) \right)}{12 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(3\*b\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*b\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(4\*a\*cos(d\*x + c)^2 + 3\*b\*cos(d\*x + c) + 2\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [B]** time = 0.52, size = 122, normalized size = 1.94

$$\frac{3 b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3 b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 6 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 3 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 4 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^4 + 6 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 3 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 4 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 6 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 3 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 4 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 6 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 3 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 2 a \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)^2}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(3\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(6\*a\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*b\*tan(1/2\*d\*x + 1/2\*c)^5 - 4\*a\*tan(1/2\*d\*x + 1/2\*c)^4 + 6\*a\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 4\*a\*tan(1/2\*d\*x + 1/2\*c)^2 + 6\*a\*tan(1/2\*d\*x + 1/2\*c)^2 - 3\*b\*tan(1/2\*d\*x + 1/2\*c)^2 - 4\*a\*tan(1/2\*d\*x + 1/2\*c) + 6\*a\*tan(1/2\*d\*x + 1/2\*c) - 3\*b\*tan(1/2\*d\*x + 1/2\*c) + 2\*a))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

**maple [A]** time = 0.08, size = 72, normalized size = 1.14

$$\frac{2a \tan(dx + c)}{3d} + \frac{a \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{b \sec(dx + c) \tan(dx + c)}{2d} + \frac{b \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 2/3\*a\*tan(d\*x+c)/d+1/3/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^2+1/2\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*b\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima [A]** time = 0.53, size = 70, normalized size = 1.11

$$\frac{4 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) a - 3 b \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out]  $1/12*(4*(\tan(dx + c)^3 + 3*\tan(dx + c))*a - 3*b*(2*\sin(dx + c)/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)))/d$

**mupad** [B] time = 2.34, size = 111, normalized size = 1.76

$$\frac{b \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{d} - \frac{(2a - b) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 - \frac{4a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{3} + (2a + b) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))/cos(c + d*x)^4, x)`

[Out]  $(b*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d - (\tan(c/2 + (d*x)/2)^5*(2*a - b) + \tan(c/2 + (d*x)/2)*(2*a + b) - (4*a*\tan(c/2 + (d*x)/2)^3)/3)/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*sec(d*x+c)**4, x)`

[Out] `Integral((a + b*cos(c + d*x))*sec(c + d*x)**4, x)`

### 3.415 $\int (a + b \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=85

$$\frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx) \sec(c + dx)}{8d} + \frac{b \tan^3(c + dx)}{3d} + \frac{b \tan(c + dx)}{d}$$

[Out]  $3/8*a*\operatorname{arctanh}(\sin(d*x+c))/d+b*\tan(d*x+c)/d+3/8*a*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a*\sec(d*x+c)^3*\tan(d*x+c)/d+1/3*b*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.07, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3768, 3770, 3767}

$$\frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \tan(c + dx) \sec(c + dx)}{8d} + \frac{b \tan^3(c + dx)}{3d} + \frac{b \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^5, x]$

[Out]  $(3*a*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (b*\operatorname{Tan}[c + d*x])/d + (3*a*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d) + (b*\operatorname{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2748

$\operatorname{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)])], x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\operatorname{Sin}[e + f*x])^{(m + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_*) + (d_*)*(x_*)]*(b_*))^{(n_*)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*\operatorname{Cos}[c + d*x]*(b*\operatorname{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \operatorname{Dist}[(b^2*(n - 2))/(n - 1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{(n - 2)}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)*(x_*)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec^5(c + dx) dx &= a \int \sec^5(c + dx) dx + b \int \sec^4(c + dx) dx \\ &= \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4}(3a) \int \sec^3(c + dx) dx - \frac{b \operatorname{Subst}\left(\int (1 + x^2)^{(n/2 - 1)} dx\right)}{4d} \\ &= \frac{b \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} + \frac{a \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{3a \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b \tan(c + dx)}{d} + \frac{3a \sec(c + dx) \tan(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.23, size = 76, normalized size = 0.89

$$\frac{a \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3a \left( \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) \right)}{8d} + \frac{b \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d) + (3\*a\*(ArcTanh[Sin[c + d\*x]] + Sec[c + d\*x]\*Tan[c + d\*x]))/(8\*d) + (b\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d

**fricas [A]** time = 1.04, size = 99, normalized size = 1.16

$$\frac{9 a \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 9 a \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2 \left( 16 b \cos(dx + c)^3 + 9 a \cos(dx + c)^2 + 8 b \cos(dx + c) + 6 a \right) \sin(dx + c)}{48 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(9\*a\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 9\*a\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(16\*b\*cos(d\*x + c)^3 + 9\*a\*cos(d\*x + c)^2 + 8\*b\*cos(d\*x + c) + 6\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**giac [B]** time = 0.69, size = 164, normalized size = 1.93

$$9 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 9 a \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + \frac{2 \left( 15 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 - 24 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 9 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 + 40 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 + 9 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 40 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 15 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 24 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] 1/24\*(9\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 9\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(15\*a\*tan(1/2\*d\*x + 1/2\*c)^7 - 24\*b\*tan(1/2\*d\*x + 1/2\*c)^7 + 9\*a\*tan(1/2\*d\*x + 1/2\*c)^5 + 40\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 9\*a\*tan(1/2\*d\*x + 1/2\*c)^3 - 40\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*a\*tan(1/2\*d\*x + 1/2\*c) + 24\*b\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^4/d

**maple [A]** time = 0.09, size = 92, normalized size = 1.08

$$\frac{a \left( \sec^3(dx + c) \right) \tan(dx + c)}{4d} + \frac{3a \sec(dx + c) \tan(dx + c)}{8d} + \frac{3a \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2b \tan(dx + c)}{3d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 1/4\*a\*sec(d\*x+c)^3\*tan(d\*x+c)/d+3/8\*a\*sec(d\*x+c)\*tan(d\*x+c)/d+3/8/d\*a\*ln(sec(d\*x+c)+tan(d\*x+c))+2/3\*b\*tan(d\*x+c)/d+1/3/d\*b\*tan(d\*x+c)\*sec(d\*x+c)^2

**maxima [A]** time = 0.63, size = 95, normalized size = 1.12

$$\frac{16 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) b - 3 a \left( \frac{2 \left( 3 \sin(dx + c)^3 - 5 \sin(dx + c) \right)}{\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c)) \right)}{48 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*b - 3\*a\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)))/d

mupad [B] time = 3.08, size = 150, normalized size = 1.76

$$\frac{\left(\frac{5a}{4} - 2b\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{3a}{4} + \frac{10b}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{3a}{4} - \frac{10b}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{5a}{4} + 2b\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))/cos(c + d\*x)^5,x)

[Out] (tan(c/2 + (d\*x)/2)\*((5\*a)/4 + 2\*b) + tan(c/2 + (d\*x)/2)^7\*((5\*a)/4 - 2\*b) + tan(c/2 + (d\*x)/2)^3\*((3\*a)/4 - (10\*b)/3) + tan(c/2 + (d\*x)/2)^5\*((3\*a)/4 + (10\*b)/3))/(d\*(6\*tan(c/2 + (d\*x)/2)^4 - 4\*tan(c/2 + (d\*x)/2)^2 - 4\*tan(c/2 + (d\*x)/2)^6 + tan(c/2 + (d\*x)/2)^8 + 1)) + (3\*a\*atanh(tan(c/2 + (d\*x)/2)))/(4\*d)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^5(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Integral((a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*5, x)

### 3.416 $\int (a + b \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=101

$$\frac{a \tan^5(c + dx)}{5d} + \frac{2a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3b \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3b \tan(c + dx) \sec^5(c + dx)}{4d}$$

[Out]  $3/8*b*\operatorname{arctanh}(\sin(d*x+c))/d+a*\tan(d*x+c)/d+3/8*b*\sec(d*x+c)*\tan(d*x+c)/d+1/4*b*\sec(d*x+c)^3*\tan(d*x+c)/d+2/3*a*\tan(d*x+c)^3/d+1/5*a*\tan(d*x+c)^5/d$

**Rubi [A]** time = 0.07, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2748, 3767, 3768, 3770}

$$\frac{a \tan^5(c + dx)}{5d} + \frac{2a \tan^3(c + dx)}{3d} + \frac{a \tan(c + dx)}{d} + \frac{3b \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3b \tan(c + dx) \sec^5(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^6, x]$

[Out]  $(3*b*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (a*\operatorname{Tan}[c + d*x])/d + (3*b*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (b*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d) + (2*a*\operatorname{Tan}[c + d*x]^3)/(3*d) + (a*\operatorname{Tan}[c + d*x]^5)/(5*d)$

#### Rule 2748

$\operatorname{Int}[(b*\sin[e + f*x] + (f*x))^{m-1} * ((c + d*\sin[e + f*x] + (f*x))^{m-1})], x\_Symbol] :> \operatorname{Dist}[c, \operatorname{Int}[(b*\sin[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b*\sin[e + f*x])^{m+1}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[c + d*x] * (x)^n], x\_Symbol] :> -\operatorname{Dist}[d^{-1}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}], x], x], x, \operatorname{Cot}[c + d*x]], x] /; \operatorname{FreeQ}\{c, d\}, x \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[c + d*x] * (x))^n * (b + d*x)^m], x\_Symbol] :> -\operatorname{Simp}[(b*\operatorname{Cos}[c + d*x] * (b*\operatorname{Csc}[c + d*x])^{n-1})/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{n-2}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[c + d*x] * (x)], x\_Symbol] :> -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sec^6(c + dx) dx &= a \int \sec^6(c + dx) dx + b \int \sec^5(c + dx) dx \\ &= \frac{b \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4}(3b) \int \sec^3(c + dx) dx - \frac{a \operatorname{Subst}\left(\int (1 + 2x^2)^{3/2} dx\right)}{4d} \\ &= \frac{a \tan(c + dx)}{d} + \frac{3b \sec(c + dx) \tan(c + dx)}{8d} + \frac{b \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{a \operatorname{Subst}\left(\int (1 + 2x^2)^{3/2} dx\right)}{4d} \\ &= \frac{3b \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a \tan(c + dx)}{d} + \frac{3b \sec(c + dx) \tan(c + dx)}{8d} + \frac{b \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{a \operatorname{Subst}\left(\int (1 + 2x^2)^{3/2} dx\right)}{4d} \end{aligned}$$



**Mathematica [A]** time = 0.33, size = 88, normalized size = 0.87

$$\frac{a \left( \frac{1}{5} \tan^5(c + dx) + \frac{2}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{b \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{3b \left( \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (b\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d) + (3\*b\*(ArcTanh[Sin[c + d\*x]] + Sec[c + d\*x]\*Tan[c + d\*x]))/(8\*d) + (a\*(Tan[c + d\*x] + (2\*Tan[c + d\*x]^3)/3 + Tan[c + d\*x]^5/5))/d

**fricas [A]** time = 1.00, size = 110, normalized size = 1.09

$$\frac{45 b \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 45 b \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2 \left( 64 a \cos(dx + c)^4 + 45 b \cos(dx + c)^3 + 32 a \cos(dx + c)^2 + 30 b \cos(dx + c) + 24 a \right) \sin(dx + c)}{240 d \cos(dx + c)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/240\*(45\*b\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 45\*b\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(64\*a\*cos(d\*x + c)^4 + 45\*b\*cos(d\*x + c)^3 + 32\*a\*cos(d\*x + c)^2 + 30\*b\*cos(d\*x + c) + 24\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

**giac [A]** time = 0.53, size = 178, normalized size = 1.76

$$45 b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 45 b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 120 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 - 75 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 - 160 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 30 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 464 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 160 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 30 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 + 120 a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 75 b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right)^5} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/120\*(45\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 45\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(120\*a\*tan(1/2\*d\*x + 1/2\*c)^9 - 75\*b\*tan(1/2\*d\*x + 1/2\*c)^9 - 160\*a\*tan(1/2\*d\*x + 1/2\*c)^7 + 30\*b\*tan(1/2\*d\*x + 1/2\*c)^7 + 464\*a\*tan(1/2\*d\*x + 1/2\*c)^5 - 160\*a\*tan(1/2\*d\*x + 1/2\*c)^3 - 30\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 120\*a\*tan(1/2\*d\*x + 1/2\*c) + 75\*b\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^5)/d

**maple [A]** time = 0.09, size = 112, normalized size = 1.11

$$\frac{8a \tan(dx + c)}{15d} + \frac{a \tan(dx + c) \left( \sec^4(dx + c) \right)}{5d} + \frac{4a \tan(dx + c) \left( \sec^2(dx + c) \right)}{15d} + \frac{b \left( \sec^3(dx + c) \right) \tan(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out] 8/15\*a\*tan(d\*x+c)/d+1/5/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^4+4/15/d\*a\*tan(d\*x+c)\*sec(d\*x+c)^2+1/4\*b\*sec(d\*x+c)^3\*tan(d\*x+c)/d+3/8\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+3/8/d\*b\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima [A]** time = 0.69, size = 107, normalized size = 1.06

$$\frac{16 \left( 3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) a - 15 b \left( \frac{2 \left( 3 \sin(dx + c)^3 - 5 \sin(dx + c) \right)}{\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1} - 3 \log(\sin(dx + c)) \right)}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/240\*(16\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*a - 15\*b\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1))/d

**mupad [B]** time = 3.12, size = 180, normalized size = 1.78

$$\frac{3b \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{4d} - \frac{\left(2a - \frac{5b}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(\frac{b}{2} - \frac{8a}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \frac{116a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5}{15} + \left(-\frac{8a}{3} - \frac{b}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))/cos(c + d\*x)^6,x)

[Out] (3\*b\*atanh(tan(c/2 + (d\*x)/2)))/(4\*d) - (tan(c/2 + (d\*x)/2)\*(2\*a + (5\*b)/4) - tan(c/2 + (d\*x)/2)^3\*((8\*a)/3 + b/2) + tan(c/2 + (d\*x)/2)^9\*(2\*a - (5\*b)/4) - tan(c/2 + (d\*x)/2)^7\*((8\*a)/3 - b/2) + (116\*a\*tan(c/2 + (d\*x)/2)^5)/15)/(d\*(5\*tan(c/2 + (d\*x)/2)^2 - 10\*tan(c/2 + (d\*x)/2)^4 + 10\*tan(c/2 + (d\*x)/2)^6 - 5\*tan(c/2 + (d\*x)/2)^8 + tan(c/2 + (d\*x)/2)^10 - 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^6(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] Integral((a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*6, x)

### 3.417 $\int \cos^4(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=150

$$\frac{(6a^2 + 5b^2) \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{(6a^2 + 5b^2) \sin(c + dx) \cos(c + dx)}{16d} + \frac{1}{16}x(6a^2 + 5b^2) + \frac{2ab \sin^5(c + dx)}{5d}$$

[Out] 1/16\*(6\*a^2+5\*b^2)\*x+2\*a\*b\*sin(d\*x+c)/d+1/16\*(6\*a^2+5\*b^2)\*cos(d\*x+c)\*sin(d\*x+c)/d+1/24\*(6\*a^2+5\*b^2)\*cos(d\*x+c)^3\*sin(d\*x+c)/d+1/6\*b^2\*cos(d\*x+c)^5\*sin(d\*x+c)/d-4/3\*a\*b\*sin(d\*x+c)^3/d+2/5\*a\*b\*sin(d\*x+c)^5/d

**Rubi [A]** time = 0.11, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 2633, 3014, 2635, 8}

$$\frac{(6a^2 + 5b^2) \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{(6a^2 + 5b^2) \sin(c + dx) \cos(c + dx)}{16d} + \frac{1}{16}x(6a^2 + 5b^2) + \frac{2ab \sin^5(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4\*(a + b\*Cos[c + d\*x])^2,x]

[Out] ((6\*a^2 + 5\*b^2)\*x)/16 + (2\*a\*b\*Sin[c + d\*x])/d + ((6\*a^2 + 5\*b^2)\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + ((6\*a^2 + 5\*b^2)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (b^2\*Cos[c + d\*x]^5\*Sin[c + d\*x])/(6\*d) - (4\*a\*b\*Sin[c + d\*x]^3)/(3\*d) + (2\*a\*b\*Sin[c + d\*x]^5)/(5\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3014

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(m + 2), Int[(b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \cos^4(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^5(c+dx) dx + \int \cos^4(c+dx)(a^2+b^2\cos^2(c+dx)) dx \\
&= \frac{b^2 \cos^5(c+dx) \sin(c+dx)}{6d} + \frac{1}{6} (6a^2+5b^2) \int \cos^4(c+dx) dx - \frac{(2ab) \sin(c+dx)}{6d} \\
&= \frac{2ab \sin(c+dx)}{d} + \frac{(6a^2+5b^2) \cos^3(c+dx) \sin(c+dx)}{24d} + \frac{b^2 \cos^5(c+dx) \sin(c+dx)}{6d} \\
&= \frac{2ab \sin(c+dx)}{d} + \frac{(6a^2+5b^2) \cos(c+dx) \sin(c+dx)}{16d} + \frac{(6a^2+5b^2) \cos^3(c+dx) \sin(c+dx)}{16d} \\
&= \frac{1}{16} (6a^2+5b^2)x + \frac{2ab \sin(c+dx)}{d} + \frac{(6a^2+5b^2) \cos(c+dx) \sin(c+dx)}{16d}
\end{aligned}$$

**Mathematica [A]** time = 0.31, size = 123, normalized size = 0.82

$$\frac{5((48a^2+45b^2)\sin(2(c+dx)) + (6a^2+9b^2)\sin(4(c+dx)) + 72a^2c + 72a^2dx + b^2\sin(6(c+dx)) + 60b^2c + 60b^2dx)}{960d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4\*(a + b\*Cos[c + d\*x])^2,x]

[Out] (1920\*a\*b\*Sin[c + d\*x] - 1280\*a\*b\*Sin[c + d\*x]^3 + 384\*a\*b\*Sin[c + d\*x]^5 + 5\*(72\*a^2\*c + 60\*b^2\*c + 72\*a^2\*d\*x + 60\*b^2\*d\*x + (48\*a^2 + 45\*b^2)\*Sin[2\*(c + d\*x)] + (6\*a^2 + 9\*b^2)\*Sin[4\*(c + d\*x)] + b^2\*Sin[6\*(c + d\*x)])/(960\*d)

**fricas [A]** time = 0.98, size = 110, normalized size = 0.73

$$\frac{15(6a^2+5b^2)dx + (40b^2\cos(dx+c)^5 + 96ab\cos(dx+c)^4 + 128ab\cos(dx+c)^2 + 10(6a^2+5b^2)\cos(dx+c))}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/240\*(15\*(6\*a^2 + 5\*b^2)\*d\*x + (40\*b^2\*cos(d\*x + c)^5 + 96\*a\*b\*cos(d\*x + c)^4 + 128\*a\*b\*cos(d\*x + c)^2 + 10\*(6\*a^2 + 5\*b^2)\*cos(d\*x + c)^3 + 256\*a\*b + 15\*(6\*a^2 + 5\*b^2)\*cos(d\*x + c))\*sin(d\*x + c)/d

**giac [A]** time = 0.55, size = 127, normalized size = 0.85

$$\frac{1}{16} (6a^2+5b^2)x + \frac{b^2 \sin(6dx+6c)}{192d} + \frac{ab \sin(5dx+5c)}{40d} + \frac{5ab \sin(3dx+3c)}{24d} + \frac{5ab \sin(dx+c)}{4d} + \frac{(2a^2+3b^2)\sin(4dx+4c)}{64d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/16\*(6\*a^2 + 5\*b^2)\*x + 1/192\*b^2\*sin(6\*d\*x + 6\*c)/d + 1/40\*a\*b\*sin(5\*d\*x + 5\*c)/d + 5/24\*a\*b\*sin(3\*d\*x + 3\*c)/d + 5/4\*a\*b\*sin(d\*x + c)/d + 1/64\*(2\*a^2 + 3\*b^2)\*sin(4\*d\*x + 4\*c)/d + 1/64\*(16\*a^2 + 15\*b^2)\*sin(2\*d\*x + 2\*c)/d

**maple [A]** time = 0.05, size = 120, normalized size = 0.80

$$\frac{b^2 \left( \frac{\left( \cos^5(dx+c) + \frac{5\cos^3(dx+c)}{4} + \frac{15\cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{2ab \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4\cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + a^2 \left( \frac{\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}}{4} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4*(a+b*cos(d*x+c))^2,x)`

[Out]  $\frac{1}{d} \cdot (b^2 \cdot (\frac{1}{6} \cdot (\cos(d*x+c))^5 + \frac{5}{4} \cdot \cos(d*x+c)^3 + \frac{15}{8} \cdot \cos(d*x+c)) \cdot \sin(d*x+c) + \frac{5}{16} \cdot d*x + \frac{5}{16} \cdot c) + \frac{2}{5} \cdot a \cdot b \cdot (\frac{8}{3} + \cos(d*x+c)^4 + \frac{4}{3} \cdot \cos(d*x+c)^2) \cdot \sin(d*x+c) + a^2 \cdot (\frac{1}{4} \cdot (\cos(d*x+c)^3 + \frac{3}{2} \cdot \cos(d*x+c)) \cdot \sin(d*x+c) + \frac{3}{8} \cdot d*x + \frac{3}{8} \cdot c)$

**maxima** [A] time = 0.53, size = 120, normalized size = 0.80

$$\frac{30(12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c))a^2 + 128(3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c))}{960d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4*(a+b*cos(d*x+c))^2,x, algorithm="maxima")`

[Out]  $\frac{1}{960} \cdot (30 \cdot (12 \cdot d \cdot x + 12 \cdot c + \sin(4 \cdot d \cdot x + 4 \cdot c) + 8 \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)) \cdot a^2 + 128 \cdot (3 \cdot \sin(d \cdot x + c)^5 - 10 \cdot \sin(d \cdot x + c)^3 + 15 \cdot \sin(d \cdot x + c)) \cdot a \cdot b - 5 \cdot (4 \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)^3 - 60 \cdot d \cdot x - 60 \cdot c - 9 \cdot \sin(4 \cdot d \cdot x + 4 \cdot c) - 48 \cdot \sin(2 \cdot d \cdot x + 2 \cdot c)) \cdot b^2) / d$

**mupad** [B] time = 0.67, size = 143, normalized size = 0.95

$$\frac{3a^2x}{8} + \frac{5b^2x}{16} + \frac{a^2 \sin(2c + 2dx)}{4d} + \frac{a^2 \sin(4c + 4dx)}{32d} + \frac{15b^2 \sin(2c + 2dx)}{64d} + \frac{3b^2 \sin(4c + 4dx)}{64d} + \frac{b^2 \sin(6c + 6dx)}{192d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^4*(a + b*cos(c + d*x))^2,x)`

[Out]  $(\frac{3a^2x}{8} + \frac{5b^2x}{16} + \frac{a^2 \sin(2c + 2dx)}{4d} + \frac{a^2 \sin(4c + 4dx)}{32d} + \frac{15b^2 \sin(2c + 2dx)}{64d} + \frac{3b^2 \sin(4c + 4dx)}{64d} + \frac{b^2 \sin(6c + 6dx)}{192d} + \frac{5a \cdot b \cdot \sin(c + dx)}{4d} + \frac{5a \cdot b \cdot \sin(3c + 3dx)}{24d} + \frac{a \cdot b \cdot \sin(5c + 5dx)}{40d})$

**sympy** [A] time = 4.02, size = 343, normalized size = 2.29

$$\left\{ \begin{array}{l} \frac{3a^2x \sin^4(c+dx)}{8} + \frac{3a^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3a^2x \cos^4(c+dx)}{8} + \frac{3a^2 \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{5a^2 \sin(c+dx) \cos^3(c+dx)}{8d} + \frac{16ab \sin^5(c+dx)}{15d} \\ x(a + b \cos(c))^2 \cos^4(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4*(a+b*cos(d*x+c))**2,x)`

[Out] `Piecewise((3*a**2*x*sin(c + d*x)**4/8 + 3*a**2*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*a**2*x*cos(c + d*x)**4/8 + 3*a**2*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*a**2*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 16*a*b*sin(c + d*x)**5/(15*d) + 8*a*b*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 2*a*b*sin(c + d*x)*cos(c + d*x)**4/d + 5*b**2*x*sin(c + d*x)**6/16 + 15*b**2*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 15*b**2*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 5*b**2*x*cos(c + d*x)**6/16 + 5*b**2*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 5*b**2*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*b**2*sin(c + d*x)*cos(c + d*x)**5/(16*d), Ne(d, 0)), (x*(a + b*cos(c))**2*cos(c)**4, True))`

### 3.418 $\int \cos^3(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=111

$$-\frac{(a^2 + 2b^2) \sin^3(c + dx)}{3d} + \frac{(a^2 + b^2) \sin(c + dx)}{d} + \frac{ab \sin(c + dx) \cos^3(c + dx)}{2d} + \frac{3ab \sin(c + dx) \cos(c + dx)}{4d} + \frac{3abx}{4}$$

[Out]  $\frac{3}{4}abx + \frac{(a^2 + b^2) \sin(d*x+c)}{d} + \frac{3}{4}ab \cos(d*x+c) \sin(d*x+c) / d + \frac{1}{2}ab \cos(d*x+c)^3 \sin(d*x+c) / d - \frac{1}{3}(a^2 + 2b^2) \sin(d*x+c)^3 / d + \frac{1}{5}b^2 \sin(d*x+c)^5 / d$

**Rubi [A]** time = 0.11, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 2635, 8, 3013, 373}

$$-\frac{(a^2 + 2b^2) \sin^3(c + dx)}{3d} + \frac{(a^2 + b^2) \sin(c + dx)}{d} + \frac{ab \sin(c + dx) \cos^3(c + dx)}{2d} + \frac{3ab \sin(c + dx) \cos(c + dx)}{4d} + \frac{3abx}{4}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^2,x]

[Out]  $\frac{(3abx)}{4} + \frac{(a^2 + b^2) \sin[c + d*x]}{d} + \frac{(3ab \cos[c + d*x] \sin[c + d*x])}{(4d)} + \frac{(ab \cos[c + d*x]^3 \sin[c + d*x])}{(2d)} - \frac{(a^2 + 2b^2) \sin[c + d*x]^3}{(3d)} + \frac{(b^2 \sin[c + d*x]^5)}{(5d)}$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 373

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_.)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_.), x\_Symbol] := Int[ExpandIntegrand[(a + b\*x^n)^p\*(c + d\*x^n)^q, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b\*c - a\*d, 0] && IGtQ[p, 0] && IGtQ[q, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n-1)/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*sin[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*sin[e + f\*x])^(m+1), x], x] + Int[(b\*sin[e + f\*x])^m\*(c^2 + d^2\*sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3013

Int[sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((A\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Dist[f^(-1), Subst[Int[(1 - x^2)^((m-1)/2)\*(A + C - C\*x^2)], x], x, Cos[e + f\*x]], x] /; FreeQ[{e, f, A, C}, x] && IGtQ[(m+1)/2, 0]

#### Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^4(c+dx) dx + \int \cos^3(c+dx)(a^2+b^2\cos^2(c+dx)) dx \\
&= \frac{ab \cos^3(c+dx) \sin(c+dx)}{2d} + \frac{1}{2}(3ab) \int \cos^2(c+dx) dx - \frac{\text{Subst}\left(\int \cos^3(c+dx) dx, c+dx, c\right)}{2d} \\
&= \frac{3ab \cos(c+dx) \sin(c+dx)}{4d} + \frac{ab \cos^3(c+dx) \sin(c+dx)}{2d} + \frac{1}{4}(3ab) \int \cos^2(c+dx) dx \\
&= \frac{3abx}{4} + \frac{(a^2+b^2) \sin(c+dx)}{d} + \frac{3ab \cos(c+dx) \sin(c+dx)}{4d} + \frac{ab \cos^3(c+dx) \sin(c+dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 85, normalized size = 0.77

$$\frac{-80(a^2+2b^2)\sin^3(c+dx) + 240(a^2+b^2)\sin(c+dx) + 15ab(12(c+dx) + 8\sin(2(c+dx)) + \sin(4(c+dx)))}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^2, x]

[Out] (240\*(a^2 + b^2)\*Sin[c + d\*x] - 80\*(a^2 + 2\*b^2)\*Sin[c + d\*x]^3 + 48\*b^2\*Sin[c + d\*x]^5 + 15\*a\*b\*(12\*(c + d\*x) + 8\*Sin[2\*(c + d\*x)] + Sin[4\*(c + d\*x)]))/(240\*d)

**fricas [A]** time = 0.96, size = 86, normalized size = 0.77

$$\frac{45 abdx + (12 b^2 \cos(dx+c)^4 + 30 ab \cos(dx+c)^3 + 45 ab \cos(dx+c) + 4(5 a^2 + 4 b^2) \cos(dx+c)^2 + 40 a^2)}{60 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/60\*(45\*a\*b\*d\*x + (12\*b^2\*cos(d\*x + c)^4 + 30\*a\*b\*cos(d\*x + c)^3 + 45\*a\*b\*cos(d\*x + c) + 4\*(5\*a^2 + 4\*b^2)\*cos(d\*x + c)^2 + 40\*a^2 + 32\*b^2)\*sin(d\*x + c))/d

**giac [A]** time = 0.55, size = 102, normalized size = 0.92

$$\frac{3}{4} abx + \frac{b^2 \sin(5 dx + 5 c)}{80 d} + \frac{ab \sin(4 dx + 4 c)}{16 d} + \frac{ab \sin(2 dx + 2 c)}{2 d} + \frac{(4 a^2 + 5 b^2) \sin(3 dx + 3 c)}{48 d} + \frac{(6 a^2 + 5 b^2)}{8 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 3/4\*a\*b\*x + 1/80\*b^2\*sin(5\*d\*x + 5\*c)/d + 1/16\*a\*b\*sin(4\*d\*x + 4\*c)/d + 1/2\*a\*b\*sin(2\*d\*x + 2\*c)/d + 1/48\*(4\*a^2 + 5\*b^2)\*sin(3\*d\*x + 3\*c)/d + 1/8\*(6\*a^2 + 5\*b^2)\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 95, normalized size = 0.86

$$\frac{b^2 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + 2ab \left( \frac{\left( \cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^2 (2 + \cos^2(dx+c)) \sin(dx+c)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^2,x)

[Out]  $1/d*(1/5*b^2*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+2*a*b*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+1/3*a^2*(2+\cos(d*x+c)^2)*\sin(d*x+c))$

**maxima [A]** time = 0.34, size = 94, normalized size = 0.85

$$\frac{80(\sin(dx+c)^3 - 3\sin(dx+c))a^2 - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))ab - 16(3\sin(dx+c)^3 - 10\sin(dx+c))b^2}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^2,x, algorithm="maxima")`

[Out]  $-1/240*(80*(\sin(dx+c)^3 - 3*\sin(dx+c))*a^2 - 15*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a*b - 16*(3*\sin(dx+c)^3 - 10*\sin(dx+c))*b^2)/d$

**mupad [B]** time = 0.61, size = 117, normalized size = 1.05

$$\frac{3a^2 \sin(c+dx)}{4d} + \frac{5b^2 \sin(c+dx)}{8d} + \frac{3abx}{4} + \frac{a^2 \sin(3c+3dx)}{12d} + \frac{5b^2 \sin(3c+3dx)}{48d} + \frac{b^2 \sin(5c+5dx)}{80d} + \frac{abx}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^3*(a+b*cos(c+d*x))^2,x)`

[Out]  $(3*a^2*\sin(c+d*x))/(4*d) + (5*b^2*\sin(c+d*x))/(8*d) + (3*a*b*x)/4 + (a^2*\sin(3*c+3*d*x))/(12*d) + (5*b^2*\sin(3*c+3*d*x))/(48*d) + (b^2*\sin(5*c+5*d*x))/(80*d) + (a*b*\sin(2*c+2*d*x))/(2*d) + (a*b*\sin(4*c+4*d*x))/(16*d)$

**sympy [A]** time = 2.02, size = 221, normalized size = 1.99

$$\left\{ \begin{array}{l} \frac{2a^2 \sin^3(c+dx)}{3d} + \frac{a^2 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3abx \sin^4(c+dx)}{4} + \frac{3abx \sin^2(c+dx) \cos^2(c+dx)}{2} + \frac{3abx \cos^4(c+dx)}{4} + \frac{3ab \sin^3(c+dx) \cos(c+dx)}{4d} \\ x(a+b \cos(c))^2 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+b*cos(d*x+c))**2,x)`

[Out] `Piecewise((2*a**2*sin(c+d*x)**3/(3*d) + a**2*sin(c+d*x)*cos(c+d*x)**2/d + 3*a*b*x*sin(c+d*x)**4/4 + 3*a*b*x*sin(c+d*x)**2*cos(c+d*x)**2/2 + 3*a*b*x*cos(c+d*x)**4/4 + 3*a*b*sin(c+d*x)**3*cos(c+d*x)/(4*d) + 5*a*b*sin(c+d*x)*cos(c+d*x)**3/(4*d) + 8*b**2*sin(c+d*x)**5/(15*d) + 4*b**2*sin(c+d*x)**3*cos(c+d*x)**2/(3*d) + b**2*sin(c+d*x)*cos(c+d*x)**4/d, Ne(d, 0)), (x*(a+b*cos(c))**2*cos(c)**3, True))`



### 3.419 $\int \cos^2(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=101

$$\frac{(4a^2 + 3b^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2 + 3b^2) - \frac{2ab \sin^3(c + dx)}{3d} + \frac{2ab \sin(c + dx)}{d} + \frac{b^2 \sin(c + dx) \cos^3(c + dx)}{4d}$$

[Out] 1/8\*(4\*a^2+3\*b^2)\*x+2\*a\*b\*sin(d\*x+c)/d+1/8\*(4\*a^2+3\*b^2)\*cos(d\*x+c)\*sin(d\*x+c)/d+1/4\*b^2\*cos(d\*x+c)^3\*sin(d\*x+c)/d-2/3\*a\*b\*sin(d\*x+c)^3/d

**Rubi [A]** time = 0.09, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 2633, 3014, 2635, 8}

$$\frac{(4a^2 + 3b^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2 + 3b^2) - \frac{2ab \sin^3(c + dx)}{3d} + \frac{2ab \sin(c + dx)}{d} + \frac{b^2 \sin(c + dx) \cos^3(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^2,x]

[Out] ((4\*a^2 + 3\*b^2)\*x)/8 + (2\*a\*b\*Sin[c + d\*x])/d + ((4\*a^2 + 3\*b^2)\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*d) + (b^2\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(4\*d) - (2\*a\*b\*Sin[c + d\*x]^3)/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3014

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(m + 2), Int[(b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^3(c+dx) dx + \int \cos^2(c+dx)(a^2+b^2\cos^2(c+dx)) dx \\
&= \frac{b^2 \cos^3(c+dx) \sin(c+dx)}{4d} + \frac{1}{4}(4a^2+3b^2) \int \cos^2(c+dx) dx - \frac{(2ab) \sin(c+dx)}{4d} \\
&= \frac{2ab \sin(c+dx)}{d} + \frac{(4a^2+3b^2) \cos(c+dx) \sin(c+dx)}{8d} + \frac{b^2 \cos^3(c+dx)}{4d} \\
&= \frac{1}{8}(4a^2+3b^2)x + \frac{2ab \sin(c+dx)}{d} + \frac{(4a^2+3b^2) \cos(c+dx) \sin(c+dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 86, normalized size = 0.85

$$\frac{24(a^2+b^2)\sin(2(c+dx))+48a^2c+48a^2dx-64ab\sin^3(c+dx)+192ab\sin(c+dx)+3b^2\sin(4(c+dx))+36b^2c}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c+d\*x]^2\*(a+b\*Cos[c+d\*x])^2,x]

[Out] (48\*a^2\*c + 36\*b^2\*c + 48\*a^2\*d\*x + 36\*b^2\*d\*x + 192\*a\*b\*Sin[c+d\*x] - 64\*a\*b\*Sin[c+d\*x]^3 + 24\*(a^2+b^2)\*Sin[2\*(c+d\*x)] + 3\*b^2\*Sin[4\*(c+d\*x)])/ (96\*d)

**fricas [A]** time = 0.82, size = 77, normalized size = 0.76

$$\frac{3(4a^2+3b^2)dx+(6b^2\cos(dx+c)^3+16ab\cos(dx+c)^2+32ab+3(4a^2+3b^2)\cos(dx+c))\sin(dx+c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/24\*(3\*(4\*a^2+3\*b^2)\*d\*x+(6\*b^2\*cos(d\*x+c)^3+16\*a\*b\*cos(d\*x+c)^2+32\*a\*b+3\*(4\*a^2+3\*b^2)\*cos(d\*x+c))\*sin(d\*x+c)/d

**giac [A]** time = 0.46, size = 82, normalized size = 0.81

$$\frac{1}{8}(4a^2+3b^2)x + \frac{b^2 \sin(4dx+4c)}{32d} + \frac{ab \sin(3dx+3c)}{6d} + \frac{3ab \sin(dx+c)}{2d} + \frac{(a^2+b^2) \sin(2dx+2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/8\*(4\*a^2+3\*b^2)\*x + 1/32\*b^2\*sin(4\*d\*x+4\*c)/d + 1/6\*a\*b\*sin(3\*d\*x+3\*c)/d + 3/2\*a\*b\*sin(d\*x+c)/d + 1/4\*(a^2+b^2)\*sin(2\*d\*x+2\*c)/d

**maple [A]** time = 0.05, size = 89, normalized size = 0.88

$$\frac{b^2 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{2ab(2+\cos^2(dx+c)) \sin(dx+c)}{3} + a^2 \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^2,x)

[Out] 1/d\*(b^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+2/3\*a\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**maxima [A]** time = 0.83, size = 82, normalized size = 0.81

$$\frac{24(2dx + 2c + \sin(2dx + 2c))a^2 - 64(\sin(dx + c)^3 - 3\sin(dx + c))ab + 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))b^2}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/96\*(24\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^2 - 64\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a\*b + 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*b^2)/d

**mupad [B]** time = 0.60, size = 93, normalized size = 0.92

$$\frac{a^2 x}{2} + \frac{3b^2 x}{8} + \frac{a^2 \sin(2c + 2dx)}{4d} + \frac{b^2 \sin(2c + 2dx)}{4d} + \frac{b^2 \sin(4c + 4dx)}{32d} + \frac{3ab \sin(c + dx)}{2d} + \frac{ab \sin(3c + 3dx)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^2,x)

[Out] (a^2\*x)/2 + (3\*b^2\*x)/8 + (a^2\*sin(2\*c + 2\*d\*x))/(4\*d) + (b^2\*sin(2\*c + 2\*d\*x))/(4\*d) + (b^2\*sin(4\*c + 4\*d\*x))/(32\*d) + (3\*a\*b\*sin(c + d\*x))/(2\*d) + (a\*b\*sin(3\*c + 3\*d\*x))/(6\*d)

**sympy [A]** time = 1.06, size = 211, normalized size = 2.09

$$\left\{ \begin{array}{l} \frac{a^2 x \sin^2(c+dx)}{2} + \frac{a^2 x \cos^2(c+dx)}{2} + \frac{a^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{4ab \sin^3(c+dx)}{3d} + \frac{2ab \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3b^2 x \sin^4(c+dx)}{8} + \frac{3b^2 x \cos^4(c+dx)}{8} \\ x(a + b \cos(c))^2 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 4\*a\*b\*sin(c + d\*x)\*\*3/(3\*d) + 2\*a\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*b\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*b\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 3\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(a + b\*cos(c))\*\*2\*cos(c)\*\*2, True))

### 3.420 $\int \cos(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=71

$$\frac{2(a^2 + b^2) \sin(c + dx)}{3d} + \frac{\sin(c + dx)(a + b \cos(c + dx))^2}{3d} + \frac{ab \sin(c + dx) \cos(c + dx)}{3d} + abx$$

[Out] a\*b\*x+2/3\*(a^2+b^2)\*sin(d\*x+c)/d+1/3\*a\*b\*cos(d\*x+c)\*sin(d\*x+c)/d+1/3\*(a+b\*cos(d\*x+c))^2\*sin(d\*x+c)/d

**Rubi [A]** time = 0.05, antiderivative size = 71, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2753, 2734}

$$\frac{2(a^2 + b^2) \sin(c + dx)}{3d} + \frac{\sin(c + dx)(a + b \cos(c + dx))^2}{3d} + \frac{ab \sin(c + dx) \cos(c + dx)}{3d} + abx$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^2,x]

[Out] a\*b\*x + (2\*(a^2 + b^2)\*Sin[c + d\*x])/(3\*d) + (a\*b\*Cos[c + d\*x]\*Sin[c + d\*x])/(3\*d) + ((a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d)

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^2 dx &= \frac{(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (2b + 2a \cos(c + dx))(a + b \cos(c + dx)) dx \\ &= abx + \frac{2(a^2 + b^2) \sin(c + dx)}{3d} + \frac{ab \cos(c + dx) \sin(c + dx)}{3d} + \frac{(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 59, normalized size = 0.83

$$\frac{3(4a^2 + 3b^2) \sin(c + dx) + b(12a(c + dx) + 6a \sin(2(c + dx)) + b \sin(3(c + dx)))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^2,x]

[Out] (3\*(4\*a^2 + 3\*b^2)\*Sin[c + d\*x] + b\*(12\*a\*(c + d\*x) + 6\*a\*Sin[2\*(c + d\*x)] + b\*Sin[3\*(c + d\*x)]))/(12\*d)

**fricas** [A] time = 0.72, size = 52, normalized size = 0.73

$$\frac{3 ab dx + (b^2 \cos(dx + c)^2 + 3 ab \cos(dx + c) + 3 a^2 + 2 b^2) \sin(dx + c)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*(3\*a\*b\*d\*x + (b^2\*cos(d\*x + c)^2 + 3\*a\*b\*cos(d\*x + c) + 3\*a^2 + 2\*b^2)\*sin(d\*x + c))/d

**giac** [A] time = 0.68, size = 60, normalized size = 0.85

$$abx + \frac{b^2 \sin(3 dx + 3 c)}{12 d} + \frac{ab \sin(2 dx + 2 c)}{2 d} + \frac{(4 a^2 + 3 b^2) \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] a\*b\*x + 1/12\*b^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*a\*b\*sin(2\*d\*x + 2\*c)/d + 1/4\*(4\*a^2 + 3\*b^2)\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 63, normalized size = 0.89

$$\frac{\frac{b^2(2+\cos^2(dx+c))\sin(dx+c)}{3} + 2ab\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + a^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2,x)

[Out] 1/d\*(1/3\*b^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+2\*a\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^2\*sin(d\*x+c))

**maxima** [A] time = 0.69, size = 60, normalized size = 0.85

$$\frac{3(2 dx + 2 c + \sin(2 dx + 2 c))ab - 2(\sin(dx + c)^3 - 3 \sin(dx + c))b^2 + 6 a^2 \sin(dx + c)}{6 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a\*b - 2\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*b^2 + 6\*a^2\*sin(d\*x + c))/d

**mupad** [B] time = 0.55, size = 72, normalized size = 1.01

$$\frac{a^2 \sin(c + dx)}{d} + \frac{2 b^2 \sin(c + dx)}{3 d} + abx + \frac{b^2 \cos(c + dx)^2 \sin(c + dx)}{3 d} + \frac{ab \cos(c + dx) \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^2,x)

[Out] (a^2\*sin(c + d\*x))/d + (2\*b^2\*sin(c + d\*x))/(3\*d) + a\*b\*x + (b^2\*cos(c + d\*x)^2\*sin(c + d\*x))/(3\*d) + (a\*b\*cos(c + d\*x)\*sin(c + d\*x))/d

sympy [A] time = 0.48, size = 107, normalized size = 1.51

$$\left\{ \begin{array}{l} \frac{a^2 \sin(c+dx)}{d} + abx \sin^2(c+dx) + abx \cos^2(c+dx) + \frac{ab \sin(c+dx) \cos(c+dx)}{d} + \frac{2b^2 \sin^3(c+dx)}{3d} + \frac{b^2 \sin(c+dx) \cos^2(c+dx)}{d} \\ x(a+b \cos(c))^2 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((a\*\*2\*sin(c + d\*x)/d + a\*b\*x\*sin(c + d\*x)\*\*2 + a\*b\*x\*cos(c + d\*x)\*\*2 + a\*b\*sin(c + d\*x)\*cos(c + d\*x)/d + 2\*b\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(a + b\*cos(c))\*\*2\*cos(c), True))

### 3.421 $\int (a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=50

$$\frac{1}{2}x(2a^2 + b^2) + \frac{2ab \sin(c + dx)}{d} + \frac{b^2 \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] 1/2\*(2\*a^2+b^2)\*x+2\*a\*b\*sin(d\*x+c)/d+1/2\*b^2\*cos(d\*x+c)\*sin(d\*x+c)/d

**Rubi [A]** time = 0.01, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {2644}

$$\frac{1}{2}x(2a^2 + b^2) + \frac{2ab \sin(c + dx)}{d} + \frac{b^2 \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2,x]

[Out] ((2\*a^2 + b^2)\*x)/2 + (2\*a\*b\*Sin[c + d\*x])/d + (b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

**Rule 2644**

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^2, x\_Symbol] :> Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

**Rubi steps**

$$\int (a + b \cos(c + dx))^2 dx = \frac{1}{2} (2a^2 + b^2)x + \frac{2ab \sin(c + dx)}{d} + \frac{b^2 \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.08, size = 46, normalized size = 0.92

$$\frac{2(2a^2 + b^2)(c + dx) + 8ab \sin(c + dx) + b^2 \sin(2(c + dx))}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*(2\*a^2 + b^2)\*(c + d\*x) + 8\*a\*b\*Sin[c + d\*x] + b^2\*Sin[2\*(c + d\*x)])/(4\*d)

**fricas [A]** time = 0.91, size = 40, normalized size = 0.80

$$\frac{(2a^2 + b^2)dx + (b^2 \cos(dx + c) + 4ab) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/2\*((2\*a^2 + b^2)\*d\*x + (b^2\*cos(d\*x + c) + 4\*a\*b)\*sin(d\*x + c))/d

**giac [A]** time = 0.48, size = 43, normalized size = 0.86

$$\frac{1}{2} (2a^2 + b^2)x + \frac{b^2 \sin(2dx + 2c)}{4d} + \frac{2ab \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/2\*(2\*a^2 + b^2)\*x + 1/4\*b^2\*sin(2\*d\*x + 2\*c)/d + 2\*a\*b\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 51, normalized size = 1.02

$$\frac{b^2 \left( \frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2ab \sin(dx+c) + a^2(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2,x)

[Out] 1/d\*(b^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+2\*a\*b\*sin(d\*x+c)+a^2\*(d\*x+c))

**maxima** [A] time = 0.77, size = 44, normalized size = 0.88

$$a^2x + \frac{(2dx + 2c + \sin(2dx + 2c))b^2}{4d} + \frac{2ab \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] a^2\*x + 1/4\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*b^2/d + 2\*a\*b\*sin(d\*x + c)/d

**mupad** [B] time = 0.53, size = 42, normalized size = 0.84

$$a^2x + \frac{b^2x}{2} + \frac{b^2 \sin(2c + 2dx)}{4d} + \frac{2ab \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2,x)

[Out] a^2\*x + (b^2\*x)/2 + (b^2\*sin(2\*c + 2\*d\*x))/(4\*d) + (2\*a\*b\*sin(c + d\*x))/d

**sympy** [A] time = 0.25, size = 78, normalized size = 1.56

$$\begin{cases} a^2x + \frac{2ab \sin(c+dx)}{d} + \frac{b^2x \sin^2(c+dx)}{2} + \frac{b^2x \cos^2(c+dx)}{2} + \frac{b^2 \sin(c+dx) \cos(c+dx)}{2d} & \text{for } d \neq 0 \\ x(a + b \cos(c))^2 & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((a\*\*2\*x + 2\*a\*b\*sin(c + d\*x)/d + b\*\*2\*x\*sin(c + d\*x)\*\*2/2 + b\*\*2\*x\*cos(c + d\*x)\*\*2/2 + b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(a + b\*cos(c))\*\*2, True))



### 3.422 $\int (a + b \cos(c + dx))^2 \sec(c + dx) dx$

Optimal. Leaf size=33

$$\frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + 2abx + \frac{b^2 \sin(c + dx)}{d}$$

[Out]  $2*a*b*x+a^2*\arctanh(\sin(d*x+c))/d+b^2*\sin(d*x+c)/d$

**Rubi [A]** time = 0.06, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2746, 2735, 3770}

$$\frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + 2abx + \frac{b^2 \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x],x]

[Out] 2\*a\*b\*x + (a^2\*ArcTanh[Sin[c + d\*x]])/d + (b^2\*Sin[c + d\*x])/d

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2746

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x])/(d\*f), x] + Dist[1/d, Int[Simp[a^2\*d - b\*(b\*c - 2\*a\*d)\*Sin[e + f\*x], x]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 \sec(c + dx) dx &= \frac{b^2 \sin(c + dx)}{d} + \int (a^2 + 2ab \cos(c + dx)) \sec(c + dx) dx \\ &= 2abx + \frac{b^2 \sin(c + dx)}{d} + a^2 \int \sec(c + dx) dx \\ &= 2abx + \frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2 \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 46, normalized size = 1.39

$$\frac{a^2 \tanh^{-1}(\sin(c + dx))}{d} + 2abx + \frac{b^2 \sin(c) \cos(dx)}{d} + \frac{b^2 \cos(c) \sin(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x],x]

[Out]  $2*a*b*x + (a^2*ArcTanh[\sin[c + d*x]])/d + (b^2*\cos[d*x]*\sin[c])/d + (b^2*\cos[c]*\sin[d*x])/d$

**fricas** [A] time = 1.14, size = 52, normalized size = 1.58

$$\frac{4 abdx + a^2 \log(\sin(dx + c) + 1) - a^2 \log(-\sin(dx + c) + 1) + 2 b^2 \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c),x, algorithm="fricas")`

[Out]  $1/2*(4*a*b*d*x + a^2*\log(\sin(d*x + c) + 1) - a^2*\log(-\sin(d*x + c) + 1) + 2*b^2*\sin(d*x + c))/d$

**giac** [B] time = 0.54, size = 78, normalized size = 2.36

$$\frac{2(dx+c)ab + a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - a^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c),x, algorithm="giac")`

[Out]  $(2*(d*x + c)*a*b + a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*b^2*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 + 1))/d$

**maple** [A] time = 0.08, size = 49, normalized size = 1.48

$$2abx + \frac{b^2 \sin(dx + c)}{d} + \frac{a^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{2abc}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*sec(d*x+c),x)`

[Out]  $2*a*b*x + b^2*\sin(d*x+c)/d + 1/d*a^2*\ln(\sec(d*x+c) + \tan(d*x+c)) + 2/d*a*b*c$

**maxima** [A] time = 0.60, size = 42, normalized size = 1.27

$$\frac{2(dx+c)ab + a^2 \log(\sec(dx + c) + \tan(dx + c)) + b^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c),x, algorithm="maxima")`

[Out]  $(2*(d*x + c)*a*b + a^2*\log(\sec(d*x + c) + \tan(d*x + c)) + b^2*\sin(d*x + c))/d$

**mupad** [B] time = 0.55, size = 73, normalized size = 2.21

$$\frac{b^2 \sin(c + dx)}{d} + \frac{2a^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4ab \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^2/cos(c + d*x),x)`

```
[Out] (b^2*sin(c + d*x))/d + (2*a^2*atanh(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d + (4*a*b*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/d
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \cos(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*sec(d*x+c), x)
```

```
[Out] Integral((a + b*cos(c + d*x))**2*sec(c + d*x), x)
```

### 3.423 $\int (a + b \cos(c + dx))^2 \sec^2(c + dx) dx$

Optimal. Leaf size=33

$$\frac{a^2 \tan(c + dx)}{d} + \frac{2ab \tanh^{-1}(\sin(c + dx))}{d} + b^2 x$$

[Out]  $b^2 x + 2 a b \operatorname{arctanh}(\sin(d x + c)) / d + a^2 \tan(d x + c) / d$

**Rubi [A]** time = 0.07, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2789, 3770, 3012, 8}

$$\frac{a^2 \tan(c + dx)}{d} + \frac{2ab \tanh^{-1}(\sin(c + dx))}{d} + b^2 x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cos[c + d x])^2 \sec[c + d x]^2, x]$

[Out]  $b^2 x + (2 a b \operatorname{ArcTanh}[\sin[c + d x]]) / d + (a^2 \tan[c + d x]) / d$

Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a x, x] /; \text{FreeQ}[a, x]$

Rule 2789

$\text{Int}[(b \sin[e + f x] + c + d \sin[e + f x])^2, x\_Symbol] \rightarrow \text{Dist}[(2 c d) / b, \text{Int}[(b \sin[e + f x])^{m+1}, x], x] + \text{Int}[(b \sin[e + f x])^m (c^2 + d^2 \sin[e + f x]^2), x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rule 3012

$\text{Int}[(b \sin[e + f x] + c + d \sin[e + f x])^2, x\_Symbol] \rightarrow \text{Simp}[A \cos[e + f x] (b \sin[e + f x])^{m+1} / (b f (m+1)), x] + \text{Dist}[(A(m+2) + C(m+1)) / (b^2 (m+1)), \text{Int}[(b \sin[e + f x])^{m+2}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3770

$\text{Int}[\csc[c + d x], x\_Symbol] \rightarrow -\text{Simp}[\operatorname{ArcTanh}[\cos[c + d x]] / d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 \sec^2(c + dx) dx &= (2ab) \int \sec(c + dx) dx + \int (a^2 + b^2 \cos^2(c + dx)) \sec^2(c + dx) dx \\ &= \frac{2ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)}{d} + b^2 \int 1 dx \\ &= b^2 x + \frac{2ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 32, normalized size = 0.97

$$\frac{a^2 \tan(c + dx) + 2ab \tanh^{-1}(\sin(c + dx)) + b^2 dx}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^2\*Sec[c + d\*x]^2,x]

[Out] (b^2\*d\*x + 2\*a\*b\*ArcTanh[Sin[c + d\*x]] + a^2\*Tan[c + d\*x])/d

**fricas** [B] time = 0.91, size = 74, normalized size = 2.24

$$\frac{b^2 dx \cos(dx + c) + ab \cos(dx + c) \log(\sin(dx + c) + 1) - ab \cos(dx + c) \log(-\sin(dx + c) + 1) + a^2 \sin(dx + c)}{d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] (b^2\*d\*x\*cos(d\*x + c) + a\*b\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - a\*b\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + a^2\*sin(d\*x + c))/(d\*cos(d\*x + c))

**giac** [B] time = 0.65, size = 77, normalized size = 2.33

$$\frac{(dx + c)b^2 + 2ab \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2ab \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] ((d\*x + c)\*b^2 + 2\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 2\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*a^2\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1))/d

**maple** [A] time = 0.08, size = 49, normalized size = 1.48

$$b^2x + \frac{a^2 \tan(dx + c)}{d} + \frac{2ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{c b^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x)

[Out] b^2\*x+a^2\*tan(d\*x+c)/d+2/d\*a\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*c\*b^2

**maxima** [A] time = 0.42, size = 48, normalized size = 1.45

$$\frac{(dx + c)b^2 + ab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + a^2 \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] ((d\*x + c)\*b^2 + a\*b\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + a^2\*tan(d\*x + c))/d

**mupad** [B] time = 0.57, size = 181, normalized size = 5.48

$$\frac{2b^2 \operatorname{atan}\left(\frac{64b^6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{256a^2b^4 + 64b^6} + \frac{256a^2b^4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{256a^2b^4 + 64b^6}\right)}{d} - \frac{2a^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)} + \frac{4ab \operatorname{atanh}\left(\frac{128ab^5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{512a^3b^3 + 128ab^5} + \frac{512a^3b^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{512a^3b^3 + 128ab^5}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^2/cos(c + d*x)^2,x)`

[Out]  $(2*b^2*atan((64*b^6*tan(c/2 + (d*x)/2))/(64*b^6 + 256*a^2*b^4) + (256*a^2*b^4*tan(c/2 + (d*x)/2))/(64*b^6 + 256*a^2*b^4)))/d - (2*a^2*tan(c/2 + (d*x)/2))/(d*(tan(c/2 + (d*x)/2)^2 - 1)) + (4*a*b*atanh((128*a*b^5*tan(c/2 + (d*x)/2))/(128*a*b^5 + 512*a^3*b^3) + (512*a^3*b^3*tan(c/2 + (d*x)/2))/(128*a*b^5 + 512*a^3*b^3)))/d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2*sec(d*x+c)**2,x)`

[Out] `Integral((a + b*cos(c + d*x))**2*sec(c + d*x)**2, x)`

### 3.424 $\int (a + b \cos(c + dx))^2 \sec^3(c + dx) dx$

**Optimal.** Leaf size=59

$$\frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d} + \frac{2ab \tan(c + dx)}{d}$$

[Out] 1/2\*(a^2+2\*b^2)\*arctanh(sin(d\*x+c))/d+2\*a\*b\*tan(d\*x+c)/d+1/2\*a^2\*sec(d\*x+c)\*tan(d\*x+c)/d

**Rubi [A]** time = 0.08, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 3767, 8, 3012, 3770}

$$\frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d} + \frac{2ab \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3,x]

[Out] ((a^2 + 2\*b^2)\*ArcTanh[Sin[c + d\*x]]/(2\*d) + (2\*a\*b\*Tan[c + d\*x])/d + (a^2\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 2789

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3012

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 \sec^3(c + dx) dx &= (2ab) \int \sec^2(c + dx) dx + \int (a^2 + b^2 \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} (a^2 + 2b^2) \int \sec(c + dx) dx - \frac{(2ab) \operatorname{Sub}}{2d} \\ &= \frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{2ab \tan(c + dx)}{d} + \frac{a^2 \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.01, size = 67, normalized size = 1.14

$$\frac{a^2 \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{2d} + \frac{2ab \tan(c + dx)}{d} + \frac{b^2 \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3,x]

[Out] (a^2\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (b^2\*ArcTanh[Sin[c + d\*x]])/d + (2\*a\*b\*Tan[c + d\*x])/d + (a^2\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**fricas [A]** time = 0.89, size = 93, normalized size = 1.58

$$\frac{(a^2 + 2b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (a^2 + 2b^2) \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(4ab \cos(dx + c) + a^2) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*((a^2 + 2\*b^2)\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - (a^2 + 2\*b^2)\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(4\*a\*b\*cos(d\*x + c) + a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [B]** time = 0.62, size = 127, normalized size = 2.15

$$\frac{(a^2 + 2b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (a^2 + 2b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 4ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a^2\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^2}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*((a^2 + 2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (a^2 + 2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))) + 2\*(a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 4\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a^2\*tan(1/2\*d\*x + 1/2\*c) + 4\*a\*b\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)/d

**maple [A]** time = 0.10, size = 78, normalized size = 1.32

$$\frac{a^2 \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{2ab \tan(dx + c)}{d} + \frac{b^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x)

[Out] 1/2\*a^2\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a^2\*ln(sec(d\*x+c)+tan(d\*x+c))+2\*a\*b\*tan(d\*x+c)/d+1/d\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))



**maxima [A]** time = 0.57, size = 87, normalized size = 1.47

$$\frac{a^2 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 2b^2 \left( \log(\sin(dx+c)+1) - \log(\sin(dx+c)-1) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] -1/4\*(a^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 2\*b^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) - 8\*a\*b\*tan(d\*x + c))/d

**mupad [B]** time = 1.17, size = 99, normalized size = 1.68

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (a^2 + 2b^2)}{d} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (4ab - a^2) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (a^2 + 4ba)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/cos(c + d\*x)^3,x)

[Out] (atanh(tan(c/2 + (d\*x)/2))\*(a^2 + 2\*b^2))/d - (tan(c/2 + (d\*x)/2)^3\*(4\*a\*b - a^2) - tan(c/2 + (d\*x)/2)\*(4\*a\*b + a^2))/(d\*(tan(c/2 + (d\*x)/2)^4 - 2\*tan(c/2 + (d\*x)/2)^2 + 1))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*3,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*2\*sec(c + d\*x)\*\*3, x)

### 3.425 $\int (a + b \cos(c + dx))^2 \sec^4(c + dx) dx$

**Optimal.** Leaf size=80

$$\frac{(2a^2 + 3b^2) \tan(c + dx)}{3d} + \frac{a^2 \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{ab \tan(c + dx) \sec(c + dx)}{d}$$

[Out] a\*b\*arctanh(sin(d\*x+c))/d+1/3\*(2\*a^2+3\*b^2)\*tan(d\*x+c)/d+a\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+1/3\*a^2\*sec(d\*x+c)^2\*tan(d\*x+c)/d

**Rubi [A]** time = 0.09, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2789, 3768, 3770, 3012, 3767, 8}

$$\frac{(2a^2 + 3b^2) \tan(c + dx)}{3d} + \frac{a^2 \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{ab \tan(c + dx) \sec(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^2\*Sec[c + d\*x]^4,x]

[Out] (a\*b\*ArcTanh[Sin[c + d\*x]])/d + ((2\*a^2 + 3\*b^2)\*Tan[c + d\*x])/(3\*d) + (a\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/d + (a^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2789

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] + Int[(b\*sin[e + f\*x])^m\*(c^2 + d^2\*sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3012

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[(A\*cos[e + f\*x]\*(b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x]\*(b\*csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^4(c + dx) dx &= (2ab) \int \sec^3(c + dx) dx + \int (a^2 + b^2 \cos^2(c + dx)) \sec^4(c + dx) dx \\
&= \frac{ab \sec(c + dx) \tan(c + dx)}{d} + \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d} + (ab) \int \sec^3(c + dx) dx \\
&= \frac{ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{ab \sec(c + dx) \tan(c + dx)}{d} + \frac{a^2 \sec^2(c + dx) \tan(c + dx)}{3d} \\
&= \frac{ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{(2a^2 + 3b^2) \tan(c + dx)}{3d} + \frac{ab \sec(c + dx) \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.22, size = 71, normalized size = 0.89

$$\frac{a^2 \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{ab \tanh^{-1}(\sin(c + dx))}{d} + \frac{ab \tan(c + dx) \sec(c + dx)}{d} + \frac{b^2 \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4,x]

[Out] (a\*b\*ArcTanh[Sin[c + d\*x]])/d + (b^2\*Tan[c + d\*x])/d + (a\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/d + (a^2\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d

**fricas [A]** time = 1.10, size = 100, normalized size = 1.25

$$\frac{3 ab \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3 ab \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2 \left( 3 ab \cos(dx + c) + \left( 2a^2 + 3b^2 \right) \tan^2(dx + c) \right)}{6 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/6\*(3\*a\*b\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*a\*b\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(3\*a\*b\*cos(d\*x + c) + (2\*a^2 + 3\*b^2)\*cos(d\*x + c)^2 + a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**giac [B]** time = 0.56, size = 178, normalized size = 2.22

$$\frac{3 ab \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3 ab \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 3 a^2 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^5 - 3 ab \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 3 b^2 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 \right)}{3 d}}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/3\*(3\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))) - 2\*(3\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 2\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 6\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 3\*a^2\*tan(1/2\*d\*x + 1/2\*c) + 3\*a\*b\*tan(1/2\*d\*x + 1/2\*c) + 3\*b^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

**maple [A]** time = 0.11, size = 89, normalized size = 1.11

$$\frac{2a^2 \tan(dx + c)}{3d} + \frac{a^2 \left( \sec^2(dx + c) \right) \tan(dx + c)}{3d} + \frac{ab \sec(dx + c) \tan(dx + c)}{d} + \frac{ab \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*sec(d*x+c)^4,x)`

[Out]  $2/3*a^2*\tan(d*x+c)/d+1/3*a^2*\sec(d*x+c)^2*\tan(d*x+c)/d+a*b*\sec(d*x+c)*\tan(d*x+c)/d+1/d*a*b*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*b^2*\tan(d*x+c)$

**maxima** [A] time = 0.33, size = 84, normalized size = 1.05

$$\frac{2 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a^2 - 3 ab \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 6 b^2 \tan(dx+c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^4,x, algorithm="maxima")`

[Out]  $1/6*(2*(\tan(dx+c)^3 + 3*\tan(dx+c))*a^2 - 3*a*b*(2*\sin(dx+c)/(\sin(dx+c)^2 - 1) - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)) + 6*b^2*\tan(dx+c))/d$

**mupad** [B] time = 2.59, size = 141, normalized size = 1.76

$$\frac{2ab \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) (2a^2 - 2ab + 2b^2) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{4a^2}{3} - 4b^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + (2a^2 + 2ab + 2b^2) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^2/cos(c + d*x)^4,x)`

[Out]  $(2*a*b*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/d - (\tan(c/2 + (d*x)/2)^5*(2*a^2 - 2*a*b + 2*b^2) - \tan(c/2 + (d*x)/2)^3*((4*a^2)/3 + 4*b^2) + \tan(c/2 + (d*x)/2)*(2*a*b + 2*a^2 + 2*b^2))/(d*(3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \sec^4(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2*sec(d*x+c)**4,x)`

[Out] `Integral((a + b*cos(c + d*x))**2*sec(c + d*x)**4, x)`

### 3.426 $\int (a + b \cos(c + dx))^2 \sec^5(c + dx) dx$

**Optimal.** Leaf size=110

$$\frac{(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2 + 4b^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a^2 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{2ab \tan^3(c + dx)}{3d}$$

[Out]  $1/8*(3*a^2+4*b^2)*\operatorname{arctanh}(\sin(d*x+c))/d+2*a*b*\tan(d*x+c)/d+1/8*(3*a^2+4*b^2)*\sec(d*x+c)*\tan(d*x+c)/d+1/4*a^2*\sec(d*x+c)^3*\tan(d*x+c)/d+2/3*a*b*\tan(d*x+c)^3/d$

**Rubi [A]** time = 0.10, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 3767, 3012, 3768, 3770}

$$\frac{(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2 + 4b^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a^2 \tan(c + dx) \sec^3(c + dx)}{4d} + \frac{2ab \tan^3(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Sec}[c + d*x]^5, x]$

[Out]  $((3*a^2 + 4*b^2)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(8*d) + (2*a*b*\operatorname{Tan}[c + d*x])/d + ((3*a^2 + 4*b^2)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(8*d) + (a^2*\operatorname{Sec}[c + d*x]^3*\operatorname{Tan}[c + d*x])/(4*d) + (2*a*b*\operatorname{Tan}[c + d*x]^3)/(3*d)$

#### Rule 2789

$\operatorname{Int}[(b_*\sin[e_*] + (f_*)(x_*))^m*((c_*) + (d_*)\sin[e_*] + (f_*)(x_*))^2, x\_Symbol] \rightarrow \operatorname{Dist}[(2*c*d)/b, \operatorname{Int}[(b*\sin[e + f*x])^{m+1}, x], x] + \operatorname{Int}[(b*\sin[e + f*x])^m*(c^2 + d^2*\sin[e + f*x]^2), x] /;$   $\operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3012

$\operatorname{Int}[(b_*\sin[e_*] + (f_*)(x_*))^m*((A_*) + (C_*)\sin[e_*] + (f_*)(x_*))^2, x\_Symbol] \rightarrow \operatorname{Simp}[(A*\cos[e + f*x]*(b*\sin[e + f*x])^{m+1})/(b*f*(m+1)), x] + \operatorname{Dist}[(A*(m+2) + C*(m+1))/(b^2*(m+1)), \operatorname{Int}[(b*\sin[e + f*x])^{m+2}, x], x] /;$   $\operatorname{FreeQ}\{b, e, f, A, C\}, x] \ \&\& \operatorname{LtQ}[m, -1]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{c, d\}, x] \ \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_*) + (d_*)(x_*)]*(b_*))^{(n_*)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b*\cos[c + d*x]*(b*\operatorname{Csc}[c + d*x])^{(n-1)})/(d*(n-1)), x] + \operatorname{Dist}[(b^2*(n-2))/(n-1), \operatorname{Int}[(b*\operatorname{Csc}[c + d*x])^{(n-2)}, x], x] /;$   $\operatorname{FreeQ}\{b, c, d\}, x] \ \&\& \operatorname{GtQ}[n, 1] \ \&\& \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_*) + (d_*)(x_*)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]]/d, x] /;$   $\operatorname{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^5(c + dx) dx &= (2ab) \int \sec^4(c + dx) dx + \int (a^2 + b^2 \cos^2(c + dx)) \sec^5(c + dx) dx \\
&= \frac{a^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} (3a^2 + 4b^2) \int \sec^3(c + dx) dx - \frac{(2ab) \sec^3(c + dx) \tan(c + dx)}{4d} \\
&= \frac{2ab \tan(c + dx)}{d} + \frac{(3a^2 + 4b^2) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2 \sec^3(c + dx)}{4d} \\
&= \frac{(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{2ab \tan(c + dx)}{d} + \frac{(3a^2 + 4b^2) \sec(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.28, size = 82, normalized size = 0.75

$$\frac{3(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(3a^2 + 4b^2) \sec(c + dx) + 6a^2 \sec^3(c + dx) + 16ab (\tan^2(c + dx) + 1))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^5,x]

[Out] (3\*(3\*a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(3\*(3\*a^2 + 4\*b^2)\*Sec[c + d\*x] + 6\*a^2\*Sec[c + d\*x]^3 + 16\*a\*b\*(3 + Tan[c + d\*x]^2)))/(24\*d)

**fricas [A]** time = 0.67, size = 133, normalized size = 1.21

$$\frac{3(3a^2 + 4b^2) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3a^2 + 4b^2) \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(32ab \cos(dx + c)^3 + 16a^2 \cos(dx + c)^2 \sin(dx + c))}{48d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(3\*(3\*a^2 + 4\*b^2)\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 3\*(3\*a^2 + 4\*b^2)\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(32\*a\*b\*cos(d\*x + c)^3 + 16\*a\*b\*cos(d\*x + c) + 3\*(3\*a^2 + 4\*b^2)\*cos(d\*x + c)^2 + 6\*a^2\*sin(d\*x + c)))/(d\*cos(d\*x + c)^4)

**giac [B]** time = 0.63, size = 258, normalized size = 2.35

$$3(3a^2 + 4b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3a^2 + 4b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(15a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 48ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] 1/24\*(3\*(3\*a^2 + 4\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*(3\*a^2 + 4\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(15\*a^2\*tan(1/2\*d\*x + 1/2\*c)^7 - 48\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 12\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*a^2\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^4/d

**maple [A]** time = 0.10, size = 142, normalized size = 1.29

$$\frac{a^2 (\sec^3(dx + c)) \tan(dx + c)}{4d} + \frac{3a^2 \sec(dx + c) \tan(dx + c)}{8d} + \frac{3a^2 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{4ab \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*sec(d*x+c)^5,x)`

[Out]  $\frac{1}{4}a^2\sec(d*x+c)^3\tan(d*x+c)/d+3/8a^2\sec(d*x+c)\tan(d*x+c)/d+3/8/d*a^2*\ln(\sec(d*x+c)+\tan(d*x+c))+4/3*a*b*\tan(d*x+c)/d+2/3/d*a*b*\tan(d*x+c)*\sec(d*x+c)^2+1/2/d*b^2*\tan(d*x+c)*\sec(d*x+c)+1/2/d*b^2*\ln(\sec(d*x+c)+\tan(d*x+c))$

**maxima** [A] time = 0.67, size = 144, normalized size = 1.31

$$\frac{32\left(\tan(dx+c)^3+3\tan(dx+c)\right)ab-3a^2\left(\frac{2\left(3\sin(dx+c)^3-5\sin(dx+c)\right)}{\sin(dx+c)^4-2\sin(dx+c)^2+1}-3\log(\sin(dx+c)+1)+3\log(\sin(dx+c)-1)\right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^5,x, algorithm="maxima")`

[Out]  $\frac{1}{48}*(32*(\tan(dx+c)^3+3*\tan(dx+c))*a*b-3*a^2*(2*(3*\sin(dx+c)^3-5*\sin(dx+c))/(\sin(dx+c)^4-2*\sin(dx+c)^2+1)-3*\log(\sin(dx+c)+1)+3*\log(\sin(dx+c)-1))-12*b^2*(2*\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)))/d$

**mupad** [B] time = 3.10, size = 184, normalized size = 1.67

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2}+\frac{dx}{2}\right)\right)\left(\frac{3a^2}{4}+b^2\right)\left(\frac{5a^2}{4}-4ab+b^2\right)\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^7+\left(\frac{3a^2}{4}+\frac{20ab}{3}-b^2\right)\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^5+\left(\frac{3a^2}{4}\right)}{d\left(\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^8-4\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^6+6\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4-4\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^2+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(c+d*x))^2/cos(c+d*x)^5,x)`

[Out]  $(\operatorname{atanh}(\tan(c/2+(d*x)/2))*((3*a^2)/4+b^2))/d+(\tan(c/2+(d*x)/2))^5*((2*0*a*b)/3+(3*a^2)/4-b^2)+\tan(c/2+(d*x)/2)*(4*a*b+(5*a^2)/4+b^2)+\tan(c/2+(d*x)/2)^7*((5*a^2)/4-4*a*b+b^2)-\tan(c/2+(d*x)/2)^3*((2*0*a*b)/3-(3*a^2)/4+b^2)/(d*(6*\tan(c/2+(d*x)/2)^4-4*\tan(c/2+(d*x)/2)^2-4*\tan(c/2+(d*x)/2)^6+\tan(c/2+(d*x)/2)^8+1))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^5,x)`

[Out] Timed out

### 3.427 $\int (a + b \cos(c + dx))^2 \sec^6(c + dx) dx$

**Optimal.** Leaf size=135

$$\frac{(4a^2 + 5b^2) \tan^3(c + dx)}{15d} + \frac{(4a^2 + 5b^2) \tan(c + dx)}{5d} + \frac{a^2 \tan(c + dx) \sec^4(c + dx)}{5d} + \frac{3ab \tanh^{-1}(\sin(c + dx))}{4d} + \frac{ab \tan(c + dx)}{d}$$

[Out]  $\frac{3}{4} a b \operatorname{arctanh}(\sin(dx+c))/d + \frac{1}{5} (4a^2 + 5b^2) \tan(dx+c)/d + \frac{3}{4} a b \sec(dx+c) \tan(dx+c)/d + \frac{1}{2} a b \sec(dx+c)^3 \tan(dx+c)/d + \frac{1}{5} a^2 \sec(dx+c)^4 \tan(dx+c)/d + \frac{1}{15} (4a^2 + 5b^2) \tan(dx+c)^3/d$

**Rubi [A]** time = 0.11, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2789, 3768, 3770, 3012, 3767}

$$\frac{(4a^2 + 5b^2) \tan^3(c + dx)}{15d} + \frac{(4a^2 + 5b^2) \tan(c + dx)}{5d} + \frac{a^2 \tan(c + dx) \sec^4(c + dx)}{5d} + \frac{3ab \tanh^{-1}(\sin(c + dx))}{4d} + \frac{ab \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^6,x]

[Out]  $\frac{(3ab \operatorname{ArcTanh}[\sin[c + dx]])}{(4d)} + \frac{((4a^2 + 5b^2) \tan[c + dx])}{(5d)} + \frac{(3ab \sec[c + dx] \tan[c + dx])}{(4d)} + \frac{(a^2 \sec[c + dx]^3 \tan[c + dx])}{(2d)} + \frac{(a^2 \sec[c + dx]^4 \tan[c + dx])}{(5d)} + \frac{((4a^2 + 5b^2) \tan[c + dx]^3)}{(15d)}$

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] + Int[(b\*SIN[e + f\*x])^m\*(c^2 + d^2\*SIN[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3012

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[(A\*Cos[e + f\*x]\*(b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*SIN[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^6(c + dx) dx &= (2ab) \int \sec^5(c + dx) dx + \int (a^2 + b^2 \cos^2(c + dx)) \sec^6(c + dx) dx \\
&= \frac{ab \sec^3(c + dx) \tan(c + dx)}{2d} + \frac{a^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{2}(3ab) \int \sec^5(c + dx) dx \\
&= \frac{3ab \sec(c + dx) \tan(c + dx)}{4d} + \frac{ab \sec^3(c + dx) \tan(c + dx)}{2d} + \frac{a^2 \sec^4(c + dx) \tan(c + dx)}{5d} \\
&= \frac{3ab \tanh^{-1}(\sin(c + dx))}{4d} + \frac{(4a^2 + 5b^2) \tan(c + dx)}{5d} + \frac{3ab \sec(c + dx) \tan(c + dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.56, size = 118, normalized size = 0.87

$$\frac{a^2 \left( \frac{1}{5} \tan^5(c + dx) + \frac{2}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d} + \frac{ab \tan(c + dx) \sec^3(c + dx)}{2d} + \frac{3ab \left( \tanh^{-1}(\sin(c + dx)) \right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^6,x]

[Out] (a\*b\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(2\*d) + (3\*a\*b\*(ArcTanh[Sin[c + d\*x]] + Sec[c + d\*x]\*Tan[c + d\*x]))/(4\*d) + (b^2\*(Tan[c + d\*x] + Tan[c + d\*x]^3/3))/d + (a^2\*(Tan[c + d\*x] + (2\*Tan[c + d\*x]^3)/3 + Tan[c + d\*x]^5/5))/d

**fricas [A]** time = 1.43, size = 136, normalized size = 1.01

$$\frac{45 ab \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 45 ab \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2 \left( 45 ab \cos(dx + c)^3 \right)}{120 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/120\*(45\*a\*b\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 45\*a\*b\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(45\*a\*b\*cos(d\*x + c)^3 + 8\*(4\*a^2 + 5\*b^2)\*cos(d\*x + c)^4 + 30\*a\*b\*cos(d\*x + c) + 4\*(4\*a^2 + 5\*b^2)\*cos(d\*x + c)^2 + 12\*a^2\*cos(d\*x + c)))/(d\*cos(d\*x + c)^5)

**giac [B]** time = 0.61, size = 272, normalized size = 2.01

$$45 ab \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 45 ab \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 60 a^2 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 - 75 ab \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 + 60 b^2 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^9 \right)}{120 d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/60\*(45\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 45\*a\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))) - 2\*(60\*a^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 75\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^9 + 60\*b^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 80\*a^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 30\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^7 - 160\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 232\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 200\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 80\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 30\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 160\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 60\*a^2\*tan(1/2\*d\*x + 1/2\*c) + 75\*a\*b\*tan(1/2\*d\*x + 1/2\*c) + 60\*b^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^5/d

**maple [A]** time = 0.10, size = 157, normalized size = 1.16

$$\frac{8a^2 \tan(dx+c)}{15d} + \frac{a^2 (\sec^4(dx+c)) \tan(dx+c)}{5d} + \frac{4a^2 (\sec^2(dx+c)) \tan(dx+c)}{15d} + \frac{ab (\sec^3(dx+c)) \tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^6,x)

[Out]  $\frac{8}{15}a^2 \tan(dx+c)/d + \frac{1}{5}a^2 \sec(dx+c)^4 \tan(dx+c)/d + \frac{4}{15}a^2 \sec(dx+c)^2 \tan(dx+c)/d + \frac{1}{2}a*b \sec(dx+c)^3 \tan(dx+c)/d + \frac{3}{4}a*b \sec(dx+c) \tan(dx+c)/d + \frac{3}{4}d*a*b \ln(\sec(dx+c) + \tan(dx+c)) + \frac{2}{3}d*b^2 \tan(dx+c) + \frac{1}{3}d*b^2 \tan(dx+c) \sec(dx+c)^2$

**maxima [A]** time = 0.55, size = 132, normalized size = 0.98

$$\frac{8(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))a^2 + 40(\tan(dx+c)^3 + 3 \tan(dx+c))b^2 - 15ab \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out]  $\frac{1}{120} * (8 * (3 * \tan(dx+c)^5 + 10 * \tan(dx+c)^3 + 15 * \tan(dx+c)) * a^2 + 40 * (\tan(dx+c)^3 + 3 * \tan(dx+c)) * b^2 - 15 * a * b * (2 * (3 * \sin(dx+c)^3 - 5 * \sin(dx+c)) / (\sin(dx+c)^4 - 2 * \sin(dx+c)^2 + 1) - 3 * \log(\sin(dx+c) + 1) + 3 * \log(\sin(dx+c) - 1))) / d$

**mupad [B]** time = 3.23, size = 221, normalized size = 1.64

$$\frac{3ab \operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(2a^2 - \frac{5ab}{2} + 2b^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{8a^2}{3} + ab - \frac{16b^2}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{116a^2}{15} + \frac{20ab}{3} - \frac{16b^2}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{8a^2}{3} - ab + \frac{16b^2}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{5ab}{2} + 2a^2 + 2b^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + \frac{1}{d} \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1 \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/cos(c + d\*x)^6,x)

[Out]  $\frac{(3*a*b*\operatorname{atanh}(\tan(c/2 + (d*x)/2)))/(2*d) - (\tan(c/2 + (d*x)/2))^5 * ((116*a^2)/15 + (20*b^2)/3) + \tan(c/2 + (d*x)/2)^9 * (2*a^2 - (5*a*b)/2 + 2*b^2) - \tan(c/2 + (d*x)/2)^7 * ((8*a^2)/3 - a*b + (16*b^2)/3) + \tan(c/2 + (d*x)/2) * ((5*a*b)/2 + 2*a^2 + 2*b^2)}{(d*(5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} - 1)}$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^6,x)

[Out] Timed out

### 3.428 $\int \cos^3(c + dx)(a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=170

$$-\frac{a(a^2 + 6b^2) \sin^3(c + dx)}{3d} + \frac{a(a^2 + 3b^2) \sin(c + dx)}{d} + \frac{b(18a^2 + 5b^2) \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{b(18a^2 + 5b^2)}{24d}$$

[Out]  $9/8*a^2*b*x+5/16*b^3*x+a*(a^2+3*b^2)*\sin(d*x+c)/d+1/16*b*(18*a^2+5*b^2)*\cos(d*x+c)*\sin(d*x+c)/d+1/24*b*(18*a^2+5*b^2)*\cos(d*x+c)^3*\sin(d*x+c)/d+1/6*b^3*\cos(d*x+c)^5*\sin(d*x+c)/d-1/3*a*(a^2+6*b^2)*\sin(d*x+c)^3/d+3/5*a*b^2*\sin(d*x+c)^5/d$

**Rubi [A]** time = 0.21, antiderivative size = 193, normalized size of antiderivative = 1.14, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2793, 3023, 2748, 2633, 2635, 8}

$$-\frac{a(5a^2 + 12b^2) \sin^3(c + dx)}{15d} + \frac{a(5a^2 + 12b^2) \sin(c + dx)}{5d} + \frac{b(18a^2 + 5b^2) \sin(c + dx) \cos^3(c + dx)}{24d} + \frac{b(18a^2 + 5b^2)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^3,x]

[Out]  $(b*(18*a^2 + 5*b^2)*x)/16 + (a*(5*a^2 + 12*b^2)*\sin[c + d*x])/(5*d) + (b*(18*a^2 + 5*b^2)*\cos[c + d*x]*\sin[c + d*x])/(16*d) + (b*(18*a^2 + 5*b^2)*\cos[c + d*x]^3*\sin[c + d*x])/(24*d) + (13*a*b^2*\cos[c + d*x]^4*\sin[c + d*x])/(30*d) + (b^2*\cos[c + d*x]^4*(a + b*\cos[c + d*x])*\sin[c + d*x])/(6*d) - (a*(5*a^2 + 12*b^2)*\sin[c + d*x]^3)/(15*d)$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sine[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sine[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sine[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sine[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m - 2)\*(c + d\*Sine[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sine[e + f\*x])^(m - 3)\*(c + d\*Sine[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sine[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sine[e

```
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + b \cos(c + dx))^3 dx &= \frac{b^2 \cos^4(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^3(c + dx) (2a + b \cos(c + dx))^2 dx \\
 &= \frac{13ab^2 \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{b^2 \cos^4(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{6d} \\
 &= \frac{13ab^2 \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{b^2 \cos^4(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{6d} \\
 &= \frac{b(18a^2 + 5b^2) \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{13ab^2 \cos^4(c + dx) \sin(c + dx)}{30d} \\
 &= \frac{a(5a^2 + 12b^2) \sin(c + dx)}{5d} + \frac{b(18a^2 + 5b^2) \cos(c + dx) \sin(c + dx)}{16d} + \frac{b^2 \cos^4(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{1}{16} b(18a^2 + 5b^2) x + \frac{a(5a^2 + 12b^2) \sin(c + dx)}{5d} + \frac{b(18a^2 + 5b^2) \cos(c + dx) \sin(c + dx)}{16d}
 \end{aligned}$$

**Mathematica** [A] time = 0.33, size = 159, normalized size = 0.94

$$80a^3 \sin(3(c + dx)) + 45(16a^2b + 5b^3) \sin(2(c + dx)) + 360a(2a^2 + 5b^2) \sin(c + dx) + 90a^2b \sin(4(c + dx)) + 10b^3 \cos^5(c + dx) + 144ab^2 \cos^4(c + dx) + 10(18a^2b + 5b^3) \cos^3(c + dx) + 160a^3 + 384ab^2 + 16b^3$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Cos[c + d*x])^3,x]
```

```
[Out] (1080*a^2*b*c + 300*b^3*c + 1080*a^2*b*d*x + 300*b^3*d*x + 360*a*(2*a^2 + 5*b^2)*Sin[c + d*x] + 45*(16*a^2*b + 5*b^3)*Sin[2*(c + d*x)] + 80*a^3*Sin[3*(c + d*x)] + 300*a*b^2*Sin[3*(c + d*x)] + 90*a^2*b*Sin[4*(c + d*x)] + 45*b^3*Sin[4*(c + d*x)] + 36*a*b^2*Sin[5*(c + d*x)] + 5*b^3*Sin[6*(c + d*x)])/(90*d)
```

**fricas** [A] time = 1.03, size = 132, normalized size = 0.78

$$15(18a^2b + 5b^3)dx + (40b^3 \cos(dx + c)^5 + 144ab^2 \cos(dx + c)^4 + 10(18a^2b + 5b^3) \cos(dx + c)^3 + 160a^3 + 384ab^2 + 16b^3) \sin(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] 1/240*(15*(18*a^2*b + 5*b^3)*d*x + (40*b^3*cos(d*x + c)^5 + 144*a*b^2*cos(d*x + c)^4 + 10*(18*a^2*b + 5*b^3)*cos(d*x + c)^3 + 160*a^3 + 384*a*b^2 + 16*b^3)*sin(d*x + c)
```

$(5a^3 + 12ab^2)\cos(dx + c)^2 + 15(18a^2b + 5b^3)\cos(dx + c)\sin(dx + c)/d$

**giac [A]** time = 0.59, size = 150, normalized size = 0.88

$$\frac{b^3 \sin(6dx + 6c)}{192d} + \frac{3ab^2 \sin(5dx + 5c)}{80d} + \frac{1}{16}(18a^2b + 5b^3)x + \frac{3(2a^2b + b^3)\sin(4dx + 4c)}{64d} + \frac{(4a^3 + 15ab^2)}{48}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3\*(a+b\*cos(dx+c))^3,x, algorithm="giac")

[Out]  $1/192*b^3*\sin(6*d*x + 6*c)/d + 3/80*a*b^2*\sin(5*d*x + 5*c)/d + 1/16*(18*a^2*b + 5*b^3)*x + 3/64*(2*a^2*b + b^3)*\sin(4*d*x + 4*c)/d + 1/48*(4*a^3 + 15*a*b^2)*\sin(3*d*x + 3*c)/d + 3/64*(16*a^2*b + 5*b^3)*\sin(2*d*x + 2*c)/d + 3/8*(2*a^3 + 5*a*b^2)*\sin(d*x + c)/d$

**maple [A]** time = 0.04, size = 145, normalized size = 0.85

$$\frac{b^3 \left( \frac{\cos^5(dx+c) + \frac{5\cos^3(dx+c)}{4} + \frac{15\cos(dx+c)}{8}}{6} \sin(dx+c) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{3b^2a \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4\cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + 3a^2b \left( \frac{\cos^3(dx+c)}{3} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^3\*(a+b\*cos(dx+c))^3,x)

[Out]  $1/d*(b^3*(1/6*(\cos(dx+c)^5+5/4*\cos(dx+c)^3+15/8*\cos(dx+c))*\sin(dx+c)+5/16*d*x+5/16*c)+3/5*b^2*a*(8/3+\cos(dx+c)^4+4/3*\cos(dx+c)^2)*\sin(dx+c)+3*a^2*b*(1/4*(\cos(dx+c)^3+3/2*\cos(dx+c))*\sin(dx+c)+3/8*d*x+3/8*c)+1/3*a^3*(2+\cos(dx+c)^2)*\sin(dx+c))$

**maxima [A]** time = 0.61, size = 145, normalized size = 0.85

$$\frac{320(\sin(dx+c)^3 - 3\sin(dx+c))a^3 - 90(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))a^2b - 192(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))ab^2 + 5(4\sin(2dx + 2c)^3 - 60dx - 60c - 9\sin(4dx + 4c) - 48\sin(2dx + 2c))b^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3\*(a+b\*cos(dx+c))^3,x, algorithm="maxima")

[Out]  $-1/960*(320*(\sin(dx+c)^3 - 3*\sin(dx+c))*a^3 - 90*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^2*b - 192*(3*\sin(dx+c)^5 - 10*\sin(dx+c)^3 + 15*\sin(dx+c))*a*b^2 + 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*b^3)/d$

**mupad [B]** time = 2.10, size = 380, normalized size = 2.24

$$\frac{\left(2a^3 - \frac{15a^2b}{4} + 6ab^2 - \frac{11b^3}{8}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{22a^3}{3} - \frac{21a^2b}{4} + 14ab^2 + \frac{5b^3}{24}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(12a^3 - \frac{3a^2b}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(2a^3 - \frac{3a^2b}{2}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + 6ab^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + 6b^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{12} + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 15 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)^3\*(a + b\*cos(c + dx))^3,x)

[Out]  $(\tan(c/2 + (d*x)/2)^{11}*(6*a*b^2 - (15*a^2*b)/4 + 2*a^3 - (11*b^3)/8) + \tan(c/2 + (d*x)/2)^3*(14*a*b^2 + (21*a^2*b)/4 + (22*a^3)/3 - (5*b^3)/24) + \tan(c/2 + (d*x)/2)^9*(14*a*b^2 - (21*a^2*b)/4 + (22*a^3)/3 + (5*b^3)/24) + \tan(c/2 + (d*x)/2)^5*(2*a^3 - (3*a^2*b)/2) + 6*b^3*\tan(c/2 + (d*x)/2)$

$$\begin{aligned} & c/2 + (d*x)/2)^5 * ((156*a*b^2)/5 + (3*a^2*b)/2 + 12*a^3 + (15*b^3)/4) + \tan( \\ & c/2 + (d*x)/2)^7 * ((156*a*b^2)/5 - (3*a^2*b)/2 + 12*a^3 - (15*b^3)/4) + \tan( \\ & c/2 + (d*x)/2) * (6*a*b^2 + (15*a^2*b)/4 + 2*a^3 + (11*b^3)/8) / (d * (6*\tan(c/2 \\ & + (d*x)/2)^2 + 15*\tan(c/2 + (d*x)/2)^4 + 20*\tan(c/2 + (d*x)/2)^6 + 15*\tan( \\ & c/2 + (d*x)/2)^8 + 6*\tan(c/2 + (d*x)/2)^{10} + \tan(c/2 + (d*x)/2)^{12} + 1)) + \\ & (b*\operatorname{atan}((b*\tan(c/2 + (d*x)/2)*(18*a^2 + 5*b^2))/(8*((9*a^2*b)/4 + (5*b^3)/8 \\ & )))*(18*a^2 + 5*b^2))/(8*d) - (b*(18*a^2 + 5*b^2)*(atan(tan(c/2 + (d*x)/2)) \\ & - (d*x)/2))/(8*d) \end{aligned}$$

**sympy [A]** time = 3.93, size = 393, normalized size = 2.31

$$\left\{ \begin{array}{l} \frac{2a^3 \sin^3(c+dx)}{3d} + \frac{a^3 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{9a^2 b x \sin^4(c+dx)}{8} + \frac{9a^2 b x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{9a^2 b x \cos^4(c+dx)}{8} + \frac{9a^2 b \sin^3(c+dx) \cos(c+dx)}{8d} \\ x(a + b \cos(c))^3 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Piecewise((2\*a\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 9\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*4/8 + 9\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 9\*a\*\*2\*b\*x\*cos(c + d\*x)\*\*4/8 + 9\*a\*\*2\*b\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 15\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 8\*a\*b\*\*2\*sin(c + d\*x)\*\*5/(5\*d) + 4\*a\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/d + 3\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*b\*\*3\*x\*sin(c + d\*x)\*\*6/16 + 15\*b\*\*3\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/16 + 15\*b\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/16 + 5\*b\*\*3\*x\*cos(c + d\*x)\*\*6/16 + 5\*b\*\*3\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(16\*d) + 5\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(6\*d) + 11\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(16\*d), Ne(d, 0)), (x\*(a + b\*cos(c))\*\*3\*cos(c)\*\*3, True))

### 3.429 $\int \cos^2(c + dx)(a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=180

$$\frac{(3a^2 - 16b^2) \sin(c + dx)(a + b \cos(c + dx))^2}{60bd} - \frac{a(6a^2 - 71b^2) \sin(c + dx) \cos(c + dx)}{120d} + \frac{1}{8}ax(4a^2 + 9b^2) - \frac{(3a^4}{$$

[Out]  $\frac{1}{8}a*(4*a^2+9*b^2)*x-1/30*(3*a^4-52*a^2*b^2-16*b^4)*\sin(d*x+c)/b/d-1/120*a*(6*a^2-71*b^2)*\cos(d*x+c)*\sin(d*x+c)/d-1/60*(3*a^2-16*b^2)*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/b/d-1/20*a*(a+b*\cos(d*x+c))^3*\sin(d*x+c)/b/d+1/5*(a+b*\cos(d*x+c))^4*\sin(d*x+c)/b/d$

**Rubi [A]** time = 0.22, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2791, 2753, 2734}

$$\frac{(-52a^2b^2 + 3a^4 - 16b^4) \sin(c + dx)}{30bd} - \frac{(3a^2 - 16b^2) \sin(c + dx)(a + b \cos(c + dx))^2}{60bd} - \frac{a(6a^2 - 71b^2) \sin(c + dx) \cos(c + dx)}{120d} + \frac{1}{8}ax(4a^2 + 9b^2) - \frac{(3a^4}{$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Cos}[c + d*x])^3, x]$

[Out]  $(a*(4*a^2 + 9*b^2)*x)/8 - ((3*a^4 - 52*a^2*b^2 - 16*b^4)*\text{Sin}[c + d*x])/(30*b*d) - (a*(6*a^2 - 71*b^2)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(120*d) - ((3*a^2 - 16*b^2)*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(60*b*d) - (a*(a + b*\text{Cos}[c + d*x])^3*\text{Sin}[c + d*x])/(20*b*d) + ((a + b*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(5*b*d)$

#### Rule 2734

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n), x\_Symbol] := \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\text{Cos}[e + f*x]/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x]) /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2753

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n), x\_Symbol] := -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*\text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2791

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((c + d*\sin[(e + f*x)])^n)^2, x\_Symbol] := -\text{Simp}[(d^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[b*(d^2*(m + 1) + c^2*(m + 2)) - d*(a*d - 2*b*c*(m + 2))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))^3 dx &= \frac{(a + b \cos(c + dx))^4 \sin(c + dx)}{5bd} + \frac{\int (4b - a \cos(c + dx))(a + b \cos(c + dx))^3 dx}{5b} \\ &= -\frac{a(a + b \cos(c + dx))^3 \sin(c + dx)}{20bd} + \frac{(a + b \cos(c + dx))^4 \sin(c + dx)}{5bd} + \\ &= -\frac{(3a^2 - 16b^2)(a + b \cos(c + dx))^2 \sin(c + dx)}{60bd} - \frac{a(a + b \cos(c + dx))^3 \sin(c + dx)}{20bd} \\ &= \frac{1}{8}a(4a^2 + 9b^2)x - \frac{(3a^4 - 52a^2b^2 - 16b^4) \sin(c + dx)}{30bd} - \frac{a(6a^2 - 71b^2) \cos(c + dx)}{30bd} \end{aligned}$$

**Mathematica [A]** time = 0.33, size = 130, normalized size = 0.72

$$\frac{120(a^3 + 3ab^2) \sin(2(c + dx)) + 240a^3c + 240a^3dx + 60b(18a^2 + 5b^2) \sin(c + dx) + 120a^2b \sin(3(c + dx)) + 45a^2b^2 \sin(4(c + dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^3,x]

[Out] (240\*a^3\*c + 540\*a\*b^2\*c + 240\*a^3\*d\*x + 540\*a\*b^2\*d\*x + 60\*b\*(18\*a^2 + 5\*b^2)\*Sin[c + d\*x] + 120\*(a^3 + 3\*a\*b^2)\*Sin[2\*(c + d\*x)] + 120\*a^2\*b\*Ssin[3\*(c + d\*x)] + 50\*b^3\*Ssin[3\*(c + d\*x)] + 45\*a\*b^2\*Ssin[4\*(c + d\*x)] + 6\*b^3\*Ssin[5\*(c + d\*x)])/(480\*d)

**fricas [A]** time = 1.45, size = 110, normalized size = 0.61

$$\frac{15(4a^3 + 9ab^2)dx + (24b^3 \cos(dx + c)^4 + 90ab^2 \cos(dx + c)^3 + 240a^2b + 64b^3 + 8(15a^2b + 4b^3) \cos(dx + c)) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/120\*(15\*(4\*a^3 + 9\*a\*b^2)\*d\*x + (24\*b^3\*cos(d\*x + c)^4 + 90\*a\*b^2\*cos(d\*x + c)^3 + 240\*a^2\*b + 64\*b^3 + 8\*(15\*a^2\*b + 4\*b^3)\*cos(d\*x + c)^2 + 15\*(4\*a^3 + 9\*a\*b^2)\*cos(d\*x + c))\*sin(d\*x + c)/d

**giac [A]** time = 0.57, size = 124, normalized size = 0.69

$$\frac{b^3 \sin(5dx + 5c)}{80d} + \frac{3ab^2 \sin(4dx + 4c)}{32d} + \frac{1}{8}(4a^3 + 9ab^2)x + \frac{(12a^2b + 5b^3) \sin(3dx + 3c)}{48d} + \frac{(a^3 + 3ab^2) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/80\*b^3\*sin(5\*d\*x + 5\*c)/d + 3/32\*a\*b^2\*sin(4\*d\*x + 4\*c)/d + 1/8\*(4\*a^3 + 9\*a\*b^2)\*x + 1/48\*(12\*a^2\*b + 5\*b^3)\*sin(3\*d\*x + 3\*c)/d + 1/4\*(a^3 + 3\*a\*b^2)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(18\*a^2\*b + 5\*b^3)\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 123, normalized size = 0.68

$$\frac{b^3 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + 3b^2a \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + a^2b(2 + \cos^2(dx+c)) \sin(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3,x)

[Out]  $1/d*(1/5*b^3*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+3*b^2*a*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+a^2*b*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a^3*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c))$

**maxima** [A] time = 0.67, size = 119, normalized size = 0.66

$$\frac{120(2dx + 2c + \sin(2dx + 2c))a^3 - 480(\sin(dx + c)^3 - 3\sin(dx + c))a^2b + 45(12dx + 12c + \sin(4dx + 4c))a^2b + 45(12dx + 12c + \sin(4dx + 4c))a^2b}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $1/480*(120*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^3 - 480*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*a^2*b + 45*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a*b^2 + 32*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*b^3)/d$

**mupad** [B] time = 2.05, size = 319, normalized size = 1.77

$$\frac{\left(-a^3 + 6a^2b - \frac{15ab^2}{4} + 2b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-2a^3 + 16a^2b - \frac{3ab^2}{2} + \frac{8b^3}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(20a^2b + \frac{116b^3}{15}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(20a^2b + \frac{116b^3}{15}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(20a^2b + \frac{116b^3}{15}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^3,x)

[Out]  $(\tan(c/2 + (d*x)/2)^3*((3*a*b^2)/2 + 16*a^2*b + 2*a^3 + (8*b^3)/3) - \tan(c/2 + (d*x)/2)^7*((3*a*b^2)/2 - 16*a^2*b + 2*a^3 - (8*b^3)/3) + \tan(c/2 + (d*x)/2)*((15*a*b^2)/4 + 6*a^2*b + a^3 + 2*b^3) + \tan(c/2 + (d*x)/2)^5*(20*a^2*b + (116*b^3)/15) - \tan(c/2 + (d*x)/2)^9*((15*a*b^2)/4 - 6*a^2*b + a^3 - 2*b^3)/(d*(5*\tan(c/2 + (d*x)/2)^2 + 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 + 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} + 1)) + (a*atan((a*\tan(c/2 + (d*x)/2)*(4*a^2 + 9*b^2))/(4*((9*a*b^2)/4 + a^3)))*(4*a^2 + 9*b^2))/(4*d) - (a*(4*a^2 + 9*b^2)*(atan(\tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d)$

**sympy** [A] time = 2.18, size = 284, normalized size = 1.58

$$\left\{ \begin{array}{l} \frac{a^3x \sin^2(c+dx)}{2} + \frac{a^3x \cos^2(c+dx)}{2} + \frac{a^3 \sin(c+dx) \cos(c+dx)}{2d} + \frac{2a^2b \sin^3(c+dx)}{d} + \frac{3a^2b \sin(c+dx) \cos^2(c+dx)}{d} + \frac{9ab^2x \sin^4(c+dx)}{8} + \frac{9ab^2x \cos^4(c+dx)}{8} \\ x(a + b \cos(c))^3 \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*3,x)

[Out]  $\text{Piecewise}((a**3*x*\sin(c + d*x)**2/2 + a**3*x*\cos(c + d*x)**2/2 + a**3*\sin(c + d*x)*\cos(c + d*x)/(2*d) + 2*a**2*b*\sin(c + d*x)**3/d + 3*a**2*b*\sin(c + d*x)*\cos(c + d*x)**2/d + 9*a*b**2*x*\sin(c + d*x)**4/8 + 9*a*b**2*x*\sin(c + d*x)**2*\cos(c + d*x)**2/4 + 9*a*b**2*x*\cos(c + d*x)**4/8 + 9*a*b**2*\sin(c + d*x)**3*\cos(c + d*x)/(8*d) + 15*a*b**2*\sin(c + d*x)*\cos(c + d*x)**3/(8*d) + 8*b**3*\sin(c + d*x)**5/(15*d) + 4*b**3*\sin(c + d*x)**3*\cos(c + d*x)**2/(3*d) + b**3*\sin(c + d*x)*\cos(c + d*x)**4/d, Ne(d, 0)), (x*(a + b*cos(c))**3*cos(c)**2, True))$

### 3.430 $\int \cos(c + dx)(a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=121

$$\frac{a(a^2 + 4b^2) \sin(c + dx)}{2d} + \frac{b(2a^2 + 3b^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{3}{8}bx(4a^2 + b^2) + \frac{\sin(c + dx)(a + b \cos(c + dx))^3}{4d}$$

[Out]  $\frac{3}{8}b*(4*a^2+b^2)*x+1/2*a*(a^2+4*b^2)*\sin(d*x+c)/d+1/8*b*(2*a^2+3*b^2)*\cos(d*x+c)*\sin(d*x+c)/d+1/4*a*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/d+1/4*(a+b*\cos(d*x+c))^3*\sin(d*x+c)/d$

**Rubi [A]** time = 0.12, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2753, 2734}

$$\frac{a(a^2 + 4b^2) \sin(c + dx)}{2d} + \frac{b(2a^2 + 3b^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{3}{8}bx(4a^2 + b^2) + \frac{\sin(c + dx)(a + b \cos(c + dx))^3}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^3,x]

[Out]  $\frac{3*b*(4*a^2 + b^2)*x}{8} + \frac{a*(a^2 + 4*b^2)*\sin[c + d*x]}{(2*d)} + \frac{b*(2*a^2 + 3*b^2)*\cos[c + d*x]*\sin[c + d*x]}{(8*d)} + \frac{a*(a + b*\cos[c + d*x])^2*\sin[c + d*x]}{(4*d)} + \frac{(a + b*\cos[c + d*x])^3*\sin[c + d*x]}{(4*d)}$

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^3 dx &= \frac{(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (3b + 3a \cos(c + dx))(a + b \cos(c + dx))^2 \sin(c + dx) dx \\ &= \frac{a(a + b \cos(c + dx))^2 \sin(c + dx)}{4d} + \frac{(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{12} \int (3b + 3a \cos(c + dx)) \sin(c + dx) dx \\ &= \frac{3}{8}b(4a^2 + b^2)x + \frac{a(a^2 + 4b^2) \sin(c + dx)}{2d} + \frac{b(2a^2 + 3b^2) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 100, normalized size = 0.83

$$\frac{8a(4a^2 + 9b^2) \sin(c + dx) + b(8(3a^2 + b^2) \sin(2(c + dx)) + 48a^2c + 48a^2dx + 8ab \sin(3(c + dx)) + b^2 \sin(4(c + dx)))}{32d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^3,x]

[Out] (8\*a\*(4\*a^2 + 9\*b^2)\*Sin[c + d\*x] + b\*(48\*a^2\*c + 12\*b^2\*c + 48\*a^2\*d\*x + 12\*b^2\*d\*x + 8\*(3\*a^2 + b^2)\*Sin[2\*(c + d\*x)] + 8\*a\*b\*Ssin[3\*(c + d\*x)] + b^2\*Ssin[4\*(c + d\*x)])/(32\*d)

**fricas** [A] time = 1.38, size = 84, normalized size = 0.69

$$\frac{3(4a^2b + b^3)dx + (2b^3 \cos(dx + c)^3 + 8ab^2 \cos(dx + c)^2 + 8a^3 + 16ab^2 + 3(4a^2b + b^3) \cos(dx + c)) \sin(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/8\*(3\*(4\*a^2\*b + b^3)\*d\*x + (2\*b^3\*cos(d\*x + c)^3 + 8\*a\*b^2\*cos(d\*x + c)^2 + 8\*a^3 + 16\*a\*b^2 + 3\*(4\*a^2\*b + b^3)\*cos(d\*x + c))\*sin(d\*x + c)/d

**giac** [A] time = 0.51, size = 96, normalized size = 0.79

$$\frac{b^3 \sin(4dx + 4c)}{32d} + \frac{ab^2 \sin(3dx + 3c)}{4d} + \frac{3}{8}(4a^2b + b^3)x + \frac{(3a^2b + b^3) \sin(2dx + 2c)}{4d} + \frac{(4a^3 + 9ab^2) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/32\*b^3\*sin(4\*d\*x + 4\*c)/d + 1/4\*a\*b^2\*sin(3\*d\*x + 3\*c)/d + 3/8\*(4\*a^2\*b + b^3)\*x + 1/4\*(3\*a^2\*b + b^3)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(4\*a^3 + 9\*a\*b^2)\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 102, normalized size = 0.84

$$\frac{b^3 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + b^2 a (2 + \cos^2(dx + c)) \sin(dx + c) + 3a^2 b \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3,x)

[Out] 1/d\*(b^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+b^2\*a\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*a^2\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^3\*sin(d\*x+c))

**maxima** [A] time = 0.36, size = 95, normalized size = 0.79

$$\frac{24(2dx + 2c + \sin(2dx + 2c))a^2b - 32(\sin(dx + c)^3 - 3\sin(dx + c))ab^2 + (12dx + 12c + \sin(4dx + 4c))a^3}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 1/32\*(24\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^2\*b - 32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a\*b^2 + (12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a^3 + 32\*a^3\*sin(d\*x + c))/d

**mupad** [B] time = 1.95, size = 279, normalized size = 2.31

$$\frac{\left(2a^3 - 3a^2b + 6ab^2 - \frac{5b^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(6a^3 - 3a^2b + 10ab^2 + \frac{3b^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(6a^3 + 3a^2b + 10ab^2 + \frac{5b^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(6a^3 - 3a^2b + 10ab^2 + \frac{3b^3}{4}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(a + b*cos(c + d*x))^3,x)`

[Out]  $(\tan(c/2 + (d*x)/2)^7*(6*a*b^2 - 3*a^2*b + 2*a^3 - (5*b^3)/4) + \tan(c/2 + (d*x)/2)^3*(10*a*b^2 + 3*a^2*b + 6*a^3 - (3*b^3)/4) + \tan(c/2 + (d*x)/2)^5*(10*a*b^2 - 3*a^2*b + 6*a^3 + (3*b^3)/4) + \tan(c/2 + (d*x)/2)*(6*a*b^2 + 3*a^2*b + 2*a^3 + (5*b^3)/4))/(d*(4*\tan(c/2 + (d*x)/2)^2 + 6*\tan(c/2 + (d*x)/2)^4 + 4*\tan(c/2 + (d*x)/2)^6 + \tan(c/2 + (d*x)/2)^8 + 1)) + (3*b*\operatorname{atan}((3*b*\tan(c/2 + (d*x)/2)*(4*a^2 + b^2))/(4*(3*a^2*b + (3*b^3)/4)))*(4*a^2 + b^2))/(4*d) - (3*b*(4*a^2 + b^2)*(atan(\tan(c/2 + (d*x)/2)) - (d*x)/2))/(4*d)$

**sympy** [A] time = 1.08, size = 233, normalized size = 1.93

$$\left\{ \begin{array}{l} \frac{a^3 \sin(c+dx)}{d} + \frac{3a^2bx \sin^2(c+dx)}{2} + \frac{3a^2bx \cos^2(c+dx)}{2} + \frac{3a^2b \sin(c+dx) \cos(c+dx)}{2d} + \frac{2ab^2 \sin^3(c+dx)}{d} + \frac{3ab^2 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3b^3x}{d} \\ x(a + b \cos(c))^3 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))**3,x)`

[Out] `Piecewise((a**3*sin(c + d*x)/d + 3*a**2*b*x*sin(c + d*x)**2/2 + 3*a**2*b*x*cos(c + d*x)**2/2 + 3*a**2*b*sin(c + d*x)*cos(c + d*x)/(2*d) + 2*a*b**2*sin(c + d*x)**3/d + 3*a*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*b**3*x*sin(c + d*x)**4/8 + 3*b**3*x*cos(c + d*x)**2/4 + 3*b**3*x*cos(c + d*x)**4/8 + 3*b**3*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*b**3*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a + b*cos(c))**3*cos(c), True))`

### 3.431 $\int (a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=76

$$a^3x + \frac{b(3a^2 + b^2)\sin(c + dx)}{d} + \frac{3ab^2\sin(c + dx)\cos(c + dx)}{2d} + \frac{3}{2}ab^2x - \frac{b^3\sin^3(c + dx)}{3d}$$

[Out]  $a^3x + 3/2*a*b^2*x + b*(3*a^2 + b^2)*\sin(d*x + c)/d + 3/2*a*b^2*\cos(d*x + c)*\sin(d*x + c)/d - 1/3*b^3*\sin(d*x + c)^3/d$

**Rubi [A]** time = 0.07, antiderivative size = 90, normalized size of antiderivative = 1.18, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2656, 2734}

$$\frac{2b(4a^2 + b^2)\sin(c + dx)}{3d} + \frac{1}{2}ax(2a^2 + 3b^2) + \frac{5ab^2\sin(c + dx)\cos(c + dx)}{6d} + \frac{b\sin(c + dx)(a + b\cos(c + dx))^2}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3, x]

[Out]  $(a*(2*a^2 + 3*b^2)*x)/2 + (2*b*(4*a^2 + b^2)*\text{Sin}[c + d*x])/(3*d) + (5*a*b^2*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*d) + (b*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2656

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[1/n, Int[(a + b\*Sin[c + d\*x])^(n - 2)\*Simp[a^2\*n + b^2\*(n - 1) + a\*b\*(2\*n - 1)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[(b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 dx &= \frac{b(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx)) (3a^2 + 2b^2 + 5ab \cos(c + dx)) dx \\ &= \frac{1}{2}a(2a^2 + 3b^2)x + \frac{2b(4a^2 + b^2)\sin(c + dx)}{3d} + \frac{5ab^2 \cos(c + dx) \sin(c + dx)}{6d} + \frac{b^3 \sin^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 80, normalized size = 1.05

$$\frac{12a^3c + 12a^3dx + 9b(4a^2 + b^2)\sin(c + dx) + 9ab^2\sin(2(c + dx)) + 18ab^2c + 18ab^2dx + b^3\sin(3(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3, x]

[Out]  $(12*a^3*c + 18*a*b^2*c + 12*a^3*d*x + 18*a*b^2*d*x + 9*b*(4*a^2 + b^2)*\text{Sin}[c + d*x] + 9*a*b^2*\text{Sin}[2*(c + d*x)] + b^3*\text{Sin}[3*(c + d*x)])/(12*d)$

**fricas** [A] time = 0.69, size = 66, normalized size = 0.87

$$\frac{3(2a^3 + 3ab^2)dx + (2b^3 \cos(dx + c)^2 + 9ab^2 \cos(dx + c) + 18a^2b + 4b^3) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/6\*(3\*(2\*a^3 + 3\*a\*b^2)\*d\*x + (2\*b^3\*cos(d\*x + c)^2 + 9\*a\*b^2\*cos(d\*x + c) + 18\*a^2\*b + 4\*b^3)\*sin(d\*x + c))/d

**giac** [A] time = 0.40, size = 72, normalized size = 0.95

$$\frac{b^3 \sin(3dx + 3c)}{12d} + \frac{3ab^2 \sin(2dx + 2c)}{4d} + \frac{1}{2}(2a^3 + 3ab^2)x + \frac{3(4a^2b + b^3) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/12\*b^3\*sin(3\*d\*x + 3\*c)/d + 3/4\*a\*b^2\*sin(2\*d\*x + 2\*c)/d + 1/2\*(2\*a^3 + 3\*a\*b^2)\*x + 3/4\*(4\*a^2\*b + b^3)\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 76, normalized size = 1.00

$$\frac{\frac{b^3(2+\cos^2(dx+c))\sin(dx+c)}{3} + 3b^2a\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + 3a^2b \sin(dx + c) + a^3(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3,x)

[Out] 1/d\*(1/3\*b^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*b^2\*a\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+3\*a^2\*b\*sin(d\*x+c)+a^3\*(d\*x+c))

**maxima** [A] time = 0.61, size = 72, normalized size = 0.95

$$a^3x + \frac{3(2dx + 2c + \sin(2dx + 2c))ab^2}{4d} - \frac{(\sin(dx + c)^3 - 3 \sin(dx + c))b^3}{3d} + \frac{3a^2b \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] a^3\*x + 3/4\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a\*b^2/d - 1/3\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*b^3/d + 3\*a^2\*b\*sin(d\*x + c)/d

**mupad** [B] time = 0.60, size = 77, normalized size = 1.01

$$a^3x + \frac{3b^3 \sin(c + dx)}{4d} + \frac{b^3 \sin(3c + 3dx)}{12d} + \frac{3ab^2x}{2} + \frac{3ab^2 \sin(2c + 2dx)}{4d} + \frac{3a^2b \sin(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3,x)

[Out] a^3\*x + (3\*b^3\*sin(c + d\*x))/(4\*d) + (b^3\*sin(3\*c + 3\*d\*x))/(12\*d) + (3\*a\*b^2\*d\*x)/2 + (3\*a\*b^2\*sin(2\*c + 2\*d\*x))/(4\*d) + (3\*a^2\*b\*sin(c + d\*x))/d

sympy [A] time = 0.52, size = 128, normalized size = 1.68

$$\left\{ \begin{array}{l} a^3 x + \frac{3a^2 b \sin(c+dx)}{d} + \frac{3ab^2 x \sin^2(c+dx)}{2} + \frac{3ab^2 x \cos^2(c+dx)}{2} + \frac{3ab^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{2b^3 \sin^3(c+dx)}{3d} + \frac{b^3 \sin(c+dx) \cos^2(c+dx)}{d} \\ x(a + b \cos(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3,x)

[Out] Piecewise((a\*\*3\*x + 3\*a\*\*2\*b\*sin(c + d\*x)/d + 3\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*2/2 + 3\*a\*b\*\*2\*x\*cos(c + d\*x)\*\*2/2 + 3\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*b\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(a + b\*cos(c))\*\*3, True))

### 3.432 $\int (a + b \cos(c + dx))^3 \sec(c + dx) dx$

**Optimal.** Leaf size=73

$$\frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{1}{2}bx(6a^2 + b^2) + \frac{5ab^2 \sin(c + dx)}{2d} + \frac{b^2 \sin(c + dx)(a + b \cos(c + dx))}{2d}$$

[Out]  $1/2*b*(6*a^2+b^2)*x+a^3*\operatorname{arctanh}(\sin(d*x+c))/d+5/2*a*b^2*\sin(d*x+c)/d+1/2*b^2*(a+b*\cos(d*x+c))*\sin(d*x+c)/d$

**Rubi [A]** time = 0.11, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2793, 3023, 2735, 3770}

$$\frac{1}{2}bx(6a^2 + b^2) + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{5ab^2 \sin(c + dx)}{2d} + \frac{b^2 \sin(c + dx)(a + b \cos(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Cos[c + d*x])^3*Sec[c + d*x], x]`

[Out]  $(b*(6*a^2 + b^2)*x)/2 + (a^3*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d + (5*a*b^2*\operatorname{Sin}[c + d*x])/(2*d) + (b^2*(a + b*\operatorname{Cos}[c + d*x])*\operatorname{Sin}[c + d*x])/(2*d)$

#### Rule 2735

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

#### Rule 2793

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^n*Simp[a^3*d*(m + n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | | IntegerQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))`

#### Rule 3023

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

#### Rubi steps



$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec(c + dx) dx &= \frac{b^2(a + b \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^3 + b(6a^2 + b^2)) \cos(c + dx) dx \\
&= \frac{5ab^2 \sin(c + dx)}{2d} + \frac{b^2(a + b \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^3 + b(6a^2 + b^2)) \cos(c + dx) dx \\
&= \frac{1}{2} b(6a^2 + b^2) x + \frac{5ab^2 \sin(c + dx)}{2d} + \frac{b^2(a + b \cos(c + dx)) \sin(c + dx)}{2d} \\
&= \frac{1}{2} b(6a^2 + b^2) x + \frac{a^3 \tanh^{-1}(\sin(c + dx))}{d} + \frac{5ab^2 \sin(c + dx)}{2d} + \frac{b^2(a + b \cos(c + dx)) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 105, normalized size = 1.44

$$\frac{-4a^3 \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 4a^3 \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) + 2b(6a^2 + b^2)(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x], x]

[Out] (2\*b\*(6\*a^2 + b^2)\*(c + d\*x) - 4\*a^3\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 4\*a^3\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 12\*a\*b^2\*Sin[c + d\*x] + b^3\*Sin[2\*(c + d\*x)])/(4\*d)

**fricas [A]** time = 0.85, size = 72, normalized size = 0.99

$$\frac{a^3 \log(\sin(dx + c) + 1) - a^3 \log(-\sin(dx + c) + 1) + (6a^2b + b^3)dx + (b^3 \cos(dx + c) + 6ab^2) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c), x, algorithm="fricas")

[Out] 1/2\*(a^3\*log(sin(d\*x + c) + 1) - a^3\*log(-sin(d\*x + c) + 1) + (6\*a^2\*b + b^3)\*d\*x + (b^3\*cos(d\*x + c) + 6\*a\*b^2)\*sin(d\*x + c))/d

**giac [B]** time = 0.51, size = 137, normalized size = 1.88

$$\frac{2a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2a^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (6a^2b + b^3)(dx + c) + \frac{2\left(6ab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^3}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c), x, algorithm="giac")

[Out] 1/2\*(2\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 2\*a^3\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + (6\*a^2\*b + b^3)\*(d\*x + c) + 2\*(6\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 6\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c) + b^3\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2/d

**maple [A]** time = 0.08, size = 90, normalized size = 1.23

$$\frac{a^3 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3a^2bx + \frac{3a^2bc}{d} + \frac{3ab^2 \sin(dx + c)}{d} + \frac{b^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{b^3x}{2} + \frac{cb^3}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c), x)

[Out]  $1/d*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+3*a^2*b*x+3/d*a^2*b*c+3*a*b^2*\sin(d*x+c)/d+1/2/d*b^3*\cos(d*x+c)*\sin(d*x+c)+1/2*b^3*x+1/2/d*c*b^3$

**maxima** [A] time = 0.34, size = 69, normalized size = 0.95

$$\frac{12(dx+c)a^2b + (2dx+2c+\sin(2dx+2c))b^3 + 4a^3 \log(\sec(dx+c) + \tan(dx+c)) + 12ab^2 \sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c),x, algorithm="maxima")

[Out]  $1/4*(12*(d*x+c)*a^2*b + (2*d*x + 2*c + \sin(2*d*x + 2*c))*b^3 + 4*a^3*\log(\sec(d*x+c) + \tan(d*x+c)) + 12*a*b^2*\sin(d*x+c))/d$

**mupad** [B] time = 0.72, size = 123, normalized size = 1.68

$$\frac{2a^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{b^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{b^3 \sin(2c + 2dx)}{4d} + \frac{3ab^2 \sin(c + dx)}{d} + \frac{6a^2 b \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x),x)

[Out]  $(2*a^3*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (b^3*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (b^3*\sin(2*c + 2*d*x))/(4*d) + (3*a*b^2*\sin(c + d*x))/d + (6*a^2*b*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^3 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c),x)

[Out] Integral((a + b\*cos(c + d\*x))^3\*sec(c + d\*x), x)

### 3.433 $\int (a + b \cos(c + dx))^3 \sec^2(c + dx) dx$

**Optimal.** Leaf size=68

$$-\frac{b(a^2 - b^2) \sin(c + dx)}{d} + \frac{3a^2 b \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)(a + b \cos(c + dx))}{d} + 3ab^2 x$$

[Out] 3\*a\*b^2\*x+3\*a^2\*b\*arctanh(sin(d\*x+c))/d-b\*(a^2-b^2)\*sin(d\*x+c)/d+a^2\*(a+b\*cos(d\*x+c))\*tan(d\*x+c)/d

**Rubi [A]** time = 0.12, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2792, 3023, 2735, 3770}

$$-\frac{b(a^2 - b^2) \sin(c + dx)}{d} + \frac{3a^2 b \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)(a + b \cos(c + dx))}{d} + 3ab^2 x$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^2,x]

[Out] 3\*a\*b^2\*x + (3\*a^2\*b\*ArcTanh[Sin[c + d\*x]])/d - (b\*(a^2 - b^2)\*Sin[c + d\*x])/d + (a^2\*(a + b\*Cos[c + d\*x])\*Tan[c + d\*x])/d

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec^2(c + dx) dx &= \frac{a^2(a + b \cos(c + dx)) \tan(c + dx)}{d} + \int (3a^2b + 3ab^2 \cos(c + dx) - b(a^2 \\
&= -\frac{b(a^2 - b^2) \sin(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx)) \tan(c + dx)}{d} + \int (3a^2b \\
&= 3ab^2x - \frac{b(a^2 - b^2) \sin(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx)) \tan(c + dx)}{d} + (3 \\
&= 3ab^2x + \frac{3a^2b \tanh^{-1}(\sin(c + dx))}{d} - \frac{b(a^2 - b^2) \sin(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx)) \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.35, size = 88, normalized size = 1.29

$$\frac{a^3 \tan(c + dx) + 3ab \left( -a \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + a \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) \right) + b^3 \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^2,x]

[Out] (3\*a\*b\*(b\*c + b\*d\*x - a\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + a\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + b^3\*Sin[c + d\*x] + a^3\*Tan[c + d\*x])/d

**fricas [A]** time = 1.08, size = 94, normalized size = 1.38

$$\frac{6ab^2dx \cos(dx + c) + 3a^2b \cos(dx + c) \log(\sin(dx + c) + 1) - 3a^2b \cos(dx + c) \log(-\sin(dx + c) + 1) + 2(b^3 \cos(dx + c) + a^3 \tan(dx + c))}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(6\*a\*b^2\*d\*x\*cos(d\*x + c) + 3\*a^2\*b\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - 3\*a^2\*b\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*(b^3\*cos(d\*x + c) + a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c))

**giac [A]** time = 0.58, size = 129, normalized size = 1.90

$$\frac{3(dx + c)ab^2 + 3a^2b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3a^2b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( a^3 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right)^3 - b^3 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] (3\*(d\*x + c)\*a\*b^2 + 3\*a^2\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*a^2\*b\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + a^3\*tan(1/2\*d\*x + 1/2\*c) + b^3\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^4 - 1))/d

**maple [A]** time = 0.08, size = 68, normalized size = 1.00

$$3ab^2x + \frac{a^3 \tan(dx + c)}{d} + \frac{b^3 \sin(dx + c)}{d} + \frac{3a^2b \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{3ab^2c}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x)

[Out]  $3*a*b^2*x+a^3*\tan(d*x+c)/d+1/d*b^3*\sin(d*x+c)+3/d*a^2*b*\ln(\sec(d*x+c)+\tan(d*x+c))+3/d*a*b^2*c$

**maxima** [A] time = 0.89, size = 66, normalized size = 0.97

$$\frac{6(dx+c)ab^2 + 3a^2b(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 2b^3\sin(dx+c) + 2a^3\tan(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out]  $1/2*(6*(d*x+c)*a*b^2 + 3*a^2*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 2*b^3*\sin(d*x+c) + 2*a^3*\tan(d*x+c))/d$

**mupad** [B] time = 0.62, size = 97, normalized size = 1.43

$$\frac{b^3 \sin(c+dx)}{d} + \frac{a^3 \sin(c+dx)}{d \cos(c+dx)} + \frac{6ab^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{6a^2b \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^2,x)

[Out]  $(b^3*\sin(c+d*x))/d + (a^3*\sin(c+d*x))/(d*\cos(c+d*x)) + (6*a*b^2*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (6*a^2*b*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^3 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*2,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*3\*sec(c + d\*x)\*\*2, x)

### 3.434 $\int (a + b \cos(c + dx))^3 \sec^3(c + dx) dx$

**Optimal.** Leaf size=79

$$\frac{a(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^2b \tan(c + dx)}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)(a + b \cos(c + dx))}{2d} + b^3x$$

[Out]  $b^3x + 1/2*a*(a^2+6*b^2)*\text{arctanh}(\sin(d*x+c))/d + 5/2*a^2*b*\tan(d*x+c)/d + 1/2*a^2*(a+b*\cos(d*x+c))*\sec(d*x+c)*\tan(d*x+c)/d$

**Rubi [A]** time = 0.13, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2792, 3021, 2735, 3770}

$$\frac{a(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^2b \tan(c + dx)}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)(a + b \cos(c + dx))}{2d} + b^3x$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^3, x]$

[Out]  $b^3*x + (a*(a^2 + 6*b^2)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + (5*a^2*b*\text{Tan}[c + d*x])/(2*d) + (a^2*(a + b*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2735

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n*(x))], x\_Symbol] :> \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 2792

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n*(x))], x\_Symbol] :> -\text{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m-3}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n])$

#### Rule 3021

$\text{Int}[(a + b*\sin[e + f*x])^m*((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x\_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1}]/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 3770

$\text{Int}[\text{csc}[(c + d*x)], x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec^3(c + dx) dx &= \frac{a^2(a + b \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (5a^2b + a(a^2 + 6b^2) \tan(c + dx)) \sec(c + dx) \tan(c + dx) dx \\
&= \frac{5a^2b \tan(c + dx)}{2d} + \frac{a^2(a + b \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (5a^2b + a(a^2 + 6b^2) \tan(c + dx)) \sec(c + dx) \tan(c + dx) dx \\
&= b^3x + \frac{5a^2b \tan(c + dx)}{2d} + \frac{a^2(a + b \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} \\
&= b^3x + \frac{a(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^2b \tan(c + dx)}{2d} + \frac{a^2(a + b \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 0.18, size = 55, normalized size = 0.70

$$\frac{a(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx)) + a^2 \tan(c + dx)(a \sec(c + dx) + 6b) + 2b^3 dx}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^3,x]

[Out] (2\*b^3\*d\*x + a\*(a^2 + 6\*b^2)\*ArcTanh[Sin[c + d\*x]] + a^2\*(6\*b + a\*Sec[c + d\*x])\*Tan[c + d\*x])/(2\*d)

**fricas [A]** time = 1.12, size = 112, normalized size = 1.42

$$\frac{4b^3 dx \cos(dx + c)^2 + (a^3 + 6ab^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (a^3 + 6ab^2) \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(4\*b^3\*d\*x\*cos(d\*x + c)^2 + (a^3 + 6\*a\*b^2)\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - (a^3 + 6\*a\*b^2)\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(6\*a^2\*b\*cos(d\*x + c) + a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**giac [A]** time = 0.70, size = 143, normalized size = 1.81

$$\frac{2(dx + c)b^3 + (a^3 + 6ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (a^3 + 6ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2(a^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + a^3)}{d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(2\*(d\*x + c)\*b^3 + (a^3 + 6\*a\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (a^3 + 6\*a\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 6\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a^3\*tan(1/2\*d\*x + 1/2\*c) + 6\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2/d

**maple [A]** time = 0.10, size = 95, normalized size = 1.20

$$\frac{a^3 \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{3a^2b \tan(dx + c)}{d} + \frac{3b^2a \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^3,x)

[Out]  $\frac{1}{2}a^3 \sec(dx+c) \tan(dx+c)/d + \frac{1}{2}d^3 a^3 \ln(\sec(dx+c) + \tan(dx+c)) + 3a^2 b \tan(dx+c)/d + 3/d^3 b^2 a \ln(\sec(dx+c) + \tan(dx+c)) + b^3 x + 1/d^3 c b^3$

**maxima** [A] time = 0.63, size = 101, normalized size = 1.28

$$\frac{4(dx+c)b^3 - a^3 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 6ab^2 (\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*sec(d*x+c)^3,x, algorithm="maxima")`

[Out]  $\frac{1}{4} * (4 * (d * x + c) * b^3 - a^3 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 6 * a * b^2 * (\log(\sin(d * x + c) + 1) - \log(\sin(d * x + c) - 1)) + 12 * a^2 * b * \tan(d * x + c)) / d$

**mupad** [B] time = 0.67, size = 136, normalized size = 1.72

$$\frac{a^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2b^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{a^3 \sin(c+dx)}{2d \cos(c+dx)^2} + \frac{6ab^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{3a^2 b \sin(c+dx)}{d \cos(c+dx)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^3/cos(c + d*x)^3,x)`

[Out]  $(a^3 \operatorname{atanh}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))) / d + (2 * b^3 \operatorname{atan}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))) / d + (a^3 \sin(c + d*x)) / (2 * d * \cos(c + d*x)^2) + (6 * a * b^2 \operatorname{atanh}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))) / d + (3 * a^2 * b * \sin(c + d*x)) / (d * \cos(c + d*x))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^3 \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**3,x)`

[Out] `Integral((a + b*cos(c + d*x))**3*sec(c + d*x)**3, x)`



### 3.435 $\int (a + b \cos(c + dx))^3 \sec^4(c + dx) dx$

**Optimal.** Leaf size=109

$$\frac{a(2a^2 + 9b^2) \tan(c + dx)}{3d} + \frac{b(3a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{7a^2b \tan(c + dx) \sec(c + dx)}{6d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{3d}$$

[Out] 1/2\*b\*(3\*a^2+2\*b^2)\*arctanh(sin(d\*x+c))/d+1/3\*a\*(2\*a^2+9\*b^2)\*tan(d\*x+c)/d+7/6\*a^2\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+1/3\*a^2\*(a+b\*cos(d\*x+c))\*sec(d\*x+c)^2\*tan(d\*x+c)/d

**Rubi [A]** time = 0.18, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3021, 2748, 3767, 8, 3770}

$$\frac{a(2a^2 + 9b^2) \tan(c + dx)}{3d} + \frac{b(3a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{7a^2b \tan(c + dx) \sec(c + dx)}{6d} + \frac{a^2 \tan(c + dx) \sec(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^4,x]

[Out] (b\*(3\*a^2 + 2\*b^2)\*ArcTanh[Sin[c + d\*x]]/(2\*d) + (a\*(2\*a^2 + 9\*b^2)\*Tan[c + d\*x])/(3\*d) + (7\*a^2\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d) + (a^2\*(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 \sec^4(c + dx) dx &= \frac{a^2(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (7a^2b + a(2a^2 + 9b^2)) \sec^2(c + dx) \tan(c + dx) dx \\ &= \frac{7a^2b \sec(c + dx) \tan(c + dx)}{6d} + \frac{a^2(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{7a^2b \sec(c + dx) \tan(c + dx)}{6d} + \frac{a^2(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{b(3a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{7a^2b \sec(c + dx) \tan(c + dx)}{6d} + \frac{a^2(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{b(3a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2a^2 + 9b^2) \tan(c + dx)}{3d} + \frac{7a^2b \sec(c + dx) \tan(c + dx)}{6d} \end{aligned}$$

**Mathematica** [A] time = 0.26, size = 70, normalized size = 0.64

$$\frac{(9a^2b + 6b^3) \tanh^{-1}(\sin(c + dx)) + a \tan(c + dx) (2a^2 \tan^2(c + dx) + 6a^2 + 9ab \sec(c + dx) + 18b^2)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*Sec[c + d*x]^4,x]
```

```
[Out] ((9*a^2*b + 6*b^3)*ArcTanh[Sin[c + d*x]] + a*Tan[c + d*x]*(6*a^2 + 18*b^2 + 9*a*b*Sec[c + d*x] + 2*a^2*Tan[c + d*x]^2))/(6*d)
```

**fricas** [A] time = 1.08, size = 126, normalized size = 1.16

$$\frac{3(3a^2b + 2b^3) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(3a^2b + 2b^3) \cos(dx + c)^3 \log(-\sin(dx + c) + 1) + 2(9a^2b + 6b^3) \cos(dx + c)^3}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] 1/12*(3*(3*a^2*b + 2*b^3)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(3*a^2*b + 2*b^3)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(9*a^2*b*cos(d*x + c) + 2*a^3 + 2*(2*a^3 + 9*a*b^2)*cos(d*x + c)^2)*sin(d*x + c))/(d*cos(d*x + c)^3)
```

**giac** [B] time = 0.55, size = 205, normalized size = 1.88

$$3(3a^2b + 2b^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3a^2b + 2b^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 9a^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6ab^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b^3\right)}{12d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x, algorithm="giac")

[Out]  $\frac{1}{6}*(3*(3*a^2*b + 2*b^3)*\log(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*a^2*b + 2*b^3)*\log(\tan(1/2*d*x + 1/2*c) - 1) - 2*(6*a^3*\tan(1/2*d*x + 1/2*c)^5 - 9*a^2*b*\tan(1/2*d*x + 1/2*c)^5 + 18*a*b^2*\tan(1/2*d*x + 1/2*c)^5 - 4*a^3*\tan(1/2*d*x + 1/2*c)^3 - 36*a*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*a^3*\tan(1/2*d*x + 1/2*c) + 9*a^2*b*\tan(1/2*d*x + 1/2*c) + 18*a*b^2*\tan(1/2*d*x + 1/2*c)) / (\tan(1/2*d*x + 1/2*c)^2 - 1)^3 / d$

**maple [A]** time = 0.10, size = 118, normalized size = 1.08

$$\frac{2a^3 \tan(dx + c)}{3d} + \frac{a^3 \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{3a^2 b \sec(dx + c) \tan(dx + c)}{2d} + \frac{3a^2 b \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x)

[Out]  $\frac{2}{3}a^3*\tan(d*x+c)/d + \frac{1}{3}d*a^3*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{3}{2}a^2*b*\sec(d*x+c)*\tan(d*x+c)/d + \frac{3}{2}d*a^2*b*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{3}{d}b^2*a*\tan(d*x+c) + \frac{1}{d}b^3*\ln(\sec(d*x+c) + \tan(d*x+c))$

**maxima [A]** time = 0.83, size = 113, normalized size = 1.04

$$\frac{4 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) a^3 - 9 a^2 b \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 6 b^3}{12 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out]  $\frac{1}{12}*(4*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^3 - 9*a^2*b*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 6*b^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 36*a*b^2*\tan(d*x + c))/d$

**mapad [B]** time = 2.63, size = 157, normalized size = 1.44

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(3a^2b + 2b^3\right) \left(2a^3 - 3a^2b + 6ab^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(-\frac{4a^3}{3} - 12ab^2\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 - 3\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 3\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^4,x)

[Out]  $(\operatorname{atanh}(\tan(c/2 + (d*x)/2)) * (3*a^2*b + 2*b^3)) / d - (\tan(c/2 + (d*x)/2)^5 * (6*a*b^2 - 3*a^2*b + 2*a^3) - \tan(c/2 + (d*x)/2)^3 * (12*a*b^2 + (4*a^3)/3) + \tan(c/2 + (d*x)/2) * (6*a*b^2 + 3*a^2*b + 2*a^3)) / (d * (3*\tan(c/2 + (d*x)/2)^2 - 3*\tan(c/2 + (d*x)/2)^4 + \tan(c/2 + (d*x)/2)^6 - 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

### 3.436 $\int (a + b \cos(c + dx))^3 \sec^5(c + dx) dx$

**Optimal.** Leaf size=133

$$\frac{b(2a^2 + b^2) \tan(c + dx)}{d} + \frac{3a(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a(a^2 + 4b^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{3a^2 b \tan(c + dx)}{d}$$

[Out] 3/8\*a\*(a^2+4\*b^2)\*arctanh(sin(d\*x+c))/d+b\*(2\*a^2+b^2)\*tan(d\*x+c)/d+3/8\*a\*(a^2+4\*b^2)\*sec(d\*x+c)\*tan(d\*x+c)/d+3/4\*a^2\*b\*sec(d\*x+c)^2\*tan(d\*x+c)/d+1/4\*a^2\*(a+b\*cos(d\*x+c))\*sec(d\*x+c)^3\*tan(d\*x+c)/d

**Rubi [A]** time = 0.20, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2792, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{b(2a^2 + b^2) \tan(c + dx)}{d} + \frac{3a(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{3a(a^2 + 4b^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{3a^2 b \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^5,x]

[Out] (3\*a\*(a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (b\*(2\*a^2 + b^2)\*Tan[c + d\*x])/d + (3\*a\*(a^2 + 4\*b^2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (3\*a^2\*b\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(4\*d) + (a^2\*(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^3 \sec^5(c + dx) dx &= \frac{a^2(a + b \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (9a^2b + 3a(a^2 \\
 &= \frac{3a^2b \sec^2(c + dx) \tan(c + dx)}{4d} + \frac{a^2(a + b \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{3a^2b \sec^2(c + dx) \tan(c + dx)}{4d} + \frac{a^2(a + b \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{3a(a^2 + 4b^2) \sec(c + dx) \tan(c + dx)}{8d} + \frac{3a^2b \sec^2(c + dx) \tan(c + dx)}{4d} \\
 &= \frac{3a(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(2a^2 + b^2) \tan(c + dx)}{d} + \frac{3a(a^2 + 4b^2)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 0.42, size = 90, normalized size = 0.68

$$\frac{3a(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (2a^3 \sec^3(c + dx) + 8b(a^2 \tan^2(c + dx) + 3a^2 + b^2)) + 3a(a^2 + 4b^2)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3\*Sec[c + d\*x]^5,x]

[Out] (3\*a\*(a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(3\*a\*(a^2 + 4\*b^2)\*Sec[c + d\*x] + 2\*a^3\*Sec[c + d\*x]^3 + 8\*b\*(3\*a^2 + b^2 + a^2\*Tan[c + d\*x]^2)))/(8\*d)

**fricas [A]** time = 1.04, size = 140, normalized size = 1.05

$$\frac{3(a^3 + 4ab^2) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(a^3 + 4ab^2) \cos(dx + c)^4 \log(-\sin(dx + c) + 1) + 2(8a^3 + 4a^2b + b^3) \cos(dx + c)^3 + 2a^3 + 3(a^3 + 4ab^2) \cos(dx + c)^2 + 3a^2b + b^3}{16d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/16\*(3\*(a^3 + 4\*a\*b^2)\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 3\*(a^3 + 4\*a\*b^2)\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(8\*a^2\*b\*cos(d\*x + c) + 8\*(2\*a^2\*b + b^3)\*cos(d\*x + c)^3 + 2\*a^3 + 3\*(a^3 + 4\*a\*b^2)\*cos(d\*x + c)^2)\*sin(d\*x + c)/(d\*cos(d\*x + c)^4)

**giac [B]** time = 0.69, size = 330, normalized size = 2.48

$$3(a^3 + 4ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(a^3 + 4ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(5a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7 - 24a^2b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{8} * (3 * (a^3 + 4 * a * b^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 3 * (a^3 + 4 * a * b^2) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) + 2 * (5 * a^3 * \tan(1/2 * d * x + 1/2 * c)^7 - 2 * 4 * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^7 + 12 * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 8 * b^3 * \tan(1/2 * d * x + 1/2 * c)^7 + 3 * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 40 * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^5 - 12 * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 24 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 3 * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 - 40 * a^2 * b * \tan(1/2 * d * x + 1/2 * c)^3 - 12 * a * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 24 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * a^3 * \tan(1/2 * d * x + 1/2 * c) + 24 * a^2 * b * \tan(1/2 * d * x + 1/2 * c) + 12 * a * b^2 * \tan(1/2 * d * x + 1/2 * c) + 8 * b^3 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^4 / d$

**maple [A]** time = 0.11, size = 160, normalized size = 1.20

$$\frac{a^3 (\sec^3(dx+c)) \tan(dx+c)}{4d} + \frac{3a^3 \sec(dx+c) \tan(dx+c)}{8d} + \frac{3a^3 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + \frac{2a^2b \tan(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x)

[Out]  $\frac{1}{4} * a^3 * \sec(d * x + c)^3 * \tan(d * x + c) / d + 3/8 * a^3 * \sec(d * x + c) * \tan(d * x + c) / d + 3/8 * a^3 * \ln(\sec(d * x + c) + \tan(d * x + c)) / d + 2 * a^2 * b * \tan(d * x + c) / d + a^2 * b * \sec(d * x + c)^2 * \tan(d * x + c) / d + 3/2 * d * b^2 * a * \tan(d * x + c) * \sec(d * x + c) + 3/2 * d * b^2 * a * \ln(\sec(d * x + c) + \tan(d * x + c)) + 1/d * b^3 * \tan(d * x + c)$

**maxima [A]** time = 0.80, size = 158, normalized size = 1.19

$$\frac{16 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a^2 b - a^3 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1) \right)}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{16} * (16 * (\tan(d * x + c)^3 + 3 * \tan(d * x + c)) * a^2 * b - a^3 * (2 * (3 * \sin(d * x + c)^3 - 5 * \sin(d * x + c)) / (\sin(d * x + c)^4 - 2 * \sin(d * x + c)^2 + 1) - 3 * \log(\sin(d * x + c) + 1) + 3 * \log(\sin(d * x + c) - 1)) - 12 * a * b^2 * (2 * \sin(d * x + c) / (\sin(d * x + c)^2 - 1) - \log(\sin(d * x + c) + 1) + \log(\sin(d * x + c) - 1)) + 16 * b^3 * \tan(d * x + c)) / d$

**mupad [B]** time = 4.22, size = 224, normalized size = 1.68

$$\frac{\left(\frac{5a^3}{4} - 6a^2b + 3ab^2 - 2b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{3a^3}{4} + 10a^2b - 3ab^2 + 6b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{3a^3}{4} - 10a^2b - 3ab^2 + 6b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{5a^3}{4} - 6a^2b + 3ab^2 - 2b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^5,x)

```
[Out] (tan(c/2 + (d*x)/2)^7*(3*a*b^2 - 6*a^2*b + (5*a^3)/4 - 2*b^3) - tan(c/2 + (d*x)/2)^3*(3*a*b^2 + 10*a^2*b - (3*a^3)/4 + 6*b^3) + tan(c/2 + (d*x)/2)^5*(10*a^2*b - 3*a*b^2 + (3*a^3)/4 + 6*b^3) + tan(c/2 + (d*x)/2)*(3*a*b^2 + 6*a^2*b + (5*a^3)/4 + 2*b^3))/(d*(6*tan(c/2 + (d*x)/2)^4 - 4*tan(c/2 + (d*x)/2)^2 - 4*tan(c/2 + (d*x)/2)^6 + tan(c/2 + (d*x)/2)^8 + 1)) + (3*a*atanh(tan(c/2 + (d*x)/2))*(a^2 + 4*b^2))/(4*d)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**5,x)
```

```
[Out] Timed out
```

### 3.437 $\int (a + b \cos(c + dx))^3 \sec^6(c + dx) dx$

**Optimal.** Leaf size=169

$$\frac{a(4a^2 + 15b^2) \tan^3(c + dx)}{15d} + \frac{a(4a^2 + 15b^2) \tan(c + dx)}{5d} + \frac{b(9a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(9a^2 + 4b^2) \tan(c + dx)}{8d}$$

[Out] 1/8\*b\*(9\*a^2+4\*b^2)\*arctanh(sin(d\*x+c))/d+1/5\*a\*(4\*a^2+15\*b^2)\*tan(d\*x+c)/d+1/8\*b\*(9\*a^2+4\*b^2)\*sec(d\*x+c)\*tan(d\*x+c)/d+11/20\*a^2\*b\*sec(d\*x+c)^3\*tan(d\*x+c)/d+1/5\*a^2\*(a+b\*cos(d\*x+c))\*sec(d\*x+c)^4\*tan(d\*x+c)/d+1/15\*a\*(4\*a^2+15\*b^2)\*tan(d\*x+c)^3/d

**Rubi [A]** time = 0.22, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3021, 2748, 3767, 3768, 3770}

$$\frac{a(4a^2 + 15b^2) \tan^3(c + dx)}{15d} + \frac{a(4a^2 + 15b^2) \tan(c + dx)}{5d} + \frac{b(9a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{b(9a^2 + 4b^2) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^3\*Sec[c + d\*x]^6,x]

[Out] (b\*(9\*a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a\*(4\*a^2 + 15\*b^2)\*Tan[c + d\*x])/(5\*d) + (b\*(9\*a^2 + 4\*b^2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (11\*a^2\*b\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(20\*d) + (a^2\*(a + b\*cos[c + d\*x])\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d) + (a\*(4\*a^2 + 15\*b^2)\*Tan[c + d\*x]^3)/(15\*d)

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 3767



```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 \sec^6(c + dx) dx &= \frac{a^2(a + b \cos(c + dx)) \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (11a^2b + a(4a^2 \\ &= \frac{11a^2b \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{a^2(a + b \cos(c + dx)) \sec^4(c + dx) \tan(c + dx)}{5d} \\ &= \frac{11a^2b \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{a^2(a + b \cos(c + dx)) \sec^4(c + dx) \tan(c + dx)}{5d} \\ &= \frac{b(9a^2 + 4b^2) \sec(c + dx) \tan(c + dx)}{8d} + \frac{11a^2b \sec^3(c + dx) \tan(c + dx)}{20d} \\ &= \frac{b(9a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4a^2 + 15b^2) \tan(c + dx)}{5d} + \frac{b(9a^2 + 4b^2) \sec^3(c + dx) \tan(c + dx)}{20d} \end{aligned}$$

**Mathematica [A]** time = 0.90, size = 120, normalized size = 0.71

$$\frac{15b(9a^2 + 4b^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (8a(5(2a^2 + 3b^2) \tan^2(c + dx) + 15(a^2 + 3b^2)) + 3a^2 \tan^4(c + dx))}{120d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*Sec[c + d*x]^6,x]
```

```
[Out] (15*b*(9*a^2 + 4*b^2)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(15*b*(9*a^2 + 4*b^2)*Sec[c + d*x] + 90*a^2*b*Sec[c + d*x]^3 + 8*a*(15*(a^2 + 3*b^2) + 5*(2*a^2 + 3*b^2)*Tan[c + d*x]^2 + 3*a^2*Tan[c + d*x]^4)))/(120*d)
```

**fricas [A]** time = 0.89, size = 170, normalized size = 1.01

$$\frac{15(9a^2b + 4b^3) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(9a^2b + 4b^3) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(16(4a^3 + 15ab^2) \cos(dx + c)^4 + 90a^2b \cos(dx + c) + 15(9a^2b + 4b^3) \cos(dx + c)^3 + 24a^3 + 8(4a^3 + 15ab^2) \cos(dx + c)^2) \sin(dx + c)}{(d \cos(dx + c))^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*sec(d*x+c)^6,x, algorithm="fricas")
```

```
[Out] 1/240*(15*(9*a^2*b + 4*b^3)*cos(d*x + c)^5*log(sin(d*x + c) + 1) - 15*(9*a^2*b + 4*b^3)*cos(d*x + c)^5*log(-sin(d*x + c) + 1) + 2*(16*(4*a^3 + 15*a*b^2)*cos(d*x + c)^4 + 90*a^2*b*cos(d*x + c) + 15*(9*a^2*b + 4*b^3)*cos(d*x + c)^3 + 24*a^3 + 8*(4*a^3 + 15*a*b^2)*cos(d*x + c)^2)*sin(d*x + c)/(d*cos(d*x + c)^5)
```

**giac [B]** time = 0.66, size = 367, normalized size = 2.17

$$15(9a^2b + 4b^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(9a^2b + 4b^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(120a^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^9}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/120\*(15\*(9\*a^2\*b + 4\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 15\*(9\*a^2\*b + 4\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(120\*a^3\*tan(1/2\*d\*x + 1/2\*c)^9 - 225\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^9 + 360\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 60\*b^3\*tan(1/2\*d\*x + 1/2\*c)^9 - 160\*a^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 90\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^7 - 960\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 120\*b^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 464\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 + 1200\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 160\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 90\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 960\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 120\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 120\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 225\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c) + 360\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 60\*b^3\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^5)/d

**maple [A]** time = 0.12, size = 206, normalized size = 1.22

$$\frac{8a^3 \tan(dx+c)}{15d} + \frac{a^3 \tan(dx+c) (\sec^4(dx+c))}{5d} + \frac{4a^3 \tan(dx+c) (\sec^2(dx+c))}{15d} + \frac{3a^2b (\sec^3(dx+c)) \tan(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x)

[Out] 8/15\*a^3\*tan(d\*x+c)/d+1/5/d\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^4+4/15/d\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^2+3/4\*a^2\*b\*sec(d\*x+c)^3\*tan(d\*x+c)/d+9/8\*a^2\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+9/8/d\*a^2\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*b^2\*a\*tan(d\*x+c)+1/d\*b^2\*a\*tan(d\*x+c)\*sec(d\*x+c)^2+1/2/d\*b^3\*tan(d\*x+c)\*sec(d\*x+c)+1/2/d\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))

**maxima [A]** time = 0.65, size = 181, normalized size = 1.07

$$16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))a^3 + 240(\tan(dx+c)^3 + 3 \tan(dx+c))ab^2 - 45a^2b \left(\frac{2}{\sin}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/240\*(16\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*a^3 + 240\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*a\*b^2 - 45\*a^2\*b\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 60\*b^3\*(2\*sin(d\*x + c))/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1))/d

**mupad [B]** time = 4.22, size = 260, normalized size = 1.54

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(\frac{9a^2b}{4} + b^3\right) \left(2a^3 - \frac{15a^2b}{4} + 6ab^2 - b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{8a^3}{3} + \frac{3a^2b}{2} - 16ab^2 + 2b^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10}}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)^{10}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^3/cos(c + d*x)^6,x)`

[Out]  $(\operatorname{atanh}(\tan(c/2 + (d*x)/2)) * ((9*a^2*b)/4 + b^3))/d - (\tan(c/2 + (d*x)/2)^9 * (6*a*b^2 - (15*a^2*b)/4 + 2*a^3 - b^3) - \tan(c/2 + (d*x)/2)^3 * (16*a*b^2 + (3*a^2*b)/2 + (8*a^3)/3 + 2*b^3) - \tan(c/2 + (d*x)/2)^7 * (16*a*b^2 - (3*a^2*b)/2 + (8*a^3)/3 - 2*b^3) + \tan(c/2 + (d*x)/2) * (6*a*b^2 + (15*a^2*b)/4 + 2*a^3 + b^3) + \tan(c/2 + (d*x)/2)^5 * (20*a*b^2 + (116*a^3)/15)) / (d * (5*\tan(c/2 + (d*x)/2)^2 - 10*\tan(c/2 + (d*x)/2)^4 + 10*\tan(c/2 + (d*x)/2)^6 - 5*\tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} - 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**6,x)`

[Out] Timed out

### 3.438 $\int \cos^3(c + dx)(a + b \cos(c + dx))^4 dx$

**Optimal.** Leaf size=247

$$\frac{b^2(37a^2 + 6b^2) \sin(c + dx) \cos^4(c + dx)}{35d} + \frac{ab(6a^2 + 5b^2) \sin(c + dx) \cos^3(c + dx)}{6d} + \frac{ab(6a^2 + 5b^2) \sin(c + dx) \cos^2(c + dx)}{4d}$$

[Out]  $\frac{1}{4}ab(6a^2+5b^2)x + \frac{1}{35}(35a^4+168a^2b^2+24b^4)\sin(dx+c)/d + \frac{1}{4}ab(6a^2+5b^2)\cos(dx+c)\sin(dx+c)/d + \frac{1}{6}ab(6a^2+5b^2)\cos(dx+c)^3\sin(dx+c)/d + \frac{1}{35}b^2(37a^2+6b^2)\cos(dx+c)^4\sin(dx+c)/d + \frac{8}{21}ab^3\cos(dx+c)^5\sin(dx+c)/d + \frac{1}{7}b^2\cos(dx+c)^4(a+b\cos(dx+c))^2\sin(dx+c)/d - \frac{1}{105}(35a^4+168a^2b^2+24b^4)\sin(dx+c)^3/d$

**Rubi [A]** time = 0.40, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2793, 3033, 3023, 2748, 2633, 2635, 8}

$$-\frac{(168a^2b^2 + 35a^4 + 24b^4) \sin^3(c + dx)}{105d} + \frac{(168a^2b^2 + 35a^4 + 24b^4) \sin(c + dx)}{35d} + \frac{b^2(37a^2 + 6b^2) \sin(c + dx) \cos^4(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^4,x]

[Out]  $\frac{a*b*(6*a^2 + 5*b^2)*x}{4} + \frac{(35*a^4 + 168*a^2*b^2 + 24*b^4)*\text{Sin}[c + d*x]}{(35*d)} + \frac{a*b*(6*a^2 + 5*b^2)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x]}{(4*d)} + \frac{a*b*(6*a^2 + 5*b^2)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x]}{(6*d)} + \frac{b^2*(37*a^2 + 6*b^2)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x]}{(35*d)} + \frac{8*a*b^3*\text{Cos}[c + d*x]^5*\text{Sin}[c + d*x]}{(21*d)} + \frac{b^2*\text{Cos}[c + d*x]^4*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x]}{(7*d)} - \frac{(35*a^4 + 168*a^2*b^2 + 24*b^4)*\text{Sin}[c + d*x]^3}{(105*d)}$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

Int[sin[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2793

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]^(n\_)), x\_Symbol] := -Simp[(b^2\*COS[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 2)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*SIN[e + f\*x])^(m - 3)\*(c + d\*SIN[e + f\*x])^n\*Simp[a^3\*d\*(m

```

+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegersQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 3033

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f
_.)*(x_.)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Ssin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Ssin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + b \cos(c + dx))^4 dx &= \frac{b^2 \cos^4(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{1}{7} \int \cos^3(c + dx)(a + b \cos(c + dx))^4 dx \\
&= \frac{8ab^3 \cos^5(c + dx) \sin(c + dx)}{21d} + \frac{b^2 \cos^4(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{7d} \\
&= \frac{b^2 (37a^2 + 6b^2) \cos^4(c + dx) \sin(c + dx)}{35d} + \frac{8ab^3 \cos^5(c + dx) \sin(c + dx)}{21d} \\
&= \frac{b^2 (37a^2 + 6b^2) \cos^4(c + dx) \sin(c + dx)}{35d} + \frac{8ab^3 \cos^5(c + dx) \sin(c + dx)}{21d} \\
&= \frac{ab (6a^2 + 5b^2) \cos^3(c + dx) \sin(c + dx)}{6d} + \frac{b^2 (37a^2 + 6b^2) \cos^4(c + dx) \sin(c + dx)}{35d} \\
&= \frac{(35a^4 + 168a^2b^2 + 24b^4) \sin(c + dx)}{35d} + \frac{ab (6a^2 + 5b^2) \cos(c + dx) \sin(c + dx)}{4d} \\
&= \frac{1}{4} ab (6a^2 + 5b^2) x + \frac{(35a^4 + 168a^2b^2 + 24b^4) \sin(c + dx)}{35d} + \frac{ab (6a^2 + 5b^2) \cos(c + dx) \sin(c + dx)}{4d}
\end{aligned}$$

**Mathematica [A]** time = 0.41, size = 181, normalized size = 0.73

$$\frac{1680ab(6a^2 + 5b^2)(c + dx) + 21b^2(24a^2 + 7b^2)\sin(5(c + dx)) + 420ab(16a^2 + 15b^2)\sin(2(c + dx)) + 420ab\cos(5(c + dx))}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + b*Cos[c + d*x])^4, x]
```

```
[Out] (1680*a*b*(6*a^2 + 5*b^2)*(c + d*x) + 105*(48*a^4 + 240*a^2*b^2 + 35*b^4)*S
in[c + d*x] + 420*a*b*(16*a^2 + 15*b^2)*Sin[2*(c + d*x)] + 35*(16*a^4 + 120
```

$$\frac{a^2 b^2 + 21 b^4 \sin[3(c + dx)] + 420 a b (2 a^2 + 3 b^2) \sin[4(c + dx)] + 21 b^2 (24 a^2 + 7 b^2) \sin[5(c + dx)] + 140 a b^3 \sin[6(c + dx)] + 15 b^4 \sin[7(c + dx)]}{6720 d}$$

**fricas** [A] time = 0.89, size = 171, normalized size = 0.69

$$\frac{105 (6 a^3 b + 5 a b^3) dx + (60 b^4 \cos(dx + c)^6 + 280 a b^3 \cos(dx + c)^5 + 72 (7 a^2 b^2 + b^4) \cos(dx + c)^4 + 280 a^4 + 1344 a^2 b^2 + 192 b^4 + 70 (6 a^3 b + 5 a b^3) \cos(dx + c)^3 + 4 (35 a^4 + 168 a^2 b^2 + 24 b^4) \cos(dx + c)^2 + 105 (6 a^3 b + 5 a b^3) \cos(dx + c)) \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/420\*(105\*(6\*a^3\*b + 5\*a\*b^3)\*d\*x + (60\*b^4\*cos(d\*x + c)^6 + 280\*a\*b^3\*cos(d\*x + c)^5 + 72\*(7\*a^2\*b^2 + b^4)\*cos(d\*x + c)^4 + 280\*a^4 + 1344\*a^2\*b^2 + 192\*b^4 + 70\*(6\*a^3\*b + 5\*a\*b^3)\*cos(d\*x + c)^3 + 4\*(35\*a^4 + 168\*a^2\*b^2 + 24\*b^4)\*cos(d\*x + c)^2 + 105\*(6\*a^3\*b + 5\*a\*b^3)\*cos(d\*x + c))\*sin(d\*x + c)/d

**giac** [A] time = 0.65, size = 197, normalized size = 0.80

$$\frac{b^4 \sin(7 dx + 7 c)}{448 d} + \frac{a b^3 \sin(6 dx + 6 c)}{48 d} + \frac{1}{4} (6 a^3 b + 5 a b^3) x + \frac{(24 a^2 b^2 + 7 b^4) \sin(5 dx + 5 c)}{320 d} + \frac{(2 a^3 b + 3 a b^3) \sin(4 dx + 4 c)}{16 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/448\*b^4\*sin(7\*d\*x + 7\*c)/d + 1/48\*a\*b^3\*sin(6\*d\*x + 6\*c)/d + 1/4\*(6\*a^3\*b + 5\*a\*b^3)\*x + 1/320\*(24\*a^2\*b^2 + 7\*b^4)\*sin(5\*d\*x + 5\*c)/d + 1/16\*(2\*a^3\*b + 3\*a\*b^3)\*sin(4\*d\*x + 4\*c)/d + 1/192\*(16\*a^4 + 120\*a^2\*b^2 + 21\*b^4)\*sin(3\*d\*x + 3\*c)/d + 1/16\*(16\*a^3\*b + 15\*a\*b^3)\*sin(2\*d\*x + 2\*c)/d + 1/64\*(48\*a^4 + 240\*a^2\*b^2 + 35\*b^4)\*sin(d\*x + c)/d

**maple** [A] time = 0.05, size = 190, normalized size = 0.77

$$\frac{b^4 \left( \frac{16}{5} + \cos^6(dx+c) + \frac{6 \cos^4(dx+c)}{5} + \frac{8 \cos^2(dx+c)}{5} \right) \sin(dx+c)}{7} + 4 a b^3 \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5 dx}{16} + \frac{5 c}{16} \right) + \frac{6 a^2 b^2 \left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^4,x)

[Out] 1/d\*(1/7\*b^4\*(16/5+cos(d\*x+c)^6+6/5\*cos(d\*x+c)^4+8/5\*cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a\*b^3\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+6/5\*a^2\*b^2\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a^3\*b\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*a^4\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**maxima** [A] time = 0.66, size = 192, normalized size = 0.78

$$\frac{560 (\sin(dx + c)^3 - 3 \sin(dx + c)) a^4 - 210 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) a^3 b - 672 (3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \cos(dx + c)^2 \sin(dx + c)) a^2 b^2 + 48 a b^3 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] -1/1680\*(560\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^4 - 210\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*a^3\*b - 672\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*cos(d\*x + c)^2\*sin(d\*x + c))\*a^2\*b^2 + 48\*a\*b^3\*sin(d\*x + c))

$$n(d*x + c)^3 + 15*\sin(d*x + c))*a^2*b^2 + 35*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*a*b^3 + 48*(5*\sin(d*x + c)^7 - 21*\sin(d*x + c)^5 + 35*\sin(d*x + c)^3 - 35*\sin(d*x + c))*b^4)/d$$

**mupad [B]** time = 2.07, size = 476, normalized size = 1.93

$$\frac{\left(2a^4 - 5a^3b + 12a^2b^2 - \frac{11ab^3}{2} + 2b^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{13} + \left(\frac{28a^4}{3} - 12a^3b + 40a^2b^2 - \frac{14ab^3}{3} + 4b^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^4,x)

[Out] (tan(c/2 + (d\*x)/2)^7\*(24\*a^4 + (424\*b^4)/35 + (624\*a^2\*b^2)/5) + tan(c/2 + (d\*x)/2)^13\*(2\*a^4 - 5\*a^3\*b - (11\*a\*b^3)/2 + 2\*b^4 + 12\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^3\*((14\*a\*b^3)/3 + 12\*a^3\*b + (28\*a^4)/3 + 4\*b^4 + 40\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^11\*((28\*a^4)/3 - 12\*a^3\*b - (14\*a\*b^3)/3 + 4\*b^4 + 40\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^5\*((85\*a\*b^3)/6 + 9\*a^3\*b + (58\*a^4)/3 + (86\*b^4)/5 + (452\*a^2\*b^2)/5) + tan(c/2 + (d\*x)/2)^9\*((58\*a^4)/3 - 9\*a^3\*b - (85\*a\*b^3)/6 + (86\*b^4)/5 + (452\*a^2\*b^2)/5) + tan(c/2 + (d\*x)/2)\*((11\*a\*b^3)/2 + 5\*a^3\*b + 2\*a^4 + 2\*b^4 + 12\*a^2\*b^2))/(d\*(7\*tan(c/2 + (d\*x)/2)^2 + 21\*tan(c/2 + (d\*x)/2)^4 + 35\*tan(c/2 + (d\*x)/2)^6 + 35\*tan(c/2 + (d\*x)/2)^8 + 21\*tan(c/2 + (d\*x)/2)^10 + 7\*tan(c/2 + (d\*x)/2)^12 + tan(c/2 + (d\*x)/2)^14 + 1)) + (a\*b\*atan((a\*b\*tan(c/2 + (d\*x)/2)\*(6\*a^2 + 5\*b^2))/(2\*((5\*a\*b^3)/2 + 3\*a^3\*b)))\*(6\*a^2 + 5\*b^2))/(2\*d) - (a\*b\*(6\*a^2 + 5\*b^2)\*(atan(tan(c/2 + (d\*x)/2)) - (d\*x)/2))/(2\*d)

**sympy [A]** time = 6.45, size = 495, normalized size = 2.00

$$\left\{ \begin{array}{l} \frac{2a^4 \sin^3(c+dx)}{3d} + \frac{a^4 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3a^3bx \sin^4(c+dx)}{2} + 3a^3bx \sin^2(c+dx) \cos^2(c+dx) + \frac{3a^3bx \cos^4(c+dx)}{2} + \frac{3a^3b}{d} \\ x(a + b \cos(c))^4 \cos^3(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((2\*a\*\*4\*sin(c + d\*x)\*\*3/(3\*d) + a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*a\*\*3\*b\*x\*sin(c + d\*x)\*\*4/2 + 3\*a\*\*3\*b\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2 + 3\*a\*\*3\*b\*x\*cos(c + d\*x)\*\*4/2 + 3\*a\*\*3\*b\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(2\*d) + 5\*a\*\*3\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(2\*d) + 16\*a\*\*2\*b\*\*2\*sin(c + d\*x)\*\*5/(5\*d) + 8\*a\*\*2\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/d + 6\*a\*\*2\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*a\*b\*\*3\*x\*sin(c + d\*x)\*\*6/4 + 15\*a\*b\*\*3\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/4 + 15\*a\*b\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/4 + 5\*a\*b\*\*3\*x\*cos(c + d\*x)\*\*6/4 + 5\*a\*b\*\*3\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(4\*d) + 10\*a\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(3\*d) + 11\*a\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(4\*d) + 16\*b\*\*4\*sin(c + d\*x)\*\*7/(35\*d) + 8\*b\*\*4\*sin(c + d\*x)\*\*5\*cos(c + d\*x)\*\*2/(5\*d) + 2\*b\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*4/d + b\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*6/d, Ne(d, 0)), (x\*(a + b\*cos(c))\*\*4\*cos(c)\*\*3, True))

### 3.439 $\int \cos^2(c + dx)(a + b \cos(c + dx))^4 dx$

**Optimal.** Leaf size=235

$$\frac{(4a^2 - 25b^2) \sin(c + dx)(a + b \cos(c + dx))^3}{120bd} - \frac{a(4a^2 - 53b^2) \sin(c + dx)(a + b \cos(c + dx))^2}{120bd} - \frac{a(4a^4 - 121a^2b^2 - 128b^4) \sin(c + dx)(a + b \cos(c + dx))}{120bd}$$

[Out]  $\frac{1}{16}*(8*a^4+36*a^2*b^2+5*b^4)*x - \frac{1}{60}*a*(4*a^4-121*a^2*b^2-128*b^4)*\sin(d*x+c)/b/d - \frac{1}{240}*(8*a^4-178*a^2*b^2-75*b^4)*\cos(d*x+c)*\sin(d*x+c)/d - \frac{1}{120}*a*(4*a^2-53*b^2)*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/b/d - \frac{1}{120}*(4*a^2-25*b^2)*(a+b*\cos(d*x+c))^3*\sin(d*x+c)/b/d - \frac{1}{30}*a*(a+b*\cos(d*x+c))^4*\sin(d*x+c)/b/d + \frac{1}{6}*(a+b*\cos(d*x+c))^5*\sin(d*x+c)/b/d$

**Rubi [A]** time = 0.32, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2791, 2753, 2734}

$$\frac{a(-121a^2b^2 + 4a^4 - 128b^4) \sin(c + dx)}{60bd} - \frac{(4a^2 - 25b^2) \sin(c + dx)(a + b \cos(c + dx))^3}{120bd} - \frac{a(4a^2 - 53b^2) \sin(c + dx)(a + b \cos(c + dx))}{120bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^4,x]

[Out]  $((8*a^4 + 36*a^2*b^2 + 5*b^4)*x)/16 - (a*(4*a^4 - 121*a^2*b^2 - 128*b^4)*\sin[c + d*x])/(60*b*d) - ((8*a^4 - 178*a^2*b^2 - 75*b^4)*\cos[c + d*x]*\sin[c + d*x])/(240*d) - (a*(4*a^2 - 53*b^2)*(a + b*\cos[c + d*x])^2*\sin[c + d*x])/(120*b*d) - ((4*a^2 - 25*b^2)*(a + b*\cos[c + d*x])^3*\sin[c + d*x])/(120*b*d) - (a*(a + b*\cos[c + d*x])^4*\sin[c + d*x])/(30*b*d) + ((a + b*\cos[c + d*x])^5*\sin[c + d*x])/(6*b*d)$

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^m]/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sine[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2791

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[(d^2\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sine[e + f\*x])^m\*Simp[b\*(d^2\*(m + 1) + c^2\*(m + 2)) - d\*(a\*d - 2\*b\*c\*(m + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

#### Rubi steps



$$\begin{aligned}
\int \cos^2(c+dx)(a+b\cos(c+dx))^4 dx &= \frac{(a+b\cos(c+dx))^5 \sin(c+dx)}{6bd} + \frac{\int (5b-a\cos(c+dx))(a+b\cos(c+dx))^4 dx}{6b} \\
&= -\frac{a(a+b\cos(c+dx))^4 \sin(c+dx)}{30bd} + \frac{(a+b\cos(c+dx))^5 \sin(c+dx)}{6bd} \\
&= -\frac{(4a^2-25b^2)(a+b\cos(c+dx))^3 \sin(c+dx)}{120bd} - \frac{a(a+b\cos(c+dx))^4 \sin(c+dx)}{30bd} \\
&= -\frac{a(4a^2-53b^2)(a+b\cos(c+dx))^2 \sin(c+dx)}{120bd} - \frac{(4a^2-25b^2)(a+b\cos(c+dx))^3 \sin(c+dx)}{30bd} \\
&= \frac{1}{16} (8a^4 + 36a^2b^2 + 5b^4)x - \frac{a(4a^4 - 121a^2b^2 - 128b^4) \sin(c+dx)}{60bd}
\end{aligned}$$

**Mathematica [A]** time = 0.44, size = 156, normalized size = 0.66

$$\frac{45b^2(4a^2 + b^2) \sin(4(c+dx)) + 480ab(6a^2 + 5b^2) \sin(c+dx) + 80ab(4a^2 + 5b^2) \sin(3(c+dx)) + 60(8a^4 + 36a^2b^2 + 5b^4)x - \frac{a(4a^4 - 121a^2b^2 - 128b^4) \sin(c+dx)}{60bd}}{96}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^4, x]

[Out] (60\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*(c + d\*x) + 480\*a\*b\*(6\*a^2 + 5\*b^2)\*Sin[c + d\*x] + 15\*(16\*a^4 + 96\*a^2\*b^2 + 15\*b^4)\*Sin[2\*(c + d\*x)] + 80\*a\*b\*(4\*a^2 + 5\*b^2)\*Sin[3\*(c + d\*x)] + 45\*b^2\*(4\*a^2 + b^2)\*Sin[4\*(c + d\*x)] + 48\*a\*b^3\*Sin[5\*(c + d\*x)] + 5\*b^4\*Sin[6\*(c + d\*x)])/(960\*d)

**fricas [A]** time = 0.81, size = 150, normalized size = 0.64

$$\frac{15(8a^4 + 36a^2b^2 + 5b^4)dx + (40b^4 \cos(dx+c)^5 + 192ab^3 \cos(dx+c)^4 + 640a^3b + 512ab^3 + 10(36a^2b^2 + 5b^4) \sin(dx+c)) \sin(dx+c)}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^4, x, algorithm="fricas")

[Out] 1/240\*(15\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*d\*x + (40\*b^4\*cos(d\*x + c)^5 + 192\*a\*b^3\*cos(d\*x + c)^4 + 640\*a^3\*b + 512\*a\*b^3 + 10\*(36\*a^2\*b^2 + 5\*b^4)\*cos(d\*x + c)^3 + 64\*(5\*a^3\*b + 4\*a\*b^3)\*cos(d\*x + c)^2 + 15\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*cos(d\*x + c))\*sin(d\*x + c))/d

**giac [A]** time = 0.60, size = 168, normalized size = 0.71

$$\frac{b^4 \sin(6dx+6c)}{192d} + \frac{ab^3 \sin(5dx+5c)}{20d} + \frac{1}{16} (8a^4 + 36a^2b^2 + 5b^4)x + \frac{3(4a^2b^2 + b^4) \sin(4dx+4c)}{64d} + \frac{(4a^3b + 5ab^3) \sin(3dx+3c)}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^4, x, algorithm="giac")

[Out] 1/192\*b^4\*sin(6\*d\*x + 6\*c)/d + 1/20\*a\*b^3\*sin(5\*d\*x + 5\*c)/d + 1/16\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*x + 3/64\*(4\*a^2\*b^2 + b^4)\*sin(4\*d\*x + 4\*c)/d + 1/12\*(4\*a^3\*b + 5\*a\*b^3)\*sin(3\*d\*x + 3\*c)/d + 1/64\*(16\*a^4 + 96\*a^2\*b^2 + 15\*b^4)\*sin(2\*d\*x + 2\*c)/d + 1/2\*(6\*a^3\*b + 5\*a\*b^3)\*sin(d\*x + c)/d

**maple [A]** time = 0.05, size = 174, normalized size = 0.74

$$\frac{b^4 \left( \frac{\left( \cos^5(dx+c) + \frac{5 \cos^3(dx+c)}{4} + \frac{15 \cos(dx+c)}{8} \right) \sin(dx+c)}{6} + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{4ab^3 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4 \cos^2(dx+c)}{3} \right) \sin(dx+c)}{5} + 6a^2b^2 \left( \frac{\cos^3(dx+c)}{3} + \frac{\cos(dx+c)}{3} \right) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*cos(d*x+c))^4,x)`

[Out]  $1/d*(b^4*(1/6*(\cos(d*x+c))^5+5/4*\cos(d*x+c)^3+15/8*\cos(d*x+c))*\sin(d*x+c)+5/16*d*x+5/16*c)+4/5*a*b^3*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+6*a^2*b^2*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+4/3*a^3*b*(2+\cos(d*x+c)^2)*\sin(d*x+c)+a^4*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c))$

**maxima** [A] time = 0.58, size = 170, normalized size = 0.72

$240(2dx + 2c + \sin(2dx + 2c))a^4 - 1280(\sin(dx + c)^3 - 3\sin(dx + c))a^3b + 180(12dx + 12c + \sin(4dx + 4c))a^2b^2 + 256(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))a*b^3 - 5(4\sin(2dx + 2c)^3 - 60d*x - 60c - 9\sin(4dx + 4c) - 48\sin(2dx + 2c))*b^4/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4,x, algorithm="maxima")`

[Out]  $1/960*(240*(2*d*x + 2*c + \sin(2*d*x + 2*c))*a^4 - 1280*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*a^3*b + 180*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*a^2*b^2 + 256*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*a*b^3 - 5*(4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c))*b^4)/d$

**mupad** [B] time = 0.84, size = 214, normalized size = 0.91

$\frac{a^4 x}{2} + \frac{5b^4 x}{16} + \frac{9a^2 b^2 x}{4} + \frac{a^4 \sin(2c + 2dx)}{4d} + \frac{15b^4 \sin(2c + 2dx)}{64d} + \frac{3b^4 \sin(4c + 4dx)}{64d} + \frac{b^4 \sin(6c + 6dx)}{192d} + \dots$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(a + b*cos(c + d*x))^4,x)`

[Out]  $(a^4*x)/2 + (5*b^4*x)/16 + (9*a^2*b^2*x)/4 + (a^4*\sin(2*c + 2*d*x))/(4*d) + (15*b^4*\sin(2*c + 2*d*x))/(64*d) + (3*b^4*\sin(4*c + 4*d*x))/(64*d) + (b^4*\sin(6*c + 6*d*x))/(192*d) + (5*a*b^3*\sin(3*c + 3*d*x))/(12*d) + (a^3*b*\sin(3*c + 3*d*x))/(3*d) + (a*b^3*\sin(5*c + 5*d*x))/(20*d) + (3*a^2*b^2*\sin(2*c + 2*d*x))/(2*d) + (3*a^2*b^2*\sin(4*c + 4*d*x))/(16*d) + (5*a*b^3*\sin(c + d*x))/(2*d) + (3*a^3*b*\sin(c + d*x))/d$

**sympy** [A] time = 4.02, size = 459, normalized size = 1.95

$\left\{ \begin{array}{l} \frac{a^4 x \sin^2(c+dx)}{2} + \frac{a^4 x \cos^2(c+dx)}{2} + \frac{a^4 \sin(c+dx) \cos(c+dx)}{2d} + \frac{8a^3 b \sin^3(c+dx)}{3d} + \frac{4a^3 b \sin(c+dx) \cos^2(c+dx)}{d} + \frac{9a^2 b^2 x \sin^4(c+dx)}{4} + \frac{9a^2 b^2 x \cos^4(c+dx)}{4} \\ x(a + b \cos(c))^4 \cos^2(c) \end{array} \right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**4,x)`

[Out] `Piecewise((a**4*x*sin(c + d*x)**2/2 + a**4*x*cos(c + d*x)**2/2 + a**4*sin(c + d*x)*cos(c + d*x)/(2*d) + 8*a**3*b*sin(c + d*x)**3/(3*d) + 4*a**3*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*a**2*b**2*x*sin(c + d*x)**4/4 + 9*a**2*b**2*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + 9*a**2*b**2*x*cos(c + d*x)**4/4 + 9*a**2*b**2*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 15*a**2*b**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 32*a*b**3*sin(c + d*x)**5/(15*d) + 16*a*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 4*a*b**3*sin(c + d*x)*cos(c + d*x)**4/d + 5*b**4*x*sin(c + d*x)**6/16 + 15*b**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 15*b**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 5*b**4*x*cos(c + d*x)**6/16 + 5*b**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 5*b**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*b**4*sin(c + d*x)*cos(c + d*x)**5/(16*d), Ne(d, 0)), (x*(a + b*cos(c))**4*cos(c)**2, True))`

### 3.440 $\int \cos(c + dx)(a + b \cos(c + dx))^4 dx$

**Optimal.** Leaf size=170

$$\frac{(3a^2 + 4b^2) \sin(c + dx)(a + b \cos(c + dx))^2}{15d} + \frac{ab(6a^2 + 29b^2) \sin(c + dx) \cos(c + dx)}{30d} + \frac{1}{2} abx(4a^2 + 3b^2) + \frac{2(3a^4 + 28a^2b^2 + 4b^4) \sin(c + dx)}{15d}$$

[Out] 1/2\*a\*b\*(4\*a^2+3\*b^2)\*x+2/15\*(3\*a^4+28\*a^2\*b^2+4\*b^4)\*sin(d\*x+c)/d+1/30\*a\*b\*(6\*a^2+29\*b^2)\*cos(d\*x+c)\*sin(d\*x+c)/d+1/15\*(3\*a^2+4\*b^2)\*(a+b\*cos(d\*x+c))^2\*sin(d\*x+c)/d+1/5\*a\*(a+b\*cos(d\*x+c))^3\*sin(d\*x+c)/d+1/5\*(a+b\*cos(d\*x+c))^4\*sin(d\*x+c)/d

**Rubi [A]** time = 0.20, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2753, 2734}

$$\frac{2(28a^2b^2 + 3a^4 + 4b^4) \sin(c + dx)}{15d} + \frac{(3a^2 + 4b^2) \sin(c + dx)(a + b \cos(c + dx))^2}{15d} + \frac{ab(6a^2 + 29b^2) \sin(c + dx) \cos(c + dx)}{30d} + \frac{1}{2} abx(4a^2 + 3b^2) + \frac{2(3a^4 + 28a^2b^2 + 4b^4) \sin(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^4,x]

[Out] (a\*b\*(4\*a^2 + 3\*b^2)\*x)/2 + (2\*(3\*a^4 + 28\*a^2\*b^2 + 4\*b^4)\*Sin[c + d\*x])/(15\*d) + (a\*b\*(6\*a^2 + 29\*b^2)\*Cos[c + d\*x]\*Sin[c + d\*x])/(30\*d) + ((3\*a^2 + 4\*b^2)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(15\*d) + (a\*(a + b\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(5\*d) + ((a + b\*Cos[c + d\*x])^4\*SIN[c + d\*x])/(5\*d)

**Rule 2734**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rule 2753**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

**Rubi steps**

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^4 dx &= \frac{(a + b \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5} \int (4b + 4a \cos(c + dx))(a + b \cos(c + dx))^3 \sin(c + dx) dx \\ &= \frac{a(a + b \cos(c + dx))^3 \sin(c + dx)}{5d} + \frac{(a + b \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5} \int (4b + 4a \cos(c + dx))(a + b \cos(c + dx))^2 \sin(c + dx) dx \\ &= \frac{(3a^2 + 4b^2)(a + b \cos(c + dx))^2 \sin(c + dx)}{15d} + \frac{a(a + b \cos(c + dx))^3 \sin(c + dx)}{5d} + \frac{1}{5} \int (4b + 4a \cos(c + dx))(a + b \cos(c + dx)) \sin(c + dx) dx \\ &= \frac{1}{2} ab(4a^2 + 3b^2)x + \frac{2(3a^4 + 28a^2b^2 + 4b^4) \sin(c + dx)}{15d} + \frac{ab(6a^2 + 29b^2) \sin(c + dx) \cos(c + dx)}{30d} + \frac{1}{2} abx(4a^2 + 3b^2) + \frac{2(3a^4 + 28a^2b^2 + 4b^4) \sin(c + dx)}{15d} \end{aligned}$$

**Mathematica [A]** time = 0.49, size = 133, normalized size = 0.78

$$\frac{30(8a^4 + 36a^2b^2 + 5b^4) \sin(c + dx) + b(480a^3c + 480a^3dx + 5(24a^2b + 5b^3) \sin(3(c + dx)) + 240a(a^2 + b^2) \sin(c + dx))}{240d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^4,x]

[Out] (30\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*Sin[c + d\*x] + b\*(480\*a^3\*c + 360\*a\*b^2\*c + 480\*a^3\*d\*x + 360\*a\*b^2\*d\*x + 240\*a\*(a^2 + b^2)\*Sin[2\*(c + d\*x)] + 5\*(24\*a^2\*b + 5\*b^3)\*Sin[3\*(c + d\*x)] + 30\*a\*b^2\*Ssin[4\*(c + d\*x)] + 3\*b^3\*Ssin[5\*(c + d\*x)]))/(240\*d)

**fricas** [A] time = 1.04, size = 121, normalized size = 0.71

$$\frac{15(4a^3b + 3ab^3)dx + (6b^4 \cos(dx + c)^4 + 30ab^3 \cos(dx + c)^3 + 30a^4 + 120a^2b^2 + 16b^4 + 4(15a^2b^2 + 2b^4) \cos(dx + c)) \sin(dx + c)}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/30\*(15\*(4\*a^3\*b + 3\*a\*b^3)\*d\*x + (6\*b^4\*cos(d\*x + c)^4 + 30\*a\*b^3\*cos(d\*x + c)^3 + 30\*a^4 + 120\*a^2\*b^2 + 16\*b^4 + 4\*(15\*a^2\*b^2 + 2\*b^4)\*cos(d\*x + c)^2 + 15\*(4\*a^3\*b + 3\*a\*b^3)\*cos(d\*x + c))\*sin(d\*x + c)/d

**giac** [A] time = 0.64, size = 134, normalized size = 0.79

$$\frac{b^4 \sin(5dx + 5c)}{80d} + \frac{ab^3 \sin(4dx + 4c)}{8d} + \frac{1}{2}(4a^3b + 3ab^3)x + \frac{(24a^2b^2 + 5b^4) \sin(3dx + 3c)}{48d} + \frac{(a^3b + ab^3) \sin(2dx + 2c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/80\*b^4\*sin(5\*d\*x + 5\*c)/d + 1/8\*a\*b^3\*sin(4\*d\*x + 4\*c)/d + 1/2\*(4\*a^3\*b + 3\*a\*b^3)\*x + 1/48\*(24\*a^2\*b^2 + 5\*b^4)\*sin(3\*d\*x + 3\*c)/d + (a^3\*b + a\*b^3)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(8\*a^4 + 36\*a^2\*b^2 + 5\*b^4)\*sin(d\*x + c)/d

**maple** [A] time = 0.04, size = 138, normalized size = 0.81

$$\frac{b^4 \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c)}{5} + 4ab^3 \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{2a^2b^2(2 + \cos^2(dx+c)) \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^4,x)

[Out] 1/d\*(1/5\*b^4\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a\*b^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+2\*a^2\*b^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a^3\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^4\*sin(d\*x+c))

**maxima** [A] time = 0.67, size = 133, normalized size = 0.78

$$\frac{120(2dx + 2c + \sin(2dx + 2c))a^3b - 240(\sin(dx + c)^3 - 3\sin(dx + c))a^2b^2 + 15(12dx + 12c + \sin(4dx + 4c)) \sin(dx + c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 1/120\*(120\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*a^3\*b - 240\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*a^2\*b^2 + 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c)) \* sin(d\*x + c) + 8\*sin(2\*d\*x + 2\*c))

$+ 2c)) * a * b^3 + 8 * (3 * \sin(dx + c)^5 - 10 * \sin(dx + c)^3 + 15 * \sin(dx + c)) * b^4 + 120 * a^4 * \sin(dx + c)) / d$

**mupad [B]** time = 2.04, size = 363, normalized size = 2.14

$$\frac{(2a^4 - 4a^3b + 12a^2b^2 - 5ab^3 + 2b^4) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(8a^4 - 8a^3b + 32a^2b^2 - 2ab^3 + \frac{8b^4}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7}{d \left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{10} + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 10 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 + 5 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1\right) + (a * b * \operatorname{atan}\left(\frac{a * b * \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^2 + 3b^2}\right)) / (3a^3b^3 + 4a^3b) * (4a^2 + 3b^2) / d - (a * b * (4a^2 + 3b^2) * (\operatorname{atan}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) - (dx)/2)) / d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(a + b*cos(c + d*x))^4,x)`

[Out]  $(\tan(c/2 + (d*x)/2)^5 * (12*a^4 + (116*b^4)/15 + 40*a^2*b^2) + \tan(c/2 + (d*x)/2)^9 * (2*a^4 - 4*a^3*b - 5*a*b^3 + 2*b^4 + 12*a^2*b^2) + \tan(c/2 + (d*x)/2)^3 * (2*a*b^3 + 8*a^3*b + 8*a^4 + (8*b^4)/3 + 32*a^2*b^2) + \tan(c/2 + (d*x)/2)^7 * (8*a^4 - 8*a^3*b - 2*a*b^3 + (8*b^4)/3 + 32*a^2*b^2) + \tan(c/2 + (d*x)/2) * (5*a*b^3 + 4*a^3*b + 2*a^4 + 2*b^4 + 12*a^2*b^2)) / (d * (5 * \tan(c/2 + (d*x)/2)^2 + 10 * \tan(c/2 + (d*x)/2)^4 + 10 * \tan(c/2 + (d*x)/2)^6 + 5 * \tan(c/2 + (d*x)/2)^8 + \tan(c/2 + (d*x)/2)^{10} + 1)) + (a * b * \operatorname{atan}\left(\frac{a * b * \tan(c/2 + (d*x)/2)}{4a^2 + 3b^2}\right)) / (3a^3b^3 + 4a^3b) * (4a^2 + 3b^2) / d - (a * b * (4a^2 + 3b^2) * (\operatorname{atan}\left(\tan(c/2 + (d*x)/2)\right) - (d*x)/2)) / d$

**sympy [A]** time = 2.25, size = 301, normalized size = 1.77

$$\left\{ \begin{array}{l} \frac{a^4 \sin(c+dx)}{d} + 2a^3bx \sin^2(c + dx) + 2a^3bx \cos^2(c + dx) + \frac{2a^3b \sin(c+dx) \cos(c+dx)}{d} + \frac{4a^2b^2 \sin^3(c+dx)}{d} + \frac{6a^2b^2 \sin(c+dx)}{d} \\ x(a + b \cos(c))^4 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))**4,x)`

[Out] `Piecewise((a**4*sin(c + d*x)/d + 2*a**3*b*x*sin(c + d*x)**2 + 2*a**3*b*x*cos(c + d*x)**2 + 2*a**3*b*sin(c + d*x)*cos(c + d*x)/d + 4*a**2*b**2*sin(c + d*x)**3/d + 6*a**2*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*a*b**3*x*sin(c + d*x)**4/2 + 3*a*b**3*x*sin(c + d*x)**2*cos(c + d*x)**2 + 3*a*b**3*x*cos(c + d*x)**4/2 + 3*a*b**3*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 5*a*b**3*sin(c + d*x)*cos(c + d*x)**3/(2*d) + 8*b**4*sin(c + d*x)**5/(15*d) + 4*b**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + b**4*sin(c + d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(a + b*cos(c))**4*cos(c), True))`

### 3.441 $\int (a + b \cos(c + dx))^4 dx$

**Optimal.** Leaf size=137

$$\frac{ab(19a^2 + 16b^2) \sin(c + dx)}{6d} + \frac{b^2(26a^2 + 9b^2) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(8a^4 + 24a^2b^2 + 3b^4) + \frac{b \sin(c + dx)(a + b \cos(c + dx))^3}{4d}$$

[Out]  $\frac{1}{8}(8a^4 + 24a^2b^2 + 3b^4)x + \frac{1}{6}ab(19a^2 + 16b^2)\frac{\sin(dx+c)}{d} + \frac{1}{24}b^2(26a^2 + 9b^2)\frac{\cos(dx+c)\sin(dx+c)}{d} + \frac{7}{12}ab(a + b\cos(dx+c))^2\frac{\sin(dx+c)}{d} + \frac{1}{4}b(a + b\cos(dx+c))^3\frac{\sin(dx+c)}{d}$

**Rubi [A]** time = 0.15, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$ , Rules used = {2656, 2753, 2734}

$$\frac{ab(19a^2 + 16b^2) \sin(c + dx)}{6d} + \frac{b^2(26a^2 + 9b^2) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(24a^2b^2 + 8a^4 + 3b^4) + \frac{b \sin(c + dx)(a + b \cos(c + dx))^3}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^4, x]

[Out]  $((8a^4 + 24a^2b^2 + 3b^4)x)/8 + (ab(19a^2 + 16b^2)\text{Sin}[c + d*x])/(6*d) + (b^2(26a^2 + 9b^2)\text{Cos}[c + d*x]\text{Sin}[c + d*x])/(24*d) + (7*ab(a + b*\text{Cos}[c + d*x])^2\text{Sin}[c + d*x])/(12*d) + (b*(a + b*\text{Cos}[c + d*x])^3\text{Sin}[c + d*x])/(4*d)$

#### Rule 2656

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[1/n, Int[(a + b\*Sin[c + d\*x])^(n - 2)\*Simp[a^2\*n + b^2\*(n - 1) + a\*b\*(2\*n - 1)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[(b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 dx &= \frac{b(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^2 (4a^2 + 3b^2 + 7ab \cos(c + dx)) dx \\ &= \frac{7ab(a + b \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{b(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{12} \int (a + b \cos(c + dx))^2 (4a^2 + 3b^2 + 7ab \cos(c + dx)) dx \\ &= \frac{1}{8} (8a^4 + 24a^2b^2 + 3b^4)x + \frac{ab(19a^2 + 16b^2) \sin(c + dx)}{6d} + \frac{b^2(26a^2 + 9b^2) \cos(c + dx) \sin(c + dx)}{24d} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 104, normalized size = 0.76

$$\frac{24b^2 (6a^2 + b^2) \sin(2(c + dx)) + 96ab (4a^2 + 3b^2) \sin(c + dx) + 12 (8a^4 + 24a^2b^2 + 3b^4) (c + dx) + 32ab^3 \sin(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4, x]

[Out] (12\*(8\*a^4 + 24\*a^2\*b^2 + 3\*b^4)\*(c + d\*x) + 96\*a\*b\*(4\*a^2 + 3\*b^2)\*Sin[c + d\*x] + 24\*b^2\*(6\*a^2 + b^2)\*Sin[2\*(c + d\*x)] + 32\*a\*b^3\*Ssin[3\*(c + d\*x)] + 3\*b^4\*Ssin[4\*(c + d\*x)])/(96\*d)

**fricas [A]** time = 0.77, size = 96, normalized size = 0.70

$$\frac{3 (8 a^4 + 24 a^2 b^2 + 3 b^4) dx + (6 b^4 \cos(dx + c)^3 + 32 ab^3 \cos(dx + c)^2 + 96 a^3 b + 64 ab^3 + 9 (8 a^2 b^2 + b^4) \cos(dx + c))}{24 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/24\*(3\*(8\*a^4 + 24\*a^2\*b^2 + 3\*b^4)\*d\*x + (6\*b^4\*cos(d\*x + c)^3 + 32\*a\*b^3\*cos(d\*x + c)^2 + 96\*a^3\*b + 64\*a\*b^3 + 9\*(8\*a^2\*b^2 + b^4)\*cos(d\*x + c))\*sin(d\*x + c))/d

**giac [A]** time = 0.54, size = 107, normalized size = 0.78

$$\frac{b^4 \sin(4 dx + 4 c)}{32 d} + \frac{ab^3 \sin(3 dx + 3 c)}{3 d} + \frac{1}{8} (8 a^4 + 24 a^2 b^2 + 3 b^4) x + \frac{(6 a^2 b^2 + b^4) \sin(2 dx + 2 c)}{4 d} + \frac{(4 a^3 b + 3 a^2 b^2) \sin(dx + c)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/32\*b^4\*sin(4\*d\*x + 4\*c)/d + 1/3\*a\*b^3\*sin(3\*d\*x + 3\*c)/d + 1/8\*(8\*a^4 + 24\*a^2\*b^2 + 3\*b^4)\*x + 1/4\*(6\*a^2\*b^2 + b^4)\*sin(2\*d\*x + 2\*c)/d + (4\*a^3\*b + 3\*a\*b^3)\*sin(d\*x + c)/d

**maple [A]** time = 0.04, size = 116, normalized size = 0.85

$$\frac{b^4 \left( \frac{\left( \cos^3(dx+c) + \frac{3 \cos(dx+c)}{2} \right) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{4a b^3 (2 + \cos^2(dx+c)) \sin(dx+c)}{3} + 6a^2 b^2 \left( \frac{\cos(dx+c) \sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 4a^3 b \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4,x)

[Out] 1/d\*(b^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4/3\*a\*b^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+6\*a^2\*b^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*a^3\*b\*sin(d\*x+c)+a^4\*(d\*x+c))

**maxima [A]** time = 0.70, size = 111, normalized size = 0.81

$$a^4 x + \frac{3(2 dx + 2 c + \sin(2 dx + 2 c)) a^2 b^2}{2 d} - \frac{4(\sin(dx + c)^3 - 3 \sin(dx + c)) ab^3}{3 d} + \frac{(12 dx + 12 c + \sin(4 dx + 4 c)) a^3 b}{32 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out]  $a^4x + \frac{3}{2}(2dx + 2c + \sin(2dx + 2c))a^2b^2/d - \frac{4}{3}(\sin(dx + c))^3 - 3\sin(dx + c)ab^3/d + \frac{1}{32}(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))b^4/d + 4a^3b\sin(dx + c)/d$

**mupad [B]** time = 0.66, size = 123, normalized size = 0.90

$$a^4x + \frac{3b^4x}{8} + 3a^2b^2x + \frac{b^4\sin(2c + 2dx)}{4d} + \frac{b^4\sin(4c + 4dx)}{32d} + \frac{ab^3\sin(3c + 3dx)}{3d} + \frac{3a^2b^2\sin(2c + 2dx)}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^4, x)`

[Out]  $a^4x + (3b^4x)/8 + 3a^2b^2x + (b^4\sin(2c + 2dx))/(4d) + (b^4\sin(4c + 4dx))/(32d) + (ab^3\sin(3c + 3dx))/(3d) + (3a^2b^2\sin(2c + 2dx))/(2d) + (3a^3b\sin(c + dx))/d + (4a^3b\sin(c + dx))/d$

**sympy [A]** time = 1.11, size = 240, normalized size = 1.75

$$\left\{ \begin{array}{l} a^4x + \frac{4a^3b\sin(c+dx)}{d} + 3a^2b^2x\sin^2(c+dx) + 3a^2b^2x\cos^2(c+dx) + \frac{3a^2b^2\sin(c+dx)\cos(c+dx)}{d} + \frac{8ab^3\sin^3(c+dx)}{3d} + \frac{4ab^3\sin^3(c+dx)}{3d} \\ x(a + b\cos(c))^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**4, x)`

[Out] `Piecewise((a**4*x + 4*a**3*b*sin(c + d*x)/d + 3*a**2*b**2*x*sin(c + d*x)**2 + 3*a**2*b**2*x*cos(c + d*x)**2 + 3*a**2*b**2*sin(c + d*x)*cos(c + d*x)/d + 8*a*b**3*sin(c + d*x)**3/(3*d) + 4*a*b**3*sin(c + d*x)*cos(c + d*x)**2/d + 3*b**4*x*sin(c + d*x)**4/8 + 3*b**4*x*sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*b**4*x*cos(c + d*x)**4/8 + 3*b**4*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*b**4*sin(c + d*x)*cos(c + d*x)**3/(8*d), Ne(d, 0)), (x*(a + b*cos(c))**4, True))`



### 3.442 $\int (a + b \cos(c + dx))^4 \sec(c + dx) dx$

**Optimal.** Leaf size=107

$$\frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2 (17a^2 + 2b^2) \sin(c + dx)}{3d} + 2abx (2a^2 + b^2) + \frac{4ab^3 \sin(c + dx) \cos(c + dx)}{3d} + \frac{b^2 \sin(c + dx)}{3d}$$

[Out] 2\*a\*b\*(2\*a^2+b^2)\*x+a^4\*arctanh(sin(d\*x+c))/d+1/3\*b^2\*(17\*a^2+2\*b^2)\*sin(d\*x+c)/d+4/3\*a\*b^3\*cos(d\*x+c)\*sin(d\*x+c)/d+1/3\*b^2\*(a+b\*cos(d\*x+c))^2\*sin(d\*x+c)/d

**Rubi [A]** time = 0.23, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {2793, 3033, 3023, 2735, 3770}

$$\frac{b^2 (17a^2 + 2b^2) \sin(c + dx)}{3d} + 2abx (2a^2 + b^2) + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{4ab^3 \sin(c + dx) \cos(c + dx)}{3d} + \frac{b^2 \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^4\*Sec[c + d\*x],x]

[Out] 2\*a\*b\*(2\*a^2 + b^2)\*x + (a^4\*ArcTanh[Sin[c + d\*x]])/d + (b^2\*(17\*a^2 + 2\*b^2)\*Sin[c + d\*x])/(3\*d) + (4\*a\*b^3\*Cos[c + d\*x]\*Sin[c + d\*x])/(3\*d) + (b^2\*(a + b\*cos[c + d\*x])^2\*sin[c + d\*x])/(3\*d)

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*sin[e + f\*x])^(m - 3)\*(c + d\*sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*d\*cos[e + f\*x]\*Sin[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x] + Dist[1/(b\*(m + 3)), Int[(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x]

```

+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 \sec(c + dx) dx &= \frac{b^2(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx)) (3a^3 + b(9a^2 \\
&= \frac{4ab^3 \cos(c + dx) \sin(c + dx)}{3d} + \frac{b^2(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{6} \int \\
&= \frac{b^2(17a^2 + 2b^2) \sin(c + dx)}{3d} + \frac{4ab^3 \cos(c + dx) \sin(c + dx)}{3d} + \frac{b^2(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= 2ab(2a^2 + b^2)x + \frac{b^2(17a^2 + 2b^2) \sin(c + dx)}{3d} + \frac{4ab^3 \cos(c + dx) \sin(c + dx)}{3d} \\
&= 2ab(2a^2 + b^2)x + \frac{a^4 \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2(17a^2 + 2b^2) \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 128, normalized size = 1.20

$$\frac{-12a^4 \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 12a^4 \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) + 24ab(2a^2 + b^2)(c + dx)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*Sec[c + d*x], x]
```

```
[Out] (24*a*b*(2*a^2 + b^2)*(c + d*x) - 12*a^4*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*a^4*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*b^2*(8*a^2 + b^2)*Sin[c + d*x] + 12*a*b^3*Sin[2*(c + d*x)] + b^4*Sin[3*(c + d*x)])/(12*d)
```

**fricas [A]** time = 1.15, size = 98, normalized size = 0.92

$$\frac{3a^4 \log(\sin(dx + c) + 1) - 3a^4 \log(-\sin(dx + c) + 1) + 12(2a^3b + ab^3)dx + 2(b^4 \cos(dx + c)^2 + 6ab^3 \cos(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*sec(d*x+c), x, algorithm="fricas")
```

```
[Out] 1/6*(3*a^4*log(sin(d*x + c) + 1) - 3*a^4*log(-sin(d*x + c) + 1) + 12*(2*a^3*b + a*b^3)*d*x + 2*(b^4*cos(d*x + c)^2 + 6*a*b^3*cos(d*x + c) + 18*a^2*b^2 + 2*b^4)*sin(d*x + c))/d
```

**giac [B]** time = 0.59, size = 212, normalized size = 1.98

$$3a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3a^4 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 6(2a^3b + ab^3)(dx + c) + \frac{2(18a^2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + b^4)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c),x, algorithm="giac")

[Out]  $\frac{1}{3}(3a^4 \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1) - 3a^4 \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)) + 6(2a^3b + ab^3)(dx + c) + 2(18a^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 6ab^3 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 3b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 36a^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 2b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 18a^2b^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 6ab^3 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 3b^4 \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 + 1)^3 / d$

**maple** [A] time = 0.08, size = 131, normalized size = 1.22

$$\frac{a^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4a^3bx + \frac{4a^3bc}{d} + \frac{6a^2b^2 \sin(dx + c)}{d} + \frac{2ab^3 \cos(dx + c) \sin(dx + c)}{d} + 2ab^3x + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c),x)

[Out]  $\frac{1}{d}a^4 \ln(\sec(dx+c) + \tan(dx+c)) + 4a^3bx + \frac{4}{d}a^3bc + \frac{6}{d}a^2b^2 \sin(dx+c) + 2a^2b^3 \cos(dx+c) \sin(dx+c) / d + 2a^2b^3x + \frac{2}{d}a^2b^3c + \frac{1}{3}d \sin(dx+c) \cos(dx+c)^2 b^4 + \frac{2}{3}d^2 b^4 \sin(dx+c)$

**maxima** [A] time = 0.68, size = 95, normalized size = 0.89

$$\frac{12(dx+c)a^3b + 3(2dx+2c+\sin(2dx+2c))ab^3 - (\sin(dx+c)^3 - 3\sin(dx+c))b^4 + 3a^4 \log(\sec(dx+c))}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c),x, algorithm="maxima")

[Out]  $\frac{1}{3}(12(dx+c)a^3b + 3(2dx+2c+\sin(2dx+2c))a^2b^3 - (\sin(dx+c)^3 - 3\sin(dx+c))b^4 + 3a^4 \log(\sec(dx+c) + \tan(dx+c)) + 18a^2b^2 \sin(dx+c)) / d$

**mupad** [B] time = 0.82, size = 158, normalized size = 1.48

$$\frac{3b^4 \sin(c+dx)}{4d} + \frac{2a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{b^4 \sin(3c+3dx)}{12d} + \frac{ab^3 \sin(2c+2dx)}{d} + \frac{6a^2b^2 \sin(c+dx)}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x),x)

[Out]  $\frac{(3b^4 \sin(c+dx))}{(4*d)} + \frac{(2a^4 \operatorname{atanh}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))}{d} + \frac{(b^4 \sin(3c + 3d*x))}{(12*d)} + \frac{(a*b^3 \sin(2c + 2d*x))}{d} + \frac{(6*a^2*b^2 \sin(c + d*x))}{d} + \frac{(4*a*b^3 \operatorname{atan}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))}{d} + \frac{(8*a^3*b \operatorname{atan}(\sin(c/2 + (d*x)/2) / \cos(c/2 + (d*x)/2))}{d}$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^4 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*4\*sec(c + d\*x), x)

### 3.443 $\int (a + b \cos(c + dx))^4 \sec^2(c + dx) dx$

**Optimal.** Leaf size=114

$$\frac{4a^3b \tanh^{-1}(\sin(c + dx))}{d} - \frac{2ab(a^2 - 2b^2) \sin(c + dx)}{d} - \frac{b^2(2a^2 - b^2) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}b^2x(12a^2 + b^2) + \dots$$

[Out]  $1/2*b^2*(12*a^2+b^2)*x+4*a^3*b*\operatorname{arctanh}(\sin(d*x+c))/d-2*a*b*(a^2-2*b^2)*\sin(d*x+c)/d-1/2*b^2*(2*a^2-b^2)*\cos(d*x+c)*\sin(d*x+c)/d+a^2*(a+b*\cos(d*x+c))^2*\tan(d*x+c)/d$

**Rubi [A]** time = 0.23, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2792, 3033, 3023, 2735, 3770}

$$\frac{2ab(a^2 - 2b^2) \sin(c + dx)}{d} - \frac{b^2(2a^2 - b^2) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}b^2x(12a^2 + b^2) + \frac{4a^3b \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^4*\operatorname{Sec}[c + d*x]^2,x]$

[Out]  $(b^2*(12*a^2 + b^2)*x)/2 + (4*a^3*b*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/d - (2*a*b*(a^2 - 2*b^2)*\operatorname{Sin}[c + d*x])/d - (b^2*(2*a^2 - b^2)*\operatorname{Cos}[c + d*x]*\operatorname{Sin}[c + d*x])/(2*d) + (a^2*(a + b*\operatorname{Cos}[c + d*x])^2*\operatorname{Tan}[c + d*x])/d$

#### Rule 2735

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])/(c_. + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \operatorname{Simp}[(b*x)/d, x] - \operatorname{Dist}[(b*c - a*d)/d, \operatorname{Int}[1/(c + d*\operatorname{Sin}[e + f*x]), x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0]$

#### Rule 2792

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*(c_. + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m-2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m-3)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)}*\operatorname{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\operatorname{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\operatorname{Sin}[e + f*x]^2, x], x] /;$   $\operatorname{FreeQ}\{a, b, c, d, e, f\}, x\} \ \&\& \ \operatorname{NeQ}[b*c - a*d, 0] \ \&\& \ \operatorname{NeQ}[a^2 - b^2, 0] \ \&\& \ \operatorname{NeQ}[c^2 - d^2, 0] \ \&\& \ \operatorname{GtQ}[m, 2] \ \&\& \ \operatorname{LtQ}[n, -1] \ \&\& \ (\operatorname{IntegerQ}[m] \ \|\ \operatorname{IntegersQ}[2*m, 2*n])$

#### Rule 3023

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\operatorname{Simp}[(C*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \operatorname{Dist}[1/(b*(m+2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^m*\operatorname{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\operatorname{Sin}[e + f*x], x], x], x] /;$   $\operatorname{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \ \&\& \ \operatorname{!LtQ}[m, -1]$

#### Rule 3033

$\operatorname{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*(c_. + (d_.)*\sin[(e_.) + (f_.)*(x_.)]*(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\operatorname{Simp}[(C*d*\operatorname{Cos}[e + f*x]*\operatorname{Sin}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m-1)}), x] + \operatorname{Dist}[(b*c - a*d), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m-2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)}], x], x] /;$

```
e + f*x]^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 \sec^2(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \tan(c + dx)}{d} + \int (a + b \cos(c + dx)) (4a^2b + 3ab \cos(c + dx) + b^2 \cos^2(c + dx)) dx \\ &= -\frac{b^2(2a^2 - b^2) \cos(c + dx) \sin(c + dx)}{2d} + \frac{a^2(a + b \cos(c + dx))^2 \tan(c + dx)}{d} \\ &= -\frac{2ab(a^2 - 2b^2) \sin(c + dx)}{d} - \frac{b^2(2a^2 - b^2) \cos(c + dx) \sin(c + dx)}{2d} + \frac{a^2(a + b \cos(c + dx))^2 \tan(c + dx)}{d} \\ &= \frac{1}{2}b^2(12a^2 + b^2)x - \frac{2ab(a^2 - 2b^2) \sin(c + dx)}{d} - \frac{b^2(2a^2 - b^2) \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2}b^2(12a^2 + b^2)x + \frac{4a^3b \tanh^{-1}(\sin(c + dx))}{d} - \frac{2ab(a^2 - 2b^2) \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.66, size = 119, normalized size = 1.04

$$\frac{4a^4 \tan(c + dx) + 2b \left( -8a^3 \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 8a^3 \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*Sec[c + d*x]^2,x]
```

```
[Out] (2*b*(b*(12*a^2 + b^2)*(c + d*x) - 8*a^3*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 8*a^3*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 16*a*b^3*Sin[c + d*x] + b^4*Sin[2*(c + d*x)] + 4*a^4*Tan[c + d*x])/(4*d)
```

**fricas [A]** time = 1.22, size = 116, normalized size = 1.02

$$\frac{4a^3b \cos(dx + c) \log(\sin(dx + c) + 1) - 4a^3b \cos(dx + c) \log(-\sin(dx + c) + 1) + (12a^2b^2 + b^4)dx \cos(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*sec(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/2*(4*a^3*b*cos(d*x + c)*log(sin(d*x + c) + 1) - 4*a^3*b*cos(d*x + c)*log(-sin(d*x + c) + 1) + (12*a^2*b^2 + b^4)*d*x*cos(d*x + c) + (b^4*cos(d*x + c))^2 + 8*a*b^3*cos(d*x + c) + 2*a^4*sin(d*x + c))/(d*cos(d*x + c))
```

**giac [A]** time = 0.55, size = 170, normalized size = 1.49

$$8a^3b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 8a^3b \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{4a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1} + (12a^2b^2 + b^4)(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^2,x, algorithm="giac")

[Out]  $\frac{1}{2}*(8*a^3*b*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + 1)) - 8*a^3*b*\log(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) - 1)) - 4*a^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)/(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^2 - 1) + (12*a^2*b^2 + b^4)*(d*x + c) + 2*(8*a*b^3*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 - b^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^3 + 8*a*b^3*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c) + b^4*\tan(\frac{1}{2}*d*x + \frac{1}{2}*c))/(\tan(\frac{1}{2}*d*x + \frac{1}{2}*c)^2 + 1)^2/d$

**maple** [A] time = 0.09, size = 109, normalized size = 0.96

$$\frac{a^4 \tan(dx + c)}{d} + \frac{4a^3 b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 6a^2 b^2 x + \frac{6a^2 b^2 c}{d} + \frac{4a b^3 \sin(dx + c)}{d} + \frac{b^4 \cos(dx + c) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^2,x)

[Out]  $a^4*\tan(d*x+c)/d+4/d*a^3*b*\ln(\sec(d*x+c)+\tan(d*x+c))+6*a^2*b^2*x+6/d*a^2*b^2*c+4/d*a*b^3*\sin(d*x+c)+1/2/d*b^4*\cos(d*x+c)*\sin(d*x+c)+1/2*b^4*x+1/2/d*b^4*c$

**maxima** [A] time = 0.63, size = 90, normalized size = 0.79

$$\frac{24(dx + c)a^2b^2 + (2dx + 2c + \sin(2dx + 2c))b^4 + 8a^3b(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 16ab^3}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out]  $\frac{1}{4}*(24*(d*x + c)*a^2*b^2 + (2*d*x + 2*c + \sin(2*d*x + 2*c))*b^4 + 8*a^3*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 16*a*b^3*\sin(d*x + c) + 4*a^4*\tan(d*x + c))/d$

**mupad** [B] time = 0.71, size = 150, normalized size = 1.32

$$\frac{b^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{a^4 \sin(c + dx)}{d \cos(c + dx)} + \frac{12 a^2 b^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4 a b^3 \sin(c + dx)}{d} + \frac{b^4 \cos(c + dx) \sin(c + dx)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^2,x)

[Out]  $(b^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (a^4*\sin(c + d*x))/(d*\cos(c + d*x)) + (12*a^2*b^2*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (4*a*b^3*\sin(c + d*x))/d + (b^4*\cos(c + d*x)*\sin(c + d*x))/(2*d) + (8*a^3*b*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^4 \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*2,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*4\*sec(c + d\*x)\*\*2, x)

### 3.444 $\int (a + b \cos(c + dx))^4 \sec^3(c + dx) dx$

**Optimal.** Leaf size=108

$$\frac{3a^3b \tan(c + dx)}{d} - \frac{b^2(a^2 - 2b^2) \sin(c + dx)}{2d} + \frac{a^2(a^2 + 12b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 \tan(c + dx) \sec(c + dx)(a + b \cos(c + dx))}{2d}$$

[Out]  $4*a*b^3*x+1/2*a^2*(a^2+12*b^2)*\arctanh(\sin(d*x+c))/d-1/2*b^2*(a^2-2*b^2)*\sin(d*x+c)/d+3*a^3*b*\tan(d*x+c)/d+1/2*a^2*(a+b*\cos(d*x+c))^2*\sec(d*x+c)*\tan(d*x+c)/d$

**Rubi [A]** time = 0.25, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2792, 3031, 3023, 2735, 3770}

$$-\frac{b^2(a^2 - 2b^2) \sin(c + dx)}{2d} + \frac{a^2(a^2 + 12b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{3a^3b \tan(c + dx)}{d} + \frac{a^2 \tan(c + dx) \sec(c + dx)(a + b \cos(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^4*\text{Sec}[c + d*x]^3, x]$

[Out]  $4*a*b^3*x + (a^2*(a^2 + 12*b^2)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (b^2*(a^2 - 2*b^2)*\text{Sin}[c + d*x])/(2*d) + (3*a^3*b*\text{Tan}[c + d*x])/d + (a^2*(a + b*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2735

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n, x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n, x\_Symbol] \rightarrow -\text{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m-3}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 3023

$\text{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x] + C*\sin[e + f*x]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 3031

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x] + (A + B*\sin[e + f*x] + C*\sin[e + f*x]^2)), x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}], x] /;$

```

+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 \sec^3(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + b \cos(c + dx))^3 \sec^2(c + dx) dx \\
&= \frac{3a^3b \tan(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} - \frac{1}{2} \int (a + b \cos(c + dx))^2 \sec^2(c + dx) dx \\
&= -\frac{b^2(a^2 - 2b^2) \sin(c + dx)}{2d} + \frac{3a^3b \tan(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\
&= 4ab^3x - \frac{b^2(a^2 - 2b^2) \sin(c + dx)}{2d} + \frac{3a^3b \tan(c + dx)}{d} + \frac{a^2(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\
&= 4ab^3x + \frac{a^2(a^2 + 12b^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(a^2 - 2b^2) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica [A]** time = 2.44, size = 174, normalized size = 1.61

$$\frac{16a^3b \tan(c + dx) + a \left( \frac{a^3}{\left( \cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right)^2} - \frac{a^3}{\left( \sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right) \right)^2} - 2a(a^2 + 12b^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*Sec[c + d*x]^3,x]
```

```
[Out] (a*(16*b^3*c + 16*b^3*d*x - 2*a*(a^2 + 12*b^2)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*a*(a^2 + 12*b^2)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + a^3/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - a^3/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + 4*b^4*Sin[c + d*x] + 16*a^3*b*Tan[c + d*x])/(4*d)
```

**fricas [A]** time = 0.75, size = 130, normalized size = 1.20

$$\frac{16ab^3dx \cos(dx + c)^2 + (a^4 + 12a^2b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (a^4 + 12a^2b^2) \cos(dx + c)^2 \log(-\sin(dx + c) + 1)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*sec(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/4*(16*a*b^3*d*x*cos(d*x + c)^2 + (a^4 + 12*a^2*b^2)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (a^4 + 12*a^2*b^2)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(2*b^4*cos(d*x + c)^2 + 8*a^3*b*cos(d*x + c) + a^4)*sin(d*x + c))/(d*cos(d*x + c)^2)
```



**giac** [A] time = 0.86, size = 177, normalized size = 1.64

$$\frac{8(dx+c)ab^3 + \frac{4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + (a^4 + 12a^2b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (a^4 + 12a^2b^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(8\*(d\*x + c)\*a\*b^3 + 4\*b^4\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 + 1) + (a^4 + 12\*a^2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (a^4 + 12\*a^2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 8\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a^4\*tan(1/2\*d\*x + 1/2\*c) + 8\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2)/d

**maple** [A] time = 0.10, size = 114, normalized size = 1.06

$$\frac{a^4 \sec(dx+c) \tan(dx+c)}{2d} + \frac{a^4 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{4a^3 b \tan(dx+c)}{d} + \frac{6a^2 b^2 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x)

[Out] 1/2\*a^4\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*a^3\*b\*tan(d\*x+c)/d+6/d\*a^2\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*a\*b^3\*x+4/d\*a\*b^3\*c+1/d\*b^4\*sin(d\*x+c)

**maxima** [A] time = 0.86, size = 115, normalized size = 1.06

$$\frac{16(dx+c)ab^3 - a^4 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) + 12a^2b^2 \left( \log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 1/4\*(16\*(d\*x + c)\*a\*b^3 - a^4\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 12\*a^2\*b^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 4\*b^4\*sin(d\*x + c) + 16\*a^3\*b\*tan(d\*x + c))/d

**mupad** [B] time = 0.72, size = 152, normalized size = 1.41

$$\frac{b^4 \sin(c+dx)}{d} + \frac{a^4 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{a^4 \sin(c+dx)}{2d \cos(c+dx)^2} + \frac{12a^2b^2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{8ab^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^3,x)

[Out] (b^4\*sin(c + d\*x))/d + (a^4\*atanh(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/d + (a^4\*sin(c + d\*x))/(2\*d\*cos(c + d\*x)^2) + (12\*a^2\*b^2\*atanh(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/d + (8\*a\*b^3\*atan(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/d + (4\*a^3\*b\*sin(c + d\*x))/(d\*cos(c + d\*x))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

### 3.445 $\int (a + b \cos(c + dx))^4 \sec^4(c + dx) dx$

**Optimal.** Leaf size=115

$$\frac{4a^3b \tan(c + dx) \sec(c + dx)}{3d} + \frac{a^2 (2a^2 + 17b^2) \tan(c + dx)}{3d} + \frac{2ab (a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2 \tan(c + dx)}{d}$$

[Out]  $b^4*x+2*a*b*(a^2+2*b^2)*\arctanh(\sin(d*x+c))/d+1/3*a^2*(2*a^2+17*b^2)*\tan(d*x+c)/d+4/3*a^3*b*\sec(d*x+c)*\tan(d*x+c)/d+1/3*a^2*(a+b*\cos(d*x+c))^2*\sec(d*x+c)^2*\tan(d*x+c)/d$

**Rubi [A]** time = 0.25, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2792, 3031, 3021, 2735, 3770}

$$\frac{a^2 (2a^2 + 17b^2) \tan(c + dx)}{3d} + \frac{2ab (a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{4a^3b \tan(c + dx) \sec(c + dx)}{3d} + \frac{a^2 \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^4*\text{Sec}[c + d*x]^4, x]$

[Out]  $b^4*x + (2*a*b*(a^2 + 2*b^2)*\text{ArcTanH}[\text{Sin}[c + d*x]])/d + (a^2*(2*a^2 + 17*b^2)*\text{Tan}[c + d*x])/(3*d) + (4*a^3*b*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(3*d) + (a^2*(a + b*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

#### Rule 2735

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 2792

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n), x\_Symbol] \rightarrow -\text{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m-3}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n])$

#### Rule 3021

$\text{Int}[(a + b*\sin[e + f*x])^m*((A + B*\sin[e + f*x])^n + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1}]/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 3031

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x])^n + (A + B*\sin[e + f*x])^2 + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

```

_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 \sec^4(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))^3 \sec^3(c + dx) dx \\
&= \frac{4a^3b \sec(c + dx) \tan(c + dx)}{3d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} \\
&= \frac{a^2(2a^2 + 17b^2) \tan(c + dx)}{3d} + \frac{4a^3b \sec(c + dx) \tan(c + dx)}{3d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} \\
&= b^4x + \frac{a^2(2a^2 + 17b^2) \tan(c + dx)}{3d} + \frac{4a^3b \sec(c + dx) \tan(c + dx)}{3d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} \\
&= b^4x + \frac{2ab(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(2a^2 + 17b^2) \tan(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.39, size = 77, normalized size = 0.67

$$\frac{a^4 \tan^3(c + dx) + 6ab(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx)) + 3a^2 \tan(c + dx)(a^2 + 2ab \sec(c + dx) + 6b^2) + 3b^4 dx}{3d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(a + b*Cos[c + d*x])^4*Sec[c + d*x]^4,x]

```

```

[Out] (3*b^4*d*x + 6*a*b*(a^2 + 2*b^2)*ArcTanh[Sin[c + d*x]] + 3*a^2*(a^2 + 6*b^2
+ 2*a*b*Sec[c + d*x])*Tan[c + d*x] + a^4*Tan[c + d*x]^3)/(3*d)

```

**fricas [A]** time = 1.23, size = 138, normalized size = 1.20

$$\frac{3b^4 dx \cos(dx + c)^3 + 3(a^3b + 2ab^3) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3(a^3b + 2ab^3) \cos(dx + c)^3 \log(-\sin(dx + c) + 1)}{3d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^4*sec(d*x+c)^4,x, algorithm="fricas")

```

```

[Out] 1/3*(3*b^4*d*x*cos(d*x + c)^3 + 3*(a^3*b + 2*a*b^3)*cos(d*x + c)^3*log(sin(
d*x + c) + 1) - 3*(a^3*b + 2*a*b^3)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) +
(6*a^3*b*cos(d*x + c) + a^4 + 2*(a^4 + 9*a^2*b^2)*cos(d*x + c)^2)*sin(d*x
+ c))/(d*cos(d*x + c)^3)

```

**giac [B]** time = 0.62, size = 221, normalized size = 1.92

$$3(dx + c)b^4 + 6(a^3b + 2ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6(a^3b + 2ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(3a^4 \tan^2(c + dx) + 3a^2 \tan^2(dx + c) + 3b^4)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x, algorithm="giac")

[Out]  $\frac{1}{3}*(3*(d*x + c)*b^4 + 6*(a^3*b + 2*a*b^3)*\log(\tan(1/2*d*x + 1/2*c) + 1)) - 6*(a^3*b + 2*a*b^3)*\log(\tan(1/2*d*x + 1/2*c) - 1) - 2*(3*a^4*\tan(1/2*d*x + 1/2*c)^5 - 6*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 18*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 2*a^4*\tan(1/2*d*x + 1/2*c)^3 - 36*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3*a^4*\tan(1/2*d*x + 1/2*c) + 6*a^3*b*\tan(1/2*d*x + 1/2*c) + 18*a^2*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$

**maple** [A] time = 0.10, size = 135, normalized size = 1.17

$$\frac{2a^4 \tan(dx + c)}{3d} + \frac{a^4 \tan(dx + c) (\sec^2(dx + c))}{3d} + \frac{2a^3 b \sec(dx + c) \tan(dx + c)}{d} + \frac{2a^3 b \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x)

[Out]  $\frac{2}{3}a^4*\tan(d*x+c)/d + \frac{1}{3}d*a^4*\tan(d*x+c)*\sec(d*x+c)^2 + 2*a^3*b*\sec(d*x+c)*\tan(d*x+c)/d + \frac{2}{d}a^3*b*\ln(\sec(d*x+c) + \tan(d*x+c)) + \frac{6}{d}a^2*b^2*\tan(d*x+c) + \frac{4}{d}a*b^3*\ln(\sec(d*x+c) + \tan(d*x+c)) + b^4*x + \frac{1}{d}b^4*c$

**maxima** [A] time = 0.63, size = 125, normalized size = 1.09

$$\frac{(\tan(dx + c)^3 + 3 \tan(dx + c))a^4 + 3(dx + c)b^4 - 3a^3b \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out]  $\frac{1}{3}*((\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^4 + 3*(d*x + c)*b^4 - 3*a^3*b*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 6*a*b^3*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 18*a^2*b^2*\tan(d*x + c))/d$

**mupad** [B] time = 0.78, size = 185, normalized size = 1.61

$$\frac{2b^4 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{2a^4 \sin(c + dx)}{3d \cos(c + dx)} + \frac{a^4 \sin(c + dx)}{3d \cos(c + dx)^3} + \frac{8ab^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d} + \frac{4a^3 b \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^4,x)

[Out]  $(2*b^4*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (2*a^4*\sin(c + d*x))/(3*d*\cos(c + d*x)) + (a^4*\sin(c + d*x))/(3*d*\cos(c + d*x)^3) + (8*a*b^3*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (4*a^3*b*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/d + (2*a^3*b*\sin(c + d*x))/(d*\cos(c + d*x)^2) + (6*a^2*b^2*\sin(c + d*x))/(d*\cos(c + d*x))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

### 3.446 $\int (a + b \cos(c + dx))^4 \sec^5(c + dx) dx$

**Optimal.** Leaf size=154

$$\frac{5a^3b \tan(c + dx) \sec^2(c + dx)}{6d} + \frac{4ab(2a^2 + 3b^2) \tan(c + dx)}{3d} + \frac{a^2(3a^2 + 22b^2) \tan(c + dx) \sec(c + dx)}{8d} + \frac{a^2 \tan(c + dx)}{8d}$$

[Out] 1/8\*(3\*a^4+24\*a^2\*b^2+8\*b^4)\*arctanh(sin(d\*x+c))/d+4/3\*a\*b\*(2\*a^2+3\*b^2)\*tan(d\*x+c)/d+1/8\*a^2\*(3\*a^2+22\*b^2)\*sec(d\*x+c)\*tan(d\*x+c)/d+5/6\*a^3\*b\*sec(d\*x+c)^2\*tan(d\*x+c)/d+1/4\*a^2\*(a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^3\*tan(d\*x+c)/d

**Rubi [A]** time = 0.34, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2792, 3031, 3021, 2748, 3767, 8, 3770}

$$\frac{4ab(2a^2 + 3b^2) \tan(c + dx)}{3d} + \frac{(24a^2b^2 + 3a^4 + 8b^4) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(3a^2 + 22b^2) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^4\*Sec[c + d\*x]^5,x]

[Out] ((3\*a^4 + 24\*a^2\*b^2 + 8\*b^4)\*ArcTanh[Sin[c + d\*x]])/(8\*d) + (4\*a\*b\*(2\*a^2 + 3\*b^2)\*Tan[c + d\*x])/(3\*d) + (a^2\*(3\*a^2 + 22\*b^2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (5\*a^3\*b\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(6\*d) + (a^2\*(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f
_.)*(x_.)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 \sec^5(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^4 \sec^4(c + dx) dx \\
&= \frac{5a^3b \sec^2(c + dx) \tan(c + dx)}{6d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} \\
&= \frac{a^2(3a^2 + 22b^2) \sec(c + dx) \tan(c + dx)}{8d} + \frac{5a^3b \sec^2(c + dx) \tan(c + dx)}{6d} \\
&= \frac{a^2(3a^2 + 22b^2) \sec(c + dx) \tan(c + dx)}{8d} + \frac{5a^3b \sec^2(c + dx) \tan(c + dx)}{6d} \\
&= \frac{(3a^4 + 24a^2b^2 + 8b^4) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(3a^2 + 22b^2) \sec(c + dx) \tan(c + dx)}{8d} \\
&= \frac{(3a^4 + 24a^2b^2 + 8b^4) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{4ab(2a^2 + 3b^2) \tan(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.49, size = 101, normalized size = 0.66

$$\frac{3(3a^4 + 24a^2b^2 + 8b^4) \tanh^{-1}(\sin(c + dx)) + a \tan(c + dx) (6a^3 \sec^3(c + dx) + 32b(3(a^2 + b^2) + a^2 \tan^2(c + dx)))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^4\*Sec[c + d\*x]^5,x]

[Out] (3\*(3\*a^4 + 24\*a^2\*b^2 + 8\*b^4)\*ArcTanh[Sin[c + d\*x]] + a\*Tan[c + d\*x]\*(9\*a\*(a^2 + 8\*b^2)\*Sec[c + d\*x] + 6\*a^3\*Sec[c + d\*x]^3 + 32\*b\*(3\*(a^2 + b^2) + a^2\*Tan[c + d\*x]^2)))/(24\*d)

**fricas [A]** time = 0.91, size = 163, normalized size = 1.06

$$\frac{3(3a^4 + 24a^2b^2 + 8b^4) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3(3a^4 + 24a^2b^2 + 8b^4) \cos(dx + c)^4 \log(-\sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out]  $\frac{1}{48}*(3*(3*a^4 + 24*a^2*b^2 + 8*b^4)*\cos(d*x + c)^4*\log(\sin(d*x + c) + 1) - 3*(3*a^4 + 24*a^2*b^2 + 8*b^4)*\cos(d*x + c)^4*\log(-\sin(d*x + c) + 1) + 2*(32*a^3*b*\cos(d*x + c) + 6*a^4 + 32*(2*a^3*b + 3*a*b^3)*\cos(d*x + c)^3 + 9*(a^4 + 8*a^2*b^2)*\cos(d*x + c)^2*\sin(d*x + c))/(d*\cos(d*x + c)^4)$

**giac** [B] time = 0.70, size = 360, normalized size = 2.34

$$3(3a^4 + 24a^2b^2 + 8b^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3a^4 + 24a^2b^2 + 8b^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2(15a^4 + 24a^2b^2 + 8b^4)\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24}*(3*(3*a^4 + 24*a^2*b^2 + 8*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*a^4 + 24*a^2*b^2 + 8*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*a^4*\tan(1/2*d*x + 1/2*c)^7 - 96*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 72*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 96*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 9*a^4*\tan(1/2*d*x + 1/2*c)^5 + 160*a^3*b*\tan(1/2*d*x + 1/2*c)^5 - 72*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 288*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 9*a^4*\tan(1/2*d*x + 1/2*c)^3 - 160*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 72*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 288*a*b^3*\tan(1/2*d*x + 1/2*c)^3 + 15*a^4*\tan(1/2*d*x + 1/2*c) + 96*a^3*b*\tan(1/2*d*x + 1/2*c) + 72*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 96*a*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^4/d$

**maple** [A] time = 0.11, size = 188, normalized size = 1.22

$$\frac{a^4(\sec^3(dx+c))\tan(dx+c)}{4d} + \frac{3a^4\sec(dx+c)\tan(dx+c)}{8d} + \frac{3a^4\ln(\sec(dx+c)+\tan(dx+c))}{8d} + \frac{8a^3b\tan(dx+c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x)

[Out]  $\frac{1}{4}*a^4*\sec(d*x+c)^3*\tan(d*x+c)/d + \frac{3}{8}*a^4*\sec(d*x+c)*\tan(d*x+c)/d + \frac{3}{8}*a^4*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{8}{3}*a^3*b*\tan(d*x+c)/d + \frac{4}{3}*a^3*b*\sec(d*x+c)^2*\tan(d*x+c)/d + \frac{3}{d}*a^2*b^2*\tan(d*x+c)*\sec(d*x+c) + \frac{3}{d}*a^2*b^2*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{4}{d}*a*b^3*\tan(d*x+c) + \frac{1}{d}*b^4*\ln(\sec(d*x+c)+\tan(d*x+c))$

**maxima** [A] time = 0.98, size = 187, normalized size = 1.21

$$64\left(\tan(dx+c)^3 + 3\tan(dx+c)\right)a^3b - 3a^4\left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\log(\sin(dx+c)+1) + 3\log(\sin(dx+c)-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out]  $\frac{1}{48}*(64*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*a^3*b - 3*a^4*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 72*a^2*b^2*(2*\sin(d*x + c))/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 24*b^4*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 192*a*b^3*\tan(d*x + c))/d$



**mupad [B]** time = 4.29, size = 245, normalized size = 1.59

$$\frac{\left(\frac{5a^4}{4} - 8a^3b + 6a^2b^2 - 8ab^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^7 + \left(\frac{3a^4}{4} + \frac{40a^3b}{3} - 6a^2b^2 + 24ab^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 + \left(\frac{3a^4}{4} - \frac{40a^3b}{3}\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 + \left(\frac{3a^4}{4} + \frac{40a^3b}{3} - 6a^2b^2 + 24ab^3\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right) + \left(\frac{5a^4}{4} - 8a^3b + 6a^2b^2 - 8ab^3\right)}{d \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^8 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^6 + 6 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 - 4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^5,x)

[Out] (tan(c/2 + (d\*x)/2)\*(8\*a\*b^3 + 8\*a^3\*b + (5\*a^4)/4 + 6\*a^2\*b^2) - tan(c/2 + (d\*x)/2)^7\*(8\*a\*b^3 + 8\*a^3\*b - (5\*a^4)/4 - 6\*a^2\*b^2) - tan(c/2 + (d\*x)/2)^3\*(24\*a\*b^3 + (40\*a^3\*b)/3 - (3\*a^4)/4 + 6\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^5\*(24\*a\*b^3 + (40\*a^3\*b)/3 + (3\*a^4)/4 - 6\*a^2\*b^2))/(d\*(6\*tan(c/2 + (d\*x)/2)^4 - 4\*tan(c/2 + (d\*x)/2)^2 - 4\*tan(c/2 + (d\*x)/2)^6 + tan(c/2 + (d\*x)/2)^8 + 1)) + (atanh(tan(c/2 + (d\*x)/2))\*((3\*a^4)/4 + 2\*b^4 + 6\*a^2\*b^2))/d

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

### 3.447 $\int (a + b \cos(c + dx))^4 \sec^6(c + dx) dx$

**Optimal.** Leaf size=188

$$\frac{3a^3b \tan(c + dx) \sec^3(c + dx)}{5d} + \frac{ab(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4a^2 + 27b^2) \tan(c + dx) \sec^2(c + dx)}{15d} + \dots$$

[Out]  $\frac{1}{2}ab(3a^2+4b^2)\operatorname{arctanh}(\sin(dx+c))/d + \frac{1}{15}(8a^4+60a^2b^2+15b^4)\tan(dx+c)/d + \frac{1}{2}ab(3a^2+4b^2)\sec(dx+c)\tan(dx+c)/d + \frac{1}{15}a^2(4a^2+27b^2)\sec(dx+c)^2\tan(dx+c)/d + \frac{3}{5}a^3b\sec(dx+c)^3\tan(dx+c)/d + \frac{1}{5}a^2(a+b\cos(dx+c))^2\sec(dx+c)^4\tan(dx+c)/d$

**Rubi [A]** time = 0.36, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {2792, 3031, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(60a^2b^2 + 8a^4 + 15b^4) \tan(c + dx)}{15d} + \frac{ab(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4a^2 + 27b^2) \tan(c + dx) \sec^2(c + dx)}{15d} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b\cos[c + dx])^4 \sec[c + dx]^6, x]$

[Out]  $(a*b*(3*a^2 + 4*b^2)*\text{ArcTanh}[\text{Sin}[c + dx]])/(2*d) + ((8*a^4 + 60*a^2*b^2 + 15*b^4)*\text{Tan}[c + dx])/(15*d) + (a*b*(3*a^2 + 4*b^2)*\text{Sec}[c + dx]*\text{Tan}[c + dx])/(2*d) + (a^2*(4*a^2 + 27*b^2)*\text{Sec}[c + dx]^2*\text{Tan}[c + dx])/(15*d) + (3*a^3*b*\text{Sec}[c + dx]^3*\text{Tan}[c + dx])/(5*d) + (a^2*(a + b*\text{Cos}[c + dx])^2*\text{Sec}[c + dx]^4*\text{Tan}[c + dx])/(5*d)$

#### Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

#### Rule 2748

$\text{Int}[(b_*\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)])], x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2792

$\text{Int}[(a_* + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)])^{(n_*)}], x\_Symbol] \rightarrow -\text{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m - 2)}*(c + d*\sin[e + f*x])^{(n + 1)}]/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m - 3)}*(c + d*\sin[e + f*x])^{(n + 1)}*\text{Simp}[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2*m, 2*n])$

#### Rule 3021

$\text{Int}[(a_* + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)] + (C_*)\sin[(e_*) + (f_*)(x_*)]^2)], x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}]/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b$

$- a*B + b*C)*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, A, B, C\}, x] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

### Rule 3031

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \text{:>} -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b^2*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*\text{Sin}[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1]$

### Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \text{:>} -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \text{:>} -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] \text{:>} -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 \sec^6(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 \sec^5(c + dx) dx \\ &= \frac{3a^3b \sec^3(c + dx) \tan(c + dx)}{5d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 \sec^4(c + dx) dx \\ &= \frac{a^2(4a^2 + 27b^2) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{3a^3b \sec^3(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 \sec^3(c + dx) dx \\ &= \frac{a^2(4a^2 + 27b^2) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{3a^3b \sec^3(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 \sec^2(c + dx) dx \\ &= \frac{ab(3a^2 + 4b^2) \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2(4a^2 + 27b^2) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 \sec(c + dx) dx \\ &= \frac{ab(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(8a^4 + 60a^2b^2 + 15b^4) \tan(c + dx)}{15d} + \frac{1}{5} \int (a + b \cos(c + dx))^4 dx \end{aligned}$$

**Mathematica [A]** time = 0.75, size = 125, normalized size = 0.66

$$\frac{15ab(3a^2 + 4b^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx)(6a^4 \tan^4(c + dx) + 30a^3b \sec^3(c + dx) + 20a^2(a^2 + 3b^2) \tan^2(c + dx) + 15ab \sec^2(c + dx) \tan(c + dx) + 15b^2 \sec^2(c + dx))}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4\*Sec[c + d\*x]^6,x]

[Out] (15\*a\*b\*(3\*a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(30\*(a^4 + 6\*a^2\*b^2 + b^4) + 15\*a\*b\*(3\*a^2 + 4\*b^2)\*Sec[c + d\*x] + 30\*a^3\*b\*Sec[c + d\*x]^3 + 20\*a^2\*(a^2 + 3\*b^2)\*Tan[c + d\*x]^2 + 6\*a^4\*Tan[c + d\*x]^4))/(30\*d)

**fricas** [A] time = 1.10, size = 182, normalized size = 0.97

$$\frac{15(3a^3b + 4ab^3)\cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(3a^3b + 4ab^3)\cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(30a^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/60\*(15\*(3\*a^3\*b + 4\*a\*b^3)\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 15\*(3\*a^3\*b + 4\*a\*b^3)\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(30\*a^3\*b\*cos(d\*x + c) + 2\*(8\*a^4 + 60\*a^2\*b^2 + 15\*b^4)\*cos(d\*x + c)^4 + 6\*a^4 + 15\*(3\*a^3\*b + 4\*a\*b^3)\*cos(d\*x + c)^3 + 4\*(2\*a^4 + 15\*a^2\*b^2)\*cos(d\*x + c)^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

**giac** [B] time = 0.72, size = 461, normalized size = 2.45

$$15(3a^3b + 4ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(3a^3b + 4ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(30a^4 \tan(\frac{1}{2}dx + \frac{1}{2}c) - 1)}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/30\*(15\*(3\*a^3\*b + 4\*a\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 15\*(3\*a^3\*b + 4\*a\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(30\*a^4\*tan(1/2\*d\*x + 1/2\*c)^9 - 75\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c)^9 + 180\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 60\*a\*b^3\*tan(1/2\*d\*x + 1/2\*c)^9 + 30\*b^4\*tan(1/2\*d\*x + 1/2\*c)^9 - 40\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 30\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c)^7 - 480\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 120\*a\*b^3\*tan(1/2\*d\*x + 1/2\*c)^7 - 120\*b^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 116\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 600\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 180\*b^4\*tan(1/2\*d\*x + 1/2\*c)^5 - 40\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 30\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 480\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 120\*a\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 120\*b^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 30\*a^4\*tan(1/2\*d\*x + 1/2\*c) + 75\*a^3\*b\*tan(1/2\*d\*x + 1/2\*c) + 180\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 60\*a\*b^3\*tan(1/2\*d\*x + 1/2\*c) + 30\*b^4\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^5/d

**maple** [A] time = 0.12, size = 225, normalized size = 1.20

$$\frac{8a^4 \tan(dx + c)}{15d} + \frac{a^4 \tan(dx + c) (\sec^4(dx + c))}{5d} + \frac{4a^4 \tan(dx + c) (\sec^2(dx + c))}{15d} + \frac{a^3 b (\sec^3(dx + c)) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x)

[Out] 8/15\*a^4\*tan(d\*x+c)/d+1/5/d\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^4+4/15/d\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^2+a^3\*b\*sec(d\*x+c)^3\*tan(d\*x+c)/d+3/2\*a^3\*b\*sec(d\*x+c)\*tan(d\*x+c)/d+3/2/d\*a^3\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+4/d\*a^2\*b^2\*tan(d\*x+c)+2/d\*a^2\*b^2\*tan(d\*x+c)\*sec(d\*x+c)^2+2/d\*a\*b^3\*tan(d\*x+c)\*sec(d\*x+c)+2/d\*a\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*b^4\*tan(d\*x+c)

**maxima** [A] time = 1.20, size = 195, normalized size = 1.04

$$4 \left( 3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c) \right) a^4 + 120 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) a^2 b^2 - 15 a^3 b$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/60\*(4\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*a^4 + 120\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*a^2\*b^2 - 15\*a^3\*b\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 60\*a\*b^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 60\*b^4\*tan(d\*x + c))/d

**mupad** [B] time = 4.46, size = 304, normalized size = 1.62

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(3a^3b + 4ab^3\right) \left(2a^4 - 5a^3b + 12a^2b^2 - 4ab^3 + 2b^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^9 + \left(-\frac{8a^4}{3} + 2a^3\right)}{d}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^6,x)

[Out] (atanh(tan(c/2 + (d\*x)/2))\*(4\*a\*b^3 + 3\*a^3\*b))/d - (tan(c/2 + (d\*x)/2))^5\*((116\*a^4)/15 + 12\*b^4 + 40\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^9\*(2\*a^4 - 5\*a^3\*b - 4\*a\*b^3 + 2\*b^4 + 12\*a^2\*b^2) - tan(c/2 + (d\*x)/2)^3\*(8\*a\*b^3 + 2\*a^3\*b + (8\*a^4)/3 + 8\*b^4 + 32\*a^2\*b^2) - tan(c/2 + (d\*x)/2)^7\*((8\*a^4)/3 - 2\*a^3\*b + 8\*a\*b^3 + 8\*b^4 + 32\*a^2\*b^2) + tan(c/2 + (d\*x)/2)\*(4\*a\*b^3 + 5\*a^3\*b + 2\*a^4 + 2\*b^4 + 12\*a^2\*b^2))/(d\*(5\*tan(c/2 + (d\*x)/2)^2 - 10\*tan(c/2 + (d\*x)/2)^4 + 10\*tan(c/2 + (d\*x)/2)^6 - 5\*tan(c/2 + (d\*x)/2)^8 + tan(c/2 + (d\*x)/2)^10 - 1))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

### 3.448 $\int (a + b \cos(c + dx))^4 \sec^7(c + dx) dx$

**Optimal.** Leaf size=222

$$\frac{7a^3b \tan(c + dx) \sec^4(c + dx)}{15d} + \frac{4ab(4a^2 + 5b^2) \tan^3(c + dx)}{15d} + \frac{4ab(4a^2 + 5b^2) \tan(c + dx)}{5d} + \frac{a^2(5a^2 + 32b^2) \tan(c + dx)}{24d}$$

[Out] 1/16\*(5\*a^4+36\*a^2\*b^2+8\*b^4)\*arctanh(sin(d\*x+c))/d+4/5\*a\*b\*(4\*a^2+5\*b^2)\*tan(d\*x+c)/d+1/16\*(5\*a^4+36\*a^2\*b^2+8\*b^4)\*sec(d\*x+c)\*tan(d\*x+c)/d+1/24\*a^2\*(5\*a^2+32\*b^2)\*sec(d\*x+c)^3\*tan(d\*x+c)/d+7/15\*a^3\*b\*sec(d\*x+c)^4\*tan(d\*x+c)/d+1/6\*a^2\*(a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^5\*tan(d\*x+c)/d+4/15\*a\*b\*(4\*a^2+5\*b^2)\*tan(d\*x+c)^3/d

**Rubi [A]** time = 0.38, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2792, 3031, 3021, 2748, 3767, 3768, 3770}

$$\frac{4ab(4a^2 + 5b^2) \tan^3(c + dx)}{15d} + \frac{4ab(4a^2 + 5b^2) \tan(c + dx)}{5d} + \frac{(36a^2b^2 + 5a^4 + 8b^4) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^2(5a^2 + 32b^2) \tan(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^4\*Sec[c + d\*x]^7,x]

[Out] ((5\*a^4 + 36\*a^2\*b^2 + 8\*b^4)\*ArcTanh[Sin[c + d\*x]]/(16\*d) + (4\*a\*b\*(4\*a^2 + 5\*b^2)\*Tan[c + d\*x])/(5\*d) + ((5\*a^4 + 36\*a^2\*b^2 + 8\*b^4)\*Sec[c + d\*x]\*Tan[c + d\*x])/(16\*d) + (a^2\*(5\*a^2 + 32\*b^2)\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(24\*d) + (7\*a^3\*b\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(15\*d) + (a^2\*(a + b\*cos[c + d\*x])^2\*Sec[c + d\*x]^5\*Tan[c + d\*x])/(6\*d) + (4\*a\*b\*(4\*a^2 + 5\*b^2)\*Tan[c + d\*x]^3)/(15\*d)

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 \sec^7(c + dx) dx &= \frac{a^2(a + b \cos(c + dx))^2 \sec^5(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int (a + b \cos(c + dx))^4 \sec^6(c + dx) dx \\
&= \frac{7a^3b \sec^4(c + dx) \tan(c + dx)}{15d} + \frac{a^2(a + b \cos(c + dx))^2 \sec^5(c + dx) \tan(c + dx)}{6d} \\
&= \frac{a^2(5a^2 + 32b^2) \sec^3(c + dx) \tan(c + dx)}{24d} + \frac{7a^3b \sec^4(c + dx) \tan(c + dx)}{15d} \\
&= \frac{a^2(5a^2 + 32b^2) \sec^3(c + dx) \tan(c + dx)}{24d} + \frac{7a^3b \sec^4(c + dx) \tan(c + dx)}{15d} \\
&= \frac{(5a^4 + 36a^2b^2 + 8b^4) \sec(c + dx) \tan(c + dx)}{16d} + \frac{a^2(5a^2 + 32b^2) \sec^3(c + dx) \tan(c + dx)}{24d} \\
&= \frac{(5a^4 + 36a^2b^2 + 8b^4) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{4ab(4a^2 + 5b^2) \tan(c + dx)}{5d}
\end{aligned}$$

Mathematica [A] time = 1.01, size = 154, normalized size = 0.69

$$\frac{15(5a^4 + 36a^2b^2 + 8b^4) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (40a^4 \sec^5(c + dx) + 64ab(5(2a^2 + b^2) \tan^2(c + dx) + 24a^2))}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*Sec[c + d*x]^7,x]
```

[Out]  $(15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\text{ArcTanh}[\text{Sin}[c + d*x]] + \text{Tan}[c + d*x]*(15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\text{Sec}[c + d*x] + 10*a^2*(5*a^2 + 36*b^2)*\text{Sec}[c + d*x]^3 + 40*a^4*\text{Sec}[c + d*x]^5 + 64*a*b*(15*(a^2 + b^2) + 5*(2*a^2 + b^2)*\text{Tan}[c + d*x]^2 + 3*a^2*\text{Tan}[c + d*x]^4)))/(240*d)$

**fricas** [A] time = 1.10, size = 217, normalized size = 0.98

$$\frac{15(5a^4 + 36a^2b^2 + 8b^4)\cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(5a^4 + 36a^2b^2 + 8b^4)\cos(dx + c)^6 \log(-\sin(dx + c) + 1)}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^4*sec(d*x+c)^7,x, algorithm="fricas")`

[Out]  $\frac{1}{480}*(15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\cos(d*x + c)^6*\log(\sin(d*x + c) + 1) - 15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\cos(d*x + c)^6*\log(-\sin(d*x + c) + 1) + 2*(128*(4*a^3*b + 5*a*b^3)*\cos(d*x + c)^5 + 192*a^3*b*\cos(d*x + c) + 15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\cos(d*x + c)^4 + 40*a^4 + 64*(4*a^3*b + 5*a*b^3)*\cos(d*x + c)^3 + 10*(5*a^4 + 36*a^2*b^2)*\cos(d*x + c)^2*\sin(d*x + c))/(d*\cos(d*x + c)^6)$

**giac** [B] time = 0.78, size = 592, normalized size = 2.67

$$15(5a^4 + 36a^2b^2 + 8b^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(5a^4 + 36a^2b^2 + 8b^4)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^4*sec(d*x+c)^7,x, algorithm="giac")`

[Out]  $\frac{1}{240}*(15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 15*(5*a^4 + 36*a^2*b^2 + 8*b^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(16*5*a^4*\tan(1/2*d*x + 1/2*c)^{11} - 960*a^3*b*\tan(1/2*d*x + 1/2*c)^{11} + 900*a^2*b^2*\tan(1/2*d*x + 1/2*c)^{11} - 960*a*b^3*\tan(1/2*d*x + 1/2*c)^{11} + 120*b^4*\tan(1/2*d*x + 1/2*c)^{11} + 25*a^4*\tan(1/2*d*x + 1/2*c)^9 + 2240*a^3*b*\tan(1/2*d*x + 1/2*c)^9 - 1260*a^2*b^2*\tan(1/2*d*x + 1/2*c)^9 + 3520*a*b^3*\tan(1/2*d*x + 1/2*c)^9 - 360*b^4*\tan(1/2*d*x + 1/2*c)^9 + 450*a^4*\tan(1/2*d*x + 1/2*c)^7 - 4992*a^3*b*\tan(1/2*d*x + 1/2*c)^7 + 360*a^2*b^2*\tan(1/2*d*x + 1/2*c)^7 - 5760*a*b^3*\tan(1/2*d*x + 1/2*c)^7 + 240*b^4*\tan(1/2*d*x + 1/2*c)^7 + 450*a^4*\tan(1/2*d*x + 1/2*c)^5 + 4992*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 360*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 + 5760*a*b^3*\tan(1/2*d*x + 1/2*c)^5 + 240*b^4*\tan(1/2*d*x + 1/2*c)^5 + 25*a^4*\tan(1/2*d*x + 1/2*c)^3 - 2240*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 1260*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 - 3520*a*b^3*\tan(1/2*d*x + 1/2*c)^3 - 360*b^4*\tan(1/2*d*x + 1/2*c)^3 + 165*a^4*\tan(1/2*d*x + 1/2*c) + 960*a^3*b*\tan(1/2*d*x + 1/2*c) + 900*a^2*b^2*\tan(1/2*d*x + 1/2*c) + 960*a*b^3*\tan(1/2*d*x + 1/2*c) + 120*b^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d$

**maple** [A] time = 0.12, size = 302, normalized size = 1.36

$$\frac{a^4(\sec^5(dx + c))\tan(dx + c)}{6d} + \frac{5a^4(\sec^3(dx + c))\tan(dx + c)}{24d} + \frac{5a^4\sec(dx + c)\tan(dx + c)}{16d} + \frac{5a^4\ln(\sec(dx + c))}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^4*sec(d*x+c)^7,x)`

[Out]  $\frac{1}{6}a^4*\sec(d*x+c)^5*\tan(d*x+c)/d + \frac{5}{24}a^4*\sec(d*x+c)^3*\tan(d*x+c)/d + \frac{5}{16}a^4*\sec(d*x+c)*\tan(d*x+c)/d + \frac{5}{16}d*a^4*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{32}{15}a^3*b$



$$\begin{aligned} & * \tan(dx+c)/d + 4/5 * a^3 * b * \sec(dx+c)^4 * \tan(dx+c)/d + 16/15 * a^3 * b * \sec(dx+c)^2 * \\ & \tan(dx+c)/d + 3/2 * d * a^2 * b^2 * \tan(dx+c) * \sec(dx+c)^3 + 9/4 * d * a^2 * b^2 * \tan(dx+c) \\ & * \sec(dx+c) + 9/4 * d * a^2 * b^2 * \ln(\sec(dx+c) + \tan(dx+c)) + 8/3 * d * a * b^3 * \tan(dx+c) + \\ & 4/3 * d * a * b^3 * \tan(dx+c) * \sec(dx+c)^2 + 1/2 * d * b^4 * \tan(dx+c) * \sec(dx+c) + 1/2 * d * b \\ & ^4 * \ln(\sec(dx+c) + \tan(dx+c)) \end{aligned}$$

**maxima [A]** time = 0.76, size = 275, normalized size = 1.24

$$128 \left( 3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c) \right) a^3 b + 640 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) a b^3 - 5 a^4$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*sec(d\*x+c)^7,x, algorithm="maxima")

[Out] 1/480\*(128\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*a^3\*b + 640\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*a\*b^3 - 5\*a^4\*(2\*(15\*sin(d\*x + c)^5 - 40\*sin(d\*x + c)^3 + 33\*sin(d\*x + c))/(sin(d\*x + c)^6 - 3\*sin(d\*x + c)^4 + 3\*sin(d\*x + c)^2 - 1) - 15\*log(sin(d\*x + c) + 1) + 15\*log(sin(d\*x + c) - 1)) - 180\*a^2\*b^2\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 120\*b^4\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1))/d

**mupad [B]** time = 4.31, size = 370, normalized size = 1.67

$$\frac{\operatorname{atanh}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \left(\frac{5a^4}{8} + \frac{9a^2b^2}{2} + b^4\right)}{d} + \frac{\left(\frac{11a^4}{8} - 8a^3b + \frac{15a^2b^2}{2} - 8ab^3 + b^4\right) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^{11} + \left(\frac{5a^4}{24} + \frac{56a^3}{3}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^4/cos(c + d\*x)^7,x)

[Out] (atanh(tan(c/2 + (d\*x)/2))\*((5\*a^4)/8 + b^4 + (9\*a^2\*b^2)/2))/d + (tan(c/2 + (d\*x)/2)^9\*((88\*a\*b^3)/3 + (56\*a^3\*b)/3 + (5\*a^4)/24 - 3\*b^4 - (21\*a^2\*b^2)/2) - tan(c/2 + (d\*x)/2)^3\*((88\*a\*b^3)/3 + (56\*a^3\*b)/3 - (5\*a^4)/24 + 3\*b^4 + (21\*a^2\*b^2)/2) + tan(c/2 + (d\*x)/2)^5\*(48\*a\*b^3 + (208\*a^3\*b)/5 + (15\*a^4)/4 + 2\*b^4 + 3\*a^2\*b^2) + tan(c/2 + (d\*x)/2)^7\*((15\*a^4)/4 - (208\*a^3\*b)/5 - 48\*a\*b^3 + 2\*b^4 + 3\*a^2\*b^2) + tan(c/2 + (d\*x)/2)\*(8\*a\*b^3 + 8\*a^3\*b + (11\*a^4)/8 + b^4 + (15\*a^2\*b^2)/2) + tan(c/2 + (d\*x)/2)^11\*((11\*a^4)/8 - 8\*a^3\*b - 8\*a\*b^3 + b^4 + (15\*a^2\*b^2)/2))/(d\*(15\*tan(c/2 + (d\*x)/2)^4 - 6\*tan(c/2 + (d\*x)/2)^2 - 20\*tan(c/2 + (d\*x)/2)^6 + 15\*tan(c/2 + (d\*x)/2)^8 - 6\*tan(c/2 + (d\*x)/2)^10 + tan(c/2 + (d\*x)/2)^12 + 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*4\*sec(d\*x+c)\*\*7,x)

[Out] Timed out

$$3.449 \quad \int \frac{\cos^5(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=193

$$\frac{2a^5 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^5 d \sqrt{a-b} \sqrt{a+b}} - \frac{a(3a^2 + 2b^2) \sin(c+dx)}{3b^4 d} + \frac{(4a^2 + 3b^2) \sin(c+dx) \cos(c+dx)}{8b^3 d} + \frac{x(8a^4 + 4a^2 b^2 + 8b^5)}{8b^5}$$

[Out] 1/8\*(8\*a^4+4\*a^2\*b^2+3\*b^4)\*x/b^5-1/3\*a\*(3\*a^2+2\*b^2)\*sin(d\*x+c)/b^4/d+1/8\*(4\*a^2+3\*b^2)\*cos(d\*x+c)\*sin(d\*x+c)/b^3/d-1/3\*a\*cos(d\*x+c)^2\*sin(d\*x+c)/b^2/d+1/4\*cos(d\*x+c)^3\*sin(d\*x+c)/b/d-2\*a^5\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/b^5/d/(a-b)^(1/2)/(a+b)^(1/2)

**Rubi [A]** time = 0.54, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2793, 3049, 3023, 2735, 2659, 205}

$$\frac{a(3a^2 + 2b^2) \sin(c+dx)}{3b^4 d} - \frac{2a^5 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^5 d \sqrt{a-b} \sqrt{a+b}} + \frac{(4a^2 + 3b^2) \sin(c+dx) \cos(c+dx)}{8b^3 d} + \frac{x(4a^2 b^2 + 8a^4 + 8b^5)}{8b^5}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + b\*cos[c + d\*x]),x]

[Out] ((8\*a^4 + 4\*a^2\*b^2 + 3\*b^4)\*x)/(8\*b^5) - (2\*a^5\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^5\*Sqrt[a + b]\*d) - (a\*(3\*a^2 + 2\*b^2)\*Sin[c + d\*x])/(3\*b^4\*d) + ((4\*a^2 + 3\*b^2)\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*b^3\*d) - (a\*cos[c + d\*x]^2\*sin[c + d\*x])/(3\*b^2\*d) + (Cos[c + d\*x]^3\*sin[c + d\*x])/(4\*b\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Ssin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Ssin[e + f\*x])^(m - 3)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d,

0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^5(c + dx)}{a + b \cos(c + dx)} dx &= \frac{\cos^3(c + dx) \sin(c + dx)}{4bd} + \frac{\int \frac{\cos^2(c + dx)(3a + 3b \cos(c + dx) - 4a \cos^2(c + dx))}{a + b \cos(c + dx)} dx}{4b} \\
 &= -\frac{a \cos^2(c + dx) \sin(c + dx)}{3b^2d} + \frac{\cos^3(c + dx) \sin(c + dx)}{4bd} + \frac{\int \frac{\cos(c + dx)(-8a^2 + ab \cos(c + dx))}{a + b \cos(c + dx)} dx}{12b^2} \\
 &= \frac{(4a^2 + 3b^2) \cos(c + dx) \sin(c + dx)}{8b^3d} - \frac{a \cos^2(c + dx) \sin(c + dx)}{3b^2d} + \frac{\cos^3(c + dx) \sin(c + dx)}{4bd} \\
 &= -\frac{a(3a^2 + 2b^2) \sin(c + dx)}{3b^4d} + \frac{(4a^2 + 3b^2) \cos(c + dx) \sin(c + dx)}{8b^3d} - \frac{a \cos^2(c + dx) \sin(c + dx)}{3b^2d} \\
 &= \frac{(8a^4 + 4a^2b^2 + 3b^4)x}{8b^5} - \frac{a(3a^2 + 2b^2) \sin(c + dx)}{3b^4d} + \frac{(4a^2 + 3b^2) \cos(c + dx) \sin(c + dx)}{8b^3d} \\
 &= \frac{(8a^4 + 4a^2b^2 + 3b^4)x}{8b^5} - \frac{a(3a^2 + 2b^2) \sin(c + dx)}{3b^4d} + \frac{(4a^2 + 3b^2) \cos(c + dx) \sin(c + dx)}{8b^3d} \\
 &= \frac{(8a^4 + 4a^2b^2 + 3b^4)x}{8b^5} - \frac{2a^5 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^5 \sqrt{a+b} d} - \frac{a(3a^2 + 2b^2) \sin(c + dx)}{3b^4d} +
 \end{aligned}$$

**Mathematica [A]** time = 0.64, size = 153, normalized size = 0.79

$$\frac{-24ab(4a^2 + 3b^2) \sin(c + dx) + 24b^2(a^2 + b^2) \sin(2(c + dx)) + \frac{192a^5 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + 12(8a^4 + 4a^2b^2 + 3b^4)x}{96b^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x]), x]

[Out] (12\*(8\*a^4 + 4\*a^2\*b^2 + 3\*b^4)\*(c + d\*x) + (192\*a^5\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 24\*a\*b\*(4\*a^2 + 3\*b^2)\*Sin[c + d\*x] + 24\*b^2\*(a^2 + b^2)\*Sin[2\*(c + d\*x)] - 8\*a\*b^3\*Sin[3\*(c + d\*x)] + 3\*b^4\*Sin[4\*(c + d\*x)]/(96\*b^5\*d)

**fricas** [A] time = 1.72, size = 479, normalized size = 2.48

$$\left[ \frac{12 \sqrt{-a^2 + b^2} a^5 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - 3(8a^6 - 4a^4b^2 - a^2b^4)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [-1/24\*(12\*sqrt(-a^2 + b^2)\*a^5\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 3\*(8\*a^6 - 4\*a^4\*b^2 - a^2\*b^4 - 3\*b^6)\*d\*x + (24\*a^5\*b - 8\*a^3\*b^3 - 16\*a\*b^5 - 6\*(a^2\*b^4 - b^6)\*cos(d\*x + c)^3 + 8\*(a^3\*b^3 - a\*b^5)\*cos(d\*x + c)^2 - 3\*(4\*a^4\*b^2 - a^2\*b^4 - 3\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^2\*b^5 - b^7)\*d), -1/24\*(2\*sqrt(a^2 - b^2)\*a^5\*arctan(-(a\*cos(d\*x + c) + b)/sqrt(a^2 - b^2)\*sin(d\*x + c))) - 3\*(8\*a^6 - 4\*a^4\*b^2 - a^2\*b^4 - 3\*b^6)\*d\*x + (24\*a^5\*b - 8\*a^3\*b^3 - 16\*a\*b^5 - 6\*(a^2\*b^4 - b^6)\*cos(d\*x + c)^3 + 8\*(a^3\*b^3 - a\*b^5)\*cos(d\*x + c)^2 - 3\*(4\*a^4\*b^2 - a^2\*b^4 - 3\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^2\*b^5 - b^7)\*d)]

**giac** [B] time = 0.62, size = 393, normalized size = 2.04

$$\frac{48 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) a^5}{\sqrt{a^2 - b^2} b^5} + \frac{3(8a^4 + 4a^2b^2 + 3b^4)(dx+c)}{b^5} - \frac{2 \left( 24a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 12a^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^7}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] 1/24\*(48\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*a^5/(sqrt(a^2 - b^2)\*b^5) + 3\*(8\*a^4 + 4\*a^2\*b^2 + 3\*b^4)\*(d\*x + c)/b^5 - 2\*(24\*a^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 12\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^7 + 24\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 15\*b^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 72\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 + 12\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 40\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 9\*b^3\*tan(1/2\*d\*x + 1/2\*c)^5 + 72\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 12\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 40\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 24\*a^3\*tan(1/2\*d\*x + 1/2\*c) - 12\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c) + 24\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c) - 15\*b^3\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^4\*b^4))/d

**maple** [B] time = 0.06, size = 672, normalized size = 3.48

$$\frac{2a^5 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^5 \sqrt{(a-b)(a+b)}} - \frac{2 \left( \tan^7\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a^3}{db^4 \left( 1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4} - \frac{\left( \tan^7\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a^2}{db^3 \left( 1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4} - \frac{2 \left( \tan^7\left(\frac{dx}{2} + \frac{c}{2}\right) \right) a}{db^2 \left( 1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4} - 4a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5/(a+b*cos(d*x+c)),x)`

[Out] 
$$\begin{aligned} & -2/d*a^5/b^5/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})-2/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*a^3-1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*a^2-2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7*a-5/4/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^7-6/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*a^3-10/3/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*a+3/4/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5-1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^5*a^2+1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*a^2-3/4/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3-6/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*a^3-10/3/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)^3*a+1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)*a^2+5/4/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)-2/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)*a^3-2/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^4*\tan(1/2*d*x+1/2*c)*a+2/d/b^5*\arctan(\tan(1/2*d*x+1/2*c))*a^4+1/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*a^2+3/4/d/b*\arctan(\tan(1/2*d*x+1/2*c)) \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 1.72, size = 474, normalized size = 2.46

$$\frac{\sin(2c + 2dx)}{4bd} + \frac{\sin(4c + 4dx)}{32bd} + \frac{3 \operatorname{atan}\left(\frac{40 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) a^4 b^6 + 15 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) a^2 b^8 + 9 \sin\left(\frac{c}{2} + \frac{dx}{2}\right) b^{10}}{b \cos\left(\frac{c}{2} + \frac{dx}{2}\right) (40 a^4 b^5 + 15 a^2 b^7 + 9 b^9)}\right)}{4bd} - \frac{a \sin(3c + 3dx)}{12b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^5/(a + b*cos(c + d*x)),x)`

[Out] 
$$\begin{aligned} & \sin(2*c + 2*d*x)/(4*b*d) + \sin(4*c + 4*d*x)/(32*b*d) + (3*\operatorname{atan}((9*b^{10}*\sin(c/2 + (d*x)/2) + 15*a^2*b^8*\sin(c/2 + (d*x)/2) + 40*a^4*b^6*\sin(c/2 + (d*x)/2))/(b*\cos(c/2 + (d*x)/2)*(9*b^9 + 15*a^2*b^7 + 40*a^4*b^5))))/(4*b*d) - (a*\sin(3*c + 3*d*x))/(12*b^2*d) - (a^3*\sin(c + d*x))/(b^4*d) + (a^2*\sin(2*c + 2*d*x))/(4*b^3*d) + (a^2*\operatorname{atan}((9*b^{10}*\sin(c/2 + (d*x)/2) + 15*a^2*b^8*\sin(c/2 + (d*x)/2) + 40*a^4*b^6*\sin(c/2 + (d*x)/2))/(b*\cos(c/2 + (d*x)/2)*(9*b^9 + 15*a^2*b^7 + 40*a^4*b^5))))/(b^3*d) + (2*a^4*\operatorname{atan}((9*b^{10}*\sin(c/2 + (d*x)/2) + 15*a^2*b^8*\sin(c/2 + (d*x)/2) + 40*a^4*b^6*\sin(c/2 + (d*x)/2))/(b*\cos(c/2 + (d*x)/2)*(9*b^9 + 15*a^2*b^7 + 40*a^4*b^5))))/(b^5*d) - (3*a*\sin(c + d*x))/(4*b^2*d) - (a^5*\operatorname{atan}(((a*\sin(c/2 + (d*x)/2) - b*\sin(c/2 + (d*x)/2))*i)/(cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)}))*2i)/(b^5*d*(b^2 - a^2)^{(1/2)}) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.450 \quad \int \frac{\cos^4(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=148

$$\frac{2a^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4 d \sqrt{a-b} \sqrt{a+b}} - \frac{ax(2a^2 + b^2)}{2b^4} + \frac{(3a^2 + 2b^2) \sin(c+dx)}{3b^3 d} - \frac{a \sin(c+dx) \cos(c+dx)}{2b^2 d} + \frac{\sin(c+dx)}{3b}$$

[Out]  $-1/2*a*(2*a^2+b^2)*x/b^4+1/3*(3*a^2+2*b^2)*\sin(d*x+c)/b^3/d-1/2*a*\cos(d*x+c)*\sin(d*x+c)/b^2/d+1/3*\cos(d*x+c)^2*\sin(d*x+c)/b/d+2*a^4*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^4/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.33, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2793, 3049, 3023, 2735, 2659, 205}

$$\frac{(3a^2 + 2b^2) \sin(c+dx)}{3b^3 d} + \frac{2a^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4 d \sqrt{a-b} \sqrt{a+b}} - \frac{ax(2a^2 + b^2)}{2b^4} - \frac{a \sin(c+dx) \cos(c+dx)}{2b^2 d} + \frac{\sin(c+dx)}{3b}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^4/(a + b*Cos[c + d*x]),x]`

[Out]  $-(a*(2*a^2 + b^2)*x)/(2*b^4) + (2*a^4*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) + ((3*a^2 + 2*b^2)*Sin[c + d*x])/(3*b^3*d) - (a*\cos[c + d*x]*\sin[c + d*x])/(2*b^2*d) + (\cos[c + d*x]^2*\sin[c + d*x])/(3*b*d)$

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 2659

`Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

#### Rule 2735

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sine + f*x)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

#### Rule 2793

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sine + f*x)^(m - 2)*(c + d*Sine + f*x)^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sine + f*x)^(m - 3)*(c + d*Sine + f*x)^n*Simp[a^3*d*(m + n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1)) - 3*a^2*d*(m + n)*Sine + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sine + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegerQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&`

NeQ[c, 0]))))

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\int \frac{\cos^4(c + dx)}{a + b \cos(c + dx)} dx = \frac{\cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{\cos(c+dx)(2a+2b \cos(c+dx)-3a \cos^2(c+dx))}{a+b \cos(c+dx)} dx}{3b}$$

$$= -\frac{a \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{\cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{-3a^2+ab \cos(c+dx)+2(3a^2+2b^2) \cos^2(c+dx)}{a+b \cos(c+dx)} dx}{6b^2}$$

$$= \frac{(3a^2 + 2b^2) \sin(c + dx)}{3b^3d} - \frac{a \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{\cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{-3a^2+ab \cos(c+dx)+2(3a^2+2b^2) \cos^2(c+dx)}{a+b \cos(c+dx)} dx}{6b^2}$$

$$= -\frac{a(2a^2 + b^2)x}{2b^4} + \frac{(3a^2 + 2b^2) \sin(c + dx)}{3b^3d} - \frac{a \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{\cos^2(c + dx) \sin(c + dx)}{3ba}$$

$$= -\frac{a(2a^2 + b^2)x}{2b^4} + \frac{(3a^2 + 2b^2) \sin(c + dx)}{3b^3d} - \frac{a \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{\cos^2(c + dx) \sin(c + dx)}{3ba}$$

$$= -\frac{a(2a^2 + b^2)x}{2b^4} + \frac{2a^4 \tanh^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^4 \sqrt{a+b} d} + \frac{(3a^2 + 2b^2) \sin(c + dx)}{3b^3d} - \frac{a \cos(c + dx) \sin(c + dx)}{2b^2d}$$

**Mathematica [A]** time = 0.33, size = 122, normalized size = 0.82

$$\frac{-6a(2a^2 + b^2)(c + dx) + 3b(4a^2 + 3b^2) \sin(c + dx) - \frac{24a^4 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - 3ab^2 \sin(2(c + dx)) + b^3 \sin(3(c + dx))}{12b^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x]), x]



[Out]  $(-6*a*(2*a^2 + b^2)*(c + d*x) - (24*a^4*ArcTanH[((a - b)*Tan[(c + d*x)/2]])/Sqrt[-a^2 + b^2])/Sqrt[-a^2 + b^2] + 3*b*(4*a^2 + 3*b^2)*Sin[c + d*x] - 3*a*b^2*Sin[2*(c + d*x)] + b^3*Sin[3*(c + d*x)]/(12*b^4*d)$

**fricas** [A] time = 1.17, size = 400, normalized size = 2.70

$$\frac{3\sqrt{-a^2 + b^2} a^4 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + 3(2a^5 - a^3b^2 - ab^4)}{6(a^2b^4 - b^6)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $[-1/6*(3*\sqrt{-a^2 + b^2}*a^4*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c))^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) + 3*(2*a^5 - a^3*b^2 - a*b^4)*d*x - (6*a^4*b - 2*a^2*b^3 - 4*b^5 + 2*(a^2*b^3 - b^5)*\cos(d*x + c)^2 - 3*(a^3*b^2 - a*b^4)*\cos(d*x + c))*\sin(d*x + c)/((a^2*b^4 - b^6)*d), 1/6*(6*\sqrt{a^2 - b^2}*a^4*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - 3*(2*a^5 - a^3*b^2 - a*b^4)*d*x + (6*a^4*b - 2*a^2*b^3 - 4*b^5 + 2*(a^2*b^3 - b^5)*\cos(d*x + c)^2 - 3*(a^3*b^2 - a*b^4)*\cos(d*x + c))*\sin(d*x + c)/((a^2*b^4 - b^6)*d)]$

**giac** [A] time = 0.48, size = 249, normalized size = 1.68

$$\frac{12\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right) a^4}{\sqrt{a^2 - b^2} b^4} + \frac{3(2a^3 + ab^2)(dx+c)}{b^4} - \frac{2\left(6a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3ab \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{6d}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="giac")`

[Out]  $-1/6*(12*(\pi*\operatorname{floor}(1/2*(d*x + c)/\pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))*a^4/(\sqrt{a^2 - b^2}*b^4) + 3*(2*a^3 + a*b^2)*(d*x + c)/b^4 - 2*(6*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*a*b*\tan(1/2*d*x + 1/2*c)^5 + 6*b^2*\tan(1/2*d*x + 1/2*c)^5 + 12*a^2*\tan(1/2*d*x + 1/2*c)^3 + 4*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*a^2*\tan(1/2*d*x + 1/2*c) - 3*a*b*\tan(1/2*d*x + 1/2*c) + 6*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*b^3))/d$

**maple** [B] time = 0.06, size = 367, normalized size = 2.48

$$\frac{2a^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^4\sqrt{(a-b)(a+b)}} + \frac{2\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a^2}{db^3\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a}{db^2\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \frac{2\left(\tan^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{db\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^4/(a+b*cos(d*x+c)),x)`

[Out]  $2/d*a^4/b^4/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+2/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*a^2+1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5*a^2/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^5+4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3*a^2+4/3/d/b/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3+2/3/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^3*\tan(1/2*d*x+1/2*c)^3$

$d/b^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*a^2+2/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)-1/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*a-2/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))*a^3-1/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*a$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 1.18, size = 203, normalized size = 1.37

$$\frac{3 \sin(c + dx)}{4bd} + \frac{\sin(3c + 3dx)}{12bd} - \frac{a \sin(2c + 2dx)}{4b^2d} + \frac{a^2 \sin(c + dx)}{b^3d} - \frac{2a^3 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^4d} - \frac{a \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^4/(a + b\*cos(c + d\*x)),x)

[Out] (3\*sin(c + d\*x))/(4\*b\*d) + sin(3\*c + 3\*d\*x)/(12\*b\*d) - (a\*sin(2\*c + 2\*d\*x))/(4\*b^2\*d) + (a^2\*sin(c + d\*x))/(b^3\*d) - (2\*a^3\*atan(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/(b^4\*d) - (a\*atan(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/(b^2\*d) + (a^4\*atan(((a\*sin(c/2 + (d\*x)/2) - b\*sin(c/2 + (d\*x)/2))\*1i)/(cos(c/2 + (d\*x)/2)\*(b^2 - a^2)^(1/2)))\*2i)/(b^4\*d\*(b^2 - a^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

$$3.451 \quad \int \frac{\cos^3(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=110

$$-\frac{2a^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(2a^2 + b^2)}{2b^3} - \frac{a \sin(c+dx)}{b^2 d} + \frac{\sin(c+dx) \cos(c+dx)}{2bd}$$

[Out]  $1/2*(2*a^2+b^2)*x/b^3-a*\sin(d*x+c)/b^2/d+1/2*\cos(d*x+c)*\sin(d*x+c)/b/d-2*a^3*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^3/d/(a-b)^{(1/2)/(a+b)^{(1/2)}}$

**Rubi [A]** time = 0.18, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21, number of rules / integrand size = 0.238, Rules used = {2793, 3023, 2735, 2659, 205}

$$-\frac{2a^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(2a^2 + b^2)}{2b^3} - \frac{a \sin(c+dx)}{b^2 d} + \frac{\sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x]),x]

[Out]  $((2*a^2 + b^2)*x)/(2*b^3) - (2*a^3*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^3*Sqrt[a + b]*d) - (a*\sin[c + d*x])/(b^2*d) + (\cos[c + d*x]*\sin[c + d*x])/(2*b*d)$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

## Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

## Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c + dx)}{a + b \cos(c + dx)} dx &= \frac{\cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{a+b \cos(c+dx)-2a \cos^2(c+dx)}{a+b \cos(c+dx)} dx}{2b} \\
&= -\frac{a \sin(c + dx)}{b^2 d} + \frac{\cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{ab+(2a^2+b^2) \cos(c+dx)}{a+b \cos(c+dx)} dx}{2b^2} \\
&= \frac{(2a^2 + b^2)x}{2b^3} - \frac{a \sin(c + dx)}{b^2 d} + \frac{\cos(c + dx) \sin(c + dx)}{2bd} - \frac{a^3 \int \frac{1}{a+b \cos(c+dx)} dx}{b^3} \\
&= \frac{(2a^2 + b^2)x}{2b^3} - \frac{a \sin(c + dx)}{b^2 d} + \frac{\cos(c + dx) \sin(c + dx)}{2bd} - \frac{(2a^3) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx\right)}{b^3 d} \\
&= \frac{(2a^2 + b^2)x}{2b^3} - \frac{2a^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^3 \sqrt{a+b} d} - \frac{a \sin(c + dx)}{b^2 d} + \frac{\cos(c + dx) \sin(c + dx)}{2bd}
\end{aligned}$$

**Mathematica** [A] time = 0.24, size = 97, normalized size = 0.88

$$\frac{2(2a^2 + b^2)(c + dx) + \frac{8a^3 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - 4ab \sin(c + dx) + b^2 \sin(2(c + dx))}{4b^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x]), x]

[Out] (2\*(2\*a^2 + b^2)\*(c + d\*x) + (8\*a^3\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 4\*a\*b\*Sin[c + d\*x] + b^2\*Sin[2\*(c + d\*x)]/(4\*b^3\*d)

**fricas** [A] time = 0.97, size = 334, normalized size = 3.04

$$\left[ \frac{\sqrt{-a^2 + b^2} a^3 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (2a^4 - a^2b^2 - b^4)dx}{2(a^2b^3 - b^5)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2))\*a^3\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c))^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (2\*a^4 - a^2\*b^2 - b^4)\*d\*x + (2\*a^3\*b - 2\*a\*b^3 - (a^2\*b^2 - b^4)\*cos(d\*x + c))\*sin(d\*x + c)]/(a^2\*b^3 - b^5\*d), -1/2\*(2\*sqrt(a^2 - b^2))\*a^3\*arctan(-(a\*cos(d\*x + c) + b

)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (2\*a^4 - a^2\*b^2 - b^4)\*d\*x + (2\*a^3\*b - 2\*a\*b^3 - (a^2\*b^2 - b^4)\*cos(d\*x + c))\*sin(d\*x + c)/((a^2\*b^3 - b^5)\*d)

**giac** [A] time = 0.53, size = 177, normalized size = 1.61

$$\frac{4 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)^3}{\sqrt{a^2 - b^2} b^3} + \frac{(2a^2 + b^2)(dx+c)}{b^3} - \frac{2 \left( 2a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1 \right)}$$


---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="giac")
[Out] 1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*a^3/(sqrt(a^2 - b^2)*b^3) + (2*a^2 + b^2)*(d*x + c)/b^3 - 2*(2*a*tan(1/2*d*x + 1/2*c)^3 + b*tan(1/2*d*x + 1/2*c)^3 + 2*a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d
```

**maple** [B] time = 0.06, size = 222, normalized size = 2.02

$$\frac{2a^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^3\sqrt{(a-b)(a+b)}} - \frac{2\left(\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a}{db^2\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{\tan^3\left(\frac{dx}{2} + \frac{c}{2}\right)}{db\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} - \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)a}{db^2\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3/(a+b*cos(d*x+c)),x)
[Out] -2/d*a^3/b^3/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3*a-1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)^3-2/d/b^2/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)*a+1/d/b/(1+tan(1/2*d*x+1/2*c)^2)^2*tan(1/2*d*x+1/2*c)+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))*a^2+1/d/b*arctan(tan(1/2*d*x+1/2*c))
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

**mupad** [B] time = 1.07, size = 168, normalized size = 1.53

$$\frac{\operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{bd} + \frac{\sin(2c + 2dx)}{4bd} + \frac{2a^2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^3d} - \frac{a \sin(c + dx)}{b^2d} - \frac{a^3 \operatorname{atan}\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{b^3d \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^3/(a + b*cos(c + d*x)),x)
```

```
[Out] atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2))/(b*d) + sin(2*c + 2*d*x)/(4*b*d)
+ (2*a^2*atan(sin(c/2 + (d*x)/2)/cos(c/2 + (d*x)/2)))/(b^3*d) - (a*sin(c
+ d*x))/(b^2*d) - (a^3*atan((a*sin(c/2 + (d*x)/2) - b*sin(c/2 + (d*x)/2))*
1i)/(cos(c/2 + (d*x)/2)*(b^2 - a^2)^(1/2)))*2i)/(b^3*d*(b^2 - a^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.452 \quad \int \frac{\cos^2(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=76

$$\frac{2a^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{ax}{b^2} + \frac{\sin(c+dx)}{bd}$$

[Out]  $-a*x/b^2 + \sin(d*x+c)/b/d + 2*a^2*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/b^2/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 76, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2746, 12, 2735, 2659, 205}

$$\frac{2a^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{ax}{b^2} + \frac{\sin(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*cos[c + d\*x]),x]

[Out]  $-((a*x)/b^2) + (2*a^2*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^2*Sqrt[a + b]*d) + Sin[c + d*x]/(b*d)$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2746

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x])/(d\*f), x] + Dist[1/d, Int[Simp[a^2\*d - b\*(b\*c - 2\*a\*d)\*Sin[e + f\*x], x]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{a+b\cos(c+dx)} dx &= \frac{\sin(c+dx)}{bd} - \frac{\int \frac{a\cos(c+dx)}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{\sin(c+dx)}{bd} - \frac{a \int \frac{\cos(c+dx)}{a+b\cos(c+dx)} dx}{b} \\
&= -\frac{ax}{b^2} + \frac{\sin(c+dx)}{bd} + \frac{a^2 \int \frac{1}{a+b\cos(c+dx)} dx}{b^2} \\
&= -\frac{ax}{b^2} + \frac{\sin(c+dx)}{bd} + \frac{(2a^2) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2 d} \\
&= -\frac{ax}{b^2} + \frac{2a^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b} b^2 \sqrt{a+b} d} + \frac{\sin(c+dx)}{bd}
\end{aligned}$$

**Mathematica [A]** time = 0.14, size = 72, normalized size = 0.95

$$\frac{2a^2 \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - \frac{a(c+dx) + b\sin(c+dx)}{b^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x]), x]

[Out]  $(-(a*(c + d*x)) - (2*a^2*ArcTanh[((a - b)*Tan[(c + d*x)/2]])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] + b*Sin[c + d*x])/(b^2*d)$

**fricas [A]** time = 1.10, size = 269, normalized size = 3.54

$$\left[ \frac{\sqrt{-a^2 + b^2} a^2 \log\left(\frac{2ab\cos(dx+c) + (2a^2 - b^2)\cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a\cos(dx+c) + b)\sin(dx+c) - a^2 + 2b^2}{b^2\cos(dx+c)^2 + 2ab\cos(dx+c) + a^2}\right) + 2(a^3 - ab^2)dx - 2(a^2b}{2(a^2b^2 - b^4)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out]  $[-1/2*(\sqrt{-a^2 + b^2})*a^2*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) + 2*(a^3 - a*b^2)*d*x - 2*(a^2*b - b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d), (\sqrt{a^2 - b^2})*a^2*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c)) - (a^3 - a*b^2)*d*x + (a^2*b - b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d)]$

**giac [A]** time = 0.55, size = 126, normalized size = 1.66

$$\frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right]\text{sgn}(-2a+2b) + \arctan\left(\frac{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)a^2}{\sqrt{a^2 - b^2} b^2} + \frac{(dx+c)a}{b^2} - \frac{2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)b}$$


---


$$d$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $-(2*(\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2})))a^2/(\sqrt{a^2 - b^2}) + (d*x + c)*a/b^2 - 2*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*b))/d$

**maple** [A] time = 0.05, size = 102, normalized size = 1.34

$$\frac{2a^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^2\sqrt{(a-b)(a+b)}} + \frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)a}{db^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c)),x)

[Out]  $2/d*a^2/b^2/((a-b)*(a+b))^{(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})+2/d/b*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-2/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*a$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 0.91, size = 190, normalized size = 2.50

$$\frac{\sin(c + dx)}{bd} - \frac{2a \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{b^2 d} - \frac{a^2 \operatorname{atan}\left(\frac{1i \sin\left(\frac{c}{2} + \frac{dx}{2}\right) a^2 b - 2i \sin\left(\frac{c}{2} + \frac{dx}{2}\right) a b^2 + 1i \sin\left(\frac{c}{2} + \frac{dx}{2}\right) b^3}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) (b^2 - a^2)^{3/2} + a^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2} - a b \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{b^2 d \sqrt{b^2 - a^2}} 2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x)),x)

[Out]  $\sin(c + d*x)/(b*d) - (2*a*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/(b^2*d) - (a^2*\operatorname{atan}((b^3*\sin(c/2 + (d*x)/2)*1i - a*b^2*\sin(c/2 + (d*x)/2)*2i + a^2*b*\sin(c/2 + (d*x)/2)*1i)/(\cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} + a^2*\cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - a*b*\cos(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)}))*2i)/(b^2*d*(b^2 - a^2)^{(1/2)})$

**sympy** [A] time = 122.50, size = 1744, normalized size = 22.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+b\*cos(d\*x+c)),x)

[Out]  $\text{Piecewise}((\text{zoo}*x*\cos(c), \text{Eq}(a, 0) \& \text{Eq}(b, 0) \& \text{Eq}(d, 0)), (d*x*\tan(c/2 + d*x/2)**3/(b*d*\tan(c/2 + d*x/2)**3 + b*d*\tan(c/2 + d*x/2)) + d*x*\tan(c/2 + d*x/2)/(b*d*\tan(c/2 + d*x/2)**3 + b*d*\tan(c/2 + d*x/2)) + 3*\tan(c/2 + d*x/2)*$

```

*2/(b*d*tan(c/2 + d*x/2)**3 + b*d*tan(c/2 + d*x/2)) + 1/(b*d*tan(c/2 + d*x/
2)**3 + b*d*tan(c/2 + d*x/2)), Eq(a, -b)), ((x*sin(c + d*x)**2/2 + x*cos(c
+ d*x)**2/2 + sin(c + d*x)*cos(c + d*x)/(2*d))/a, Eq(b, 0)), (x*cos(c)**2/(
a + b*cos(c)), Eq(d, 0)), (-d*x*tan(c/2 + d*x/2)**2/(b*d*tan(c/2 + d*x/2)**
2 + b*d) - d*x/(b*d*tan(c/2 + d*x/2)**2 + b*d) + tan(c/2 + d*x/2)**3/(b*d*t
an(c/2 + d*x/2)**2 + b*d) + 3*tan(c/2 + d*x/2)/(b*d*tan(c/2 + d*x/2)**2 + b
*d), Eq(a, b)), (-a**2*d*x*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2
/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt
(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*
x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - a**2*d*x*sqrt(-a/(a - b) -
b/(a - b))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*
b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*t
an(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) + a**2*log(-sqrt(
-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))*tan(c/2 + d*x/2)**2/(a*b**2*d*s
qrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b)
- b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b*
**3*d*sqrt(-a/(a - b) - b/(a - b))) + a**2*log(-sqrt(-a/(a - b) - b/(a - b))
+ tan(c/2 + d*x/2))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)
)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(
a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - a**2*l
og(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))*tan(c/2 + d*x/2)**2/(a*
b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/
(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)
**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - a**2*log(sqrt(-a/(a - b) - b/(
a - b)) + tan(c/2 + d*x/2))/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2
+ d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b)
- b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) +
a*b*d*x*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2/(a*b**2*d*sqrt(-a
/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a
- b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*s
qrt(-a/(a - b) - b/(a - b))) + a*b*d*x*sqrt(-a/(a - b) - b/(a - b))/(a*b**2
*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a -
b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2
- b**3*d*sqrt(-a/(a - b) - b/(a - b))) + 2*a*b*sqrt(-a/(a - b) - b/(a - b))
*tan(c/2 + d*x/2)/(a*b**2*d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**
2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*d*sqrt(-a/(a - b) - b/(a -
b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b) - b/(a - b))) - 2*b**2*sq
rt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)/(a*b**2*d*sqrt(-a/(a - b) - b/(
a - b))*tan(c/2 + d*x/2)**2 + a*b**2*d*sqrt(-a/(a - b) - b/(a - b)) - b**3*
d*sqrt(-a/(a - b) - b/(a - b))*tan(c/2 + d*x/2)**2 - b**3*d*sqrt(-a/(a - b)
- b/(a - b))), True))

```

$$3.453 \quad \int \frac{\cos(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=59

$$\frac{x}{b} - \frac{2a \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

[Out]  $x/b - 2*a*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2))}/b/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {2735, 2659, 205}

$$\frac{x}{b} - \frac{2a \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*Cos[c + d\*x]), x]

[Out]  $x/b - (2*a*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a + b]])/(\text{Sqrt}[a - b]*b*\text{Sqrt}[a + b]*d)$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{a+b \cos(c+dx)} dx &= \frac{x}{b} - \frac{a \int \frac{1}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{x}{b} - \frac{(2a) \text{Subst} \left( \int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right) \right)}{bd} \\ &= \frac{x}{b} - \frac{2a \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} b \sqrt{a+b} d} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 58, normalized size = 0.98

$$\frac{2a \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + c + dx$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + b\*cos[c + d\*x]), x]

[Out] (c + d\*x + (2\*a\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2])/(b\*d)

**fricas [A]** time = 1.23, size = 223, normalized size = 3.78

$$\left[ \frac{2(a^2 - b^2)dx - \sqrt{-a^2 + b^2} a \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2b - b^3)d}, \frac{(a^2 - b^2)dx}{2(a^2b - b^3)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [1/2\*(2\*(a^2 - b^2)\*d\*x - sqrt(-a^2 + b^2)\*a\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)))/((a^2 \* b - b^3)\*d), ((a^2 - b^2)\*d\*x - sqrt(a^2 - b^2)\*a\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))/((a^2\*b - b^3)\*d)]

**giac [B]** time = 0.55, size = 240, normalized size = 4.07

$$\frac{\left(\sqrt{a^2-b^2}(2a-b)|a-b| + \sqrt{a^2-b^2}|a-b||b|\right) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] + \arctan\left(\frac{2\sqrt{\frac{1}{2}} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{\frac{2a + \sqrt{-4(a+b)(a-b) + 4a^2}}{a-b}}}\right)\right)}{(a^2 - 2ab + b^2)b^2 + (a^3 - 2a^2b + ab^2)|b|} + \frac{\left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] + \arctan\left(\frac{2\sqrt{\frac{1}{2}} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{\frac{2a - \sqrt{-4(a+b)(a-b) + 4a^2}}{a-b}}}\right)\right)}{b^2 - a|b|} (2a - b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] -((sqrt(a^2 - b^2)\*(2\*a - b)\*abs(a - b) + sqrt(a^2 - b^2)\*abs(a - b)\*abs(b)) \* (pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(2\*sqrt(1/2)\*tan(1/2\*d\*x + 1/2\*c)/sqrt((2\*a + sqrt(-4\*(a + b)\*(a - b) + 4\*a^2))/(a - b))))/((a^2 - 2\*a\*b + b^2)\*b^2 + (a^3 - 2\*a^2\*b + a\*b^2)\*abs(b)) + (pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(2\*sqrt(1/2)\*tan(1/2\*d\*x + 1/2\*c)/sqrt((2\*a - sqrt(-4\*(a + b)\*(a - b) + 4\*a^2))/(a - b))))\*(2\*a - b - abs(b))/(b^2 - a\*abs(b))/d

**maple [A]** time = 0.05, size = 67, normalized size = 1.14

$$\frac{2a \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^{(a-b)}}{\sqrt{(a-b)(a+b)}}\right)}{db\sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c)), x)

[Out] -2/d\*a/b/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))+2/d/b\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 0.78, size = 99, normalized size = 1.68

$$\frac{2 \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{bd} + \frac{2a \operatorname{atanh}\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{bd \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + b\*cos(c + d\*x)),x)

[Out] (2\*atan(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/(b\*d) + (2\*a\*atanh((a\*sin(c/2 + (d\*x)/2) - b\*cos(c/2 + (d\*x)/2))/(cos(c/2 + (d\*x)/2)\*(b^2 - a^2)^(1/2))))/(b\*d\*(b^2 - a^2)^(1/2))

**sympy** [A] time = 24.70, size = 320, normalized size = 5.42

$$\left\{ \begin{array}{l} \tilde{\infty}x \\ \frac{x}{b} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{bd} \\ \frac{x}{b} + \frac{1}{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)} \\ \frac{\sin(c+dx)}{ad} \\ \frac{x \cos(c)}{a+b \cos(c)} \\ \frac{adx \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}}{abd \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{a \log\left(-\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} + \frac{a \log\left(\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{bdx \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}}{abd \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c)),x)

[Out] Piecewise((zoo\*x, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x/b - tan(c/2 + d\*x/2)/(b\*d), Eq(a, b)), (x/b + 1/(b\*d\*tan(c/2 + d\*x/2)), Eq(a, -b)), (sin(c + d\*x)/(a\*d), Eq(b, 0)), (x\*cos(c)/(a + b\*cos(c)), Eq(d, 0)), (a\*d\*x\*sqrt(-a/(a - b) - b/(a - b))/(a\*b\*d\*sqrt(-a/(a - b) - b/(a - b)) - b\*\*2\*d\*sqrt(-a/(a - b) - b/(a - b))) - a\*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d\*x/2))/(a\*b\*d\*sqrt(-a/(a - b) - b/(a - b)) - b\*\*2\*d\*sqrt(-a/(a - b) - b/(a - b))) + a\*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d\*x/2))/(a\*b\*d\*sqrt(-a/(a - b) - b/(a - b)) - b\*\*2\*d\*sqrt(-a/(a - b) - b/(a - b))) - b\*d\*x\*sqrt(-a/(a - b) - b/(a - b))/(a\*b\*d\*sqrt(-a/(a - b) - b/(a - b)) - b\*\*2\*d\*sqrt(-a/(a - b) - b/(a - b))), True))

$$3.454 \quad \int \frac{1}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=49

$$\frac{2 \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

[Out] 2\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/d/(a-b)^(1/2)/(a+b)^(1/2)

**Rubi [A]** time = 0.03, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {2659, 205}

$$\frac{2 \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-1), x]

[Out] (2\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*Sqrt[a + b]\*d)

**Rule 205**

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2659**

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{a+b \cos(c+dx)} dx &= \frac{2 \text{Subst} \left( \int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right) \right)}{d} \\ &= \frac{2 \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b}\sqrt{a+b}d} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 48, normalized size = 0.98

$$\frac{2 \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}} \right)}{d\sqrt{b^2-a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(-1), x]

[Out] (-2\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(Sqrt[-a^2 + b^2]\*d)

**fricas** [A] time = 1.13, size = 175, normalized size = 3.57

$$\left[ \frac{\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2 - b^2)d}, \frac{\arctan\left(-\frac{a \cos(dx+c) + b \sin(dx+c)}{\sqrt{a^2 - b^2}}\right)}{\sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [-1/2\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2))/((a^2 - b^2)\*d), arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))/(sqrt(a^2 - b^2)\*d)]

**giac** [A] time = 0.46, size = 78, normalized size = 1.59

$$\frac{2 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right)}{\sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] -2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)\*d)

**maple** [A] time = 0.04, size = 44, normalized size = 0.90

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c)), x)

[Out] 2/d/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 0.52, size = 43, normalized size = 0.88

$$\frac{2 \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(a-b)}{\sqrt{a^2-b^2}}\right)}{d \sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*cos(c + d*x)),x)`

[Out] `(2*atan((tan(c/2 + (d*x)/2)*(a - b))/(a^2 - b^2)^(1/2)))/(d*(a^2 - b^2)^(1/2))`

**sympy [A]** time = 4.02, size = 172, normalized size = 3.51

$$\left\{ \begin{array}{ll} \frac{\infty x}{\cos(c)} & \text{for } a = 0 \wedge b = 0 \wedge d = 0 \\ \frac{1}{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)} & \text{for } a = -b \\ \frac{x}{a+b \cos(c)} & \text{for } d = 0 \\ \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{bd} & \text{for } a = b \\ \frac{\log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{ad \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - bd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{\log\left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{ad \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - bd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((zoo*x/cos(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (1/(b*d*tan(c/2 + d*x/2)), Eq(a, -b)), (x/(a + b*cos(c)), Eq(d, 0)), (tan(c/2 + d*x/2)/(b*d), Eq(a, b)), (log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*d*sqrt(-a/(a - b) - b/(a - b)) - b*d*sqrt(-a/(a - b) - b/(a - b))) - log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*d*sqrt(-a/(a - b) - b/(a - b)) - b*d*sqrt(-a/(a - b) - b/(a - b))), True))`



$$3.455 \quad \int \frac{\sec(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=68

$$\frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{2b \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out] arctanh(sin(d\*x+c))/a/d-2\*b\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/a/d/(a-b)^(1/2)/(a+b)^(1/2)

**Rubi [A]** time = 0.07, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2747, 3770, 2659, 205}

$$\frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{2b \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x]), x]

[Out] (-2\*b\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a\*Sqrt[a - b]\*Sqrt[a + b]\*d) + ArcTanh[Sin[c + d\*x]]/(a\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2747

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{a+b\cos(c+dx)} dx &= \frac{\int \sec(c+dx) dx}{a} - \frac{b \int \frac{1}{a+b\cos(c+dx)} dx}{a} \\ &= \frac{\tanh^{-1}(\sin(c+dx))}{ad} - \frac{(2b) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{ad} \\ &= -\frac{2b \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+b}d} + \frac{\tanh^{-1}(\sin(c+dx))}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 102, normalized size = 1.50

$$\frac{2b \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - \frac{\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x]), x]

[Out] ((2\*b\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]/Sqrt[-a^2 + b^2] - Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(a\*d)

**fricas [A]** time = 1.08, size = 278, normalized size = 4.09

$$\left[ \frac{\sqrt{-a^2 + b^2} b \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (a^2 - b^2) \log(\sin(dx+c))}{2(a^3 - ab^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*b\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (a^2 - b^2)\*log(sin(d\*x + c) + 1) + (a^2 - b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d), -1/2\*(2\*sqrt(a^2 - b^2)\*b\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (a^2 - b^2)\*log(sin(d\*x + c) + 1) + (a^2 - b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d)]

**giac [B]** time = 0.90, size = 119, normalized size = 1.75

$$\frac{2\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right) b}{\sqrt{a^2 - b^2} a} - \frac{\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a} + \frac{\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] -(2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*b/(sqrt(a^2 - b^2)\*a

) - log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a + log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a)/d

**maple** [A] time = 0.07, size = 88, normalized size = 1.29

$$-\frac{2b \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)^{(a-b)}}{\sqrt{(a-b)(a+b)}}\right)}{da\sqrt{(a-b)(a+b)}} - \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{ad} + \frac{\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+b\*cos(d\*x+c)), x)

[Out] -2/d/a\*b/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))-1/a/d\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/a/d\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 0.84, size = 99, normalized size = 1.46

$$\frac{2 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{ad} + \frac{2b \operatorname{atanh}\left(\frac{a \sin\left(\frac{c}{2} + \frac{dx}{2}\right) - b \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{b^2 - a^2}}\right)}{ad \sqrt{b^2 - a^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))), x)

[Out] (2\*atanh(sin(c/2 + (d\*x)/2)/cos(c/2 + (d\*x)/2)))/(a\*d) + (2\*b\*atanh((a\*sin(c/2 + (d\*x)/2) - b\*sin(c/2 + (d\*x)/2))/(cos(c/2 + (d\*x)/2)\*(b^2 - a^2)^(1/2))))/(a\*d\*(b^2 - a^2)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c)), x)

[Out] Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x)), x)

$$3.456 \quad \int \frac{\sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=85

$$\frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{b \tanh^{-1}(\sin(c+dx))}{a^2 d} + \frac{\tan(c+dx)}{ad}$$

[Out]  $-b \operatorname{arctanh}(\sin(dx+c))/a^2/d + 2b^2 \operatorname{arctan}((a-b)^{1/2} \tan(1/2 dx + 1/2 c)/(a+b)^{1/2})/a^2/d - (a-b)^{1/2}/(a+b)^{1/2} + \tan(dx+c)/a/d$

**Rubi [A]** time = 0.13, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 12, 2747, 3770, 2659, 205}

$$\frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{b \tanh^{-1}(\sin(c+dx))}{a^2 d} + \frac{\tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x]),x]

[Out]  $(2*b^2*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*Sqrt[a - b]*Sqrt[a + b]*d) - (b*ArcTanh[Sin[c + d*x]])/(a^2*d) + Tan[c + d*x]/(a*d)$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2747

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_)), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e

+ f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c+dx)}{a+b\cos(c+dx)} dx &= \frac{\tan(c+dx)}{ad} - \frac{\int \frac{b\sec(c+dx)}{a+b\cos(c+dx)} dx}{a} \\ &= \frac{\tan(c+dx)}{ad} - \frac{b \int \frac{\sec(c+dx)}{a+b\cos(c+dx)} dx}{a} \\ &= \frac{\tan(c+dx)}{ad} - \frac{b \int \sec(c+dx) dx}{a^2} + \frac{b^2 \int \frac{1}{a+b\cos(c+dx)} dx}{a^2} \\ &= -\frac{b \tanh^{-1}(\sin(c+dx))}{a^2 d} + \frac{\tan(c+dx)}{ad} + \frac{(2b^2) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{a^2 d} \\ &= \frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b} d} - \frac{b \tanh^{-1}(\sin(c+dx))}{a^2 d} + \frac{\tan(c+dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.38, size = 115, normalized size = 1.35

$$\frac{2b^2 \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + \frac{a \tan(c+dx) + b \left(\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x]), x]

[Out] ((-2\*b^2\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + b\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + a\*Tan[c + d\*x])/(a^2\*d)

**fricas [B]** time = 1.30, size = 382, normalized size = 4.49

$$\frac{\sqrt{-a^2 + b^2} b^2 \cos(dx+c) \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (a^2 b - b^3)}{2(a^4 - a^2 b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*b^2\*cos(d\*x + c)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + (a^2\*b - b^3)

$$b^3 \cos(dx + c) \log(\sin(dx + c) + 1) - (a^2 b - b^3) \cos(dx + c) \log(-\sin(dx + c) + 1) - 2(a^3 - a b^2) \sin(dx + c) / ((a^4 - a^2 b^2) d \cos(dx + c)), 1/2(2 \sqrt{a^2 - b^2} b^2 \arctan(-\frac{a \cos(dx + c) + b}{\sqrt{a^2 - b^2} \sin(dx + c)}) \cos(dx + c) - (a^2 b - b^3) \cos(dx + c) \log(\sin(dx + c) + 1) + (a^2 b - b^3) \cos(dx + c) \log(-\sin(dx + c) + 1) + 2(a^3 - a b^2) \sin(dx + c) / ((a^4 - a^2 b^2) d \cos(dx + c)))$$

**giac [B]** time = 0.64, size = 153, normalized size = 1.80

$$\frac{2 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) b^2}{\sqrt{a^2 - b^2} a^2} + \frac{b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} + \frac{2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}$$


---

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2/(a+b\*cos(dx+c)),x, algorithm="giac")

[Out]  $-(2(\pi \lfloor (1/2(dx+c))/\pi + 1/2 \rfloor \operatorname{sgn}(-2a+2b) + \arctan(-\frac{a \tan(1/2 dx + 1/2 c) - b \tan(1/2 dx + 1/2 c)}{\sqrt{a^2 - b^2}})) b^2 / (\sqrt{a^2 - b^2} a^2) + b \log(\operatorname{abs}(\tan(1/2 dx + 1/2 c) + 1)) / a^2 - b \log(\operatorname{abs}(\tan(1/2 dx + 1/2 c) - 1)) / a^2 + 2 \tan(1/2 dx + 1/2 c) / ((\tan(1/2 dx + 1/2 c)^2 - 1) a)) / d$

**maple [A]** time = 0.08, size = 134, normalized size = 1.58

$$\frac{2b^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d a^2 \sqrt{(a-b)(a+b)}} - \frac{1}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)} + \frac{b \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)}{d a^2} - \frac{1}{ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)} - \frac{b \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)}{d a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)^2/(a+b\*cos(dx+c)),x)

[Out]  $2/d b^2/a^2/((a-b)*(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)*(a+b))^{1/2}) - 1/a/d / (\tan(1/2 dx + 1/2 c) - 1) + 1/d*b/a^2 * \ln(\tan(1/2 dx + 1/2 c) - 1) - 1/a/d / (\tan(1/2 dx + 1/2 c) + 1) - 1/d*b/a^2 * \ln(\tan(1/2 dx + 1/2 c) + 1)$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^2/(a+b\*cos(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 1.05, size = 324, normalized size = 3.81

$$\frac{a^3 \sin(c + dx) - a b^2 \sin(c + dx)}{a^2 d \cos(c + dx) (a^2 - b^2)} - \frac{2 a^2 b \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{a^2 d \cos(c + dx) (a^2 - b^2)} - \frac{2 b^3 \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{a^2 d \cos(c + dx) (a^2 - b^2)} + \frac{2 b^2 \operatorname{atanh}\left(\frac{a^5 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{\cos\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{a^2 d \cos(c + dx) (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^2*(a + b*cos(c + d*x))),x)`

[Out]  $(a^3 \sin(c + dx) - a b^2 \sin(c + dx)) / (a^2 d \cos(c + dx) (a^2 - b^2)) - (2 a^2 b \operatorname{atanh}(\sin(c/2 + (dx)/2) / \cos(c/2 + (dx)/2)) - 2 b^3 \operatorname{atanh}(\sin(c/2 + (dx)/2) / \cos(c/2 + (dx)/2))) + 2 b^2 \operatorname{atanh}((a^5 \sin(c/2 + (dx)/2) (b^2 - a^2)^{1/2} + 2 b^3 \sin(c/2 + (dx)/2) (b^2 - a^2)^{3/2} - 2 b^5 \sin(c/2 + (dx)/2) (b^2 - a^2)^{1/2} + 3 a^2 b^3 \sin(c/2 + (dx)/2) (b^2 - a^2)^{1/2}) - a^3 b^2 \sin(c/2 + (dx)/2) (b^2 - a^2)^{1/2} - a^4 b \sin(c/2 + (dx)/2) (b^2 - a^2)^{1/2}) / (\cos(c/2 + (dx)/2) (a b^2 - a^3)^2) (b^2 - a^2)^{1/2}) / (a^2 d (a^2 - b^2))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**2/(a+b*cos(d*x+c)),x)`

[Out] `Integral(sec(c + d*x)**2/(a + b*cos(c + d*x)), x)`

$$3.457 \quad \int \frac{\sec^3(c+dx)}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=119

$$\frac{2b^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{b \tan(c+dx)}{a^2 d} + \frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} + \frac{\tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] 1/2\*(a^2+2\*b^2)\*arctanh(sin(d\*x+c))/a^3/d-2\*b^3\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/a^3/d/(a-b)^(1/2)/(a+b)^(1/2)-b\*tan(d\*x+c)/a^2/d+1/2\*sec(d\*x+c)\*tan(d\*x+c)/a/d

**Rubi [A]** time = 0.32, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} - \frac{b \tan(c+dx)}{a^2 d} + \frac{\tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x]),x]

[Out] (-2\*b^3\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^3\*Sqrt[a - b]\*Sqrt[a + b]\*d) + ((a^2 + 2\*b^2)\*ArcTanh[Sin[c + d\*x]])/(2\*a^3\*d) - (b\*Tan[c + d\*x])/(a^2\*d) + (Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d)

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(



$b*c - a*d$ ), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx &= \frac{\sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(-2b + a \cos(c + dx) + b \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a} \\ &= -\frac{b \tan(c + dx)}{a^2 d} + \frac{\sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(a^2 + 2b^2 + ab \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx}{2a^2} \\ &= -\frac{b \tan(c + dx)}{a^2 d} + \frac{\sec(c + dx) \tan(c + dx)}{2ad} - \frac{b^3 \int \frac{1}{a + b \cos(c + dx)} dx}{a^3} + \frac{(a^2 + 2b^2) \int \sec(c + dx)}{2a^3} \\ &= \frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{b \tan(c + dx)}{a^2 d} + \frac{\sec(c + dx) \tan(c + dx)}{2ad} - \frac{(2b^3) S}{2a^3} \\ &= -\frac{2b^3 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3 \sqrt{a-b} \sqrt{a+b} d} + \frac{(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{b \tan(c + dx)}{a^2 d} + \frac{S}{2a^3} \end{aligned}$$

**Mathematica [A]** time = 1.06, size = 238, normalized size = 2.00

$$\frac{8b^3 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{a^2}{\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)^2} - \frac{a^2}{\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)^2} - 2a^2 \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x]), x]

[Out] ((8\*b^3\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 2\*a^2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - 4\*b^2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*a^2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]

+ 4\*b^2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + a^2/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 - a^2/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 - 4\*a\*b\*Tan[c + d\*x]/(4\*a^3\*d)

**fricas** [A] time = 1.68, size = 459, normalized size = 3.86

$$\left[ \frac{2\sqrt{-a^2+b^2}b^3\cos(dx+c)^2\log\left(\frac{2ab\cos(dx+c)+(2a^2-b^2)\cos(dx+c)^2-2\sqrt{-a^2+b^2}(a\cos(dx+c)+b)\sin(dx+c)-a^2+2b^2}{b^2\cos(dx+c)^2+2ab\cos(dx+c)+a^2}\right) - (a^4+a^2}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] [-1/4\*(2\*sqrt(-a^2 + b^2)\*b^3\*cos(d\*x + c)^2\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (a^4 + a^2\*b^2 - 2\*b^4)\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) + (a^4 + a^2\*b^2 - 2\*b^4)\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) - 2\*(a^4 - a^2\*b^2 - 2\*(a^3\*b - a\*b^3)\*cos(d\*x + c))\*sin(d\*x + c)/((a^5 - a^3\*b^2)\*d\*cos(d\*x + c)^2), - 1/4\*(4\*sqrt(a^2 - b^2)\*b^3\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))\*cos(d\*x + c)^2 - (a^4 + a^2\*b^2 - 2\*b^4)\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) + (a^4 + a^2\*b^2 - 2\*b^4)\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) - 2\*(a^4 - a^2\*b^2 - 2\*(a^3\*b - a\*b^3)\*cos(d\*x + c))\*sin(d\*x + c)/((a^5 - a^3\*b^2)\*d\*cos(d\*x + c)^2)]

**giac** [A] time = 0.74, size = 211, normalized size = 1.77

$$\frac{4\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)b^3}{\sqrt{a^2-b^2}a^3} + \frac{(a^2+2b^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{(a^2+2b^2)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*(4\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*b^3/(sqrt(a^2 - b^2)\*a^3) + (a^2 + 2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^3 - (a^2 + 2\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^3 + 2\*(a\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a\*tan(1/2\*d\*x + 1/2\*c) - 2\*b\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2\*a^2)/d

**maple** [B] time = 0.11, size = 262, normalized size = 2.20

$$\frac{2b^3\arctan\left(\frac{\tan\left(\frac{dx}{2}+\frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{da^3\sqrt{(a-b)(a+b)}} + \frac{1}{2ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)^2} + \frac{1}{2ad\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)} + \frac{b}{da^2\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-1\right)} - \frac{\ln\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{da^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x)

[Out] -2/d\*b^3/a^3/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))+1/2/a/d/(tan(1/2\*d\*x+1/2\*c)-1)^2+1/2/a/d/(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*b-1/2/a/d\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*b^2-1/2/a/d/(tan(1/2\*d\*x+1/2\*c)+1)^2+1/2/a/d/(tan(1/2\*d\*x+1/2\*c)+1)

$\int \frac{1}{2dx+1/2c+1} + \frac{1}{d/a^2} \frac{1}{(\tan(1/2dx+1/2c)+1)^{b+1/2}} \frac{1}{a} \frac{1}{d} \ln(\tan(1/2dx+1/2c)+1) + \frac{1}{d/a^3} \ln(\tan(1/2dx+1/2c)+1)^{b^2}$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^3/(a+b\*cos(dx+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 1.76, size = 1087, normalized size = 9.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + dx)^3\*(a + b\*cos(c + dx))),x)

[Out]  $(a * (\sin(c + dx)/2 + \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/2 + (\operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)) * \cos(2c + 2dx))/2) / (d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2)) + ((b^2 * \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)))/2 - (b^2 * \sin(c + dx))/2 + (b^2 * \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)) * \cos(2c + 2dx))/2) / (a * d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2)) - (b * \sin(2c + 2dx)) / (2 * d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2)) - (b^3 * \operatorname{atan}(((a^9 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 8 * b^7 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{3/2} - 8 * b^9 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 8 * a^2 * b^7 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 3 * a^4 * b^5 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - 3 * a^5 * b^4 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - 2 * a^6 * b^3 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 2 * a^7 * b^2 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - a^8 * b * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2})) * 1i) / (\cos(c/2 + (dx)/2) * (a * b^2 - a^3) * (a^7 - 3 * a^3 * b^4 + 2 * a^5 * b^2))) * 1i) / (a^3 * d * (b^2 - a^2)^{1/2} * (\cos(2c + 2dx)/2 + 1/2)) - (b^4 * \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2))) / (a^3 * d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2)) + (b^3 * \sin(2c + 2dx)) / (2 * a^2 * d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2)) - (b^3 * \operatorname{atan}(((a^9 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 8 * b^7 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{3/2} - 8 * b^9 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 8 * a^2 * b^7 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 3 * a^4 * b^5 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - 3 * a^5 * b^4 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - 2 * a^6 * b^3 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} + 2 * a^7 * b^2 * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2} - a^8 * b * \sin(c/2 + (dx)/2) * (b^2 - a^2)^{1/2})) * 1i) / (\cos(c/2 + (dx)/2) * (a * b^2 - a^3) * (a^7 - 3 * a^3 * b^4 + 2 * a^5 * b^2))) * \cos(2c + 2dx) * 1i) / (a^3 * d * (b^2 - a^2)^{1/2} * (\cos(2c + 2dx)/2 + 1/2)) - (b^4 * \operatorname{atanh}(\sin(c/2 + (dx)/2)/\cos(c/2 + (dx)/2)) * \cos(2c + 2dx)) / (a^3 * d * (a^2 - b^2) * (\cos(2c + 2dx)/2 + 1/2))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)\*\*3/(a+b\*cos(dx+c)),x)

[Out] Integral(sec(c + dx)\*\*3/(a + b\*cos(c + dx)), x)

$$3.458 \quad \int \frac{\sec^4(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=157

$$\frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} - \frac{b \tan(c+dx) \sec(c+dx)}{2a^2 d} - \frac{b(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^4 d} + \frac{(2a^2 + 3b^2) \tan(c+dx)}{3a^3 d}$$

[Out]  $-1/2*b*(a^2+2*b^2)*\operatorname{arctanh}(\sin(d*x+c))/a^4/d+2*b^4*\operatorname{arctan}((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2}))/a^4/d/(a-b)^{(1/2)}/(a+b)^{(1/2)}+1/3*(2*a^2+3*b^2)*\tan(d*x+c)/a^3/d-1/2*b*\sec(d*x+c)*\tan(d*x+c)/a^2/d+1/3*\sec(d*x+c)^2*\tan(d*x+c)/a/d$

**Rubi [A]** time = 0.52, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{(2a^2 + 3b^2) \tan(c+dx)}{3a^3 d} - \frac{b(a^2 + 2b^2) \tanh^{-1}(\sin(c+dx))}{2a^4 d} - \frac{b \tan(c+dx) \sec(c+dx)}{2a^2 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^4/(a + b\*Cos[c + d\*x]),x]

[Out]  $(2*b^4*\operatorname{ArcTan}[(\operatorname{Sqrt}[a-b]*\operatorname{Tan}[(c+d*x)/2])/(\operatorname{Sqrt}[a+b])]/(a^4*\operatorname{Sqrt}[a-b]*\operatorname{Sqrt}[a+b]*d) - (b*(a^2+2*b^2)*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(2*a^4*d) + ((2*a^2+3*b^2)*\operatorname{Tan}[c+d*x])/(3*a^3*d) - (b*\operatorname{Sec}[c+d*x]*\operatorname{Tan}[c+d*x])/(2*a^2*d) + (\operatorname{Sec}[c+d*x]^2*\operatorname{Tan}[c+d*x])/(3*a*d)$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[(A\*b

$- a*B)/(b*c - a*d), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3))*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^4(c + dx)}{a + b \cos(c + dx)} dx &= \frac{\sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{\int \frac{(-3b+2a \cos(c+dx)+2b \cos^2(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx}{3a} \\ &= -\frac{b \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{\sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{\int \frac{(2(2a^2+3b^2)+ab \cos(c+dx)-3b^2)}{a+b \cos(c+dx)} dx}{6a^2} \\ &= \frac{(2a^2 + 3b^2) \tan(c + dx)}{3a^3d} - \frac{b \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{\sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{\int \frac{2(2a^2+3b^2)+ab \cos(c+dx)-3b^2}{a+b \cos(c+dx)} dx}{6a^2} \\ &= \frac{(2a^2 + 3b^2) \tan(c + dx)}{3a^3d} - \frac{b \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{\sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{b}{6a^2} \\ &= -\frac{b(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(2a^2 + 3b^2) \tan(c + dx)}{3a^3d} - \frac{b \sec(c + dx) \tan(c + dx)}{2a^2d} \\ &= \frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4\sqrt{a-b}\sqrt{a+bd}} - \frac{b(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(2a^2 + 3b^2) \tan(c + dx)}{3a^3d} \end{aligned}$$

**Mathematica [A]** time = 2.46, size = 258, normalized size = 1.64

$$\frac{1}{2} \sec^3(c + dx) \left( 4a \sin(c + dx) \left( (2a^2 + 3b^2) \cos(2(c + dx)) + 4a^2 - 3ab \cos(c + dx) + 3b^2 \right) + 9b(a^2 + 2b^2) \cos(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^4/(a + b\*Cos[c + d\*x]), x]

[Out]  $((-24*b^4*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (Sec[c + d*x]^3*(9*b*(a^2 + 2*b^2)*Cos[c + d*x]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 3*b*(a^2 + 2*b^2)*Cos[3*(c + d*x)]*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + 4*a*(4*a^2 + 3*b^2 - 3*a*b*Cos[c + d*x] + (2*a^2 + 3*b^2)*Cos[2*(c + d*x)]*Sin[c + d*x]))/2)/(12*a^4*d)$

**fricas** [A] time = 1.35, size = 535, normalized size = 3.41

$$\left[ \frac{6 \sqrt{-a^2 + b^2} b^4 \cos(dx + c)^3 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + 3(a^4 b + \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $[-1/12*(6*sqrt(-a^2 + b^2)*b^4*cos(d*x + c)^3*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 3*(a^4*b + a^2*b^3 - 2*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) - 3*(a^4*b + a^2*b^3 - 2*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) - 2*(2*a^5 - 2*a^3*b^2 + 2*(2*a^5 + a^3*b^2 - 3*a*b^4)*cos(d*x + c)^2 - 3*(a^4*b - a^2*b^3)*cos(d*x + c))*sin(d*x + c)/((a^6 - a^4*b^2)*d*cos(d*x + c)^3), 1/12*(12*sqrt(a^2 - b^2)*b^4*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^3 - 3*(a^4*b + a^2*b^3 - 2*b^5)*cos(d*x + c)^3*log(sin(d*x + c) + 1) + 3*(a^4*b + a^2*b^3 - 2*b^5)*cos(d*x + c)^3*log(-sin(d*x + c) + 1) + 2*(2*a^5 - 2*a^3*b^2 + 2*(2*a^5 + a^3*b^2 - 3*a*b^4)*cos(d*x + c)^2 - 3*(a^4*b - a^2*b^3)*cos(d*x + c))*sin(d*x + c)/((a^6 - a^4*b^2)*d*cos(d*x + c)^3)]$

**giac** [B] time = 0.67, size = 286, normalized size = 1.82

$$\frac{12 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) b^4}{\sqrt{a^2 - b^2} a^4} + \frac{3(a^2 b + 2 b^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^4} - \frac{3(a^2 b + 2 b^3) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $-1/6*(12*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2))))*b^4/(sqrt(a^2 - b^2)*a^4) + 3*(a^2*b + 2*b^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3*(a^2*b + 2*b^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 + 2*(6*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*a*b*tan(1/2*d*x + 1/2*c)^5 + 6*b^2*tan(1/2*d*x + 1/2*c)^5 - 4*a^2*tan(1/2*d*x + 1/2*c)^3 - 12*b^2*tan(1/2*d*x + 1/2*c)^3 + 6*a^2*tan(1/2*d*x + 1/2*c) - 3*a*b*tan(1/2*d*x + 1/2*c) + 6*b^2*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^3)/d$

**maple** [B] time = 0.11, size = 400, normalized size = 2.55

$$\frac{2b^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d a^4 \sqrt{(a-b)(a+b)}} - \frac{1}{3da \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^3} - \frac{1}{2ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} - \frac{b}{2d a^2 \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^2} - ad \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x)

[Out]  $2/d*b^4/a^4/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})-1/3/d/a/(\tan(1/2*d*x+1/2*c)-1)^3-1/2/a/d/(\tan(1/2*d*x+1/2*c)-1)^2-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2*b-1/a/d/(\tan(1/2*d*x+1/2*c)-1)-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*b-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)*b^2+1/2/d*b/a^2*ln(\tan(1/2*d*x+1/2*c)-1)+1/d*b^3/a^4*ln(\tan(1/2*d*x+1/2*c)-1)-1/3/d/a/(\tan(1/2*d*x+1/2*c)+1)^3+1/2/a/d/(\tan(1/2*d*x+1/2*c)+1)^2+1/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2*b-1/a/d/(\tan(1/2*d*x+1/2*c)+1)-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*b-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)*b^2-1/2/d*b/a^2*ln(\tan(1/2*d*x+1/2*c)+1)-1/d*b^3/a^4*ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 2.68, size = 991, normalized size = 6.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^4\*(a + b\*cos(c + d\*x))),x)

[Out]  $(a^5*(\sin(c + d*x)/2 + \sin(3*c + 3*d*x)/6) - a^4*((b*\sin(2*c + 2*d*x))/4 + (b*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(3*c + 3*d*x))/4 + (3*b*\cos(c + d*x)*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/4) - a^2*((3*b^3*\cos(c + d*x)*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/4 - (b^3*\sin(2*c + 2*d*x))/4 + (b^3*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(3*c + 3*d*x))/4) - a^3*((b^2*\sin(c + d*x))/4 - (b^2*\sin(3*c + 3*d*x))/12) - a*((b^4*\sin(c + d*x))/4 + (b^4*\sin(3*c + 3*d*x))/4) + (3*b^5*\cos(c + d*x)*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/2 + (b^5*\operatorname{atanh}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2))*\cos(3*c + 3*d*x))/2 + (3*b^4*\operatorname{atanh}((a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*b^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 3*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 3*a^5*b^4*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 2*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)))/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(a^7 - 3*a^3*b^4 + 2*a^5*b^2)))*\cos(c + d*x)*(b^2 - a^2)^{(1/2))/2 + (b^4*\operatorname{atanh}((a^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(3/2)} - 8*b^9*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 8*a^2*b^7*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 3*a^4*b^5*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 3*a^5*b^4*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - 2*a^6*b^3*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} + 2*a^7*b^2*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)} - a^8*b*\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)))/(\cos(c/2 + (d*x)/2)*(a*b^2 - a^3)*(a^7 - 3*a^3*b^4 + 2*a^5*b^2)))*\cos(3*c + 3*d*x)*(b^2 - a^2)^{(1/2))/2)/(a^4*d*((3*\cos(c + d*x))/4 + \cos(3*c + 3*d*x)/4)*(a^2 - b^2))$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^4(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**4/(a+b*cos(d*x+c)),x)
```

```
[Out] Integral(sec(c + d*x)**4/(a + b*cos(c + d*x)), x)
```



$$3.459 \quad \int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=266

$$\frac{a^2 \sin(c+dx) \cos^3(c+dx)}{bd(a^2-b^2)(a+b \cos(c+dx))} + \frac{(4a^2-b^2) \sin(c+dx) \cos^2(c+dx)}{3b^2d(a^2-b^2)} - \frac{ax(4a^2+b^2)}{b^5} - \frac{a(2a^2-b^2) \sin(c+dx)}{b^3d(a^2-b^2)}$$

[Out]  $-a*(4*a^2+b^2)*x/b^5+2*a^4*(4*a^2-5*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(3/2)}/b^5/(a+b)^{(3/2)}/d+1/3*(12*a^4-7*a^2*b^2-2*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)/d-a*(2*a^2-b^2)*\cos(d*x+c)*\sin(d*x+c)/b^3/(a^2-b^2)/d+1/3*(4*a^2-b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/(a^2-b^2)/d-a^2*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.72, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3049, 3023, 2735, 2659, 205}

$$\frac{(-7a^2b^2 + 12a^4 - 2b^4) \sin(c+dx)}{3b^4d(a^2-b^2)} + \frac{2a^4(4a^2-5b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^5d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2 \sin(c+dx) \cos^3(c+dx)}{bd(a^2-b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $-((a*(4*a^2+b^2)*x)/b^5) + (2*a^4*(4*a^2-5*b^2)*\text{ArcTan}[(\text{Sqrt}[a-b]*\text{Tan}[(c+d*x)/2])/(\text{Sqrt}[a+b])]/((a-b)^{(3/2)}*b^5*(a+b)^{(3/2)}*d) + ((12*a^4-7*a^2*b^2-2*b^4)*\text{Sin}[c+d*x])/(3*b^4*(a^2-b^2)*d) - (a*(2*a^2-b^2)*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(b^3*(a^2-b^2)*d) + ((4*a^2-b^2)*\text{Cos}[c+d*x]^2*\text{Sin}[c+d*x])/(3*b^2*(a^2-b^2)*d) - (a^2*\text{Cos}[c+d*x]^3*\text{Sin}[c+d*x])/(b*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x]))$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 +

```

a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e
_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x]
)^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && (!IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+b\cos(c+dx))^2} dx &= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{\cos^2(c+dx)(3a^2-ab\cos(c+dx)-(4a^2-b^2)\cos^2(c+dx))}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{(4a^2-b^2)\cos^2(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{\cos(c+dx)(-}{b(a^2-b^2)} \\
&= -\frac{a(2a^2-b^2)\cos(c+dx)\sin(c+dx)}{b^3(a^2-b^2)d} + \frac{(4a^2-b^2)\cos^2(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= \frac{(12a^4-7a^2b^2-2b^4)\sin(c+dx)}{3b^4(a^2-b^2)d} - \frac{a(2a^2-b^2)\cos(c+dx)\sin(c+dx)}{b^3(a^2-b^2)d} + \frac{(4a^2-b^2)\cos^2(c+dx)\sin(c+dx)}{3b^2(a^2-b^2)d} \\
&= -\frac{a(4a^2+b^2)x}{b^5} + \frac{(12a^4-7a^2b^2-2b^4)\sin(c+dx)}{3b^4(a^2-b^2)d} - \frac{a(2a^2-b^2)\cos(c+dx)\sin(c+dx)}{b^3(a^2-b^2)d} \\
&= -\frac{a(4a^2+b^2)x}{b^5} + \frac{(12a^4-7a^2b^2-2b^4)\sin(c+dx)}{3b^4(a^2-b^2)d} - \frac{a(2a^2-b^2)\cos(c+dx)\sin(c+dx)}{b^3(a^2-b^2)d} \\
&= -\frac{a(4a^2+b^2)x}{b^5} + \frac{2a^4(4a^2-5b^2)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^5(a+b)^{3/2}d} + \frac{(12a^4-7a^2b^2-2b^4)\sin(c+dx)}{3b^4(a^2-b^2)d}
\end{aligned}$$

**Mathematica [C]** time = 0.90, size = 176, normalized size = 0.66

$$\frac{12a^5b \sin(c+dx)}{(a-b)(a+b)(a+b \cos(c+dx))} + 9b(4a^2 + b^2) \sin(c + dx) + \frac{24a^4(4a^2 - 5b^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} - 6ab^2 \sin(2(c + dx)) - 12}{12b^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^2,x]

[Out] (-12\*a\*(2\*a - I\*b)\*(2\*a + I\*b)\*(c + d\*x) + (24\*a^4\*(4\*a^2 - 5\*b^2)\*ArcTanh[(a - b)\*Tan[(c + d\*x)/2]]/Sqrt[-a^2 + b^2]))/(-a^2 + b^2)^(3/2) + 9\*b\*(4\*a^2 + b^2)\*Sin[c + d\*x] + (12\*a^5\*b\*Ssin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])) - 6\*a\*b^2\*Ssin[2\*(c + d\*x)] + b^3\*Ssin[3\*(c + d\*x)]/(12\*b^5\*d)

**fricas [A]** time = 1.30, size = 747, normalized size = 2.81

$$\left[ \frac{6(4a^7b - 7a^5b^3 + 2a^3b^5 + ab^7)dx \cos(dx + c) + 6(4a^8 - 7a^6b^2 + 2a^4b^4 + a^2b^6)dx + 3(4a^7 - 5a^5b^2 + 4a^3b^4 - 3a^1b^6)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/6\*(6\*(4\*a^7\*b - 7\*a^5\*b^3 + 2\*a^3\*b^5 + a\*b^7)\*d\*x\*cos(d\*x + c) + 6\*(4\*a^8 - 7\*a^6\*b^2 + 2\*a^4\*b^4 + a^2\*b^6)\*d\*x + 3\*(4\*a^7 - 5\*a^5\*b^2 + (4\*a^6\*b - 5\*a^4\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(12\*a^7\*b - 19\*a^5\*b^3 + 5\*a^3\*b^5 + 2\*a\*b^7 + (a^4\*b^4 - 2\*a^2\*b^6 + b^8)\*cos(d\*x + c)^3 - 2\*(a^5\*b^3 - 2\*a^3\*b^5 + a\*b^7)\*cos(d\*x + c)^2 + 2\*(3\*a^6\*b^2 - 5\*a^4\*b^4 + a^2\*b^6 + b^8)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^6 - 2\*a^2\*b^8 + b^10)\*d\*cos(d\*x + c) + (a^5\*b^5 - 2\*a^3\*b^7 + a\*b^9)\*d), -1/3\*(3\*(4\*a^7\*b - 7\*a^5\*b^3 + 2\*a^3\*b^5 + a\*b^7)\*d\*x\*cos(d\*x + c) + 3\*(4\*a^8 - 7\*a^6\*b^2 + 2\*a^4\*b^4 + a^2\*b^6)\*d\*x - 3\*(4\*a^7 - 5\*a^5\*b^2 + (4\*a^6\*b - 5\*a^4\*b^3)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (12\*a^7\*b - 19\*a^5\*b^3 + 5\*a^3\*b^5 + 2\*a\*b^7 + (a^4\*b^4 - 2\*a^2\*b^6 + b^8)\*cos(d\*x + c)^3 - 2\*(a^5\*b^3 - 2\*a^3\*b^5 + a\*b^7)\*cos(d\*x + c)^2 + 2\*(3\*a^6\*b^2 - 5\*a^4\*b^4 + a^2\*b^6 + b^8)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^6 - 2\*a^2\*b^8 + b^10)\*d\*cos(d\*x + c) + (a^5\*b^5 - 2\*a^3\*b^7 + a\*b^9)\*d)]

**giac [A]** time = 0.93, size = 333, normalized size = 1.25

$$\frac{6a^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^2b^4 - b^6)\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a + b\right)} - \frac{6(4a^6 - 5a^4b^2)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{(a^2b^5 - b^7)\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/3\*(6\*a^5\*tan(1/2\*d\*x + 1/2\*c)/((a^2\*b^4 - b^6)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)) - 6\*(4\*a^6 - 5\*a^4\*b^2)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^2\*b^5 - b^7)\*sqrt(a^2 - b^2)) -

$$3*(4*a^3 + a*b^2)*(d*x + c)/b^5 + 2*(9*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*a*b*\tan(1/2*d*x + 1/2*c)^5 + 3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 18*a^2*\tan(1/2*d*x + 1/2*c)^3 + 2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 9*a^2*\tan(1/2*d*x + 1/2*c) - 3*a*b*\tan(1/2*d*x + 1/2*c) + 3*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^3*b^4))/d$$

**maple [A]** time = 0.07, size = 504, normalized size = 1.89

$$\frac{2a^5 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db^4 (a^2 - b^2) \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} + \frac{8a^6 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^5 (a-b)(a+b)\sqrt{(a-b)(a+b)}} - \frac{10a^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^3 (a-b)(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^2,x)

[Out]  $\frac{2}{d} \frac{a^5}{b^4} \frac{(a^2 - b^2) \tan(1/2 dx + 1/2 c)}{(a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a + b) + 8 \frac{a^6}{b^5} \frac{(a-b)}{(a+b)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan(\tan(1/2 dx + 1/2 c) \frac{(a-b)}{((a-b)(a+b))^{1/2}}) - 10 \frac{a^4}{b^3} \frac{(a-b)}{(a+b)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan(\tan(1/2 dx + 1/2 c) \frac{(a-b)}{((a-b)(a+b))^{1/2}}) + 6 \frac{d}{b^4} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^5 a^2 + 2 \frac{d}{b^3} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^5 a^2 + 2 \frac{d}{b^2} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^5 a^2 + 4 \frac{3}{d} \frac{d}{b^2} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^3 a^2 + 4 \frac{3}{d} \frac{d}{b^2} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^3 a^2 + 6 \frac{d}{b^4} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^3 a^2 - 2 \frac{d}{b^3} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^3 a^2 - 2 \frac{d}{b^2} \frac{(1 + \tan(1/2 dx + 1/2 c)^2)^3 \tan(1/2 dx + 1/2 c)^3 a^2 - 8 \frac{d}{b^5} \arctan(\tan(1/2 dx + 1/2 c) \frac{(a-b)}{((a-b)(a+b))^{1/2}}) a^3 - 2 \frac{d}{b^3} \arctan(\tan(1/2 dx + 1/2 c) \frac{(a-b)}{((a-b)(a+b))^{1/2}}) a^3}$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 7.21, size = 3852, normalized size = 14.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + b\*cos(c + d\*x))^2,x)

[Out]  $-\frac{((2*\tan(c/2 + (d*x)/2))^3*(8*a*b^4 - 6*a^4*b - 36*a^5 - b^5 + 7*a^2*b^3 + 19*a^3*b^2))}{(3*b^4*(a + b)*(a - b))} - \frac{(2*\tan(c/2 + (d*x)/2))^7*(4*a^5 - 2*a^4*b + b^5 + a^2*b^3 - 3*a^3*b^2)}{(b^4*(a + b)*(a - b))} + \frac{(2*\tan(c/2 + (d*x)/2))^5*(8*a*b^4 + 6*a^4*b - 36*a^5 + b^5 - 7*a^2*b^3 + 19*a^3*b^2)}{(3*b^4*(a + b)*(a - b))} + \frac{(2*\tan(c/2 + (d*x)/2)*(b^5 - 4*a^5 - 2*a^4*b + a^2*b^3 + 3*a^3*b^2)}{(b^4*(a + b)*(a - b))} \frac{1}{(d*(a + b + \tan(c/2 + (d*x)/2))^8*(a - b) + \tan(c/2 + (d*x)/2)^2*(4*a + 2*b) + \tan(c/2 + (d*x)/2)^6*(4*a - 2*b) + 6*a*\tan(c/2 + (d*x)/2)^4)} - \frac{(2*a*atan(((a*(4*a^2 + b^2))*((32*\tan(c/2 + (d*x)/2)*(32*a^12 - 32*a^11*b + a^2*b^10 - 2*a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a^7*b^5 + 2*a^8*b^4 + 48*a^9*b^3 - 48*a^10*b^2)))/(a*b^10 + b^11 - a^2*b^9 - a^3*b^8) + (a*(4*a^2 + b^2))*((32*(a*b^17 + a^3*b^15 - 5*a^$

$$\begin{aligned}
& 4*b^{14} - 4*a^5*b^{13} + 9*a^6*b^{12} + 2*a^7*b^{11} - 4*a^8*b^{10})/(a*b^{14} + b^{15} \\
& - a^2*b^{13} - a^3*b^{12}) - (a*\tan(c/2 + (d*x)/2)*(4*a^2 + b^2)*(2*a*b^{15} - 2 \\
& *a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10})*32i)/(b^5*(a \\
& *b^{10} + b^{11} - a^2*b^9 - a^3*b^8))) * i) / b^5) / b^5 + (a*(4*a^2 + b^2)*((32*t \\
& an(c/2 + (d*x)/2)*(32*a^{12} - 32*a^{11}*b + a^2*b^{10} - 2*a^3*b^9 + 7*a^4*b^8 - \\
& 12*a^5*b^7 + 7*a^6*b^6 - 2*a^7*b^5 + 2*a^8*b^4 + 48*a^9*b^3 - 48*a^{10}*b^2) \\
& ))/(a*b^{10} + b^{11} - a^2*b^9 - a^3*b^8) - (a*(4*a^2 + b^2)*((32*(a*b^{17} + a^3 \\
& *b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6*b^{12} + 2*a^7*b^{11} - 4*a^8*b^{10}))/ (a \\
& *b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) + (a*\tan(c/2 + (d*x)/2)*(4*a^2 + b^2)*( \\
& 2*a*b^{15} - 2*a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10})* \\
& 32i)/(b^5*(a*b^{10} + b^{11} - a^2*b^9 - a^3*b^8))) * i) / b^5) / b^5) / ((64*(64*a^{1 \\
& 4} - 32*a^{13}*b + 5*a^6*b^8 - 5*a^7*b^7 + 31*a^8*b^6 - 6*a^9*b^5 + 12*a^{10}*b^ \\
& 4 + 48*a^{11}*b^3 - 112*a^{12}*b^2)) / (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) - (a \\
& *(4*a^2 + b^2)*((32*\tan(c/2 + (d*x)/2)*(32*a^{12} - 32*a^{11}*b + a^2*b^{10} - 2* \\
& a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a^7*b^5 + 2*a^8*b^4 + 48*a \\
& ^9*b^3 - 48*a^{10}*b^2)) / (a*b^{10} + b^{11} - a^2*b^9 - a^3*b^8) + (a*(4*a^2 + b^ \\
& 2)*((32*(a*b^{17} + a^3*b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6*b^{12} + 2*a^7*b \\
& ^{11} - 4*a^8*b^{10}))/ (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) - (a*\tan(c/2 + (d* \\
& x)/2)*(4*a^2 + b^2)*(2*a*b^{15} - 2*a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^ \\
& 5*b^{11} - 2*a^6*b^{10})*32i)/(b^5*(a*b^{10} + b^{11} - a^2*b^9 - a^3*b^8))) * i) / b^ \\
& 5) * i) / b^5 + (a*(4*a^2 + b^2)*((32*\tan(c/2 + (d*x)/2)*(32*a^{12} - 32*a^{11}*b \\
& + a^2*b^{10} - 2*a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a^7*b^5 + 2 \\
& *a^8*b^4 + 48*a^9*b^3 - 48*a^{10}*b^2)) / (a*b^{10} + b^{11} - a^2*b^9 - a^3*b^8) - \\
& (a*(4*a^2 + b^2)*((32*(a*b^{17} + a^3*b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6 \\
& *b^{12} + 2*a^7*b^{11} - 4*a^8*b^{10}))/ (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) + ( \\
& a*\tan(c/2 + (d*x)/2)*(4*a^2 + b^2)*(2*a*b^{15} - 2*a^2*b^{14} - 4*a^3*b^{13} + 4* \\
& a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10})*32i)/(b^5*(a*b^{10} + b^{11} - a^2*b^9 - a^ \\
& 3*b^8))) * i) / b^5) * i) / b^5) * (4*a^2 + b^2) / (b^5*d) - (a^4*atan(((a^4*(4*a^2 \\
& - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * ((32*\tan(c/2 + (d*x)/2)*(32*a^{12} - 3 \\
& 2*a^{11}*b + a^2*b^{10} - 2*a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a^ \\
& 7*b^5 + 2*a^8*b^4 + 48*a^9*b^3 - 48*a^{10}*b^2)) / (a*b^{10} + b^{11} - a^2*b^9 - a \\
& ^3*b^8) + (a^4*((32*(a*b^{17} + a^3*b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6*b^ \\
& 12 + 2*a^7*b^{11} - 4*a^8*b^{10}))/ (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) - (32* \\
& a^4*\tan(c/2 + (d*x)/2)*(4*a^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * (2*a*b^ \\
& 15 - 2*a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10}))/ ((a*b \\
& ^{10} + b^{11} - a^2*b^9 - a^3*b^8)*(b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a^6*b^5))) * \\
& (4*a^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}) / (b^{11} - 3*a^2*b^9 + 3*a^4*b^7 \\
& - a^6*b^5) * i) / (b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a^6*b^5) + (a^4*(4*a^2 - 5 \\
& *b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * ((32*\tan(c/2 + (d*x)/2)*(32*a^{12} - 32*a^ \\
& 11*b + a^2*b^{10} - 2*a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a^7*b^ \\
& 5 + 2*a^8*b^4 + 48*a^9*b^3 - 48*a^{10}*b^2)) / (a*b^{10} + b^{11} - a^2*b^9 - a^3*b \\
& ^8) - (a^4*((32*(a*b^{17} + a^3*b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6*b^{12} + \\
& 2*a^7*b^{11} - 4*a^8*b^{10}))/ (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) + (32*a^4* \\
& \tan(c/2 + (d*x)/2)*(4*a^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * (2*a*b^{15} - \\
& 2*a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10}))/ ((a*b^{10} \\
& + b^{11} - a^2*b^9 - a^3*b^8)*(b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a^6*b^5))) * (4*a \\
& ^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}) / (b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a \\
& ^6*b^5) * i) / (b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a^6*b^5) / ((64*(64*a^{14} - 32*a \\
& ^{13}*b + 5*a^6*b^8 - 5*a^7*b^7 + 31*a^8*b^6 - 6*a^9*b^5 + 12*a^{10}*b^4 + 48*a \\
& ^{11}*b^3 - 112*a^{12}*b^2)) / (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) - (a^4*(4*a^ \\
& 2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * ((32*\tan(c/2 + (d*x)/2)*(32*a^{12} - \\
& 32*a^{11}*b + a^2*b^{10} - 2*a^3*b^9 + 7*a^4*b^8 - 12*a^5*b^7 + 7*a^6*b^6 - 2*a \\
& ^7*b^5 + 2*a^8*b^4 + 48*a^9*b^3 - 48*a^{10}*b^2)) / (a*b^{10} + b^{11} - a^2*b^9 - \\
& a^3*b^8) + (a^4*((32*(a*b^{17} + a^3*b^{15} - 5*a^4*b^{14} - 4*a^5*b^{13} + 9*a^6*b \\
& ^{12} + 2*a^7*b^{11} - 4*a^8*b^{10}))/ (a*b^{14} + b^{15} - a^2*b^{13} - a^3*b^{12}) - (32 \\
& *a^4*\tan(c/2 + (d*x)/2)*(4*a^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * (2*a*b \\
& ^{15} - 2*a^2*b^{14} - 4*a^3*b^{13} + 4*a^4*b^{12} + 2*a^5*b^{11} - 2*a^6*b^{10}))/ ((a* \\
& b^{10} + b^{11} - a^2*b^9 - a^3*b^8)*(b^{11} - 3*a^2*b^9 + 3*a^4*b^7 - a^6*b^5))) \\
& * (4*a^2 - 5*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}) / (b^{11} - 3*a^2*b^9 + 3*a^4*b^
\end{aligned}$$

$$\frac{7 - a^6 b^5}{(b^{11} - 3a^2 b^9 + 3a^4 b^7 - a^6 b^5)} + \frac{(a^4(4a^2 - 5b^2) \cdot (-a + b)^3 (a - b)^3)^{1/2} \cdot ((32 \tan(c/2 + (d \cdot x)/2) \cdot (32a^{12} - 32a^{11} \cdot b + a^2 b^{10} - 2a^3 b^9 + 7a^4 b^8 - 12a^5 b^7 + 7a^6 b^6 - 2a^7 b^5 + 2a^8 b^4 + 48a^9 b^3 - 48a^{10} b^2)) / (a \cdot b^{10} + b^{11} - a^2 b^9 - a^3 b^8) - (a^4 \cdot ((32(a \cdot b^{17} + a^3 b^{15} - 5a^4 b^{14} - 4a^5 b^{13} + 9a^6 b^{12} + 2a^7 b^{11} - 4a^8 b^{10})) / (a \cdot b^{14} + b^{15} - a^2 b^{13} - a^3 b^{12}) + (32a^4 \tan(c/2 + (d \cdot x)/2) \cdot (4a^2 - 5b^2) \cdot (-a + b)^3 (a - b)^3)^{1/2} \cdot (2a \cdot b^{15} - 2a^2 b^{14} - 4a^3 b^{13} + 4a^4 b^{12} + 2a^5 b^{11} - 2a^6 b^{10})) / ((a \cdot b^{10} + b^{11} - a^2 b^9 - a^3 b^8) \cdot (b^{11} - 3a^2 b^9 + 3a^4 b^7 - a^6 b^5)) \cdot (4a^2 - 5b^2) \cdot (-a + b)^3 (a - b)^3)^{1/2}}{(b^{11} - 3a^2 b^9 + 3a^4 b^7 - a^6 b^5)) \cdot (4a^2 - 5b^2) \cdot (-a + b)^3 (a - b)^3)^{1/2} \cdot 2i}{d \cdot (b^{11} - 3a^2 b^9 + 3a^4 b^7 - a^6 b^5)}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.460 \quad \int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=166

$$\frac{x(6a^2 + b^2)}{2b^4} - \frac{a^4 \sin(c + dx)}{b^3 d (a^2 - b^2) (a + b \cos(c + dx))} - \frac{2a^3 (3a^2 - 4b^2) \tanh^{-1}\left(\frac{(a-b)\sin(c+dx)}{\sqrt{b^2-a^2}(\cos(c+dx)+1)}\right)}{b^4 d (b^2 - a^2)^{3/2}} - \frac{2a \sin(c + dx)}{b^3 d} + \dots$$

[Out]  $1/2*(6*a^2+b^2)*x/b^4-2*a^3*(3*a^2-4*b^2)*\operatorname{arctanh}((a-b)*\sin(d*x+c)/(1+\cos(d*x+c)))/(-a^2+b^2)^{(1/2)}/b^4/(-a^2+b^2)^{(3/2)}/d-2*a*\sin(d*x+c)/b^3/d+1/2*\cos(d*x+c)*\sin(d*x+c)/b^2/d-a^4*\sin(d*x+c)/b^3/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.43, antiderivative size = 213, normalized size of antiderivative = 1.28, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3049, 3023, 2735, 2659, 205}

$$\frac{a(3a^2 - 2b^2) \sin(c + dx)}{b^3 d (a^2 - b^2)} - \frac{2a^3 (3a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{a^2 \sin(c + dx) \cos^2(c + dx)}{bd (a^2 - b^2) (a + b \cos(c + dx))} + \frac{(3a^2 - \dots)}{\dots}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $((6*a^2 + b^2)*x)/(2*b^4) - (2*a^3*(3*a^2 - 4*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2]]/\operatorname{Sqrt}[a + b]))/((a - b)^{(3/2)}*b^4*(a + b)^{(3/2)}*d) - (a*(3*a^2 - 2*b^2)*\sin[c + d*x])/(b^3*(a^2 - b^2)*d) + ((3*a^2 - b^2)*\cos[c + d*x]*\sin[c + d*x])/(2*b^2*(a^2 - b^2)*d) - (a^2*\cos[c + d*x]^2*\sin[c + d*x])/(b*(a^2 - b^2)*d*(a + b*\cos[c + d*x]))$

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2659**

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rule 2735**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x]

], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(c+dx)}{(a+b\cos(c+dx))^2} dx &= -\frac{a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{\cos(c+dx)(2a^2-ab\cos(c+dx)-(3a^2-b^2)\cos^2(c+dx))}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
 &= \frac{(3a^2-b^2)\cos(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)d} - \frac{a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{-a(3a^2-b^2)+}{}}{b(a^2-b^2)} \\
 &= -\frac{a(3a^2-2b^2)\sin(c+dx)}{b^3(a^2-b^2)d} + \frac{(3a^2-b^2)\cos(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)d} - \frac{a^2 \cos^2(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \\
 &= \frac{(6a^2+b^2)x}{2b^4} - \frac{a(3a^2-2b^2)\sin(c+dx)}{b^3(a^2-b^2)d} + \frac{(3a^2-b^2)\cos(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)d} - \frac{a^2 \cos^2(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \\
 &= \frac{(6a^2+b^2)x}{2b^4} - \frac{a(3a^2-2b^2)\sin(c+dx)}{b^3(a^2-b^2)d} + \frac{(3a^2-b^2)\cos(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)d} - \frac{a^2 \cos^2(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \\
 &= \frac{(6a^2+b^2)x}{2b^4} - \frac{2a^3(3a^2-4b^2)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^4(a+b)^{3/2}d} - \frac{a(3a^2-2b^2)\sin(c+dx)}{b^3(a^2-b^2)d}
 \end{aligned}$$

**Mathematica [A]** time = 0.78, size = 144, normalized size = 0.87

$$\frac{-\frac{4a^4b\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} + 2(6a^2+b^2)(c+dx) - \frac{8a^3(3a^2-4b^2)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} - 8ab\sin(c+dx) + b^2\sin(2(c+dx))}{4b^4d}$$



Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(2*(6*a^2 + b^2)*(c + d*x) - (8*a^3*(3*a^2 - 4*b^2)*\text{ArcTanh}[\frac{(a - b)*\text{Tan}[(c + d*x)/2]}{\sqrt{-a^2 + b^2}}])/(-a^2 + b^2)^{(3/2)} - 8*a*b*\text{Sin}[c + d*x] - (4*a^4*b*\text{Sin}[c + d*x])/((a - b)*(a + b)*(a + b*\text{Cos}[c + d*x])) + b^2*\text{Sin}[2*(c + d*x)]/(4*b^4*d)$

**fricas** [A] time = 1.05, size = 651, normalized size = 3.92

$$\left[ \frac{(6a^6b - 11a^4b^3 + 4a^2b^5 + b^7)dx \cos(dx + c) + (6a^7 - 11a^5b^2 + 4a^3b^4 + ab^6)dx - (3a^6 - 4a^4b^2 + (3a^5b - 11a^3b^3 + 4a^2b^5 + b^7)dx \sin(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx + c) + (2a^2 - b^2) \cos(dx + c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx + c) + b) \sin(dx + c) - a^2 + 2b^2}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}\right) - (6a^6b - 10a^4b^3 + 4a^2b^5 - (a^4b^3 - 2a^2b^5 + b^7) \cos(dx + c)^2 + 3(a^5b^2 - 2a^3b^4 + ab^6) \cos(dx + c)) \sin(dx + c)}{(a^4b^5 - 2a^2b^7 + b^9) d \cos(dx + c) + (a^5b^4 - 2a^3b^6 + ab^8) d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out]  $[1/2*((6*a^6*b - 11*a^4*b^3 + 4*a^2*b^5 + b^7)*d*x*\cos(d*x + c) + (6*a^7 - 11*a^5*b^2 + 4*a^3*b^4 + a*b^6)*d*x - (3*a^6 - 4*a^4*b^2 + (3*a^5*b - 4*a^3*b^3)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - (6*a^6*b - 10*a^4*b^3 + 4*a^2*b^5 - (a^4*b^3 - 2*a^2*b^5 + b^7)*\cos(d*x + c)^2 + 3*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*\cos(d*x + c))*\sin(d*x + c)]/((a^4*b^5 - 2*a^2*b^7 + b^9)*d*\cos(d*x + c) + (a^5*b^4 - 2*a^3*b^6 + a*b^8)*d), 1/2*((6*a^6*b - 11*a^4*b^3 + 4*a^2*b^5 + b^7)*d*x*\cos(d*x + c) + (6*a^7 - 11*a^5*b^2 + 4*a^3*b^4 + a*b^6)*d*x - 2*(3*a^6 - 4*a^4*b^2 + (3*a^5*b - 4*a^3*b^3)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (6*a^6*b - 10*a^4*b^3 + 4*a^2*b^5 - (a^4*b^3 - 2*a^2*b^5 + b^7)*\cos(d*x + c)^2 + 3*(a^5*b^2 - 2*a^3*b^4 + a*b^6)*\cos(d*x + c))*\sin(d*x + c)]/((a^4*b^5 - 2*a^2*b^7 + b^9)*d*\cos(d*x + c) + (a^5*b^4 - 2*a^3*b^6 + a*b^8)*d)]$

**giac** [A] time = 0.57, size = 262, normalized size = 1.58

$$\frac{4a^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^2b^3 - b^5) \left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a + b\right)} - \frac{4(3a^5 - 4a^3b^2) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \text{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{(a^2b^4 - b^6) \sqrt{a^2 - b^2}}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-1/2*(4*a^4*\tan(1/2*d*x + 1/2*c)/((a^2*b^3 - b^5)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)) - 4*(3*a^5 - 4*a^3*b^2)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^2*b^4 - b^6)*\sqrt{a^2 - b^2}) - (6*a^2 + b^2)*(d*x + c)/b^4 + 2*(4*a*\tan(1/2*d*x + 1/2*c)^3 + b*\tan(1/2*d*x + 1/2*c)^3 + 4*a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^3))/d$

**maple** [B] time = 0.06, size = 358, normalized size = 2.16

$$\frac{2a^4 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db^3(a^2 - b^2) \left(a \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a + b\right)} - \frac{6a^5 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^4(a-b)(a+b)\sqrt{(a-b)(a+b)}} + \frac{8a^3}{db^2(a-b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(dx+c))^4 / (a+b\cos(dx+c))^2, x$

[Out] 
$$-2/d*a^4/b^3/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)-6/d*a^5/b^4/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})+8/d*a^3/b^2/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})-4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*a-1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3-4/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)*a+1/d/b^2/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)+6/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))*a^2+1/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^4 / (a+b\cos(dx+c))^2, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 7.04, size = 3751, normalized size = 22.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(c + dx))^4 / (a + b\cos(c + dx))^2, x$

[Out] 
$$\left( \frac{\text{atan}\left(\frac{((8*\tan(c/2 + (dx)/2)*(72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7*b^3 - 120*a^8*b^2))}{(a*b^8 + b^9 - a^2*b^7 - a^3*b^6)} + ((a^{2*6i} + b^{2*1i}) * ((8*(2*b^{15} + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8))}{(a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9)} - (4*\tan(c/2 + (dx)/2)*(a^{2*6i} + b^{2*1i})*(8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8))}{(b^4*(a*b^8 + b^9 - a^2*b^7 - a^3*b^6))}\right)}{(2*b^4)} * (a^{2*6i} + b^{2*1i}) * i\right)}{(2*b^4)} + \left(\frac{((8*\tan(c/2 + (dx)/2)*(72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7*b^3 - 120*a^8*b^2))}{(a*b^8 + b^9 - a^2*b^7 - a^3*b^6)} - ((a^{2*6i} + b^{2*1i}) * ((8*(2*b^{15} + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8))}{(a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9)} + (4*\tan(c/2 + (dx)/2)*(a^{2*6i} + b^{2*1i}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8))}{(b^4*(a*b^8 + b^9 - a^2*b^7 - a^3*b^6))}\right)}{(2*b^4)} * (a^{2*6i} + b^{2*1i}) * i\right)}{(2*b^4)}\right) / \left(\frac{(16*(108*a^{11} - 54*a^{10}*b + 4*a^3*b^8 - 4*a^4*b^7 + 41*a^5*b^6 - 9*a^6*b^5 + 63*a^7*b^4 + 81*a^8*b^3 - 21*6*a^9*b^2))}{(a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9)} - \left(\frac{((8*\tan(c/2 + (dx)/2)*(72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7*b^3 - 120*a^8*b^2))}{(a*b^8 + b^9 - a^2*b^7 - a^3*b^6)} + ((a^{2*6i} + b^{2*1i}) * ((8*(2*b^{15} + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8))}{(a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9)} - (4*\tan(c/2 + (dx)/2)*(a^{2*6i} + b^{2*1i}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8))}{(b^4*(a*b^8 + b^9 - a^2*b^7 - a^3*b^6))}\right)}{(2*b^4)} * (a^{2*6i} + b^{2*1i}) * i\right)}{(2*b^4)} + \left(\frac{((8*\tan(c/2 + (dx)/2)*(72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7*b^3 - 120*a^8*b^2))}{(a*b^8 + b^9 - a^2*b^7 - a^3*b^6)} - ((a^{2*6i} + b^{2*1i}) * ((8*(2*b^{15} + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8))}{(a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9)} + (4*\tan(c/2 + (dx)/2)*(a^{2*6i} + b^{2*1i}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8))}{(b^4*(a*b^8 + b^9 - a^2*b^7 - a^3*b^6))}\right)}{(2*b^4)} * (a^{2*6i} + b^{2*1i}) * i\right)}{(2*b^4)}\right)$$

$$\begin{aligned}
& b^{11} + b^{12} - a^2 b^{10} - a^3 b^9) + (4 \tan(c/2 + (d*x)/2) * (a^{2*6i} + b^{2*1i}) \\
& * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8 \\
& )) / (b^4 * (a*b^8 + b^9 - a^2*b^7 - a^3*b^6))) / (2*b^4)) * (a^{2*6i} + b^{2*1i}) / (2 \\
& * b^4)) * (a^{2*6i} + b^{2*1i}) * i) / (b^4 * d) - ((\tan(c/2 + (d*x)/2) * (3*a^3*b - 3*a \\
& * b^3 + 6*a^4 + b^4 - 5*a^2*b^2)) / ((a*b^3 - b^4) * (a + b)) + (\tan(c/2 + (d*x) \\
& /2)^5 * (3*a*b^3 - 3*a^3*b + 6*a^4 + b^4 - 5*a^2*b^2)) / ((a*b^3 - b^4) * (a + b) \\
& ) - (2*\tan(c/2 + (d*x)/2)^3 * (b^4 - 6*a^4 + 3*a^2*b^2)) / (b * (a*b^2 - b^3) * (a \\
& + b))) / (d * (a + b + \tan(c/2 + (d*x)/2)^2 * (3*a + b) + \tan(c/2 + (d*x)/2)^6 * (a \\
& - b) + \tan(c/2 + (d*x)/2)^4 * (3*a - b))) + (a^3 * \operatorname{atan}(((a^3 * (3*a^2 - 4*b^2)) * \\
& (-a + b)^3 * (a - b)^3)^{1/2}) * ((8*\tan(c/2 + (d*x)/2) * (72*a^{10} - 72*a^9*b - 2 \\
& * a*b^9 + b^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 \\
& + 120*a^7*b^3 - 120*a^8*b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (a^3 * \\
& ((8*(2*b^{15} + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 \\
& - 12*a^7*b^8)) / (a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9) - (8*a^3 * \tan(c/2 + \\
& (d*x)/2) * (3*a^2 - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8*a*b^{13} - 8*a^2*b^{12} \\
& - 16*a^3*b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - a^2 \\
& * b^7 - a^3*b^6) * (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4))) * (3*a^2 - 4*b^2) * \\
& (-a + b)^3 * (a - b)^3)^{1/2}) / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) * i) \\
& / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4) + (a^3 * (3*a^2 - 4*b^2) * (-a + b)^ \\
& 3 * (a - b)^3)^{1/2}) * ((8*\tan(c/2 + (d*x)/2) * (72*a^{10} - 72*a^9*b - 2*a*b^9 + b \\
& ^{10} + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120* \\
& a^7*b^3 - 120*a^8*b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a^3 * ((8*(2*b^{15} \\
& + 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8)) \\
& / (a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9) + (8*a^3 * \tan(c/2 + (d*x)/2) * (3*a^2 \\
& - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3 \\
& * b^{11} + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - a^2*b^7 - a^3 \\
& * b^6) * (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4))) * (3*a^2 - 4*b^2) * (-a + b)^ \\
& 3 * (a - b)^3)^{1/2}) / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) * i) / (b^{10} - 3 \\
& * a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) / ((16*(108*a^{11} - 54*a^{10}*b + 4*a^3*b^8 - 4 \\
& * a^4*b^7 + 41*a^5*b^6 - 9*a^6*b^5 + 63*a^7*b^4 + 81*a^8*b^3 - 216*a^9*b^2)) \\
& / (a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9) - (a^3 * (3*a^2 - 4*b^2) * (-a + b)^3 * (a \\
& - b)^3)^{1/2}) * ((8*\tan(c/2 + (d*x)/2) * (72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} \\
& + 11*a^2*b^8 - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7* \\
& b^3 - 120*a^8*b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (a^3 * ((8*(2*b^{15} + \\
& 6*a^2*b^{13} - 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8)) \\
& / (a*b^{11} + b^{12} - a^2*b^{10} - a^3*b^9) - (8*a^3 * \tan(c/2 + (d*x)/2) * (3*a^2 \\
& - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} \\
& + 16*a^4*b^{10} + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - a^2*b^7 - a^3*b^6) \\
& * (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4))) * (3*a^2 - 4*b^2) * (-a + b)^3 * (a \\
& - b)^3)^{1/2}) / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) / (b^{10} - 3*a^2*b^8 \\
& + 3*a^4*b^6 - a^6*b^4) + (a^3 * (3*a^2 - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2} \\
& ) * ((8*\tan(c/2 + (d*x)/2) * (72*a^{10} - 72*a^9*b - 2*a*b^9 + b^{10} + 11*a^2*b^8 \\
& - 20*a^3*b^7 + 23*a^4*b^6 - 26*a^5*b^5 + 17*a^6*b^4 + 120*a^7*b^3 - 120*a^8 \\
& * b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a^3 * ((8*(2*b^{15} + 6*a^2*b^{13} - \\
& 16*a^3*b^{12} - 14*a^4*b^{11} + 28*a^5*b^{10} + 6*a^6*b^9 - 12*a^7*b^8)) / (a*b^{11} \\
& + b^{12} - a^2*b^{10} - a^3*b^9) + (8*a^3 * \tan(c/2 + (d*x)/2) * (3*a^2 - 4*b^2) * (- \\
& (a + b)^3 * (a - b)^3)^{1/2}) * (8*a*b^{13} - 8*a^2*b^{12} - 16*a^3*b^{11} + 16*a^4*b^{10} \\
& + 8*a^5*b^9 - 8*a^6*b^8)) / ((a*b^8 + b^9 - a^2*b^7 - a^3*b^6) * (b^{10} - 3*a^2*b^8 \\
& + 3*a^4*b^6 - a^6*b^4))) * (3*a^2 - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2} \\
& )) / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 - a^6*b^4)) / (b^{10} - 3*a^2*b^8 + 3*a^4*b^6 \\
& - a^6*b^4)) * (3*a^2 - 4*b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * 2i) / (d * (b^{10} - 3 \\
& * a^2*b^8 + 3*a^4*b^6 - a^6*b^4))
\end{aligned}$$

`sympy [F(-1)]` time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**4/(a+b*cos(d*x+c))**2,x)`

[Out] Timed out

$$3.461 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=155

$$\frac{(2a^2 - b^2) \sin(c + dx)}{b^2 d (a^2 - b^2)} - \frac{a^2 \sin(c + dx) \cos(c + dx)}{bd (a^2 - b^2) (a + b \cos(c + dx))} + \frac{2a^2 (2a^2 - 3b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a - b)^{3/2} (a + b)^{3/2}} - \frac{2ax}{b^3}$$

[Out]  $-2*a*x/b^3+2*a^2*(2*a^2-3*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)))/(a-b)^{(3/2)}/b^3/(a+b)^{(3/2)}/d+(2*a^2-b^2)*\sin(d*x+c)/b^2/(a^2-b^2)/d-a^2*\cos(d*x+c)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.26, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2792, 3023, 2735, 2659, 205}

$$\frac{(2a^2 - b^2) \sin(c + dx)}{b^2 d (a^2 - b^2)} + \frac{2a^2 (2a^2 - 3b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^3 d (a - b)^{3/2} (a + b)^{3/2}} - \frac{a^2 \sin(c + dx) \cos(c + dx)}{bd (a^2 - b^2) (a + b \cos(c + dx))} - \frac{2ax}{b^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + b\*cos[c + d\*x])^2,x]

[Out]  $(-2*a*x)/b^3 + (2*a^2*(2*a^2 - 3*b^2)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/((a - b)^{(3/2)}*b^3*(a + b)^{(3/2)*d} + ((2*a^2 - b^2)*\text{Sin}[c + d*x])/(b^2*(a^2 - b^2)*d) - (a^2*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^2} dx = -\frac{a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{a^2 - ab \cos(c + dx) - (2a^2 - b^2) \cos^2(c + dx)}{a + b \cos(c + dx)} dx}{b(a^2 - b^2)}$$

$$= \frac{(2a^2 - b^2) \sin(c + dx)}{b^2(a^2 - b^2)d} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{a^2 b + 2a(a^2 - b^2) \cos(c + dx)}{a + b \cos(c + dx)} dx}{b^2(a^2 - b^2)}$$

$$= -\frac{2ax}{b^3} + \frac{(2a^2 - b^2) \sin(c + dx)}{b^2(a^2 - b^2)d} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(a^2(2a^2 - 3b^2))}{b^3(a^2 - b^2)}$$

$$= -\frac{2ax}{b^3} + \frac{(2a^2 - b^2) \sin(c + dx)}{b^2(a^2 - b^2)d} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(2a^2(2a^2 - 3b^2))}{b^3(a^2 - b^2)}$$

$$= -\frac{2ax}{b^3} + \frac{2a^2(2a^2 - 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^3(a+b)^{3/2}d} + \frac{(2a^2 - b^2) \sin(c + dx)}{b^2(a^2 - b^2)d} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

Mathematica [A] time = 0.73, size = 113, normalized size = 0.73

$$\frac{\sin(c + dx) \left( \frac{a^3 b}{(a-b)(a+b)(a+b \cos(c+dx))} + b \right) + \frac{2a^2(2a^2 - 3b^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} - 2a(c + dx)}{b^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^2, x]

[Out] (-2\*a\*(c + d\*x) + (2\*a^2\*(2\*a^2 - 3\*b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + (b + (a^3\*b)/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))) \* Sin[c + d\*x]/(b^3\*d)

fricas [A] time = 1.74, size = 554, normalized size = 3.57

$$\left[ \frac{4(a^5 b - 2a^3 b^3 + ab^5) dx \cos(dx + c) + 4(a^6 - 2a^4 b^2 + a^2 b^4) dx + (2a^5 - 3a^3 b^2 + (2a^4 b - 3a^2 b^3) \cos(dx + c))}{2((a^4 b^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*(4\*(a^5\*b - 2\*a^3\*b^3 + a\*b^5)\*d\*x\*cos(d\*x + c) + 4\*(a^6 - 2\*a^4\*b^2 + a^2\*b^4)\*d\*x + (2\*a^5 - 3\*a^3\*b^2 + (2\*a^4\*b - 3\*a^2\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(2\*a^5\*b - 3\*a^3\*b^3 + a\*b^5 + (a^4\*b^2 - 2\*a^2\*b^4 + b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^4 - 2\*a^2\*b^6 + b^8)\*d\*cos(d\*x + c) + (a^5\*b^3 - 2\*a^3\*b^5 + a\*b^7)\*d), -(2\*(a^5\*b - 2\*a^3\*b^3 + a\*b^5)\*d\*x\*cos(d\*x + c) + 2\*(a^6 - 2\*a^4\*b^2 + a^2\*b^4)\*d\*x - (2\*a^5 - 3\*a^3\*b^2 + (2\*a^4\*b - 3\*a^2\*b^3)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (2\*a^5\*b - 3\*a^3\*b^3 + a\*b^5 + (a^4\*b^2 - 2\*a^2\*b^4 + b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^4 - 2\*a^2\*b^6 + b^8)\*d\*cos(d\*x + c) + (a^5\*b^3 - 2\*a^3\*b^5 + a\*b^7)\*d)]

giac [B] time = 1.12, size = 847, normalized size = 5.46

$$\frac{(4a^6b^2 - 2a^5b^3 - 9a^4b^4 + 4a^3b^5 + 5a^2b^6 - 2ab^7 + 2a^3| -a^2b^3 + b^5| - a^2b| -a^2b^3 + b^5| - 2ab^2| -a^2b^3 + b^5|)}{a^3b^2| -a^2b^3 + b^5| - ab^4| -a^2b^3 + b^5| + (a^2b^3 - b^5)^2} \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] + \arctan \left[ \frac{2\sqrt{2a^3b^2 - 2ab^4 + \sqrt{-4(a^3b^2 + a^2b^3 - ab^4)}}}{a} \right] \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] ((4\*a^6\*b^2 - 2\*a^5\*b^3 - 9\*a^4\*b^4 + 4\*a^3\*b^5 + 5\*a^2\*b^6 - 2\*a\*b^7 + 2\*a^3\*abs(-a^2\*b^3 + b^5) - a^2\*b\*abs(-a^2\*b^3 + b^5) - 2\*a\*b^2\*abs(-a^2\*b^3 + b^5))\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(2\*sqrt(1/2)\*tan(1/2\*d\*x + 1/2\*c)/sqrt((2\*a^3\*b^2 - 2\*a\*b^4 + sqrt(-4\*(a^3\*b^2 + a^2\*b^3 - a\*b^4 - b^5)\*(a^3\*b^2 - a^2\*b^3 - a\*b^4 + b^5) + 4\*(a^3\*b^2 - a\*b^4)^2))/(a^3\*b^2 - a^2\*b^3 - a\*b^4 + b^5))))/(a^3\*b^2\*abs(-a^2\*b^3 + b^5) - a\*b^4\*abs(-a^2\*b^3 + b^5) + (a^2\*b^3 - b^5)^2) - ((2\*a^3 - a^2\*b - 2\*a\*b^2)\*sqrt(a^2 - b^2)\*abs(-a^2\*b^3 + b^5)\*abs(-a + b) - (4\*a^6\*b^2 - 2\*a^5\*b^3 - 9\*a^4\*b^4 + 4\*a^3\*b^5 + 5\*a^2\*b^6 - 2\*a\*b^7)\*sqrt(a^2 - b^2)\*abs(-a + b))\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(2\*sqrt(1/2)\*tan(1/2\*d\*x + 1/2\*c)/sqrt((2\*a^3\*b^2 - 2\*a\*b^4 - sqrt(-4\*(a^3\*b^2 + a^2\*b^3 - a\*b^4 - b^5)\*(a^3\*b^2 - a^2\*b^3 - a\*b^4 + b^5) + 4\*(a^3\*b^2 - a\*b^4)^2))/(a^3\*b^2 - a^2\*b^3 - a\*b^4 + b^5))))/(a^2\*b^3 - b^5)^2\*(a^2 - 2\*a\*b + b^2) - (a^5\*b^2 - 2\*a^4\*b^3 + 2\*a^2\*b^5 - a\*b^6)\*abs(-a^2\*b^3 + b^5)) + 2\*(2\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*a^3\*tan(1/2\*d\*x + 1/2\*c) + a^2\*b\*tan(1/2\*d\*x + 1/2\*c) - a\*b^2\*tan(1/2\*d\*x + 1/2\*c) - b^3\*tan(1/2\*d\*x + 1/2\*c))/((a\*tan(1/2\*d\*x + 1/2\*c)^4 - b\*tan(1/2\*d\*x + 1/2\*c)^4 + 2\*a\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)\*(a^2\*b^2 - b^4)))/d

maple [A] time = 0.06, size = 238, normalized size = 1.54

$$\frac{2a^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db^2(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right)} + \frac{4a^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^3(a-b)(a+b)\sqrt{(a-b)(a+b)}} - \frac{6a^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db(a-b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x)

[Out] 2/d\*a^3/b^2/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)+4/d\*a^4/b^3/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)/sqrt(a^2-b^2))

$$2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)}-6/d*a^2/b/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)}+2/d/b^2*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-4/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*a$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 6.12, size = 3180, normalized size = 20.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^2,x)

[Out] 
$$-((2*\tan(c/2 + (d*x)/2)^3*(a*b^2 + a^2*b - 2*a^3 - b^3))/(b^2*(a + b)*(a - b)) + (2*\tan(c/2 + (d*x)/2)*(a*b^2 - a^2*b - 2*a^3 + b^3))/(b^2*(a + b)*(a - b)))/(d*(a + b + \tan(c/2 + (d*x)/2)^4*(a - b) + 2*a*\tan(c/2 + (d*x)/2)^2)) - (4*a*\operatorname{atan}(((2*a*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4 + 16*a^5*b^3 - 16*a^6*b^2)))/(a*b^6 + b^7 - a^2*b^5 - a^3*b^4) + (a*((32*(2*a*b^{11} - 3*a^2*b^{10} - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2*a^6*b^6)))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a*\tan(c/2 + (d*x)/2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)*64i)/(b^3*(a*b^6 + b^7 - a^2*b^5 - a^3*b^4))) * 2i)/b^3))/b^3 + (2*a*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4 + 16*a^5*b^3 - 16*a^6*b^2)))/(a*b^6 + b^7 - a^2*b^5 - a^3*b^4) - (a*((32*(2*a*b^{11} - 3*a^2*b^{10} - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2*a^6*b^6)))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (a*\tan(c/2 + (d*x)/2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)*64i)/(b^3*(a*b^6 + b^7 - a^2*b^5 - a^3*b^4))) * 2i)/b^3))/b^3)/((64*(8*a^8 - 4*a^7*b + 12*a^4*b^4 + 6*a^5*b^3 - 20*a^6*b^2)))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4 + 16*a^5*b^3 - 16*a^6*b^2)))/(a*b^6 + b^7 - a^2*b^5 - a^3*b^4) + (a*((32*(2*a*b^{11} - 3*a^2*b^{10} - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2*a^6*b^6)))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (a*\tan(c/2 + (d*x)/2)*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)*64i)/(b^3*(a*b^6 + b^7 - a^2*b^5 - a^3*b^4))) * 2i)/b^3))/b^3)))/(b^3*d) - (a^2*a*\tan(((a^2*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4 + 16*a^5*b^3 - 16*a^6*b^2)))/(a*b^6 + b^7 - a^2*b^5 - a^3*b^4) + (a^2*(2*a^2 - 3*b^2))*((32*(2*a*b^{11} - 3*a^2*b^{10} - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2*a^6*b^6)))/(a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (32*a^2*\tan(c/2 + (d*x)/2)*(2*a^2 - 3*b^2))*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*a*b^{11} - 2*a^2*b^{10} - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6))/((a*b^6 + b^7 - a^2*b^5 - a^3*b^4)*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)))*(-(a + b)^3*(a - b)^3)^{(1/2)})/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))*(2*a^2 - 3*b^2))*(-(a + b)^3*(a - b)^3)^{(1/2)}*1i)/(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3) + (a^2*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4$$



$$\begin{aligned}
& + 16*a^5*b^3 - 16*a^6*b^2)) / (a*b^6 + b^7 - a^2*b^5 - a^3*b^4) - (a^2*(2*a^2 \\
& - 3*b^2)*((32*(2*a*b^11 - 3*a^2*b^10 - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2 \\
& *a^6*b^6)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (32*a^2*\tan(c/2 + (d*x)/2)*( \\
& 2*a^2 - 3*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*a*b^11 - 2*a^2*b^10 - 4*a^3* \\
& b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)) / ((a*b^6 + b^7 - a^2*b^5 - a^3*b^4 \\
& )*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / ( \\
& b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)) * (2*a^2 - 3*b^2)*(-(a + b)^3*(a - b) \\
& ^3)^{(1/2)} * i) / (b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)) / ((64*(8*a^8 - 4*a^7* \\
& b + 12*a^4*b^4 + 6*a^5*b^3 - 20*a^6*b^2)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) \\
& - (a^2*((32*\tan(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + \\
& 5*a^4*b^4 + 16*a^5*b^3 - 16*a^6*b^2)) / (a*b^6 + b^7 - a^2*b^5 - a^3*b^4) + ( \\
& a^2*(2*a^2 - 3*b^2)*((32*(2*a*b^11 - 3*a^2*b^10 - 3*a^3*b^9 + 5*a^4*b^8 + a \\
& ^5*b^7 - 2*a^6*b^6)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) - (32*a^2*\tan(c/2 + \\
& (d*x)/2)*(2*a^2 - 3*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*a*b^11 - 2*a^2*b^1 \\
& 0 - 4*a^3*b^9 + 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)) / ((a*b^6 + b^7 - a^2*b^5 \\
& - a^3*b^4)*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))) * (-(a + b)^3*(a - b)^3 \\
& )^{(1/2)} / (b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)) * (2*a^2 - 3*b^2)*(-(a + b) \\
& ^3*(a - b)^3)^{(1/2)} / (b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3) + (a^2*((32*\tan \\
& n(c/2 + (d*x)/2)*(8*a^8 - 8*a^7*b + 4*a^2*b^6 - 8*a^3*b^5 + 5*a^4*b^4 + 16* \\
& a^5*b^3 - 16*a^6*b^2)) / (a*b^6 + b^7 - a^2*b^5 - a^3*b^4) - (a^2*(2*a^2 - 3* \\
& b^2)*((32*(2*a*b^11 - 3*a^2*b^10 - 3*a^3*b^9 + 5*a^4*b^8 + a^5*b^7 - 2*a^6* \\
& b^6)) / (a*b^8 + b^9 - a^2*b^7 - a^3*b^6) + (32*a^2*\tan(c/2 + (d*x)/2)*(2*a^2 \\
& - 3*b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}*(2*a*b^11 - 2*a^2*b^10 - 4*a^3*b^9 + \\
& 4*a^4*b^8 + 2*a^5*b^7 - 2*a^6*b^6)) / ((a*b^6 + b^7 - a^2*b^5 - a^3*b^4)*(b^ \\
& 9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / (b^9 - \\
& 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)) * (2*a^2 - 3*b^2)*(-(a + b)^3*(a - b)^3)^{( \\
& 1/2)} / (b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3)) * (2*a^2 - 3*b^2)*(-(a + b)^3 \\
& *(a - b)^3)^{(1/2)} * i) / (d*(b^9 - 3*a^2*b^7 + 3*a^4*b^5 - a^6*b^3))
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.462 \quad \int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=108

$$-\frac{2a(a^2 - 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{a^2 \sin(c+dx)}{bd (a^2 - b^2) (a+b \cos(c+dx))} + \frac{x}{b^2}$$

[Out]  $x/b^2 - 2*a*(a^2 - 2*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x + 1/2*c)/(a+b)^{(1/2)})/(a-b)^{(3/2)}/b^2/(a+b)^{(3/2)}/d - a^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.14, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2790, 2735, 2659, 205}

$$-\frac{2a(a^2 - 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{a^2 \sin(c+dx)}{bd (a^2 - b^2) (a+b \cos(c+dx))} + \frac{x}{b^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $x/b^2 - (2*a*(a^2 - 2*b^2)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])]/\text{Sqrt}[a + b])]/((a - b)^{(3/2)}*b^2*(a + b)^{(3/2)*d} - (a^2*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2790

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(m + 1)\*(2\*b\*c\*d - a\*(c^2 + d^2)) + (a^2\*d^2 - 2\*a\*b\*c\*d\*(m + 2) + b^2\*(d^2\*(m + 1) + c^2\*(m + 2)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{(a+b\cos(c+dx))^2} dx &= -\frac{a^2 \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{ab+(a^2-b^2)\cos(c+dx)}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{x}{b^2} - \frac{a^2 \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(a(a^2-2b^2)) \int \frac{1}{a+b\cos(c+dx)} dx}{b^2(a^2-b^2)} \\
&= \frac{x}{b^2} - \frac{a^2 \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(2a(a^2-2b^2)) \operatorname{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \cos(c+dx)\right)}{b^2(a^2-b^2)d} \\
&= \frac{x}{b^2} - \frac{2a(a^2-2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^2(a+b)^{3/2}d} - \frac{a^2 \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.41, size = 103, normalized size = 0.95

$$\frac{2a(a^2-2b^2) \operatorname{tanh}^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} - \frac{a^2b \sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} + c + dx}{b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^2, x]

[Out] (c + d\*x - (2\*a\*(a^2 - 2\*b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) - (a^2\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))/(b^2\*d)

**fricas [B]** time = 1.41, size = 470, normalized size = 4.35

$$\frac{2(a^4b - 2a^2b^3 + b^5)dx \cos(dx+c) + 2(a^5 - 2a^3b^2 + ab^4)dx - (a^4 - 2a^2b^2 + (a^3b - 2ab^3)\cos(dx+c))\sqrt{-a^2 + b^2}}{2((a^4b^3 - 2a^2b^5 + b^7)d \cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [1/2\*(2\*(a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*x\*cos(d\*x + c) + 2\*(a^5 - 2\*a^3\*b^2 + a\*b^4)\*d\*x - (a^4 - 2\*a^2\*b^2 + (a^3\*b - 2\*a\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(a^4\*b - a^2\*b^3)\*sin(d\*x + c))/((a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*d\*cos(d\*x + c) + (a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*d), ((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*x\*cos(d\*x + c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d\*x - (a^4 - 2\*a^2\*b^2 + (a^3\*b - 2\*a\*b^3)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (a^4\*b - a^2\*b^3)\*sin(d\*x + c))/((a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*d\*cos(d\*x + c) + (a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*d)]

**giac [A]** time = 0.58, size = 175, normalized size = 1.62

$$\frac{2a^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^2b - b^3)\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b\right)} - \frac{2(a^3 - 2ab^2)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{(a^2b^2 - b^4)\sqrt{a^2 - b^2}} - \frac{c + dx}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-(2a^2 \tan(1/2 dx + 1/2 c) / ((a^2 b - b^3) (a \tan(1/2 dx + 1/2 c)^2 - b \tan(1/2 dx + 1/2 c)^2 + a + b)) - 2(a^3 - 2ab^2) (\pi \operatorname{floor}(1/2(dx + c)/\pi + 1/2) \operatorname{sgn}(-2a + 2b) + \arctan(-(a \tan(1/2 dx + 1/2 c) - b \tan(1/2 dx + 1/2 c)) / \sqrt{a^2 - b^2}))) / ((a^2 b^2 - b^4) \sqrt{a^2 - b^2}) - (dx + c) / b^2) / d$

**maple [B]** time = 0.06, size = 200, normalized size = 1.85

$$\frac{2a^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{db(a^2 - b^2) \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} - \frac{2a^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{db^2(a-b)(a+b)\sqrt{(a-b)(a+b)}} + \frac{4a \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d(a-b)(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x)

[Out]  $-2/d a^2/b/(a^2-b^2) \tan(1/2 dx + 1/2 c) / (a \tan(1/2 dx + 1/2 c)^2 - \tan(1/2 dx + 1/2 c)^2 b + a + b) - 2/d a^3/b^2/(a-b)/(a+b) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) + 4/d a / (a-b) / (a+b) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx + 1/2 c) * (a-b) / ((a-b)(a+b))^{1/2}) + 2/d/b^2 \arctan(\tan(1/2 dx + 1/2 c))$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 6.21, size = 2872, normalized size = 26.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^2,x)

[Out]  $(2 \operatorname{atan}(\frac{(((((32(2ab^8 - b^9 + a^2b^7 - 3a^3b^6 + a^5b^4)) / (ab^5 + b^6 - a^2b^4 - a^3b^3) - (\tan(c/2 + (dx)/2) * (2ab^9 - 2a^2b^8 - 4a^3b^7 + 4a^4b^6 + 2a^5b^5 - 2a^6b^4) * 32i)) / (b^2 * (ab^4 + b^5 - a^2b^3 - a^3b^2))) * i)}{b^2} + (32 \tan(c/2 + (dx)/2) * (2a^6 - 2a^5b - 2a^4b^2 + b^6 + 3a^2b^4 + 4a^3b^3 - 5a^4b^2)) / (ab^4 + b^5 - a^2b^3 - a^3b^2)) / b^2 - (((32(2ab^8 - b^9 + a^2b^7 - 3a^3b^6 + a^5b^4)) / (ab^5 + b^6 - a^2b^4 - a^3b^3) + (\tan(c/2 + (dx)/2) * (2ab^9 - 2a^2b^8 - 4a^3b^7 + 4a^4b^6 + 2a^5b^5 - 2a^6b^4) * 32i)) / (b^2 * (ab^4 + b^5 - a^2b^3 - a^3b^2))) * i)}{b^2} - (32 \tan(c/2 + (dx)/2) * (2a^6 - 2a^5b - 2a^4b^2 + b^6 + 3a^2b^4 + 4a^3b^3 - 5a^4b^2)) / (ab^4 + b^5 - a^2b^3 - a^3b^2)) / b^2) / ((64(2ab^4 - a^4b + a^5 + 2a^2b^3 - 3a^3b^2)) / (ab^5 + b^6 - a^2b^4 - a^3b^3) + (((32(2ab^8 - b^9 + a^2b^7 - 3a^3b^6 + a^5b^4)) / (ab^5 + b^6 - a^2b^4 - a^3b^3) - (\tan(c/2 + (dx)/2) * (2ab^9 - 2a^2b^8 - 4a^3b^7 + 4a^4b^6 + 2a^5b^5 - 2a^6b^4) * 32i)) / (b^2 * (ab^4 + b^5 - a^2b^3 - a^3b^2))) * i)}{b^2} - (32 \tan(c/2 + (dx)/2) * (2a^6 - 2a^5b - 2a^4b^2 + b^6 + 3a^2b^4 + 4a^3b^3 - 5a^4b^2)) / (ab^4 + b^5 - a^2b^3 - a^3b^2)) / b^2$

$$\begin{aligned}
& - a^2 b^3 - a^3 b^2)) * 1i) / b^2 + (32 * \tan(c/2 + (d*x)/2) * (2*a^6 - 2*a^5*b - \\
& 2*a*b^5 + b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / (a*b^4 + b^5 - a^2*b^3 \\
& - a^3*b^2)) * 1i) / b^2 + (((((32*(2*a*b^8 - b^9 + a^2*b^7 - 3*a^3*b^6 + a^5*b^4)) / \\
& (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (\tan(c/2 + (d*x)/2) * (2*a*b^9 - 2*a^2*b^8 - \\
& 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4) * 32i) / (b^2*(a*b^4 + b^5 - \\
& a^2*b^3 - a^3*b^2))) * 1i) / b^2 - (32*\tan(c/2 + (d*x)/2)*(2*a^6 - 2*a^5*b \\
& - 2*a*b^5 + b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / (a*b^4 + b^5 - a^2*b^3 \\
& - a^3*b^2)) * 1i) / b^2))) / (b^2*d) + (a*\operatorname{atan}(((a*(a^2 - 2*b^2))*(-(a + b)^3*(a - b)^3)^{(1/2)} * \\
& ((32*\tan(c/2 + (d*x)/2)*(2*a^6 - 2*a^5*b - 2*a*b^5 + b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / \\
& (a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + (a*(a^2 - 2*b^2)*((32*(2*a*b^8 - b^9 + a^2*b^7 - 3*a^3*b^6 + a^5*b^4)) / \\
& (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) - (32*a*\tan(c/2 + (d*x)/2)*(a^2 - 2*b^2))*(-(a + b)^3*(a - b)^3)^{(1/2)} * \\
& (2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)) / ((a*b^4 + b^5 - a^2*b^3 - a^3*b^2) * \\
& (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)})) / (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - \\
& a^6*b^2)) * 1i) / (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2) + (a*(a^2 - 2*b^2) * (-(a + b)^3*(a - b)^3)^{(1/2)} * \\
& ((32*\tan(c/2 + (d*x)/2)*(2*a^6 - 2*a^5*b - 2*a*b^5 + b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / \\
& (a*b^4 + b^5 - a^2*b^3 - a^3*b^2) - (a*(a^2 - 2*b^2)*((32*(2*a*b^8 - b^9 + a^2*b^7 - 3*a^3*b^6 + a^5*b^4)) / \\
& (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + (32*a*\tan(c/2 + (d*x)/2)*(a^2 - 2*b^2))*(-(a + b)^3*(a - b)^3)^{(1/2)} * \\
& (2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)) / ((a*b^4 + b^5 - a^2*b^3 - a^3*b^2) * \\
& (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)})) / (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - \\
& a^6*b^2)) / ((64*(2*a*b^4 - a^4*b + a^5 + 2*a^2*b^3 - 3*a^3*b^2)) / (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + \\
& (a*(a^2 - 2*b^2) * (-(a + b)^3*(a - b)^3)^{(1/2)} * ((32*\tan(c/2 + (d*x)/2) * (2*a^6 - 2*a^5*b - 2*a*b^5 + \\
& b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / (a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + (a*(a^2 - 2*b^2) * ((32*(2*a*b^8 - \\
& b^9 + a^2*b^7 - 3*a^3*b^6 + a^5*b^4)) / (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) - (32*a*\tan(c/2 + (d*x)/2) * (a^2 - 2*b^2) * \\
& (-(a + b)^3*(a - b)^3)^{(1/2)} * (2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)) / \\
& ((a*b^4 + b^5 - a^2*b^3 - a^3*b^2) * (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)})) / \\
& (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2)) - (a*(a^2 - 2*b^2) * (-(a + b)^3*(a - b)^3)^{(1/2)} * ((32*\tan(c/2 + (d*x)/2) * \\
& (2*a^6 - 2*a^5*b - 2*a*b^5 + b^6 + 3*a^2*b^4 + 4*a^3*b^3 - 5*a^4*b^2)) / (a*b^4 + b^5 - a^2*b^3 - a^3*b^2) + \\
& (a*(a^2 - 2*b^2) * ((32*(2*a*b^8 - b^9 + a^2*b^7 - 3*a^3*b^6 + a^5*b^4)) / (a*b^5 + b^6 - a^2*b^4 - a^3*b^3) + \\
& (32*a*\tan(c/2 + (d*x)/2) * (a^2 - 2*b^2) * (-(a + b)^3*(a - b)^3)^{(1/2)} * (2*a*b^9 - 2*a^2*b^8 - 4*a^3*b^7 + \\
& 4*a^4*b^6 + 2*a^5*b^5 - 2*a^6*b^4)) / ((a*b^4 + b^5 - a^2*b^3 - a^3*b^2) * (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2))) * \\
& (-(a + b)^3*(a - b)^3)^{(1/2)})) / (b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2)) * (a^2 - 2*b^2) * (-(a + b)^3*(a - b)^3)^{(1/2)} * 2i) / \\
& (d*(b^8 - 3*a^2*b^6 + 3*a^4*b^4 - a^6*b^2)) - (2*a^2*\tan(c/2 + (d*x)/2)) / (d*(a + b)*(a*b - b^2)*(a + b + \tan(c/2 + (d*x)/2))^2*(a - b)))
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.463 \quad \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=85

$$\frac{a \sin(c+dx)}{d(a^2-b^2)(a+b \cos(c+dx))} - \frac{2b \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{3/2}(a+b)^{3/2}}$$

[Out]  $-2*b*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(3/2)/(a+b)^{(3/2)/d+a*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))}$

**Rubi [A]** time = 0.07, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2754, 12, 2659, 205}

$$\frac{a \sin(c+dx)}{d(a^2-b^2)(a+b \cos(c+dx))} - \frac{2b \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{3/2}(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(-2*b*\text{ArcTan}[(\text{Sqrt}[a-b]*\text{Tan}[(c+d*x)/2])/(\text{Sqrt}[a+b])]/((a-b)^{(3/2)*(a+b)^{(3/2)*d})+(a*\text{Sin}[c+d*x])/((a^2-b^2)*d*(a+b*\text{Cos}[c+d*x]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+b\cos(c+dx))^2} dx &= \frac{a\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{b}{a+b\cos(c+dx)} dx}{-a^2+b^2} \\
&= \frac{a\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} - \frac{b \int \frac{1}{a+b\cos(c+dx)} dx}{a^2-b^2} \\
&= \frac{a\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(2b) \text{Subst} \left( \int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right) \right)}{(a^2-b^2)d} \\
&= -\frac{2b \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{(a-b)^{3/2}(a+b)^{3/2}d} + \frac{a\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.24, size = 83, normalized size = 0.98

$$\frac{\frac{a\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} - \frac{2b \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}} \right)}{(b^2-a^2)^{3/2}}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((-2\*b\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + (a\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))/d

**fricas [A]** time = 1.00, size = 321, normalized size = 3.78

$$\left[ \frac{(b^2 \cos(dx+c) + ab) \sqrt{-a^2 + b^2} \log \left( \frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2} \right) + 2}{2 \left( (a^4 b - 2a^2 b^3 + b^5) d \cos(dx+c) + (a^5 - 2a^3 b^2 + ab^4) d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [1/2\*((b^2\*cos(d\*x+c) + a\*b)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x+c) + (2\*a^2 - b^2)\*cos(d\*x+c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x+c) + b)\*sin(d\*x+c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x+c)^2 + 2\*a\*b\*cos(d\*x+c) + a^2)) + 2\*(a^3 - a\*b^2)\*sin(d\*x+c))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x+c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d), -((b^2\*cos(d\*x+c) + a\*b)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x+c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x+c)) - (a^3 - a\*b^2)\*sin(d\*x+c))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x+c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d)]

**giac [A]** time = 0.63, size = 135, normalized size = 1.59

$$\frac{2 \left( \frac{\left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) b}{(a^2 - b^2)^{\frac{3}{2}}} + \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b \right) (a^2 - b^2)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $2*((\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))*b/(a^2 - b^2)^{(3/2)} + a*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2 - b^2)))/d$

**maple** [A] time = 0.05, size = 116, normalized size = 1.36

$$\frac{2a \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right)} - \frac{2b \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d(a-b)(a+b)\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c))^2,x)

[Out]  $2/d*a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)-2/d*b/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 0.74, size = 99, normalized size = 1.16

$$\frac{2a \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(a+b)(a-b)\left((a-b)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a + b\right)} - \frac{2b \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(2a-2b)}{2\sqrt{a+b}\sqrt{a-b}}\right)}{d(a+b)^{3/2}(a-b)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + b\*cos(c + d\*x))^2,x)

[Out]  $(2*a*\tan(c/2 + (d*x)/2))/(d*(a + b)*(a - b)*(a + b + \tan(c/2 + (d*x)/2)^2*(a - b))) - (2*b*\operatorname{atan}((\tan(c/2 + (d*x)/2)*(2*a - 2*b))/(2*(a + b)^{(1/2)}*(a - b)^{(1/2)})))/(d*(a + b)^{(3/2)}*(a - b)^{(3/2)})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out



$$3.464 \quad \int \frac{1}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=86

$$\frac{2a \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{b \sin(c+dx)}{d(a^2-b^2)(a+b \cos(c+dx))}$$

[Out]  $2*a*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)))/(a-b)^{(3/2)/(a+b)^{(3/2)/d-b*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))}$

**Rubi [A]** time = 0.06, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2664, 12, 2659, 205}

$$\frac{2a \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{b \sin(c+dx)}{d(a^2-b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-2), x]

[Out]  $(2*a*\text{ArcTan}[(\text{Sqrt}[a-b]*\text{Tan}[(c+d*x)/2])/\text{Sqrt}[a+b]])/((a-b)^{(3/2)}*(a+b)^{(3/2)*d} - (b*\text{Sin}[c+d*x])/((a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2664

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a+b\cos(c+dx))^2} dx &= -\frac{b\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{a}{a+b\cos(c+dx)} dx}{-a^2+b^2} \\
&= -\frac{b\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{a \int \frac{1}{a+b\cos(c+dx)} dx}{a^2-b^2} \\
&= -\frac{b\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{(2a) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{(a^2-b^2)d} \\
&= \frac{2a \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}d} - \frac{b\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 84, normalized size = 0.98

$$\frac{2a \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} - \frac{b\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))}$$


---


$$d$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-2), x]

[Out] ((2\*a\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) - (b\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))/d

**fricas [A]** time = 1.35, size = 320, normalized size = 3.72

$$\left[ \frac{(ab\cos(dx+c) + a^2)\sqrt{-a^2+b^2} \log\left(\frac{2ab\cos(dx+c) + (2a^2-b^2)\cos(dx+c)^2 - 2\sqrt{-a^2+b^2}(a\cos(dx+c)+b)\sin(dx+c) - a^2+2b^2}{b^2\cos(dx+c)^2 + 2ab\cos(dx+c) + a^2}\right) - 2(a^2\cos(dx+c) + b\sin(dx+c))}{2((a^4b - 2a^2b^3 + b^5)d\cos(dx+c) + (a^5 - 2a^3b^2 + ab^4)d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2, x, algorithm="fricas")

[Out] [1/2\*((a\*b\*cos(d\*x + c) + a^2)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(a^2\*b - b^3)\*sin(d\*x + c))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x + c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d), ((a\*b\*cos(d\*x + c) + a^2)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x + c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d)]

**giac [A]** time = 0.50, size = 135, normalized size = 1.57

$$\frac{2 \left( \frac{\left( \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2-b^2}} \right) \right)}{(a^2-b^2)^{\frac{3}{2}}} + \frac{b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b \right) (a^2-b^2)} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-2*((\pi*\text{floor}(1/2*(d*x + c)/\pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))*a/(a^2 - b^2)^{(3/2)} + b*\tan(1/2*d*x + 1/2*c)/((a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2 - b^2)))/d$

**maple [A]** time = 0.04, size = 116, normalized size = 1.35

$$\frac{2b \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right)} + \frac{2a \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d(a-b)(a+b)\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^2,x)

[Out]  $-2/d*b/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)+2/d*a/(a-b)/(a+b)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 0.71, size = 99, normalized size = 1.15

$$\frac{2a \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)(2a-2b)}{2\sqrt{a+b}\sqrt{a-b}}\right)}{d(a+b)^{3/2}(a-b)^{3/2}} - \frac{2b \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(a+b)(a-b)\left((a-b)\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a + b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*cos(c + d\*x))^2,x)

[Out]  $(2*a*\operatorname{atan}((\tan(c/2 + (d*x)/2)*(2*a - 2*b))/((2*(a + b)^{(1/2)}*(a - b)^{(1/2)})))/(d*(a + b)^{(3/2)}*(a - b)^{(3/2)}) - (2*b*\tan(c/2 + (d*x)/2))/(d*(a + b)*(a - b)*(a + b + \tan(c/2 + (d*x)/2)^2*(a - b)))$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(-2), x)

$$3.465 \quad \int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=118

$$-\frac{2b(2a^2 - b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d (a-b)^{3/2} (a+b)^{3/2}} + \frac{b^2 \sin(c+dx)}{ad(a^2 - b^2)(a+b \cos(c+dx))} + \frac{\tanh^{-1}(\sin(c+dx))}{a^2 d}$$

[Out]  $-2*b*(2*a^2-b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^2/(a-b)^{(3/2)}/(a+b)^{(3/2)}/d+\operatorname{arctanh}(\sin(d*x+c))/a^2/d+b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.22, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {2802, 3001, 3770, 2659, 205}

$$-\frac{2b(2a^2 - b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d (a-b)^{3/2} (a+b)^{3/2}} + \frac{b^2 \sin(c+dx)}{ad(a^2 - b^2)(a+b \cos(c+dx))} + \frac{\tanh^{-1}(\sin(c+dx))}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(-2*b*(2*a^2 - b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/\operatorname{Sqrt}[a + b]])/(a^2*(a - b)^{(3/2)}*(a + b)^{(3/2)}*d) + \operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]]/(a^2*d) + (b^2*\operatorname{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(

$b*c - a*d$ ), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^2} dx &= \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{(a^2-b^2-ab\cos(c+dx))\sec(c+dx)}{a+b\cos(c+dx)} dx}{a(a^2-b^2)} \\ &= \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \sec(c+dx) dx}{a^2} - \frac{(b(2a^2-b^2)) \int \frac{1}{a+b\cos(c+dx)}}{a^2(a^2-b^2)} \\ &= \frac{\tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(2b(2a^2-b^2)) \text{Subst}\left(\frac{1}{a+b\cos(c+dx)}, \frac{1}{a+b\cos(c+dx)}\right)}{a^2(a^2-b^2)} \\ &= -\frac{2b(2a^2-b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{\tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.37, size = 146, normalized size = 1.24

$$\frac{2b(b^2-2a^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} + \frac{ab^2 \sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} - \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + \log\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((2\*b\*(-2\*a^2 + b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) - Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a\*b^2\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))/(a^2\*d)

**fricas [B]** time = 1.86, size = 592, normalized size = 5.02

$$\left[ \frac{(2a^3b - ab^3 + (2a^2b^2 - b^4)\cos(dx+c))\sqrt{-a^2+b^2} \log\left(\frac{2ab\cos(dx+c)+(2a^2-b^2)\cos(dx+c)^2-2\sqrt{-a^2+b^2}(a\cos(dx+c)+b)}{b^2\cos(dx+c)^2+2ab\cos(dx+c)+a^2}\right)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*((2\*a^3\*b - a\*b^3 + (2\*a^2\*b^2 - b^4)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (a^5 - 2\*a^3\*b^2 + a\*b^4 + (a^4\*b - 2\*a^2\*b^3 + b^5)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + (a^5 - 2\*a^3\*b^2 + a\*b^4 + (a^4\*b

- 2\*a^2\*b^3 + b^5)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(a^3\*b^2 - a\*b^4)\*sin(d\*x + c))/((a^6\*b - 2\*a^4\*b^3 + a^2\*b^5)\*d\*cos(d\*x + c) + (a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*d), -1/2\*(2\*(2\*a^3\*b - a\*b^3 + (2\*a^2\*b^2 - b^4)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (a^5 - 2\*a^3\*b^2 + a\*b^4 + (a^4\*b - 2\*a^2\*b^3 + b^5)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + (a^5 - 2\*a^3\*b^2 + a\*b^4 + (a^4\*b - 2\*a^2\*b^3 + b^5)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(a^3\*b^2 - a\*b^4)\*sin(d\*x + c))/((a^6\*b - 2\*a^4\*b^3 + a^2\*b^5)\*d\*cos(d\*x + c) + (a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*d)]

**giac** [A] time = 0.70, size = 198, normalized size = 1.68

$$\frac{2b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^3 - ab^2)\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a + b\right)} - \frac{2(2a^2b - b^3)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{(a^4 - a^2b^2)\sqrt{a^2 - b^2}} + \frac{\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] (2\*b^2\*tan(1/2\*d\*x + 1/2\*c)/((a^3 - a\*b^2)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)) - 2\*(2\*a^2\*b - b^3)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^4 - a^2\*b^2)\*sqrt(a^2 - b^2)) + log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2)/d

**maple** [B] time = 0.09, size = 221, normalized size = 1.87

$$\frac{2b^2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{da(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right)} - \frac{4b \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d(a-b)(a+b)\sqrt{(a-b)(a+b)}} + \frac{2b^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{da^2(a-b)(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x)

[Out] 2/d\*b^2/a/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)-4/d\*b/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))+2/d\*b^3/a^2/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))-1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 5.98, size = 2886, normalized size = 24.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^2),x)

[Out] 
$$-\left(\frac{\operatorname{atan}\left(\frac{(32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2))}{(a^5b + a^6 - a^3b^3 - a^4b^2)} - (32\tan(c/2 + (d*x)/2)(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2))}{(a^2(a^4b + a^5 - a^2b^3 - a^3b^2))}\right)}{a^2} - \frac{(32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2))}{(a^4b + a^5 - a^2b^3 - a^3b^2)} * 1i\right) / a^2 - \left(\frac{(32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2))}{(a^5b + a^6 - a^3b^3 - a^4b^2)} + (32\tan(c/2 + (d*x)/2)(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2))}{(a^2(a^4b + a^5 - a^2b^3 - a^3b^2))}\right) / a^2 + \frac{(32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2))}{(a^4b + a^5 - a^2b^3 - a^3b^2)} * 1i) / a^2) / \left(\frac{(32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2))}{(a^5b + a^6 - a^3b^3 - a^4b^2)} - (32\tan(c/2 + (d*x)/2)(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2))}{(a^2(a^4b + a^5 - a^2b^3 - a^3b^2))}\right) / a^2 - \frac{(32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2))}{(a^4b + a^5 - a^2b^3 - a^3b^2)} / a^2 - \frac{(64(2a^4b - ab^4 + b^5 - 3a^2b^3 + 2a^3b^2))}{(a^5b + a^6 - a^3b^3 - a^4b^2)} + \left(\frac{(32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2))}{(a^5b + a^6 - a^3b^3 - a^4b^2)} + (32\tan(c/2 + (d*x)/2)(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2))}{(a^2(a^4b + a^5 - a^2b^3 - a^3b^2))}\right) / a^2 + \frac{(32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2))}{(a^4b + a^5 - a^2b^3 - a^3b^2)} / a^2) * 2i) / (a^2*d) - (b*\operatorname{atan}\left(\frac{(b*((32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2))}{(a^4b + a^5 - a^2b^3 - a^3b^2)} + (b*(2a^2 - b^2))*((32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2)) / (a^5b + a^6 - a^3b^3 - a^4b^2) + (32*b*\tan(c/2 + (d*x)/2)(2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2)) / ((a^4b + a^5 - a^2b^3 - a^3b^2)*(a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) * (2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * 1i) / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)} + (b*((32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2)) / (a^4b + a^5 - a^2b^3 - a^3b^2) - (b*(2a^2 - b^2))*((32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2)) / (a^5b + a^6 - a^3b^3 - a^4b^2) - (32*b*\tan(c/2 + (d*x)/2)(2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2)) / ((a^4b + a^5 - a^2b^3 - a^3b^2)*(a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) * (2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * 1i) / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) / ((64(2a^4b - ab^4 + b^5 - 3a^2b^3 + 2a^3b^2)) / (a^5b + a^6 - a^3b^3 - a^4b^2) - (b*((32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2)) / (a^4b + a^5 - a^2b^3 - a^3b^2) + (b*(2a^2 - b^2))*((32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2)) / (a^5b + a^6 - a^3b^3 - a^4b^2) + (32*b*\tan(c/2 + (d*x)/2)(2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2)) / ((a^4b + a^5 - a^2b^3 - a^3b^2)*(a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) * (2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) * (b*((32\tan(c/2 + (d*x)/2)(a^6 - 2a^5b - 2ab^5 + 2b^6 - 5a^2b^4 + 4a^3b^3 + 3a^4b^2)) / (a^4b + a^5 - a^2b^3 - a^3b^2) - (b*(2a^2 - b^2))*((32(2a^8b - a^9 + a^4b^5 - 3a^6b^3 + a^7b^2)) / (a^5b + a^6 - a^3b^3 - a^4b^2) - (32*b*\tan(c/2 + (d*x)/2)(2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)}(2a^9b - 2a^4b^6 + 2a^5b^5 + 4a^6b^4 - 4a^7b^3 - 2a^8b^2)) / ((a^4b + a^5 - a^2b^3 - a^3b^2)*(a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2))) * (-(a + b)^3*(a - b)^3)^{(1/2)} / (a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) * (2a^2 - b^2)*(-(a + b)^3*(a - b)^3)^{(1/2)} * 2i) / (d*(a^8 - a^2b^6 + 3a^4b^4 - 3a^6b^2)) - (2b^2*\tan(c/2 + (d*x)/2)) / (d*(a + b)*(ab - a^2)*(a + b + \tan(c/2 + (d*x)/2)^2*(a - b)))$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Integral(sec(c + d*x)/(a + b*cos(c + d*x))**2, x)
```



$$3.466 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=155

$$-\frac{2b \tanh^{-1}(\sin(c+dx))}{a^3 d} + \frac{(a^2 - 2b^2) \tan(c+dx)}{a^2 d (a^2 - b^2)} + \frac{b^2 \tan(c+dx)}{ad (a^2 - b^2) (a + b \cos(c+dx))} + \frac{2b^2 (3a^2 - 2b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^3 d (a-b)^{3/2} (a + b \cos(c+dx))}$$

[Out]  $2*b^2*(3*a^2-2*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^3/(a-b)^{(3/2)/(a+b)^{(3/2)/d-2*b*\operatorname{arctanh}(\sin(d*x+c))/a^3/d+(a^2-2*b^2)*\tan(d*x+c)/a^2/(a^2-b^2)/d+b^2*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.41, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^2 (3a^2 - 2b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^3 d (a-b)^{3/2} (a+b)^{3/2}} + \frac{(a^2 - 2b^2) \tan(c+dx)}{a^2 d (a^2 - b^2)} + \frac{b^2 \tan(c+dx)}{ad (a^2 - b^2) (a + b \cos(c+dx))} - \frac{2b \tanh^{-1}(\sin(c+dx))}{a^3 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(2*b^2*(3*a^2 - 2*b^2)*\operatorname{ArcTan}[\frac{\sqrt{a-b}*\tan[(c+d*x)/2]}{\sqrt{a+b}}])/(\sqrt{a+b})^3*(a-b)^{(3/2)}*(a+b)^{(3/2)*d} - (2*b*\operatorname{ArcTanh}[\sin[c+d*x]])/(a^3*d) + ((a^2 - 2*b^2)*\tan[c+d*x])/(a^2*(a^2 - b^2)*d) + (b^2*\tan[c+d*x])/(a*(a^2 - b^2)*d*(a + b*\cos[c+d*x]))$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]]/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[(A\*b

$- a*B)/(b*c - a*d), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m + 1)} * (c + d*\text{Sin}[e + f*x])^{(n + 1)} / (f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)} * (c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b^2 \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(a^2 - 2b^2 - ab \cos(c + dx) + b^2 \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{(a^2 - 2b^2) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b^2 \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(-2b(a^2 - b^2) + ab^2 \cos(c + dx))}{a + b \cos(c + dx)} dx}{a^2(a^2 - b^2)} \\ &= \frac{(a^2 - 2b^2) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b^2 \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2b) \int \sec(c + dx) dx}{a^3} + \\ &= -\frac{2b \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(a^2 - 2b^2) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b^2 \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} \\ &= \frac{2b^2(3a^2 - 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d} - \frac{2b \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(a^2 - 2b^2) \tan(c + dx)}{a^2(a^2 - b^2)d} \end{aligned}$$

**Mathematica [A]** time = 0.97, size = 163, normalized size = 1.05

$$\frac{2b^2(2b^2 - 3a^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} - \frac{ab^3 \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))} + a \tan(c + dx) + 2b \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)}{a^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^2, x]

[Out]  $((-2*b^2*(-3*a^2 + 2*b^2)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^{(3/2)} + 2*b*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - 2*b*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - (a*b^3*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x])) + a*Tan[c + d*x]/(a^3*d)$

**fricas** [B] time = 2.11, size = 750, normalized size = 4.84

$$\frac{\left( (3a^2b^3 - 2b^5) \cos(dx + c)^2 + (3a^3b^2 - 2ab^4) \cos(dx + c) \right) \sqrt{-a^2 + b^2} \log\left( \frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2b^2 \cos(dx+c)^2}{b^2 \cos(dx+c)^2} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out]  $[-1/2*((3*a^2*b^3 - 2*b^5)*cos(d*x + c)^2 + (3*a^3*b^2 - 2*a*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*((a^4*b^2 - 2*a^2*b^4 + b^6)*cos(d*x + c)^2 + (a^5*b - 2*a^3*b^3 + a*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) - 2*((a^4*b^2 - 2*a^2*b^4 + b^6)*cos(d*x + c)^2 + (a^5*b - 2*a^3*b^3 + a*b^5)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(a^6 - 2*a^4*b^2 + a^2*b^4 + (a^5*b - 3*a^3*b^3 + 2*a*b^5)*cos(d*x + c))*sin(d*x + c)/((a^7*b - 2*a^5*b^3 + a^3*b^5)*d*cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c)), (((3*a^2*b^3 - 2*b^5)*cos(d*x + c)^2 + (3*a^3*b^2 - 2*a*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - ((a^4*b^2 - 2*a^2*b^4 + b^6)*cos(d*x + c)^2 + (a^5*b - 2*a^3*b^3 + a*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) + ((a^4*b^2 - 2*a^2*b^4 + b^6)*cos(d*x + c)^2 + (a^5*b - 2*a^3*b^3 + a*b^5)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (a^6 - 2*a^4*b^2 + a^2*b^4 + (a^5*b - 3*a^3*b^3 + 2*a*b^5)*cos(d*x + c))*sin(d*x + c)/((a^7*b - 2*a^5*b^3 + a^3*b^5)*d*cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*cos(d*x + c))]$

**giac** [B] time = 0.70, size = 332, normalized size = 2.14

$$2 \frac{\left( (3a^2b^2 - 2b^4) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) \right)}{(a^5 - a^3b^2) \sqrt{a^2 - b^2}} + \frac{a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - a^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{\left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $-2*((3*a^2*b^2 - 2*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^5 - a^3*b^2)*sqrt(a^2 - b^2)) + (a^3*tan(1/2*d*x + 1/2*c)^3 - a^2*b*tan(1/2*d*x + 1/2*c)^3 - a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*b^3*tan(1/2*d*x + 1/2*c)^3 + a^3*tan(1/2*d*x + 1/2*c) + a^2*b*tan(1/2*d*x + 1/2*c) - a*b^2*tan(1/2*d*x + 1/2*c) - 2*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 + 2*b*tan(1/2*d*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)) + b*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - b*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3)/d$

**maple** [A] time = 0.09, size = 271, normalized size = 1.75

$$\frac{2b^3 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^2 (a^2 - b^2) \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} + \frac{6b^2 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{da(a-b)(a+b)\sqrt{(a-b)(a+b)}} - \frac{4b^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d a^3 (a - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\sec(dx+c)^2/(a+b*\cos(dx+c))^2,x)$

[Out]  $-2/d*b^3/a^2/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)+6/d*b^2/a/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})-4/d*b^4/a^3/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})+2/d*b/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)-2/d*b/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\sec(dx+c)^2/(a+b*\cos(dx+c))^2,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 5.92, size = 3176, normalized size = 20.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(1/(\cos(c + dx)^2*(a + b*\cos(c + dx))^2),x)$

[Out]  $(b*\text{atan}(((b*((32*\tan(c/2 + (dx)/2)*(8*b^8 - 8*a*b^7 - 16*a^2*b^6 + 16*a^3*b^5 + 5*a^4*b^4 - 8*a^5*b^3 + 4*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) - (2*b*((32*(2*a^11*b - 2*a^6*b^6 + a^7*b^5 + 5*a^8*b^4 - 3*a^9*b^3 - 3*a^10*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) - (64*b*\tan(c/2 + (dx)/2)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2)))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2))))/a^3)*2i)/a^3 + (b*((32*\tan(c/2 + (dx)/2)*(8*b^8 - 8*a*b^7 - 16*a^2*b^6 + 16*a^3*b^5 + 5*a^4*b^4 - 8*a^5*b^3 + 4*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (2*b*((32*(2*a^11*b - 2*a^6*b^6 + a^7*b^5 + 5*a^8*b^4 - 3*a^9*b^3 - 3*a^10*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) + (64*b*\tan(c/2 + (dx)/2)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2)))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2))))/a^3)*2i)/a^3)/((64*(8*b^8 - 4*a*b^7 - 20*a^2*b^6 + 6*a^3*b^5 + 12*a^4*b^4)/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) - (2*b*((32*\tan(c/2 + (dx)/2)*(8*b^8 - 8*a*b^7 - 16*a^2*b^6 + 16*a^3*b^5 + 5*a^4*b^4 - 8*a^5*b^3 + 4*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) - (2*b*((32*(2*a^11*b - 2*a^6*b^6 + a^7*b^5 + 5*a^8*b^4 - 3*a^9*b^3 - 3*a^10*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) - (64*b*\tan(c/2 + (dx)/2)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2)))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2))))/a^3)/a^3 + (2*b*((32*\tan(c/2 + (dx)/2)*(8*b^8 - 8*a*b^7 - 16*a^2*b^6 + 16*a^3*b^5 + 5*a^4*b^4 - 8*a^5*b^3 + 4*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (2*b*((32*(2*a^11*b - 2*a^6*b^6 + a^7*b^5 + 5*a^8*b^4 - 3*a^9*b^3 - 3*a^10*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) + (64*b*\tan(c/2 + (dx)/2)*(2*a^11*b - 2*a^6*b^6 + 2*a^7*b^5 + 4*a^8*b^4 - 4*a^9*b^3 - 2*a^10*b^2)))/(a^3*(a^6*b + a^7 - a^4*b^3 - a^5*b^2))))/a^3)/a^3)*4i)/(a^3*d) - ((2*\tan(c/2 + (dx)/2)^3*(a*b^2 + a^2*b - a^3 - 2*b^3))/(a^2*(a + b)*(a - b)) + (2*\tan(c/2 + (dx)/2)*(a*b^2 - a^2*b - a^3 + 2*b^3))/(a^2*(a + b)*(a - b)))/(d*(a + b - \tan(c/2 + (dx)/2)^4*(a - b) - 2*b*\tan(c/2 + (dx)/2)^2)) + (b^2*\text{atan}(((b^2*((32*\tan(c/2 + (dx)/2)*(8*b^8 - 8*a*b^7 - 16*a^2*b^6 + 16*a^3*b^5 + 5*a^4*b^4 - 8*a^5*b^3 + 4*a^6*b^2)))/(a^6*b + a^7 - a^4*b^3 - a^5*b^2) + (b^2*(3*a^2 - 2*b^2))*((32*(2*a^11*b - 2*a^6*b^6 + a^7*b^5 + 5*a^8*b^4 - 3*a^9*b^3 -$

$$\frac{3a^{10}b^2}{(a^8b + a^9 - a^6b^3 - a^7b^2)} + \frac{(32b^2 \tan(c/2 + (dx)/2) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * (2a^{11}b - 2a^6b^6 + 2a^7b^5 + 4a^8b^4 - 4a^9b^3 - 2a^{10}b^2)}{(a^6b + a^7 - a^4b^3 - a^5b^2) * (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)} * (-a + b)^3 * (a - b)^3)^{1/2}}{(a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)} * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * i)}{(a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)} + \frac{b^2 * ((32 \tan(c/2 + (dx)/2) * (8b^8 - 8a * b^7 - 16a^2b^6 + 16a^3b^5 + 5a^4b^4 - 8a^5b^3 + 4a^6b^2)) / (a^6b + a^7 - a^4b^3 - a^5b^2) - (b^2 * (3a^2 - 2b^2) * ((32 * (2a^{11}b - 2a^6b^6 + a^7b^5 + 5a^8b^4 - 3a^9b^3 - 3a^{10}b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (32b^2 \tan(c/2 + (dx)/2) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * (2a^{11}b - 2a^6b^6 + 2a^7b^5 + 4a^8b^4 - 4a^9b^3 - 2a^{10}b^2)) / ((a^6b + a^7 - a^4b^3 - a^5b^2) * (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2))) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * i)}{(a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)) / ((64 * (8b^8 - 4a * b^7 - 20a^2b^6 + 6a^3b^5 + 12a^4b^4)) / (a^8b + a^9 - a^6b^3 - a^7b^2) + (b^2 * ((32 \tan(c/2 + (dx)/2) * (8b^8 - 8a * b^7 - 16a^2b^6 + 16a^3b^5 + 5a^4b^4 - 8a^5b^3 + 4a^6b^2)) / (a^6b + a^7 - a^4b^3 - a^5b^2) + (b^2 * (3a^2 - 2b^2) * ((32 * (2a^{11}b - 2a^6b^6 + a^7b^5 + 5a^8b^4 - 3a^9b^3 - 3a^{10}b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) + (32b^2 \tan(c/2 + (dx)/2) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * (2a^{11}b - 2a^6b^6 + 2a^7b^5 + 4a^8b^4 - 4a^9b^3 - 2a^{10}b^2)) / ((a^6b + a^7 - a^4b^3 - a^5b^2) * (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2))) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2) - (b^2 * ((32 \tan(c/2 + (dx)/2) * (8b^8 - 8a * b^7 - 16a^2b^6 + 16a^3b^5 + 5a^4b^4 - 8a^5b^3 + 4a^6b^2)) / (a^6b + a^7 - a^4b^3 - a^5b^2) - (b^2 * (3a^2 - 2b^2) * ((32 * (2a^{11}b - 2a^6b^6 + a^7b^5 + 5a^8b^4 - 3a^9b^3 - 3a^{10}b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (32b^2 \tan(c/2 + (dx)/2) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * (2a^{11}b - 2a^6b^6 + 2a^7b^5 + 4a^8b^4 - 4a^9b^3 - 2a^{10}b^2)) / ((a^6b + a^7 - a^4b^3 - a^5b^2) * (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2))) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2)) * (3a^2 - 2b^2) * (-a + b)^3 * (a - b)^3)^{1/2} * 2i)}{(d * (a^9 - a^3b^6 + 3a^5b^4 - 3a^7b^2))}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)\*\*2/(a+b\*cos(dx+c))\*\*2,x)

[Out] Integral(sec(c + dx)\*\*2/(a + b\*cos(c + dx))\*\*2, x)

$$3.467 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=217

$$\frac{(a^2 - 3b^2) \tan(c + dx) \sec(c + dx)}{2a^2d(a^2 - b^2)} + \frac{b^2 \tan(c + dx) \sec(c + dx)}{ad(a^2 - b^2)(a + b \cos(c + dx))} + \frac{(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{2b^3(4a^2 - b^2)}{a^4}$$

[Out]  $-2*b^3*(4*a^2-3*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^4/(a-b)^{(3/2)/(a+b)^{(3/2)/d+1/2*(a^2+6*b^2)*\operatorname{arctanh}(\sin(d*x+c))/a^4/d-b*(2*a^2-3*b^2)*\tan(d*x+c)/a^3/(a^2-b^2)/d+1/2*(a^2-3*b^2)*\sec(d*x+c)*\tan(d*x+c)/a^2/(a^2-b^2)/d+b^2*\sec(d*x+c)*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.68, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3(4a^2 - 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{3/2}(a+b)^{3/2}} - \frac{b(2a^2 - 3b^2) \tan(c + dx)}{a^3d(a^2 - b^2)} + \frac{(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(a^2 - 3b^2)}{a^4}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(-2*b^3*(4*a^2 - 3*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/(\operatorname{Sqrt}[a + b])]/(a^4*(a - b)^{(3/2)*(a + b)^{(3/2)*d}) + ((a^2 + 6*b^2)*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]])/(2*a^4*d) - (b*(2*a^2 - 3*b^2)*\operatorname{Tan}[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2 - 3*b^2)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x] *(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b^2 \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(a^2 - 3b^2 - ab \cos(c + dx) + 2b^2 \cos^2(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{(a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} + \frac{b^2 \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(-2b(2a^2 - 3b^2) \tan(c + dx))}{a(a^2 - b^2)d} dx}{a(a^2 - b^2)d} \\ &= -\frac{b(2a^2 - 3b^2) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} + \frac{b^2 \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d} \\ &= -\frac{b(2a^2 - 3b^2) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} + \frac{b^2 \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d} \\ &= \frac{(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{b(2a^2 - 3b^2) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 - 3b^2) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} \\ &= -\frac{2b^3(4a^2 - 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}d} + \frac{(a^2 + 6b^2) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{b(2a^2 - 3b^2) \tan(c + dx)}{a^3(a^2 - b^2)d} \end{aligned}$$

**Mathematica [A]** time = 5.52, size = 285, normalized size = 1.31

$$\frac{8b^3(3b^2 - 4a^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{a^2}{\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)^2} - \frac{a^2}{\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)^2} - 2a^2 \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + b\*cos[c + d\*x])^2,x]

[Out] 
$$\frac{((8b^3(-4a^2 + 3b^2) \operatorname{ArcTanh}[\frac{(a-b)\tan[(c+dx)/2]}{\sqrt{-a^2+b^2}}])/\sqrt{-a^2+b^2} - 2a^2 \log[\cos[(c+dx)/2] - \sin[(c+dx)/2]] - 12b^2 \log[\cos[(c+dx)/2] - \sin[(c+dx)/2]] + 2a^2 \log[\cos[(c+dx)/2] + \sin[(c+dx)/2]] + 12b^2 \log[\cos[(c+dx)/2] + \sin[(c+dx)/2]] + a^2/(\cos[(c+dx)/2] - \sin[(c+dx)/2])^2 - a^2/(\cos[(c+dx)/2] + \sin[(c+dx)/2])^2 + (4ab^4 \sin[c+dx])/((a-b)(a+b)(a+b \cos[c+dx])) - 8ab \tan[c+dx])/(4a^4 d)}$$

**fricas [B]** time = 3.27, size = 899, normalized size = 4.14

$$\frac{2 \left( (4a^2b^4 - 3b^6) \cos(dx+c)^3 + (4a^3b^3 - 3ab^5) \cos(dx+c)^2 \right) \sqrt{-a^2+b^2} \log \left( \frac{2ab \cos(dx+c) + (2a^2-b^2) \cos(dx+c)^2 - 2b^2 \cos(dx+c)^2}{b^2 \cos(dx+c)^2} \right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$\frac{-1/4 \cdot (2 \cdot ((4a^2b^4 - 3b^6) \cos(dx+c)^3 + (4a^3b^3 - 3ab^5) \cos(dx+c)^2) \sqrt{-a^2+b^2} \log((2ab \cos(dx+c) + (2a^2-b^2) \cos(dx+c)^2 - 2 \sqrt{-a^2+b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2)/(b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2)) - ((a^6b + 4a^4b^3 - 11a^2b^5 + 6b^7) \cos(dx+c)^3 + (a^7 + 4a^5b^2 - 11a^3b^4 + 6ab^6) \cos(dx+c)^2) \log(\sin(dx+c) + 1) + ((a^6b + 4a^4b^3 - 11a^2b^5 + 6b^7) \cos(dx+c)^3 + (a^7 + 4a^5b^2 - 11a^3b^4 + 6ab^6) \cos(dx+c)^2) \log(-\sin(dx+c) + 1) - 2(a^7 - 2a^5b^2 + a^3b^4 - 2(2a^5b^2 - 5a^3b^4 + 3ab^6) \cos(dx+c)^2 - 3(a^6b - 2a^4b^3 + a^2b^5) \cos(dx+c)) \sin(dx+c)) / ((a^8b - 2a^6b^3 + a^4b^5) d \cos(dx+c)^3 + (a^9 - 2a^7b^2 + a^5b^4) d \cos(dx+c)^2), -1/4 \cdot (4 \cdot ((4a^2b^4 - 3b^6) \cos(dx+c)^3 + (4a^3b^3 - 3ab^5) \cos(dx+c)^2) \sqrt{a^2-b^2} \arctan(-(a \cos(dx+c) + b) / (\sqrt{a^2-b^2} \sin(dx+c))) - ((a^6b + 4a^4b^3 - 11a^2b^5 + 6b^7) \cos(dx+c)^3 + (a^7 + 4a^5b^2 - 11a^3b^4 + 6ab^6) \cos(dx+c)^2) \log(\sin(dx+c) + 1) + ((a^6b + 4a^4b^3 - 11a^2b^5 + 6b^7) \cos(dx+c)^3 + (a^7 + 4a^5b^2 - 11a^3b^4 + 6ab^6) \cos(dx+c)^2) \log(-\sin(dx+c) + 1) - 2(a^7 - 2a^5b^2 + a^3b^4 - 2(2a^5b^2 - 5a^3b^4 + 3ab^6) \cos(dx+c)^2 - 3(a^6b - 2a^4b^3 + a^2b^5) \cos(dx+c)) \sin(dx+c)) / ((a^8b - 2a^6b^3 + a^4b^5) d \cos(dx+c)^3 + (a^9 - 2a^7b^2 + a^5b^4) d \cos(dx+c)^2)}$$

**giac [A]** time = 0.96, size = 293, normalized size = 1.35

$$\frac{4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^5 - a^3b^2) \left( a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a + b \right)} + \frac{4(4a^2b^3 - 3b^5) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2-b^2}} \right) \right)}{(a^6 - a^4b^2) \sqrt{a^2-b^2}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$\frac{1/2 \cdot (4b^4 \tan(1/2 dx + 1/2 c) / ((a^5 - a^3b^2) (a \tan(1/2 dx + 1/2 c)^2 - b \tan(1/2 dx + 1/2 c) + a + b)) + 4 \cdot (4a^2b^3 - 3b^5) \cdot (\pi \cdot \operatorname{floor}(1/2 \cdot (dx+c)/\pi + 1/2) \cdot \operatorname{sgn}(-2a+2b) + \arctan(-(a \tan(1/2 dx + 1/2 c) - b \tan(1/2 dx + 1/2 c)) / \sqrt{a^2-b^2})) / ((a^6 - a^4b^2) \sqrt{a^2-b^2}) + (a^2 + 6b^2) \cdot \log(\operatorname{abs}(\tan(1/2 dx + 1/2 c) + 1)) / a^4 - (a^2 + 6b^2) \cdot \log(ab)}$$



$s(\tan(1/2*d*x + 1/2*c) - 1)/a^4 + 2*(a*\tan(1/2*d*x + 1/2*c)^3 + 4*b*\tan(1/2*d*x + 1/2*c)^3 + a*\tan(1/2*d*x + 1/2*c) - 4*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3))/d$

**maple [A]** time = 0.13, size = 401, normalized size = 1.85

$$\frac{2b^4 \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 8b^3 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) + 6b^5 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{da^3(a^2 - b^2)\left(a\left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b\right) + da^2(a-b)(a+b)\sqrt{(a-b)(a+b)} + da^4(a-b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x)
[Out] 2/d*b^4/a^3/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)-8/d*b^3/a^2/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+6/d*b^5/a^4/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+1/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)^2+1/2/d/a^2/(tan(1/2*d*x+1/2*c)-1)+2/d/a^3/(tan(1/2*d*x+1/2*c)-1)*b-1/2/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)-3/d/a^4*ln(tan(1/2*d*x+1/2*c)-1)*b^2-1/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)^2+1/2/d/a^2/(tan(1/2*d*x+1/2*c)+1)+2/d/a^3/(tan(1/2*d*x+1/2*c)+1)*b+1/2/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)+3/d/a^4*ln(tan(1/2*d*x+1/2*c)+1)*b^2
```

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

**mupad [B]** time = 6.93, size = 3699, normalized size = 17.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)^3*(a + b*cos(c + d*x))^2),x)
[Out] - ((tan(c/2 + (d*x)/2)*(3*a*b^3 - 3*a^3*b + a^4 + 6*b^4 - 5*a^2*b^2))/((a^3*b - a^4)*(a + b)) + (tan(c/2 + (d*x)/2)^5*(3*a^3*b - 3*a*b^3 + a^4 + 6*b^4 - 5*a^2*b^2))/((a^3*b - a^4)*(a + b)) + (2*tan(c/2 + (d*x)/2)^3*(a^4 - 6*b^4 + 3*a^2*b^2))/(a*(a^2*b - a^3)*(a + b)))/(d*(a + b - tan(c/2 + (d*x)/2)^2*(a + 3*b) - tan(c/2 + (d*x)/2)^4*(a - 3*b) + tan(c/2 + (d*x)/2)^6*(a - b)) - (atan((((a^2 + 6*b^2)*((8*tan(c/2 + (d*x)/2)*(a^10 - 2*a^9*b - 72*a*b^9 + 72*b^10 - 120*a^2*b^8 + 120*a^3*b^7 + 17*a^4*b^6 - 26*a^5*b^5 + 23*a^6*b^4 - 20*a^7*b^3 + 11*a^8*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) - ((a^2 + 6*b^2)*((8*(2*a^15 - 12*a^8*b^7 + 6*a^9*b^6 + 28*a^10*b^5 - 14*a^11*b^4 - 16*a^12*b^3 + 6*a^13*b^2)))/(a^11*b + a^12 - a^9*b^3 - a^10*b^2) - (4*tan(c/2 + (d*x)/2)*(a^2 + 6*b^2)*(8*a^13*b - 8*a^8*b^6 + 8*a^9*b^5 + 16*a^10*b^4 - 16*a^11*b^3 - 8*a^12*b^2)))/(a^4*(a^8*b + a^9 - a^6*b^3 - a^7*b^2)))))/(2*a^4)*1i)/(2*a^4) + ((a^2 + 6*b^2)*((8*tan(c/2 + (d*x)/2)*(a^10 - 2*a^9*b - 72*a*b^9 + 72*b^10 - 120*a^2*b^8 + 120*a^3*b^7 + 17*a^4*b^6 - 26*a^5*b^5 + 23*a^6*b^4 - 20*a^7*b^3 + 11*a^8*b^2)))/(a^8*b + a^9 - a^6*b^3 - a^7*b^2) +
```

$$\begin{aligned}
& ((a^2 + 6b^2) * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) + (4 * \tan(c/2 + (d*x)/2) * (a^2 + 6b^2) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / (a^4 * (a^8b + a^9 - a^6b^3 - a^7b^2))) / (2a^4)) * i) / (2a^4) / ((16 * (108b^{11} - 54a*b^{10} - 216a^2b^9 + 81a^3b^8 + 63a^4b^7 - 9a^5b^6 + 41a^6b^5 - 4a^7b^4 + 4a^8b^3)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) - ((a^2 + 6b^2) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - ((a^2 + 6b^2) * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) - (4 * \tan(c/2 + (d*x)/2) * (a^2 + 6b^2) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / (a^4 * (a^8b + a^9 - a^6b^3 - a^7b^2)))))) / (2a^4))) / (2a^4) + ((a^2 + 6b^2) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) + ((a^2 + 6b^2) * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) + (4 * \tan(c/2 + (d*x)/2) * (a^2 + 6b^2) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / (a^4 * (a^8b + a^9 - a^6b^3 - a^7b^2)))))) / (2a^4))) / (2a^4)) * (a^2 + 6b^2) * i) / (a^4 * d) - (b^3 * \operatorname{atan}((b^3 * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) + (b^3 * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) + (8 * b^3 * \tan(c/2 + (d*x)/2) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)) * i) / (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2) + (b^3 * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (b^3 * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) - (8 * b^3 * \tan(c/2 + (d*x)/2) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)) * i) / (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2) + (b^3 * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (b^3 * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) - (8 * b^3 * \tan(c/2 + (d*x)/2) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) / (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2) - (b^3 * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * ((8 * \tan(c/2 + (d*x)/2) * (a^{10} - 2a^9b - 72a*b^9 + 72b^{10} - 120a^2b^8 + 120a^3b^7 + 17a^4b^6 - 26a^5b^5 + 23a^6b^4 - 20a^7b^3 + 11a^8b^2)) / (a^8b + a^9 - a^6b^3 - a^7b^2) - (b^3 * ((8 * (2a^{15} - 12a^8b^7 + 6a^9b^6 + 28a^{10}b^5 - 14a^{11}b^4 - 16a^{12}b^3 + 6a^{13}b^2)) / (a^{11}b + a^{12} - a^9b^3 - a^{10}b^2) - (8 * b^3 * \tan(c/2 + (d*x)/2) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2)) / ((a^8b + a^9 - a^6b^3 - a^7b^2) * (a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2))) * (4a^2 - 3b^2) * (-a + b)^3 * (a - b)^3)^{1/2}) * (8a^{13}b - 8a^8b^6 + 8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2) +
\end{aligned}$$

$$\frac{8a^9b^5 + 16a^{10}b^4 - 16a^{11}b^3 - 8a^{12}b^2}{((a^8b + a^9 - a^6b^3 - a^7b^2)(a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2))} \cdot \frac{(4a^2 - 3b^2)(-(a+b)^3(a-b)^3)^{1/2}}{(a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)} \cdot \frac{(a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)}{(a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)} \cdot \frac{(4a^2 - 3b^2)(-(a+b)^3(a-b)^3)^{1/2} \cdot 2i}{d(a^{10} - a^4b^6 + 3a^6b^4 - 3a^8b^2)}$$

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral(sec(c + d\*x)\*\*3/(a + b\*cos(c + d\*x))\*\*2, x)

$$3.468 \quad \int \frac{\sec^4(c+dx)}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=270

$$\frac{(a^2 - 4b^2) \tan(c + dx) \sec^2(c + dx)}{3a^2d(a^2 - b^2)} + \frac{b^2 \tan(c + dx) \sec^2(c + dx)}{ad(a^2 - b^2)(a + b \cos(c + dx))} - \frac{b(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{2b^4(5a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(7a^2b^2 + 2a^4 - 12b^4) \tan(c + dx)}{3a^4d(a^2 - b^2)} - \frac{b(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{2b^4(5a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{3/2}(a+b)^{3/2}}$$

[Out] 2\*b^4\*(5\*a^2-4\*b^2)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/a^5/(a-b)^(3/2)/(a+b)^(3/2)/d-b\*(a^2+4\*b^2)\*arctanh(sin(d\*x+c))/a^5/d+1/3\*(2\*a^4+7\*a^2\*b^2-12\*b^4)\*tan(d\*x+c)/a^4/(a^2-b^2)/d-b\*(a^2-2\*b^2)\*sec(d\*x+c)\*tan(d\*x+c)/a^3/(a^2-b^2)/d+1/3\*(a^2-4\*b^2)\*sec(d\*x+c)^2\*tan(d\*x+c)/a^2/(a^2-b^2)/d+b^2\*sec(d\*x+c)^2\*tan(d\*x+c)/a/(a^2-b^2)/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.97, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^4(5a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(7a^2b^2 + 2a^4 - 12b^4) \tan(c + dx)}{3a^4d(a^2 - b^2)} - \frac{b(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{2b^4(5a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{3/2}(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^4/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*b^4\*(5\*a^2 - 4\*b^2)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^5\*(a - b)^(3/2)\*(a + b)^(3/2)\*d) - (b\*(a^2 + 4\*b^2)\*ArcTanh[Sin[c + d\*x]])/(a^5\*d) + ((2\*a^4 + 7\*a^2\*b^2 - 12\*b^4)\*Tan[c + d\*x])/(3\*a^4\*(a^2 - b^2)\*d) - (b\*(a^2 - 2\*b^2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(a^3\*(a^2 - b^2)\*d) + ((a^2 - 4\*b^2)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*a^2\*(a^2 - b^2)\*d) + (b^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*SIN[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*SIN[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*SIN[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*SIN[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^4(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b^2 \sec^2(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \int \frac{(a^2 - 4b^2 - ab \cos(c + dx) + 3b^2 \cos^2(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx \\
 &= \frac{(a^2 - 4b^2) \sec^2(c + dx) \tan(c + dx)}{3a^2(a^2 - b^2)d} + \frac{b^2 \sec^2(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \int \frac{(-6b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx))}{a^3(a^2 - b^2)d} dx \\
 &= -\frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2 - 4b^2) \sec^2(c + dx) \tan(c + dx)}{3a^2(a^2 - b^2)d} + \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{(2a^4 + 7a^2b^2 - 12b^4) \tan(c + dx)}{3a^4(a^2 - b^2)d} - \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{(2a^4 + 7a^2b^2 - 12b^4) \tan(c + dx)}{3a^4(a^2 - b^2)d} - \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} \\
 &= -\frac{b(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{(2a^4 + 7a^2b^2 - 12b^4) \tan(c + dx)}{3a^4(a^2 - b^2)d} - \frac{b(a^2 - 2b^2) \sec(c + dx) \tan(c + dx)}{a^3(a^2 - b^2)d} \\
 &= \frac{2b^4(5a^2 - 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^5(a-b)^{3/2}(a+b)^{3/2}d} - \frac{b(a^2 + 4b^2) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{(2a^4 + 7a^2b^2 - 12b^4) \tan(c + dx)}{3a^4(a^2 - b^2)d}
 \end{aligned}$$

**Mathematica [A]** time = 6.15, size = 499, normalized size = 1.85

$$\frac{b^5 \sin(c + dx)}{a^4 d (a - b)(a + b)(a + b \cos(c + dx))} + \frac{a - 6b}{12a^3 d \left( \cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right)^2} + \frac{6b - a}{12a^3 d \left( \sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^4/(a + b\*cos[c + d\*x])^2,x]

[Out] (-2\*b^4\*(5\*a^2 - 4\*b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(a^5\*(a^2 - b^2)\*Sqrt[-a^2 + b^2]\*d) + ((a^2\*b + 4\*b^3)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/(a^5\*d) + ((-(a^2\*b) - 4\*b^3)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(a^5\*d) + (a - 6\*b)/(12\*a^3\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) + Sin[(c + d\*x)/2]/(6\*a^2\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^3) + Sin[(c + d\*x)/2]/(6\*a^2\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^3) + (-a + 6\*b)/(12\*a^3\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) + (2\*a^2\*Sin[(c + d\*x)/2] + 9\*b^2\*Sin[(c + d\*x)/2])/(3\*a^4\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (2\*a^2\*Sin[(c + d\*x)/2] + 9\*b^2\*Sin[(c + d\*x)/2])/(3\*a^4\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) - (b^5\*Sin[c + d\*x])/(a^4\*(a - b)\*(a + b)\*d\*(a + b\*cos[c + d\*x]))

**fricas [A]** time = 2.77, size = 1001, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/6\*(3\*((5\*a^2\*b^5 - 4\*b^7)\*cos(d\*x + c)^4 + (5\*a^3\*b^4 - 4\*a\*b^6)\*cos(d\*x + c)^3)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + 3\*((a^6\*b^2 + 2\*a^4\*b^4 - 7\*a^2\*b^6 + 4\*b^8)\*cos(d\*x + c)^4 + (a^7\*b + 2\*a^5\*b^3 - 7\*a^3\*b^5 + 4\*a\*b^7)\*cos(d\*x + c)^3)\*log(sin(d\*x + c) + 1) - 3\*((a^6\*b^2 + 2\*a^4\*b^4 - 7\*a^2\*b^6 + 4\*b^8)\*cos(d\*x + c)^4 + (a^7\*b + 2\*a^5\*b^3 - 7\*a^3\*b^5 + 4\*a\*b^7)\*cos(d\*x + c)^3)\*log(-sin(d\*x + c) + 1) - 2\*(a^8 - 2\*a^6\*b^2 + a^4\*b^4 + (2\*a^7\*b + 5\*a^5\*b^3 - 19\*a^3\*b^5 + 12\*a\*b^7)\*cos(d\*x + c)^3 + 2\*(a^8 + a^6\*b^2 - 5\*a^4\*b^4 + 3\*a^2\*b^6)\*cos(d\*x + c)^2 - 2\*(a^7\*b - 2\*a^5\*b^3 + a^3\*b^5)\*cos(d\*x + c))\*sin(d\*x + c))/((a^9\*b - 2\*a^7\*b^3 + a^5\*b^5)\*d\*cos(d\*x + c)^4 + (a^10 - 2\*a^8\*b^2 + a^6\*b^4)\*d\*cos(d\*x + c)^3), 1/6\*(6\*((5\*a^2\*b^5 - 4\*b^7)\*cos(d\*x + c)^4 + (5\*a^3\*b^4 - 4\*a\*b^6)\*cos(d\*x + c)^3)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - 3\*((a^6\*b^2 + 2\*a^4\*b^4 - 7\*a^2\*b^6 + 4\*b^8)\*cos(d\*x + c)^4 + (a^7\*b + 2\*a^5\*b^3 - 7\*a^3\*b^5 + 4\*a\*b^7)\*cos(d\*x + c)^3)\*log(sin(d\*x + c) + 1) + 3\*((a^6\*b^2 + 2\*a^4\*b^4 - 7\*a^2\*b^6 + 4\*b^8)\*cos(d\*x + c)^4 + (a^7\*b + 2\*a^5\*b^3 - 7\*a^3\*b^5 + 4\*a\*b^7)\*cos(d\*x + c)^3)\*log(-sin(d\*x + c) + 1) + 2\*(a^8 - 2\*a^6\*b^2 + a^4\*b^4 + (2\*a^7\*b + 5\*a^5\*b^3 - 19\*a^3\*b^5 + 12\*a\*b^7)\*cos(d\*x + c)^3 + 2\*(a^8 + a^6\*b^2 - 5\*a^4\*b^4 + 3\*a^2\*b^6)\*cos(d\*x + c)^2 - 2\*(a^7\*b - 2\*a^5\*b^3 + a^3\*b^5)\*cos(d\*x + c))\*sin(d\*x + c))/((a^9\*b - 2\*a^7\*b^3 + a^5\*b^5)\*d\*cos(d\*x + c)^4 + (a^10 - 2\*a^8\*b^2 + a^6\*b^4)\*d\*cos(d\*x + c)^3)]

**giac [A]** time = 1.39, size = 368, normalized size = 1.36

$$\frac{6b^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{(a^6 - a^4 b^2) \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b \right)} + \frac{6(5a^2 b^4 - 4b^6) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^7 - a^5 b^2) \sqrt{a^2 - b^2}} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$-1/3*(6*b^5*\tan(1/2*d*x + 1/2*c)/((a^6 - a^4*b^2)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)) + 6*(5*a^2*b^4 - 4*b^6)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^7 - a^5*b^2)*\sqrt{a^2 - b^2}) + 3*(a^2*b + 4*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^5 - 3*(a^2*b + 4*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^5 + 2*(3*a^2*\tan(1/2*d*x + 1/2*c)^5 + 3*a*b*\tan(1/2*d*x + 1/2*c)^5 + 9*b^2*\tan(1/2*d*x + 1/2*c)^5 - 2*a^2*\tan(1/2*d*x + 1/2*c)^3 - 18*b^2*\tan(1/2*d*x + 1/2*c)^3 + 3*a^2*\tan(1/2*d*x + 1/2*c) - 3*a*b*\tan(1/2*d*x + 1/2*c) + 9*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^4))/d$$

**maple** [B] time = 0.12, size = 535, normalized size = 1.98

$$\frac{2b^5 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d a^4 (a^2 - b^2) \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)} + \frac{10b^4 \arctan\left(\frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{d a^3 (a-b)(a+b) \sqrt{(a-b)(a+b)}} - \frac{8b^6}{d a^5 (a - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$-2/d*b^5/a^4/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)+10/d*b^4/a^3/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})-8/d*b^6/a^5/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})-1/3/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^3-1/2/d/a^2/(\tan(1/2*d*x+1/2*c)-1)^2-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)^2*b-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)*b-3/d/a^4/(\tan(1/2*d*x+1/2*c)-1)*b^2+1/d*b/a^3*\ln(\tan(1/2*d*x+1/2*c)-1)+4/d*b^3/a^5*\ln(\tan(1/2*d*x+1/2*c)-1)-1/3/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^3+1/2/d/a^2/(\tan(1/2*d*x+1/2*c)+1)^2+1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)^2*b-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)*b-3/d/a^4/(\tan(1/2*d*x+1/2*c)+1)*b^2-1/d*b/a^3*\ln(\tan(1/2*d*x+1/2*c)+1)-4/d*b^3/a^5*\ln(\tan(1/2*d*x+1/2*c)+1)$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^4/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation may help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 7.09, size = 3843, normalized size = 14.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^4\*(a + b\*cos(c + d\*x))^2),x)

[Out] 
$$((2*\tan(c/2 + (d*x)/2)^7*(a^5 - 2*a*b^4 + 4*b^5 - 3*a^2*b^3 + a^3*b^2))/(a^4*(a + b)*(a - b)) + (2*\tan(c/2 + (d*x)/2)^3*(6*a*b^4 - 8*a^4*b + a^5 + 36*$$

$$\begin{aligned}
& b^5 - 19a^2b^3 - 7a^3b^2) / (3a^4(a+b)(a-b)) + (2\tan(c/2 + (d*x) \\
& /2)^5(6a^4b^4 + 8a^4b + a^5 - 36b^5 + 19a^2b^3 - 7a^3b^2)) / (3a^4(a \\
& + b)(a-b)) + (2\tan(c/2 + (d*x)/2)(a^5 - 2a^4b - 4b^5 + 3a^2b^3 \\
& + a^3b^2)) / (a^4(a+b)(a-b)) / (d(a+b - \tan(c/2 + (d*x)/2)^8(a-b) \\
& - \tan(c/2 + (d*x)/2)^2(2a+4b) + \tan(c/2 + (d*x)/2)^6(2a-4b) + 6 \\
& b\tan(c/2 + (d*x)/2)^4) + (b\operatorname{atan}(((b(a^2 + 4b^2)) * ((32\tan(c/2 + (d*x)/2) \\
& ) * (32b^{12} - 32a^4b^{11} - 48a^2b^{10} + 48a^3b^9 + 2a^4b^8 - 2a^5b^7 + \\
& 7a^6b^6 - 12a^7b^5 + 7a^8b^4 - 2a^9b^3 + a^{10}b^2)) / (a^{10}b + a^{11} \\
& - a^8b^3 - a^9b^2) + (b(a^2 + 4b^2)) * ((32(a^{17}b - 4a^{10}b^8 + 2a^{11} \\
& *b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14}b^4 + a^{15}b^3)) / (a^{14}b + a^{15} - a \\
& ^{12}b^3 - a^{13}b^2) + (32b\tan(c/2 + (d*x)/2)(a^2 + 4b^2)(2a^{15}b - 2 \\
& a^{10}b^6 + 2a^{11}b^5 + 4a^{12}b^4 - 4a^{13}b^3 - 2a^{14}b^2)) / (a^5(a^{10}b \\
& + a^{11} - a^8b^3 - a^9b^2)))) / a^5 * i) / a^5 + (b(a^2 + 4b^2)) * ((32\tan(c/ \\
& 2 + (d*x)/2)(32b^{12} - 32a^4b^{11} - 48a^2b^{10} + 48a^3b^9 + 2a^4b^8 - \\
& 2a^5b^7 + 7a^6b^6 - 12a^7b^5 + 7a^8b^4 - 2a^9b^3 + a^{10}b^2)) / (a^{10} \\
& b + a^{11} - a^8b^3 - a^9b^2) - (b(a^2 + 4b^2)) * ((32(a^{17}b - 4a^{10}b^8 \\
& + 2a^{11}b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14}b^4 + a^{15}b^3)) / (a^{14}b \\
& + a^{15} - a^{12}b^3 - a^{13}b^2) - (32b\tan(c/2 + (d*x)/2)(a^2 + 4b^2)(2 \\
& a^{15}b - 2a^{10}b^6 + 2a^{11}b^5 + 4a^{12}b^4 - 4a^{13}b^3 - 2a^{14}b^2)) / ( \\
& a^5(a^{10}b + a^{11} - a^8b^3 - a^9b^2)))) / a^5 * i) / a^5 / ((64(64b^{14} - 32 \\
& *a^4b^{13} - 112a^2b^{12} + 48a^3b^{11} + 12a^4b^{10} - 6a^5b^9 + 31a^6b^8 \\
& - 5a^7b^7 + 5a^8b^6)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) + (b(a^2 \\
& + 4b^2)) * ((32\tan(c/2 + (d*x)/2)(32b^{12} - 32a^4b^{11} - 48a^2b^{10} + 48a^3 \\
& b^9 + 2a^4b^8 - 2a^5b^7 + 7a^6b^6 - 12a^7b^5 + 7a^8b^4 - 2a^9 \\
& b^3 + a^{10}b^2)) / (a^{10}b + a^{11} - a^8b^3 - a^9b^2) + (b(a^2 + 4b^2)) * ((3 \\
& 2(a^{17}b - 4a^{10}b^8 + 2a^{11}b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14}b^4 \\
& + a^{15}b^3)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) + (32b\tan(c/2 + (d*x)/ \\
& 2)(a^2 + 4b^2)(2a^{15}b - 2a^{10}b^6 + 2a^{11}b^5 + 4a^{12}b^4 - 4a^{13} \\
& b^3 - 2a^{14}b^2)) / (a^5(a^{10}b + a^{11} - a^8b^3 - a^9b^2)))) / a^5) / a^5 - \\
& (b(a^2 + 4b^2)) * ((32\tan(c/2 + (d*x)/2)(32b^{12} - 32a^4b^{11} - 48a^2b^{10} \\
& + 48a^3b^9 + 2a^4b^8 - 2a^5b^7 + 7a^6b^6 - 12a^7b^5 + 7a^8b^4 \\
& - 2a^9b^3 + a^{10}b^2)) / (a^{10}b + a^{11} - a^8b^3 - a^9b^2) - (b(a^2 + 4 \\
& b^2)) * ((32(a^{17}b - 4a^{10}b^8 + 2a^{11}b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14} \\
& b^4 + a^{15}b^3)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) - (32b\tan(c/2 \\
& + (d*x)/2)(a^2 + 4b^2)(2a^{15}b - 2a^{10}b^6 + 2a^{11}b^5 + 4a^{12}b^4 - \\
& 4a^{13}b^3 - 2a^{14}b^2)) / (a^5(a^{10}b + a^{11} - a^8b^3 - a^9b^2)))) / a^5) \\
& ) / a^5) * (a^2 + 4b^2) * 2i) / (a^5d) + (b^4\operatorname{atan}(((b^4(5a^2 - 4b^2)) * (-(a + \\
& b)^3(a-b)^3)^{(1/2)} * ((32\tan(c/2 + (d*x)/2)(32b^{12} - 32a^4b^{11} - 48a^2 \\
& *b^{10} + 48a^3b^9 + 2a^4b^8 - 2a^5b^7 + 7a^6b^6 - 12a^7b^5 + 7a^8 \\
& *b^4 - 2a^9b^3 + a^{10}b^2)) / (a^{10}b + a^{11} - a^8b^3 - a^9b^2) + (b^4 * (( \\
& 32(a^{17}b - 4a^{10}b^8 + 2a^{11}b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14}b^4 \\
& + a^{15}b^3)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) + (32b^4\tan(c/2 + (d \\
& x)/2)(5a^2 - 4b^2) * (-(a+b)^3(a-b)^3)^{(1/2)} * (2a^{15}b - 2a^{10}b^6 + \\
& 2a^{11}b^5 + 4a^{12}b^4 - 4a^{13}b^3 - 2a^{14}b^2)) / ((a^{10}b + a^{11} - a^8 \\
& b^3 - a^9b^2) * (a^{11} - a^5b^6 + 3a^7b^4 - 3a^9b^2))) * (5a^2 - 4b^2) * ( \\
& -(a+b)^3(a-b)^3)^{(1/2)} / (a^{11} - a^5b^6 + 3a^7b^4 - 3a^9b^2)) * i) / \\
& (a^{11} - a^5b^6 + 3a^7b^4 - 3a^9b^2) + (b^4(5a^2 - 4b^2) * (-(a+b)^3 \\
& * (a-b)^3)^{(1/2)} * ((32\tan(c/2 + (d*x)/2)(32b^{12} - 32a^4b^{11} - 48a^2b^{10} \\
& + 48a^3b^9 + 2a^4b^8 - 2a^5b^7 + 7a^6b^6 - 12a^7b^5 + 7a^8b^4 \\
& - 2a^9b^3 + a^{10}b^2)) / (a^{10}b + a^{11} - a^8b^3 - a^9b^2) - (b^4 * ((32 * ( \\
& a^{17}b - 4a^{10}b^8 + 2a^{11}b^7 + 9a^{12}b^6 - 4a^{13}b^5 - 5a^{14}b^4 + a \\
& ^{15}b^3)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) - (32b^4\tan(c/2 + (d*x)/2) \\
& ) * (5a^2 - 4b^2) * (-(a+b)^3(a-b)^3)^{(1/2)} * (2a^{15}b - 2a^{10}b^6 + 2a \\
& ^{11}b^5 + 4a^{12}b^4 - 4a^{13}b^3 - 2a^{14}b^2)) / ((a^{10}b + a^{11} - a^8b^3 \\
& - a^9b^2) * (a^{11} - a^5b^6 + 3a^7b^4 - 3a^9b^2))) * (5a^2 - 4b^2) * (-(a \\
& + b)^3(a-b)^3)^{(1/2)} / (a^{11} - a^5b^6 + 3a^7b^4 - 3a^9b^2)) * i) / (a^{11} \\
& - a^5b^6 + 3a^7b^4 - 3a^9b^2)) / ((64(64b^{14} - 32a^4b^{13} - 112a^2b^{12} \\
& + 48a^3b^{11} + 12a^4b^{10} - 6a^5b^9 + 31a^6b^8 - 5a^7b^7 + 5a^8 \\
& b^6)) / (a^{14}b + a^{15} - a^{12}b^3 - a^{13}b^2) + (b^4(5a^2 - 4b^2) * (-(a +
\end{aligned}$$



```

b)^3*(a - b)^3)^(1/2)*((32*tan(c/2 + (d*x)/2)*(32*b^12 - 32*a*b^11 - 48*a^
2*b^10 + 48*a^3*b^9 + 2*a^4*b^8 - 2*a^5*b^7 + 7*a^6*b^6 - 12*a^7*b^5 + 7*a^
8*b^4 - 2*a^9*b^3 + a^10*b^2))/(a^10*b + a^11 - a^8*b^3 - a^9*b^2) + (b^4*(
(32*(a^17*b - 4*a^10*b^8 + 2*a^11*b^7 + 9*a^12*b^6 - 4*a^13*b^5 - 5*a^14*b^
4 + a^15*b^3))/(a^14*b + a^15 - a^12*b^3 - a^13*b^2) + (32*b^4*tan(c/2 + (d
*x)/2)*(5*a^2 - 4*b^2)*(-(a + b)^3*(a - b)^3)^(1/2)*(2*a^15*b - 2*a^10*b^6
+ 2*a^11*b^5 + 4*a^12*b^4 - 4*a^13*b^3 - 2*a^14*b^2))/((a^10*b + a^11 - a^8
*b^3 - a^9*b^2)*(a^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2)))*(5*a^2 - 4*b^2)*
(-(a + b)^3*(a - b)^3)^(1/2))/(a^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2)))/(a
^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2) - (b^4*(5*a^2 - 4*b^2)*(-(a + b)^3*(
a - b)^3)^(1/2)*((32*tan(c/2 + (d*x)/2)*(32*b^12 - 32*a*b^11 - 48*a^2*b^10
+ 48*a^3*b^9 + 2*a^4*b^8 - 2*a^5*b^7 + 7*a^6*b^6 - 12*a^7*b^5 + 7*a^8*b^4 -
2*a^9*b^3 + a^10*b^2))/(a^10*b + a^11 - a^8*b^3 - a^9*b^2) - (b^4*((32*(a^
17*b - 4*a^10*b^8 + 2*a^11*b^7 + 9*a^12*b^6 - 4*a^13*b^5 - 5*a^14*b^4 + a^1
5*b^3))/(a^14*b + a^15 - a^12*b^3 - a^13*b^2) - (32*b^4*tan(c/2 + (d*x)/2)*
(5*a^2 - 4*b^2)*(-(a + b)^3*(a - b)^3)^(1/2)*(2*a^15*b - 2*a^10*b^6 + 2*a^1
1*b^5 + 4*a^12*b^4 - 4*a^13*b^3 - 2*a^14*b^2))/((a^10*b + a^11 - a^8*b^3 -
a^9*b^2)*(a^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2)))*(5*a^2 - 4*b^2)*(-(a +
b)^3*(a - b)^3)^(1/2))/(a^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2)))/(a^11 - a
^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2)))*(5*a^2 - 4*b^2)*(-(a + b)^3*(a - b)^3)^(1
/2)*2i)/(d*(a^11 - a^5*b^6 + 3*a^7*b^4 - 3*a^9*b^2))

```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^4(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*4/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral(sec(c + d\*x)\*\*4/(a + b\*cos(c + d\*x))\*\*2, x)

$$3.469 \quad \int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=300

$$\frac{a^2 \sin(c+dx) \cos^3(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} - \frac{a^2(4a^2-7b^2) \sin(c+dx) \cos^2(c+dx)}{2b^2d(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{x(12a^2+b^2)}{2b^5} - \frac{3a(4a^4-7a^2b^2+2b^4)}{2b^4d(a^2-b^2)}$$

[Out] 1/2\*(12\*a^2+b^2)\*x/b^5-a^3\*(12\*a^4-29\*a^2\*b^2+20\*b^4)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(5/2)/b^5/(a+b)^(5/2)/d-3/2\*a\*(4\*a^4-7\*a^2\*b^2+2\*b^4)\*sin(d\*x+c)/b^4/(a^2-b^2)^2/d+1/2\*(6\*a^4-10\*a^2\*b^2+b^4)\*cos(d\*x+c)\*sin(d\*x+c)/b^3/(a^2-b^2)^2/d-1/2\*a^2\*cos(d\*x+c)^3\*sin(d\*x+c)/b/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^2-1/2\*a^2\*(4\*a^2-7\*b^2)\*cos(d\*x+c)^2\*sin(d\*x+c)/b^2/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.78, antiderivative size = 300, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2792, 3047, 3049, 3023, 2735, 2659, 205}

$$\frac{3a(-7a^2b^2+4a^4+2b^4) \sin(c+dx)}{2b^4d(a^2-b^2)^2} - \frac{a^3(-29a^2b^2+12a^4+20b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^5d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(4a^2-7b^2) \sin(c+dx)}{2b^2d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((12\*a^2 + b^2)\*x)/(2\*b^5) - (a^3\*(12\*a^4 - 29\*a^2\*b^2 + 20\*b^4)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^5\*(a + b)^(5/2)\*d) - (3\*a\*(4\*a^4 - 7\*a^2\*b^2 + 2\*b^4)\*Sin[c + d\*x])/(2\*b^4\*(a^2 - b^2)^2\*d) + ((6\*a^4 - 10\*a^2\*b^2 + b^4)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*b^3\*(a^2 - b^2)^2\*d) - (a^2\*cos[c + d\*x]^3\*sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*cos[c + d\*x])^2) - (a^2\*(4\*a^2 - 7\*b^2)\*cos[c + d\*x]^2\*sin[c + d\*x])/(2\*b^2\*(a^2 - b^2)^2\*d\*(a + b\*cos[c + d\*x]))

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sine[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+b\cos(c+dx))^3} dx &= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\cos^2(c+dx)(3a^2-2ab\cos(c+dx)-2(a^2-b^2)\cos^2(c+dx))}{(a+b\cos(c+dx))^2} dx}{2b(a^2-b^2)} \\
&= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{a^2(4a^2-7b^2)\cos^2(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)^2 d(a+b\cos(c+dx))} + \frac{\int \frac{\cos^2(c+dx)}{a+b\cos(c+dx)} dx}{2b(a^2-b^2)} \\
&= \frac{(6a^4-10a^2b^2+b^4)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2 d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{a^2(4a^2-7b^2)\cos^2(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)^2 d(a+b\cos(c+dx))} \\
&= -\frac{3a(4a^4-7a^2b^2+2b^4)\sin(c+dx)}{2b^4(a^2-b^2)^2 d} + \frac{(6a^4-10a^2b^2+b^4)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2 d} \\
&= \frac{(12a^2+b^2)x}{2b^5} - \frac{3a(4a^4-7a^2b^2+2b^4)\sin(c+dx)}{2b^4(a^2-b^2)^2 d} + \frac{(6a^4-10a^2b^2+b^4)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2 d} \\
&= \frac{(12a^2+b^2)x}{2b^5} - \frac{3a(4a^4-7a^2b^2+2b^4)\sin(c+dx)}{2b^4(a^2-b^2)^2 d} + \frac{(6a^4-10a^2b^2+b^4)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2 d} \\
&= \frac{(12a^2+b^2)x}{2b^5} - \frac{a^3(12a^4-29a^2b^2+20b^4)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}b^5(a+b)^{5/2}d} - \frac{3a(4a^4-7a^2b^2+2b^4)\cos(c+dx)\sin(c+dx)}{2b^4(a^2-b^2)^2 d}
\end{aligned}$$

**Mathematica [A]** time = 2.02, size = 199, normalized size = 0.66

$$\frac{2a^5b\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))^2} + 2(12a^2+b^2)(c+dx) + \frac{2a^4b(10b^2-7a^2)\sin(c+dx)}{(a-b)^2(a+b)^2(a+b\cos(c+dx))} + \frac{4a^3(12a^4-29a^2b^2+20b^4)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}}}{4b^5d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^3, x]

[Out] (2\*(12\*a^2 + b^2)\*(c + d\*x) + (4\*a^3\*(12\*a^4 - 29\*a^2\*b^2 + 20\*b^4)\*ArcTanh[ ((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2] ])/(-a^2 + b^2)^(5/2) - 12\*a\*b\*Sin[c + d\*x] + (2\*a^5\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + (2\*a^4\*b\*(-7\*a^2 + 10\*b^2)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])) + b^2\*Sin[2\*(c + d\*x)]/(4\*b^5\*d)

**fricas [A]** time = 1.21, size = 1161, normalized size = 3.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [1/4\*(2\*(12\*a^8\*b^2 - 35\*a^6\*b^4 + 33\*a^4\*b^6 - 9\*a^2\*b^8 - b^10)\*d\*x\*cos(d\*x + c)^2 + 4\*(12\*a^9\*b - 35\*a^7\*b^3 + 33\*a^5\*b^5 - 9\*a^3\*b^7 - a\*b^9)\*d\*x\*cos(d\*x + c) + 2\*(12\*a^10 - 35\*a^8\*b^2 + 33\*a^6\*b^4 - 9\*a^4\*b^6 - a^2\*b^8)\*d\*x - (12\*a^9 - 29\*a^7\*b^2 + 20\*a^5\*b^4 + (12\*a^7\*b^2 - 29\*a^5\*b^4 + 20\*a^3\*b^6)\*cos(d\*x + c)^2 + 2\*(12\*a^8\*b - 29\*a^6\*b^3 + 20\*a^4\*b^5)\*cos(d\*x + c))

```
*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 -
2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos
s(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(12*a^9*b - 33*a^7*b^3 + 27*a
^5*b^5 - 6*a^3*b^7 - (a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*cos(d*x + c)^
3 + 4*(a^7*b^3 - 3*a^5*b^5 + 3*a^3*b^7 - a*b^9)*cos(d*x + c)^2 + (18*a^8*b^
2 - 50*a^6*b^4 + 43*a^4*b^6 - 11*a^2*b^8)*cos(d*x + c))*sin(d*x + c))/((a^6
*b^7 - 3*a^4*b^9 + 3*a^2*b^11 - b^13)*d*cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5
*b^8 + 3*a^3*b^10 - a*b^12)*d*cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b
^9 - a^2*b^11)*d), 1/2*((12*a^8*b^2 - 35*a^6*b^4 + 33*a^4*b^6 - 9*a^2*b^8 -
b^10)*d*x*cos(d*x + c)^2 + 2*(12*a^9*b - 35*a^7*b^3 + 33*a^5*b^5 - 9*a^3*b
^7 - a*b^9)*d*x*cos(d*x + c) + (12*a^10 - 35*a^8*b^2 + 33*a^6*b^4 - 9*a^4*b
^6 - a^2*b^8)*d*x - (12*a^9 - 29*a^7*b^2 + 20*a^5*b^4 + (12*a^7*b^2 - 29*a^
5*b^4 + 20*a^3*b^6)*cos(d*x + c)^2 + 2*(12*a^8*b - 29*a^6*b^3 + 20*a^4*b^5)
*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2
)*sin(d*x + c))) - (12*a^9*b - 33*a^7*b^3 + 27*a^5*b^5 - 6*a^3*b^7 - (a^6*b
^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*cos(d*x + c)^3 + 4*(a^7*b^3 - 3*a^5*b^5
+ 3*a^3*b^7 - a*b^9)*cos(d*x + c)^2 + (18*a^8*b^2 - 50*a^6*b^4 + 43*a^4*b^6
- 11*a^2*b^8)*cos(d*x + c))*sin(d*x + c))/((a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^
11 - b^13)*d*cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^10 - a*b^12)
*d*cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^11)*d)]
```

**giac [B]** time = 1.89, size = 1735, normalized size = 5.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] -1/2*(((12*a^6 - 6*a^5*b - 23*a^4*b^2 + 10*a^3*b^3 + 10*a^2*b^4 - a*b^5 + b
^6)*sqrt(a^2 - b^2)*abs(a^4*b^5 - 2*a^2*b^7 + b^9)*abs(-a + b) + (24*a^11*b
^4 - 12*a^10*b^5 - 100*a^9*b^6 + 47*a^8*b^7 + 158*a^7*b^8 - 68*a^6*b^9 - 11
1*a^5*b^10 + 42*a^4*b^11 + 28*a^3*b^12 - 8*a^2*b^13 + a*b^14 - b^15)*sqrt(a
^2 - b^2)*abs(-a + b))*(pi*floor(1/2*(d*x + c)/pi + 1/2) + arctan(2*tan(1/2
*d*x + 1/2*c)/sqrt((4*a^5*b^4 - 8*a^3*b^6 + 4*a*b^8 + sqrt(-16*(a^5*b^4 + a
^4*b^5 - 2*a^3*b^6 - 2*a^2*b^7 + a*b^8 + b^9)*(a^5*b^4 - a^4*b^5 - 2*a^3*b^
6 + 2*a^2*b^7 + a*b^8 - b^9) + 16*(a^5*b^4 - 2*a^3*b^6 + a*b^8)^2)))/(a^5*b^
4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a*b^8 - b^9)))/((a^4*b^5 - 2*a^2*b^7
+ b^9)^2*(a^2 - 2*a*b + b^2) + (a^7*b^4 - 2*a^6*b^5 - a^5*b^6 + 4*a^4*b^7
- a^3*b^8 - 2*a^2*b^9 + a*b^10)*abs(a^4*b^5 - 2*a^2*b^7 + b^9)) - (24*a^11*
b^4 - 12*a^10*b^5 - 100*a^9*b^6 + 47*a^8*b^7 + 158*a^7*b^8 - 68*a^6*b^9 - 1
11*a^5*b^10 + 42*a^4*b^11 + 28*a^3*b^12 - 8*a^2*b^13 + a*b^14 - b^15 - 12*a
^6*abs(a^4*b^5 - 2*a^2*b^7 + b^9) + 6*a^5*b*abs(a^4*b^5 - 2*a^2*b^7 + b^9)
+ 23*a^4*b^2*abs(a^4*b^5 - 2*a^2*b^7 + b^9) - 10*a^3*b^3*abs(a^4*b^5 - 2*a^
2*b^7 + b^9) - 10*a^2*b^4*abs(a^4*b^5 - 2*a^2*b^7 + b^9) + a*b^5*abs(a^4*b^
5 - 2*a^2*b^7 + b^9) - b^6*abs(a^4*b^5 - 2*a^2*b^7 + b^9))*(pi*floor(1/2*(d
*x + c)/pi + 1/2) + arctan(2*tan(1/2*d*x + 1/2*c)/sqrt((4*a^5*b^4 - 8*a^3*b
^6 + 4*a*b^8 - sqrt(-16*(a^5*b^4 + a^4*b^5 - 2*a^3*b^6 - 2*a^2*b^7 + a*b^8
+ b^9)*(a^5*b^4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a*b^8 - b^9) + 16*(a^5*
b^4 - 2*a^3*b^6 + a*b^8)^2)))/(a^5*b^4 - a^4*b^5 - 2*a^3*b^6 + 2*a^2*b^7 + a
*b^8 - b^9)))/((a^5*b^4*abs(a^4*b^5 - 2*a^2*b^7 + b^9) - 2*a^3*b^6*abs(a^4*
b^5 - 2*a^2*b^7 + b^9) + a*b^8*abs(a^4*b^5 - 2*a^2*b^7 + b^9) - (a^4*b^5 -
2*a^2*b^7 + b^9)^2) + 2*(12*a^7*tan(1/2*d*x + 1/2*c)^7 - 18*a^6*b*tan(1/2*d
*x + 1/2*c)^7 - 17*a^5*b^2*tan(1/2*d*x + 1/2*c)^7 + 33*a^4*b^3*tan(1/2*d*x
+ 1/2*c)^7 - 2*a^3*b^4*tan(1/2*d*x + 1/2*c)^7 - 13*a^2*b^5*tan(1/2*d*x + 1/
2*c)^7 + 4*a*b^6*tan(1/2*d*x + 1/2*c)^7 + b^7*tan(1/2*d*x + 1/2*c)^7 + 36*a
^7*tan(1/2*d*x + 1/2*c)^5 - 18*a^6*b*tan(1/2*d*x + 1/2*c)^5 - 67*a^5*b^2*ta
n(1/2*d*x + 1/2*c)^5 + 29*a^4*b^3*tan(1/2*d*x + 1/2*c)^5 + 26*a^3*b^4*tan(1
/2*d*x + 1/2*c)^5 - 5*a^2*b^5*tan(1/2*d*x + 1/2*c)^5 - 4*a*b^6*tan(1/2*d*x
+ 1/2*c)^5 - 3*b^7*tan(1/2*d*x + 1/2*c)^5 + 36*a^7*tan(1/2*d*x + 1/2*c)^3 +
18*a^6*b*tan(1/2*d*x + 1/2*c)^3 - 67*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 - 29*a
```

$$\begin{aligned} &^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 26*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 5*a^2*b \\ &^5*\tan(1/2*d*x + 1/2*c)^3 - 4*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 3*b^7*\tan(1/2* \\ &d*x + 1/2*c)^3 + 12*a^7*\tan(1/2*d*x + 1/2*c) + 18*a^6*b*\tan(1/2*d*x + 1/2*c) \\ &) - 17*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 33*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 2*a \\ &^3*b^4*\tan(1/2*d*x + 1/2*c) + 13*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 4*a*b^6*\tan \\ &(1/2*d*x + 1/2*c) - b^7*\tan(1/2*d*x + 1/2*c))/((a^4*b^4 - 2*a^2*b^6 + b^8)* \\ &(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x + 1/2*c)^4 + 2*a*\tan(1/2*d*x + 1/ \\ &2*c)^2 + a + b)^2))/d \end{aligned}$$

**maple [B]** time = 0.07, size = 802, normalized size = 2.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} &-6/d*a^6/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a \\ &^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+1/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan( \\ &1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+10/d*a \\ &^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a \\ &*b+b^2)*\tan(1/2*d*x+1/2*c)^3-6/d*a^6/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d* \\ &x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-1/d*a^5/b^3/(a \\ &* \tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*t \\ &an(1/2*d*x+1/2*c)+10/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2 \\ &*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-12/d*a^7/b^5/(a^4-2*a^2* \\ &b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^( \\ &(1/2)))+29/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2* \\ &d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-20/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b) \\ &*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-6/d/b^4/ \\ &(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3*a-1/d/b^3/(1+\tan(1/2*d*x+1/ \\ &2*c)^2)^2*\tan(1/2*d*x+1/2*c)^3-6/d/b^4/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d \\ &*x+1/2*c)*a+1/d/b^3/(1+\tan(1/2*d*x+1/2*c)^2)^2*\tan(1/2*d*x+1/2*c)+12/d/b^5* \\ &\arctan(\tan(1/2*d*x+1/2*c))*a^2+1/d/b^3*\arctan(\tan(1/2*d*x+1/2*c)) \end{aligned}$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 8.67, size = 5962, normalized size = 19.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + b\*cos(c + d\*x))^3,x)

[Out] 
$$\begin{aligned} &(\operatorname{atan}(\frac{((8*\tan(c/2 + (d*x)/2)*(288*a^{14} - 288*a^{13}*b - 2*a*b^{13} + b^{14} + 2 \\ &1*a^2*b^{12} - 40*a^3*b^{11} + 74*a^4*b^{10} - 108*a^5*b^9 + 18*a^6*b^8 + 872*a^7 \\ &*b^7 - 827*a^8*b^6 - 1538*a^9*b^5 + 1538*a^{10}*b^4 + 1104*a^{11}*b^3 - 1104*a^{12}*b^2))}{(a*b^{14} + b^{15} - 3*a^2*b^{13} - 3*a^3*b^{12} + 3*a^4*b^{11} + 3*a^5*b^{10} \\ &- a^6*b^9 - a^7*b^8) + (((4*(4*b^{21} + 28*a^2*b^{19} - 80*a^3*b^{18} - 120*a^4* \\ &b^{17} + 276*a^5*b^{16} + 164*a^6*b^{15} - 360*a^7*b^{14} - 100*a^8*b^{13} + 212*a^9* \end{aligned}$$



$$\begin{aligned}
& a^9 b^5 + 1538 a^{10} b^4 + 1104 a^{11} b^3 - 1104 a^{12} b^2) / (a b^{14} + b^{15} - \\
& 3 a^2 b^{13} - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8) + (a \\
& ^3 (- (a + b)^5 (a - b)^5)^{1/2} ((4 (4 b^{21} + 28 a^2 b^{19} - 80 a^3 b^{18} - 1 \\
& 20 a^4 b^{17} + 276 a^5 b^{16} + 164 a^6 b^{15} - 360 a^7 b^{14} - 100 a^8 b^{13} + 2 \\
& 12 a^9 b^{12} + 24 a^{10} b^{11} - 48 a^{11} b^{10}))) / (a b^{18} + b^{19} - 3 a^2 b^{17} - 3 \\
& a^3 b^{16} + 3 a^4 b^{15} + 3 a^5 b^{14} - a^6 b^{13} - a^7 b^{12}) - (4 a^3 \tan(c/2 \\
& + (d*x)/2) (- (a + b)^5 (a - b)^5)^{1/2} (12 a^4 + 20 b^4 - 29 a^2 b^2) (8 a \\
& a b^{19} - 8 a^2 b^{18} - 32 a^3 b^{17} + 32 a^4 b^{16} + 48 a^5 b^{15} - 48 a^6 b^{14} \\
& - 32 a^7 b^{13} + 32 a^8 b^{12} + 8 a^9 b^{11} - 8 a^{10} b^{10}))) / ((b^{15} - 5 a^2 b^{13} \\
& + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 - a^{10} b^5) (a b^{14} + b^{15} - 3 a^2 b^{13} \\
& - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8))) (12 a^4 \\
& + 20 b^4 - 29 a^2 b^2) / (2 (b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 \\
& + 5 a^8 b^7 - a^{10} b^5))) (- (a + b)^5 (a - b)^5)^{1/2} (12 a^4 + 20 b^4 - 2 \\
& 9 a^2 b^2) * i) / (2 (b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 \\
& - a^{10} b^5)) + (a^3 ((8 \tan(c/2 + (d*x)/2) (288 a^{14} - 288 a^{13} b - 2 a b^{13} \\
& + b^{14} + 21 a^2 b^{12} - 40 a^3 b^{11} + 74 a^4 b^{10} - 108 a^5 b^9 + 18 a^6 b^8 \\
& + 872 a^7 b^7 - 827 a^8 b^6 - 1538 a^9 b^5 + 1538 a^{10} b^4 + 1104 a^{11} b^3 \\
& - 1104 a^{12} b^2)) / (a b^{14} + b^{15} - 3 a^2 b^{13} - 3 a^3 b^{12} + 3 a^4 b^{11} \\
& + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8) - (a^3 (- (a + b)^5 (a - b)^5)^{1/2} ((4 (4 b^{21} \\
& + 28 a^2 b^{19} - 80 a^3 b^{18} - 120 a^4 b^{17} + 276 a^5 b^{16} + 164 a^6 b^{15} - 360 a^7 b^{14} \\
& - 100 a^8 b^{13} + 212 a^9 b^{12} + 24 a^{10} b^{11} - 48 a^{11} b^{10}))) / (a b^{18} + b^{19} \\
& - 3 a^2 b^{17} - 3 a^3 b^{16} + 3 a^4 b^{15} + 3 a^5 b^{14} - a^6 b^{13} - a^7 b^{12}) + (4 a^3 \tan(c/2 \\
& + (d*x)/2) (- (a + b)^5 (a - b)^5)^{1/2} (12 a^4 + 20 b^4 - 29 a^2 b^2) (8 a a b^{19} \\
& - 8 a^2 b^{18} - 32 a^3 b^{17} + 32 a^4 b^{16} + 48 a^5 b^{15} - 48 a^6 b^{14} - 32 a^7 b^{13} \\
& + 32 a^8 b^{12} + 8 a^9 b^{11} - 8 a^{10} b^{10}))) / ((b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 \\
& + 5 a^8 b^7 - a^{10} b^5) (a b^{14} + b^{15} - 3 a^2 b^{13} - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 \\
& a^5 b^{10} - a^6 b^9 - a^7 b^8))) (12 a^4 + 20 b^4 - 29 a^2 b^2) / (2 (b^{15} - \\
& 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 - a^{10} b^5))) (- (a + b)^5 (a - b)^5)^{1/2} \\
& (12 a^4 + 20 b^4 - 29 a^2 b^2) * i) / (2 (b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 \\
& + 5 a^8 b^7 - a^{10} b^5))) / ((8 (1728 a^{15} - 864 a^{14} b + 20 a^3 b^{12} - 20 a^4 b^{11} + 411 a^5 b^{10} \\
& - 11 a^6 b^9 + 1314 a^7 b^8 + 2326 a^8 b^7 - 7829 a^9 b^6 - 4770 a^{10} b^5 + 11700 a^{11} b^4 + 3456 a^{12} b^3 \\
& - 7344 a^{13} b^2)) / (a b^{18} + b^{19} - 3 a^2 b^{17} - 3 a^3 b^{16} + 3 a^4 b^{15} + 3 a^5 b^{14} \\
& - a^6 b^{13} - a^7 b^{12}) - (a^3 ((8 \tan(c/2 + (d*x)/2) (288 a^{14} - 288 a^{13} b - 2 a b^{13} \\
& + b^{14} + 21 a^2 b^{12} - 40 a^3 b^{11} + 74 a^4 b^{10} - 108 a^5 b^9 + 18 a^6 b^8 + 872 a^7 b^7 \\
& - 827 a^8 b^6 - 1538 a^9 b^5 + 1538 a^{10} b^4 + 1104 a^{11} b^3 - 1104 a^{12} b^2)) / (a b^{14} \\
& + b^{15} - 3 a^2 b^{13} - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8) + (a^3 (- (a + \\
& b)^5 (a - b)^5)^{1/2} ((4 (4 b^{21} + 28 a^2 b^{19} - 80 a^3 b^{18} - 120 a^4 b^{17} + 276 a^5 b^{16} \\
& + 164 a^6 b^{15} - 360 a^7 b^{14} - 100 a^8 b^{13} + 212 a^9 b^{12} + 24 a^{10} b^{11} - 48 a^{11} b^{10}))) / (a b^{18} \\
& + b^{19} - 3 a^2 b^{17} - 3 a^3 b^{16} + 3 a^4 b^{15} + 3 a^5 b^{14} - a^6 b^{13} - a^7 b^{12}) - (4 a^3 \tan(c/2 \\
& + (d*x)/2) (- (a + b)^5 (a - b)^5)^{1/2} (12 a^4 + 20 b^4 - 29 a^2 b^2) (8 a a b^{19} - 8 \\
& a^2 b^{18} - 32 a^3 b^{17} + 32 a^4 b^{16} + 48 a^5 b^{15} - 48 a^6 b^{14} - 32 a^7 b^{13} + 32 a^8 b^{12} \\
& + 8 a^9 b^{11} - 8 a^{10} b^{10}))) / ((b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 \\
& - a^{10} b^5) (a b^{14} + b^{15} - 3 a^2 b^{13} - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8))) \\
& (12 a^4 + 20 b^4 - 29 a^2 b^2) / (2 (b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 - a^{10} b^5))) \\
& (- (a + b)^5 (a - b)^5)^{1/2} (12 a^4 + 20 b^4 - 29 a^2 b^2) \\
& ) / (2 (b^{15} - 5 a^2 b^{13} + 10 a^4 b^{11} - 10 a^6 b^9 + 5 a^8 b^7 - a^{10} b^5)) \\
& + (a^3 ((8 \tan(c/2 + (d*x)/2) (288 a^{14} - 288 a^{13} b - 2 a b^{13} + b^{14} + 2 \\
& 1 a^2 b^{12} - 40 a^3 b^{11} + 74 a^4 b^{10} - 108 a^5 b^9 + 18 a^6 b^8 + 872 a^7 b^7 - 827 a^8 b^6 \\
& - 1538 a^9 b^5 + 1538 a^{10} b^4 + 1104 a^{11} b^3 - 1104 a^{12} b^2)) / (a b^{14} + b^{15} - 3 a^2 b^{13} \\
& - 3 a^3 b^{12} + 3 a^4 b^{11} + 3 a^5 b^{10} - a^6 b^9 - a^7 b^8) - (a^3 (- (a + b)^5 (a - b)^5)^{1/2} ((4 (4 b^{21} \\
& + 28 a^2 b^{19} - 80 a^3 b^{18} - 120 a^4 b^{17} + 276 a^5 b^{16} + 164 a^6 b^{15} - 360 a^7 b^{14} \\
& - 100 a^8 b^{13} + 212 a^9 b^{12} + 24 a^{10} b^{11} - 48 a^{11} b^{10}))) / (a b^{18} + b^{19} - 3 a^2 b^{17} \\
& - 3 a^3 b^{16} + 3 a^4 b^{15} + 3 a^5 b^{14} - a^6 b^{13} -
\end{aligned}$$



$$a^7 b^{12} + (4a^3 \tan(c/2 + (d*x)/2) * (-(a+b)^5 * (a-b)^5)^{1/2} * (12a^4 + 20b^4 - 29a^2 b^2) * (8a^3 b^{19} - 8a^2 b^{18} - 32a^3 b^{17} + 32a^4 b^{16} + 48a^5 b^{15} - 48a^6 b^{14} - 32a^7 b^{13} + 32a^8 b^{12} + 8a^9 b^{11} - 8a^{10} b^{10})) / ((b^{15} - 5a^2 b^{13} + 10a^4 b^{11} - 10a^6 b^9 + 5a^8 b^7 - a^{10} b^5) * (a b^{14} + b^{15} - 3a^2 b^{13} - 3a^3 b^{12} + 3a^4 b^{11} + 3a^5 b^{10} - a^6 b^9 - a^7 b^8)) * (12a^4 + 20b^4 - 29a^2 b^2) / (2 * (b^{15} - 5a^2 b^{13} + 10a^4 b^{11} - 10a^6 b^9 + 5a^8 b^7 - a^{10} b^5)) * (-(a+b)^5 * (a-b)^5)^{1/2} * (12a^4 + 20b^4 - 29a^2 b^2) / (2 * (b^{15} - 5a^2 b^{13} + 10a^4 b^{11} - 10a^6 b^9 + 5a^8 b^7 - a^{10} b^5))) * (-(a+b)^5 * (a-b)^5)^{1/2} * (12a^4 + 20b^4 - 29a^2 b^2) * i) / (d * (b^{15} - 5a^2 b^{13} + 10a^4 b^{11} - 10a^6 b^9 + 5a^8 b^7 - a^{10} b^5))$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.470 \quad \int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=221

$$-\frac{a^2 \sin(c+dx) \cos^2(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} + \frac{(3a^2-2b^2) \sin(c+dx)}{2b^3d(a^2-b^2)} + \frac{3a^2(2a^4-5a^2b^2+4b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}} + \dots$$

[Out]  $-3*a*x/b^4+3*a^2*(2*a^4-5*a^2*b^2+4*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(5/2)}/b^4/(a+b)^{(5/2)}/d+1/2*(3*a^2-2*b^2)*\sin(d*x+c)/b^3/(a^2-b^2)/d-1/2*a^2*\cos(d*x+c)^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+3/2*a^3*(a^2-2*b^2)*\sin(d*x+c)/b^3/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.49, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3031, 3023, 2735, 2659, 205}

$$\frac{(3a^2-2b^2) \sin(c+dx)}{2b^3d(a^2-b^2)} + \frac{3a^2(-5a^2b^2+2a^4+4b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2 \sin(c+dx) \cos^2(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $(-3*a*x)/b^4 + (3*a^2*(2*a^4 - 5*a^2*b^2 + 4*b^4)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/((a - b)^{(5/2)}*b^4*(a + b)^{(5/2)}*d) + ((3*a^2 - 2*b^2)*\text{Sin}[c + d*x])/(2*b^3*(a^2 - b^2)*d) - (a^2*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) + (3*a^3*(a^2 - 2*b^2)*\text{Sin}[c + d*x])/(2*b^3*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sine[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m-2)\*(c + d\*Sine[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sine[e + f\*x])^(m-3)\*(c + d\*Sine[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b

$\wedge 2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[((b\*c - a\*d)\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b^2\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[1/(b^2\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(m + 1)\*((b\*B - a\*C)\*(b\*c - a\*d) - A\*b\*(a\*c - b\*d) + (b\*B\*(a^2\*d + b^2\*d\*(m + 1) - a\*b\*c\*(m + 2)) + (b\*c - a\*d)\*(A\*b^2\*(m + 2) + C\*(a^2 + b^2\*(m + 1))))\*Sin[e + f\*x] - b\*C\*d\*(m + 1)\*(a^2 - b^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rubi steps

$$\int \frac{\cos^4(c + dx)}{(a + b \cos(c + dx))^3} dx = -\frac{a^2 \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{\int \frac{\cos(c+dx)(2a^2-2ab \cos(c+dx)-(3a^2-2b^2) \cos^2(c+dx))}{(a+b \cos(c+dx))^2}}{2b(a^2 - b^2)}$$

$$= -\frac{a^2 \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{3a^3(a^2 - 2b^2) \sin(c + dx)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))} - \int \frac{3a^2 \cos^2(c + dx)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{(3a^2 - 2b^2) \sin(c + dx)}{2b^3(a^2 - b^2)d} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{3a^3(a^2 - 2b^2)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= -\frac{3ax}{b^4} + \frac{(3a^2 - 2b^2) \sin(c + dx)}{2b^3(a^2 - b^2)d} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{3a^3(a^2 - 2b^2)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= -\frac{3ax}{b^4} + \frac{(3a^2 - 2b^2) \sin(c + dx)}{2b^3(a^2 - b^2)d} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{3a^3(a^2 - 2b^2)}{2b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= -\frac{3ax}{b^4} + \frac{3a^2(2a^4 - 5a^2b^2 + 4b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}b^4(a+b)^{5/2}d} + \frac{(3a^2 - 2b^2) \sin(c + dx)}{2b^3(a^2 - b^2)d}$$

**Mathematica [A]** time = 1.48, size = 177, normalized size = 0.80

$$\frac{\frac{a^4 b \sin(c+dx)}{(a-b)(a+b)(a+b \cos(c+dx))^2} - \frac{6a^2(2a^4 - 5a^2b^2 + 4b^4) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{a^3 b(5a^2 - 8b^2) \sin(c+dx)}{(a-b)^2(a+b)^2(a+b \cos(c+dx))} - 6a(c+dx) + 2b \sin(c+dx)}{2b^4 d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^3,x]

[Out] (-6\*a\*(c + d\*x) - (6\*a^2\*(2\*a^4 - 5\*a^2\*b^2 + 4\*b^4)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + 2\*b\*Sin[c + d\*x] - (a^4\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + (a^3\*b\*(5\*a^2 - 8\*b^2)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x]))/(2\*b^4\*d)

**fricas [B]** time = 1.32, size = 1029, normalized size = 4.66

$$\frac{12(a^7 b^2 - 3 a^5 b^4 + 3 a^3 b^6 - a b^8) dx \cos(dx + c)^2 + 24(a^8 b - 3 a^6 b^3 + 3 a^4 b^5 - a^2 b^7) dx \cos(dx + c) + 12(a^9 - 3 a^7 b^2 + 3 a^5 b^4 - a^3 b^6) dx \cos(dx + c)^2 + 24(a^8 b - 3 a^6 b^3 + 3 a^4 b^5 - a^2 b^7) dx \cos(dx + c) + 12(a^9 - 3 a^7 b^2 + 3 a^5 b^4 - a^3 b^6) dx \cos(dx + c)^2}{(a^4 b^4 - 2 a^2 b^6 + b^8) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*(12\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*d\*x\*cos(d\*x + c)^2 + 24\*(a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*d\*x\*cos(d\*x + c) + 12\*(a^9 - 3\*a^7\*b^2 + 3\*a^5\*b^4 - a^3\*b^6)\*d\*x + 3\*(2\*a^8 - 5\*a^6\*b^2 + 4\*a^4\*b^4 + (2\*a^6\*b^2 - 5\*a^4\*b^4 + 4\*a^2\*b^6)\*cos(d\*x + c)^2 + 2\*(2\*a^7\*b - 5\*a^5\*b^3 + 4\*a^3\*b^5)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(6\*a^8\*b - 17\*a^6\*b^3 + 13\*a^4\*b^5 - 2\*a^2\*b^7 + 2\*(a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^2 + (9\*a^7\*b^2 - 25\*a^5\*b^4 + 20\*a^3\*b^6 - 4\*a\*b^8)\*cos(d\*x + c))\*sin(d\*x + c))/((a^6\*b^6 - 3\*a^4\*b^8 + 3\*a^2\*b^10 - b^12)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b^5 - 3\*a^5\*b^7 + 3\*a^3\*b^9 - a\*b^11)\*d\*cos(d\*x + c) + (a^8\*b^4 - 3\*a^6\*b^6 + 3\*a^4\*b^8 - a^2\*b^10)\*d), -1/2\*(6\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*d\*x\*cos(d\*x + c)^2 + 12\*(a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*d\*x\*cos(d\*x + c) + 6\*(a^9 - 3\*a^7\*b^2 + 3\*a^5\*b^4 - a^3\*b^6)\*d\*x - 3\*(2\*a^8 - 5\*a^6\*b^2 + 4\*a^4\*b^4 + (2\*a^6\*b^2 - 5\*a^4\*b^4 + 4\*a^2\*b^6)\*cos(d\*x + c)^2 + 2\*(2\*a^7\*b - 5\*a^5\*b^3 + 4\*a^3\*b^5)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (6\*a^8\*b - 17\*a^6\*b^3 + 13\*a^4\*b^5 - 2\*a^2\*b^7 + 2\*(a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^2 + (9\*a^7\*b^2 - 25\*a^5\*b^4 + 20\*a^3\*b^6 - 4\*a\*b^8)\*cos(d\*x + c))\*sin(d\*x + c))/((a^6\*b^6 - 3\*a^4\*b^8 + 3\*a^2\*b^10 - b^12)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b^5 - 3\*a^5\*b^7 + 3\*a^3\*b^9 - a\*b^11)\*d\*cos(d\*x + c) + (a^8\*b^4 - 3\*a^6\*b^6 + 3\*a^4\*b^8 - a^2\*b^10)\*d)]

**giac [A]** time = 1.14, size = 354, normalized size = 1.60

$$\frac{3(2a^6 - 5a^4b^2 + 4a^2b^4) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 b^4 - 2 a^2 b^6 + b^8) \sqrt{a^2 - b^2}} - \frac{4 a^6 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5 a^5 b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 7 a^4 b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^4 b^4 - 2 a^2 b^6 + b^8) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $-(3*(2*a^6 - 5*a^4*b^2 + 4*a^2*b^4)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^4*b^4 - 2*a^2*b^6 + b^8)*\sqrt{a^2 - b^2}) - (4*a^6*\tan(1/2*d*x + 1/2*c)^3 - 5*a^5*b*\tan(1/2*d*x + 1/2*c)^3 - 7*a^4*b^2*\tan(1/2*d*x + 1/2*c)^3 + 8*a^3*b^3*\tan(1/2*d*x + 1/2*c)^3 + 4*a^6*\tan(1/2*d*x + 1/2*c) + 5*a^5*b*\tan(1/2*d*x + 1/2*c) - 7*a^4*b^2*\tan(1/2*d*x + 1/2*c) - 8*a^3*b^3*\tan(1/2*d*x + 1/2*c))/((a^4*b^3 - 2*a^2*b^5 + b^7)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^2) + 3*(d*x + c)*a/b^4 - 2*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*b^3))/d$

**maple** [B] time = 0.07, size = 679, normalized size = 3.07

$$\frac{4a^5 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{db^3 \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a-b) (a^2 + 2ab + b^2)} - \frac{a^4 \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a}{db^2 \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^3,x)

[Out]  $4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+4/d*a^5/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)+1/d*a^4/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-8/d*a^3/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)+6/d*a^6/b^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-15/d*a^4/b^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+12/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+2/d/b^3*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-6/d/b^4*a*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 8.23, size = 5350, normalized size = 24.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^4/(a + b\*cos(c + d\*x))^3,x)

[Out]  $((\tan(c/2 + (d*x)/2))^5*(2*a*b^4 - 3*a^4*b + 6*a^5 - 2*b^5 + 4*a^2*b^3 - 12*a^3*b^2))/((a*b^3 - b^4)*(a + b)^2) + (\tan(c/2 + (d*x)/2)*(2*a*b^4 + 3*a^4*b + 6*a^5 + 2*b^5 - 4*a^2*b^3 - 12*a^3*b^2))/((a + b)*(b^5 - 2*a*b^4 + a^2*$

$$\begin{aligned}
& b^3)) + (2*\tan(c/2 + (d*x)/2)^3*(6*a^6 - 2*b^6 + 6*a^2*b^4 - 13*a^4*b^2))/( \\
& b*(a*b^2 - b^3)*(a + b)^2*(a - b))/(d*(2*a*b + \tan(c/2 + (d*x)/2)^2*(2*a*b \\
& + 3*a^2 - b^2) + \tan(c/2 + (d*x)/2)^6*(a^2 - 2*a*b + b^2) + a^2 + b^2 - \tan \\
& (c/2 + (d*x)/2)^4*(2*a*b - 3*a^2 + b^2))) - (6*a*atan(((3*a*((8*\tan(c/2 + \\
& (d*x)/2)*(72*a^12 - 72*a^11*b + 36*a^2*b^10 - 72*a^3*b^9 + 36*a^4*b^8 + 288 \\
& *a^5*b^7 - 288*a^6*b^6 - 432*a^7*b^5 + 441*a^8*b^4 + 288*a^9*b^3 - 288*a^10 \\
& *b^2)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a \\
& ^6*b^7 - a^7*b^6) + (a*((24*(4*a*b^17 - 8*a^2*b^16 - 12*a^3*b^15 + 26*a^4*b \\
& ^14 + 14*a^5*b^13 - 32*a^6*b^12 - 8*a^7*b^11 + 18*a^8*b^10 + 2*a^9*b^9 - 4* \\
& a^10*b^8)))/(a*b^15 + b^16 - 3*a^2*b^14 - 3*a^3*b^13 + 3*a^4*b^12 + 3*a^5*b^ \\
& 11 - a^6*b^10 - a^7*b^9) - (a*\tan(c/2 + (d*x)/2)*(8*a*b^17 - 8*a^2*b^16 - 3 \\
& 2*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 48*a^6*b^12 - 32*a^7*b^11 + 32*a^8 \\
& *b^10 + 8*a^9*b^9 - 8*a^10*b^8)*24i)/(b^4*(a*b^12 + b^13 - 3*a^2*b^11 - 3*a \\
& ^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6))) *3i)/b^4))/b^4 + (3*a \\
& *((8*\tan(c/2 + (d*x)/2)*(72*a^12 - 72*a^11*b + 36*a^2*b^10 - 72*a^3*b^9 + 3 \\
& 6*a^4*b^8 + 288*a^5*b^7 - 288*a^6*b^6 - 432*a^7*b^5 + 441*a^8*b^4 + 288*a^9 \\
& *b^3 - 288*a^10*b^2))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 \\
& + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (a*((24*(4*a*b^17 - 8*a^2*b^16 - 12*a^3* \\
& b^15 + 26*a^4*b^14 + 14*a^5*b^13 - 32*a^6*b^12 - 8*a^7*b^11 + 18*a^8*b^10 + \\
& 2*a^9*b^9 - 4*a^10*b^8)))/(a*b^15 + b^16 - 3*a^2*b^14 - 3*a^3*b^13 + 3*a^4* \\
& b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) + (a*\tan(c/2 + (d*x)/2)*(8*a*b^17 - \\
& 8*a^2*b^16 - 32*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 48*a^6*b^12 - 32*a^ \\
& 7*b^11 + 32*a^8*b^10 + 8*a^9*b^9 - 8*a^10*b^8)*24i)/(b^4*(a*b^12 + b^13 - 3 \\
& *a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6))) *3i)/b \\
& ^4))/b^4)/((48*(36*a^12 - 18*a^11*b + 72*a^4*b^8 + 72*a^5*b^7 - 234*a^6*b^6 \\
& - 126*a^7*b^5 + 288*a^8*b^4 + 81*a^9*b^3 - 162*a^10*b^2))/(a*b^15 + b^16 - \\
& 3*a^2*b^14 - 3*a^3*b^13 + 3*a^4*b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) - \\
& (a*((8*\tan(c/2 + (d*x)/2)*(72*a^12 - 72*a^11*b + 36*a^2*b^10 - 72*a^3*b^9 + \\
& 36*a^4*b^8 + 288*a^5*b^7 - 288*a^6*b^6 - 432*a^7*b^5 + 441*a^8*b^4 + 288*a \\
& ^9*b^3 - 288*a^10*b^2))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^ \\
& 9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + (a*((24*(4*a*b^17 - 8*a^2*b^16 - 12*a^ \\
& 3*b^15 + 26*a^4*b^14 + 14*a^5*b^13 - 32*a^6*b^12 - 8*a^7*b^11 + 18*a^8*b^10 \\
& + 2*a^9*b^9 - 4*a^10*b^8)))/(a*b^15 + b^16 - 3*a^2*b^14 - 3*a^3*b^13 + 3*a^ \\
& 4*b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) - (a*\tan(c/2 + (d*x)/2)*(8*a*b^17 \\
& - 8*a^2*b^16 - 32*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 48*a^6*b^12 - 32* \\
& a^7*b^11 + 32*a^8*b^10 + 8*a^9*b^9 - 8*a^10*b^8)*24i)/(b^4*(a*b^12 + b^13 - \\
& 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6))) *3i) \\
& /b^4)*3i)/b^4 + (a*((8*\tan(c/2 + (d*x)/2)*(72*a^12 - 72*a^11*b + 36*a^2*b^1 \\
& 0 - 72*a^3*b^9 + 36*a^4*b^8 + 288*a^5*b^7 - 288*a^6*b^6 - 432*a^7*b^5 + 441 \\
& *a^8*b^4 + 288*a^9*b^3 - 288*a^10*b^2))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3 \\
& *b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (a*((24*(4*a*b^17 - 8* \\
& a^2*b^16 - 12*a^3*b^15 + 26*a^4*b^14 + 14*a^5*b^13 - 32*a^6*b^12 - 8*a^7*b^ \\
& 11 + 18*a^8*b^10 + 2*a^9*b^9 - 4*a^10*b^8)))/(a*b^15 + b^16 - 3*a^2*b^14 - 3 \\
& *a^3*b^13 + 3*a^4*b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) + (a*\tan(c/2 + (d \\
& *x)/2)*(8*a*b^17 - 8*a^2*b^16 - 32*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 4 \\
& 8*a^6*b^12 - 32*a^7*b^11 + 32*a^8*b^10 + 8*a^9*b^9 - 8*a^10*b^8)*24i)/(b^4* \\
& (a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 \\
& - a^7*b^6))) *3i)/b^4)*3i)/b^4))/b^4*d) - (a^2*atan(((a^2*(-(a + b)^5*(a - \\
& b)^5)^(1/2))*((8*\tan(c/2 + (d*x)/2)*(72*a^12 - 72*a^11*b + 36*a^2*b^10 - 72 \\
& *a^3*b^9 + 36*a^4*b^8 + 288*a^5*b^7 - 288*a^6*b^6 - 432*a^7*b^5 + 441*a^8*b \\
& ^4 + 288*a^9*b^3 - 288*a^10*b^2))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 \\
& + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + (3*a^2*((24*(4*a*b^17 - 8*a^ \\
& 2*b^16 - 12*a^3*b^15 + 26*a^4*b^14 + 14*a^5*b^13 - 32*a^6*b^12 - 8*a^7*b^11 \\
& + 18*a^8*b^10 + 2*a^9*b^9 - 4*a^10*b^8)))/(a*b^15 + b^16 - 3*a^2*b^14 - 3*a \\
& ^3*b^13 + 3*a^4*b^12 + 3*a^5*b^11 - a^6*b^10 - a^7*b^9) - (12*a^2*\tan(c/2 + \\
& (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(2*a^4 + 4*b^4 - 5*a^2*b^2)*(8*a*b^1 \\
& 7 - 8*a^2*b^16 - 32*a^3*b^15 + 32*a^4*b^14 + 48*a^5*b^13 - 48*a^6*b^12 - 32 \\
& *a^7*b^11 + 32*a^8*b^10 + 8*a^9*b^9 - 8*a^10*b^8)))/((b^14 - 5*a^2*b^12 + 10 \\
& *a^4*b^10 - 10*a^6*b^8 + 5*a^8*b^6 - a^10*b^4)*(a*b^12 + b^13 - 3*a^2*b^11
\end{aligned}$$

$$\begin{aligned}
& - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) * (2a^4 + 4b^4 - 5a^2b^2) * 3i) / \\
& (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) + \\
& (a^2 * (- (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + (d*x)/2) * (72a^{12} - 72a^{11}b + 36a^2b^{10} - 72a^3b^9 + 36a^4b^8 + 288a^5b^7 - 288a^6b^6 - 432a^7b^5 + 441a^8b^4 + 288a^9b^3 - 288a^{10}b^2)) / (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) - (3a^2 * ((24 * (4a * b^{17} - 8a^2b^{16} - 12a^3b^{15} + 26a^4b^{14} + 14a^5b^{13} - 32a^6b^{12} - 8a^7b^{11} + 18a^8b^{10} + 2a^9b^9 - 4a^{10}b^8)) / (a * b^{15} + b^{16} - 3a^2b^{14} - 3a^3b^{13} + 3a^4b^{12} + 3a^5b^{11} - a^6b^{10} - a^7b^9) + (12a^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2) * (8a * b^{17} - 8a^2b^{16} - 32a^3b^{15} + 32a^4b^{14} + 48a^5b^{13} - 48a^6b^{12} - 32a^7b^{11} + 32a^8b^{10} + 8a^9b^9 - 8a^{10}b^8)) / ((b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4) * (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6))) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) * (2a^4 + 4b^4 - 5a^2b^2) * 3i) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) / ((48 * (36a^{12} - 18a^{11}b + 72a^4b^8 + 72a^5b^7 - 234a^6b^6 - 126a^7b^5 + 288a^8b^4 + 81a^9b^3 - 162a^{10}b^2)) / (a * b^{15} + b^{16} - 3a^2b^{14} - 3a^3b^{13} + 3a^4b^{12} + 3a^5b^{11} - a^6b^{10} - a^7b^9) - (3a^2 * (- (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + (d*x)/2) * (72a^{12} - 72a^{11}b + 36a^2b^{10} - 72a^3b^9 + 36a^4b^8 + 288a^5b^7 - 288a^6b^6 - 432a^7b^5 + 441a^8b^4 + 288a^9b^3 - 288a^{10}b^2)) / (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (3a^2 * ((24 * (4a * b^{17} - 8a^2b^{16} - 12a^3b^{15} + 26a^4b^{14} + 14a^5b^{13} - 32a^6b^{12} - 8a^7b^{11} + 18a^8b^{10} + 2a^9b^9 - 4a^{10}b^8)) / (a * b^{15} + b^{16} - 3a^2b^{14} - 3a^3b^{13} + 3a^4b^{12} + 3a^5b^{11} - a^6b^{10} - a^7b^9) - (12a^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2) * (8a * b^{17} - 8a^2b^{16} - 32a^3b^{15} + 32a^4b^{14} + 48a^5b^{13} - 48a^6b^{12} - 32a^7b^{11} + 32a^8b^{10} + 8a^9b^9 - 8a^{10}b^8)) / ((b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4) * (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6))) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) + (3a^2 * (- (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + (d*x)/2) * (72a^{12} - 72a^{11}b + 36a^2b^{10} - 72a^3b^9 + 36a^4b^8 + 288a^5b^7 - 288a^6b^6 - 432a^7b^5 + 441a^8b^4 + 288a^9b^3 - 288a^{10}b^2)) / (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) - (3a^2 * ((24 * (4a * b^{17} - 8a^2b^{16} - 12a^3b^{15} + 26a^4b^{14} + 14a^5b^{13} - 32a^6b^{12} - 8a^7b^{11} + 18a^8b^{10} + 2a^9b^9 - 4a^{10}b^8)) / (a * b^{15} + b^{16} - 3a^2b^{14} - 3a^3b^{13} + 3a^4b^{12} + 3a^5b^{11} - a^6b^{10} - a^7b^9) + (12a^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2) * (8a * b^{17} - 8a^2b^{16} - 32a^3b^{15} + 32a^4b^{14} + 48a^5b^{13} - 48a^6b^{12} - 32a^7b^{11} + 32a^8b^{10} + 8a^9b^9 - 8a^{10}b^8)) / ((b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4) * (a * b^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6))) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) * (2a^4 + 4b^4 - 5a^2b^2)) / (2 * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 4b^4 - 5a^2b^2) * 3i) / (d * (b^{14} - 5a^2b^{12} + 10a^4b^{10} - 10a^6b^8 + 5a^8b^6 - a^{10}b^4))
\end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```



$$3.471 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=179

$$\frac{a^2(2a^2 - 5b^2) \sin(c+dx)}{2b^2d(a^2 - b^2)^2(a + b \cos(c+dx))} - \frac{a^2 \sin(c+dx) \cos(c+dx)}{2bd(a^2 - b^2)(a + b \cos(c+dx))^2} - \frac{a(2a^4 - 5a^2b^2 + 6b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out]  $x/b^3 - a*(2*a^4 - 5*a^2*b^2 + 6*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x + 1/2*c)/(a+b)^{(1/2)})/(a-b)^{(5/2)}/b^3/(a+b)^{(5/2)}/d - 1/2*a^2*\cos(d*x+c)*\sin(d*x+c)/b/(a^2 - b^2)/d/(a+b*\cos(d*x+c))^{-2} - 1/2*a^2*(2*a^2 - 5*b^2)*\sin(d*x+c)/b^2/(a^2 - b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.30, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2792, 3021, 2735, 2659, 205}

$$\frac{a(-5a^2b^2 + 2a^4 + 6b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(2a^2 - 5b^2) \sin(c+dx)}{2b^2d(a^2 - b^2)^2(a + b \cos(c+dx))} - \frac{a^2 \sin(c+dx) \cos(c+dx)}{2bd(a^2 - b^2)(a + b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^3/(a + b*Cos[c + d*x])^3, x]`

[Out]  $x/b^3 - (a*(2*a^4 - 5*a^2*b^2 + 6*b^4)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]/\text{Sqrt}[a + b]])/(a - b)^{(5/2)}*b^3*(a + b)^{(5/2)}*d - (a^2*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) - (a^2*(2*a^2 - 5*b^2)*\text{Sin}[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

#### Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

#### Rule 2659

`Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]`

#### Rule 2735

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]`

#### Rule 2792

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - 2*a*b*d), x], x]`

2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^3} dx = -\frac{a^2 \cos(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{\int \frac{a^2 - 2ab \cos(c + dx) - 2(a^2 - b^2) \cos^2(c + dx)}{(a + b \cos(c + dx))^2} dx}{2b(a^2 - b^2)}$$

$$= -\frac{a^2 \cos(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{a^2(2a^2 - 5b^2) \sin(c + dx)}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{\int \frac{ab(a^2 - b^2)}{(a + b \cos(c + dx))^2} dx}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{x}{b^3} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{a^2(2a^2 - 5b^2) \sin(c + dx)}{2b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} - \frac{(a(2a^4 - 5a^2b^2 + 6b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right))}{(a-b)^{5/2}b^3(a+b)^{5/2}d} - \frac{a^2 \cos(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))}$$

**Mathematica [A]** time = 1.12, size = 149, normalized size = 0.83

$$\frac{2a(2a^4 - 5a^2b^2 + 6b^4) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}} - \frac{a^2b \sin(c+dx)(2a^3 + 3b(a^2 - 2b^2) \cos(c+dx) - 5ab^2)}{(a-b)^2(a+b)^2(a+b \cos(c+dx))^2} + 2(c + dx)}{2b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^3,x]

[Out] (2\*(c + d\*x) + (2\*a\*(2\*a^4 - 5\*a^2\*b^2 + 6\*b^4)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - (a^2\*b\*(2\*a^3 - 5\*a\*b^2 + 3\*b\*(a^2 - 2\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2)/(2\*b^3\*d)

**fricas [B]** time = 1.09, size = 913, normalized size = 5.10

$$\left[ \frac{4(a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)dx \cos(dx + c)^2 + 8(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7)dx \cos(dx + c) + 4(a^8 - 3a^6b^2 - \dots)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [1/4\*(4\*(a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*d\*x\*cos(d\*x + c)^2 + 8\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*d\*x\*cos(d\*x + c) + 4\*(a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6)\*d\*x - (2\*a^7 - 5\*a^5\*b^2 + 6\*a^3\*b^4 + (2\*a^5\*b^2 - 5\*a^3\*b^4 + 6\*a\*b^6)\*cos(d\*x + c)^2 + 2\*(2\*a^6\*b - 5\*a^4\*b^3 + 6\*a^2\*b^5)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log(((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c))^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(2\*a^7\*b - 7\*a^5\*b^3 + 5\*a^3\*b^5 + 3\*(a^6\*b^2 - 3\*a^4\*b^4 + 2\*a^2\*b^6)\*cos(d\*x + c))\*sin(d\*x + c)/((a^6\*b^5 - 3\*a^4\*b^7 + 3\*a^2\*b^9 - b^11)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b^4 - 3\*a^5\*b^6 + 3\*a^3\*b^8 - a\*b^10)\*d\*cos(d\*x + c) + (a^8\*b^3 - 3\*a^6\*b^5 + 3\*a^4\*b^7 - a^2\*b^9)\*d), 1/2\*(2\*(a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*d\*x\*cos(d\*x + c)^2 + 4\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*d\*x\*cos(d\*x + c) + 2\*(a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6)\*d\*x - (2\*a^7 - 5\*a^5\*b^2 + 6\*a^3\*b^4 + (2\*a^5\*b^2 - 5\*a^3\*b^4 + 6\*a\*b^6)\*cos(d\*x + c)^2 + 2\*(2\*a^6\*b - 5\*a^4\*b^3 + 6\*a^2\*b^5)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (2\*a^7\*b - 7\*a^5\*b^3 + 5\*a^3\*b^5 + 3\*(a^6\*b^2 - 3\*a^4\*b^4 + 2\*a^2\*b^6)\*cos(d\*x + c))\*sin(d\*x + c)/((a^6\*b^5 - 3\*a^4\*b^7 + 3\*a^2\*b^9 - b^11)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b^4 - 3\*a^5\*b^6 + 3\*a^3\*b^8 - a\*b^10)\*d\*cos(d\*x + c) + (a^8\*b^3 - 3\*a^6\*b^5 + 3\*a^4\*b^7 - a^2\*b^9)\*d)]

**giac** [A] time = 1.04, size = 319, normalized size = 1.78

$$\frac{(2a^5 - 5a^3b^2 + 6ab^4) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4b^3 - 2a^2b^5 + b^7) \sqrt{a^2 - b^2}} - \frac{2a^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3a^4b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5a^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3a^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3ab^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - b^5 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] ((2\*a^5 - 5\*a^3\*b^2 + 6\*a\*b^4)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*sqrt(a^2 - b^2)) - (2\*a^5\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 5\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 6\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*a^5\*tan(1/2\*d\*x + 1/2\*c) + 3\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c) - 5\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) - 6\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c))/((a^4\*b^2 - 2\*a^2\*b^4 + b^6)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)^2 + (d\*x + c)/b^3)/d

**maple** [B] time = 0.06, size = 639, normalized size = 3.57

$$\frac{2a^4 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{db^2 \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a-b) (a^2 + 2ab + b^2)} + \frac{a^3}{db \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^3,x)

[Out] -2/d\*a^4/b^2/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3+1/d\*a^3/b/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3+6/d\*a^2/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)

```
*tan(1/2*d*x+1/2*c)^3-2/d*a^4/b^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)-1/d*a^3/b/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)+6/d*a^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)-2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-6/d*a*b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+2/d/b^3*arctan(tan(1/2*d*x+1/2*c))
```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?
```

**mupad** [B] time = 8.80, size = 5102, normalized size = 28.50

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^3/(a + b*cos(c + d*x))^3,x)
```

```
[Out] (2*atan(((((((8*(12*a*b^14 - 4*b^15 + 8*a^2*b^13 - 34*a^3*b^12 - 6*a^4*b^11 + 36*a^5*b^10 + 4*a^6*b^9 - 18*a^7*b^8 - 2*a^8*b^7 + 4*a^9*b^6)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (tan(c/2 + (d*x)/2)*(8*a*b^15 - 8*a^2*b^14 - 32*a^3*b^13 + 32*a^4*b^12 + 48*a^5*b^11 - 48*a^6*b^10 - 32*a^7*b^9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^10*b^6)*8i)/(b^3*(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 + (8*tan(c/2 + (d*x)/2)*(8*a^10 - 8*a^9*b - 8*a*b^9 + 4*b^10 + 24*a^2*b^8 + 32*a^3*b^7 - 52*a^4*b^6 - 48*a^5*b^5 + 57*a^6*b^4 + 32*a^7*b^3 - 32*a^8*b^2))/(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4))/b^3 - ((((((8*(12*a*b^14 - 4*b^15 + 8*a^2*b^13 - 34*a^3*b^12 - 6*a^4*b^11 + 36*a^5*b^10 + 4*a^6*b^9 - 18*a^7*b^8 - 2*a^8*b^7 + 4*a^9*b^6)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + (tan(c/2 + (d*x)/2)*(8*a*b^15 - 8*a^2*b^14 - 32*a^3*b^13 + 32*a^4*b^12 + 48*a^5*b^11 - 48*a^6*b^10 - 32*a^7*b^9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^10*b^6)*8i)/(b^3*(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 - (8*tan(c/2 + (d*x)/2)*(8*a^10 - 8*a^9*b - 8*a*b^9 + 4*b^10 + 24*a^2*b^8 + 32*a^3*b^7 - 52*a^4*b^6 - 48*a^5*b^5 + 57*a^6*b^4 + 32*a^7*b^3 - 32*a^8*b^2))/(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4))/b^3)/(((((((8*(12*a*b^14 - 4*b^15 + 8*a^2*b^13 - 34*a^3*b^12 - 6*a^4*b^11 + 36*a^5*b^10 + 4*a^6*b^9 - 18*a^7*b^8 - 2*a^8*b^7 + 4*a^9*b^6)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (tan(c/2 + (d*x)/2)*(8*a*b^15 - 8*a^2*b^14 - 32*a^3*b^13 + 32*a^4*b^12 + 48*a^5*b^11 - 48*a^6*b^10 - 32*a^7*b^9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^10*b^6)*8i)/(b^3*(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 + (8*tan(c/2 + (d*x)/2)*(8*a^10 - 8*a^9*b - 8*a*b^9 + 4*b^10 + 24*a^2*b^8 + 32*a^3*b^7 - 52*a^4*b^6 - 48*a^5*b^5 + 57*a^6*b^4 + 32*a^7*b^3 - 32*a^8*b^2))/(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4))/b^3 + ((((((8*(12*a*b^14 - 4*b^15 + 8*a^2*b^13 - 34*a^3*b^12 - 6*a^4*b^11 + 36*a^5*b^10 + 4*a^6*b^9 - 18*a^7*b^8 - 2*a^8*b^7 + 4*a^9*b^6)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) - (tan(c/2 + (d*x)/2)*(8*a*b^15 - 8*a^2*b^14 - 32*a^3*b^13 + 32*a^4*b^12 + 48*a^5*b^11 - 48*a^6*b^10 - 32*a^7*b^9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^10*b^6)*8i)/(b^3*(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 + (8*tan(c/2 + (d*x)/2)*(8*a^10 - 8*a^9*b - 8*a*b^9 + 4*b^10 + 24*a^2*b^8 + 32*a^3*b^7 - 52*a^4*b^6 - 48*a^5*b^5 + 57*a^6*b^4 + 32*a^7*b^3 - 32*a^8*b^2))/(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4))/b^3 + ((((((8*(12*a*b^14 - 4*b^15 + 8*a^2*b^13 - 34*a^3*b^12 - 6*a^4*b^11 + 36*a^5*b^10 + 4*a^6*b^9 - 18*a^7*b^8 - 2*a^8*b^7 + 4*a^9*b^6)))/(a*b^12 + b^13 - 3*a^2*b^11 - 3*a^3*b^10 + 3*a^4*b^9 + 3*a^5*b^8 - a^6*b^7 - a^7*b^6) + (tan(c/2 + (d*x)/2)*(8*a*b^15 - 8*a^2*b^14 - 32*a^3*b^13 + 32*a^4*b^12 + 48*a^5*b^11 - 48*a^6*b^10 - 32*a^7*b^9 + 32*a^8*b^8 + 8*a^9*b^7 - 8*a^10*b^6)*8i)/(b^3*(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4)))*1i)/b^3 - (8*tan(c/2 + (d*x)/2)*(8*a^10 - 8*a^9*b - 8*a*b^9 + 4*b^10 + 24*a^2*b^8 + 32*a^3*b^7 - 52*a^4*b^6 - 48*a^5*b^5 + 57*a^6*b^4 + 32*a^7*b^3 - 32*a^8*b^2))/(a*b^10 + b^11 - 3*a^2*b^9 - 3*a^3*b^8 + 3*a^4*b^7 + 3*a^5*b^6 - a^6*b^5 - a^7*b^4))/b^3)/b^3
```

$$\begin{aligned}
& (4a^6b^9 - 18a^7b^8 - 2a^8b^7 + 4a^9b^6)/(ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (\tan(c/2 + (dx)/2) * (8a^6b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6) * 8i) / (b^3 * (a * b^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 - (8 * \tan(c/2 + (dx)/2) * (8a^{10} - 8a^9b - 8a^8b^9 + 4b^{10} + 24a^2b^8 + 32a^3b^7 - 52a^4b^6 - 48a^5b^5 + 57a^6b^4 + 32a^7b^3 - 32a^8b^2)) / (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * 1i) / b^3 + (16 * (12a^8b^8 - 2a^8b^8 + 4a^9 + 24a^2b^7 - 34a^3b^6 - 26a^4b^5 + 36a^5b^4 + 13a^6b^3 - 18a^7b^2)) / (ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6)) / (b^3 * d) + ((\tan(c/2 + (dx)/2))^3 * (a^3b - 2a^4 + 6a^2b^2)) / ((ab^2 - b^3) * (a + b)^2) - (\tan(c/2 + (dx)/2) * (a^3b + 2a^4 - 6a^2b^2)) / ((a + b) * (b^4 - 2a^2b^3 + a^2b^2)) / (d * (2a^2b + \tan(c/2 + (dx)/2))^2 * (2a^2 - 2b^2) + \tan(c/2 + (dx)/2)^4 * (a^2 - 2ab + b^2) + a^2 + b^2)) + (a * \operatorname{atan}(((a * ((8 * \tan(c/2 + (dx)/2) * (8a^{10} - 8a^9b - 8a^8b^9 + 4b^{10} + 24a^2b^8 + 32a^3b^7 - 52a^4b^6 - 48a^5b^5 + 57a^6b^4 + 32a^7b^3 - 32a^8b^2)) / (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4) + (a * ((8 * (12a^8b^8 - 4b^{15} + 8a^2b^{13} - 34a^3b^{12} - 6a^4b^{11} + 36a^5b^{10} + 4a^6b^9 - 18a^7b^8 - 2a^8b^7 + 4a^9b^6)) / (ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) - (4a * \tan(c/2 + (dx)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) * (8a^6b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6)) / ((b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3) * (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2) * 1i) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3)) + (a * ((8 * \tan(c/2 + (dx)/2) * (8a^{10} - 8a^9b - 8a^8b^9 + 4b^{10} + 24a^2b^8 + 32a^3b^7 - 52a^4b^6 - 48a^5b^5 + 57a^6b^4 + 32a^7b^3 - 32a^8b^2)) / (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4) - (a * ((8 * (12a^8b^8 - 4b^{15} + 8a^2b^{13} - 34a^3b^{12} - 6a^4b^{11} + 36a^5b^{10} + 4a^6b^9 - 18a^7b^8 - 2a^8b^7 + 4a^9b^6)) / (ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (4a * \tan(c/2 + (dx)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) * (8a^6b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6)) / ((b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3) * (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2) * 1i) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) / ((16 * (12a^8b^8 - 2a^8b^8 + 4a^9 + 24a^2b^7 - 34a^3b^6 - 26a^4b^5 + 36a^5b^4 + 13a^6b^3 - 18a^7b^2)) / (ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (a * ((8 * \tan(c/2 + (dx)/2) * (8a^{10} - 8a^9b - 8a^8b^9 + 4b^{10} + 24a^2b^8 + 32a^3b^7 - 52a^4b^6 - 48a^5b^5 + 57a^6b^4 + 32a^7b^3 - 32a^8b^2)) / (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4) + (a * ((8 * (12a^8b^8 - 4b^{15} + 8a^2b^{13} - 34a^3b^{12} - 6a^4b^{11} + 36a^5b^{10} + 4a^6b^9 - 18a^7b^8 - 2a^8b^7 + 4a^9b^6)) / (ab^{12} + b^{13} - 3a^2b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) - (4a * \tan(c/2 + (dx)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) * (8a^6b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6)) / ((b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3) * (ab^{10} + b^{11} - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4)) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) * (-(a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 *
\end{aligned}$$

$$\begin{aligned}
& (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3)) * (- (a \\
& + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} \\
& + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3)) - (a * ((8 * \tan(c/2 + (d * x \\
& ) / 2) * (8a^{10} - 8a^9b - 8a^8b^2 + 4b^{10} + 24a^2b^8 + 32a^3b^7 - 52a^4 \\
& 4b^6 - 48a^5b^5 + 57a^6b^4 + 32a^7b^3 - 32a^8b^2)) / (a * b^{10} + b^{11} \\
& - 3a^2b^9 - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4) - (a * ( \\
& 8 * (12a * b^{14} - 4b^{15} + 8a^2b^{13} - 34a^3b^{12} - 6a^4b^{11} + 36a^5b^{10} \\
& 0 + 4a^6b^9 - 18a^7b^8 - 2a^8b^7 + 4a^9b^6)) / (a * b^{12} + b^{13} - 3a^2 \\
& * b^{11} - 3a^3b^{10} + 3a^4b^9 + 3a^5b^8 - a^6b^7 - a^7b^6) + (4a * \tan( \\
& c/2 + (d * x) / 2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2) * (8 * \\
& a * b^{15} - 8a^2b^{14} - 32a^3b^{13} + 32a^4b^{12} + 48a^5b^{11} - 48a^6b^{10} \\
& - 32a^7b^9 + 32a^8b^8 + 8a^9b^7 - 8a^{10}b^6)) / ((b^{13} - 5a^2b^{11} + \\
& 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10}b^3) * (a * b^{10} + b^{11} - 3a^2b^9 \\
& - 3a^3b^8 + 3a^4b^7 + 3a^5b^6 - a^6b^5 - a^7b^4))) * (- (a + b)^5 * (a \\
& - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 \\
& - 10a^6b^7 + 5a^8b^5 - a^{10}b^3))) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a \\
& ^4 + 6b^4 - 5a^2b^2)) / (2 * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + \\
& 5a^8b^5 - a^{10}b^3))) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (2a^4 + 6b^4 - 5a^ \\
& 2b^2) * i) / (d * (b^{13} - 5a^2b^{11} + 10a^4b^9 - 10a^6b^7 + 5a^8b^5 - a^{10} \\
& b^3))
\end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.472 \quad \int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=149

$$\frac{(a^2 + 2b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2 \sin(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} + \frac{a(a^2-4b^2) \sin(c+dx)}{2bd(a^2-b^2)^2(a+b \cos(c+dx))}$$

[Out] (a^2+2\*b^2)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(5/2)/(a+b)^(5/2)/d-1/2\*a^2\*sin(d\*x+c)/b/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^2+1/2\*a\*(a^2-4\*b^2)\*sin(d\*x+c)/b/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.17, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2790, 2754, 12, 2659, 205}

$$\frac{(a^2 + 2b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2 \sin(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} + \frac{a(a^2-4b^2) \sin(c+dx)}{2bd(a^2-b^2)^2(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((a^2 + 2\*b^2)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*(a + b)^(5/2)\*d) - (a^2\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (a\*(a^2 - 4\*b^2)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 2790

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^2, x_Symbol] :- Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e +
f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/
(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(2
*b*c*d - a*(c^2 + d^2)) + (a^2*d^2 - 2*a*b*c*d*(m + 2) + b^2*(d^2*(m + 1) +
c^2*(m + 2)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)}{(a + b \cos(c + dx))^3} dx &= -\frac{a^2 \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{2ab + (a^2 - 2b^2) \cos(c + dx)}{(a + b \cos(c + dx))^2} dx}{2b(a^2 - b^2)} \\ &= -\frac{a^2 \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2 - 4b^2) \sin(c + dx)}{2b(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{\int \frac{b(a^2 + 2b^2)}{a + b \cos(c + dx)} dx}{2b(a^2 - b^2)} \\ &= -\frac{a^2 \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2 - 4b^2) \sin(c + dx)}{2b(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(a^2 + 2b^2)}{2b(a^2 - b^2)} \int \frac{1}{a + b \cos(c + dx)} dx \\ &= -\frac{a^2 \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2 - 4b^2) \sin(c + dx)}{2b(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(a^2 + 2b^2)}{2b(a^2 - b^2)} \int \frac{1}{a + b \cos(c + dx)} dx \\ &= \frac{(a^2 + 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} - \frac{a^2 \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2 + 2b^2)}{2b(a^2 - b^2)} \int \frac{1}{a + b \cos(c + dx)} dx \end{aligned}$$

**Mathematica [A]** time = 0.55, size = 115, normalized size = 0.77

$$\frac{\frac{a \sin(c + dx) \left( (a^2 - 4b^2) \cos(c + dx) - 3ab \right)}{(a-b)^2 (a+b)^2 (a + b \cos(c + dx))^2} - \frac{2(a^2 + 2b^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((-2\*(a^2 + 2\*b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (a\*(-3\*a\*b + (a^2 - 4\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2)/(2\*d)

**fricas [A]** time = 0.82, size = 587, normalized size = 3.94

$$\left[ \frac{(a^4 + 2a^2b^2 + (a^2b^2 + 2b^4) \cos(dx + c)^2 + 2(a^3b + 2ab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx + c) + (2a^2 - b^2) \cos(dx + c)}{b^2}\right)}{4((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3) \cos(dx + c) + (a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*((a^4 + 2\*a^2\*b^2 + (a^2\*b^2 + 2\*b^4)\*cos(d\*x + c)^2 + 2\*(a^3\*b + 2\*a\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)



) $\cos(dx + c)^2 + 2\sqrt{-a^2 + b^2}(a\cos(dx + c) + b)\sin(dx + c) - a^2 + 2b^2)/(b^2\cos(dx + c)^2 + 2ab\cos(dx + c) + a^2) + 2(3a^4b - 3a^2b^3 - (a^5 - 5a^3b^2 + 4ab^4)\cos(dx + c))\sin(dx + c)/((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)d\cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7)d\cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6)d)$ ,  $1/2((a^4 + 2a^2b^2 + (a^2b^2 + 2b^4)\cos(dx + c)^2 + 2(a^3b + 2ab^3)\cos(dx + c))\sqrt{a^2 - b^2}\arctan(-(a\cos(dx + c) + b)/(\sqrt{a^2 - b^2}\sin(dx + c))) - (3a^4b - 3a^2b^3 - (a^5 - 5a^3b^2 + 4ab^4)\cos(dx + c))\sin(dx + c))/((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)d\cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7)d\cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6)d)$

**giac [A]** time = 0.74, size = 250, normalized size = 1.68

$$\frac{\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right)\right)(a^2 + 2b^2)}{(a^4 - 2a^2b^2 + b^4)\sqrt{a^2 - b^2}} + \frac{a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 3a^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{(a^4 - 2a^2b^2 + b^4)\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}$$


---

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2/(a+b\*cos(dx+c))^3,x, algorithm="giac")

[Out]  $-\left(\pi\left\lfloor\frac{1}{2}(dx + c)\right\rfloor/\pi + \frac{1}{2}\right)\operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)(a^2 + 2b^2)/((a^4 - 2a^2b^2 + b^4)\sqrt{a^2 - b^2}) + (a^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3a^2b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 4ab^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - a^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3a^2b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 4ab^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))/((a^4 - 2a^2b^2 + b^4)(a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^2)/d$

**maple [B]** time = 0.05, size = 400, normalized size = 2.68

$$\frac{a^2 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a - b) (a^2 + 2ab + b^2)} - \frac{4a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a - b) (a^2 + 2ab + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(dx+c)^2/(a+b\*cos(dx+c))^3,x)

[Out]  $-1/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2 - \tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3 - 4/d/(a*\tan(1/2*d*x+1/2*c)^2 - \tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b + 1/d*a^2/(a*\tan(1/2*d*x+1/2*c)^2 - \tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c) - 4/d/(a*\tan(1/2*d*x+1/2*c)^2 - \tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*b + 1/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2)) + 2/d/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*b^2$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2/(a+b\*cos(dx+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 2.99, size = 203, normalized size = 1.36

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(2a-2b)(a^2-2ab+b^2)}{2\sqrt{a+b}(a-b)^{5/2}}\right)(a^2+2b^2)}{d(a+b)^{5/2}(a-b)^{5/2}} - \frac{\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3(a^2+4ba)}{(a+b)^2(a-b)} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(4ab-a^2)}{(a+b)(a^2-2ab+b^2)}}{d\left(2ab + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2(2a^2 - 2b^2) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4(a^2 - 2ab + b^2)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2/(a + b*cos(c + d*x))^3,x)`

[Out] `(atan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(a - b)^(5/2)))*(a^2 + 2*b^2))/(d*(a + b)^(5/2)*(a - b)^(5/2)) - ((tan(c/2 + (d*x)/2)^3*(4*a*b + a^2))/((a + b)^2*(a - b)) + (tan(c/2 + (d*x)/2)*(4*a*b - a^2))/((a + b)*(a^2 - 2*a*b + b^2)))/(d*(2*a*b + tan(c/2 + (d*x)/2)^2*(2*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2))`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2/(a+b*cos(d*x+c))**3,x)`

[Out] Timed out

$$3.473 \quad \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=134

$$\frac{(a^2 + 2b^2) \sin(c + dx)}{2d(a^2 - b^2)^2 (a + b \cos(c + dx))} + \frac{a \sin(c + dx)}{2d(a^2 - b^2) (a + b \cos(c + dx))^2} - \frac{3ab \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out]  $-3*a*b*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(5/2)/(a+b)^{(5/2)/d+1/2*a*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/2*(a^2+2*b^2)*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))}$

**Rubi [A]** time = 0.12, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2754, 12, 2659, 205}

$$\frac{(a^2 + 2b^2) \sin(c + dx)}{2d(a^2 - b^2)^2 (a + b \cos(c + dx))} + \frac{a \sin(c + dx)}{2d(a^2 - b^2) (a + b \cos(c + dx))^2} - \frac{3ab \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $(-3*a*b*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/(\text{Sqrt}[a + b])]/((a - b)^{(5/2)*(a + b)^{(5/2)*d} + (a*\text{Sin}[c + d*x])/(2*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2} + ((a^2 + 2*b^2)*\text{Sin}[c + d*x])/(2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x]))$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+b\cos(c+dx))^3} dx &= \frac{a\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{2b-a\cos(c+dx)}{(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{a\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+2b^2)\sin(c+dx)}{2(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int -\frac{3ab}{a+b\cos(c+dx)}}{2(a^2-b^2)} \\
&= \frac{a\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+2b^2)\sin(c+dx)}{2(a^2-b^2)^2d(a+b\cos(c+dx))} - \frac{(3ab)\int \frac{1}{a+b\cos(c+dx)}}{2(a^2-b^2)} \\
&= \frac{a\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+2b^2)\sin(c+dx)}{2(a^2-b^2)^2d(a+b\cos(c+dx))} - \frac{(3ab)\text{Subst}\left(\int \frac{1}{a+b\cos(c+dx)}\right)}{2(a^2-b^2)} \\
&= -\frac{3ab \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} + \frac{a\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+2b^2)}{2(a^2-b^2)^2d(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.38, size = 115, normalized size = 0.86

$$\frac{\frac{\sin(c+dx)(b(a^2+2b^2)\cos(c+dx)+a(2a^2+b^2))}{(a+b\cos(c+dx))^2} + \frac{6ab \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}}}{2d(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((6\*a\*b\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + ((a\*(2\*a^2 + b^2) + b\*(a^2 + 2\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/(a + b\*Cos[c + d\*x])^2/(2\*(a - b)^2\*(a + b)^2\*d)

**fricas [B]** time = 0.86, size = 555, normalized size = 4.14

$$\left[ \frac{3(ab^3 \cos(dx+c)^2 + 2a^2b^2 \cos(dx+c) + a^3b)\sqrt{-a^2+b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2-b^2)\cos(dx+c)^2 - 2\sqrt{-a^2+b^2}(a \cos(dx+c) + b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2)}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{4((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)d \cos(dx+c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - a^2b^7)d \cos(dx+c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6)d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*(3\*(a\*b^3\*cos(d\*x + c)^2 + 2\*a^2\*b^2\*cos(d\*x + c) + a^3\*b)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(2\*a^5 - a^3\*b^2 - a\*b^4 + (a^4\*b + a^2\*b^3 - 2\*b^5)\*cos(d\*x + c))\*sin(d\*x + c))/((a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*d\*cos(d\*x + c) + (a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6)\*d), -1/2\*(3\*(a\*b^3\*cos(d\*x + c)^2 + 2\*a^2\*b^2\*cos(d\*x + c) + a^3\*b)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (2\*a^5 - a^3\*b^2 - a\*b^4 + (a^4\*b + a^2\*b^3 - 2\*b^5)\*cos(d\*x + c))\*sin(d\*x + c))/((a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*d\*cos(d\*x + c) + (a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6)\*d)]

**giac [B]** time = 0.63, size = 271, normalized size = 2.02

$$\frac{3 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) ab}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2a^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - a^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2b^3}{(a^4 - 2a^2b^2 + b^4)}$$


---


$$d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] (3\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*a\*b/((a^4 - 2\*a^2\*b^2 + b^4)\*sqrt(a^2 - b^2)) + (2\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*a^3\*tan(1/2\*d\*x + 1/2\*c) + a^2\*b\*tan(1/2\*d\*x + 1/2\*c) + a\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 2\*b^3\*tan(1/2\*d\*x + 1/2\*c))/((a^4 - 2\*a^2\*b^2 + b^4)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)^2))/d

**maple [B]** time = 0.05, size = 475, normalized size = 3.54

$$\frac{2a^2 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a-b)(a^2 + 2ab + b^2)} + \frac{a \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a-b)(a^2 + 2ab + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c))^3,x)

[Out] 2/d\*a^2/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3+1/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*a/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*b+2/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*b^2+2/d\*a^2/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a+b)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)-1/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*a/(a+b)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)\*b+2/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a+b)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)\*b^2-3/d\*a\*b/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arc tan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 3.15, size = 207, normalized size = 1.54

$$\frac{\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (2a^2 + ab + 2b^2)}{(a+b)^2 (a-b)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a^2 - ab + 2b^2)}{(a+b) (a^2 - 2ab + b^2)}}{d \left( 2ab + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (2a^2 - 2b^2) + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (a^2 - 2ab + b^2) + a^2 + b^2 \right)} - \frac{3ab \operatorname{atan}\left(\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a^2 - 2b^2)}{2\sqrt{a+b}}\right)}{d (a+b)^{5/2} (a-b)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)/(a + b*cos(c + d*x))^3,x)
```

```
[Out] ((tan(c/2 + (d*x)/2)^3*(a*b + 2*a^2 + 2*b^2))/((a + b)^2*(a - b)) + (tan(c/2 + (d*x)/2)*(2*a^2 - a*b + 2*b^2))/((a + b)*(a^2 - 2*a*b + b^2)))/(d*(2*a*b + tan(c/2 + (d*x)/2)^2*(2*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2)) - (3*a*b*atan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(a - b)^(5/2))))/(d*(a + b)^(5/2)*(a - b)^(5/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.474 \quad \int \frac{1}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=133

$$\frac{(2a^2 + b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{3ab \sin(c+dx)}{2d(a^2 - b^2)^2 (a+b \cos(c+dx))} - \frac{b \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))^2}$$

[Out] (2\*a^2+b^2)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(5/2)/(a+b)^(5/2)/d-1/2\*b\*sin(d\*x+c)/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^2-3/2\*a\*b\*sin(d\*x+c)/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.11, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2664, 2754, 12, 2659, 205}

$$\frac{(2a^2 + b^2) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{3ab \sin(c+dx)}{2d(a^2 - b^2)^2 (a+b \cos(c+dx))} - \frac{b \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-3), x]

[Out] ((2\*a^2 + b^2)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/((a - b)^(5/2)\*(a + b)^(5/2)\*d) - (b\*Sin[c + d\*x])/(2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) - (3\*a\*b\*Sin[c + d\*x])/(2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 2664

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), I

nt[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))^3} dx &= -\frac{b \sin(c + dx)}{2(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{\int \frac{-2a + b \cos(c + dx)}{(a + b \cos(c + dx))^2} dx}{2(a^2 - b^2)} \\ &= -\frac{b \sin(c + dx)}{2(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{3ab \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{\int \frac{2a^2 + b^2}{a + b \cos(c + dx)} dx}{2(a^2 - b^2)} \\ &= -\frac{b \sin(c + dx)}{2(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{3ab \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(2a^2 + b^2) \int \frac{1}{a + b \cos(c + dx)} dx}{2(a^2 - b^2)} \\ &= -\frac{b \sin(c + dx)}{2(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{3ab \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \frac{(2a^2 + b^2) \operatorname{Sinc}\left(\frac{c + dx}{2}\right)}{2(a^2 - b^2)} \\ &= \frac{(2a^2 + b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{5/2}(a + b)^{5/2}d} - \frac{b \sin(c + dx)}{2(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{3ab \sin(c + dx)}{2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.40, size = 113, normalized size = 0.85

$$\frac{\frac{b \sin(c + dx)(-4a^2 - 3ab \cos(c + dx) + b^2)}{(a - b)^2(a + b)^2(a + b \cos(c + dx))^2} - \frac{2(2a^2 + b^2) \tanh^{-1}\left(\frac{(a - b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-3), x]

[Out] ((-2\*(2\*a^2 + b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (b\*(-4\*a^2 + b^2 - 3\*a\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2)/(2\*d)

**fricas [B]** time = 0.79, size = 585, normalized size = 4.40

$$\left[ \frac{(2a^4 + a^2b^2 + (2a^2b^2 + b^4) \cos(dx + c)^2 + 2(2a^3b + ab^3) \cos(dx + c)) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx + c) + (2a^2 - b^2) \cos(dx + c)}{b^2}\right) - 4((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8)d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + \dots))}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*((2\*a^4 + a^2\*b^2 + (2\*a^2\*b^2 + b^4)\*cos(d\*x + c)^2 + 2\*(2\*a^3\*b + a\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + 2\*(4\*a^4\*b - 5\*a^2\*b^3 + b^5 + 3\*(a^3\*b^2 - a\*b^4)\*cos(d\*x + c))\*sin(d\*x + c)]/((a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*d\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + \dots))



$3a^3b^5 - ab^7) * d * \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) * d$ ,  $1/2 * ((2a^4 + a^2b^2 + (2a^2b^2 + b^4) * \cos(dx + c))^2 + 2 * (2a^3b + ab^3) * \cos(dx + c)) * \sqrt{a^2 - b^2} * \arctan(-(a * \cos(dx + c) + b) / (\sqrt{a^2 - b^2} * \sin(dx + c))) - (4a^4b - 5a^2b^3 + b^5 + 3(a^3b^2 - ab^4) * \cos(dx + c)) * \sin(dx + c)) / ((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) * d * \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) * d * \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) * d)]$

**giac [B]** time = 0.54, size = 251, normalized size = 1.89

$$\frac{\left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) (2a^2 + b^2)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{4a^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3ab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{(a^4 - 2a^2b^2 + b^4) \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}$$

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $-\left( \pi \left\lfloor \frac{1}{2} (dx + c) / \pi + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) * (2a^2 + b^2) / ((a^4 - 2a^2b^2 + b^4) * \sqrt{a^2 - b^2}) + (4a^2b * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3ab^2 * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - b^3 * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 4a^2b * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 3ab^2 * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b^3 * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)) / ((a^4 - 2a^2b^2 + b^4) * (a * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b)^2) / d$

**maple [B]** time = 0.05, size = 400, normalized size = 3.01

$$\frac{4a \left( \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b}{d \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)^2 (a-b) (a^2 + 2ab + b^2)} - \frac{\left( \tan^3\left(\frac{dx}{2} + \frac{c}{2}\right) \right)}{d \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + a + b \right)^2 (a-b) (a^2 + 2ab + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^3,x)

[Out]  $-4/d / (a * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 * b + a + b)^2 * a / (a - b) / (a^2 + 2ab + b^2) * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 * b - 1/d / (a * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 * b + a + b)^2 / (a - b) / (a^2 + 2ab + b^2) * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 * b^2 - 4/d / (a * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 * b + a + b)^2 * a / (a + b) / (a^2 - 2ab + b^2) * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) * b + 1/d / (a * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 * b + a + b)^2 / (a + b) / (a^2 - 2ab + b^2) * \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) * b^2 + 2/d * a^2 / (a^4 - 2a^2b^2 + b^4) / ((a - b) * (a + b))^{1/2} * \arctan\left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) * (a - b) / ((a - b) * (a + b))^{1/2} \right) + 1/d / (a^4 - 2a^2b^2 + b^4) / ((a - b) * (a + b))^{1/2} * \arctan\left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) * (a - b) / ((a - b) * (a + b))^{1/2} \right) * b^2$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 2.88, size = 203, normalized size = 1.53

$$\frac{\operatorname{atan}\left(\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(2a-2b)(a^2-2ab+b^2)}{2\sqrt{a+b}(a-b)^{5/2}}\right)(2a^2+b^2)}{d(a+b)^{5/2}(a-b)^{5/2}} - \frac{\frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)^3(b^2+4ab)}{(a+b)^2(a-b)} + \frac{\tan\left(\frac{c}{2}+\frac{dx}{2}\right)(4ab-b^2)}{(a+b)(a^2-2ab+b^2)}}{d\left(2ab + \tan\left(\frac{c}{2}+\frac{dx}{2}\right)^2(2a^2-2b^2) + \tan\left(\frac{c}{2}+\frac{dx}{2}\right)^4(a^2-2ab+b^2)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*cos(c + d*x))^3,x)`

[Out] `(atan((tan(c/2 + (d*x)/2)*(2*a - 2*b)*(a^2 - 2*a*b + b^2))/(2*(a + b)^(1/2)*(a - b)^(5/2)))*(2*a^2 + b^2))/(d*(a + b)^(5/2)*(a - b)^(5/2)) - ((tan(c/2 + (d*x)/2)^3*(4*a*b + b^2))/((a + b)^2*(a - b)) + (tan(c/2 + (d*x)/2)*(4*a*b - b^2))/((a + b)*(a^2 - 2*a*b + b^2)))/(d*(2*a*b + tan(c/2 + (d*x)/2)^2*(2*a^2 - 2*b^2) + tan(c/2 + (d*x)/2)^4*(a^2 - 2*a*b + b^2) + a^2 + b^2))`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))**3,x)`

[Out] Timed out

$$3.475 \quad \int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=182

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^3 d} + \frac{b^2(5a^2 - 2b^2) \sin(c+dx)}{2a^2 d (a^2 - b^2)^2 (a+b \cos(c+dx))} + \frac{b^2 \sin(c+dx)}{2ad (a^2 - b^2) (a+b \cos(c+dx))^2} - \frac{b(6a^4 - 5a^2 b^2 + 2b^4)}{a^3 d}$$

[Out]  $-b*(6*a^4-5*a^2*b^2+2*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^3/(a-b)^{(5/2)}/(a+b)^{(5/2)}/d+\operatorname{arctanh}(\sin(d*x+c))/a^3/d+1/2*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/2*b^2*(5*a^2-2*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.46, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{b(-5a^2b^2 + 6a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{b^2(5a^2 - 2b^2) \sin(c+dx)}{2a^2 d (a^2 - b^2)^2 (a+b \cos(c+dx))} + \frac{b^2 \sin(c+dx)}{2ad (a^2 - b^2) (a+b \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^3, x]

[Out]  $-((b*(6*a^4 - 5*a^2*b^2 + 2*b^4)*\operatorname{ArcTan}[\operatorname{Sqrt}[a-b]*\tan[(c+d*x)/2]]/\operatorname{Sqrt}[a+b]))/(a^3*(a-b)^{(5/2)}*(a+b)^{(5/2)*d}) + \operatorname{ArcTanh}[\sin[c+d*x]]/(a^3*d) + (b^2*\sin[c+d*x])/(2*a*(a^2-b^2)*d*(a+b*\cos[c+d*x])^2) + (b^2*(5*a^2-2*b^2)*\sin[c+d*x])/(2*a^2*(a^2-b^2)^2*d*(a+b*\cos[c+d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^3} dx &= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{\int \frac{(2(a^2-b^2)-2ab\cos(c+dx)+b^2\cos^2(c+dx))\sec(c+dx)}{(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\ &= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{b^2(5a^2-2b^2)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \frac{2(a^2-b^2)}{(a+b\cos(c+dx))^2} dx}{a^3} \\ &= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{b^2(5a^2-2b^2)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \sec(c+dx)}{a^3} \\ &= \frac{\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{b^2(5a^2-2b^2)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= -\frac{b(6a^4-5a^2b^2+2b^4)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d} + \frac{\tanh^{-1}(\sin(c+dx))}{a^3d} + \frac{b^2(5a^2-2b^2)\sin(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 1.14, size = 192, normalized size = 1.05

$$\frac{2b(6a^4-5a^2b^2+2b^4)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{ab^2\sin(c+dx)(6a^3+b(5a^2-2b^2)\cos(c+dx)-3ab^2)}{(a-b)^2(a+b)^2(a+b\cos(c+dx))^2} - 2\log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{2a^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((2\*b\*(6\*a^4 - 5\*a^2\*b^2 + 2\*b^4)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - 2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a\*b^2\*(6\*a^3 - 3\*a\*b^2 + b\*(5\*a^2 - 2\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2)/(2\*a^3\*d)

**fricas** [B] time = 2.76, size = 1142, normalized size = 6.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*((6\*a^6\*b - 5\*a^4\*b^3 + 2\*a^2\*b^5 + (6\*a^4\*b^3 - 5\*a^2\*b^5 + 2\*b^7)\*cos(d\*x + c)^2 + 2\*(6\*a^5\*b^2 - 5\*a^3\*b^4 + 2\*a\*b^6)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6 + (a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + 2\*(a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6 + (a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(6\*a^6\*b^2 - 9\*a^4\*b^4 + 3\*a^2\*b^6 + (5\*a^5\*b^3 - 7\*a^3\*b^5 + 2\*a\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^9\*b^2 - 3\*a^7\*b^4 + 3\*a^5\*b^6 - a^3\*b^8)\*d\*cos(d\*x + c)^2 + 2\*(a^10\*b - 3\*a^8\*b^3 + 3\*a^6\*b^5 - a^4\*b^7)\*d\*cos(d\*x + c) + (a^11 - 3\*a^9\*b^2 + 3\*a^7\*b^4 - a^5\*b^6)\*d), -1/2\*((6\*a^6\*b - 5\*a^4\*b^3 + 2\*a^2\*b^5 + (6\*a^4\*b^3 - 5\*a^2\*b^5 + 2\*b^7)\*cos(d\*x + c)^2 + 2\*(6\*a^5\*b^2 - 5\*a^3\*b^4 + 2\*a\*b^6)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6 + (a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + (a^8 - 3\*a^6\*b^2 + 3\*a^4\*b^4 - a^2\*b^6 + (a^6\*b^2 - 3\*a^4\*b^4 + 3\*a^2\*b^6 - b^8)\*cos(d\*x + c)^2 + 2\*(a^7\*b - 3\*a^5\*b^3 + 3\*a^3\*b^5 - a\*b^7)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - (6\*a^6\*b^2 - 9\*a^4\*b^4 + 3\*a^2\*b^6 + (5\*a^5\*b^3 - 7\*a^3\*b^5 + 2\*a\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^9\*b^2 - 3\*a^7\*b^4 + 3\*a^5\*b^6 - a^3\*b^8)\*d\*cos(d\*x + c)^2 + 2\*(a^10\*b - 3\*a^8\*b^3 + 3\*a^6\*b^5 - a^4\*b^7)\*d\*cos(d\*x + c) + (a^11 - 3\*a^9\*b^2 + 3\*a^7\*b^4 - a^5\*b^6)\*d)]

**giac** [B] time = 1.27, size = 344, normalized size = 1.89

$$\frac{(6a^4b - 5a^2b^3 + 2b^5) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{a^2 - b^2}} + \frac{6a^3b^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 5a^2b^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3ab^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] ((6\*a^4\*b - 5\*a^2\*b^3 + 2\*b^5)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*sqrt(a^2 - b^2)) + (6\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 5\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*b^5\*tan(1/2\*d\*x + 1/2\*c)^3 + 6\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 5\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c) - 3\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c) - 2\*b^5\*tan(1/2\*d\*x + 1/2\*c))/((a^6 - 2\*a^4\*b^2 + a^2\*b^4)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b



$$\begin{aligned}
&^4 - 34a^{12}b^3 + 8a^{13}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (8\tan(c/2 + (d*x)/2) * (8a^{15}b - 8a^6b^{10} + 8a^7b^9 + 32a^8b^8 - 32a^9b^7 - 48a^{10}b^6 + 48a^{11}b^5 + 32a^{12}b^4 - 32a^{13}b^3 - 8a^{14}b^2)) / (a^3 * (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2))) / a^3 + (8\tan(c/2 + (d*x)/2) * (4a^{10} - 8a^9b - 8a^8b^9 + 8b^{10} - 32a^2b^8 + 32a^3b^7 + 57a^4b^6 - 48a^5b^5 - 52a^6b^4 + 32a^7b^3 + 24a^8b^2)) / (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2)) * i) / a^3 / (((8 * (12a^{14}b - 4a^{15} + 4a^6b^9 - 2a^7b^8 - 18a^8b^7 + 4a^9b^6 + 36a^{10}b^5 - 6a^{11}b^4 - 34a^{12}b^3 + 8a^{13}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) - (8 * \tan(c/2 + (d*x)/2) * (8a^{15}b - 8a^6b^{10} + 8a^7b^9 + 32a^8b^8 - 32a^9b^7 - 48a^{10}b^6 + 48a^{11}b^5 + 32a^{12}b^4 - 32a^{13}b^3 - 8a^{14}b^2)) / (a^3 * (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2))) / a^3 - (8 * \tan(c/2 + (d*x)/2) * (4a^{10} - 8a^9b - 8a^8b^9 + 8b^{10} - 32a^2b^8 + 32a^3b^7 + 57a^4b^6 - 48a^5b^5 - 52a^6b^4 + 32a^7b^3 + 24a^8b^2)) / (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2)) / a^3 + (((8 * (12a^{14}b - 4a^{15} + 4a^6b^9 - 2a^7b^8 - 18a^8b^7 + 4a^9b^6 + 36a^{10}b^5 - 6a^{11}b^4 - 34a^{12}b^3 + 8a^{13}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (8 * \tan(c/2 + (d*x)/2) * (8a^{15}b - 8a^6b^{10} + 8a^7b^9 + 32a^8b^8 - 32a^9b^7 - 48a^{10}b^6 + 48a^{11}b^5 + 32a^{12}b^4 - 32a^{13}b^3 - 8a^{14}b^2)) / (a^3 * (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2))) / a^3 + (8 * \tan(c/2 + (d*x)/2) * (4a^{10} - 8a^9b - 8a^8b^9 + 8b^{10} - 32a^2b^8 + 32a^3b^7 + 57a^4b^6 - 48a^5b^5 - 52a^6b^4 + 32a^7b^3 + 24a^8b^2)) / (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2)) / a^3 - (16 * (12a^8b - 2a^8b^8 + 4b^9 - 18a^2b^7 + 13a^3b^6 + 36a^4b^5 - 26a^5b^4 - 34a^6b^3 + 24a^7b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2)) * 2i) / (a^3 * d) - ((\tan(c/2 + (d*x)/2)^3 * (a^3b^3 - 2b^4 + 6a^2b^2)) / ((a^2b - a^3) * (a + b)^2) + (\tan(c/2 + (d*x)/2) * (a^3b^3 + 2b^4 - 6a^2b^2)) / ((a + b) * (a^4 - 2a^3b + a^2b^2))) / (d * (2a^2b + \tan(c/2 + (d*x)/2)^2 * (2a^2 - 2b^2) + \tan(c/2 + (d*x)/2)^4 * (a^2 - 2a^2b + b^2) + a^2 + b^2)) - (b * \operatorname{atan}(((b * ((8 * \tan(c/2 + (d*x)/2) * (4a^{10} - 8a^9b - 8a^8b^9 + 8b^{10} - 32a^2b^8 + 32a^3b^7 + 57a^4b^6 - 48a^5b^5 - 52a^6b^4 + 32a^7b^3 + 24a^8b^2)) / (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2) - (b * ((8 * (12a^{14}b - 4a^{15} + 4a^6b^9 - 2a^7b^8 - 18a^8b^7 + 4a^9b^6 + 36a^{10}b^5 - 6a^{11}b^4 - 34a^{12}b^3 + 8a^{13}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) - (4b * \tan(c/2 + (d*x)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2) * (6a^4 + 2b^4 - 5a^2b^2) * (8a^{15}b - 8a^6b^{10} + 8a^7b^9 + 32a^8b^8 - 32a^9b^7 - 48a^{10}b^6 + 48a^{11}b^5 + 32a^{12}b^4 - 32a^{13}b^3 - 8a^{14}b^2)) / ((a^{13} - a^3b^{10} + 5a^5b^8 - 10a^7b^6 + 10a^9b^4 - 5a^{11}b^2) * (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2))) * (-(a + b)^5 * (a - b)^5)^{(1/2) * (6a^4 + 2b^4 - 5a^2b^2)) / (2 * (a^{13} - a^3b^{10} + 5a^5b^8 - 10a^7b^6 + 10a^9b^4 - 5a^{11}b^2))) * (-(a + b)^5 * (a - b)^5)^{(1/2) * (6a^4 + 2b^4 - 5a^2b^2) * i) / (2 * (a^{13} - a^3b^{10} + 5a^5b^8 - 10a^7b^6 + 10a^9b^4 - 5a^{11}b^2)) + (b * ((8 * \tan(c/2 + (d*x)/2) * (4a^{10} - 8a^9b - 8a^8b^9 + 8b^{10} - 32a^2b^8 + 32a^3b^7 + 57a^4b^6 - 48a^5b^5 - 52a^6b^4 + 32a^7b^3 + 24a^8b^2)) / (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2) + (b * ((8 * (12a^{14}b - 4a^{15} + 4a^6b^9 - 2a^7b^8 - 18a^8b^7 + 4a^9b^6 + 36a^{10}b^5 - 6a^{11}b^4 - 34a^{12}b^3 + 8a^{13}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (4b * \tan(c/2 + (d*x)/2) * (-(a + b)^5 * (a - b)^5)^{(1/2) * (6a^4 + 2b^4 - 5a^2b^2) * (8a^{15}b - 8a^6b^{10} + 8a^7b^9 + 32a^8b^8 - 32a^9b^7 - 48a^{10}b^6 + 48a^{11}b^5 + 32a^{12}b^4 - 32a^{13}b^3 - 8a^{14}b^2)) / ((a^{13} - a^3b^{10} + 5a^5b^8 - 10a^7b^6 + 10a^9b^4 - 5a^{11}b^2) * (a^{10}b + a^{11} - a^4b^7 - a^5b^6 + 3a^6b^5 + 3a^7b^4 - 3a^8b^3 - 3a^9b^2))))) / a^3
\end{aligned}$$

```

*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6
*a^4 + 2*b^4 - 5*a^2*b^2))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 1
0*a^9*b^4 - 5*a^11*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a
^2*b^2)*1i)/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a
^11*b^2)))/((16*(12*a^8*b - 2*a*b^8 + 4*b^9 - 18*a^2*b^7 + 13*a^3*b^6 + 36*
a^4*b^5 - 26*a^5*b^4 - 34*a^6*b^3 + 24*a^7*b^2))/(a^12*b + a^13 - a^6*b^7 -
a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) + (b*((8*tan(c/
2 + (d*x)/2)*(4*a^10 - 8*a^9*b - 8*a*b^9 + 8*b^10 - 32*a^2*b^8 + 32*a^3*b^7
+ 57*a^4*b^6 - 48*a^5*b^5 - 52*a^6*b^4 + 32*a^7*b^3 + 24*a^8*b^2))/(a^10*b
+ a^11 - a^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2
) - (b*((8*(12*a^14*b - 4*a^15 + 4*a^6*b^9 - 2*a^7*b^8 - 18*a^8*b^7 + 4*a^9
*b^6 + 36*a^10*b^5 - 6*a^11*b^4 - 34*a^12*b^3 + 8*a^13*b^2))/(a^12*b + a^13
- a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) - (
4*b*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a^2*
b^2)*(8*a^15*b - 8*a^6*b^10 + 8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^10
*b^6 + 48*a^11*b^5 + 32*a^12*b^4 - 32*a^13*b^3 - 8*a^14*b^2)))/((a^13 - a^3*
b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^11*b^2)*(a^10*b + a^11 - a
^4*b^7 - a^5*b^6 + 3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))*(-(a +
b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a^2*b^2))/(2*(a^13 - a^3*b^10 + 5*
a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^11*b^2)))*(-(a + b)^5*(a - b)^5)^(1
/2)*(6*a^4 + 2*b^4 - 5*a^2*b^2))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b
^6 + 10*a^9*b^4 - 5*a^11*b^2)) - (b*((8*tan(c/2 + (d*x)/2)*(4*a^10 - 8*a^9*
b - 8*a*b^9 + 8*b^10 - 32*a^2*b^8 + 32*a^3*b^7 + 57*a^4*b^6 - 48*a^5*b^5 -
52*a^6*b^4 + 32*a^7*b^3 + 24*a^8*b^2))/(a^10*b + a^11 - a^4*b^7 - a^5*b^6 +
3*a^6*b^5 + 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2) + (b*((8*(12*a^14*b - 4*a^1
5 + 4*a^6*b^9 - 2*a^7*b^8 - 18*a^8*b^7 + 4*a^9*b^6 + 36*a^10*b^5 - 6*a^11*b
^4 - 34*a^12*b^3 + 8*a^13*b^2))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*
b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) + (4*b*tan(c/2 + (d*x)/2)*(-(a +
b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a^2*b^2)*(8*a^15*b - 8*a^6*b^10 +
8*a^7*b^9 + 32*a^8*b^8 - 32*a^9*b^7 - 48*a^10*b^6 + 48*a^11*b^5 + 32*a^12*
b^4 - 32*a^13*b^3 - 8*a^14*b^2)))/((a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6
+ 10*a^9*b^4 - 5*a^11*b^2)*(a^10*b + a^11 - a^4*b^7 - a^5*b^6 + 3*a^6*b^5
+ 3*a^7*b^4 - 3*a^8*b^3 - 3*a^9*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*a^4
+ 2*b^4 - 5*a^2*b^2))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9
*b^4 - 5*a^11*b^2)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a^2*b
^2))/(2*(a^13 - a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^11*b^2
)))*(-(a + b)^5*(a - b)^5)^(1/2)*(6*a^4 + 2*b^4 - 5*a^2*b^2)*1i)/(d*(a^13 -
a^3*b^10 + 5*a^5*b^8 - 10*a^7*b^6 + 10*a^9*b^4 - 5*a^11*b^2))

```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*3, x)



$$3.476 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=232

$$-\frac{3b \tanh^{-1}(\sin(c+dx))}{a^4 d} + \frac{3b^2(2a^2 - b^2) \tan(c+dx)}{2a^2 d (a^2 - b^2)^2 (a+b \cos(c+dx))} + \frac{b^2 \tan(c+dx)}{2ad (a^2 - b^2) (a+b \cos(c+dx))^2} + \frac{3b^2(4a^4 - 5a^2b^2 + 2b^4) \arctan\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d (a-b)^{5/2} (a+b)^{5/2}}$$

[Out]  $3*b^2*(4*a^4-5*a^2*b^2+2*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2))}/a^4/(a-b)^{(5/2)/(a+b)^{(5/2)/d}-3*b*\arctanh(\sin(d*x+c))/a^4/d+1/2*(2*a^4-11*a^2*b^2+6*b^4)*\tan(d*x+c)/a^3/(a^2-b^2)^2/d+1/2*b^2*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+3/2*b^2*(2*a^2-b^2)*\tan(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.78, antiderivative size = 232, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{3b^2(-5a^2b^2 + 4a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d (a-b)^{5/2} (a+b)^{5/2}} + \frac{(-11a^2b^2 + 2a^4 + 6b^4) \tan(c+dx)}{2a^3 d (a^2 - b^2)^2} + \frac{3b^2(2a^2 - b^2) \tan(c+dx)}{2a^2 d (a^2 - b^2)^2 (a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $(3*b^2*(4*a^4 - 5*a^2*b^2 + 2*b^4)*\text{ArcTan}[\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b])/(a^4*d) + ((2*a^4 - 11*a^2*b^2 + 6*b^4)*\text{Tan}[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b^2*\text{Tan}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^2) + (3*b^2*(2*a^2 - b^2)*\text{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{(a+b\cos(c+dx))^3} dx &= \frac{b^2 \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{\int \frac{(2a^2-3b^2-2ab\cos(c+dx)+2b^2\cos^2(c+dx))\sec^2(c+dx)}{(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= \frac{b^2 \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3b^2(2a^2-b^2)\tan(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \frac{(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^2d} dx}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b^2 \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3b^2(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= \frac{(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b^2 \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3b^2(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= -\frac{3b \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b^2 \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} \\
&= \frac{3b^2(4a^4-5a^2b^2+2b^4)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{5/2}(a+b)^{5/2}d} - \frac{3b \tanh^{-1}(\sin(c+dx))}{a^4d} + \frac{(2a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 4.21, size = 205, normalized size = 0.88

$$\frac{6b^2(4a^4 - 5a^2b^2 + 2b^4) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{ab^3 \sin(c+dx)(8a^3+b(7a^2-4b^2)\cos(c+dx)-5ab^2)}{(a-b)^2(a+b)^2(a+b\cos(c+dx))^2} - 2a \tan(c+dx) - 6b \log\left(\cos\left(\frac{c+dx}{2}\right)\right)$$


---


$$2a^4d$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^3,x]

[Out] -1/2\*((6\*b^2\*(4\*a^4 - 5\*a^2\*b^2 + 2\*b^4)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - 6\*b\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*b\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a\*b^3\*(8\*a^3 - 5\*a\*b^2 + b\*(7\*a^2 - 4\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2) - 2\*a\*Tan[c + d\*x]/(a^4\*d)

**fricas [B]** time = 2.50, size = 1346, normalized size = 5.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] [-1/4\*(3\*((4\*a^4\*b^4 - 5\*a^2\*b^6 + 2\*b^8)\*cos(d\*x + c)^3 + 2\*(4\*a^5\*b^3 - 5\*a^3\*b^5 + 2\*a\*b^7)\*cos(d\*x + c)^2 + (4\*a^6\*b^2 - 5\*a^4\*b^4 + 2\*a^2\*b^6)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + 6\*((a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^3 + 2\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*cos(d\*x + c)^2 + (a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) - 6\*((a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^3 + 2\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*cos(d\*x + c)^2 + (a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(2\*a^9 - 6\*a^7\*b^2 + 6\*a^5\*b^4 - 2\*a^3\*b^6 + (2\*a^7\*b^2 - 13\*a^5\*b^4 + 17\*a^3\*b^6 - 6\*a\*b^8)\*cos(d\*x + c)^2 + (4\*a^8\*b - 20\*a^6\*b^3 + 25\*a^4\*b^5 - 9\*a^2\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^10\*b^2 - 3\*a^8\*b^4 + 3\*a^6\*b^6 - a^4\*b^8)\*d\*cos(d\*x + c)^3 + 2\*(a^11\*b - 3\*a^9\*b^3 + 3\*a^7\*b^5 - a^5\*b^7)\*d\*cos(d\*x + c)^2 + (a^12 - 3\*a^10\*b^2 + 3\*a^8\*b^4 - a^6\*b^6)\*d\*cos(d\*x + c)), 1/2\*(3\*((4\*a^4\*b^4 - 5\*a^2\*b^6 + 2\*b^8)\*cos(d\*x + c)^3 + 2\*(4\*a^5\*b^3 - 5\*a^3\*b^5 + 2\*a\*b^7)\*cos(d\*x + c)^2 + (4\*a^6\*b^2 - 5\*a^4\*b^4 + 2\*a^2\*b^6)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - 3\*((a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^3 + 2\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*cos(d\*x + c)^2 + (a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + 3\*((a^6\*b^3 - 3\*a^4\*b^5 + 3\*a^2\*b^7 - b^9)\*cos(d\*x + c)^3 + 2\*(a^7\*b^2 - 3\*a^5\*b^4 + 3\*a^3\*b^6 - a\*b^8)\*cos(d\*x + c)^2 + (a^8\*b - 3\*a^6\*b^3 + 3\*a^4\*b^5 - a^2\*b^7)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) + (2\*a^9 - 6\*a^7\*b^2 + 6\*a^5\*b^4 - 2\*a^3\*b^6 + (2\*a^7\*b^2 - 13\*a^5\*b^4 + 17\*a^3\*b^6 - 6\*a\*b^8)\*cos(d\*x + c)^2 + (4\*a^8\*b - 20\*a^6\*b^3 + 25\*a^4\*b^5 - 9\*a^2\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^10\*b^2 - 3\*a^8\*b^4 + 3\*a^6\*b^6 - a^4\*b^8)\*d\*cos(d\*x + c)^3 + 2\*(a^11\*b - 3\*a^9\*b^3 + 3\*a^7\*b^5 - a^5\*b^7)\*d\*cos(d\*x + c)^2 + (a^12 - 3\*a^10\*b^2 + 3\*a^8\*b^4 - a^6\*b^6)\*d\*cos(d\*x + c))]

**giac [A]** time = 1.28, size = 380, normalized size = 1.64

$$\frac{3(4a^4b^2 - 5a^2b^4 + 2b^6) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2-b^2}} \right) \right)}{(a^8 - 2a^6b^2 + a^4b^4) \sqrt{a^2-b^2}} + \frac{8a^3b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7a^2b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3}{\sqrt{a^2-b^2}}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $-(3*(4*a^4*b^2 - 5*a^2*b^4 + 2*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^8 - 2*a^6*b^2 + a^4*b^4)*\sqrt{a^2 - b^2}) + (8*a^3*b^3*\tan(1/2*d*x + 1/2*c)^3 - 7*a^2*b^4*\tan(1/2*d*x + 1/2*c)^3 - 5*a*b^5*\tan(1/2*d*x + 1/2*c)^3 + 4*b^6*\tan(1/2*d*x + 1/2*c)^3 + 8*a^3*b^3*\tan(1/2*d*x + 1/2*c) + 7*a^2*b^4*\tan(1/2*d*x + 1/2*c) - 5*a*b^5*\tan(1/2*d*x + 1/2*c) - 4*b^6*\tan(1/2*d*x + 1/2*c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^2) + 3*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3*b*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^4 + 2*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^3))/d$

**maple [B]** time = 0.10, size = 712, normalized size = 3.07

$$\frac{8b^3 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{da \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2 (a-b) (a^2 + 2ab + b^2)} b^4 \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a^2 \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^3,x)

[Out]  $-8/d*b^3/a/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-1/d*b^4/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+4/d*b^5/a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-8/d*b^3/a/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)+1/d*b^4/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)+12/d/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*b^2-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-1/d/a^3/(\tan(1/2*d*x+1/2*c)-1)+3/d*b/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)-1/d/a^3/(\tan(1/2*d*x+1/2*c)+1)-3/d*b/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 8.45, size = 5347, normalized size = 23.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^3),x)

```
[Out] (b*atan(((b*((8*tan(c/2 + (d*x)/2)*(72*b^12 - 72*a*b^11 - 288*a^2*b^10 + 288*a^3*b^9 + 441*a^4*b^8 - 432*a^5*b^7 - 288*a^6*b^6 + 288*a^7*b^5 + 36*a^8*b^4 - 72*a^9*b^3 + 36*a^10*b^2)))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) - (3*b*((24*(4*a^17*b - 4*a^8*b^10 + 2*a^9*b^9 + 18*a^10*b^8 - 8*a^11*b^7 - 32*a^12*b^6 + 14*a^13*b^5 + 26*a^14*b^4 - 12*a^15*b^3 - 8*a^16*b^2)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) - (24*b*tan(c/2 + (d*x)/2)*(8*a^17*b - 8*a^8*b^10 + 8*a^9*b^9 + 32*a^10*b^8 - 32*a^11*b^7 - 48*a^12*b^6 + 48*a^13*b^5 + 32*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2)))/(a^4*(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2))))/a^4)*3i)/a^4 + (b*((8*tan(c/2 + (d*x)/2)*(72*b^12 - 72*a*b^11 - 288*a^2*b^10 + 288*a^3*b^9 + 441*a^4*b^8 - 432*a^5*b^7 - 288*a^6*b^6 + 288*a^7*b^5 + 36*a^8*b^4 - 72*a^9*b^3 + 36*a^10*b^2)))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) + (3*b*((24*(4*a^17*b - 4*a^8*b^10 + 2*a^9*b^9 + 18*a^10*b^8 - 8*a^11*b^7 - 32*a^12*b^6 + 14*a^13*b^5 + 26*a^14*b^4 - 12*a^15*b^3 - 8*a^16*b^2)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) + (24*b*tan(c/2 + (d*x)/2)*(8*a^17*b - 8*a^8*b^10 + 8*a^9*b^9 + 32*a^10*b^8 - 32*a^11*b^7 - 48*a^12*b^6 + 48*a^13*b^5 + 32*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2)))/(a^4*(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2))))/a^4)*3i)/a^4)/((48*(36*b^12 - 18*a*b^11 - 162*a^2*b^10 + 81*a^3*b^9 + 288*a^4*b^8 - 126*a^5*b^7 - 234*a^6*b^6 + 72*a^7*b^5 + 72*a^8*b^4)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) - (3*b*((8*tan(c/2 + (d*x)/2)*(72*b^12 - 72*a*b^11 - 288*a^2*b^10 + 288*a^3*b^9 + 441*a^4*b^8 - 432*a^5*b^7 - 288*a^6*b^6 + 288*a^7*b^5 + 36*a^8*b^4 - 72*a^9*b^3 + 36*a^10*b^2)))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) - (3*b*((24*(4*a^17*b - 4*a^8*b^10 + 2*a^9*b^9 + 18*a^10*b^8 - 8*a^11*b^7 - 32*a^12*b^6 + 14*a^13*b^5 + 26*a^14*b^4 - 12*a^15*b^3 - 8*a^16*b^2)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) - (24*b*tan(c/2 + (d*x)/2)*(8*a^17*b - 8*a^8*b^10 + 8*a^9*b^9 + 32*a^10*b^8 - 32*a^11*b^7 - 48*a^12*b^6 + 48*a^13*b^5 + 32*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2)))/(a^4*(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2))))/a^4)/a^4 + (3*b*((8*tan(c/2 + (d*x)/2)*(72*b^12 - 72*a*b^11 - 288*a^2*b^10 + 288*a^3*b^9 + 441*a^4*b^8 - 432*a^5*b^7 - 288*a^6*b^6 + 288*a^7*b^5 + 36*a^8*b^4 - 72*a^9*b^3 + 36*a^10*b^2)))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) + (3*b*((24*(4*a^17*b - 4*a^8*b^10 + 2*a^9*b^9 + 18*a^10*b^8 - 8*a^11*b^7 - 32*a^12*b^6 + 14*a^13*b^5 + 26*a^14*b^4 - 12*a^15*b^3 - 8*a^16*b^2)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) + (24*b*tan(c/2 + (d*x)/2)*(8*a^17*b - 8*a^8*b^10 + 8*a^9*b^9 + 32*a^10*b^8 - 32*a^11*b^7 - 48*a^12*b^6 + 48*a^13*b^5 + 32*a^14*b^4 - 32*a^15*b^3 - 8*a^16*b^2)))/(a^4*(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2))))/a^4)/a^4)*6i)/(a^4*d) - ((tan(c/2 + (d*x)/2)^5*(3*a*b^4 - 2*a^4*b + 2*a^5 - 6*b^5 + 12*a^2*b^3 - 4*a^3*b^2))/((a^3*b - a^4)*(a + b)^2) - (tan(c/2 + (d*x)/2)*(3*a*b^4 + 2*a^4*b + 2*a^5 + 6*b^5 - 12*a^2*b^3 - 4*a^3*b^2))/((a + b)*(a^5 - 2*a^4*b + a^3*b^2))) + (2*tan(c/2 + (d*x)/2)^3*(2*a^6 - 6*b^6 + 13*a^2*b^4 - 6*a^4*b^2))/(a*(a^2*b - a^3)*(a + b)^2*(a - b)))/(d*(2*a*b - tan(c/2 + (d*x)/2)^2*(2*a*b - a^2 + 3*b^2) - tan(c/2 + (d*x)/2)^6*(a^2 - 2*a*b + b^2) + a^2 + b^2 - tan(c/2 + (d*x)/2)^4*(2*a*b + a^2 - 3*b^2))) + (b^2*atan(((b^2*(-(a + b)^5*(a - b)^5)^(1/2))*((8*tan(c/2 + (d*x)/2)*(72*b^12 - 72*a*b^11 - 288*a^2*b^10 + 288*a^3*b^9 + 441*a^4*b^8 - 432*a^5*b^7 - 288*a^6*b^6 + 288*a^7*b^5 + 36*a^8*b^4 - 72*a^9*b^3 + 36*a^10*b^2)))/(a^12*b + a^13 - a^6*b^7 - a^7*b^6 + 3*a^8*b^5 + 3*a^9*b^4 - 3*a^10*b^3 - 3*a^11*b^2) - (3*b^2*((24*(4*a^17*b - 4*a^8*b^10 + 2*a^9*b^9 + 18*a^10*b^8 - 8*a^11*b^7 - 32*a^12*b^6 + 14*a^13*b^5 + 26*a^14*b^4 - 12*a^15*b^3 - 8*a^16*b^2)))/(a^15*b + a^16 - a^9*b^7 - a^10*b^6 + 3*a^11*b^5 + 3*a^12*b^4 - 3*a^13*b^3 - 3*a^14*b^2) - (12*b^2*tan(c/2 + (d*x)/2)*(-(a + b)^5*(a - b)^5)^(1/2)*(4*a^4 + 2*b^4 - 5*a^2*b^2)*(8*a^17*b - 8*a
```

$$\begin{aligned}
& ^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 \\
& + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2) / ((a^{14} - a^4b^{10} + 5a^6b^8 - \\
& 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 \\
& + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2)) * (- (a + b)^5 * (a - b)^5) \\
& ^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 \\
& + 10a^{10}b^4 - 5a^{12}b^2)) * (4a^4 + 2b^4 - 5a^2b^2) * 3i) / (2 * (a^{14} \\
& - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) + (b^2 * (- \\
& (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + (d*x)/2) * (72b^{12} - 72a*b^{11} - 2 \\
& 88a^2b^{10} + 288a^3b^9 + 441a^4b^8 - 432a^5b^7 - 288a^6b^6 + 288a^7b^5 + 36a^8b^4 \\
& - 72a^9b^3 + 36a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 \\
& - 3a^{10}b^3 - 3a^{11}b^2) + (3b^2 * ((24 * (4a^{17}b - 4a^8b^{10} + 2a^9b^9 + 18a^{10}b^8 \\
& - 8a^{11}b^7 - 32a^{12}b^6 + 14a^{13}b^5 + 26a^{14}b^4 - 12a^{15}b^3 - 8a^{16}b^2)) / (a^{15}b + a^{16} \\
& - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) + (1 \\
& 2b^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2) \\
& * (8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 \\
& + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 \\
& + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 \\
& - 3a^{10}b^3 - 3a^{11}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2) \\
& / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) * (4a^4 + 2b^4 - \\
& 5a^2b^2) * 3i) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - \\
& 5a^{12}b^2)) / ((48 * (36b^{12} - 18a*b^{11} - 162a^2b^{10} + 81a^3b^9 + 288a^4b^8 \\
& - 126a^5b^7 - 234a^6b^6 + 72a^7b^5 + 72a^8b^4)) / (a^{15}b + a^{16} - a^9b^7 - a^{10}b^6 \\
& + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (3b^2 * (- (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + (d*x)/2) * (72b^{12} \\
& - 72a*b^{11} - 288a^2b^{10} + 288a^3b^9 + 441a^4b^8 - 432a^5b^7 - 288a^6b^6 + 288a^7b^5 \\
& + 36a^8b^4 - 72a^9b^3 + 36a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 \\
& + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) - (3b^2 * ((24 * (4a^{17}b - 4a^8b^{10} + 2a^9b^9 + 18a^{10}b^8 \\
& - 8a^{11}b^7 - 32a^{12}b^6 + 14a^{13}b^5 + 26a^{14}b^4 - 12a^{15}b^3 - 8a^{16}b^2)) / (a^{15} \\
& * b + a^{16} - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) - (12b^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + \\
& 2b^4 - 5a^2b^2) * (8a^{17}b - 8a^8b^{10} + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 \\
& + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 \\
& + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3 \\
& a^{11}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2)) / (2 * ( \\
& a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) * (4a^4 + 2b^4 - 5a^2b^2) \\
& / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) + (3b^2 * (- (a + b)^5 * (a - b)^5)^{(1/2)} * ((8 * \tan(c/2 + \\
& (d*x)/2) * (72b^{12} - 72a*b^{11} - 288a^2b^{10} + 288a^3b^9 + 441a^4b^8 - 432a^5b^7 - 288a^6b^6 \\
& + 288a^7b^5 + 36a^8b^4 - 72a^9b^3 + 36a^{10}b^2)) / (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 \\
& + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2) + (3b^2 * ((24 * (4a^{17}b - 4a^8b^{10} + 2a^9b^9 + 18a^{10}b^8 \\
& - 8a^{11}b^7 - 32a^{12}b^6 + 14a^{13}b^5 + 26a^{14}b^4 - 12a^{15}b^3 - 8a^{16}b^2)) / (a^{15}b + a^{16} \\
& - a^9b^7 - a^{10}b^6 + 3a^{11}b^5 + 3a^{12}b^4 - 3a^{13}b^3 - 3a^{14}b^2) + (12b^2 * \tan(c/2 + (d*x)/2) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2) * (8a^{17}b - 8a^8b^{10} \\
& + 8a^9b^9 + 32a^{10}b^8 - 32a^{11}b^7 - 48a^{12}b^6 + 48a^{13}b^5 + 32a^{14}b^4 - 32a^{15}b^3 - 8a^{16}b^2)) / ((a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2) * (a^{12}b + a^{13} - a^6b^7 - a^7b^6 + 3a^8b^5 + 3a^9b^4 - 3a^{10}b^3 - 3a^{11}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2)) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) * (4a^4 + 2b^4 - 5a^2b^2) / (2 * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2)) * (- (a + b)^5 * (a - b)^5)^{(1/2)} * (4a^4 + 2b^4 - 5a^2b^2) * 3i) / (d * (a^{14} - a^4b^{10} + 5a^6b^8 - 10a^8b^6 + 10a^{10}b^4 - 5a^{12}b^2))
\end{aligned}$$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Integral(sec(c + d*x)**2/(a + b*cos(c + d*x))**3, x)
```

$$3.477 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=305

$$\frac{b^2 (7a^2 - 4b^2) \tan(c + dx) \sec(c + dx)}{2a^2 d (a^2 - b^2)^2 (a + b \cos(c + dx))} + \frac{b^2 \tan(c + dx) \sec(c + dx)}{2ad (a^2 - b^2) (a + b \cos(c + dx))^2} + \frac{(a^2 + 12b^2) \tanh^{-1}(\sin(c + dx))}{2a^5 d} - \frac{3b^3}{2a^5 d}$$

[Out]  $-b^3*(20*a^4-29*a^2*b^2+12*b^4)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)))/a^5/(a-b)^{(5/2)/(a+b)^{(5/2)/d+1/2*(a^2+12*b^2)*\operatorname{arctanh}(\sin(d*x+c))}/a^5/d-3/2*b*(2*a^4-7*a^2*b^2+4*b^4)*\tan(d*x+c)/a^4/(a^2-b^2)^2/d+1/2*(a^4-10*a^2*b^2+6*b^4)*\sec(d*x+c)*\tan(d*x+c)/a^3/(a^2-b^2)^2/d+1/2*b^2*\sec(d*x+c)*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/2*b^2*(7*a^2-4*b^2)*\sec(d*x+c)*\tan(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 1.08, antiderivative size = 305, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{b^3 (-29a^2b^2 + 20a^4 + 12b^4) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5 d (a-b)^{5/2} (a+b)^{5/2}} - \frac{3b (-7a^2b^2 + 2a^4 + 4b^4) \tan(c + dx)}{2a^4 d (a^2 - b^2)^2} + \frac{(a^2 + 12b^2) \tanh^{-1}}{2a^5 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $-((b^3*(20*a^4 - 29*a^2*b^2 + 12*b^4)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])]/\operatorname{Sqrt}[a + b]))/(a^5*(a - b)^{(5/2)*(a + b)^{(5/2)*d}) + ((a^2 + 12*b^2)*\operatorname{ArcTan}[\operatorname{Sin}[c + d*x]])/(2*a^5*d) - (3*b*(2*a^4 - 7*a^2*b^2 + 4*b^4)*\operatorname{Tan}[c + d*x])/(2*a^4*(a^2 - b^2)^2*d) + ((a^4 - 10*a^2*b^2 + 6*b^4)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^3*(a^2 - b^2)^2*d) + (b^2*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x])^2) + (b^2*(7*a^2 - 4*b^2)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)^2*d*(a + b*\operatorname{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m



, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^3(c+dx)}{(a+b\cos(c+dx))^3} dx &= \frac{b^2 \sec(c+dx) \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{\int \frac{(2(a^2-2b^2)-2ab\cos(c+dx)+3b^2\cos^2(c+dx))\sec^3(c+dx)}{(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= \frac{b^2 \sec(c+dx) \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{b^2(7a^2-4b^2)\sec(c+dx)\tan(c+dx)}{2a^2(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \frac{(2(a^4-10a^2b^2+6b^4))\sec^3(c+dx)}{(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= \frac{(a^4-10a^2b^2+6b^4)\sec(c+dx)\tan(c+dx)}{2a^3(a^2-b^2)^2d} + \frac{b^2 \sec(c+dx) \tan(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{\int \frac{(2(a^4-10a^2b^2+6b^4))\sec^3(c+dx)}{(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= -\frac{3b(2a^4-7a^2b^2+4b^4)\tan(c+dx)}{2a^4(a^2-b^2)^2d} + \frac{(a^4-10a^2b^2+6b^4)\sec(c+dx)\tan(c+dx)}{2a^3(a^2-b^2)^2d} \\
&= -\frac{3b(2a^4-7a^2b^2+4b^4)\tan(c+dx)}{2a^4(a^2-b^2)^2d} + \frac{(a^4-10a^2b^2+6b^4)\sec(c+dx)\tan(c+dx)}{2a^3(a^2-b^2)^2d} \\
&= \frac{(a^2+12b^2)\tanh^{-1}(\sin(c+dx))}{2a^5d} - \frac{3b(2a^4-7a^2b^2+4b^4)\tan(c+dx)}{2a^4(a^2-b^2)^2d} + \frac{(a^4-10a^2b^2+6b^4)\sec(c+dx)\tan(c+dx)}{2a^3(a^2-b^2)^2d} \\
&= -\frac{b^3(20a^4-29a^2b^2+12b^4)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5(a-b)^{5/2}(a+b)^{5/2}d} + \frac{(a^2+12b^2)\tanh^{-1}(\sin(c+dx))}{2a^5d}
\end{aligned}$$

**Mathematica [A]** time = 6.18, size = 427, normalized size = 1.40

$$-\frac{3b \sin\left(\frac{1}{2}(c+dx)\right)}{a^4d\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)} - \frac{3b \sin\left(\frac{1}{2}(c+dx)\right)}{a^4d\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{b^4 \sin(c+dx)}{2a^3d(a-b)(a+b)(a+b\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x])^3,x]

[Out] (b^3\*(20\*a^4 - 29\*a^2\*b^2 + 12\*b^4)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(a^5\*(a^2 - b^2)^2\*Sqrt[-a^2 + b^2]\*d) + ((-a^2 - 12\*b^2)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/(2\*a^5\*d) + ((a^2 + 12\*b^2)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(2\*a^5\*d) + 1/(4\*a^3\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) - (3\*b\*Sin[(c + d\*x)/2])/(a^4\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) - 1/(4\*a^3\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) - (3\*b\*Sin[(c + d\*x)/2])/(a^4\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + (b^4\*Sin[c + d\*x])/(2\*a^3\*(a - b)\*(a + b)\*d\*(a + b\*Cos[c + d\*x])^2) + (3\*(3\*a^2\*b^4\*Sin[c + d\*x] - 2\*b^6\*Sin[c + d\*x]))/(2\*a^4\*(a - b)^2\*(a + b)^2\*d\*(a + b\*Cos[c + d\*x]))

**fricas [B]** time = 6.04, size = 1524, normalized size = 5.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

```
[Out] [-1/4*(((20*a^4*b^5 - 29*a^2*b^7 + 12*b^9)*cos(d*x + c)^4 + 2*(20*a^5*b^4 -
29*a^3*b^6 + 12*a*b^8)*cos(d*x + c)^3 + (20*a^6*b^3 - 29*a^4*b^5 + 12*a^2*
b^7)*cos(d*x + c)^2)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^
2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) -
a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - ((a^8*b^2 +
9*a^6*b^4 - 33*a^4*b^6 + 35*a^2*b^8 - 12*b^10)*cos(d*x + c)^4 + 2*(a^9*b +
9*a^7*b^3 - 33*a^5*b^5 + 35*a^3*b^7 - 12*a*b^9)*cos(d*x + c)^3 + (a^10 + 9
*a^8*b^2 - 33*a^6*b^4 + 35*a^4*b^6 - 12*a^2*b^8)*cos(d*x + c)^2)*log(sin(d*
x + c) + 1) + ((a^8*b^2 + 9*a^6*b^4 - 33*a^4*b^6 + 35*a^2*b^8 - 12*b^10)*co
s(d*x + c)^4 + 2*(a^9*b + 9*a^7*b^3 - 33*a^5*b^5 + 35*a^3*b^7 - 12*a*b^9)*c
os(d*x + c)^3 + (a^10 + 9*a^8*b^2 - 33*a^6*b^4 + 35*a^4*b^6 - 12*a^2*b^8)*c
os(d*x + c)^2)*log(-sin(d*x + c) + 1) - 2*(a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a
^4*b^6 - 3*(2*a^7*b^3 - 9*a^5*b^5 + 11*a^3*b^7 - 4*a*b^9)*cos(d*x + c)^3 -
(11*a^8*b^2 - 43*a^6*b^4 + 50*a^4*b^6 - 18*a^2*b^8)*cos(d*x + c)^2 - 4*(a^9
*b - 3*a^7*b^3 + 3*a^5*b^5 - a^3*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11*b^
2 - 3*a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d*cos(d*x + c)^4 + 2*(a^12*b - 3*a^10*
b^3 + 3*a^8*b^5 - a^6*b^7)*d*cos(d*x + c)^3 + (a^13 - 3*a^11*b^2 + 3*a^9*b^
4 - a^7*b^6)*d*cos(d*x + c)^2), -1/4*(2*((20*a^4*b^5 - 29*a^2*b^7 + 12*b^9)
*cos(d*x + c)^4 + 2*(20*a^5*b^4 - 29*a^3*b^6 + 12*a*b^8)*cos(d*x + c)^3 + (
20*a^6*b^3 - 29*a^4*b^5 + 12*a^2*b^7)*cos(d*x + c)^2)*sqrt(a^2 - b^2)*arcta
n(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - ((a^8*b^2 + 9*a^6
*b^4 - 33*a^4*b^6 + 35*a^2*b^8 - 12*b^10)*cos(d*x + c)^4 + 2*(a^9*b + 9*a^7
*b^3 - 33*a^5*b^5 + 35*a^3*b^7 - 12*a*b^9)*cos(d*x + c)^3 + (a^10 + 9*a^8*b
^2 - 33*a^6*b^4 + 35*a^4*b^6 - 12*a^2*b^8)*cos(d*x + c)^2)*log(sin(d*x + c)
+ 1) + ((a^8*b^2 + 9*a^6*b^4 - 33*a^4*b^6 + 35*a^2*b^8 - 12*b^10)*cos(d*x
+ c)^4 + 2*(a^9*b + 9*a^7*b^3 - 33*a^5*b^5 + 35*a^3*b^7 - 12*a*b^9)*cos(d*x
+ c)^3 + (a^10 + 9*a^8*b^2 - 33*a^6*b^4 + 35*a^4*b^6 - 12*a^2*b^8)*cos(d*x
+ c)^2)*log(-sin(d*x + c) + 1) - 2*(a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6
- 3*(2*a^7*b^3 - 9*a^5*b^5 + 11*a^3*b^7 - 4*a*b^9)*cos(d*x + c)^3 - (11*a^
8*b^2 - 43*a^6*b^4 + 50*a^4*b^6 - 18*a^2*b^8)*cos(d*x + c)^2 - 4*(a^9*b - 3
*a^7*b^3 + 3*a^5*b^5 - a^3*b^7)*cos(d*x + c))*sin(d*x + c))/((a^11*b^2 - 3*
a^9*b^4 + 3*a^7*b^6 - a^5*b^8)*d*cos(d*x + c)^4 + 2*(a^12*b - 3*a^10*b^3 +
3*a^8*b^5 - a^6*b^7)*d*cos(d*x + c)^3 + (a^13 - 3*a^11*b^2 + 3*a^9*b^4 - a^
7*b^6)*d*cos(d*x + c)^2)]
```

**giac** [B] time = 1.52, size = 801, normalized size = 2.63

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/2*(2*(20*a^4*b^3 -29*a^2*b^5 + 12*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)
*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c)
)/sqrt(a^2 - b^2)))/((a^9 - 2*a^7*b^2 + a^5*b^4)*sqrt(a^2 - b^2)) + 2*(a^7*
tan(1/2*d*x + 1/2*c)^7 + 4*a^6*b*tan(1/2*d*x + 1/2*c)^7 - 13*a^5*b^2*tan(1/
2*d*x + 1/2*c)^7 - 2*a^4*b^3*tan(1/2*d*x + 1/2*c)^7 + 33*a^3*b^4*tan(1/2*d*
x + 1/2*c)^7 - 17*a^2*b^5*tan(1/2*d*x + 1/2*c)^7 - 18*a*b^6*tan(1/2*d*x + 1
/2*c)^7 + 12*b^7*tan(1/2*d*x + 1/2*c)^7 + 3*a^7*tan(1/2*d*x + 1/2*c)^5 + 4*
a^6*b*tan(1/2*d*x + 1/2*c)^5 + 5*a^5*b^2*tan(1/2*d*x + 1/2*c)^5 - 26*a^4*b^
3*tan(1/2*d*x + 1/2*c)^5 - 29*a^3*b^4*tan(1/2*d*x + 1/2*c)^5 + 67*a^2*b^5*t
an(1/2*d*x + 1/2*c)^5 + 18*a*b^6*tan(1/2*d*x + 1/2*c)^5 - 36*b^7*tan(1/2*d*
x + 1/2*c)^5 + 3*a^7*tan(1/2*d*x + 1/2*c)^3 - 4*a^6*b*tan(1/2*d*x + 1/2*c)^
3 + 5*a^5*b^2*tan(1/2*d*x + 1/2*c)^3 + 26*a^4*b^3*tan(1/2*d*x + 1/2*c)^3 -
29*a^3*b^4*tan(1/2*d*x + 1/2*c)^3 - 67*a^2*b^5*tan(1/2*d*x + 1/2*c)^3 + 18*
a*b^6*tan(1/2*d*x + 1/2*c)^3 + 36*b^7*tan(1/2*d*x + 1/2*c)^3 + a^7*tan(1/2*
d*x + 1/2*c) - 4*a^6*b*tan(1/2*d*x + 1/2*c) - 13*a^5*b^2*tan(1/2*d*x + 1/2*
c) + 2*a^4*b^3*tan(1/2*d*x + 1/2*c) + 33*a^3*b^4*tan(1/2*d*x + 1/2*c) + 17*
a^2*b^5*tan(1/2*d*x + 1/2*c) - 18*a*b^6*tan(1/2*d*x + 1/2*c) - 12*b^7*tan(1
/2*d*x + 1/2*c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*(a*tan(1/2*d*x + 1/2*c)^4 - b
```

$\tan(1/2*d*x + 1/2*c)^4 + 2*b*\tan(1/2*d*x + 1/2*c)^2 - (a - b)^2 + (a^2 + 12*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^5 - (a^2 + 12*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^5)/d$

**maple [B]** time = 0.14, size = 845, normalized size = 2.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x)`

[Out]  $10/d*b^4/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+1/d*b^5/a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-6/d*b^6/a^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+10/d*b^4/a^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-1/d*b^5/a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-6/d*b^6/a^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)-20/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+29/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+1/2/d/a^3/(tan(1/2*d*x+1/2*c)-1)^2+1/2/d/a^3/(tan(1/2*d*x+1/2*c)-1)+3/d/a^4/(tan(1/2*d*x+1/2*c)-1)*b-1/2/d/a^3*ln(tan(1/2*d*x+1/2*c)-1)-6/d/a^5*ln(tan(1/2*d*x+1/2*c)-1)*b^2-1/2/d/a^3/(tan(1/2*d*x+1/2*c)+1)^2+1/2/d/a^3/(tan(1/2*d*x+1/2*c)+1)+3/d/a^4/(tan(1/2*d*x+1/2*c)+1)*b+1/2/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)+6/d/a^5*ln(tan(1/2*d*x+1/2*c)+1)*b^2$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^3/(a+b*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 9.16, size = 5910, normalized size = 19.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^3*(a + b*cos(c + d*x))^3),x)`

[Out]  $((\tan(c/2 + (d*x)/2)^3*(18*a*b^6 - 4*a^6*b + 3*a^7 + 36*b^7 - 67*a^2*b^5 - 29*a^3*b^4 + 26*a^4*b^3 + 5*a^5*b^2))/((a + b)^2*(a^6 - 2*a^5*b + a^4*b^2)) + (\tan(c/2 + (d*x)/2)^5*(18*a*b^6 + 4*a^6*b + 3*a^7 - 36*b^7 + 67*a^2*b^5 - 29*a^3*b^4 - 26*a^4*b^3 + 5*a^5*b^2))/((a + b)^2*(a^6 - 2*a^5*b + a^4*b^2)) - (\tan(c/2 + (d*x)/2)^7*(6*a*b^5 + 5*a^5*b + a^6 - 12*b^6 + 23*a^2*b^4 - 10*a^3*b^3 - 8*a^4*b^2))/((a^4*b - a^5)*(a + b)^2) - (\tan(c/2 + (d*x)/2)*(6*a*b^5 + 5*a^5*b - a^6 + 12*b^6 - 23*a^2*b^4 - 10*a^3*b^3 + 8*a^4*b^2))/((a + b)*(a^6 - 2*a^5*b + a^4*b^2)))/(d*(2*a*b - \tan(c/2 + (d*x)/2)^4*(2*a^2 - 6*b^2) - \tan(c/2 + (d*x)/2)^2*(4*a*b + 4*b^2) + \tan(c/2 + (d*x)/2)^6*(4*a*b - 4*b^2) + \tan(c/2 + (d*x)/2)^8*(a^2 - 2*a*b + b^2) + a^2 + b^2)) - (ata$

$$\begin{aligned}
& n(\frac{((a^2 + 12b^2) * ((8 \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - ((a^2 + 12b^2) * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4 \tan(c/2 + (d*x)/2) * (a^2 + 12b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5 * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2)))) / (2a^5) * i) / (2a^5) + ((a^2 + 12b^2) * ((8 \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + ((a^2 + 12b^2) * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4 \tan(c/2 + (d*x)/2) * (a^2 + 12b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5 * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2)))) / (2a^5) * i) / (2a^5)) / ((8 * (1728b^{15} - 864a^2b^{14} - 7344a^2b^{13} + 3456a^3b^{12} + 11700a^4b^{11} - 4770a^5b^{10} - 7829a^6b^9 + 2326a^7b^8 + 1314a^8b^7 - 11a^9b^6 + 411a^{10}b^5 - 20a^{11}b^4 + 20a^{12}b^3)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - ((a^2 + 12b^2) * ((8 \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - ((a^2 + 12b^2) * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4 \tan(c/2 + (d*x)/2) * (a^2 + 12b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5 * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2)))) / (2a^5)) / (2a^5) + ((a^2 + 12b^2) * ((8 \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + ((a^2 + 12b^2) * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4 \tan(c/2 + (d*x)/2) * (a^2 + 12b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / (a^5 * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2)))) / (2a^5)) / (2a^5) * (a^2 + 12b^2) * i) / (a^5 * d) - (b^3 * \operatorname{atan}(\frac{b^3 * ((8 \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - (b^3 * (-a + b)^5 * (a - b)^5)^{1/2} * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b
\end{aligned}$$

$$\begin{aligned}
& + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4b^3 \tan(c/2 + (d*x)/2) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2) * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (20a^4 + 12b^4 - 29a^2b^2) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * 1i) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2)) + (b^3 * ((8 * \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + (b^3 * (-a + b)^5 * (a - b)^5)^{(1/2)} * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4b^3 \tan(c/2 + (d*x)/2) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2) * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (20a^4 + 12b^4 - 29a^2b^2) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * 1i) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2)) / ((8 * (1728b^{15} - 864a^2b^{14} - 7344a^2b^{13} + 3456a^3b^{12} + 11700a^4b^{11} - 4770a^5b^{10} - 7829a^6b^9 + 2326a^7b^8 + 1314a^8b^7 - 11a^9b^6 + 411a^{10}b^5 - 20a^{11}b^4 + 20a^{12}b^3)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (b^3 * ((8 * \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) - (b^3 * (-a + b)^5 * (a - b)^5)^{(1/2)} * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) - (4b^3 \tan(c/2 + (d*x)/2) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2) * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (20a^4 + 12b^4 - 29a^2b^2) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2)) + (b^3 * ((8 * \tan(c/2 + (d*x)/2) * (a^{14} - 2a^{13}b - 288a^2b^{13} + 288b^{14} - 1104a^2b^{12} + 1104a^3b^{11} + 1538a^4b^{10} - 1538a^5b^9 - 827a^6b^8 + 872a^7b^7 + 18a^8b^6 - 108a^9b^5 + 74a^{10}b^4 - 40a^{11}b^3 + 21a^{12}b^2)) / (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2) + (b^3 * (-a + b)^5 * (a - b)^5)^{(1/2)} * ((4 * (4a^{21} - 48a^{10}b^{11} + 24a^{11}b^{10} + 212a^{12}b^9 - 100a^{13}b^8 - 360a^{14}b^7 + 164a^{15}b^6 + 276a^{16}b^5 - 120a^{17}b^4 - 80a^{18}b^3 + 28a^{19}b^2)) / (a^{18}b + a^{19} - a^{12}b^7 - a^{13}b^6 + 3a^{14}b^5 + 3a^{15}b^4 - 3a^{16}b^3 - 3a^{17}b^2) + (4b^3 \tan(c/2 + (d*x)/2) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * (8a^{19}b - 8a^{10}b^{10} + 8a^{11}b^9 + 32a^{12}b^8 - 32a^{13}b^7 - 48a^{14}b^6 + 48a^{15}b^5 + 32a^{16}b^4 - 32a^{17}b^3 - 8a^{18}b^2)) / ((a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2) * (a^{14}b + a^{15} - a^8b^7 - a^9b^6 + 3a^{10}b^5 + 3a^{11}b^4 - 3a^{12}b^3 - 3a^{13}b^2))) * (20a^4 + 12b^4 - 29a^2b^2) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))) * (-a + b)^5 * (a - b)^5)^{(1/2)} * (20a^4 + 12b^4 - 29a^2b^2) * 1i) / (2 * (a^{15} - a^5b^{10} + 5a^7b^8 - 10a^9b^6 + 10a^{11}b^4 - 5a^{13}b^2))
\end{aligned}$$

```

+ 3*a^11*b^4 - 3*a^12*b^3 - 3*a^13*b^2)))*(20*a^4 + 12*b^4 - 29*a^2*b^2))/
(2*(a^15 - a^5*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2)))*
(-(a + b)^5*(a - b)^5)^(1/2)*(20*a^4 + 12*b^4 - 29*a^2*b^2))/(2*(a^15 - a^5
*b^10 + 5*a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2)))*(-(a + b)^5*(
a - b)^5)^(1/2)*(20*a^4 + 12*b^4 - 29*a^2*b^2)*1i)/(d*(a^15 - a^5*b^10 + 5*
a^7*b^8 - 10*a^9*b^6 + 10*a^11*b^4 - 5*a^13*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Integral(sec(c + d\*x)\*\*3/(a + b\*cos(c + d\*x))\*\*3, x)

$$3.478 \quad \int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=307

$$\frac{a^2 \sin(c+dx) \cos^3(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^3} - \frac{a^2(4a^2-9b^2) \sin(c+dx) \cos^2(c+dx)}{6b^2d(a^2-b^2)^2(a+b \cos(c+dx))^2} + \frac{(12a^4-23a^2b^2+6b^4) \sin(c+dx)}{6b^4d(a^2-b^2)^2}$$

[Out]  $-4*a*x/b^5+a^2*(8*a^6-28*a^4*b^2+35*a^2*b^4-20*b^6)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(7/2)}/b^5/(a+b)^{(7/2)}/d+1/6*(12*a^4-23*a^2*b^2+6*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)^2/d-1/3*a^2*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3-1/6*a^2*(4*a^2-9*b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2+1/2*a^3*(4*a^4-11*a^2*b^2+12*b^4)*\sin(d*x+c)/b^4/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.90, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2792, 3047, 3031, 3023, 2735, 2659, 205}

$$\frac{(-23a^2b^2 + 12a^4 + 6b^4) \sin(c+dx)}{6b^4d(a^2-b^2)^2} + \frac{a^2(-28a^4b^2 + 35a^2b^4 + 8a^6 - 20b^6) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^5d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(4a^2-9b^2)}{6b^2d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^4,x]

[Out]  $(-4*a*x)/b^5 + (a^2*(8*a^6 - 28*a^4*b^2 + 35*a^2*b^4 - 20*b^6)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/(\text{Sqrt}[a + b])])/(a - b)^{(7/2)}*b^5*(a + b)^{(7/2)}*d + ((12*a^4 - 23*a^2*b^2 + 6*b^4)*\text{Sin}[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) - (a^2*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^3) - (a^2*(4*a^2 - 9*b^2)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])^2) + (a^3*(4*a^4 - 11*a^2*b^2 + 12*b^4)*\text{Sin}[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*\text{Cos}[c + d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sine[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos



```
[e + f*x]*(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*SIN[e
+ f*x])^(m - 3)*(c + d*SIN[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*SIN[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*SIN[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)^2], x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*SIN[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
SIN[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*SIN[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*SIN[e + f*x])^(m - 1)
*(c + d*SIN[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*SIN[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*SIN[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+b\cos(c+dx))^4} dx &= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)(3a^2-3ab\cos(c+dx)-(4a^2-3b^2)\cos^2(c+dx))}{(a+b\cos(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(4a^2-9b^2)\cos^2(c+dx)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{\int \frac{\cos^2(c+dx)}{(a+b\cos(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= -\frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(4a^2-9b^2)\cos^2(c+dx)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a^3}{2b^2} \int \frac{\cos^2(c+dx)}{(a+b\cos(c+dx))^3} dx \\
&= \frac{(12a^4-23a^2b^2+6b^4)\sin(c+dx)}{6b^4(a^2-b^2)^2 d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(4a^2-9b^2)\cos^2(c+dx)\sin(c+dx)}{6b^2(a^2-b^2)^2 d} \\
&= -\frac{4ax}{b^5} + \frac{(12a^4-23a^2b^2+6b^4)\sin(c+dx)}{6b^4(a^2-b^2)^2 d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(4a^2-9b^2)\cos^2(c+dx)\sin(c+dx)}{6b^2(a^2-b^2)^2 d} \\
&= -\frac{4ax}{b^5} + \frac{(12a^4-23a^2b^2+6b^4)\sin(c+dx)}{6b^4(a^2-b^2)^2 d} - \frac{a^2 \cos^3(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(4a^2-9b^2)\cos^2(c+dx)\sin(c+dx)}{6b^2(a^2-b^2)^2 d} \\
&= -\frac{4ax}{b^5} + \frac{a^2(8a^6-28a^4b^2+35a^2b^4-20b^6)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}b^5(a+b)^{7/2}d} + \frac{(12a^4-23a^2b^2+6b^4)\sin(c+dx)}{6b^4}
\end{aligned}$$

**Mathematica [A]** time = 5.78, size = 240, normalized size = 0.78

$$\frac{2a^5b\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))^3} + \frac{5a^4b(3b^2-2a^2)\sin(c+dx)}{(a-b)^2(a+b)^2(a+b\cos(c+dx))^2} + \frac{6a^2(8a^6-28a^4b^2+35a^2b^4-20b^6)\tan^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}} + \frac{a^3b(26a^4-71a^2b^2+6b^4)\sin(c+dx)}{(a-b)^3(a+b)^3(a+b\cos(c+dx))^3}$$


---


$$6b^5d$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^4,x]

[Out] (-24\*a\*(c + d\*x) + (6\*a^2\*(8\*a^6 - 28\*a^4\*b^2 + 35\*a^2\*b^4 - 20\*b^6)\*ArcTan[h[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]])/(-a^2 + b^2)^(7/2) + 6\*b\*Sin[c + d\*x] + (2\*a^5\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^3) + (5\*a^4\*b\*(-2\*a^2 + 3\*b^2)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2) + (a^3\*b\*(26\*a^4 - 71\*a^2\*b^2 + 60\*b^4)\*Sin[c + d\*x])/((a - b)^3\*(a + b)^3\*(a + b\*Cos[c + d\*x]))/(6\*b^5\*d)

**fricas [B]** time = 1.27, size = 1593, normalized size = 5.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] [-1/12\*(48\*(a^9\*b^3 - 4\*a^7\*b^5 + 6\*a^5\*b^7 - 4\*a^3\*b^9 + a\*b^11)\*d\*x\*cos(d\*x + c)^3 + 144\*(a^10\*b^2 - 4\*a^8\*b^4 + 6\*a^6\*b^6 - 4\*a^4\*b^8 + a^2\*b^10)\*d\*x\*cos(d\*x + c)^2 + 144\*(a^11\*b - 4\*a^9\*b^3 + 6\*a^7\*b^5 - 4\*a^5\*b^7 + a^3\*b^9)\*d\*x\*cos(d\*x + c) + 48\*(a^12 - 4\*a^10\*b^2 + 6\*a^8\*b^4 - 4\*a^6\*b^6 + a^4\*b^8 - 4\*a^2\*b^10 + b^12)\*d\*x\*cos(d\*x + c) + 48\*(a^12 - 4\*a^10\*b^2 + 6\*a^8\*b^4 - 4\*a^6\*b^6 + a^4\*b^8 - 4\*a^2\*b^10 + b^12)\*d\*x\*cos(d\*x + c)]

$$\begin{aligned}
& b^8) * dx + 3 * (8 * a^{11} - 28 * a^9 * b^2 + 35 * a^7 * b^4 - 20 * a^5 * b^6 + (8 * a^8 * b^3 - \\
& 28 * a^6 * b^5 + 35 * a^4 * b^7 - 20 * a^2 * b^9) * \cos(dx + c)^3 + 3 * (8 * a^9 * b^2 - 28 * a^7 * b^4 + 35 * a^5 * b^6 - 20 * a^3 * b^8) * \cos(dx + c)^2 + 3 * (8 * a^{10} * b - 28 * a^8 * b^3 \\
& + 35 * a^6 * b^5 - 20 * a^4 * b^7) * \cos(dx + c) * \sqrt{-a^2 + b^2} * \log((2 * a * b * \cos(dx + c) + (2 * a^2 - b^2) * \cos(dx + c)^2 + 2 * \sqrt{-a^2 + b^2} * (a * \cos(dx + c) \\
& + b) * \sin(dx + c) - a^2 + 2 * b^2) / (b^2 * \cos(dx + c)^2 + 2 * a * b * \cos(dx + c) + a^2)) - 2 * (24 * a^{11} * b - 92 * a^9 * b^3 + 133 * a^7 * b^5 - 71 * a^5 * b^7 + 6 * a^3 * b^9 + \\
& 6 * (a^8 * b^4 - 4 * a^6 * b^6 + 6 * a^4 * b^8 - 4 * a^2 * b^{10} + b^{12}) * \cos(dx + c)^3 + (44 * a^9 * b^3 - 169 * a^7 * b^5 + 239 * a^5 * b^7 - 132 * a^3 * b^9 + 18 * a * b^{11}) * \cos(dx + \\
& c)^2 + 3 * (20 * a^{10} * b^2 - 77 * a^8 * b^4 + 110 * a^6 * b^6 - 59 * a^4 * b^8 + 6 * a^2 * b^{10} \\
& ) * \cos(dx + c) * \sin(dx + c) / ((a^8 * b^8 - 4 * a^6 * b^{10} + 6 * a^4 * b^{12} - 4 * a^2 * b^{14} + b^{16}) * d * \cos(dx + c)^3 + 3 * (a^9 * b^7 - 4 * a^7 * b^9 + 6 * a^5 * b^{11} - 4 * a^3 * \\
& b^{13} + a * b^{15}) * d * \cos(dx + c)^2 + 3 * (a^{10} * b^6 - 4 * a^8 * b^8 + 6 * a^6 * b^{10} - 4 * \\
& a^4 * b^{12} + a^2 * b^{14}) * d * \cos(dx + c) + (a^{11} * b^5 - 4 * a^9 * b^7 + 6 * a^7 * b^9 - 4 * \\
& a^5 * b^{11} + a^3 * b^{13}) * d), -1/6 * (24 * (a^9 * b^3 - 4 * a^7 * b^5 + 6 * a^5 * b^7 - 4 * a^3 * \\
& b^9 + a * b^{11}) * dx * \cos(dx + c)^3 + 72 * (a^{10} * b^2 - 4 * a^8 * b^4 + 6 * a^6 * b^6 - \\
& 4 * a^4 * b^8 + a^2 * b^{10}) * dx * \cos(dx + c)^2 + 72 * (a^{11} * b - 4 * a^9 * b^3 + 6 * a^7 * b^5 - 4 * a^5 * b^7 + a^3 * b^9) * dx * \cos(dx + c) + 24 * (a^{12} - 4 * a^{10} * b^2 + 6 * a^8 * \\
& b^4 - 4 * a^6 * b^6 + a^4 * b^8) * dx - 3 * (8 * a^{11} - 28 * a^9 * b^2 + 35 * a^7 * b^4 - 20 * a^5 * b^6 + (8 * a^8 * b^3 - 28 * a^6 * b^5 + 35 * a^4 * b^7 - 20 * a^2 * b^9) * \cos(dx + c)^3 \\
& + 3 * (8 * a^9 * b^2 - 28 * a^7 * b^4 + 35 * a^5 * b^6 - 20 * a^3 * b^8) * \cos(dx + c)^2 + 3 * (8 * a^{10} * b - 28 * a^8 * b^3 + 35 * a^6 * b^5 - 20 * a^4 * b^7) * \cos(dx + c) * \sqrt{a^2 - b^2} \\
& * \arctan(-(a * \cos(dx + c) + b) / (\sqrt{a^2 - b^2} * \sin(dx + c))) - (24 * a^{11} * b - 92 * a^9 * b^3 + 133 * a^7 * b^5 - 71 * a^5 * b^7 + 6 * a^3 * b^9 + 6 * (a^8 * b^4 - 4 * a^6 * \\
& b^6 + 6 * a^4 * b^8 - 4 * a^2 * b^{10} + b^{12}) * \cos(dx + c)^3 + (44 * a^9 * b^3 - 169 * a^7 * b^5 + 239 * a^5 * b^7 - 132 * a^3 * b^9 + 18 * a * b^{11}) * \cos(dx + c)^2 + 3 * (20 * a^{10} * \\
& b^2 - 77 * a^8 * b^4 + 110 * a^6 * b^6 - 59 * a^4 * b^8 + 6 * a^2 * b^{10}) * \cos(dx + c) * \sin(dx + c) / ((a^8 * b^8 - 4 * a^6 * b^{10} + 6 * a^4 * b^{12} - 4 * a^2 * b^{14} + b^{16}) * d * \cos(dx + c)^3 + 3 * (a^9 * b^7 - 4 * a^7 * b^9 + 6 * a^5 * b^{11} - 4 * a^3 * b^{13} + a * b^{15}) * d * \cos(dx + c)^2 + 3 * (a^{10} * b^6 - 4 * a^8 * b^8 + 6 * a^6 * b^{10} - 4 * a^4 * b^{12} + a^2 * b^{14}) * d * \cos(dx + c) + (a^{11} * b^5 - 4 * a^9 * b^7 + 6 * a^7 * b^9 - 4 * a^5 * b^{11} + a^3 * b^{13}) * d]
\end{aligned}$$

**giac [A]** time = 1.32, size = 563, normalized size = 1.83

$$\frac{3(8a^8 - 28a^6b^2 + 35a^4b^4 - 20a^2b^6) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6b^5 - 3a^4b^7 + 3a^2b^9 - b^{11}) \sqrt{a^2 - b^2}} - \frac{18a^9 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 42a^8b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^5/(a+b\*cos(dx+c))^4,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/3 * (3 * (8 * a^8 - 28 * a^6 * b^2 + 35 * a^4 * b^4 - 20 * a^2 * b^6) * (\pi * \operatorname{floor}(1/2 * (dx + \\
& c) / \pi + 1/2) * \operatorname{sgn}(-2 * a + 2 * b) + \arctan(-(a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 \\
& * dx + 1/2 * c)) / \sqrt{a^2 - b^2})) / ((a^6 * b^5 - 3 * a^4 * b^7 + 3 * a^2 * b^9 - b^{11}) * \\
& \sqrt{a^2 - b^2}) - (18 * a^9 * \tan(1/2 * dx + 1/2 * c)^5 - 42 * a^8 * b * \tan(1/2 * dx + \\
& 1/2 * c)^5 - 24 * a^7 * b^2 * \tan(1/2 * dx + 1/2 * c)^5 + 117 * a^6 * b^3 * \tan(1/2 * dx + 1/ \\
& 2 * c)^5 - 24 * a^5 * b^4 * \tan(1/2 * dx + 1/2 * c)^5 - 105 * a^4 * b^5 * \tan(1/2 * dx + 1/2 * \\
& c)^5 + 60 * a^3 * b^6 * \tan(1/2 * dx + 1/2 * c)^5 + 36 * a^9 * \tan(1/2 * dx + 1/2 * c)^3 - \\
& 152 * a^7 * b^2 * \tan(1/2 * dx + 1/2 * c)^3 + 236 * a^5 * b^4 * \tan(1/2 * dx + 1/2 * c)^3 - 1 \\
& 20 * a^3 * b^6 * \tan(1/2 * dx + 1/2 * c)^3 + 18 * a^9 * \tan(1/2 * dx + 1/2 * c) + 42 * a^8 * b * \\
& \tan(1/2 * dx + 1/2 * c) - 24 * a^7 * b^2 * \tan(1/2 * dx + 1/2 * c) - 117 * a^6 * b^3 * \tan(1/ \\
& 2 * dx + 1/2 * c) - 24 * a^5 * b^4 * \tan(1/2 * dx + 1/2 * c) + 105 * a^4 * b^5 * \tan(1/2 * dx \\
& + 1/2 * c) + 60 * a^3 * b^6 * \tan(1/2 * dx + 1/2 * c)) / ((a^6 * b^4 - 3 * a^4 * b^6 + 3 * a^2 * b^8 \\
& - b^{10}) * (a * \tan(1/2 * dx + 1/2 * c)^2 - b * \tan(1/2 * dx + 1/2 * c)^2 + a + b)^3) \\
& + 12 * (dx + c) * a / b^5 - 6 * \tan(1/2 * dx + 1/2 * c) / ((\tan(1/2 * dx + 1/2 * c)^2 + 1 \\
& ) * b^4) / d
\end{aligned}$$

**maple [B]** time = 0.08, size = 1396, normalized size = 4.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^5/(a+b*cos(d*x+c))^4,x)`

[Out] 
$$\frac{6/d*a^7/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5-2/d*a^6/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5-18/d*a^5/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5+5/d*a^4/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5+20/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5+12/d*a^7/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-116/3/d*a^5/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+40/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+6/d*a^7/b^4/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)+2/d*a^6/b^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)-18/d*a^5/b^2/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)-5/d*a^4/b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)+20/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)+8/d*a^8/b^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-28/d*a^6/b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+35/d*a^4/b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-20/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+2/d/b^4*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)-8/d/b^5*a*arctan(tan(1/2*d*x+1/2*c))$$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^5/(a+b*cos(d*x+c))^4,x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 9.90, size = 7494, normalized size = 24.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^5/(a + b*cos(c + d*x))^4,x)`

[Out] 
$$-\left(\left(\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)\right)^3(12*a^7*b - 72*a^8 - 18*b^8 + 72*a^2*b^6 + 60*a^3*b^5 - 273*a^4*b^4 - 47*a^5*b^3 + 236*a^6*b^2)\right)/(3*b^4*(a + b)^2*(a - b)^3) - \left(\tan\left(\frac{c}{2} + \frac{d*x}{2}\right)\right)^5(12*a^7*b + 72*a^8 + 18*b^8 - 72*a^2*b^6 + 60*a^3*b^5 + 273*a^4*b^4 - 47*a^5*b^3 - 236*a^6*b^2)\right)/(3*b^4*(a + b)^3*(a - b)^2) +$$



$$\begin{aligned}
& 824a^6b^{10} - 1920a^7b^9 + 2025a^8b^8 + 2560a^9b^7 - 2600a^{10}b^6 \\
& - 1920a^{11}b^5 + 1920a^{12}b^4 + 768a^{13}b^3 - 768a^{14}b^2) / (ab^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 1 \\
& 0a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8) - (a((16(8ab^{23} - 20a^2b^{22} - 36a^3b^{21} + 95a^4b^{20} + 73a^5b^{19} - 193a^6b^{18} \\
& - 87a^7b^{17} + 217a^8b^{16} + 63a^9b^{15} - 143a^{10}b^{14} - 25a^{11}b^{13} + 52a^{12}b^{12} + 4a^{13}b^{11} - 8a^{14}b^{10}))) / (ab^{22} + b^{23} - 5a^2b^{21} - \\
& 5a^3b^{20} + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) + (a \tan(c/2 + (dx)/2) * (8a^3b^2 \\
& 3 - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 160a^8b^{16} + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + \\
& 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10}) * 32i) / (b^5(a^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} \\
& + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8))) * 4i) / b^5) * 4i) / b^5) / (b^5 * d) - (a^2 * \operatorname{atan}(((a^2 * ((8 \tan(c/2 + (dx)/2) * (128a^{16} - 128a^{15}b + 64a^2 \\
& 2b^{14} - 128a^3b^{13} + 80a^4b^{12} + 768a^5b^{11} - 824a^6b^{10} - 1920a^7b^9 + 2025a^8b^8 + 2560a^9b^7 - 2600a^{10}b^6 - 1920a^{11}b^5 + 1920a^{12}b^4 + 768a^{13}b^3 - 768a^{14}b^2)) / (ab^{18} + b^{19} - 5a^2b^{17} - 5a^3 \\
& b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8) + (a^2 * ((16(8ab^{23} - 20a^2b^{22} - 36a^3b^{21} + 95a^4b^{20} + 73a^5b^{19} - 193a^6b^{18} - 87a^7b^{17} + 217a^8b^{16} + 63a^9b^{15} - 143a^{10}b^{14} - 25a^{11}b^{13} + 52a^{12}b^{12} + 4a^{13}b^{11} - 8a^{14}b^{10}))) / (ab^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) - (4a^2 * \tan(c/2 + (dx)/2) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2) * (8ab^{23} - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 160a^8b^{16} + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10}))) / ((b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5) * (ab^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2) * 1i) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) + (a^2 * ((8 \tan(c/2 + (dx)/2) * (128a^{16} - 128a^{15}b + 64a^2b^{14} - 128a^3b^{13} + 80a^4b^{12} + 768a^5b^{11} - 824a^6b^{10} - 1920a^7b^9 + 2025a^8b^8 + 2560a^9b^7 - 2600a^{10}b^6 - 1920a^{11}b^5 + 1920a^{12}b^4 + 768a^{13}b^3 - 768a^{14}b^2)) / (ab^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8) - (a^2 * ((16(8ab^{23} - 20a^2b^{22} - 36a^3b^{21} + 95a^4b^{20} + 73a^5b^{19} - 193a^6b^{18} - 87a^7b^{17} + 217a^8b^{16} + 63a^9b^{15} - 143a^{10}b^{14} - 25a^{11}b^{13} + 52a^{12}b^{12} + 4a^{13}b^{11} - 8a^{14}b^{10}))) / (ab^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) + (4a^2 * \tan(c/2 + (dx)/2) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2) * (8ab^{23} - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 160a^8b^{16} + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10}))) / ((b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5) * (ab^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2) * 1i) / (2 * (b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) / ((32 * (128a^{16} - 64a^{15}b
\end{aligned}$$

$$\begin{aligned}
 &+ 320a^4b^{12} + 480a^5b^{11} - 1520a^6b^{10} - 1280a^7b^9 + 3088a^8b^8 \\
 &+ 1602a^9b^7 - 3472a^{10}b^6 - 1088a^{11}b^5 + 2288a^{12}b^4 + 400a^{13}b^3 - 832a^{14}b^2) / (a^2b^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} + 10a^4b^{19} \\
 &+ 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) - (a^2((8\tan(c/2 + (d*x)/2)*(128a^{16} - 128a^{15}b + 6 \\
 &4a^2b^{14} - 128a^3b^{13} + 80a^4b^{12} + 768a^5b^{11} - 824a^6b^{10} - 1920a^7b^9 + 2025a^8b^8 + 2560a^9b^7 - 2600a^{10}b^6 - 1920a^{11}b^5 + 1 \\
 &920a^{12}b^4 + 768a^{13}b^3 - 768a^{14}b^2)) / (a^2b^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8) + (a^2((16*(8a^2b^{23} - 20a^2b^{22} \\
 &2 - 36a^3b^{21} + 95a^4b^{20} + 73a^5b^{19} - 193a^6b^{18} - 87a^7b^{17} + 217a^8b^{16} + 63a^9b^{15} - 143a^{10}b^{14} - 25a^{11}b^{13} + 52a^{12}b^{12} + 4a^{13}b^{11} - 8a^{14}b^{10})) / (a^2b^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} \\
 &- a^{10}b^{13} - a^{11}b^{12}) - (4a^2\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)*(8a^2b^{23} - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 1 \\
 &60a^8b^{16} + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10})) / ((b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5)*(a^2b^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} \\
 &+ 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2*(b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2*(b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5)) + (a^2((8\tan(c/2 + (d*x)/2)*(128a^{16} - 1 \\
 &28a^{15}b + 64a^2b^{14} - 128a^3b^{13} + 80a^4b^{12} + 768a^5b^{11} - 824a^6b^{10} - 1920a^7b^9 + 2025a^8b^8 + 2560a^9b^7 - 2600a^{10}b^6 - 1920a^{11}b^5 + 1920a^{12}b^4 + 768a^{13}b^3 - 768a^{14}b^2)) / (a^2b^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8) - (a^2((16*(8a^2b^{23} - 20a^2b^{22} - 36a^3b^{21} + 95a^4b^{20} + 73a^5b^{19} - 193a^6b^{18} - 8 \\
 &7a^7b^{17} + 217a^8b^{16} + 63a^9b^{15} - 143a^{10}b^{14} - 25a^{11}b^{13} + 52a^{12}b^{12} + 4a^{13}b^{11} - 8a^{14}b^{10})) / (a^2b^{22} + b^{23} - 5a^2b^{21} - 5a^3b^{20} + 10a^4b^{19} + 10a^5b^{18} - 10a^6b^{17} - 10a^7b^{16} + 5a^8b^{15} + 5a^9b^{14} - a^{10}b^{13} - a^{11}b^{12}) + (4a^2\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)*(8a^2b^{23} - 8a^2b^{22} - 48a^3b^{21} + 48a^4b^{20} + 120a^5b^{19} - 120a^6b^{18} - 160a^7b^{17} + 160a^8b^{16} + 120a^9b^{15} - 120a^{10}b^{14} - 48a^{11}b^{13} + 48a^{12}b^{12} + 8a^{13}b^{11} - 8a^{14}b^{10})) / ((b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5)*(a^2b^{18} + b^{19} - 5a^2b^{17} - 5a^3b^{16} + 10a^4b^{15} + 10a^5b^{14} - 10a^6b^{13} - 10a^7b^{12} + 5a^8b^{11} + 5a^9b^{10} - a^{10}b^9 - a^{11}b^8))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2*(b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) / (2*(b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(8a^6 - 20b^6 + 35a^2b^4 - 28a^4b^2)) * i) / (d*(b^{19} - 7a^2b^{17} + 21a^4b^{15} - 35a^6b^{13} + 35a^8b^{11} - 21a^{10}b^9 + 7a^{12}b^7 - a^{14}b^5) \\
 & )
 \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out



$$3.479 \quad \int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=250

$$\frac{a^2 \sin(c+dx) \cos^2(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^3} - \frac{a^2(9a^4-28a^2b^2+34b^4) \sin(c+dx)}{6b^3d(a^2-b^2)^3(a+b \cos(c+dx))} + \frac{a^3(3a^2-8b^2) \sin(c+dx)}{6b^3d(a^2-b^2)^2(a+b \cos(c+dx))}$$

[Out] x/b^4-a\*(2\*a^6-7\*a^4\*b^2+8\*a^2\*b^4-8\*b^6)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(7/2)/b^4/(a+b)^(7/2)/d-1/3\*a^2\*cos(d\*x+c)^2\*sin(d\*x+c)/b/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^3+1/6\*a^3\*(3\*a^2-8\*b^2)\*sin(d\*x+c)/b^3/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))^2-1/6\*a^2\*(9\*a^4-28\*a^2\*b^2+34\*b^4)\*sin(d\*x+c)/b^3/(a^2-b^2)^3/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.57, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3031, 3021, 2735, 2659, 205}

$$\frac{a(-7a^4b^2+8a^2b^4+2a^6-8b^6) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2 \sin(c+dx) \cos^2(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^3} + \frac{a^3(3a^2-8b^2) \sin(c+dx)}{6b^3d(a^2-b^2)^2(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + b\*cos[c + d\*x])^4,x]

[Out] x/b^4 - (a\*(2\*a^6 - 7\*a^4\*b^2 + 8\*a^2\*b^4 - 8\*b^6)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*b^4\*(a + b)^(7/2)\*d) - (a^2\*cos[c + d\*x]^2\*sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*cos[c + d\*x])^3) + (a^3\*(3\*a^2 - 8\*b^2)\*sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^2\*d\*(a + b\*cos[c + d\*x])^2) - (a^2\*(9\*a^4 - 28\*a^2\*b^2 + 34\*b^4)\*sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^3\*d\*(a + b\*cos[c + d\*x]))

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*sin[e

+ f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> -Simp[((b\*c - a\*d)\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b^2\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[1/(b^2\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(m + 1)\*((b\*B - a\*C)\*(b\*c - a\*d) - A\*b\*(a\*c - b\*d)) + (b\*B\*(a^2\*d + b^2\*d\*(m + 1) - a\*b\*c\*(m + 2)) + (b\*c - a\*d)\*(A\*b^2\*(m + 2) + C\*(a^2 + b^2\*(m + 1)))\*Sin[e + f\*x] - b\*C\*d\*(m + 1)\*(a^2 - b^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)}{(a + b \cos(c + dx))^4} dx &= -\frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{\int \frac{\cos(c+dx)(2a^2-3ab \cos(c+dx)-3(a^2-b^2)\cos^2(c+dx))}{(a+b \cos(c+dx))^3} dx}{3b(a^2 - b^2)} \\ &= -\frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a^3(3a^2 - 8b^2) \sin(c + dx)}{6b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{\int \frac{2a^2b(3}{ \\ &= -\frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a^3(3a^2 - 8b^2) \sin(c + dx)}{6b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{a^2(9a^4}{6b^3(a^2 - b^2)} \\ &= \frac{x}{b^4} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a^3(3a^2 - 8b^2) \sin(c + dx)}{6b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{a^2}{6b^3} \\ &= \frac{x}{b^4} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a^3(3a^2 - 8b^2) \sin(c + dx)}{6b^3(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{a^2}{6b^3} \\ &= \frac{x}{b^4} - \frac{a(2a^6 - 7a^4b^2 + 8a^2b^4 - 8b^6) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}b^4(a+b)^{7/2}d} - \frac{a^2 \cos^2(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} \end{aligned}$$

**Mathematica [A]** time = 2.73, size = 227, normalized size = 0.91

$$\frac{\frac{2a^4b \sin(c+dx)}{(a-b)(a+b)(a+b \cos(c+dx))^3} + \frac{a^2b(-11a^4+32a^2b^2-36b^4) \sin(c+dx)}{(a-b)^3(a+b)^3(a+b \cos(c+dx))} + \frac{a^3b(7a^2-12b^2) \sin(c+dx)}{(a-b)^2(a+b)^2(a+b \cos(c+dx))^2} - \frac{6a(2a^6-7a^4b^2+8a^2b^4-8b^6) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{c+dx}{2}\right)}{\sqrt{-a^2+b^2}}\right)}{(b^2-a^2)^{7/2}}}{6b^4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^4, x]

[Out]  $(6*(c + d*x) - (6*a*(2*a^6 - 7*a^4*b^2 + 8*a^2*b^4 - 8*b^6)*\text{ArcTanh}[\frac{(a - b)*\text{Tan}[(c + d*x)/2]}{\sqrt{-a^2 + b^2}}])/\sqrt{-a^2 + b^2})/(-a^2 + b^2)^{(7/2)} - (2*a^4*b*\text{Sin}[c + d*x])/((a - b)*(a + b)*(a + b*\text{Cos}[c + d*x])^3) + (a^3*b*(7*a^2 - 12*b^2)*\text{Sin}[c + d*x])/((a - b)^2*(a + b)^2*(a + b*\text{Cos}[c + d*x])^2) + (a^2*b*(-11*a^4 + 32*a^2*b^2 - 36*b^4)*\text{Sin}[c + d*x])/((a - b)^3*(a + b)^3*(a + b*\text{Cos}[c + d*x]))/(6*b^4*d)$

**fricas [B]** time = 1.29, size = 1445, normalized size = 5.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^4, x, algorithm="fricas")

[Out]  $[1/12*(12*(a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d*x*\cos(d*x + c)^3 + 36*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*x*\cos(d*x + c)^2 + 36*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*x*\cos(d*x + c) + 12*(a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*x - 3*(2*a^{10} - 7*a^8*b^2 + 8*a^6*b^4 - 8*a^4*b^6 + (2*a^7*b^3 - 7*a^5*b^5 + 8*a^3*b^7 - 8*a*b^9)*\cos(d*x + c)^3 + 3*(2*a^8*b^2 - 7*a^6*b^4 + 8*a^4*b^6 - 8*a^2*b^8)*\cos(d*x + c)^2 + 3*(2*a^9*b - 7*a^7*b^3 + 8*a^5*b^5 - 8*a^3*b^7)*\cos(d*x + c)*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(6*a^{10}*b - 23*a^8*b^3 + 43*a^6*b^5 - 26*a^4*b^7 + (11*a^8*b^3 - 43*a^6*b^5 + 68*a^4*b^7 - 36*a^2*b^9)*\cos(d*x + c)^2 + 15*(a^9*b^2 - 4*a^7*b^4 + 7*a^5*b^6 - 4*a^3*b^8)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^{11} - 4*a^2*b^{13} + b^{15})*d*\cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^{10} - 4*a^3*b^{12} + a*b^{14})*d*\cos(d*x + c)^2 + 3*(a^{10}*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^{11} + a^2*b^{13})*d*\cos(d*x + c) + (a^{11}*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^{10} + a^3*b^{12})*d), 1/6*(6*(a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d*x*\cos(d*x + c)^3 + 18*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*x*\cos(d*x + c)^2 + 18*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*x*\cos(d*x + c) + 6*(a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d*x - 3*(2*a^{10} - 7*a^8*b^2 + 8*a^6*b^4 - 8*a^4*b^6 + (2*a^7*b^3 - 7*a^5*b^5 + 8*a^3*b^7 - 8*a*b^9)*\cos(d*x + c)^3 + 3*(2*a^8*b^2 - 7*a^6*b^4 + 8*a^4*b^6 - 8*a^2*b^8)*\cos(d*x + c)^2 + 3*(2*a^9*b - 7*a^7*b^3 + 8*a^5*b^5 - 8*a^3*b^7)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (6*a^{10}*b - 23*a^8*b^3 + 43*a^6*b^5 - 26*a^4*b^7 + (11*a^8*b^3 - 43*a^6*b^5 + 68*a^4*b^7 - 36*a^2*b^9)*\cos(d*x + c)^2 + 15*(a^9*b^2 - 4*a^7*b^4 + 7*a^5*b^6 - 4*a^3*b^8)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^{11} - 4*a^2*b^{13} + b^{15})*d*\cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^{10} - 4*a^3*b^{12} + a*b^{14})*d*\cos(d*x + c)^2 + 3*(a^{10}*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^{11} + a^2*b^{13})*d*\cos(d*x + c) + (a^{11}*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^{10} + a^3*b^{12})*d)]$

**giac [B]** time = 2.11, size = 531, normalized size = 2.12

$$\frac{3(2a^7 - 7a^5b^2 + 8a^3b^4 - 8ab^6) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6b^4 - 3a^4b^6 + 3a^2b^8 - b^{10})\sqrt{a^2 - b^2}} - \frac{6a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15a^7b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 45a^5b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 60a^3b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 36a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 56a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 116a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 72a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15a^7b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 45a^5b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60a^3b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^6b^3 - 3a^4b^5 + 3a^2b^7 - b^9)(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^3 + 3(dx + c)/b^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $\frac{1}{3} \cdot (3 \cdot (2a^7 - 7a^5b^2 + 8a^3b^4 - 8a^2b^6) \cdot (\pi \cdot \operatorname{floor}\left(\frac{1}{2}(dx + c)\right) / \pi + \frac{1}{2}) \cdot \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)) / ((a^6b^4 - 3a^4b^6 + 3a^2b^8 - b^{10}) \cdot \sqrt{a^2 - b^2}) - (6a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15a^7b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 45a^5b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 6a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 60a^3b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 36a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 56a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 116a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 72a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6a^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15a^7b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 45a^5b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 6a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 60a^3b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 36a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)) / ((a^6b^3 - 3a^4b^5 + 3a^2b^7 - b^9) \cdot (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^3 + 3(dx + c)/b^4) / d$

**maple [B]** time = 0.08, size = 1356, normalized size = 5.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^4,x)

[Out] 
$$\begin{aligned} & -2/d \cdot a^6/b^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3a^2b + 3a^2b + b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 1/d \cdot a^5/b^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3a^2b + b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6/d \cdot a^4/b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3a^2b + b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 4/d \cdot a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3a^2b + b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 12/d \cdot a^2 \cdot b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a - b) / (a^3 + 3a^2b + 3a^2b + b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 4/d \cdot a^6/b^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a^2 - 2a \cdot b + b^2) / (a^2 + 2a \cdot b + b^2) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 44/3 \cdot d \cdot a^4/b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a^2 - 2a \cdot b + b^2) / (a^2 + 2a \cdot b + b^2) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 24/d \cdot a^2 \cdot b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a^2 - 2a \cdot b + b^2) / (a^2 + 2a \cdot b + b^2) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2/d \cdot a^6/b^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3a^2b - b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1/d \cdot a^5/b^2 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3a^2b - b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6/d \cdot a^4/b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3a^2b - b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 4/d \cdot a^3 / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3a^2b - b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 12/d \cdot a^2 \cdot b / (a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \cdot b + a + b)^3 / (a + b) / (a^3 - 3a^2b + 3a^2b - b^3) \cdot \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2/d \cdot a^7/b^4 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) \cdot (a + b))^{1/2} \cdot \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \cdot (a - b) / ((a - b) \cdot (a + b))^{1/2}\right) + 7/d \cdot a^5/b^2 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) \cdot (a + b))^{1/2} \cdot \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \cdot (a - b) / ((a - b) \cdot (a + b))^{1/2}\right) - 8/d \cdot a^3 / (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) / ((a - b) \cdot (a + b))^{1/2} \cdot \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \cdot (a - b) / ((a - b) \cdot (a + b))^{1/2}\right) + 8/d \cdot a \cdot b^2 / \end{aligned}$$

$$(a^6-3a^4b^2+3a^2b^4-b^6)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c))$$

$$*(a-b)/((a-b)*(a+b))^{1/2}+2/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 12.37, size = 7247, normalized size = 28.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^4/(a + b\*cos(c + d\*x))^4,x)

[Out] 
$$(2*\operatorname{atan}\left(\frac{(8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8))/(a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i)}{b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)}\right) * i) / b^4 + (8*\tan(c/2 + (d*x)/2) * (8*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 4*b^{14} + 44*a^2*b^{12} + 48*a^3*b^{11} - 92*a^4*b^{10} - 120*a^5*b^9 + 156*a^6*b^8 + 160*a^7*b^7 - 164*a^8*b^6 - 120*a^9*b^5 + 117*a^{10}*b^4 + 48*a^{11}*b^3 - 48*a^{12}*b^2)) / (a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4 - (((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i) / (b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))) * i) / b^4 - (8*\tan(c/2 + (d*x)/2) * (8*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 4*b^{14} + 44*a^2*b^{12} + 48*a^3*b^{11} - 92*a^4*b^{10} - 120*a^5*b^9 + 156*a^6*b^8 + 160*a^7*b^7 - 164*a^8*b^6 - 120*a^9*b^5 + 117*a^{10}*b^4 + 48*a^{11}*b^3 - 48*a^{12}*b^2)) / (a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4) / (((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i) / (b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4) / (((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i) / (b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4) / (((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i) / (b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4) / (((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)) / (a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (\tan(c/2 + (d*x)/2) * (8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8)*8i) / (b^4*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6)) / b^4)$$

$$\begin{aligned}
& ^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6)) * 1i) / b^4 + (8 \tan(c/2 + (d*x)/2) * (8a^{14} - 8a^{13}b - 8a^{12}b^2 + 4b^{14} + 44a^2b^{12} + 48a^3b^{11} - 92a^4b^{10} - 120a^5b^9 + 156a^6b^8 + 160a^7b^7 - 164a^8b^6 - 120a^9b^5 + 117a^{10}b^4 + 48a^{11}b^3 - 48a^{12}b^2)) / (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6)) * 1i) / b^4 + (((((8 * (16a^{20}b - 4b^{21} + 12a^2b^{19} - 64a^3b^{18} - 20a^4b^{17} + 110a^5b^{16} + 30a^6b^{15} - 110a^7b^{14} - 30a^8b^{13} + 70a^9b^{12} + 14a^{10}b^{11} - 26a^{11}b^{10} - 2a^{12}b^9 + 4a^{13}b^8)) / (a^{19}b + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) + (\tan(c/2 + (d*x)/2) * (8a^{21}b - 8a^2b^{20} - 48a^3b^{19} + 48a^4b^{18} + 120a^5b^{17} - 120a^6b^{16} - 160a^7b^{15} + 160a^8b^{14} + 120a^9b^{13} - 120a^{10}b^{12} - 48a^{11}b^{11} + 48a^{12}b^{10} + 8a^{13}b^9 - 8a^{14}b^8)) * 8i) / (b^4 * (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6))) * 1i) / b^4 - (8 \tan(c/2 + (d*x)/2) * (8a^{14} - 8a^{13}b - 8a^{12}b^2 + 4b^{14} + 44a^2b^{12} + 48a^3b^{11} - 92a^4b^{10} - 120a^5b^9 + 156a^6b^8 + 160a^7b^7 - 164a^8b^6 - 120a^9b^5 + 117a^{10}b^4 + 48a^{11}b^3 - 48a^{12}b^2)) / (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6)) * 1i) / b^4 + (16 * (16a^{12}b - 2a^{12}b + 4a^{13} + 48a^2b^{11} - 64a^3b^{10} - 64a^4b^9 + 110a^5b^8 + 66a^6b^7 - 110a^7b^6 - 34a^8b^5 + 70a^9b^4 + 11a^{10}b^3 - 26a^{11}b^2)) / (a^{19}b + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9))) / (b^4 * d) - ((\tan(c/2 + (d*x)/2)^5 * (2a^6 - a^5b + 12a^2b^4 + 4a^3b^3 - 6a^4b^2)) / ((a^{19}b + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9)) + (4 * \tan(c/2 + (d*x)/2)^3 * (3a^6 + 18a^2b^4 - 11a^4b^2)) / (3 * (a + b)^2 * (b^5 - 2a^{10}b^4 + a^2b^3)) + (\tan(c/2 + (d*x)/2) * (a^5b + 2a^6 + 12a^2b^4 - 4a^3b^3 - 6a^4b^2)) / ((a + b) * (3a^5b^5 - b^6 - 3a^2b^4 + a^3b^3))) / (d * (3a^5b^2 - \tan(c/2 + (d*x)/2)^4 * (3a^5b^2 + 3a^2b - 3a^3 - 3b^3) - \tan(c/2 + (d*x)/2)^2 * (3a^5b^2 - 3a^2b - 3a^3 + 3b^3) + 3a^2b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6 * (3a^5b^2 - 3a^2b + a^3 - b^3))) + (a * \operatorname{atan}(((a * ((8 * \tan(c/2 + (d*x)/2) * (8a^{14} - 8a^{13}b - 8a^{12}b^2 + 4b^{14} + 44a^2b^{12} + 48a^3b^{11} - 92a^4b^{10} - 120a^5b^9 + 156a^6b^8 + 160a^7b^7 - 164a^8b^6 - 120a^9b^5 + 117a^{10}b^4 + 48a^{11}b^3 - 48a^{12}b^2)) / (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6)) + (a * ((8 * (16a^{20}b - 4b^{21} + 12a^2b^{19} - 64a^3b^{18} - 20a^4b^{17} + 110a^5b^{16} + 30a^6b^{15} - 110a^7b^{14} - 30a^8b^{13} + 70a^9b^{12} + 14a^{10}b^{11} - 26a^{11}b^{10} - 2a^{12}b^9 + 4a^{13}b^8)) / (a^{19}b + b^{20} - 5a^2b^{18} - 5a^3b^{17} + 10a^4b^{16} + 10a^5b^{15} - 10a^6b^{14} - 10a^7b^{13} + 5a^8b^{12} + 5a^9b^{11} - a^{10}b^{10} - a^{11}b^9) - (4a * \tan(c/2 + (d*x)/2) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (2a^6 - 8b^6 + 8a^2b^4 - 7a^4b^2)) * (8a^{21}b - 8a^2b^{20} - 48a^3b^{19} + 48a^4b^{18} + 120a^5b^{17} - 120a^6b^{16} - 160a^7b^{15} + 160a^8b^{14} + 120a^9b^{13} - 120a^{10}b^{12} - 48a^{11}b^{11} + 48a^{12}b^{10} + 8a^{13}b^9 - 8a^{14}b^8)) / ((b^{18} - 7a^2b^{16} + 21a^4b^{14} - 35a^6b^{12} + 35a^8b^{10} - 21a^{10}b^8 + 7a^{12}b^6 - a^{14}b^4)) * (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (2a^6 - 8b^6 + 8a^2b^4 - 7a^4b^2)) / (2 * (b^{18} - 7a^2b^{16} + 21a^4b^{14} - 35a^6b^{12} + 35a^8b^{10} - 21a^{10}b^8 + 7a^{12}b^6 - a^{14}b^4))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (2a^6 - 8b^6 + 8a^2b^4 - 7a^4b^2)) * 1i) / (2 * (b^{18} - 7a^2b^{16} + 21a^4b^{14} - 35a^6b^{12} + 35a^8b^{10} - 21a^{10}b^8 + 7a^{12}b^6 - a^{14}b^4)) + (a * ((8 * \tan(c/2 + (d*x)/2) * (8a^{14} - 8a^{13}b - 8a^{12}b^2 + 4b^{14} + 44a^2b^{12} + 48a^3b^{11} - 92a^4b^{10} - 120a^5b^9 + 156a^6b^8 + 160a^7b^7 - 164a^8b^6 - 120a^9b^5 + 117a^{10}b^4 + 48a^{11}b^3 - 48a^{12}b^2)) / (a^{16}b + b^{17} - 5a^2b^{15} - 5a^3b^{14} + 10a^4b^{13} + 10a^5b^{12} - 10a^6b^{11} - 10a^7b^{10} + 5a^8b^9 + 5a^9b^8 - a^{10}b^7 - a^{11}b^6))
\end{aligned}$$

$$\begin{aligned}
& ) - (a*((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + \\
& 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14* \\
& a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)))/(a*b^{19} + b^{20} - 5*a^2 \\
& *b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} \\
& + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (4*a*\tan(c/2 + (d*x)/2) \\
& *(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2)*(8*a* \\
& b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} \\
& - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} \\
& + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8))/((b^{18} - 7*a^2*b^{16} + 21*a^4*b \\
& ^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b \\
& ^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b \\
& ^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))*(-(a + b) \\
& )^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2))/(2*(b^{18} - 7* \\
& a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b \\
& ^6 - a^{14}*b^4))*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - \\
& 7*a^4*b^2)*i)/(2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b \\
& ^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))/((16*(16*a*b^{12} - 2*a^{12}*b + 4 \\
& *a^{13} + 48*a^2*b^{11} - 64*a^3*b^{10} - 64*a^4*b^9 + 110*a^5*b^8 + 66*a^6*b^7 - \\
& 110*a^7*b^6 - 34*a^8*b^5 + 70*a^9*b^4 + 11*a^{10}*b^3 - 26*a^{11}*b^2))/(a*b^{19} \\
& + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} \\
& - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (a*((8* \\
& \tan(c/2 + (d*x)/2)*(8*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 4*b^{14} + 44*a^2*b^{12} + 4 \\
& 8*a^3*b^{11} - 92*a^4*b^{10} - 120*a^5*b^9 + 156*a^6*b^8 + 160*a^7*b^7 - 164*a^ \\
& 8*b^6 - 120*a^9*b^5 + 117*a^{10}*b^4 + 48*a^{11}*b^3 - 48*a^{12}*b^2))/(a*b^{16} + \\
& b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - \\
& 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6) + (a*((8*(16*a*b \\
& ^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - 20*a^4*b^{17} + 110*a^5*b^{16} + 30* \\
& a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70*a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11} \\
& *b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)))/(a*b^{19} + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} \\
& + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a \\
& ^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) - (4*a*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - \\
& b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2)*(8*a*b^{21} - 8*a^2*b^{20} \\
& - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} - 120*a^6*b^{16} - 160*a^7*b^{15} + \\
& 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + \\
& 8*a^{13}*b^9 - 8*a^{14}*b^8))/((b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} \\
& + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2 \\
& *b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} \\
& + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6))*(-(a + b)^7*(a - b)^7)^{(1/ \\
& 2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2))/(2*(b^{18} - 7*a^2*b^{16} + 21*a^4* \\
& b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))*(- \\
& (a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2))/(2*(b^ \\
& 18 - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7 \\
& *a^{12}*b^6 - a^{14}*b^4)) - (a*((8*\tan(c/2 + (d*x)/2)*(8*a^{14} - 8*a^{13}*b - 8*a \\
& *b^{13} + 4*b^{14} + 44*a^2*b^{12} + 48*a^3*b^{11} - 92*a^4*b^{10} - 120*a^5*b^9 + 15 \\
& 6*a^6*b^8 + 160*a^7*b^7 - 164*a^8*b^6 - 120*a^9*b^5 + 117*a^{10}*b^4 + 48*a^{11} \\
& *b^3 - 48*a^{12}*b^2))/(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} \\
& + 10*a^5*b^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}* \\
& b^7 - a^{11}*b^6) - (a*((8*(16*a*b^{20} - 4*b^{21} + 12*a^2*b^{19} - 64*a^3*b^{18} - \\
& 20*a^4*b^{17} + 110*a^5*b^{16} + 30*a^6*b^{15} - 110*a^7*b^{14} - 30*a^8*b^{13} + 70* \\
& a^9*b^{12} + 14*a^{10}*b^{11} - 26*a^{11}*b^{10} - 2*a^{12}*b^9 + 4*a^{13}*b^8)))/(a*b^{19} \\
& + b^{20} - 5*a^2*b^{18} - 5*a^3*b^{17} + 10*a^4*b^{16} + 10*a^5*b^{15} - 10*a^6*b^{14} \\
& - 10*a^7*b^{13} + 5*a^8*b^{12} + 5*a^9*b^{11} - a^{10}*b^{10} - a^{11}*b^9) + (4*a*\tan( \\
& c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7* \\
& a^4*b^2)*(8*a*b^{21} - 8*a^2*b^{20} - 48*a^3*b^{19} + 48*a^4*b^{18} + 120*a^5*b^{17} \\
& - 120*a^6*b^{16} - 160*a^7*b^{15} + 160*a^8*b^{14} + 120*a^9*b^{13} - 120*a^{10}*b^{12} \\
& - 48*a^{11}*b^{11} + 48*a^{12}*b^{10} + 8*a^{13}*b^9 - 8*a^{14}*b^8))/((b^{18} - 7*a^2*b \\
& ^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - \\
& a^{14}*b^4)*(a*b^{16} + b^{17} - 5*a^2*b^{15} - 5*a^3*b^{14} + 10*a^4*b^{13} + 10*a^5*b \\
& ^{12} - 10*a^6*b^{11} - 10*a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - a^{10}*b^7 - a^{11}*b^6
\end{aligned}$$

$$\begin{aligned} & \text{^6)))*(-(a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2)) \\ & / (2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}* \\ & b^8 + 7*a^{12}*b^6 - a^{14}*b^4))) * (-(a + b)^7*(a - b)^7)^{(1/2)}*(2*a^6 - 8*b^6 \\ & + 8*a^2*b^4 - 7*a^4*b^2)) / (2*(b^{18} - 7*a^2*b^{16} + 21*a^4*b^{14} - 35*a^6*b^{12} \\ & + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4))) * (-(a + b)^7*(a - b \\ & )^7)^{(1/2)}*(2*a^6 - 8*b^6 + 8*a^2*b^4 - 7*a^4*b^2)*i) / (d*(b^{18} - 7*a^2*b^{16} \\ & + 21*a^4*b^{14} - 35*a^6*b^{12} + 35*a^8*b^{10} - 21*a^{10}*b^8 + 7*a^{12}*b^6 - a^{14}*b^4)) \end{aligned}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out



$$3.480 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=222

$$\frac{b(3a^2 + 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(2a^2 - 7b^2) \sin(c+dx)}{6b^2d(a^2 - b^2)^2(a+b \cos(c+dx))^2} - \frac{a^2 \sin(c+dx) \cos(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))}$$

[Out]  $-b*(3*a^2+2*b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(7/2)}/(a+b)^{(7/2)}/d-1/3*a^2*\cos(d*x+c)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3-1/6*a^2*(2*a^2-7*b^2)*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2+1/6*a*(2*a^4-5*a^2*b^2+18*b^4)*\sin(d*x+c)/b^2/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.34, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2792, 3021, 2754, 12, 2659, 205}

$$\frac{b(3a^2 + 2b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(2a^2 - 7b^2) \sin(c+dx)}{6b^2d(a^2 - b^2)^2(a+b \cos(c+dx))^2} - \frac{a^2 \sin(c+dx) \cos(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^4,x]

[Out]  $-((b*(3*a^2 + 2*b^2)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/(\text{Sqrt}[a + b])]/((a - b)^{(7/2)}*(a + b)^{(7/2)}*d)) - (a^2*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^3) - (a^2*(2*a^2 - 7*b^2)*\text{Sin}[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])^2) + (a*(2*a^4 - 5*a^2*b^2 + 18*b^4)*\text{Sin}[c + d*x])/(6*b^2*(a^2 - b^2)^3*d*(a + b*\text{Cos}[c + d*x]))$

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2659**

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rule 2754**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

## Rule 2792

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

## Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

## Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)}{(a+b\cos(c+dx))^4} dx &= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{a^2-3ab\cos(c+dx)-(2a^2-3b^2)\cos^2(c+dx)}{(a+b\cos(c+dx))^3} dx}{3b(a^2-b^2)} \\
&= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(2a^2-7b^2)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{\int \frac{2ab(a^2-3b^2)\cos(c+dx)}{(a+b\cos(c+dx))^3} dx}{6b^2(a^2-b^2)} \\
&= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(2a^2-7b^2)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^4-3a^2b^2-3b^4)\cos(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(2a^2-7b^2)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^4-3a^2b^2-3b^4)\cos(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(2a^2-7b^2)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^4-3a^2b^2-3b^4)\cos(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= -\frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a^2(2a^2-7b^2)\sin(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^4-3a^2b^2-3b^4)\cos(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= -\frac{b(3a^2+2b^2)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{a^2 \cos(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{a(2a^4-3a^2b^2-3b^4)\cos(c+dx)}{6b^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.23, size = 158, normalized size = 0.71

$$\frac{a \sin(c+dx)(4a^4+3ab(a^2+9b^2)\cos(c+dx)+11a^2b^2+(2a^4-5a^2b^2+18b^4)\cos^2(c+dx))}{(a-b)^3(a+b)^3(a+b\cos(c+dx))^3} - \frac{6b(3a^2+2b^2)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}}$$

6d

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^4,x]

[Out]  $\frac{((-6*b*(3*a^2 + 2*b^2)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^{(7/2)} + (a*(4*a^4 + 11*a^2*b^2 + 3*a*b*(a^2 + 9*b^2))*Cos[c + d*x] + (2*a^4 - 5*a^2*b^2 + 18*b^4)*Cos[c + d*x]^2*Sin[c + d*x])/((a - b)^3*(a + b)^3*(a + b*Cos[c + d*x])^3)}{(6*d)}$

**fricas** [A] time = 1.00, size = 893, normalized size = 4.02

$$\frac{3(3a^5b + 2a^3b^3 + (3a^2b^4 + 2b^6)\cos(dx + c)^3 + 3(3a^3b^3 + 2ab^5)\cos(dx + c)^2 + 3(3a^4b^2 + 2a^2b^4)\cos(dx + c))}{12((a^8b^3 - 4a^6b^5 + 6a^4b^7 - 4a^2b^9 + b^{11})d\cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out]  $[1/12*(3*(3*a^5*b + 2*a^3*b^3 + (3*a^2*b^4 + 2*b^6)*\cos(d*x + c)^3 + 3*(3*a^3*b^3 + 2*a*b^5)*\cos(d*x + c)^2 + 3*(3*a^4*b^2 + 2*a^2*b^4)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) + 2*(4*a^7 + 7*a^5*b^2 - 11*a^3*b^4 + (2*a^7 - 7*a^5*b^2 + 23*a^3*b^4 - 18*a*b^6)*\cos(d*x + c)^2 + 3*(a^6*b + 8*a^4*b^3 - 9*a^2*b^5)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c)^2 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), -1/6*(3*(3*a^5*b + 2*a^3*b^3 + (3*a^2*b^4 + 2*b^6)*\cos(d*x + c)^3 + 3*(3*a^3*b^3 + 2*a*b^5)*\cos(d*x + c)^2 + 3*(3*a^4*b^2 + 2*a^2*b^4)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (4*a^7 + 7*a^5*b^2 - 11*a^3*b^4 + (2*a^7 - 7*a^5*b^2 + 23*a^3*b^4 - 18*a*b^6)*\cos(d*x + c)^2 + 3*(a^6*b + 8*a^4*b^3 - 9*a^2*b^5)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^{11})*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^{10})*d*\cos(d*x + c)^2 + 3*(a^{10}*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^{11} - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)]$

**giac** [A] time = 1.88, size = 399, normalized size = 1.80

$$\frac{3(3a^2b + 2b^3)\left(\pi\left[\frac{dx+c}{2\pi} + \frac{1}{2}\right]\operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right)\right)}{(a^6 - 3a^4b^2 + 3a^2b^4 - b^6)\sqrt{a^2 - b^2}} + \frac{6a^5\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3a^4b\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6a^3b^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3a^4b^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 6a^3b^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 27a^2b^5\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 18a^2b^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 4a^5\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 32a^3b^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 36a^4b^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 6a^5\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3a^4b^2\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6a^3b^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 27a^2b^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 18a^2b^3\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 18a^2b^4\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right))/((a^6 - 3a^4b^2 + 3a^2b^4 - b^6)*(a*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b*\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^3)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $1/3*(3*(3*a^2*b + 2*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*\sqrt{a^2 - b^2}) + (6*a^5*\tan(1/2*d*x + 1/2*c)^5 - 3*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 6*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 27*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 18*a^2*b^4*\tan(1/2*d*x + 1/2*c)^5 + 4*a^5*\tan(1/2*d*x + 1/2*c)^3 + 32*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 36*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 6*a^5*\tan(1/2*d*x + 1/2*c) + 3*a^4*b^2*\tan(1/2*d*x + 1/2*c) + 6*a^3*b^3*\tan(1/2*d*x + 1/2*c) + 27*a^2*b^4*\tan(1/2*d*x + 1/2*c) + 18*a^2*b^3*\tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3)/d$

**maple [B]** time = 0.06, size = 776, normalized size = 3.50

$$\frac{2a^3 \left( \tan^5 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^3 (a-b) (a^3 + 3a^2b + 3b^2a + b^3)} + \frac{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^3 (a-b) (a^3 + 3a^2b + 3b^2a + b^3)}{d \left( a \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \tan^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + a + b \right)^3 (a-b) (a^3 + 3a^2b + 3b^2a + b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x)

[Out]  $\frac{2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5+3/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^2+4/3/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3+12/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*b^2+2/d*a^3/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)-3/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)+6/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^2-3/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-2/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))$

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad [B]** time = 4.21, size = 378, normalized size = 1.70

$$\frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (a^3 + 9ab^2)}{3(a+b)^2 (a^2 - 2ab + b^2)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (2a^3 + 3a^2b + 6ab^2)}{(a+b)^3 (a-b)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a^3 - 3a^2b + 3ab^2 + b^3)}{(a+b) (a^3 - 3a^2b + 3ab^2 + b^3)}$$

$$d \left( 3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + 3ab^2 - 3b^3) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (-3a^3 - 3a^2b + 3ab^2 + 3b^3) + 3a^2b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^4,x)

[Out]  $\frac{((4*\tan(c/2 + (d*x)/2)^3*(9*a*b^2 + a^3))/(3*(a + b)^2*(a^2 - 2*a*b + b^2)) + (\tan(c/2 + (d*x)/2)^5*(6*a*b^2 + 3*a^2*b + 2*a^3))/((a + b)^3*(a - b)) + (\tan(c/2 + (d*x)/2)*(6*a*b^2 - 3*a^2*b + 2*a^3))/((a + b)*(3*a*b^2 - 3*a^2*b + a^3 - b^3)))/(d*(3*a*b^2 - \tan(c/2 + (d*x)/2)^4*(3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - \tan(c/2 + (d*x)/2)^2*(3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6*(3*a*b^2 - 3*a^2*b + a^3 - b^3)) - (b*atan((b*\tan(c/2 + (d*x)/2)*(3*a^2 + 2*b^2)*(2*a - 2*b)*(3*a*b^2 - 3$

$$\frac{a^2b + a^3 - b^3}{2(3a^2b + 2b^3)(a + b)^{1/2}(a - b)^{7/2}} \cdot \frac{3a^2 + 2b^2}{d(a + b)^{7/2}(a - b)^{7/2}}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**3.481**  $\int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^4} dx$

**Optimal.** Leaf size=206

$$\frac{a(a^2 + 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2 \sin(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^3} + \frac{a(a^2-6b^2) \sin(c+dx)}{6bd(a^2-b^2)^2(a+b \cos(c+dx))^2} + \frac{a^2 \sin(c+dx)}{6bd(a^2-b^2)^3(a+b \cos(c+dx))}$$

[Out] a\*(a^2+4\*b^2)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(7/2)/(a+b)^(7/2)/d-1/3\*a^2\*sin(d\*x+c)/b/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^3+1/6\*a\*(a^2-6\*b^2)\*sin(d\*x+c)/b/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))^2+1/6\*(a^4-10\*a^2\*b^2-6\*b^4)\*sin(d\*x+c)/b/(a^2-b^2)^3/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.28, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21, number of rules / integrand size = 0.238, Rules used = {2790, 2754, 12, 2659, 205}

$$\frac{a(a^2 + 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2 \sin(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^3} + \frac{a(a^2-6b^2) \sin(c+dx)}{6bd(a^2-b^2)^2(a+b \cos(c+dx))^2} + \frac{a^2 \sin(c+dx)}{6bd(a^2-b^2)^3(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*cos[c + d\*x])^4,x]

[Out] (a\*(a^2 + 4\*b^2)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - (a^2\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*cos[c + d\*x])^3) + (a\*(a^2 - 6\*b^2)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^2\*d\*(a + b\*cos[c + d\*x])^2) + ((a^4 - 10\*a^2\*b^2 - 6\*b^4)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^3\*d\*(a + b\*cos[c + d\*x]))

**Rule 12**

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2659**

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rule 2754**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rule 2790

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(2*b*c*d - a*(c^2 + d^2)) + (a^2*d^2 - 2*a*b*c*d*(m + 2) + b^2*(d^2*(m + 1) + c^2*(m + 2)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)}{(a + b \cos(c + dx))^4} dx = -\frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{3ab + (a^2 - 3b^2)\cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3b(a^2 - b^2)}$$

$$= -\frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2 - 6b^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \int \frac{-2b}{(a + b \cos(c + dx))^3} dx$$

$$= -\frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2 - 6b^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{(a^4 - 4ab^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= -\frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2 - 6b^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{(a^4 - 4ab^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= -\frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2 - 6b^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{(a^4 - 4ab^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{a(a^2 + 4b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{7/2}(a + b)^{7/2}d} - \frac{a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{(a^4 - 4ab^2)\sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

**Mathematica [A]** time = 1.20, size = 162, normalized size = 0.79

$$\frac{6a(a^2 + 4b^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{7/2}} + \frac{\sin(c + dx)(-13a^4b - 2a^2b^3 + b(a^4 - 10a^2b^2 - 6b^4)) \cos^2(c + dx) + 3a(a^4 - 9a^2b^2 - 2b^4) \cos(c + dx)}{(a - b)^3(a + b)^3(a + b \cos(c + dx))^3}$$


---

6d

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2/(a + b*Cos[c + d*x])^4, x]
```

```
[Out] ((6*a*(a^2 + 4*b^2)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(a^2 - b^2)^(7/2) + ((-13*a^4*b - 2*a^2*b^3 + 3*a*(a^4 - 9*a^2*b^2 - 2*b^4))*Cos[c + d*x] + b*(a^4 - 10*a^2*b^2 - 6*b^4)*Cos[c + d*x]^2*Sin[c + d*x])/((a - b)^3*(a + b)^3*(a + b*Cos[c + d*x])^3)/(6*d)
```

**fricas [B]** time = 0.92, size = 893, normalized size = 4.33

$$\frac{3(a^6 + 4a^4b^2 + (a^3b^3 + 4ab^5) \cos(dx + c)^3 + 3(a^4b^2 + 4a^2b^4) \cos(dx + c)^2 + 3(a^5b + 4a^3b^3) \cos(dx + c))}{12((a^8b^3 - 4a^6b^5 + 6a^4b^7 - 4a^2b^9 + b^{11})d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] [1/12\*(3\*(a^6 + 4\*a^4\*b^2 + (a^3\*b^3 + 4\*a\*b^5)\*cos(d\*x + c))^3 + 3\*(a^4\*b^2 + 4\*a^2\*b^4)\*cos(d\*x + c)^2 + 3\*(a^5\*b + 4\*a^3\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(13\*a^6\*b - 11\*a^4\*b^3 - 2\*a^2\*b^5 - (a^6\*b - 11\*a^4\*b^3 + 4\*a^2\*b^5 + 6\*b^7)\*cos(d\*x + c)^2 - 3\*(a^7 - 10\*a^5\*b^2 + 7\*a^3\*b^4 + 2\*a\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*d\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*d\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*d\*cos(d\*x + c) + (a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8)\*d), 1/6\*(3\*(a^6 + 4\*a^4\*b^2 + (a^3\*b^3 + 4\*a\*b^5)\*cos(d\*x + c))^3 + 3\*(a^4\*b^2 + 4\*a^2\*b^4)\*cos(d\*x + c)^2 + 3\*(a^5\*b + 4\*a^3\*b^3)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (13\*a^6\*b - 11\*a^4\*b^3 - 2\*a^2\*b^5 - (a^6\*b - 11\*a^4\*b^3 + 4\*a^2\*b^5 + 6\*b^7)\*cos(d\*x + c)^2 - 3\*(a^7 - 10\*a^5\*b^2 + 7\*a^3\*b^4 + 2\*a\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*d\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*d\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*d\*cos(d\*x + c) + (a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8)\*d)]

**giac** [B] time = 1.12, size = 427, normalized size = 2.07

$$\frac{3(a^3+4ab^2)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^6-3a^4b^2+3a^2b^4-b^6)\sqrt{a^2-b^2}}+\frac{3a^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+12a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-27a^3b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+12a^2b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-6a*b^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+6b^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+28a^4*b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-16a^2*b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-12b^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-3a^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+12a^4*b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+27a^3*b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+12a^2*b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+6a*b^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+6b^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{(a^6-3a^4b^2+3a^2b^4-b^6)*(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a+b)^3)/d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] -1/3\*(3\*(a^3 + 4\*a\*b^2)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^6 - 3\*a^4\*b^2 + 3\*a^2\*b^4 - b^6)\*sqrt(a^2 - b^2)) + (3\*a^5\*tan(1/2\*d\*x + 1/2\*c)^5 + 12\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^5 - 27\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 12\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 6\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 6\*b^5\*tan(1/2\*d\*x + 1/2\*c)^5 + 28\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 16\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 12\*b^5\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*a^5\*tan(1/2\*d\*x + 1/2\*c) + 12\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c) + 27\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 12\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c) + 6\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c) + 6\*b^5\*tan(1/2\*d\*x + 1/2\*c))/((a^6 - 3\*a^4\*b^2 + 3\*a^2\*b^4 - b^6)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)^3))/d

**maple** [B] time = 0.05, size = 930, normalized size = 4.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x)

[Out] -1/d\*a^3/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5-6/d\*a^2\*b/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5-2/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*a/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*b^2-2/d/(a\*tan(1/2\*d\*x+1/2\*c)



$$\begin{aligned} &^2 - \tan(1/2 * dx + 1/2 * c) ^2 * b + a + b) ^3 / (a - b) / (a ^3 + 3 * a ^2 * b + 3 * a * b ^2 + b ^3) * \tan(1/2 * d * \\ &x + 1/2 * c) ^5 * b ^3 - 28/3 / d * a ^2 * b / (a * \tan(1/2 * d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) ^2 * b + \\ &a + b) ^3 / (a ^2 - 2 * a * b + b ^2) / (a ^2 + 2 * a * b + b ^2) * \tan(1/2 * d * x + 1/2 * c) ^3 - 4 / d / (a * \tan(1/2 * \\ &d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) ^2 * b + a + b) ^3 * b ^3 / (a ^2 - 2 * a * b + b ^2) / (a ^2 + 2 * a * b + b \\ &^2) * \tan(1/2 * d * x + 1/2 * c) ^3 + 1 / d * a ^3 / (a * \tan(1/2 * d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) \\ &^2 * b + a + b) ^3 / (a + b) / (a ^3 - 3 * a ^2 * b + 3 * a * b ^2 - b ^3) * \tan(1/2 * d * x + 1/2 * c) - 6 / d * a ^2 * b / (a \\ &* \tan(1/2 * d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) ^2 * b + a + b) ^3 / (a + b) / (a ^3 - 3 * a ^2 * b + 3 * a * \\ &b ^2 - b ^3) * \tan(1/2 * d * x + 1/2 * c) + 2 / d / (a * \tan(1/2 * d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) ^2 \\ &* b + a + b) ^3 * a / (a + b) / (a ^3 - 3 * a ^2 * b + 3 * a * b ^2 - b ^3) * \tan(1/2 * d * x + 1/2 * c) * b ^2 - 2 / d / (a * \\ &\tan(1/2 * d * x + 1/2 * c) ^2 - \tan(1/2 * d * x + 1/2 * c) ^2 * b + a + b) ^3 / (a + b) / (a ^3 - 3 * a ^2 * b + 3 * a * b \\ &^2 - b ^3) * \tan(1/2 * d * x + 1/2 * c) * b ^3 + 1 / d * a ^3 / (a ^6 - 3 * a ^4 * b ^2 + 3 * a ^2 * b ^4 - b ^6) / ((a - b) \\ &* (a + b)) ^{(1/2)} * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b)) ^{(1/2)}) + 4 / d * a * b ^2 / (a ^6 - 3 * a ^4 * b ^2 + 3 * a ^2 * b ^4 - b ^6) / ((a - b) * (a + b)) ^{(1/2)} * \arctan(\tan(1/2 * d * x + 1/2 * \\ &c) * (a - b) / ((a - b) * (a + b)) ^{(1/2)}) \end{aligned}$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^2/(a+b\*cos(dx+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details) Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 4.15, size = 381, normalized size = 1.85

$$\frac{a \operatorname{atan}\left(\frac{a \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (a^2 + 4b^2) (2a - 2b) (a^3 - 3a^2b + 3ab^2 - b^3)}{2\sqrt{a+b} (a-b)^{7/2} (a^3 + 4ab^2)}\right) (a^2 + 4b^2)}{d (a+b)^{7/2} (a-b)^{7/2}} - \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + 3ab^2 - b^3))}{d \left(3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + 3ab^2 - b^3)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)^2/(a + b\*cos(c + dx))^4,x)

[Out] (a\*atan((a\*tan(c/2 + (dx)/2)\*(a^2 + 4\*b^2)\*(2\*a - 2\*b)\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3))/(2\*(a + b)^(1/2)\*(a - b)^(7/2)\*(4\*a\*b^2 + a^3))))\*(a^2 + 4\*b^2)/(d\*(a + b)^(7/2)\*(a - b)^(7/2)) - ((tan(c/2 + (dx)/2)^5\*(2\*a\*b^2 + 6\*a^2\*b + a^3 + 2\*b^3))/((a + b)^3\*(a - b)) + (4\*tan(c/2 + (dx)/2)^3\*(7\*a^2\*b + 3\*b^3))/(3\*(a + b)^2\*(a^2 - 2\*a\*b + b^2)) - (tan(c/2 + (dx)/2)\*(2\*a\*b^2 - 6\*a^2\*b + a^3 - 2\*b^3))/((a + b)\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3)))/(d\*(3\*a\*b^2 - tan(c/2 + (dx)/2)^4\*(3\*a\*b^2 + 3\*a^2\*b - 3\*a^3 - 3\*b^3) - tan(c/2 + (dx)/2)^2\*(3\*a\*b^2 - 3\*a^2\*b - 3\*a^3 + 3\*b^3) + 3\*a^2\*b + a^3 + b^3 + tan(c/2 + (dx)/2)^6\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3)))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*2/(a+b\*cos(dx+c))\*\*4,x)

[Out] Timed out

$$3.482 \quad \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=192

$$-\frac{b(4a^2 + b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(2a^2 + 13b^2) \sin(c+dx)}{6d(a^2 - b^2)^3(a+b \cos(c+dx))} + \frac{(2a^2 + 3b^2) \sin(c+dx)}{6d(a^2 - b^2)^2(a+b \cos(c+dx))^2} + \frac{\sin(c+dx)}{3d(a+b \cos(c+dx))^3}$$

[Out]  $-b*(4*a^2+b^2)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/(a-b)^{(7/2)}/(a+b)^{(7/2)}/d+1/3*a*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3+1/6*(2*a^2+3*b^2)*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2+1/6*a*(2*a^2+13*b^2)*\sin(d*x+c)/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.23, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {2754, 12, 2659, 205}

$$-\frac{b(4a^2 + b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(2a^2 + 13b^2) \sin(c+dx)}{6d(a^2 - b^2)^3(a+b \cos(c+dx))} + \frac{(2a^2 + 3b^2) \sin(c+dx)}{6d(a^2 - b^2)^2(a+b \cos(c+dx))^2} + \frac{\sin(c+dx)}{3d(a+b \cos(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^4, x]

[Out]  $-((b*(4*a^2 + b^2)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2]]/\text{Sqrt}[a + b]))/((a - b)^{(7/2)}*(a + b)^{(7/2)*d}) + (a*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^3) + ((2*a^2 + 3*b^2)*\text{Sin}[c + d*x])/(6*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])^2) + (a*(2*a^2 + 13*b^2)*\text{Sin}[c + d*x])/(6*(a^2 - b^2)^3*d*(a + b*\text{Cos}[c + d*x]))$

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 2754

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)}{(a+b\cos(c+dx))^4} dx &= \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{3b-2a\cos(c+dx)}{(a+b\cos(c+dx))^3} dx}{3(a^2-b^2)} \\
&= \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2+3b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{\int \frac{-10ab+(a^2-b^2)\cos(c+dx)}{(a+b\cos(c+dx))^3} dx}{6(a^2-b^2)^2} \\
&= \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2+3b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^2-b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2+3b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^2-b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{(2a^2+3b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{a(2a^2-b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2} \\
&= -\frac{b(4a^2+b^2)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} + \frac{a\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a(2a^2-b^2)\sin(c+dx)}{6(a^2-b^2)^2 d(a+b\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 1.06, size = 164, normalized size = 0.85

$$\frac{\sin(c+dx)(6a^5+10a^3b^2+ab^2(2a^2+13b^2)\cos^2(c+dx)-3b(-2a^4-9a^2b^2+b^4)\cos(c+dx)-ab^4)}{(a-b)^3(a+b)^3(a+b\cos(c+dx))^3} - \frac{6b(4a^2+b^2)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}}}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^4, x]

[Out]  $\frac{((-6*b*(4*a^2 + b^2)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^{7/2} + ((6*a^5 + 10*a^3*b^2 - a*b^4 - 3*b*(-2*a^4 - 9*a^2*b^2 + b^4)*Cos[c + d*x] + a*b^2*(2*a^2 + 13*b^2)*Cos[c + d*x]^2)*Sin[c + d*x])}{((a - b)^3*(a + b)^3*(a + b*Cos[c + d*x])^3)}/(6*d)$

**fricas [B]** time = 0.70, size = 891, normalized size = 4.64

$$\frac{3(4a^5b + a^3b^3 + (4a^2b^4 + b^6)\cos(dx+c)^3 + 3(4a^3b^3 + ab^5)\cos(dx+c)^2 + 3(4a^4b^2 + a^2b^4)\cos(dx+c))}{12((a^8b^3 - 4a^6b^5 + 6a^4b^7 - 4a^2b^9 + b^{11})d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out]  $\frac{[1/12*(3*(4*a^5*b + a^3*b^3 + (4*a^2*b^4 + b^6)*cos(d*x + c)^3 + 3*(4*a^3*b^3 + a*b^5)*cos(d*x + c)^2 + 3*(4*a^4*b^2 + a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*(6*a^7 + 4*a^5*b^2 - 11*a^3*b^4 + a*b^6 + (2*a^5*b^2 + 11*a^3*b^4 - 13*a*b^6)*cos(d*x + c)^2 + 3*(2*a^6*b + 7*a^4$

```
*b^3 - 10*a^2*b^5 + b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5
+ 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 +
6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 +
6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^
7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), -1/6*(3*(4*a^5*b + a^3*b^3 + (4*a^2*b^4 +
b^6)*cos(d*x + c)^3 + 3*(4*a^3*b^3 + a*b^5)*cos(d*x + c)^2 + 3*(4*a^4*b^2 +
a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(
a^2 - b^2)*sin(d*x + c))) - (6*a^7 + 4*a^5*b^2 - 11*a^3*b^4 + a*b^6 + (2*a^
5*b^2 + 11*a^3*b^4 - 13*a*b^6)*cos(d*x + c)^2 + 3*(2*a^6*b + 7*a^4*b^3 - 10
*a^2*b^5 + b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b
^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^
6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^
5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4
*a^5*b^6 + a^3*b^8)*d)]
```

**giac** [B] time = 0.95, size = 427, normalized size = 2.22

$$\frac{3(4a^2b+b^3)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^6-3a^4b^2+3a^2b^4-b^6)\sqrt{a^2-b^2}} + \frac{6a^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-6a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+12a^3b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{(a^6-3a^4b^2+3a^2b^4-b^6)\sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

```
[Out] 1/3*(3*(4*a^2*b + b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) +
arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))
/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(a^2 - b^2)) + (6*a^5*tan(1/2*d*x
+ 1/2*c)^5 - 6*a^4*b*tan(1/2*d*x + 1/2*c)^5 + 12*a^3*b^2*tan(1/2*d*x + 1/2
*c)^5 - 27*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 + 12*a*b^4*tan(1/2*d*x + 1/2*c)^5
+ 3*b^5*tan(1/2*d*x + 1/2*c)^5 + 12*a^5*tan(1/2*d*x + 1/2*c)^3 + 16*a^3*b^
2*tan(1/2*d*x + 1/2*c)^3 - 28*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 6*a^5*tan(1/2*
d*x + 1/2*c) + 6*a^4*b*tan(1/2*d*x + 1/2*c) + 12*a^3*b^2*tan(1/2*d*x + 1/2*
c) + 27*a^2*b^3*tan(1/2*d*x + 1/2*c) + 12*a*b^4*tan(1/2*d*x + 1/2*c) - 3*b^
5*tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*tan(1/2*d*x
+ 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3))/d
```

**maple** [B] time = 0.05, size = 931, normalized size = 4.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c))^4,x)

```
[Out] 2/d*a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*
a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/d*a^2*b/(a*tan(1/2*d*x+1/2*c)^2-t
an(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/
2*c)^5+6/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a
^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*b^2+1/d/(a*tan(1/2*d*x+1/2*c)^
2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x
+1/2*c)^5*b^3+4/d*a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3
/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+28/3/d/(a*tan(1/2*d*x
+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*t
an(1/2*d*x+1/2*c)^3*b^2+2/d*a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^
2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)-2/d*a^2*b/(a*
tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b
^2-b^3)*tan(1/2*d*x+1/2*c)+6/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2
*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*b^2-1/d/(a*t
```

$$\frac{\tan\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 - \tan\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2 * b + a + b}{(a+b)} \cdot \frac{1}{(a^3 - 3a^2b + 3ab^2 - b^3)}$$

$$\frac{\tan\left(\frac{1}{2}d*x+\frac{1}{2}c\right) * b^3 - 4/d * a^2 * b}{(a^6 - 3a^4 * b^2 + 3a^2 * b^4 - b^6)}$$

$$\frac{1}{((a-b) * (a+b))^{1/2}} * \arctan\left(\frac{\tan\left(\frac{1}{2}d*x+\frac{1}{2}c\right) * (a-b)}{((a-b) * (a+b))^{1/2}}\right) - 1/d * b^3$$

$$\frac{1}{(a^6 - 3a^4 * b^2 + 3a^2 * b^4 - b^6)}$$

$$\frac{1}{((a-b) * (a+b))^{1/2}} * \arctan\left(\frac{\tan\left(\frac{1}{2}d*x+\frac{1}{2}c\right) * (a-b)}{((a-b) * (a+b))^{1/2}}\right)$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see 'assume?' for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 4.25, size = 382, normalized size = 1.99

$$\frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right)^5 (2a^3 + 2a^2b + 6ab^2 + b^3)}{(a+b)^3 (a-b)} + \frac{4 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^3 (3a^3 + 7ab^2)}{3(a+b)^2 (a^2 - 2ab + b^2)} + \frac{\tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a^3 + 2a^2b + 6ab^2 + b^3)}{(a+b) (a^3 - 3a^2b + 3ab^2 - b^3)}$$

$$d \left( 3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + 3ab^2 - 3b^3) - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 (-3a^3 - 3a^2b + 3ab^2 + 3b^3) + 3a^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + b\*cos(c + d\*x))^4,x)

[Out] 
$$\frac{((\tan(c/2 + (d*x)/2))^5 * (6*a*b^2 + 2*a^2*b + 2*a^3 + b^3)) / ((a + b)^3 * (a - b)) + (4 * \tan(c/2 + (d*x)/2)^3 * (7*a*b^2 + 3*a^3)) / (3 * (a + b)^2 * (a^2 - 2*a*b + b^2)) + (\tan(c/2 + (d*x)/2) * (6*a*b^2 - 2*a^2*b + 2*a^3 - b^3)) / ((a + b) * (3*a*b^2 - 3*a^2*b + a^3 - b^3))}{(d * (3*a*b^2 - \tan(c/2 + (d*x)/2)^4 * (3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - \tan(c/2 + (d*x)/2)^2 * (3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6 * (3*a*b^2 - 3*a^2*b + a^3 - b^3)) - (b * \operatorname{atan}((b * \tan(c/2 + (d*x)/2) * (4*a^2 + b^2) * (2*a - 2*b) * (3*a*b^2 - 3*a^2*b + a^3 - b^3)) / (2 * (a + b)^{1/2} * (a - b)^{7/2} * (4*a^2*b + b^3))) * (4*a^2 + b^2)) / (d * (a + b)^{7/2} * (a - b)^{7/2})}$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

$$3.483 \quad \int \frac{1}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=184

$$\frac{a(2a^2 + 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{b(11a^2 + 4b^2) \sin(c+dx)}{6d(a^2 - b^2)^3 (a+b \cos(c+dx))} - \frac{5ab \sin(c+dx)}{6d(a^2 - b^2)^2 (a+b \cos(c+dx))^2} - \frac{3d}{3d}$$

[Out] a\*(2\*a^2+3\*b^2)\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))/(a-b)^(7/2)/(a+b)^(7/2)/d-1/3\*b\*sin(d\*x+c)/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^3-5/6\*a\*b\*sin(d\*x+c)/(a^2-b^2)^2/d/(a+b\*cos(d\*x+c))^2-1/6\*b\*(11\*a^2+4\*b^2)\*sin(d\*x+c)/(a^2-b^2)^3/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.22, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$ , Rules used = {2664, 2754, 12, 2659, 205}

$$\frac{a(2a^2 + 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{b(11a^2 + 4b^2) \sin(c+dx)}{6d(a^2 - b^2)^3 (a+b \cos(c+dx))} - \frac{5ab \sin(c+dx)}{6d(a^2 - b^2)^2 (a+b \cos(c+dx))^2} - \frac{3d}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-4), x]

[Out] (a\*(2\*a^2 + 3\*b^2)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - (b\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) - (5\*a\*b\*Sin[c + d\*x])/(6\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) - (b\*(11\*a^2 + 4\*b^2)\*Sin[c + d\*x])/(6\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 2664

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)], x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
nt[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m +
2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a
*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

### Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))^4} dx &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{\int \frac{-3a + 2b \cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3(a^2 - b^2)} \\ &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{5ab \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{\int \frac{2(3a^2 + 3ab \cos(c + dx) - b^2)}{(a + b \cos(c + dx))^3} dx}{6(a^2 - b^2)} \\ &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{5ab \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{b(11a^2 + 3ab \cos(c + dx) - b^2)}{6(a^2 - b^2)^3} \\ &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{5ab \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{b(11a^2 + 3ab \cos(c + dx) - b^2)}{6(a^2 - b^2)^3} \\ &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{5ab \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{b(11a^2 + 3ab \cos(c + dx) - b^2)}{6(a^2 - b^2)^3} \\ &= -\frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{5ab \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{b(11a^2 + 3ab \cos(c + dx) - b^2)}{6(a^2 - b^2)^3} \\ &= \frac{a(2a^2 + 3b^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^3} - \frac{b(11a^2 + 3ab \cos(c + dx) - b^2)}{6(a^2 - b^2)^3} \end{aligned}$$

**Mathematica [A]** time = 0.92, size = 159, normalized size = 0.86

$$\frac{6a(2a^2 + 3b^2) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{7/2}} - \frac{b \sin(c+dx)(18a^4 + b^2(11a^2 + 4b^2) \cos^2(c+dx) + 3ab(9a^2 + b^2) \cos(c+dx) - 5a^2b^2 + 2b^4)}{(a-b)^3(a+b)^3(a+b \cos(c+dx))^3}}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-4), x]

[Out] ((6\*a\*(2\*a^2 + 3\*b^2)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - (b\*(18\*a^4 - 5\*a^2\*b^2 + 2\*b^4 + 3\*a\*b\*(9\*a^2 + b^2)\*Cos[c + d\*x] + b^2\*(11\*a^2 + 4\*b^2)\*Cos[c + d\*x]^2)\*Sin[c + d\*x])/((a - b)^3\*(a + b)^3\*(a + b\*Cos[c + d\*x])^3)/(6\*d)

**fricas [B]** time = 1.02, size = 895, normalized size = 4.86

$$\left[ \frac{3(2a^6 + 3a^4b^2 + (2a^3b^3 + 3ab^5) \cos(dx + c))^3 + 3(2a^4b^2 + 3a^2b^4) \cos(dx + c)^2 + 3(2a^5b + 3a^3b^3) \cos(dx + c)}{12((a^8b^3 - 4a^6b^5 + 6a^4b^7 - 4a^2b^9 + b^{11})d \cos(dx + c) + \dots)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] [1/12\*(3\*(2\*a^6 + 3\*a^4\*b^2 + (2\*a^3\*b^3 + 3\*a\*b^5)\*cos(d\*x + c)^3 + 3\*(2\*a^4\*b^2 + 3\*a^2\*b^4)\*cos(d\*x + c)^2 + 3\*(2\*a^5\*b + 3\*a^3\*b^3)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(18\*a^6\*b - 23\*a^4\*b^3 + 7\*a^2\*b^5 - 2\*b^7 + (11\*a^4\*b^3 - 7\*a^2\*b^5 - 4\*b^7)\*cos(d\*x + c)^2 + 3\*(9\*a^5\*b^2 - 8\*a^3\*b^4 - a\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*d\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*d\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*d\*cos(d\*x + c) + (a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*d), 1/6\*(3\*(2\*a^6 + 3\*a^4\*b^2 + (2\*a^3\*b^3 + 3\*a\*b^5)\*cos(d\*x + c)^3 + 3\*(2\*a^4\*b^2 + 3\*a^2\*b^4)\*cos(d\*x + c)^2 + 3\*(2\*a^5\*b + 3\*a^3\*b^3)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (18\*a^6\*b - 23\*a^4\*b^3 + 7\*a^2\*b^5 - 2\*b^7 + (11\*a^4\*b^3 - 7\*a^2\*b^5 - 4\*b^7)\*cos(d\*x + c)^2 + 3\*(9\*a^5\*b^2 - 8\*a^3\*b^4 - a\*b^6)\*cos(d\*x + c))\*sin(d\*x + c))/((a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*d\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*d\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*d\*cos(d\*x + c) + (a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8)\*d)]

giac [B] time = 0.75, size = 399, normalized size = 2.17

$$\frac{3(2a^3+3ab^2)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^6-3a^4b^2+3a^2b^4-b^6)\sqrt{a^2-b^2}} + \frac{18a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-27a^3b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5+6a^2b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-36a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-32a^2b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-4b^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+18a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+27a^3b^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+6a^2b^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+3a^4b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+6b^5\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{(a^6-3a^4b^2+3a^2b^4-b^6)(a^3+3a^2b+3b^2a+b^3)} d\left(a\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)b+a+b\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] -1/3\*(3\*(2\*a^3 + 3\*a\*b^2)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^6 - 3\*a^4\*b^2 + 3\*a^2\*b^4 - b^6)\*sqrt(a^2 - b^2)) + (18\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^5 - 27\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 6\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 6\*b^5\*tan(1/2\*d\*x + 1/2\*c)^5 + 36\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 32\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 4\*b^5\*tan(1/2\*d\*x + 1/2\*c)^3 + 18\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c) + 27\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 6\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c) + 3\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c) + 6\*b^5\*tan(1/2\*d\*x + 1/2\*c))/((a^6 - 3\*a^4\*b^2 + 3\*a^2\*b^4 - b^6)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)^3))/d

maple [B] time = 0.05, size = 776, normalized size = 4.22

$$\frac{6a^2b\left(\tan^5\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{d\left(a\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)b+a+b\right)^3(a-b)(a^3+3a^2b+3b^2a+b^3)} d\left(a\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\tan^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)b+a+b\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^4,x)

[Out] -6/d\*a^2\*b/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5-3/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*a/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*b^2-2/d/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(



$$a^3+3a^2b+3ab^2+b^3)*\tan(1/2*d*x+1/2*c)^5*b^3-12/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-4/3/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3-6/d*a^2*b/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)+3/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^2-2/d/(a*\tan(1/2*d*x+1/2*c)^2-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*b^3+2/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+3/d*a*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 4.12, size = 378, normalized size = 2.05

$$\frac{a \operatorname{atan}\left(\frac{a \tan\left(\frac{c}{2} + \frac{dx}{2}\right) (2a^2 + 3b^2) (2a - 2b) (a^3 - 3a^2b + 3ab^2 - b^3)}{2(2a^3 + 3ab^2) \sqrt{a+b} (a-b)^{7/2}}\right) (2a^2 + 3b^2)}{d(a+b)^{7/2} (a-b)^{7/2}} - \frac{d \left(3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + \dots)\right)}{d \left(3ab^2 - \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^4 (-3a^3 + 3a^2b + \dots)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*cos(c + d\*x))^4,x)

[Out] (a\*atan((a\*tan(c/2 + (d\*x)/2)\*(2\*a^2 + 3\*b^2)\*(2\*a - 2\*b)\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3))/(2\*(3\*a\*b^2 + 2\*a^3)\*(a + b)^(1/2)\*(a - b)^(7/2)))\*(2\*a^2 + 3\*b^2))/(d\*(a + b)^(7/2)\*(a - b)^(7/2)) - ((4\*tan(c/2 + (d\*x)/2)^3\*(9\*a^2\*b + b^3))/(3\*(a + b)^2\*(a^2 - 2\*a\*b + b^2)) + (tan(c/2 + (d\*x)/2)^5\*(3\*a\*b^2 + 6\*a^2\*b + 2\*b^3))/((a + b)^3\*(a - b)) + (tan(c/2 + (d\*x)/2)\*(6\*a^2\*b - 3\*a\*b^2 + 2\*b^3))/((a + b)\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3)))/(d\*(3\*a\*b^2 - tan(c/2 + (d\*x)/2)^4\*(3\*a\*b^2 + 3\*a^2\*b - 3\*a^3 - 3\*b^3) - tan(c/2 + (d\*x)/2)^2\*(3\*a\*b^2 - 3\*a^2\*b - 3\*a^3 + 3\*b^3) + 3\*a^2\*b + a^3 + b^3 + tan(c/2 + (d\*x)/2)^6\*(3\*a\*b^2 - 3\*a^2\*b + a^3 - b^3)))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

$$3.484 \quad \int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=251

$$\frac{\tanh^{-1}(\sin(c+dx))}{a^4 d} + \frac{b^2(8a^2-3b^2)\sin(c+dx)}{6a^2 d(a^2-b^2)^2(a+b \cos(c+dx))^2} + \frac{b^2 \sin(c+dx)}{3ad(a^2-b^2)(a+b \cos(c+dx))^3} + \frac{b(8a^6-8a^4b^2+7a^2b^4-2b^6)}{a^4 d(a^2-b^2)^3(a+b \cos(c+dx))^3}$$

[Out]  $-b*(8*a^6-8*a^4*b^2+7*a^2*b^4-2*b^6)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^4/(a-b)^{(7/2)/(a+b)^{(7/2)/d}+\arctanh(\sin(d*x+c))/a^4/d+1/3*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3+1/6*b^2*(8*a^2-3*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2+1/6*b^2*(26*a^4-17*a^2*b^2+6*b^4)*\sin(d*x+c)/a^3/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.79, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.316$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$-\frac{b(-8a^4b^2+7a^2b^4+8a^6-2b^6)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b^2(-17a^2b^2+26a^4+6b^4)\sin(c+dx)}{6a^3 d(a^2-b^2)^3(a+b \cos(c+dx))} + \frac{b^2(8a^2-2b^4)}{6a^2 d(a^2-b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^4, x]

[Out]  $-((b*(8*a^6-8*a^4*b^2+7*a^2*b^4-2*b^6)*\text{ArcTan}[\text{Sqrt}[a-b]*\text{Tan}[(c+d*x)/2]]/\text{Sqrt}[a+b])/(a^4*(a-b)^{(7/2)*(a+b)^{(7/2)*d})+\text{ArcTanh}[\text{Sin}[c+d*x]]/(a^4*d)+(b^2*\text{Sin}[c+d*x])/(3*a*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^3)+(b^2*(8*a^2-3*b^2)*\text{Sin}[c+d*x])/(6*a^2*(a^2-b^2)^2*d*(a+b*\text{Cos}[c+d*x])^2)+(b^2*(26*a^4-17*a^2*b^2+6*b^4)*\text{Sin}[c+d*x])/(6*a^3*(a^2-b^2)^3*d*(a+b*\text{Cos}[c+d*x]))$

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^4} dx &= \frac{b^2 \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3(a^2 - b^2) - 3ab \cos(c + dx) + 2b^2 \cos^2(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)} \\
 &= \frac{b^2 \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b^2(8a^2 - 3b^2) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{\int \frac{6(a^2 - b^2) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx}{6a^3} \\
 &= \frac{b^2 \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b^2(8a^2 - 3b^2) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{b^2(2a^2 - b^2) \sin(c + dx)}{6a^3} \\
 &= \frac{b^2 \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b^2(8a^2 - 3b^2) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{b^2(2a^2 - b^2) \sin(c + dx)}{6a^3} \\
 &= \frac{\tanh^{-1}(\sin(c + dx))}{a^4 d} + \frac{b^2 \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b^2(8a^2 - 3b^2) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} \\
 &= -\frac{b(8a^6 - 8a^4 b^2 + 7a^2 b^4 - 2b^6) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{7/2}(a+b)^{7/2}d} + \frac{\tanh^{-1}(\sin(c + dx))}{a^4 d} + \dots
 \end{aligned}$$

**Mathematica [A]** time = 3.07, size = 274, normalized size = 1.09

$$\frac{2a^3b^2 \sin(c+dx)}{(a-b)(a+b)(a+b \cos(c+dx))^3} + \frac{a^2b^2(8a^2-3b^2) \sin(c+dx)}{(a-b)^2(a+b)^2(a+b \cos(c+dx))^2} + \frac{ab^2(26a^4-17a^2b^2+6b^4) \sin(c+dx)}{(a-b)^3(a+b)^3(a+b \cos(c+dx))} + \frac{6b(-8a^6+8a^4b^2-7a^2b^4+2b^6) \tanh^{-1}\left(\frac{(a-b) \tan(c+dx)}{\sqrt{a^2-b^2}}\right)}{(b^2-a^2)^{7/2}}$$


---


$$6a^4d$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^4, x]

[Out] ((6\*b\*(-8\*a^6 + 8\*a^4\*b^2 - 7\*a^2\*b^4 + 2\*b^6)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - 6\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (2\*a^3\*b^2\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^3) + (a^2\*b^2\*(8\*a^2 - 3\*b^2)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2) + (a\*b^2\*(2\*6\*a^4 - 17\*a^2\*b^2 + 6\*b^4)\*Sin[c + d\*x])/((a - b)^3\*(a + b)^3\*(a + b\*Cos[c + d\*x]))/(6\*a^4\*d)

**fricas [B]** time = 5.13, size = 1815, normalized size = 7.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] [-1/12\*(3\*(8\*a^9\*b - 8\*a^7\*b^3 + 7\*a^5\*b^5 - 2\*a^3\*b^7 + (8\*a^6\*b^4 - 8\*a^4\*b^6 + 7\*a^2\*b^8 - 2\*b^10)\*cos(d\*x + c)^3 + 3\*(8\*a^7\*b^3 - 8\*a^5\*b^5 + 7\*a^3\*b^7 - 2\*a\*b^9)\*cos(d\*x + c)^2 + 3\*(8\*a^8\*b^2 - 8\*a^6\*b^4 + 7\*a^4\*b^6 - 2\*a^2\*b^8)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 6\*(a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8 + (a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + 6\*(a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8 + (a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(36\*a^9\*b^2 - 68\*a^7\*b^4 + 43\*a^5\*b^6 - 11\*a^3\*b^8 + (26\*a^7\*b^4 - 43\*a^5\*b^6 + 23\*a^3\*b^8 - 6\*a\*b^10)\*cos(d\*x + c)^2 + 15\*(4\*a^8\*b^3 - 7\*a^6\*b^5 + 4\*a^4\*b^7 - a^2\*b^9)\*cos(d\*x + c))\*sin(d\*x + c))/((a^12\*b^3 - 4\*a^10\*b^5 + 6\*a^8\*b^7 - 4\*a^6\*b^9 + a^4\*b^11)\*d\*cos(d\*x + c)^3 + 3\*(a^13\*b^2 - 4\*a^11\*b^4 + 6\*a^9\*b^6 - 4\*a^7\*b^8 + a^5\*b^10)\*d\*cos(d\*x + c)^2 + 3\*(a^14\*b - 4\*a^12\*b^3 + 6\*a^10\*b^5 - 4\*a^8\*b^7 + a^6\*b^9)\*d\*cos(d\*x + c) + (a^15 - 4\*a^13\*b^2 + 6\*a^11\*b^4 - 4\*a^9\*b^6 + a^7\*b^8)\*d), -1/6\*(3\*(8\*a^9\*b - 8\*a^7\*b^3 + 7\*a^5\*b^5 - 2\*a^3\*b^7 + (8\*a^6\*b^4 - 8\*a^4\*b^6 + 7\*a^2\*b^8 - 2\*b^10)\*cos(d\*x + c)^3 + 3\*(8\*a^7\*b^3 - 8\*a^5\*b^5 + 7\*a^3\*b^7 - 2\*a\*b^9)\*cos(d\*x + c)^2 + 3\*(8\*a^8\*b^2 - 8\*a^6\*b^4 + 7\*a^4\*b^6 - 2\*a^2\*b^8)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - 3\*(a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8 + (a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) + 3\*(a^11 - 4\*a^9\*b^2 + 6\*a^7\*b^4 - 4\*a^5\*b^6 + a^3\*b^8 + (a^8\*b^3 - 4\*a^6\*b^5 + 6\*a^4\*b^7 - 4\*a^2\*b^9 + b^11)\*cos(d\*x + c)^3 + 3\*(a^9\*b^2 - 4\*a^7\*b^4 + 6\*a^5\*b^6 - 4\*a^3\*b^8 + a\*b^10)\*cos(d\*x + c)^2 + 3\*(a^10\*b - 4\*a^8\*b^3 + 6\*a^6\*b^5 - 4\*a^4\*b^7 + a^2\*b^9)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - (36\*a^9\*b^2 - 68\*a^7\*b^4 + 43\*a^5\*b^6 - 11\*a^3\*b^8 + (26\*a^7\*b^4 - 43\*a^5\*b^6 + 23\*a^3\*b^8 - 6\*a\*b^10)\*cos(d

$(x + c)^2 + 15(4a^8b^3 - 7a^6b^5 + 4a^4b^7 - a^2b^9)\cos(dx + c)\sin(dx + c) / ((a^{12}b^3 - 4a^{10}b^5 + 6a^8b^7 - 4a^6b^9 + a^4b^{11})d\cos(dx + c)^3 + 3(a^{13}b^2 - 4a^{11}b^4 + 6a^9b^6 - 4a^7b^8 + a^5b^{10})d\cos(dx + c)^2 + 3(a^{14}b - 4a^{12}b^3 + 6a^{10}b^5 - 4a^8b^7 + a^6b^9)d\cos(dx + c) + (a^{15} - 4a^{13}b^2 + 6a^{11}b^4 - 4a^9b^6 + a^7b^8)d)$

**giac [B]** time = 1.66, size = 554, normalized size = 2.21

$$\frac{3(8a^6b - 8a^4b^3 + 7a^2b^5 - 2b^7) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^{10} - 3a^8b^2 + 3a^6b^4 - a^4b^6)\sqrt{a^2 - b^2}} + \frac{36a^6b^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 60a^5b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 - 60a^4b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 45a^3b^5 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 6a^2b^6 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15ab^7 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 6b^8 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{(a^9 - 3a^7b^2 + 3a^5b^4 - a^3b^6)(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a + b)^3 + 3 \log(\operatorname{abs}(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1)) / a^4 - 3 \log(\operatorname{abs}(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1)) / a^4} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)/(a+b\*cos(dx+c))^4,x, algorithm="giac")

[Out]  $1/3(3(8a^6b - 8a^4b^3 + 7a^2b^5 - 2b^7)(\pi \operatorname{floor}(1/2(dx + c)/\pi + 1/2) \operatorname{sgn}(-2a + 2b) + \arctan(-(a \tan(1/2dx + 1/2c) - b \tan(1/2dx + 1/2c))/\sqrt{a^2 - b^2}))/((a^{10} - 3a^8b^2 + 3a^6b^4 - a^4b^6)\sqrt{a^2 - b^2}) + (36a^6b^2 \tan(1/2dx + 1/2c)^5 - 60a^5b^3 \tan(1/2dx + 1/2c)^4 - 60a^4b^4 \tan(1/2dx + 1/2c)^3 + 45a^3b^5 \tan(1/2dx + 1/2c)^2 - 6a^2b^6 \tan(1/2dx + 1/2c) + 15ab^7 \tan(1/2dx + 1/2c) + 6b^8 \tan(1/2dx + 1/2c))/((a^9 - 3a^7b^2 + 3a^5b^4 - a^3b^6)(a \tan(1/2dx + 1/2c)^2 - b \tan(1/2dx + 1/2c)^2 + a + b)^3 + 3 \log(\operatorname{abs}(\tan(1/2dx + 1/2c) + 1)) / a^4 - 3 \log(\operatorname{abs}(\tan(1/2dx + 1/2c) - 1)) / a^4) / d$

**maple [B]** time = 0.10, size = 1377, normalized size = 5.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(dx+c)/(a+b\*cos(dx+c))^4,x)

[Out]  $12/d/(a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 a / (a - b) / (a^3 + 3a^2 b + 3a b^2 + b^3) \tan(1/2dx + 1/2c)^5 b^2 + 4/d/(a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2 b + 3a b^2 + b^3) \tan(1/2dx + 1/2c)^5 b^3 - 6/d b^4 / a / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2 b + 3a b^2 + b^3) \tan(1/2dx + 1/2c)^5 - 1/d b^5 / a^2 / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2 b + 3a b^2 + b^3) \tan(1/2dx + 1/2c)^5 + 2/d b^6 / a^3 / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a - b) / (a^3 + 3a^2 b + 3a b^2 + b^3) \tan(1/2dx + 1/2c)^5 + 24/d / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 a / (a^2 - 2a b + b^2) / (a^2 + 2a b + b^2) \tan(1/2dx + 1/2c)^3 b^2 - 44/3/d b^4 / a / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a^2 - 2a b + b^2) / (a^2 + 2a b + b^2) \tan(1/2dx + 1/2c)^3 + 4/d b^6 / a^3 / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a^2 - 2a b + b^2) / (a^2 + 2a b + b^2) \tan(1/2dx + 1/2c)^3 + 12/d / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 a / (a + b) / (a^3 - 3a^2 b + 3a b^2 - b^3) \tan(1/2dx + 1/2c) b^2 - 4/d / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2 b + 3a b^2 - b^3) \tan(1/2dx + 1/2c) b^3 - 6/d b^4 / a / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2 b + 3a b^2 - b^3) \tan(1/2dx + 1/2c) + 2/d b^6 / a^3 / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2 b + 3a b^2 - b^3) \tan(1/2dx + 1/2c) + 2/d b^6 / a^3 / (a \tan(1/2dx + 1/2c)^2 - \tan(1/2dx + 1/2c)^2 b + a + b)^3 / (a + b) / (a^3 - 3a^2 b + 3a b^2 - b^3) \tan(1/2dx + 1/2c)$

$$\frac{1}{2}d*x+1/2*c)^2 - \tan(1/2*d*x+1/2*c)^2 * b + a + b)^3 / (a+b) / (a^3 - 3*a^2*b + 3*a*b^2 - b^3) * \tan(1/2*d*x+1/2*c) - 8/d*a^2*b / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a-b)*(a+b))^{1/2} * \arctan(\tan(1/2*d*x+1/2*c)*(a-b) / ((a-b)*(a+b))^{1/2}) + 8/d*b^3 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a-b)*(a+b))^{1/2} * \arctan(\tan(1/2*d*x+1/2*c)*(a-b) / ((a-b)*(a+b))^{1/2}) - 7/d*b^5/a^2 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a-b)*(a+b))^{1/2} * \arctan(\tan(1/2*d*x+1/2*c)*(a-b) / ((a-b)*(a+b))^{1/2}) + 2/d*b^7/a^4 / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a-b)*(a+b))^{1/2} * \arctan(\tan(1/2*d*x+1/2*c)*(a-b) / ((a-b)*(a+b))^{1/2}) - 1/d/a^4 * \ln(\tan(1/2*d*x+1/2*c) - 1) + 1/d/a^4 * \ln(\tan(1/2*d*x+1/2*c) + 1)$$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 12.51, size = 7235, normalized size = 28.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^4),x)

[Out] - (atan((((((8\*(16\*a^20\*b - 4\*a^21 + 4\*a^8\*b^13 - 2\*a^9\*b^12 - 26\*a^10\*b^11 + 14\*a^11\*b^10 + 70\*a^12\*b^9 - 30\*a^13\*b^8 - 110\*a^14\*b^7 + 30\*a^15\*b^6 + 110\*a^16\*b^5 - 20\*a^17\*b^4 - 64\*a^18\*b^3 + 12\*a^19\*b^2))/(a^19\*b + a^20 - a^9\*b^11 - a^10\*b^10 + 5\*a^11\*b^9 + 5\*a^12\*b^8 - 10\*a^13\*b^7 - 10\*a^14\*b^6 + 10\*a^15\*b^5 + 10\*a^16\*b^4 - 5\*a^17\*b^3 - 5\*a^18\*b^2) - (8\*tan(c/2 + (d\*x)/2)\*(8\*a^21\*b - 8\*a^8\*b^14 + 8\*a^9\*b^13 + 48\*a^10\*b^12 - 48\*a^11\*b^11 - 120\*a^12\*b^10 + 120\*a^13\*b^9 + 160\*a^14\*b^8 - 160\*a^15\*b^7 - 120\*a^16\*b^6 + 120\*a^17\*b^5 + 48\*a^18\*b^4 - 48\*a^19\*b^3 - 8\*a^20\*b^2))/(a^4\*(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 - (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 - (((8\*(16\*a^20\*b - 4\*a^21 + 4\*a^8\*b^13 - 2\*a^9\*b^12 - 26\*a^10\*b^11 + 14\*a^11\*b^10 + 70\*a^12\*b^9 - 30\*a^13\*b^8 - 110\*a^14\*b^7 + 30\*a^15\*b^6 + 110\*a^16\*b^5 - 20\*a^17\*b^4 - 64\*a^18\*b^3 + 12\*a^19\*b^2))/(a^19\*b + a^20 - a^9\*b^11 - a^10\*b^10 + 5\*a^11\*b^9 + 5\*a^12\*b^8 - 10\*a^13\*b^7 - 10\*a^14\*b^6 + 10\*a^15\*b^5 + 10\*a^16\*b^4 - 5\*a^17\*b^3 - 5\*a^18\*b^2) + (8\*tan(c/2 + (d\*x)/2)\*(8\*a^21\*b - 8\*a^8\*b^14 + 8\*a^9\*b^13 + 48\*a^10\*b^12 - 48\*a^11\*b^11 - 120\*a^12\*b^10 + 120\*a^13\*b^9 + 160\*a^14\*b^8 - 160\*a^15\*b^7 - 120\*a^16\*b^6 + 120\*a^17\*b^5 + 48\*a^18\*b^4 - 48\*a^19\*b^3 - 8\*a^20\*b^2))/(a^4\*(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 + (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4)/((((8\*(16\*a^20\*b - 4\*a^21 + 4\*a^8\*b^13 - 2\*a^9\*b^12 - 26\*a^10\*b^11 + 14\*a^11\*b^10 + 70\*a^12\*b^9 - 30\*a^13\*b^8 - 110\*a^14\*b^7 + 30\*a^15\*b^6 + 110\*a^16\*b^5 - 20\*a^17\*b^4 - 64\*a^18\*b^3 + 12\*a^19\*b^2))/(a^19\*b + a^20 - a^9\*b^11 - a^10\*b^10 + 5\*a^11\*b^9 + 5\*a^12\*b^8 - 10\*a^13\*b^7 - 10\*a^14\*b^6 + 10\*a^15\*b^5 + 10\*a^16\*b^4 - 5\*a^17\*b^3 - 5\*a^18\*b^2) + (8\*tan(c/2 + (d\*x)/2)\*(8\*a^21\*b - 8\*a^8\*b^14 + 8\*a^9\*b^13 + 48\*a^10\*b^12 - 48\*a^11\*b^11 - 120\*a^12\*b^10 + 120\*a^13\*b^9 + 160\*a^14\*b^8 - 160\*a^15\*b^7 - 120\*a^16\*b^6 + 120\*a^17\*b^5 + 48\*a^18\*b^4 - 48\*a^19\*b^3 - 8\*a^20\*b^2))/(a^4\*(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 - (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 + (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4)/((((8\*(16\*a^20\*b - 4\*a^21 + 4\*a^8\*b^13 - 2\*a^9\*b^12 - 26\*a^10\*b^11 + 14\*a^11\*b^10 + 70\*a^12\*b^9 - 30\*a^13\*b^8 - 110\*a^14\*b^7 + 30\*a^15\*b^6 + 110\*a^16\*b^5 - 20\*a^17\*b^4 - 64\*a^18\*b^3 + 12\*a^19\*b^2))/(a^19\*b + a^20 - a^9\*b^11 - a^10\*b^10 + 5\*a^11\*b^9 + 5\*a^12\*b^8 - 10\*a^13\*b^7 - 10\*a^14\*b^6 + 10\*a^15\*b^5 + 10\*a^16\*b^4 - 5\*a^17\*b^3 - 5\*a^18\*b^2) + (8\*tan(c/2 + (d\*x)/2)\*(8\*a^21\*b - 8\*a^8\*b^14 + 8\*a^9\*b^13 + 48\*a^10\*b^12 - 48\*a^11\*b^11 - 120\*a^12\*b^10 + 120\*a^13\*b^9 + 160\*a^14\*b^8 - 160\*a^15\*b^7 - 120\*a^16\*b^6 + 120\*a^17\*b^5 + 48\*a^18\*b^4 - 48\*a^19\*b^3 - 8\*a^20\*b^2))/(a^4\*(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 - (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 + (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4)/((((8\*(16\*a^20\*b - 4\*a^21 + 4\*a^8\*b^13 - 2\*a^9\*b^12 - 26\*a^10\*b^11 + 14\*a^11\*b^10 + 70\*a^12\*b^9 - 30\*a^13\*b^8 - 110\*a^14\*b^7 + 30\*a^15\*b^6 + 110\*a^16\*b^5 - 20\*a^17\*b^4 - 64\*a^18\*b^3 + 12\*a^19\*b^2))/(a^19\*b + a^20 - a^9\*b^11 - a^10\*b^10 + 5\*a^11\*b^9 + 5\*a^12\*b^8 - 10\*a^13\*b^7 - 10\*a^14\*b^6 + 10\*a^15\*b^5 + 10\*a^16\*b^4 - 5\*a^17\*b^3 - 5\*a^18\*b^2) + (8\*tan(c/2 + (d\*x)/2)\*(8\*a^21\*b - 8\*a^8\*b^14 + 8\*a^9\*b^13 + 48\*a^10\*b^12 - 48\*a^11\*b^11 - 120\*a^12\*b^10 + 120\*a^13\*b^9 + 160\*a^14\*b^8 - 160\*a^15\*b^7 - 120\*a^16\*b^6 + 120\*a^17\*b^5 + 48\*a^18\*b^4 - 48\*a^19\*b^3 - 8\*a^20\*b^2))/(a^4\*(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 - (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4 + (8\*tan(c/2 + (d\*x)/2)\*(4\*a^14 - 8\*a^13\*b - 8\*a\*b^13 + 8\*b^14 - 48\*a^2\*b^12 + 48\*a^3\*b^11 + 117\*a^4\*b^10 - 120\*a^5\*b^9 - 164\*a^6\*b^8 + 160\*a^7\*b^7 + 156\*a^8\*b^6 - 120\*a^9\*b^5 - 92\*a^10\*b^4 + 48\*a^11\*b^3 + 44\*a^12\*b^2))/(a^16\*b + a^17 - a^6\*b^11 - a^7\*b^10 + 5\*a^8\*b^9 + 5\*a^9\*b^8 - 10\*a^10\*b^7 - 10\*a^11\*b^6 + 10\*a^12\*b^5 + 10\*a^13\*b^4 - 5\*a^14\*b^3 - 5\*a^15\*b^2)))/a^4)

$$\begin{aligned}
& 4*b^7 + 30*a^{15}*b^6 + 110*a^{16}*b^5 - 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2) / (a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) \\
& - (8*\tan(c/2 + (d*x)/2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)) / \\
& (a^4*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2)) \\
& / a^4 - (8*\tan(c/2 + (d*x)/2)*(4*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a^2*b^{12} + 48*a^3*b^{11} + 117*a^4*b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7*b^7 + 156*a^8*b^6 - 120*a^9*b^5 - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2)) / \\
& (a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2)) / a^4 + \\
& (((8*(16*a^{20}*b - 4*a^{21} + 4*a^8*b^{13} - 2*a^9*b^{12} - 26*a^{10}*b^{11} + 14*a^{11}*b^{10} + 70*a^{12}*b^9 - 30*a^{13}*b^8 - 110*a^{14}*b^7 + 30*a^{15}*b^6 + 110*a^{16}*b^5 - 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2)) / (a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (8*\tan(c/2 + (d*x)/2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)) / (a^4*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2))) / a^4 + (8*\tan(c/2 + (d*x)/2)*(4*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a^2*b^{12} + 48*a^3*b^{11} + 117*a^4*b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7*b^7 + 156*a^8*b^6 - 120*a^9*b^5 - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2)) / (a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2)) / a^4 - (16*(16*a^{12}*b - 2*a*b^{12} + 4*b^{13} - 26*a^2*b^{11} + 11*a^3*b^{10} + 70*a^4*b^9 - 34*a^5*b^8 - 110*a^6*b^7 + 66*a^7*b^6 + 110*a^8*b^5 - 64*a^9*b^4 - 64*a^{10}*b^3 + 48*a^{11}*b^2)) / (a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2))) * 2i) / (a^4 * d) - ((\tan(c/2 + (d*x)/2)^5*(2*b^6 - a*b^5 - 6*a^2*b^4 + 4*a^3*b^3 + 12*a^4*b^2)) / ((a^3*b - a^4)*(a + b)^3) - (4*\tan(c/2 + (d*x)/2)^3*(3*b^6 - 11*a^2*b^4 + 18*a^4*b^2)) / (3*(a + b)^2*(a^5 - 2*a^4*b + a^3*b^2)) + (\tan(c/2 + (d*x)/2)*(a*b^5 + 2*b^6 - 6*a^2*b^4 - 4*a^3*b^3 + 12*a^4*b^2)) / ((a + b)*(3*a^5*b - a^6 + a^3*b^3 - 3*a^4*b^2))) / (d*(3*a*b^2 - \tan(c/2 + (d*x)/2)^4*(3*a*b^2 + 3*a^2*b - 3*a^3 - 3*b^3) - \tan(c/2 + (d*x)/2)^2*(3*a*b^2 - 3*a^2*b - 3*a^3 + 3*b^3) + 3*a^2*b + a^3 + b^3 + \tan(c/2 + (d*x)/2)^6*(3*a*b^2 - 3*a^2*b + a^3 - b^3))) - (b*atan(((b*((8*\tan(c/2 + (d*x)/2)*(4*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a^2*b^{12} + 48*a^3*b^{11} + 117*a^4*b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7*b^7 + 156*a^8*b^6 - 120*a^9*b^5 - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2)) / (a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) - (b*(-(a + b)^7*(a - b)^7))^(1/2))*((8*(16*a^{20}*b - 4*a^{21} + 4*a^8*b^{13} - 2*a^9*b^{12} - 26*a^{10}*b^{11} + 14*a^{11}*b^{10} + 70*a^{12}*b^9 - 30*a^{13}*b^8 - 110*a^{14}*b^7 + 30*a^{15}*b^6 + 110*a^{16}*b^5 - 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2)) / (a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) - (4*b*\tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7))^(1/2))*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2)) / ((a^{18} - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2))*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2))) * (8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2)) / (2*(a^{18} - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2))) * (-(a + b)^7*(a - b)^7)^(1/2)*(8*a^6 - 2
\end{aligned}$$

$$\begin{aligned}
& *b^6 + 7*a^2*b^4 - 8*a^4*b^2)*1i)/(2*(a^{18} - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8 \\
& *b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2)) + (b*((8*\tan \\
& (c/2 + (d*x)/2)*(4*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a^2*b^{12} + 48*a \\
& ^3*b^{11} + 117*a^4*b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7*b^7 + 156*a^8* \\
& b^6 - 120*a^9*b^5 - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2))/(a^{16}*b + a^{17} \\
& - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 \\
& + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) + (b*(-(a + b)^7*(a \\
& - b)^7)^{(1/2)}*((8*(16*a^{20}*b - 4*a^{21} + 4*a^8*b^{13} - 2*a^9*b^{12} - 26*a^{10}* \\
& b^{11} + 14*a^{11}*b^{10} + 70*a^{12}*b^9 - 30*a^{13}*b^8 - 110*a^{14}*b^7 + 30*a^{15}*b^ \\
& 6 + 110*a^{16}*b^5 - 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2))/(a^{19}*b + a^{20} \\
& - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b \\
& ^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (4*b*\tan(c/2 + \\
& (d*x)/2)*(-(a + b)^7*(a - b)^7)^{(1/2)}*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^ \\
& 2)*(8*a^{21}*b - 8*a^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120* \\
& a^{12}*b^{10} + 120*a^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120 \\
& *a^{17}*b^5 + 48*a^{18}*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2))/((a^{18} - a^4*b^{14} + 7* \\
& a^6*b^{12} - 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b \\
& ^2)*(a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}* \\
& b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2)))* \\
& (8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2))/(2*(a^{18} - a^4*b^{14} + 7*a^6*b^{12} - \\
& 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2)))*(-(a \\
& + b)^7*(a - b)^7)^{(1/2)}*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2)*1i)/(2*(a^{18} \\
& - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a \\
& ^{14}*b^4 - 7*a^{16}*b^2))/((16*(16*a^{12}*b - 2*a*b^{12} + 4*b^{13} - 26*a^2*b^{11} + \\
& 11*a^3*b^{10} + 70*a^4*b^9 - 34*a^5*b^8 - 110*a^6*b^7 + 66*a^7*b^6 + 110*a^8 \\
& *b^5 - 64*a^9*b^4 - 64*a^{10}*b^3 + 48*a^{11}*b^2))/(a^{19}*b + a^{20} - a^9*b^{11} - \\
& a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}* \\
& b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (b*((8*\tan(c/2 + (d*x)/2)*(4 \\
& *a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a^2*b^{12} + 48*a^3*b^{11} + 117*a^4* \\
& b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7*b^7 + 156*a^8*b^6 - 120*a^9*b^5 \\
& - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2))/(a^{16}*b + a^{17} - a^6*b^{11} - a^7 \\
& *b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 1 \\
& 0*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) - (b*(-(a + b)^7*(a - b)^7)^{(1/2)}*((8 \\
& *(16*a^{20}*b - 4*a^{21} + 4*a^8*b^{13} - 2*a^9*b^{12} - 26*a^{10}*b^{11} + 14*a^{11}*b^{1 \\
& 0} + 70*a^{12}*b^9 - 30*a^{13}*b^8 - 110*a^{14}*b^7 + 30*a^{15}*b^6 + 110*a^{16}*b^5 - \\
& 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2))/(a^{19}*b + a^{20} - a^9*b^{11} - a^{10} \\
& *b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + \\
& 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) - (4*b*\tan(c/2 + (d*x)/2)*(-(a + b) \\
& ^7*(a - b)^7)^{(1/2)}*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2)*(8*a^{21}*b - 8*a \\
& ^8*b^{14} + 8*a^9*b^{13} + 48*a^{10}*b^{12} - 48*a^{11}*b^{11} - 120*a^{12}*b^{10} + 120*a^ \\
& ^{13}*b^9 + 160*a^{14}*b^8 - 160*a^{15}*b^7 - 120*a^{16}*b^6 + 120*a^{17}*b^5 + 48*a^1 \\
& 8*b^4 - 48*a^{19}*b^3 - 8*a^{20}*b^2))/((a^{18} - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8* \\
& b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2)*(a^{16}*b + a^{17} \\
& - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 - 10*a^{11}*b^6 \\
& + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2)))*(8*a^6 - 2*b^6 + 7 \\
& *a^2*b^4 - 8*a^4*b^2))/(2*(a^{18} - a^4*b^{14} + 7*a^6*b^{12} - 21*a^8*b^{10} + 35* \\
& a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2)))*(-(a + b)^7*(a - b)^7) \\
& ^{(1/2)}*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2))/(2*(a^{18} - a^4*b^{14} + 7*a^6 \\
& *b^{12} - 21*a^8*b^{10} + 35*a^{10}*b^8 - 35*a^{12}*b^6 + 21*a^{14}*b^4 - 7*a^{16}*b^2) \\
& ) - (b*((8*\tan(c/2 + (d*x)/2)*(4*a^{14} - 8*a^{13}*b - 8*a*b^{13} + 8*b^{14} - 48*a \\
& ^2*b^{12} + 48*a^3*b^{11} + 117*a^4*b^{10} - 120*a^5*b^9 - 164*a^6*b^8 + 160*a^7* \\
& b^7 + 156*a^8*b^6 - 120*a^9*b^5 - 92*a^{10}*b^4 + 48*a^{11}*b^3 + 44*a^{12}*b^2)) \\
& / (a^{16}*b + a^{17} - a^6*b^{11} - a^7*b^{10} + 5*a^8*b^9 + 5*a^9*b^8 - 10*a^{10}*b^7 \\
& - 10*a^{11}*b^6 + 10*a^{12}*b^5 + 10*a^{13}*b^4 - 5*a^{14}*b^3 - 5*a^{15}*b^2) + (b* \\
& (- (a + b)^7*(a - b)^7)^{(1/2)}*((8*(16*a^{20}*b - 4*a^{21} + 4*a^8*b^{13} - 2*a^9*b \\
& ^{12} - 26*a^{10}*b^{11} + 14*a^{11}*b^{10} + 70*a^{12}*b^9 - 30*a^{13}*b^8 - 110*a^{14}*b^ \\
& 7 + 30*a^{15}*b^6 + 110*a^{16}*b^5 - 20*a^{17}*b^4 - 64*a^{18}*b^3 + 12*a^{19}*b^2)) / \\
& (a^{19}*b + a^{20} - a^9*b^{11} - a^{10}*b^{10} + 5*a^{11}*b^9 + 5*a^{12}*b^8 - 10*a^{13}*b \\
& ^7 - 10*a^{14}*b^6 + 10*a^{15}*b^5 + 10*a^{16}*b^4 - 5*a^{17}*b^3 - 5*a^{18}*b^2) + (
\end{aligned}$$



```

4*b*tan(c/2 + (d*x)/2)*(-(a + b)^7*(a - b)^7)^(1/2)*(8*a^6 - 2*b^6 + 7*a^2*
b^4 - 8*a^4*b^2)*(8*a^21*b - 8*a^8*b^14 + 8*a^9*b^13 + 48*a^10*b^12 - 48*a^
11*b^11 - 120*a^12*b^10 + 120*a^13*b^9 + 160*a^14*b^8 - 160*a^15*b^7 - 120*
a^16*b^6 + 120*a^17*b^5 + 48*a^18*b^4 - 48*a^19*b^3 - 8*a^20*b^2))/((a^18 -
a^4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*
b^4 - 7*a^16*b^2)*(a^16*b + a^17 - a^6*b^11 - a^7*b^10 + 5*a^8*b^9 + 5*a^9*
b^8 - 10*a^10*b^7 - 10*a^11*b^6 + 10*a^12*b^5 + 10*a^13*b^4 - 5*a^14*b^3 -
5*a^15*b^2)))*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^2))/(2*(a^18 - a^4*b^14
+ 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^
16*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(8*a^6 - 2*b^6 + 7*a^2*b^4 - 8*a^4*b^
^2))/(2*(a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8*b^10 + 35*a^10*b^8 - 35*a^12
*b^6 + 21*a^14*b^4 - 7*a^16*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(8*a^6 - 2
*b^6 + 7*a^2*b^4 - 8*a^4*b^2)*1i)/(d*(a^18 - a^4*b^14 + 7*a^6*b^12 - 21*a^8
*b^10 + 35*a^10*b^8 - 35*a^12*b^6 + 21*a^14*b^4 - 7*a^16*b^2))

```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*4, x)

$$3.485 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$$

Optimal. Leaf size=308

$$-\frac{4b \tanh^{-1}(\sin(c+dx))}{a^5 d} + \frac{b^2 (9a^2 - 4b^2) \tan(c+dx)}{6a^2 d (a^2 - b^2)^2 (a+b \cos(c+dx))^2} + \frac{b^2 \tan(c+dx)}{3ad (a^2 - b^2) (a+b \cos(c+dx))^3} + \frac{(6a^6 - 65a^4 b^2 + 28a^2 b^4 - 8b^6) \arctan\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5 d (a-b)^{7/2} (a+b)^{7/2}} + \frac{(-65a^4 b^2 + 68a^2 b^4 + 6a^6 - 24b^6) \tan(c+dx)}{6a^4 d (a^2 - b^2)^3} + \frac{b^2}{2}$$

[Out]  $b^2*(20*a^6-35*a^4*b^2+28*a^2*b^4-8*b^6)*\arctan((a-b)^{(1/2)}*\tan(1/2*d*x+1/2*c)/(a+b)^{(1/2)})/a^5/(a-b)^{(7/2)}/(a+b)^{(7/2)}/d-4*b*\operatorname{arctanh}(\sin(d*x+c))/a^5/d+1/6*(6*a^6-65*a^4*b^2+68*a^2*b^4-24*b^6)*\tan(d*x+c)/a^4/(a^2-b^2)^3/d+1/3*b^2*\tan(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^3+1/6*b^2*(9*a^2-4*b^2)*\tan(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^2+1/2*b^2*(12*a^4-11*a^2*b^2+4*b^4)*\tan(d*x+c)/a^3/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 1.27, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2802, 3055, 3001, 3770, 2659, 205}

$$\frac{b^2 (-35a^4 b^2 + 28a^2 b^4 + 20a^6 - 8b^6) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5 d (a-b)^{7/2} (a+b)^{7/2}} + \frac{(-65a^4 b^2 + 68a^2 b^4 + 6a^6 - 24b^6) \tan(c+dx)}{6a^4 d (a^2 - b^2)^3} + \frac{b^2}{2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^4,x]

[Out]  $(b^2*(20*a^6 - 35*a^4*b^2 + 28*a^2*b^4 - 8*b^6)*\operatorname{ArcTan}[\operatorname{Sqrt}[a-b]*\operatorname{Tan}[(c+d*x)/2]]/\operatorname{Sqrt}[a+b])/(a^5*(a-b)^{(7/2)}*(a+b)^{(7/2)}*d) - (4*b*\operatorname{ArcTanh}[\operatorname{Sin}[c+d*x]])/(a^5*d) + ((6*a^6 - 65*a^4*b^2 + 68*a^2*b^4 - 24*b^6)*\operatorname{Tan}[c+d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b^2*\operatorname{Tan}[c+d*x])/(3*a*(a^2 - b^2)*d*(a+b*\cos[c+d*x])^3) + (b^2*(9*a^2 - 4*b^2)*\operatorname{Tan}[c+d*x])/(6*a^2*(a^2 - b^2)^2*d*(a+b*\cos[c+d*x])^2) + (b^2*(12*a^4 - 11*a^2*b^2 + 4*b^4)*\operatorname{Tan}[c+d*x])/(2*a^3*(a^2 - b^2)^3*d*(a+b*\cos[c+d*x]))$

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m]

, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{(a+b\cos(c+dx))^4} dx &= \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{\int \frac{(3a^2-4b^2-3ab\cos(c+dx)+3b^2\cos^2(c+dx))\sec^2(c+dx)}{(a+b\cos(c+dx))^3} dx}{3a(a^2-b^2)} \\
&= \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{b^2(9a^2-4b^2)\tan(c+dx)}{6a^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{\int \frac{(6a^4-23a^2b^2+12b^4)\sec^2(c+dx)}{(a+b\cos(c+dx))^3} dx}{6a^2(a^2-b^2)^2} \\
&= \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{b^2(9a^2-4b^2)\tan(c+dx)}{6a^2(a^2-b^2)^2 d(a+b\cos(c+dx))^2} + \frac{b^2(12a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^3} \\
&= \frac{(6a^6-65a^4b^2+68a^2b^4-24b^6)\tan(c+dx)}{6a^4(a^2-b^2)^3 d} + \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{b^2(12a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^3} \\
&= \frac{(6a^6-65a^4b^2+68a^2b^4-24b^6)\tan(c+dx)}{6a^4(a^2-b^2)^3 d} + \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{b^2(12a^4-11a^2b^2+6b^4)\tan(c+dx)}{2a^3(a^2-b^2)^3} \\
&= -\frac{4b \tanh^{-1}(\sin(c+dx))}{a^5 d} + \frac{(6a^6-65a^4b^2+68a^2b^4-24b^6)\tan(c+dx)}{6a^4(a^2-b^2)^3 d} + \frac{b^2 \tan(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^3} \\
&= \frac{b^2(20a^6-35a^4b^2+28a^2b^4-8b^6)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5(a-b)^{7/2}(a+b)^{7/2}d} - \frac{4b \tanh^{-1}(\sin(c+dx))}{a^5 d}
\end{aligned}$$

**Mathematica [A]** time = 6.23, size = 416, normalized size = 1.35

$$\frac{4b \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}{a^5 d} - \frac{4b \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)}{a^5 d} + \frac{\sin\left(\frac{1}{2}(c+dx)\right)}{a^4 d \left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^4,x]

[Out] -((b^2\*(20\*a^6 - 35\*a^4\*b^2 + 28\*a^2\*b^4 - 8\*b^6)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(a^5\*(a^2 - b^2)^3\*Sqrt[-a^2 + b^2]\*d) + (4\*b\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/(a^5\*d) - (4\*b\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(a^5\*d) + Sin[(c + d\*x)/2]/(a^4\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + Sin[(c + d\*x)/2]/(a^4\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) - (b^3\*Sin[c + d\*x])/(3\*a^2\*(a - b)\*(a + b)\*d\*(a + b\*Cos[c + d\*x])^3) + (-11\*a^2\*b^3\*Sin[c + d\*x] + 6\*b^5\*Sin[c + d\*x])/(6\*a^3\*(a - b)^2\*(a + b)^2\*d\*(a + b\*Cos[c + d\*x])^2) + (-47\*a^4\*b^3\*Sin[c + d\*x] + 50\*a^2\*b^5\*Sin[c + d\*x] - 18\*b^7\*Sin[c + d\*x])/(6\*a^4\*(a - b)^3\*(a + b)^3\*d\*(a + b\*Cos[c + d\*x]))

**fricas [B]** time = 6.32, size = 2048, normalized size = 6.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

```
[Out] [-1/12*(3*((20*a^6*b^5 - 35*a^4*b^7 + 28*a^2*b^9 - 8*b^11)*cos(d*x + c)^4 +
  3*(20*a^7*b^4 - 35*a^5*b^6 + 28*a^3*b^8 - 8*a*b^10)*cos(d*x + c)^3 + 3*(20
*a^8*b^3 - 35*a^6*b^5 + 28*a^4*b^7 - 8*a^2*b^9)*cos(d*x + c)^2 + (20*a^9*b^
2 - 35*a^7*b^4 + 28*a^5*b^6 - 8*a^3*b^8)*cos(d*x + c))*sqrt(-a^2 + b^2)*log
((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a
*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*
cos(d*x + c) + a^2)) + 24*((a^8*b^4 - 4*a^6*b^6 + 6*a^4*b^8 - 4*a^2*b^10 +
b^12)*cos(d*x + c)^4 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b^7 - 4*a^3*b^9 + a*b
^11)*cos(d*x + c)^3 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b^6 - 4*a^4*b^8 + a^2
*b^10)*cos(d*x + c)^2 + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5 - 4*a^5*b^7 + a^3*b
^9)*cos(d*x + c))*log(sin(d*x + c) + 1) - 24*((a^8*b^4 - 4*a^6*b^6 + 6*a^4*
b^8 - 4*a^2*b^10 + b^12)*cos(d*x + c)^4 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b
^7 - 4*a^3*b^9 + a*b^11)*cos(d*x + c)^3 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b
^6 - 4*a^4*b^8 + a^2*b^10)*cos(d*x + c)^2 + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5
- 4*a^5*b^7 + a^3*b^9)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(6*a^12 - 2
4*a^10*b^2 + 36*a^8*b^4 - 24*a^6*b^6 + 6*a^4*b^8 + (6*a^9*b^3 - 71*a^7*b^5
+ 133*a^5*b^7 - 92*a^3*b^9 + 24*a*b^11)*cos(d*x + c)^3 + 3*(6*a^10*b^2 - 59
*a^8*b^4 + 110*a^6*b^6 - 77*a^4*b^8 + 20*a^2*b^10)*cos(d*x + c)^2 + (18*a^1
1*b - 132*a^9*b^3 + 239*a^7*b^5 - 169*a^5*b^7 + 44*a^3*b^9)*cos(d*x + c))*s
in(d*x + c))/((a^13*b^3 - 4*a^11*b^5 + 6*a^9*b^7 - 4*a^7*b^9 + a^5*b^11)*d*
cos(d*x + c)^4 + 3*(a^14*b^2 - 4*a^12*b^4 + 6*a^10*b^6 - 4*a^8*b^8 + a^6*b^
10)*d*cos(d*x + c)^3 + 3*(a^15*b - 4*a^13*b^3 + 6*a^11*b^5 - 4*a^9*b^7 + a^
7*b^9)*d*cos(d*x + c)^2 + (a^16 - 4*a^14*b^2 + 6*a^12*b^4 - 4*a^10*b^6 + a^
8*b^8)*d*cos(d*x + c)), 1/6*(3*((20*a^6*b^5 - 35*a^4*b^7 + 28*a^2*b^9 - 8*b
^11)*cos(d*x + c)^4 + 3*(20*a^7*b^4 - 35*a^5*b^6 + 28*a^3*b^8 - 8*a*b^10)*c
os(d*x + c)^3 + 3*(20*a^8*b^3 - 35*a^6*b^5 + 28*a^4*b^7 - 8*a^2*b^9)*cos(d*
x + c)^2 + (20*a^9*b^2 - 35*a^7*b^4 + 28*a^5*b^6 - 8*a^3*b^8)*cos(d*x + c))
*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)
)) - 12*((a^8*b^4 - 4*a^6*b^6 + 6*a^4*b^8 - 4*a^2*b^10 + b^12)*cos(d*x + c)
^4 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b^7 - 4*a^3*b^9 + a*b^11)*cos(d*x + c)^
3 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b^6 - 4*a^4*b^8 + a^2*b^10)*cos(d*x + c
)^2 + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5 - 4*a^5*b^7 + a^3*b^9)*cos(d*x + c))*
log(sin(d*x + c) + 1) + 12*((a^8*b^4 - 4*a^6*b^6 + 6*a^4*b^8 - 4*a^2*b^10 +
b^12)*cos(d*x + c)^4 + 3*(a^9*b^3 - 4*a^7*b^5 + 6*a^5*b^7 - 4*a^3*b^9 + a*
b^11)*cos(d*x + c)^3 + 3*(a^10*b^2 - 4*a^8*b^4 + 6*a^6*b^6 - 4*a^4*b^8 + a^
2*b^10)*cos(d*x + c)^2 + (a^11*b - 4*a^9*b^3 + 6*a^7*b^5 - 4*a^5*b^7 + a^3*
b^9)*cos(d*x + c))*log(-sin(d*x + c) + 1) + (6*a^12 - 24*a^10*b^2 + 36*a^8*
b^4 - 24*a^6*b^6 + 6*a^4*b^8 + (6*a^9*b^3 - 71*a^7*b^5 + 133*a^5*b^7 - 92*a
^3*b^9 + 24*a*b^11)*cos(d*x + c)^3 + 3*(6*a^10*b^2 - 59*a^8*b^4 + 110*a^6*b
^6 - 77*a^4*b^8 + 20*a^2*b^10)*cos(d*x + c)^2 + (18*a^11*b - 132*a^9*b^3 +
239*a^7*b^5 - 169*a^5*b^7 + 44*a^3*b^9)*cos(d*x + c))*sin(d*x + c))/((a^13*
b^3 - 4*a^11*b^5 + 6*a^9*b^7 - 4*a^7*b^9 + a^5*b^11)*d*cos(d*x + c)^4 + 3*(
a^14*b^2 - 4*a^12*b^4 + 6*a^10*b^6 - 4*a^8*b^8 + a^6*b^10)*d*cos(d*x + c)^3
+ 3*(a^15*b - 4*a^13*b^3 + 6*a^11*b^5 - 4*a^9*b^7 + a^7*b^9)*d*cos(d*x + c
)^2 + (a^16 - 4*a^14*b^2 + 6*a^12*b^4 - 4*a^10*b^6 + a^8*b^8)*d*cos(d*x + c
)))]
```

**giac [B]** time = 1.63, size = 587, normalized size = 1.91

$$\frac{3(20a^6b^2 - 35a^4b^4 + 28a^2b^6 - 8b^8) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^{11} - 3a^9b^2 + 3a^7b^4 - a^5b^6) \sqrt{a^2 - b^2}} + \frac{60a^6b^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 105a^5b^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(20*a^6*b^2 - 35*a^4*b^4 + 28*a^2*b^6 - 8*b^8)*(pi*floor(1/2*(d*x +
c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2
```

```

*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*
sqrt(a^2 - b^2)) + (60*a^6*b^3*tan(1/2*d*x + 1/2*c)^5 - 105*a^5*b^4*tan(1/2
*d*x + 1/2*c)^5 - 24*a^4*b^5*tan(1/2*d*x + 1/2*c)^5 + 117*a^3*b^6*tan(1/2*d
*x + 1/2*c)^5 - 24*a^2*b^7*tan(1/2*d*x + 1/2*c)^5 - 42*a*b^8*tan(1/2*d*x +
1/2*c)^5 + 18*b^9*tan(1/2*d*x + 1/2*c)^5 + 120*a^6*b^3*tan(1/2*d*x + 1/2*c)
^3 - 236*a^4*b^5*tan(1/2*d*x + 1/2*c)^3 + 152*a^2*b^7*tan(1/2*d*x + 1/2*c)^
3 - 36*b^9*tan(1/2*d*x + 1/2*c)^3 + 60*a^6*b^3*tan(1/2*d*x + 1/2*c) + 105*a
^5*b^4*tan(1/2*d*x + 1/2*c) - 24*a^4*b^5*tan(1/2*d*x + 1/2*c) - 117*a^3*b^6
*tan(1/2*d*x + 1/2*c) - 24*a^2*b^7*tan(1/2*d*x + 1/2*c) + 42*a*b^8*tan(1/2*
d*x + 1/2*c) + 18*b^9*tan(1/2*d*x + 1/2*c))/((a^10 - 3*a^8*b^2 + 3*a^6*b^4
- a^4*b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3)
+ 12*b*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^5 - 12*b*log(abs(tan(1/2*d*x +
1/2*c) - 1))/a^5 + 6*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^
4))/d

```

**maple [B]** time = 0.12, size = 1429, normalized size = 4.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x)
```

```

[Out] -20/d/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^
2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*b^3-5/d*b^4/a/(a*tan(1/2*d*x+1/2*c)^2
-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+
1/2*c)^5+18/d*b^5/a^2/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3
/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5+2/d*b^6/a^3/(a*tan(1/
2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3
)*tan(1/2*d*x+1/2*c)^5-6/d*b^7/a^4/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*
c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5-40/d/(a*
tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^3/(a^2-2*a*b+b^2)/(a^2
+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3+116/3/d*b^5/a^2/(a*tan(1/2*d*x+1/2*c)^2-ta
n(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2
*c)^3-12/d*b^7/a^4/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a
^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3-20/d/(a*tan(1/2*d*x+1/2*
c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*
d*x+1/2*c)*b^3+5/d*b^4/a/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b
)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)+18/d*b^5/a^2/(a*tan(
1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b
^3)*tan(1/2*d*x+1/2*c)-2/d*b^6/a^3/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*
c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)-6/d*b^7/a^
4/(a*tan(1/2*d*x+1/2*c)^2-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+
3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)+20/d*a*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((
a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-35/d
*b^4/a/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x
+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))+28/d*b^6/a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^
6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))
-8/d*b^8/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1
/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))-1/d/a^4/(tan(1/2*d*x+1/2*c)-1)+4/d
*b/a^5*ln(tan(1/2*d*x+1/2*c)-1)-1/d/a^4/(tan(1/2*d*x+1/2*c)+1)-4/d*b/a^5*ln
(tan(1/2*d*x+1/2*c)+1)

```

**maxima [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2/(a+b*cos(d*x+c))^4,x, algorithm="maxima")
```



$$\begin{aligned}
& (48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / (a^5(a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2))) / a^5 + (4b * ((8 \tan(c/2 + (d*x)/2) * (128b^{16} - 128a*b^{15} - 768a^2b^{14} + 768a^3b^{13} + 1920a^4b^{12} - 1920a^5b^{11} - 2600a^6b^{10} + 2560a^7b^9 + 2025a^8b^8 - 1920a^9b^7 - 824a^{10}b^6 + 768a^{11}b^5 + 80a^{12}b^4 - 128a^{13}b^3 + 64a^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) + (4b * ((16(8a^{23}b - 8a^{10}b^{14} + 4a^{11}b^{13} + 52a^{12}b^{12} - 25a^{13}b^{11} - 143a^{14}b^{10} + 63a^{15}b^9 + 217a^{16}b^8 - 87a^{17}b^7 - 193a^{18}b^6 + 73a^{19}b^5 + 95a^{20}b^4 - 36a^{21}b^3 - 20a^{22}b^2)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (32b * \tan(c/2 + (d*x)/2) * (8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / (a^5(a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)))) / a^5) / a^5) * 8i) / (a^5*d) - ((\tan(c/2 + (d*x)/2)^3 * (12a*b^7 - 18a^8 - 72b^8 + 236a^2b^6 - 47a^3b^5 - 273a^4b^4 + 60a^5b^3 + 72a^6b^2)) / (3a^4 * (a + b)^2 * (a - b)^3) - (\tan(c/2 + (d*x)/2)^5 * (12a*b^7 + 18a^8 + 72b^8 - 236a^2b^6 - 47a^3b^5 + 273a^4b^4 + 60a^5b^3 - 72a^6b^2)) / (3a^4 * (a + b)^3 * (a - b)^2) + (\tan(c/2 + (d*x)/2) * (4a*b^6 - 2a^6b - 2a^7 + 8b^7 - 24a^2b^5 - 11a^3b^4 + 26a^4b^3 + 6a^5b^2)) / (a^4 * (a + b) * (a - b)^3) + (\tan(c/2 + (d*x)/2)^7 * (4a*b^6 + 2a^6b - 2a^7 - 8b^7 + 24a^2b^5 - 11a^3b^4 - 26a^4b^3 + 6a^5b^2)) / (a^4 * (a + b)^3 * (a - b))) / (d * (3a*b^2 + 3a^2b - \tan(c/2 + (d*x)/2)^4 * (6a^2b - 6b^3) - \tan(c/2 + (d*x)/2)^2 * (6a*b^2 - 2a^3 + 4b^3) - \tan(c/2 + (d*x)/2)^6 * (2a^3 - 6a*b^2 + 4b^3) + a^3 + b^3 - \tan(c/2 + (d*x)/2)^8 * (3a*b^2 - 3a^2b + a^3 - b^3))) + (b^2 * \operatorname{atan}(((b^2 * ((8 \tan(c/2 + (d*x)/2) * (128b^{16} - 128a*b^{15} - 768a^2b^{14} + 768a^3b^{13} + 1920a^4b^{12} - 1920a^5b^{11} - 2600a^6b^{10} + 2560a^7b^9 + 2025a^8b^8 - 1920a^9b^7 - 824a^{10}b^6 + 768a^{11}b^5 + 80a^{12}b^4 - 128a^{13}b^3 + 64a^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) - (b^2 * ((16(8a^{23}b - 8a^{10}b^{14} + 4a^{11}b^{13} + 52a^{12}b^{12} - 25a^{13}b^{11} - 143a^{14}b^{10} + 63a^{15}b^9 + 217a^{16}b^8 - 87a^{17}b^7 - 193a^{18}b^6 + 73a^{19}b^5 + 95a^{20}b^4 - 36a^{21}b^3 - 20a^{22}b^2)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) - (4b^2 * \tan(c/2 + (d*x)/2) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * (8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / ((a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) * (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2))) * (-(a + b)^7 * (a - b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * 1i) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) + (b^2 * ((8 \tan(c/2 + (d*x)/2) * (128b^{16} - 128a*b^{15} - 768a^2b^{14} + 768a^3b^{13} + 1920a^4b^{12} - 1920a^5b^{11} - 2600a^6b^{10} + 2560a^7b^9 + 2025a^8b^8 - 1920a^9b^7 - 824a^{10}b^6 + 768a^{11}b^5 + 80a^{12}b^4 - 128a^{13}b^3 + 64a^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) + (b^2 * ((16(8a^{23}b - 8a^{10}b^{14} + 4a^{11}b^{13} + 52a^{12}b^{12} - 25a^{13}b^{11} - 143a^{14}b^{10} + 63a^{15}b^9 + 217a^{16}b^8 - 87a^{17}b^7 - 193a^{18}b^6 + 73a^{19}b^5 + 95a^{20}b^4
\end{aligned}$$



$$\begin{aligned}
& - 36a^{21}b^3 - 20a^{22}b^2) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (4b^2 \tan(c/2 + (d*x)/2) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * (8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / ((a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2) * (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * i) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) / ((32 * (128b^{16} - 64a*b^{15} - 832a^2*b^{14} + 400a^3*b^{13} + 2288a^4*b^{12} - 1088a^5*b^{11} - 3472a^6*b^{10} + 1602*a^7*b^9 + 3088a^8*b^8 - 1280a^9*b^7 - 1520a^{10}b^6 + 480a^{11}b^5 + 320*a^{12}b^4)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) - (b^2 * ((8 * \tan(c/2 + (d*x)/2) * (128b^{16} - 128a*b^{15} - 768a^2*b^{14} + 768a^3*b^{13} + 1920a^4*b^{12} - 1920a^5*b^{11} - 2600a^6*b^{10} + 2560a^7*b^9 + 2025a^8*b^8 - 1920a^9*b^7 - 824a^{10}b^6 + 768a^{11}b^5 + 80a^{12}b^4 - 128a^{13}b^3 + 64a^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) - (b^2 * ((16 * (8a^{23}b - 8a^{10}b^{14} + 4a^{11}b^{13} + 52a^{12}b^{12} - 25a^{13}b^{11} - 143a^{14}b^{10} + 63a^{15}b^9 + 217a^{16}b^8 - 87a^{17}b^7 - 193a^{18}b^6 + 73a^{19}b^5 + 95a^{20}b^4 - 36a^{21}b^3 - 20a^{22}b^2)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) - (4b^2 \tan(c/2 + (d*x)/2) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * (8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / ((a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2) * (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) + (b^2 * ((8 * \tan(c/2 + (d*x)/2) * (128b^{16} - 128a*b^{15} - 768a^2*b^{14} + 768a^3*b^{13} + 1920a^4*b^{12} - 1920a^5*b^{11} - 2600a^6*b^{10} + 2560a^7*b^9 + 2025a^8*b^8 - 1920a^9*b^7 - 824a^{10}b^6 + 768a^{11}b^5 + 80a^{12}b^4 - 128a^{13}b^3 + 64a^{14}b^2)) / (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2) + (b^2 * ((16 * (8a^{23}b - 8a^{10}b^{14} + 4a^{11}b^{13} + 52a^{12}b^{12} - 25a^{13}b^{11} - 143a^{14}b^{10} + 63a^{15}b^9 + 217a^{16}b^8 - 87a^{17}b^7 - 193a^{18}b^6 + 73a^{19}b^5 + 95a^{20}b^4 - 36a^{21}b^3 - 20a^{22}b^2)) / (a^{22}b + a^{23} - a^{12}b^{11} - a^{13}b^{10} + 5a^{14}b^9 + 5a^{15}b^8 - 10a^{16}b^7 - 10a^{17}b^6 + 10a^{18}b^5 + 10a^{19}b^4 - 5a^{20}b^3 - 5a^{21}b^2) + (4b^2 \tan(c/2 + (d*x)/2) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2) * (8a^{23}b - 8a^{10}b^{14} + 8a^{11}b^{13} + 48a^{12}b^{12} - 48a^{13}b^{11} - 120a^{14}b^{10} + 120a^{15}b^9 + 160a^{16}b^8 - 160a^{17}b^7 - 120a^{18}b^6 + 120a^{19}b^5 + 48a^{20}b^4 - 48a^{21}b^3 - 8a^{22}b^2)) / ((a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2) * (a^{18}b + a^{19} - a^8b^{11} - a^9b^{10} + 5a^{10}b^9 + 5a^{11}b^8 - 10a^{12}b^7 - 10a^{13}b^6 + 10a^{14}b^5 + 10a^{15}b^4 - 5a^{16}b^3 - 5a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2)) * (-(a+b)^7 * (a-b)^7)^{(1/2)} * (20a^6 - 8b^6 + 28a^2b^4 - 35a^4b^2)) / (2 * (a^{19} - a^5b^{14} + 7a^7b^{12} - 21a^9b^{10} + 35a^{11}b^8 - 35a^{13}b^6 + 21a^{15}b^4 - 7a^{17}b^2))
\end{aligned}$$

```

^7)^(1/2)*(20*a^6 - 8*b^6 + 28*a^2*b^4 - 35*a^4*b^2))/(2*(a^19 - a^5*b^14 +
7*a^7*b^12 - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^1
7*b^2)))*(-(a + b)^7*(a - b)^7)^(1/2)*(20*a^6 - 8*b^6 + 28*a^2*b^4 - 35*a^4
*b^2))/(2*(a^19 - a^5*b^14 + 7*a^7*b^12 - 21*a^9*b^10 + 35*a^11*b^8 - 35*a^
13*b^6 + 21*a^15*b^4 - 7*a^17*b^2))))*(-(a + b)^7*(a - b)^7)^(1/2)*(20*a^6
- 8*b^6 + 28*a^2*b^4 - 35*a^4*b^2)*1i)/(d*(a^19 - a^5*b^14 + 7*a^7*b^12 - 2
1*a^9*b^10 + 35*a^11*b^8 - 35*a^13*b^6 + 21*a^15*b^4 - 7*a^17*b^2))

```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Integral(sec(c + d\*x)\*\*2/(a + b\*cos(c + d\*x))\*\*4, x)

### 3.486 $\int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} dx$

Optimal. Leaf size=264

$$\frac{2(8a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} + \frac{2a(8a^2 + 19b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2(8a^4 - 17a^2b^2 - 25b^4) \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{a + b \cos(c + dx)}}{105b^3d}$$

[Out]  $-8/35*a*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^2/d+2/7*\cos(d*x+c)*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b/d+2/105*(8*a^2+25*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d+2/105*a*(8*a^2+19*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^3/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/105*(8*a^4+17*a^2*b^2-25*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2793, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(8a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} - \frac{2(17a^2b^2 + 8a^4 - 25b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105b^3d \sqrt{a + b \cos(c + dx)}} + \frac{2(8a^4 - 17a^2b^2 - 25b^4) \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{a + b \cos(c + dx)}}{105b^3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2*a*(8*a^2 + 19*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/a + b]) - (2*(8*a^4 + 17*a^2*b^2 - 25*b^4)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/a + b]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(8*a^2 + 25*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*b^2*d) - (8*a*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(35*b^2*d) + (2*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(7*b*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b)

+ (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2753

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.)), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)\sqrt{a+b\cos(c+dx)} dx &= \frac{2\cos(c+dx)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{7bd} + \frac{2\int\sqrt{a+b\cos(c+dx)}}{7bd} \\
&= -\frac{8a(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{35b^2d} + \frac{2\cos(c+dx)(a+b\cos(c+dx))^{3/2}}{7bd} \\
&= \frac{2(8a^2+25b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^2d} - \frac{8a(a+b\cos(c+dx))^{3/2}}{35b^2d} \\
&= \frac{2(8a^2+25b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^2d} - \frac{8a(a+b\cos(c+dx))^{3/2}}{35b^2d} \\
&= \frac{2(8a^2+25b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^2d} - \frac{8a(a+b\cos(c+dx))^{3/2}}{35b^2d} \\
&= \frac{2a(8a^2+19b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{105b^3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2(8a^4+17a^2b^2-25b^4)}{210b^3d}
\end{aligned}$$

**Mathematica [A]** time = 1.14, size = 214, normalized size = 0.81

$$\frac{-4(8a^4+17a^2b^2-25b^4)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)+b\sin(c+dx)(-16a^3+(145b^3-4a^2b)\cos(c+dx))}{210b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (4\*a\*(8\*a^3 + 8\*a^2\*b + 19\*a\*b^2 + 19\*b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 4\*(8\*a^4 + 17\*a^2\*b^2 - 25\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(-16\*a^3 + 136\*a\*b^2 + (-4\*a^2\*b + 145\*b^3)\*Cos[c + d\*x] + 36\*a\*b^2\*Cos[2\*(c + d\*x)] + 15\*b^3\*Cos[3\*(c + d\*x)])\*Sin[c + d\*x])/(210\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b\cos(dx+c)+a}\cos(dx+c)^3,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b\cos(dx+c)+a}\cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^3, x)

**maple [B]** time = 1.09, size = 827, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2),x)`

[Out] 
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*\cos(1/2*d*x+1/2*c)^9*b^4+144*\cos(1/2*d*x+1/2*c)^7*a*b^3-600*\cos(1/2*d*x+1/2*c)^7*b^4-4*\cos(1/2*d*x+1/2*c)^5*a^2*b^2-288*\cos(1/2*d*x+1/2*c)^5*a*b^3+640*\cos(1/2*d*x+1/2*c)^5*b^4-8*\cos(1/2*d*x+1/2*c)^3*a^3*b+6*\cos(1/2*d*x+1/2*c)^3*a^2*b^2+230*\cos(1/2*d*x+1/2*c)^3*a*b^3-360*\cos(1/2*d*x+1/2*c)^3*b^4-8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4-17*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^2+25*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^4+8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4-8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b+19*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^2-19*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^3+8*\cos(1/2*d*x+1/2*c)*a^3*b-2*\cos(1/2*d*x+1/2*c)*a^2*b^2-86*\cos(1/2*d*x+1/2*c)*a*b^3+80*\cos(1/2*d*x+1/2*c)*b^4)/b^3/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^3, x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^3*(a + b*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)^3*(a + b*cos(c + d*x))^(1/2), x)`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a+b*cos(d*x+c))**(1/2),x)`

[Out] Timed out

### 3.487 $\int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} dx$

**Optimal.** Leaf size=207

$$\frac{4a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a+b \cos(c+dx)}} - \frac{2(2a^2 - 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx)}{d}$$

[Out]  $2/5*(a+b*\cos(d*x+c))^(3/2)*\sin(d*x+c)/b/d-4/15*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/b/d-2/15*(2*a^2-9*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))^(1/2)/b^2/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)+4/15*a*(a^2-b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))/(a+b))^(1/2)/b^2/d/(a+b*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.28, antiderivative size = 207, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2791, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{4a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a+b \cos(c+dx)}} - \frac{2(2a^2 - 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*Sqrt[a + b\*Cos[c + d\*x]],x]

[Out]  $(-2*(2*a^2 - 9*b^2)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)])/(15*b^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (4*a*(a^2 - b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(15*b^2*d*Sqrt[a + b*Cos[c + d*x]]) - (4*a*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*b*d) + (2*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*b*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rule 2791

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(d^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[b*(d^2*(m + 1) + c^2*(m + 2)) - d*(a*d - 2*b*c*(m + 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} dx &= \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} + \frac{2 \int \left( \frac{3b}{2} - a \cos(c + dx) \right) \sqrt{a + b \cos(c + dx)} dx}{5b} \\ &= -\frac{4a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= -\frac{4a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= -\frac{4a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= \frac{2 \left( 9 - \frac{2a^2}{b^2} \right) \sqrt{a + b \cos(c + dx)} E \left( \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b} \right)}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{4a (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{15b^2 d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.86, size = 180, normalized size = 0.87

$$\frac{b \sin(c + dx) (2a^2 + 8ab \cos(c + dx) + 3b^2 \cos(2(c + dx)) + 3b^2) + 4a (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F \left( \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b} \right) - 15b^2 d \sqrt{a + b \cos(c + dx)}}{15b^2 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] (-2*(2*a^3 + 2*a^2*b - 9*a*b^2 - 9*b^3)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + 4*a*(a^2 - b^2)*Sqrt[(a + b*Cos[c +
```



$d*x]/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + b*(2*a^2 + 3*b^2 + 8*a*b*\cos[c + d*x] + 3*b^2*\cos[2*(c + d*x)])*\sin[c + d*x]]/(15*b^2*d*\sqrt{a + b*\cos[c + d*x]})$

**fricas** [F] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a} \cos(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2, x)

**maple** [B] time = 0.82, size = 665, normalized size = 3.21

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(24\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^3 + 16\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab^2 - 48\left(\cos^5\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -2/15*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(24*\cos(1/2*d*x+1/2*c)^7*b^3+16*\cos(1/2*d*x+1/2*c)^5*a*b^2-48*\cos(1/2*d*x+1/2*c)^5*b^3+2*\cos(1/2*d*x+1/2*c)^3*a^2*b-24*\cos(1/2*d*x+1/2*c)^3*a*b^2+30*\cos(1/2*d*x+1/2*c)^3*b^3+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3-2*\cos(1/2*d*x+1/2*c)*a^2*b+8*\cos(1/2*d*x+1/2*c)*a*b^2-6*\cos(1/2*d*x+1/2*c)*b^3)/b^2/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \cos^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*2, x)

### 3.488 $\int \cos(c + dx) \sqrt{a + b \cos(c + dx)} dx$

**Optimal.** Leaf size=162

$$\frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{a+b \cos(c+dx)}} + \frac{2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d} + \frac{2a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $\frac{2}{3} \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d + \frac{2}{3} a (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) (a+b \cos(dx+c))^{1/2} / b/d / ((a+b \cos(dx+c)) / (a+b))^{1/2} - 2/3 (a^2 - b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) ((a+b \cos(dx+c)) / (a+b))^{1/2} / b/d / (a+b \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.17, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{a+b \cos(c+dx)}} + \frac{2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d} + \frac{2a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]],x]

[Out]  $(2*a \sqrt{a+b \cos(c+dx)} \text{EllipticE}[(c+dx)/2, (2*b)/(a+b)]) / (3*b*d \sqrt{(a+b \cos(c+dx)) / (a+b)}) - (2*(a^2 - b^2) \sqrt{a+b \cos(c+dx)} \text{EllipticF}[(c+dx)/2, (2*b)/(a+b)]) / (3*b*d \sqrt{a+b \cos(c+dx)}) + (2 \sqrt{a+b \cos(c+dx)} \sin(c+dx)) / (3*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

### Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt{a + b \cos(c + dx)} dx &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{b}{2} + \frac{1}{2}a \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{a \int \sqrt{a + b \cos(c + dx)} dx}{3b} - \frac{(a^2 - b^2)}{3b} \\ &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{(a\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c + dx)}{a+b}}}{3b \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} - \frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c + dx)}{a+b}}}{3bd \sqrt{a + b \cos(c + dx)}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \end{aligned}$$

**Mathematica** [A] time = 0.55, size = 137, normalized size = 0.85

$$\frac{-2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2b \sin(c + dx)(a + b \cos(c + dx)) + 2a(a + b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (2*a*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 2*(a^2 - b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*(a + b*Cos[c + d*x])*Sin[c + d*x]/(3*b*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas** [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*cos(d*x + c), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c), x)

**maple [B]** time = 0.74, size = 452, normalized size = 2.79

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 2\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab - 6\left(\cos^3\left(\frac{dx}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -2/3*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*\cos(1/2 \\ & *d*x+1/2*c)^5*b^2+2*\cos(1/2*d*x+1/2*c)^3*a*b-6*\cos(1/2*d*x+1/2*c)^3*b^2-(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*Elli \\ & pticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}*a^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c \\ & ),(-2*b/(a-b))^{(1/2)})*b^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2* \\ & c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a \\ & ^2-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & )*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-2*\cos(1/2*d*x+1/2*c) \\ & *a*b+2*\cos(1/2*d*x+1/2*c)*b^2)/b/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)} \\ & /d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x), x)

### 3.489 $\int \sqrt{a + b \cos(c + dx)} dx$

Optimal. Leaf size=57

$$\frac{2\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2655, 2653}

$$\frac{2\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])$

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} dx &= \frac{\sqrt{a + b \cos(c + dx)} \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= \frac{2\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 57, normalized size = 1.00

$$\frac{2\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)])

**fricas** [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.00, size = 170, normalized size = 2.98

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b}{a - b}}\text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a + b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c))^2\*b+a-b)\*sin(1/2\*d\*x+1/2\*c)^2^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c))^2\*b+a-b)/(a-b)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2), x)

```
[Out] int((a + b*cos(c + d*x))^(1/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(a + b*cos(c + d*x)), x)
```



### 3.490 $\int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx$

**Optimal.** Leaf size=118

$$\frac{2b\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2a\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}}$$

[Out]  $2*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2803, 2663, 2661, 2807, 2805}

$$\frac{2b\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2a\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x], x]`

[Out]  $(2*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2663

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])]/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

#### Rule 2803

`Int[Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rule 2805

`Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`

#### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx &= a \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + b \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left(a \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} + \frac{\left(b \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} + \frac{2a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 2.18, size = 81, normalized size = 0.69

$$\frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( b F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + a \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x], x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b*EllipticF[(c + d*x)/2, (2*b)/(a +
b)] + a*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]))/(d*Sqrt[a + b*Cos[c + d
*x]])
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*cos(d*x + c) + a)*sec(d*x + c), x)
```

**maple** [A] time = 1.09, size = 194, normalized size = 1.64

$$\frac{2 \sqrt{\left(2 \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b} \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b}{a - b}} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \frac{2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b}{a - b}\right)\right)}{\sqrt{-2 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + (a + b) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right)} \sqrt{-2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)*(a+b*cos(d*x+c))^(1/2),x)`

[Out]  $-2*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b-\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})*a)/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*cos(d*x + c) + a)*sec(d*x + c), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^(1/2)/cos(c + d*x),x)`

[Out] `int((a + b*cos(c + d*x))^(1/2)/cos(c + d*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(a+b*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(a + b*cos(c + d*x))*sec(c + d*x), x)`

### 3.491 $\int \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=197

$$\frac{\tan(c + dx)\sqrt{a + b \cos(c + dx)}}{d} + \frac{a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a + b \cos(c + dx)}} - \frac{\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d}$$

[Out]  $-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.50, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {2796, 3060, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{\tan(c + dx)\sqrt{a + b \cos(c + dx)}}{d} + \frac{a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a + b \cos(c + dx)}} - \frac{\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^2, x]

[Out]  $-\left(\frac{\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b)}\right) + \frac{a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b)*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]} + \frac{b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b)*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]}{d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]} + \frac{\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x]}{d}$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[a + b\*Sin[c + d\*x]]/(a + b), Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2796

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])
^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n
- 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] -
b*d*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1]
&& LtQ[0, n, 1] && IntegersQ[2*m, 2*n]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3002

```
Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B,
m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3060

```
Int(((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist
[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c
*C - A*b*d + (b*c*C + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c
+ d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c
- a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx &= \frac{\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{b}{2} - \frac{1}{2}b \cos^2(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2} \int \sqrt{a + b \cos(c + dx)} dx - \int \frac{\left(\frac{b^2}{2} - \frac{1}{2}b^2 \cos^2(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2}a \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx + \frac{1}{2}b \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= -\frac{\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} \\
&= -\frac{\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [C] time = 7.33, size = 307, normalized size = 1.56

$$4 \tan(c + dx) \sqrt{a + b \cos(c + dx)} + \frac{2b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{2i \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \left(b \Pi\left(\frac{a+b}{a}; i \sin\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{\sqrt{a+b \cos(c+dx)}}$$

4d

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^2,x]

[Out] ((2\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^2, x)

**maple [B]** time = 0.83, size = 622, normalized size = 3.16

$$\sqrt{\left(2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) b + a - b\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4b \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-2a - 2b) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2), x)

[Out]  $-\left((2 \cos(1/2 dx + 1/2 c))^2 b + a - b\right) \sin(1/2 dx + 1/2 c)^2)^{1/2} \left(4 b \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^4 + (-2 a - 2 b) \sin(1/2 dx + 1/2 c)^2 \cos(1/2 dx + 1/2 c) - 2 \left(\sin(1/2 dx + 1/2 c)^2\right)^{1/2} (-2 b / (a - b) \sin(1/2 dx + 1/2 c)^2 + (a + b) / (a - b))^{1/2} \left(\text{EllipticF}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) a - \text{EllipticE}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) a + \text{EllipticE}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) b - \text{EllipticPi}\left(\cos(1/2 dx + 1/2 c), 2, (-2 b / (a - b))^{1/2}\right) b\right) \sin(1/2 dx + 1/2 c)^2 + \left(\sin(1/2 dx + 1/2 c)^2\right)^{1/2} (-2 b / (a - b) \sin(1/2 dx + 1/2 c)^2 + (a + b) / (a - b))^{1/2} \text{EllipticF}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) a - \left(\sin(1/2 dx + 1/2 c)^2\right)^{1/2} (-2 b / (a - b) \sin(1/2 dx + 1/2 c)^2 + (a + b) / (a - b))^{1/2} \text{EllipticE}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) a + \left(\sin(1/2 dx + 1/2 c)^2\right)^{1/2} (-2 b / (a - b) \sin(1/2 dx + 1/2 c)^2 + (a + b) / (a - b))^{1/2} b \text{EllipticE}\left(\cos(1/2 dx + 1/2 c), (-2 b / (a - b))^{1/2}\right) - b \left(\sin(1/2 dx + 1/2 c)^2\right)^{1/2} (-2 b / (a - b) \sin(1/2 dx + 1/2 c)^2 + (a + b) / (a - b))^{1/2} \text{EllipticPi}\left(\cos(1/2 dx + 1/2 c), 2, (-2 b / (a - b))^{1/2}\right)\right) / \left(2 \cos(1/2 dx + 1/2 c)^2 - 1\right) / \left(-2 \sin(1/2 dx + 1/2 c)^4 b + (a + b) \sin(1/2 dx + 1/2 c)^2\right)^{1/2} / \sin(1/2 dx + 1/2 c) / \left(-2 \sin(1/2 dx + 1/2 c)^2 b + a + b\right)^{1/2} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2, x)

[Out] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2, x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*2, x)

### 3.492 $\int \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) dx$

**Optimal.** Leaf size=262

$$\frac{(4a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{3b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $-1/4*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/a/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+3/4*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*(4*a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*b*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d+1/2*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.73, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2796, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{3b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out]  $-(b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(4*a*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (3*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2 - b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(4*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(4*a*d) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663



Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2796

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 3002

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^

```

2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
    
```

Rubi steps

$$\begin{aligned}
 \int \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) dx &= \frac{\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{\left(\frac{b}{2} + a \cos(c + dx) + \sqrt{a + b \cos(c + dx)}\right) \sec(c + dx) \tan(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
 &= \frac{b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= -\frac{b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} \\
 &= -\frac{b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{3b\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a + b \cos(c + dx)}}
 \end{aligned}$$

**Mathematica** [C] time = 6.49, size = 515, normalized size = 1.97

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{b \tan(c + dx)}{4a} + \frac{1}{2} \tan(c + dx) \sec(c + dx) \right)}{d} + \frac{2(8a^2 - 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2ib^2 \sin(c+dx) \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^3,x]
[Out] ((8*a*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2 - 3*b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*b^2*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2))/(16*a*d) + (Sqrt[a + b*Cos[c + d*x]]*((b*Tan[c + d*x])/(4*a) + (Sec[c + d*x]*Tan[c + d*x])/2))/d
    
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^3, x)

**maple** [B] time = 0.91, size = 977, normalized size = 3.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$-1/4 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-8 * b ^ 2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (12 * a * b + 8 * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (-4 * a ^ 2 - 6 * a * b - 2 * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 4 * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (3 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b - \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b + \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 2 - 4 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 + \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (3 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b - \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b + \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 2 - 4 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 + \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 3 * b * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a - (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * b * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a + b ^ 2 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) - 4 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 + (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * b ^ 2) / a / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ 2 / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * b + (a + b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * b + a + b) ^ (1/2) / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^3, x)

[Out] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3\*(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*3, x)

### 3.493 $\int \cos^3(c + dx)(a + b \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=314

$$\frac{2(8a^2 + 49b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} + \frac{2a(8a^2 + 39b^2) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315b^2d} - \frac{2a(8a^4 + 31a^2b^2 - 39b^4)}{315b^2d}$$

```
[Out] 2/315*(8*a^2+49*b^2)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/b^2/d-8/63*a*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/b^2/d+2/9*cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/b/d+2/315*a*(8*a^2+39*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/d+2/315*(8*a^4+33*a^2*b^2+147*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b)))^(1/2)*(a+b*cos(d*x+c))^(1/2)/b^3/d/((a+b*cos(d*x+c))/(a+b))^(1/2)-2/315*a*(8*a^4+31*a^2*b^2-39*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b)))^(1/2)*(a+b*cos(d*x+c))/(a+b))^(1/2)/b^3/d/(a+b*cos(d*x+c))^(1/2)
```

**Rubi [A]** time = 0.52, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2793, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(8a^2 + 49b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} + \frac{2a(8a^2 + 39b^2) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315b^2d} - \frac{2a(31a^2b^2 - 39b^4)}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(8*a^4 + 33*a^2*b^2 + 147*b^4)*Sqrt[a + b*cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[(a + b*cos[c + d*x])/(a + b)]) - (2*a*(8*a^4 + 31*a^2*b^2 - 39*b^4)*Sqrt[(a + b*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[a + b*cos[c + d*x]])) + (2*a*(8*a^2 + 39*b^2)*Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(315*b^2*d) + (2*(8*a^2 + 49*b^2)*(a + b*cos[c + d*x])^(3/2)*Sin[c + d*x])/(315*b^2*d) - (8*a*(a + b*cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*b^2*d) + (2*cos[c + d*x]*(a + b*cos[c + d*x])^(5/2)*Sin[c + d*x])/(9*b*d)
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*sin[c + d*x]]/Sqrt[(a + b*sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

### Rule 2793

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +
n)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^n*Simp[a^3*d*(m
+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegerQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))
```

### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\cos(c+dx))^{3/2} dx &= \frac{2\cos(c+dx)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{9bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{9bd} \\
&= -\frac{8a(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{63b^2d} + \frac{2\cos(c+dx)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{9bd} \\
&= \frac{2(8a^2+49b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d} - \frac{8a(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{63b^2d} \\
&= \frac{2a(8a^2+39b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{315b^2d} + \frac{2(8a^2+49b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d} \\
&= \frac{2a(8a^2+39b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{315b^2d} + \frac{2(8a^2+49b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d} \\
&= \frac{2a(8a^2+39b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{315b^2d} + \frac{2(8a^2+49b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d} \\
&= \frac{2(8a^4+33a^2b^2+147b^4)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{315b^3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2(8a^2+49b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d}
\end{aligned}$$

**Mathematica [A]** time = 1.36, size = 262, normalized size = 0.83

$$-8a(8a^4+31a^2b^2-39b^4)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)+b\sin(c+dx)(-32a^4+(1606ab^3-8a^3b)\cos(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (8\*(8\*a^5 + 8\*a^4\*b + 33\*a^3\*b^2 + 33\*a^2\*b^3 + 147\*a\*b^4 + 147\*b^5)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 8\*a\*(8\*a^4 + 31\*a^2\*b^2 - 39\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(-32\*a^4 + 916\*a^2\*b^2 + 301\*b^4 + (-8\*a^3\*b + 1606\*a\*b^3)\*Cos[c + d\*x] + 4\*(53\*a^2\*b^2 + 84\*b^4)\*Cos[2\*(c + d\*x)] + 170\*a\*b^3\*Cos[3\*(c + d\*x)] + 35\*b^4\*Cos[4\*(c + d\*x)]\*Sin[c + d\*x])/(1260\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b\cos(dx+c)^4+a\cos(dx+c)^3\right)\sqrt{b\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3)\*sqrt(b\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b\cos(dx+c)+a)^{\frac{3}{2}}\cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^3, x)

**maple [B]** time = 0.88, size = 995, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*b^5*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(1360*a*b^4+2240*b^5)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-424*a^2*b^3-2040*a*b^4-2072*b^5)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(-4*a^3*b^2+424*a^2*b^3+1568*a*b^4+952*b^5)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(8*a^4*b+2*a^3*b^2-282*a^2*b^3-444*a*b^4-168*b^5)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-31*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+39*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4+8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-8*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b+33*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2-33*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+147*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-147*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^5)/b^3/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^3, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(3/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

### 3.494 $\int \cos^2(c + dx)(a + b \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=258

$$\frac{2(6a^2 - 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} - \frac{4a(3a^2 - 41b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(6a^4 - 31a^2b^2 + 25b^4) \sqrt{a + b \cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105b^2 d \sqrt{a + b \cos(c + dx)}} - \frac{4a(3a^2 - 41b^2) \sqrt{a + b \cos(c + dx)}}{105bd}$$

```
[Out] -4/35*a*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/b/d+2/7*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/b/d-2/105*(6*a^2-25*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d-4/105*a*(3*a^2-41*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/b^2/d/((a+b*cos(d*x+c))/(a+b))^(1/2)+2/105*(6*a^4-31*a^2*b^2+25*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/b^2/d/(a+b*cos(d*x+c))^(1/2)
```

**Rubi [A]** time = 0.39, antiderivative size = 258, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2791, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(6a^2 - 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} + \frac{2(-31a^2b^2 + 6a^4 + 25b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105b^2 d \sqrt{a + b \cos(c + dx)}} - \frac{4a(3a^2 - 41b^2) \sqrt{a + b \cos(c + dx)}}{105bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-4*a*(3*a^2 - 41*b^2)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(6*a^4 - 31*a^2*b^2 + 25*b^4)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(6*a^2 - 25*b^2)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*b*d) - (4*a*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*b*d) + (2*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*b*d)
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*SIN[c + d*x]]/Sqrt[(a + b*SIN[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*SIN[c + d*x])/(a + b)]/Sqrt[a + b*SIN[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*SIN[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
```

$b^2, 0] \&\& !GtQ[a + b, 0]$

### Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}{\sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}}, x\_Symbol] \rightarrow \text{Dist}[\frac{b*c - a*d}{b}, \text{Int}[\frac{1}{\sqrt{a + b*\sin[e + f*x]}}, x], x] + \text{Dist}[\frac{d}{b}, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2753

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])}{(f_.)x}, x\_Symbol] \rightarrow -\text{Simp}[\frac{d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m}{(m + 1)}, x] + \text{Dist}[\frac{1}{(m + 1)}, \text{Int}[(a + b*\sin[e + f*x])^{m-1} * \text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\sin[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& GtQ[m, 0] \&\& \text{IntegerQ}[2*m]$

### Rule 2791

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])^2}{(f_.)x}, x\_Symbol] \rightarrow -\text{Simp}[\frac{d^2*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1}}{(b*f*(m + 2))}, x] + \text{Dist}[\frac{1}{(b*(m + 2))}, \text{Int}[(a + b*\sin[e + f*x])^m * \text{Simp}[b*(d^2*(m + 1) + c^2*(m + 2)) - d*(a*d - 2*b*c*(m + 2))*\sin[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !LtQ[m, -1]$

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))^{3/2} dx &= \frac{2(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7bd} + \frac{2 \int \left(\frac{5b}{2} - a \cos(c + dx)\right) (a + b \cos(c + dx))^{3/2} dx}{7b} \\ &= -\frac{4a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35bd} + \frac{2(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7bd} \\ &= -\frac{2(6a^2 - 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105bd} - \frac{4a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35bd} \\ &= -\frac{2(6a^2 - 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105bd} - \frac{4a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35bd} \\ &= -\frac{2(6a^2 - 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105bd} - \frac{4a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35bd} \\ &= \frac{4a \left(41 - \frac{3a^2}{b^2}\right) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(6a^4 - 31a^2b^2 + 25b^4)}{210b^2d} \end{aligned}$$

**Mathematica [A]** time = 1.15, size = 214, normalized size = 0.83

$$\frac{4(6a^4 - 31a^2b^2 + 25b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + b \sin(c + dx) (12a^3 + b(108a^2 + 145b^2) \cos(c + dx))}{210b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^(3/2),x]

[Out]  $(-8*a*(3*a^3 + 3*a^2*b - 41*a*b^2 - 41*b^3)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b)]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)] + 4*(6*a^4 - 31*a^2*b^2 + 25*b^4)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)] + b*(12*a^3 + 178*a*b^2 + b*(108*a^2 + 145*b^2)*\text{Cos}[c + d*x] + 78*a*b^2*\text{Cos}[2*(c + d*x)] + 15*b^3*\text{Cos}[3*(c + d*x)])*\text{Sin}[c + d*x])/(210*b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**fricas** [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c)^3 + a \cos(dx + c)^2\right)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.70, size = 827, normalized size = 3.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2),x)

[Out]  $-2/105*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*\text{cos}(1/2*d*x+1/2*c)^9*b^4+312*\text{cos}(1/2*d*x+1/2*c)^7*a*b^3-600*\text{cos}(1/2*d*x+1/2*c)^7*b^4+108*\text{cos}(1/2*d*x+1/2*c)^5*a^2*b^2-624*\text{cos}(1/2*d*x+1/2*c)^5*a*b^3+640*\text{cos}(1/2*d*x+1/2*c)^5*b^4+6*\text{cos}(1/2*d*x+1/2*c)^3*a^3*b-162*\text{cos}(1/2*d*x+1/2*c)^3*a^2*b^2+440*\text{cos}(1/2*d*x+1/2*c)^3*a*b^3-360*\text{cos}(1/2*d*x+1/2*c)^3*b^4+6*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4-31*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+25*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+6*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+6*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b+82*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2-82*(\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\text{cos}(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3-6*\text{cos}(1/2*d*x+1/2*c)*a^3*b+54*\text{cos}(1/2*d*x+1/2*c)*a^2*b^2-12*8*\text{cos}(1/2*d*x+1/2*c)*a*b^3+80*\text{cos}(1/2*d*x+1/2*c)*b^4)/b^2/(-2*\text{sin}(1/2*d*x+1/2*c)^4*b+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}/\text{sin}(1/2*d*x+1/2*c)/(-2*\text{sin}(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

### 3.495 $\int \cos(c + dx)(a + b \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=199

$$\frac{2a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{5bd\sqrt{a+b \cos(c+dx)}} + \frac{2(a^2 + 3b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{5bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx)}{5d}$$

[Out]  $2/5*(a+b*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d+2/5*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/d+2/5*(a^2+3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))^(1/2)/b/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)-2/5*a*(a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*((a+b*\cos(d*x+c))/(a+b))^(1/2)/b/d/(a+b*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.25, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{5bd\sqrt{a+b \cos(c+dx)}} + \frac{2(a^2 + 3b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{5bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2*(a^2 + 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(5*b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*a*(a^2 - b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(5*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^{3/2} dx &= \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \left( \frac{3b}{2} + \frac{3}{2}a \cos(c + dx) \right) \sqrt{a + b \cos(c + dx)} dx \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d} + \frac{2(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2(a^2 + 3b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2a(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}}}{5bd\sqrt{\frac{a + b \cos(c + dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 0.78, size = 174, normalized size = 0.87

$$\frac{b \sin(c + dx) (4a^2 + 6ab \cos(c + dx) + b^2 \cos(2(c + dx)) + b^2) - 2a(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + \dots}{5bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(a^3 + a^2\*b + 3\*a\*b^2 + 3\*b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 2\*a\*(a^2 - b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(4\*a^2 + b^2 + 6\*a\*b\*Cos[c + d\*x] + b^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x]/(5\*b\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c)^2 + a \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c))^2 + a\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c), x)

**maple** [B] time = 0.76, size = 663, normalized size = 3.33

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(8\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^3 + 12\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab^2 - 16\left(\cos^5\left(\frac{dx}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$\begin{aligned} & -2/5*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(8*\cos(1/2 \\ & *d*x+1/2*c)^7*b^3+12*\cos(1/2*d*x+1/2*c)^5*a*b^2-16*\cos(1/2*d*x+1/2*c)^5*b^3 \\ & +4*\cos(1/2*d*x+1/2*c)^3*a^2*b-18*\cos(1/2*d*x+1/2*c)^3*a*b^2+10*\cos(1/2*d*x+ \\ & 1/2*c)^3*b^3-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/( \\ & a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3+(\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(c \\ & os(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(( \\ & 2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2 \\ & *b/(a-b))^{(1/2)})*a^3-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2* \\ & b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+ \\ & 3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & *EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-3*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2* \\ & d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3-4*\cos(1/2*d*x+1/2*c)*a^2*b+6*\cos(1/2*d*x \\ & +1/2*c)*a*b^2-2*\cos(1/2*d*x+1/2*c)*b^3)/b/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)* \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a \\ & +b)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(3/2),x)



```
[Out] int(cos(c + d*x)*(a + b*cos(c + d*x))^(3/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (a + b \cos(c + dx))^{\frac{3}{2}} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**(3/2), x)
```

```
[Out] Integral((a + b*cos(c + d*x))**(3/2)*cos(c + d*x), x)
```

### 3.496 $\int (a + b \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=157

$$\frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2b \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d} + \frac{8a\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $\frac{2}{3} b \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d + \frac{8}{3} a (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} * (b/(a+b))^{1/2}) * (a+b \cos(dx+c))^{1/2} / d / ((a+b \cos(dx+c)) / (a+b))^{1/2} - \frac{2}{3} (a^2 - b^2) (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} * (b/(a+b))^{1/2}) * ((a+b \cos(dx+c)) / (a+b))^{1/2} / d / (a+b \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.17, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {2656, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2b \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d} + \frac{8a\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^(3/2), x]

[Out]  $(8*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b)) - (2*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(a + b))*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2656

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[1/n, Int[(a + b\*Sin[c + d\*x])^(n - 2)\*Simp[a^2\*n + b^2\*(n - 1) + a\*b\*(2\*n - 1)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} dx &= \frac{2b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3a^2 + b^2) + 2ab \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(4a) \int \sqrt{a + b \cos(c + dx)} dx + \frac{1}{3}(-a^2 + \\ &= \frac{2b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{(4a\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}}{3\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= \frac{8a\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}} - 3d\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.55, size = 134, normalized size = 0.85

$$\frac{-2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2b \sin(c + dx)(a + b \cos(c + dx)) + 8a(a + b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \right)}{3d\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (8*a*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 2*(a^2 - b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*(a + b*Cos[c + d*x])*Sin[c + d*x]/(3*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas [F]** time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left((b \cos(dx + c) + a)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c) + a)^(3/2), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 0.00, size = 450, normalized size = 2.87

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 2\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab - 6\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/3*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*\cos(1/2*d*x+1/2*c)^5*b^2+2*\cos(1/2*d*x+1/2*c)^3*a*b-6*\cos(1/2*d*x+1/2*c)^3*b^2-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^2+4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2-4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b-2*\cos(1/2*d*x+1/2*c)*a*b+2*\cos(1/2*d*x+1/2*c)*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \cos(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(3/2), x)

### 3.497 $\int (a + b \cos(c + dx))^{3/2} \sec(c + dx) dx$

**Optimal.** Leaf size=179

$$\frac{2a^2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2b\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $2*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+2*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.31, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.381$ , Rules used = {2804, 2655, 2653, 2803, 2663, 2661, 2807, 2805}

$$\frac{2a^2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2b\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x], x]$

[Out]  $(2*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*a*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a^2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$   $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $\text{GtQ}[a + b, 0]$

#### Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $!\text{GtQ}[a + b, 0]$

#### Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] /;$   $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $\text{GtQ}[a + b, 0]$

#### Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x$  &&  $\text{NeQ}[a^2 - b^2, 0]$  &&  $!\text{GtQ}[a + b, 0]$

Rule 2803

```
Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x]
+ Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x])],
x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2804

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)/((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Dist[b/d, Int[Sqrt[a + b*Sin[e + f*x]], x], x]
- Dist[(b*c - a*d)/d, Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2,
0] && NeQ[c^2 - d^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} \sec(c + dx) dx &= a \int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx + b \int \sqrt{a + b \cos(c + dx)} dx \\ &= a^2 \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + (ab) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx + \frac{(b\sqrt{a + b \cos(c + dx)})}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{\left(a^2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{bc \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2ab\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 2.30, size = 107, normalized size = 0.60

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( b(a + b)E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + a \left( bF\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + a\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right) \right)}{d\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x], x]
```

[Out]  $(2\sqrt{(a + b\cos[c + dx])/(a + b)} * (b(a + b)\text{EllipticE}[(c + dx)/2, (2b)/(a + b)] + a(b\text{EllipticF}[(c + dx)/2, (2b)/(a + b)] + a\text{EllipticPi}[2, (c + dx)/2, (2b)/(a + b)])))/(d\sqrt{a + b\cos[c + dx]})$

**fricas** [F] time = 3.56, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{3/2} \sec(dx + c), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*sec(d*x+c),x, algorithm="fricas")`

[Out] `integral((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{3/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*sec(d*x+c),x, algorithm="giac")`

[Out] `integrate((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)`

**maple** [A] time = 0.72, size = 249, normalized size = 1.39

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1 - \cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a-b}}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2, \frac{a-b}{a+b}\right)\right) - \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)}\left(\text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2, \frac{a-b}{a+b}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(3/2)*sec(d*x+c),x)`

[Out]  $-2*((2*\cos(1/2*d*x+1/2*c))^{2*b+a-b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^{2*b+a-b}/(a-b))^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b+\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b-\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^2-\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*a^2)/(-2*\sin(1/2*d*x+1/2*c))^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{3/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*sec(d*x+c),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^(3/2)/cos(c + d*x), x)`

[Out] `int((a + b*cos(c + d*x))^(3/2)/cos(c + d*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^{\frac{3}{2}} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(3/2)*sec(d*x+c), x)`

[Out] `Integral((a + b*cos(c + d*x))**(3/2)*sec(c + d*x), x)`



### 3.498 $\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=209

$$\frac{(a^2 + 2b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}} + \frac{a \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d} - \frac{a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $-a \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c))^2 \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \text{EllipticE}(\sin(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{1/2} \cdot (b/(a+b))^{1/2}) \cdot (a+b \cdot \cos(d \cdot x + c))^{1/2} / ((a+b \cdot \cos(d \cdot x + c)) / (a+b))^{1/2} + (a^2 + 2 \cdot b^2) \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c))^2 \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \text{EllipticF}(\sin(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{1/2} \cdot (b/(a+b))^{1/2}) \cdot ((a+b \cdot \cos(d \cdot x + c)) / (a+b))^{1/2} / (a+b \cdot \cos(d \cdot x + c))^{1/2} + 3 \cdot a \cdot b \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c))^2 \cdot (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot \text{EllipticPi}(\sin(1/2 \cdot d \cdot x + 1/2 \cdot c), 2, 2^{1/2} \cdot (b/(a+b))^{1/2}) \cdot ((a+b \cdot \cos(d \cdot x + c)) / (a+b))^{1/2} / (a+b \cdot \cos(d \cdot x + c))^{1/2} + a \cdot (a+b \cdot \cos(d \cdot x + c))^{1/2} \cdot \tan(d \cdot x + c) / d$

**Rubi [A]** time = 0.54, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {2799, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(a^2 + 2b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}} + \frac{a \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d} - \frac{a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2,x]

[Out]  $-((a \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]] \cdot \text{EllipticE}[(c + d \cdot x)/2, (2 \cdot b)/(a + b)]) / (d \cdot \text{Sqrt}[(a + b \cdot \text{Cos}[c + d \cdot x]) / (a + b)])) + ((a^2 + 2 \cdot b^2) \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]] / (a + b)) \cdot \text{EllipticF}[(c + d \cdot x)/2, (2 \cdot b)/(a + b)] / (d \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]]) + (3 \cdot a \cdot b \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]] / (a + b)) \cdot \text{EllipticPi}[2, (c + d \cdot x)/2, (2 \cdot b)/(a + b)] / (d \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]]) + (a \cdot \text{Sqrt}[a + b \cdot \text{Cos}[c + d \cdot x]] \cdot \text{Tan}[c + d \cdot x]) / d$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2799

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}], x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)})/(f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 2)}*\text{Simp}[c*(a*c - b*d)*(m + 1) + d*(b*c - a*d)*(n - 1) + (d*(a*c - b*d)*(m + 1) - c*(b*c - a*d)*(m + 2))*\text{Sin}[e + f*x] - d*(b*c - a*d)*(m + n + 1)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LtQ}[1, n, 2] \&\& \text{IntegersQ}[2*m, 2*n]$

### Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

### Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

### Rule 3002

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}), x\_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3059

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx &= \frac{a\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{3ab}{2} + b^2 \cos(c + dx) - \frac{1}{2}ab \cos(c + dx)\right)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{a\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2}a \int \sqrt{a + b \cos(c + dx)} dx - \frac{1}{2}ab \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{a\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2}(3ab) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= -\frac{a\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} \\
&= -\frac{a\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(a^2 + 2b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d\sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 11.18, size = 363, normalized size = 1.74

$$4a \tan(c + dx) \sqrt{a + b \cos(c + dx)} + b \left( -\frac{2i \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left( b \Pi\left(\frac{a+b}{a}; i \sinh^{-1}\left(\sqrt{-\frac{1}{a+b}} \sqrt{a+b \cos(c+dx)}\right)\right)}{d\sqrt{a+b \cos(c+dx)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2,x]

[Out] (b\*((8\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (10\*a\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(b^2\*Sqrt[-(a + b)^(-1)]) + 4\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^2, x)

**maple [B]** time = 0.78, size = 740, normalized size = 3.54

$$\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4ab \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-2a^2 - 2ab)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x)

[Out]  $-(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+(-2*a^2-2*a*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2+2*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^2-\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2+\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b-3*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*a*b)*\sin(1/2*d*x+1/2*c)^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2+2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-3*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^2,x)

[Out] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^2, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

### 3.499 $\int (a + b \cos(c + dx))^{3/2} \sec^3(c + dx) dx$

**Optimal.** Leaf size=255

$$\frac{(4a^2 + 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{5b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4d} + \frac{7ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $-5/4*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+7/4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*(4*a^2+3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+5/4*b*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/2*a*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.76, antiderivative size = 255, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2799, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2 + 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{5b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4d} + \frac{7ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{4d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^3, x]$

[Out]  $(-5*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (7*a*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2 + 3*b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (5*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(4*d) + (a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

#### Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\text{Sqrt}[a + b]), x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2799

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin
[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x
] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Si
n[e + f*x])^(n - 2)*Simp[c*(a*c - b*d)*(m + 1) + d*(b*c - a*d)*(n - 1) + (
d*(a*c - b*d)*(m + 1) - c*(b*c - a*d)*(m + 2))*Sin[e + f*x] - d*(b*c - a*d)
*(m + n + 1)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &
& LtQ[1, n, 2] && IntegersQ[2*m, 2*n]
```

### Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rule 3002

```
Int((((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} \sec^3(c + dx) dx &= \frac{a\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{\left(\frac{5ab}{2} + (a^2 + 2b^2)\right)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{5b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{5b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{5b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{5b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{5b\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} \\ &= -\frac{5b\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{7ab\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.45, size = 508, normalized size = 1.99

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{1}{2} a \tan(c + dx) \sec(c + dx) + \frac{5}{4} b \tan(c + dx) \right)}{d} + \frac{2(8a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{10ib^2 \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^3,x]
```

```
[Out] ((8*a*b*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2 + b^2)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((10*I)*b^2*Sqrt[(b - b*Cos[c + d*x])]/(a + b))*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)))*Sin[c + d*x]/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2))/(16*d) + (Sqrt[a + b*Cos[c + d*x]]*((5*b*Tan[c + d*x])/4 + (a*Sec[c + d*x]*Tan[c + d*x])/2))/d
```



**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^3, x)

**maple** [B] time = 0.87, size = 980, normalized size = 3.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x)

[Out] 
$$-1/4*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-40*b^2*c \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(28*a*b+40*b^2)*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c)+(-4*a^2-14*a*b-10*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x +1/2*c)+4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*(7*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b-5*\text{E}llipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b+5*\text{EllipticE}(\cos(1/2*d*x +1/2*c), (-2*b/(a-b))^{(1/2)})*b^2-4*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*a^2-3*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*b^2)*\sin(1/2*d*x+1/2*c)^4-4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*(7*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b-5*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b+5*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^2-4*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*a^2-3*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*b^2)*\sin(1/2*d*x+1/2*c)^2+7*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a+5*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{E}llipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*a^2-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*b^2)/(2*\cos(1/2*d*x+1/2*c)^2-1)^2/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^3,x)

[Out] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

### 3.500 $\int \cos^3(c + dx)(a + b \cos(c + dx))^{5/2} dx$

Optimal. Leaf size=371

$$\frac{2(8a^2 + 81b^2) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} + \frac{2a(8a^2 + 67b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{693b^2d} + \frac{2(8a^4 + 57a^2b^2 + 135b^4) \sin(c + dx)(a + b \cos(c + dx))^{1/2}}{693b^2d}$$

```
[Out] 2/693*a*(8*a^2+67*b^2)*(a+b*cos(d*x+c))^(3/2)*sin(d*x+c)/b^2/d+2/693*(8*a^2+81*b^2)*(a+b*cos(d*x+c))^(5/2)*sin(d*x+c)/b^2/d-8/99*a*(a+b*cos(d*x+c))^(7/2)*sin(d*x+c)/b^2/d+2/11*cos(d*x+c)*(a+b*cos(d*x+c))^(7/2)*sin(d*x+c)/b/d+2/693*(8*a^4+57*a^2*b^2+135*b^4)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/d+2/693*a*(8*a^4+51*a^2*b^2+741*b^4)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/b^3/d/((a+b*cos(d*x+c))/(a+b))^(1/2)-2/693*(8*a^6+49*a^4*b^2+78*a^2*b^4-135*b^6)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/b^3/d/(a+b*cos(d*x+c))^(1/2)
```

**Rubi [A]** time = 0.63, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2793, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(8a^2 + 81b^2) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} + \frac{2a(8a^2 + 67b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{693b^2d} + \frac{2(57a^2b^2 + 135b^4) \sin(c + dx)(a + b \cos(c + dx))^{1/2}}{693b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + b*cos[c + d*x])^(5/2), x]
```

```
[Out] (2*a*(8*a^4 + 51*a^2*b^2 + 741*b^4)*Sqrt[a + b*cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(693*b^3*d*Sqrt[(a + b*cos[c + d*x])/(a + b)]) - (2*(8*a^6 + 49*a^4*b^2 + 78*a^2*b^4 - 135*b^6)*Sqrt[(a + b*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(693*b^3*d*Sqrt[a + b*cos[c + d*x]]) + (2*(8*a^4 + 57*a^2*b^2 + 135*b^4)*Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(693*b^2*d) + (2*a*(8*a^2 + 67*b^2)*(a + b*cos[c + d*x])^(3/2)*Sin[c + d*x])/(693*b^2*d) + (2*(8*a^2 + 81*b^2)*(a + b*cos[c + d*x])^(5/2)*Sin[c + d*x])/(693*b^2*d) - (8*a*(a + b*cos[c + d*x])^(7/2)*Sin[c + d*x])/(99*b^2*d) + (2*cos[c + d*x]*(a + b*cos[c + d*x])^(7/2)*Sin[c + d*x])/(11*b*d)
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*sin[c + d*x]]/Sqrt[(a + b*sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2793

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +
n)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^n*Simp[a^3*d*(m
+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegerQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c+dx)(a+b\cos(c+dx))^{5/2} dx &= \frac{2\cos(c+dx)(a+b\cos(c+dx))^{7/2}\sin(c+dx)}{11bd} + \frac{2\int(a+b\cos(c+dx))^{5/2}\sin(c+dx)dx}{11bd} \\
&= -\frac{8a(a+b\cos(c+dx))^{7/2}\sin(c+dx)}{99b^2d} + \frac{2\cos(c+dx)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{11bd} \\
&= \frac{2(8a^2+81b^2)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{693b^2d} - \frac{8a(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{99b^2d} \\
&= \frac{2a(8a^2+67b^2)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{693b^2d} + \frac{2(8a^2+81b^2)(a+b\cos(c+dx))^{1/2}\sin(c+dx)}{693b^2d} \\
&= \frac{2(8a^4+57a^2b^2+135b^4)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} + \frac{2a(8a^2+81b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} \\
&= \frac{2(8a^4+57a^2b^2+135b^4)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} + \frac{2a(8a^2+81b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} \\
&= \frac{2(8a^4+57a^2b^2+135b^4)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} + \frac{2a(8a^2+81b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d} \\
&= \frac{2a(8a^4+51a^2b^2+741b^4)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{693b^3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2a(8a^2+81b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{693b^2d}
\end{aligned}$$

**Mathematica [A]** time = 1.21, size = 268, normalized size = 0.72

$$16\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\left(b(2a^4b+663a^2b^3+135b^5)F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)+a(8a^4+51a^2b^2+741b^4)\left((a+b)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)-\frac{2b}{a+b}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (16\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(b\*(2\*a^4\*b + 663\*a^2\*b^3 + 135\*b^5)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + a\*(8\*a^4 + 51\*a^2\*b^2 + 741\*b^4)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) - b\*(a + b\*Cos[c + d\*x])\*((64\*a^4 - 3732\*a^2\*b^2 - 2610\*b^4)\*Sin[c + d\*x] - b\*(4\*(6\*a^3 + 619\*a\*b^2)\*Sin[2\*(c + d\*x)] + b\*((452\*a^2 + 513\*b^2)\*Sin[3\*(c + d\*x)] + 7\*b\*(46\*a\*Sin[4\*(c + d\*x)] + 9\*b\*Sin[5\*(c + d\*x)]))))/(5544\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.38, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2\cos(dx+c)^5+2ab\cos(dx+c)^4+a^2\cos(dx+c)^3\right)\sqrt{b\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^5 + 2\*a\*b\*cos(d\*x + c)^4 + a^2\*cos(d\*x + c)^3)\*sqrt(b\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b\cos(dx+c)+a)^{\frac{5}{2}}\cos(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x)
```

**maple [B]** time = 0.99, size = 1140, normalized size = 3.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] -2/693*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4032*b^6*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+(-7168*a*b^5-10080*b^6)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x+1/2*c)+(4384*a^2*b^4+14336*a*b^5+11376*b^6)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-928*a^3*b^3-6576*a^2*b^4-13232*a*b^5-6984*b^6)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(-4*a^4*b^2+928*a^3*b^3+5024*a^2*b^4+6064*a*b^5+2772*b^6)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(8*a^5*b+2*a^4*b^2-642*a^3*b^3-1416*a^2*b^4-1338*a*b^5-558*b^6)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+8*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^6-8*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^5*b+51*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b^2-51*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^3+741*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^4-741*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^5-8*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^6-49*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b^2-78*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^4+135*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^6/b^3/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^3, x)
```

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^3 (a + b \cos(c + dx))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^3*(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int(cos(c + d*x)^3*(a + b*cos(c + d*x))^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

### 3.501 $\int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2} dx$

Optimal. Leaf size=308

$$\frac{2(10a^2 - 49b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} - \frac{4a(5a^2 - 57b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{315bd} + \frac{4a(5a^4 - 62a^2b^2 + 57b^4) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{315bd}$$

[Out]  $-2/315*(10*a^2-49*b^2)*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b/d-4/63*a*(a+b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b/d+2/9*(a+b*\cos(d*x+c))^{(7/2)}*\sin(d*x+c)/b/d-4/315*a*(5*a^2-57*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b/d-2/315*(10*a^4-279*a^2*b^2-147*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+4/315*a*(5*a^4-62*a^2*b^2+57*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^2/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.51, antiderivative size = 308, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2791, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(10a^2 - 49b^2) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} - \frac{4a(5a^2 - 57b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{315bd} + \frac{4a(-62a^2b^2 + 57b^4) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{315bd}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(-2*(10*a^4 - 279*a^2*b^2 - 147*b^4)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (4*a*(5*a^4 - 62*a^2*b^2 + 57*b^4)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (4*a*(5*a^2 - 57*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(315*b*d) - (2*(10*a^2 - 49*b^2)*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(315*b*d) - (4*a*(a + b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(63*b*d) + (2*(a + b*\text{Cos}[c + d*x])^{(7/2)}*\text{Sin}[c + d*x])/(9*b*d)$

#### Rule 2653

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2655

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{!GtQ}[a + b, 0]$

#### Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2663



Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

### Rule 2791

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] := -Simp[(d^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[b\*(d^2\*(m + 1) + c^2\*(m + 2)) - d\*(a\*d - 2\*b\*c\*(m + 2))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2} dx &= \frac{2(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{9bd} + \frac{2 \int \left(\frac{7b}{2} - a \cos(c + dx)\right) (a + b \cos(c + dx))^{5/2} dx}{9b} \\
 &= -\frac{4a(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{63bd} + \frac{2(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{9bd} \\
 &= -\frac{2(10a^2 - 49b^2)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315bd} - \frac{4a(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{315bd} \\
 &= -\frac{4a(5a^2 - 57b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315bd} - \frac{2(10a^2 - 49b^2)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315bd} \\
 &= -\frac{4a(5a^2 - 57b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315bd} - \frac{2(10a^2 - 49b^2)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315bd} \\
 &= -\frac{4a(5a^2 - 57b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{315bd} - \frac{2(10a^2 - 49b^2)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315bd} \\
 &= -\frac{2(10a^4 - 279a^2b^2 - 147b^4) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{315b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
 \end{aligned}$$

**Mathematica [A]** time = 1.38, size = 263, normalized size = 0.85

$$16a(5a^4 - 62a^2b^2 + 57b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + b \sin(c+dx) (40a^4 + 4ab(160a^2 + 619b^2) \cos(c+dx) + \dots)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (-8\*(10\*a^5 + 10\*a^4\*b - 279\*a^3\*b^2 - 279\*a^2\*b^3 - 147\*a\*b^4 - 147\*b^5)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + 16\*a\*(5\*a^4 - 62\*a^2\*b^2 + 57\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(40\*a^4 + 1984\*a^2\*b^2 + 301\*b^4 + 4\*a\*b\*(160\*a^2 + 619\*b^2)\*Cos[c + d\*x] + 8\*(85\*a^2\*b^2 + 42\*b^4)\*Cos[2\*(c + d\*x)] + 260\*a\*b^3\*Cos[3\*(c + d\*x)] + 35\*b^4\*Cos[4\*(c + d\*x)]\*Sin[c + d\*x])/(1260\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.29, size = 0, normalized size = 0.00

$$\text{integral}((b^2 \cos(dx + c)^4 + 2ab \cos(dx + c)^3 + a^2 \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^4 + 2\*a\*b\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2)\*Sqrt(b\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^2, x)

**maple [B]** time = 0.95, size = 995, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2), x)

[Out] -2/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*b^5\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(2080\*a\*b^4+2240\*b^5)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1360\*a^2\*b^3-3120\*a\*b^4-2072\*b^5)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(320\*a^3\*b^2+1360\*a^2\*b^3+2408\*a\*b^4+952\*b^5)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*a^4\*b-160\*a^3\*b^2-666\*a^2\*b^3-684\*a\*b^4-168\*b^5)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^5-124\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^3\*b^2+114\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b^4-10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^5+10\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))

```
*a^4*b+279*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^2-279*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^3+147*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^4-147*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^5/b^2/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^2 (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2*(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int(cos(c + d*x)^2*(a + b*cos(c + d*x))^(5/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

### 3.502 $\int \cos(c + dx)(a + b \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=249

$$\frac{2(3a^2 + 5b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{21d} + \frac{2a(3a^2 + 29b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{21bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2(3a^4 + 2a^2b^2 - 5b^4) \sqrt{a + b \cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{21bd \sqrt{a + b \cos(c + dx)}} + \frac{2a(3a^2 + 2a^2b^2 - 5b^4) \sqrt{a + b \cos(c + dx)}}{21bd \sqrt{a + b \cos(c + dx)}}$$

[Out]  $\frac{2}{7} a (a + b \cos(dx + c))^{3/2} \sin(dx + c) / d + \frac{2}{7} (a + b \cos(dx + c))^{5/2} \sin(dx + c) / d + \frac{2}{21} (3a^2 + 5b^2) \sin(dx + c) (a + b \cos(dx + c))^{1/2} / d + \frac{2}{21} a (3a^2 + 29b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) (a + b \cos(dx + c))^{1/2} / b / d / ((a + b \cos(dx + c)) / (a + b))^{1/2} - \frac{2}{21} (3a^4 + 2a^2b^2 - 5b^4) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) ((a + b \cos(dx + c)) / (a + b))^{1/2} / b / d / (a + b \cos(dx + c))^{1/2}$

**Rubi [A]** time = 0.36, antiderivative size = 249, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(3a^2 + 5b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{21d} - \frac{2(2a^2b^2 + 3a^4 - 5b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{21bd \sqrt{a + b \cos(c + dx)}} + \frac{2a(3a^2 + 2a^2b^2 - 5b^4) \sqrt{a + b \cos(c + dx)}}{21bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(2a(3a^2 + 29b^2) \text{Sqrt}[a + b \text{Cos}[c + d*x]] \text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]) / (21*b*d \text{Sqrt}[(a + b \text{Cos}[c + d*x]) / (a + b)]) - (2(3a^4 + 2a^2b^2 - 5b^4) \text{Sqrt}[(a + b \text{Cos}[c + d*x]) / (a + b)] \text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]) / (21*b*d \text{Sqrt}[a + b \text{Cos}[c + d*x]]) + (2(3a^2 + 5b^2) \text{Sqrt}[a + b \text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (21*d) + (2a(a + b \text{Cos}[c + d*x])^{3/2} \text{Sin}[c + d*x]) / (7*d) + (2(a + b \text{Cos}[c + d*x])^{5/2} \text{Sin}[c + d*x]) / (7*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !GtQ[a + b, 0]$

### Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[e_.] + (f_.)x}{\sqrt{a_. + (b_.)\sin[e_.] + (f_.)x}}, x\_Symbol] \rightarrow \text{Dist}[\frac{b*c - a*d}{b}, \text{Int}[\frac{1}{\sqrt{a + b\sin[e + f*x]}}, x], x] + \text{Dist}[\frac{d}{b}, \text{Int}[\sqrt{a + b\sin[e + f*x]}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2753

$\text{Int}[(a_.) + (b_.)\sin[e_.] + (f_.)x]^m * ((c_.) + (d_.)\sin[e_.] + (f_.)x), x\_Symbol] \rightarrow -\text{Simp}[\frac{d*\cos[e + f*x]*(a + b\sin[e + f*x])^m}{m + 1}, x] + \text{Dist}[\frac{1}{m + 1}, \text{Int}[(a + b\sin[e + f*x])^{m-1} * \text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^{5/2} dx &= \frac{2(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2}{7} \int \left( \frac{5b}{2} + \frac{5}{2}a \cos(c + dx) \right) (a + b \cos(c + dx))^{3/2} dx \\ &= \frac{2a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d} + \frac{2(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\ &= \frac{2(3a^2 + 5b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d} \\ &= \frac{2(3a^2 + 5b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d} \\ &= \frac{2(3a^2 + 5b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d} \\ &= \frac{2a(3a^2 + 29b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2(3a^4 + 2a^2b^2 - 5b^4) \sqrt{a + b \cos(c + dx)}}{21bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 0.88, size = 214, normalized size = 0.86

$$\frac{-4(3a^4 + 2a^2b^2 - 5b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + b \sin(c + dx) (36a^3 + b(72a^2 + 29b^2) \cos(c + dx) + 42bd \sqrt{a + b \cos(c + dx)})}{42bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (4\*a\*(3\*a^3 + 3\*a^2\*b + 29\*a\*b^2 + 29\*b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 4\*(3\*a^4 + 2\*a^2\*b^2 - 5\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(36\*a^3 + 44\*a\*b^2 + b\*(72\*a^2 + 29\*b^2)\*Cos[c + d\*x] + 24\*a\*b^2\*Cos[2\*(c + d\*x)] + 3\*b^3\*Cos[3\*(c + d\*x)])\*Sin[c + d\*x]/(42\*b\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 1.19, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx+c)^3 + 2ab \cos(dx+c)^2 + a^2 \cos(dx+c)\right)\sqrt{b \cos(dx+c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^3 + 2\*a\*b\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.85, size = 827, normalized size = 3.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-2/21*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(48*\cos(1/2*d*x+1/2*c)^9*b^4+96*\cos(1/2*d*x+1/2*c)^7*a*b^3-120*\cos(1/2*d*x+1/2*c)^7*b^4+72*\cos(1/2*d*x+1/2*c)^5*a^2*b^2-192*\cos(1/2*d*x+1/2*c)^5*a*b^3+128*\cos(1/2*d*x+1/2*c)^5*b^4+18*\cos(1/2*d*x+1/2*c)^3*a^3*b-108*\cos(1/2*d*x+1/2*c)^3*a^2*b^2+130*\cos(1/2*d*x+1/2*c)^3*a*b^3-72*\cos(1/2*d*x+1/2*c)^3*b^4-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^4+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b+29*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2-29*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3-18*\cos(1/2*d*x+1/2*c)*a^3*b+36*\cos(1/2*d*x+1/2*c)*a^2*b^2-34*\cos(1/2*d*x+1/2*c)*a*b^3+16*\cos(1/2*d*x+1/2*c)*b^4)/b/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^{\frac{5}{2}} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx) (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

### 3.503 $\int (a + b \cos(c + dx))^{5/2} dx$

**Optimal.** Leaf size=197

$$\frac{16a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b \sin(c+dx)}{d}$$

[Out]  $2/5*b*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)/d+16/15*a*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d+2/15*(23*a^2+9*b^2)*(cos(1/2*d*x+1/2*c))^{1/2}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}-16/15*a*(a^2-b^2)*(cos(1/2*d*x+1/2*c))^{1/2}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/d/(a+b*\cos(d*x+c))^{1/2}$

**Rubi [A]** time = 0.26, antiderivative size = 197, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {2656, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{16a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(2*(23*a^2 + 9*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(15*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (16*a*(a^2 - b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(15*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (16*a*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*b*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2656

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[1/n, Int[(a + b\*Sin[c + d\*x])^(n - 2)\*Simp[a^2\*n + b^2\*(n - 1) + a\*b\*(2\*n - 1)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]



Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} dx &= \frac{2b(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \cos(c + dx)} \left( \frac{1}{2} (5a^2 + 3b^2) + \right. \\
&= \frac{16ab\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2b(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{4}{15} \\
&= \frac{16ab\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2b(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} - \frac{1}{15} \\
&= \frac{16ab\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2b(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{((2)}{15} \\
&= \frac{2(23a^2 + 9b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 16a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{15d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{16a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{15d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 0.77, size = 177, normalized size = 0.90

$$\frac{b \sin(c + dx) (22a^2 + 28ab \cos(c + dx) + 3b^2 \cos(2(c + dx)) + 3b^2) - 16a(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(23*a^3 + 23*a^2*b + 9*a*b^2 + 9*b^3)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]
*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 16*a*(a^2 - b^2)*Sqrt[(a + b*Cos[c
+ d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + b*(22*a^2 + 3*b^2
+ 28*a*b*Cos[c + d*x] + 3*b^2*Cos[2*(c + d*x)])*Sin[c + d*x])/(15*d*Sqrt[a
+ b*Cos[c + d*x]])
```

**fricas** [F] time = 1.43, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.86, size = 662, normalized size = 3.36

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(24\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^3 + 56\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab^2 - 48\left(\cos^5\left(\frac{a}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -2/15 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (24 * \cos(1/2 * d * x + 1/2 * c) ^ 7 * b ^ 3 + 56 * \cos(1/2 * d * x + 1/2 * c) ^ 5 * a * b ^ 2 - 48 * \cos(1/2 * d * x + 1/2 * c) ^ 5 * b ^ 3 + 22 * \cos(1/2 * d * x + 1/2 * c) ^ 3 * a ^ 2 * b - 84 * \cos(1/2 * d * x + 1/2 * c) ^ 3 * a * b ^ 2 + 30 * \cos(1/2 * d * x + 1/2 * c) ^ 3 * b ^ 3 - 8 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 + 8 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 + 23 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 - 23 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 9 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 - 9 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 3 - 22 * \cos(1/2 * d * x + 1/2 * c) * a ^ 2 * b + 28 * \cos(1/2 * d * x + 1/2 * c) * a * b ^ 2 - 6 * \cos(1/2 * d * x + 1/2 * c) * b ^ 3) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * b + (a + b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * b + a + b) ^ (1/2) / d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2), x)

[Out] int((a + b\*cos(c + d\*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

### 3.504 $\int (a + b \cos(c + dx))^{5/2} \sec(c + dx) dx$

**Optimal.** Leaf size=222

$$\frac{2a^3 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2b(2a^2+b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d}$$

```
[Out] 2/3*b^2*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+14/3*a*b*(cos(1/2*d*x+1/2*c))^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/d/((a+b*cos(d*x+c))/(a+b))^(1/2)+2/3*b*(2*a^2+b^2)*(cos(1/2*d*x+1/2*c))^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)+2*a^3*(cos(1/2*d*x+1/2*c))^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2,2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)
```

**Rubi [A]** time = 0.59, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$ , Rules used = {2793, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2b(2a^2+b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2a^3 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x],x]
```

```
[Out] (14*a*b*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)])/(3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*b*(2*a^2 + b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(3*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a^3*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]]) + (2*b^2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d)
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
```

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2793

$\text{Int}[\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(m_{\cdot})}\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(b^2\cos[e + f*x]*(a + b\sin[e + f*x])^{(m-2)}(c + d\sin[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b\sin[e + f*x])^{(m-3)}(c + d\sin[e + f*x])^n \text{Simp}[a^3*d*(m+n) + b^2*(b*c*(m-2) + a*d*(n+1)) - b*(a*b*c - b^2*d*(m+n-1) - 3*a^2*d*(m+n)*\sin[e + f*x] - b^2*(b*c*(m-1) - a*d*(3*m + 2*n - 2))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2*m, 2*n]) \&\& !( \text{IGtQ}[n, 2] \&\& ( !\text{IntegerQ}[m] \mid \mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

### Rule 2805

$\text{Int}[1/\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)*\text{Sqrt}[(c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]], x_{\text{Symbol}}] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a+b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c+d)])/(f*(a+b)*\text{Sqrt}[c+d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

### Rule 2807

$\text{Int}[1/\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)*\text{Sqrt}[(c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]], x_{\text{Symbol}}] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\sin[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}[1/\left((a + b*\sin[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\sin[e + f*x])/(c + d)]\right), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

### Rule 3002

$\text{Int}[\left(\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(m_{\cdot})}\left((A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right)/\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right), x_{\text{Symbol}}] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3059

$\text{Int}[\left(\left((A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right) + (C_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^2/\left(\text{Sqrt}[(a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]*\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right), x_{\text{Symbol}}] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec(c + dx) dx &= \frac{2b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\left(\frac{3a^3}{2} + \frac{1}{2}b(9a^2 + b^2) \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} - \frac{2 \int \frac{\left(-\frac{3a^3b}{2} - \frac{1}{2}b^2(2a^2 + b^2) \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{3b} \\
&= \frac{2b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + a^3 \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + \frac{1}{3} \int \frac{\left(\frac{3a^3}{2} + \frac{1}{2}b(9a^2 + b^2) \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{14ab \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{14ab \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b(2a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [C] time = 1.76, size = 379, normalized size = 1.71

$$\frac{4b(9a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2a(6a^2 + 7b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4b^2 \sin(c + dx) \sqrt{a + b \cos(c + dx)} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x], x]

[Out] ((4\*b\*(9\*a^2 + b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*a\*(6\*a^2 + 7\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + ((14\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)]))/Sqrt[-(a + b)^(-1)] + 4\*b^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d)

**fricas** [F] time = 2.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c), x)

**maple [A]** time = 0.77, size = 528, normalized size = 2.38

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^3 + 2\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab^2 - 6\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c),x)

[Out] 
$$-2/3*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*\cos(1/2*d*x+1/2*c)^5*b^3+2*\cos(1/2*d*x+1/2*c)^3*a*b^2-6*\cos(1/2*d*x+1/2*c)^3*b^3+2*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b-7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-3*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c))^2*b+a-b)/(a-b))^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})-2*\cos(1/2*d*x+1/2*c)*a*b^2+2*\cos(1/2*d*x+1/2*c)*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x),x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c),x)

[Out] Timed out

### 3.505 $\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=222

$$\frac{a(a^2 + 4b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) (a^2 - 2b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a^2 \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{a+b \cos(c+dx)}} - \frac{(a^2 - 2b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a^2 \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $-(a^2 - 2b^2) \sqrt{\cos(1/2 dx + 1/2 c)^2}^{(1/2)} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{(1/2)} * (b/(a+b))^{(1/2)}) * (a+b \cos(dx+c))^{(1/2)} / d / ((a+b \cos(dx+c))/(a+b))^{(1/2)} + a * (a^2 + 4b^2) \sqrt{\cos(1/2 dx + 1/2 c)^2}^{(1/2)} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{(1/2)} * (b/(a+b))^{(1/2)}) * ((a+b \cos(dx+c))/(a+b))^{(1/2)} / d / (a+b \cos(dx+c))^{(1/2)} + 5a^2 b \sqrt{\cos(1/2 dx + 1/2 c)^2}^{(1/2)} / \cos(1/2 dx + 1/2 c) * \text{EllipticPi}(\sin(1/2 dx + 1/2 c), 2, 2^{(1/2)} * (b/(a+b))^{(1/2)}) * ((a+b \cos(dx+c))/(a+b))^{(1/2)} / d / (a+b \cos(dx+c))^{(1/2)} + a^2 * (a+b \cos(dx+c))^{(1/2)} * \tan(dx+c) / d$

**Rubi [A]** time = 0.59, antiderivative size = 222, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {2792, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{a(a^2 + 4b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) (a^2 - 2b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a^2 \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{a+b \cos(c+dx)}} - \frac{(a^2 - 2b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a^2 \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cos[c + dx])^{5/2} \sec^2[c + dx], x]$

[Out]  $-\left(\frac{(a^2 - 2b^2) \sqrt{a + b \cos[c + dx]} \text{EllipticE}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]}{d \sqrt{a + b \cos[c + dx]}} + \frac{a(a^2 + 4b^2) \sqrt{a + b \cos[c + dx]} \text{EllipticF}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]}{d \sqrt{a + b \cos[c + dx]}} + \frac{5a^2 b \sqrt{a + b \cos[c + dx]} \text{EllipticPi}\left[2, \frac{c + dx}{2}, \frac{2b}{a + b}\right]}{d \sqrt{a + b \cos[c + dx]}} + \frac{a^2 \sqrt{a + b \cos[c + dx]} \tan[c + dx]}{d}\right)$

#### Rule 2653

$\text{Int}[\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x\_Symbol] \rightarrow \text{Simp}[(2 \sqrt{a + b} \text{EllipticE}[(1*(c - \text{Pi}/2 + dx))/2, (2b)/(a + b)])/d, x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2655

$\text{Int}[\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x\_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{a + b \sin[c + dx]} / (a + b), \text{Int}[\sqrt{a/(a + b) + (b \sin[c + dx])/(a + b)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ !\text{GtQ}[a + b, 0]$

#### Rule 2661

$\text{Int}[1/\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x\_Symbol] \rightarrow \text{Simp}[(2 \text{EllipticF}[(1*(c - \text{Pi}/2 + dx))/2, (2b)/(a + b)])/d \sqrt{a + b}, x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{GtQ}[a + b, 0]$

#### Rule 2663

$\text{Int}[1/\sqrt{(a_) + (b_) \sin[(c_) + (d_)(x_)]}, x\_Symbol] \rightarrow \text{Dist}[\sqrt{a + b \sin[c + dx]} / \sqrt{a + b \sin[c + dx]}, \text{Int}[1/\sqrt{a/(a + b) + (b \sin[c + dx])/(a + b)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, x\} \ \&\& \ \text{NeQ}[a^2 -$



$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2792

$\text{Int}[\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(m_{\cdot})}\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow -\text{Simp}\left[\left((b^2c^2 - 2ab*cd + a^2d^2)\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m-2)}(c + d*\sin[e + f*x])^{(n+1)}\right)/(d*f*(n+1)*(c^2 - d^2)), x\right] + \text{Dist}\left[1/(d*(n+1)*(c^2 - d^2)), \text{Int}\left[(a + b*\sin[e + f*x])^{(m-3)}(c + d*\sin[e + f*x])^{(n+1)}\text{Simp}\left[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2\right)*\sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))\sin[e + f*x]^2, x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \parallel \text{IntegersQ}[2*m, 2*n])$

### Rule 2805

$\text{Int}[1/\left(\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)*\text{Sqrt}\left[\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right]\right), x_{\text{Symbol}}] \rightarrow \text{Simp}\left[2*\text{EllipticPi}\left[\frac{2*b}{a+b}, \frac{1*(e - \text{Pi}/2 + f*x)}{2}, \frac{2*d}{c+d}\right]/(f*(a+b)*\text{Sqrt}[c+d]), x\right] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

### Rule 2807

$\text{Int}[1/\left(\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)*\text{Sqrt}\left[\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right]\right), x_{\text{Symbol}}] \rightarrow \text{Dist}\left[\text{Sqrt}\left[\frac{c + d*\sin[e + f*x]}{c + d}\right]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}\left[1/\left((a + b*\sin[e + f*x])* \text{Sqrt}\left[\frac{c}{c + d} + \frac{d*\sin[e + f*x]}{c + d}\right]\right), x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

### Rule 3002

$\text{Int}\left[\frac{\left(\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^{(m_{\cdot})}\left((A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right) + (f_{\cdot})(x_{\cdot})\right)}{\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)}, x_{\text{Symbol}}] \rightarrow \text{Dist}\left[\frac{B}{d}, \text{Int}\left[(a + b*\sin[e + f*x])^m, x\right], x\right] - \text{Dist}\left[\frac{B*c - A*d}{d}, \text{Int}\left[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3059

$\text{Int}\left[\frac{\left(\left((A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right) + (C_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)^2}{\left(\text{Sqrt}\left[\left((a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right]*\left(\left((c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\right)\right)\right)}, x_{\text{Symbol}}] \rightarrow \text{Dist}\left[\frac{C}{b*d}, \text{Int}\left[\text{Sqrt}[a + b*\sin[e + f*x]], x\right], x\right] - \text{Dist}\left[1/(b*d), \text{Int}\left[\text{Simp}\left[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x\right]/\left(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])\right), x\right], x\right] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \frac{a^2 \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{5a^2b}{2} + 3ab^2 \cos(c + dx) - \frac{1}{2}b\right)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{a^2 \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{\int \frac{\left(-\frac{5}{2}a^2b^2 - \frac{1}{2}ab(a^2 + 4b^2) \cos(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{b} \\
&= \frac{a^2 \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2} (5a^2b) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= -\frac{(a^2 - 2b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a^2 \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} \\
&= -\frac{(a^2 - 2b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a(a^2 + 4b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [C] time = 2.19, size = 390, normalized size = 1.76

$$\frac{2b(9a^2+2b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(a^2-2b^2) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{-\frac{b(\cos(c+dx)+1)}{a-b}} \left(2a(a-b)E\left(i \sinh^{-1}\left(\sqrt{-\frac{1}{a+b}} \sqrt{a+b \cos(c+dx)}\right)\right)\right)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^2,x]

[Out] ((24\*a\*b^2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*b\*(9\*a^2 + 2\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + ((2\*I)\*(a^2 - 2\*b^2)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))]\*Csc[c + d\*x]\*(2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] - b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b))))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^2, x)

**maple [B]** time = 0.84, size = 960, normalized size = 4.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x)

[Out] 
$$-\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2b+a-b\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\left(\frac{1}{2}\right)^2\left(4a^2b\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+(-2a^3-2a^2b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)-2\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)\right)a^3+4\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^2b-2\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^3+2\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^2b+2\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^2b-2\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)b^3-5\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2,\left(-2b/(a-b)\right)^{1/2}\right)a^2b\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^3+4b^2a\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)-\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^3+\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^2b+2\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)a^2b-2\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\left(-2b/(a-b)\right)^{1/2}\right)b^3-5a^2b\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2b/(a-b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+(a+b)/(a-b)\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2,\left(-2b/(a-b)\right)^{1/2}\right)\right)/\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)/\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4b+(a+b)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2b+a+b)^{1/2}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^2,x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^2, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

### 3.506 $\int (a + b \cos(c + dx))^{5/2} \sec^3(c + dx) dx$

**Optimal.** Leaf size=270

$$\frac{b(11a^2 + 8b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{a(4a^2 + 15b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + a^2 \tan(c+dx)$$

[Out]  $-9/4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+1/4*b*(11*a^2+8*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+1/4*a*(4*a^2+15*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}+9/4*a*b*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/2*a^2*\sec(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.88, antiderivative size = 270, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2792, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(11a^2 + 8b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{a(4a^2 + 15b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + a^2 \tan(c+dx)$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^3, x]

[Out]  $(-9*a*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (b*(11*a^2 + 8*b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (a*(4*a^2 + 15*b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (9*a*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(4*d) + (a^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2792

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 3002

Int((((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int((((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

## Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

## Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{5/2} \sec^3(c + dx) dx &= \frac{a^2 \sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{\left(\frac{9a^2b}{2} + a(a^2 + 6b^2)\right) \sqrt{a + b \cos(c + dx)}}{2d} dx \\ &= \frac{9ab \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a^2 \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d} \\ &= \frac{9ab \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a^2 \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d} \\ &= \frac{9ab \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{a^2 \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d} \\ &= -\frac{9ab \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{9ab \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} \\ &= -\frac{9ab \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b(11a^2 + 8b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{4d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [C] time = 2.65, size = 395, normalized size = 1.46

$$\frac{4b(a^2 + 4b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{a(8a^2 + 21b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 2a \tan(c + dx) \sec(c + dx) \sqrt{a + b \cos(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^3,x]

[Out] ((4\*b\*(a^2 + 4\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (a\*(8\*a^2 + 21\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((9\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)]))/Sqrt[-(a + b)^(-1)] + 2\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*(2\*a + 9\*b\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^3, x)

maple [B] time = 0.96, size = 1134, normalized size = 4.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x)

[Out] 
$$-1/4 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 * b + a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-72 * a * b ^ 2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (44 * a ^ 2 * b + 72 * a * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + (-4 * a ^ 3 - 22 * a ^ 2 * b - 18 * a * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 4 * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (11 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 8 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 3 - 4 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 - 15 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 - 9 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 9 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (11 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 8 * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * b ^ 3 - 4 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 - 15 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2 - 9 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 9 * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 11 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 8 * b ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) - 4 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) * a ^ 3 - 15 * b ^ 2 * a * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b)) ^ (1/2)) - 9 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a ^ 2 * b + 9 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + (a + b) / (a - b)) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b)) ^ (1/2)) * a * b ^ 2) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ 2 / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * b + (a + b) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * b + a + b) ^ (1/2) / d$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^3,x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*3,x)

[Out] Timed out



### 3.507 $\int (a + b \cos(c + dx))^{5/2} \sec^4(c + dx) dx$

**Optimal.** Leaf size=323

$$\frac{(16a^2 + 33b^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24d} + \frac{a(16a^2 + 59b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) (16a^2 + 33b^2)}{24d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -1/24*(16*a^2+33*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*(a+b*cos(d*x+c))^(1/2)/d/((a+b*cos(d*x+c))/(a+b))^(1/2)+1/24*a*(16*a^2+59*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)+5/8*b*(4*a^2+b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2,2^(1/2)*(b/(a+b))^(1/2))*((a+b*cos(d*x+c))/(a+b))^(1/2)/d/(a+b*cos(d*x+c))^(1/2)+1/24*(16*a^2+33*b^2)*(a+b*cos(d*x+c))^(1/2)*tan(d*x+c)/d+13/12*a*b*sec(d*x+c)*(a+b*cos(d*x+c))^(1/2)*tan(d*x+c)/d+1/3*a^2*sec(d*x+c)^2*(a+b*cos(d*x+c))^(1/2)*tan(d*x+c)/d
```

**Rubi [A]** time = 1.17, antiderivative size = 323, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2792, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2 + 33b^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24d} + \frac{a(16a^2 + 59b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) (16a^2 + 33b^2)}{24d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^4,x]
```

```
[Out] -((16*a^2 + 33*b^2)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (a*(16*a^2 + 59*b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[a + b*Cos[c + d*x]]) + (5*b*(4*a^2 + b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(8*d*Sqrt[a + b*Cos[c + d*x]]) + ((16*a^2 + 33*b^2)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(24*d) + (13*a*b*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(12*d) + (a^2*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rule 2653**

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

**Rule 2655**

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

**Rule 2661**

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2792

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3002

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])^(n_)/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
```

qq[a, 0]))))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{5/2} \sec^4(c + dx) dx &= \frac{a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \frac{\left(\frac{13a^2b}{2} + a(2\right)}{\sqrt{a + b \cos(c + dx)}} dx \\
 &= \frac{13ab \sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{12d} + \frac{a^2 \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{12d} \\
 &= \frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{24d} \\
 &= \frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{24d} \\
 &= \frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sec(c + dx)}{24d} \\
 &= -\frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} \\
 &= -\frac{(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a(16a^2 + 33b^2) \sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d}
 \end{aligned}$$

**Mathematica [C]** time = 4.12, size = 434, normalized size = 1.34

$$\frac{2b(104a^2 - 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \sec^2(c + dx) \sqrt{a + b \cos(c + dx)} \left( \left(8a^2 + \frac{33b^2}{2}\right) \sin(2(c + dx)) + 8a^2 \tan^2(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^4,x]

[Out] ((104\*a\*b^2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*b\*(104\*a^2 - 3\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*(16\*a^2 + 33\*b^2)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(

```
a - b]] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c
+ d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b
)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))/a*b*Sqrt[-(a + b)^(
-1)]) + 4*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*(26*a*b*Sin[c + d*x] + (8
*a^2 + (33*b^2)/2)*Sin[2*(c + d*x)] + 8*a^2*Tan[c + d*x]))/(96*d)
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*sec(d*x+c)^4,x, algorithm="fricas")
```

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^4, x)
```

**maple** [B] time = 1.11, size = 1742, normalized size = 5.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*sec(d*x+c)^4,x)
```

```
[Out] -1/24*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((256*a^2
*b+528*b^3)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-128*a^3-384*a^2*b-472
*a*b^2-792*b^3)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(128*a^3+328*a^2*b+
472*a*b^2+396*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-48*a^3-100*a^2
*b-118*a*b^2-66*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-8*(-2*b/(a-b)*
sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*El
lipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+59*EllipticF(cos(1/2*d*x
+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-16*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-
b))^(1/2))*a^3+16*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b-33
*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2+33*EllipticE(cos(1/
2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3-60*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2
*b/(a-b))^(1/2))*a^2*b-15*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2
))*b^3)*sin(1/2*d*x+1/2*c)^6+12*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b
))^^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*EllipticF(cos(1/2*d*x+1/2*c),(-2*
b/(a-b))^(1/2))*a^3+59*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b
^2-16*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+16*EllipticE(cos
(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b-33*EllipticE(cos(1/2*d*x+1/2*c),(-
2*b/(a-b))^(1/2))*a*b^2+33*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2)
)*b^3-60*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*a^2*b-15*Ellip
ticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))*b^3)*sin(1/2*d*x+1/2*c)^4-6*
(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(16*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3+59*EllipticF
(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-16*EllipticE(cos(1/2*d*x+1/2*
c),(-2*b/(a-b))^(1/2))*a^3+16*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/
2))*a^2*b-33*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2+33*Elli
pticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3-60*EllipticPi(cos(1/2*d*x+
1/2*c),2,(-2*b/(a-b))^(1/2))*a^2*b-15*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b
```

$$\begin{aligned} & / (a-b)^{(1/2)} * b^3 * \sin(1/2*d*x+1/2*c)^2 + 16 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (- \\ & 2*b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2 \\ & *c), (-2*b / (a-b))^{(1/2)}) * a^3 + 59*b^2*a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b / (a- \\ & b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2 \\ & *b / (a-b))^{(1/2)}) - 16 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b / (a-b) * \sin(1/2*d*x+1/ \\ & 2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b / (a-b))^{(1/2)}) * \\ & a^3 + 16 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / \\ & (a-b)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b / (a-b))^{(1/2)}) * a^2 * b - 33 * (\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} \\ & ) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b / (a-b))^{(1/2)}) * a * b^2 + 33 * (\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)} * (-2*b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c), (-2*b / (a-b))^{(1/2)}) * b^3 - 60 * a^2 * b * (\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)} * (-2*b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticPi}(\cos(1 \\ & /2*d*x+1/2*c), 2, (-2*b / (a-b))^{(1/2)}) - 15 * b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 \\ & *b / (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b) / (a-b)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2 \\ & *c), 2, (-2*b / (a-b))^{(1/2)})) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^3 / (-2 * \sin(1/2*d*x+1/2 \\ & *c)^4 * b + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d* \\ & x+1/2*c)^2 * b + a * b)^{(1/2)} / d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^4, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^4,x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

### 3.508 $\int (a + b \cos(c + dx))^{7/2} dx$

**Optimal.** Leaf size=246

$$\frac{2b(71a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} + \frac{32a(11a^2 + 13b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2(71a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d}$$

[Out]  $24/35*a*b*(a+b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/7*b*(a+b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/d+2/105*b*(71*a^2+25*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+32/105*a*(11*a^2+13*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/105*(71*a^4-46*a^2*b^2-25*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.37, antiderivative size = 246, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {2656, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2b(71a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} - \frac{2(-46a^2b^2 + 71a^4 - 25b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105d \sqrt{a + b \cos(c + dx)}} + \frac{2(71a^2 + 25b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Cos[c + d*x])^(7/2), x]`

[Out]  $(32*a*(11*a^2 + 13*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(105*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(71*a^4 - 46*a^2*b^2 - 25*b^4)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(105*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b*(71*a^2 + 25*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) + (24*a*b*(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(35*d) + (2*b*(a + b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2655

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

#### Rule 2656

`Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[1/n, Int[(a + b*Sin[c + d*x])^(n - 2)*Simp[a^2*n + b^2*(n - 1) + a*b*(2*n - 1)*Sin[c + d*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{7/2} dx &= \frac{2b(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2}{7} \int (a + b \cos(c + dx))^{3/2} \left( \frac{1}{2} (7a^2 + 5b^2) \right. \\
 &= \frac{24ab(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2b(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2}{7} \int (a + b \cos(c + dx))^{1/2} \\
 &= \frac{2b(71a^2 + 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{24ab(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
 &= \frac{2b(71a^2 + 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{24ab(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
 &= \frac{2b(71a^2 + 25b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{24ab(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
 &= \frac{32a(11a^2 + 13b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{105d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2(71a^4 - 46a^2b^2 - 25b^4)}{105d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
 \end{aligned}$$

**Mathematica [A]** time = 1.10, size = 211, normalized size = 0.86

$$\frac{-4(71a^4 - 46a^2b^2 - 25b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + b \sin(c + dx) (488a^3 + b(752a^2 + 145b^2) \cos(c + dx))}{105d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(7/2),x]

[Out] (64\*a\*(11\*a^3 + 11\*a^2\*b + 13\*a\*b^2 + 13\*b^3)\*Sqrt[(a + b\*cos[c + d\*x])]/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 4\*(71\*a^4 - 46\*a^2\*b^2 - 25\*b^4)\*Sqrt[(a + b\*cos[c + d\*x])]/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(488\*a^3 + 262\*a\*b^2 + b\*(752\*a^2 + 145\*b^2)\*Cos[c + d\*x] + 162\*a\*b^2\*cos[2\*(c + d\*x)] + 15\*b^3\*cos[3\*(c + d\*x)])\*Sin[c + d\*x])/(210\*d\*Sqrt[a + b\*cos[c + d\*x]])

**fricas** [F] time = 1.42, size = 0, normalized size = 0.00

integral((b^3 cos(dx + c)^3 + 3ab^2 cos(dx + c)^2 + 3a^2b cos(dx + c) + a^3) sqrt(b cos(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.92, size = 824, normalized size = 3.35

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(7/2),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*cos(1/2\*d\*x+1/2\*c)^9\*b^4+648\*cos(1/2\*d\*x+1/2\*c)^7\*a\*b^3-600\*cos(1/2\*d\*x+1/2\*c)^7\*b^4+752\*cos(1/2\*d\*x+1/2\*c)^5\*a^2\*b^2-1296\*cos(1/2\*d\*x+1/2\*c)^5\*a\*b^3+640\*cos(1/2\*d\*x+1/2\*c)^5\*b^4+244\*cos(1/2\*d\*x+1/2\*c)^3\*a^3\*b-1128\*cos(1/2\*d\*x+1/2\*c)^3\*a^2\*b^2+860\*cos(1/2\*d\*x+1/2\*c)^3\*a\*b^3-360\*cos(1/2\*d\*x+1/2\*c)^3\*b^4-71\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^4+46\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^2\*b^2+25\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b^4+176\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^4-176\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^3\*b+208\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^2\*b^2-208\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b^3-244\*cos(1/2\*d\*x+1/2\*c)\*a^3\*b+376\*cos(1/2\*d\*x+1/2\*c)\*a^2\*b^2-212\*cos(1/2\*d\*x+1/2\*c)\*a\*b^3+80\*cos(1/2\*d\*x+1/2\*c)\*b^4)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{7}{2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (a + b \cos(c + dx))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(7/2),x)

[Out] int((a + b\*cos(c + d\*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

### 3.509 $\int \cos^3(c + dx)\sqrt{3 + 4\cos(c + dx)} dx$

**Optimal.** Leaf size=138

$$\frac{59F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} + \frac{47E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} + \frac{\sin(c + dx)\cos(c + dx)(4\cos(c + dx) + 3)^{3/2}}{14d} - \frac{3\sin(c + dx)(4\cos(c + dx))}{70d}$$

[Out]  $-3/70*(3+4*\cos(d*x+c))^{(3/2)*\sin(d*x+c)/d+1/14*\cos(d*x+c)*(3+4*\cos(d*x+c))^{(3/2)*\sin(d*x+c)/d+47/140*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}+59/420*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}+59/105*\sin(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.19, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2793, 3023, 2753, 2752, 2661, 2653}

$$\frac{59F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} + \frac{47E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} + \frac{\sin(c + dx)\cos(c + dx)(4\cos(c + dx) + 3)^{3/2}}{14d} - \frac{3\sin(c + dx)(4\cos(c + dx))}{70d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out]  $(47*\text{EllipticE}[(c + d*x)/2, 8/7])/(20*\text{Sqrt}[7]*d) + (59*\text{EllipticF}[(c + d*x)/2, 8/7])/(60*\text{Sqrt}[7]*d) + (59*\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) - (3*(3 + 4*\text{Cos}[c + d*x])^{(3/2)*\text{Sin}[c + d*x]})/(70*d) + (\text{Cos}[c + d*x]*(3 + 4*\text{Cos}[c + d*x])^{(3/2)*\text{Sin}[c + d*x]})/(14*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2793

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*cos[e + f*x]*(a + b*sin[e + f*x
])^(m - 2)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +
n)), Int[(a + b*sin[e + f*x])^(m - 3)*(c + d*sin[e + f*x])^n*Simp[a^3*d*(m
+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegersQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)\sqrt{3 + 4\cos(c + dx)} dx &= \frac{\cos(c + dx)(3 + 4\cos(c + dx))^{3/2} \sin(c + dx)}{14d} + \frac{1}{14} \int \sqrt{3 + 4\cos(c + dx)} dx \\ &= -\frac{3(3 + 4\cos(c + dx))^{3/2} \sin(c + dx)}{70d} + \frac{\cos(c + dx)(3 + 4\cos(c + dx))^{3/2}}{14d} \\ &= \frac{59\sqrt{3 + 4\cos(c + dx)} \sin(c + dx)}{105d} - \frac{3(3 + 4\cos(c + dx))^{3/2} \sin(c + dx)}{70d} \\ &= \frac{59\sqrt{3 + 4\cos(c + dx)} \sin(c + dx)}{105d} - \frac{3(3 + 4\cos(c + dx))^{3/2} \sin(c + dx)}{70d} \\ &= \frac{47E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} + \frac{59F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} + \frac{59\sqrt{3 + 4\cos(c + dx)} \sin(c + dx)}{105d} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 92, normalized size = 0.67

$$\frac{59\sqrt{7}F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right) + 141\sqrt{7}E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right) + (212\sin(c + dx) + 9\sin(2(c + dx)) + 30\sin(3(c + dx)))\sqrt{4\cos(c + dx)}}{420d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*Sqrt[3 + 4*Cos[c + d*x]], x]
```

```
[Out] (141*Sqrt[7]*EllipticE[(c + d*x)/2, 8/7] + 59*Sqrt[7]*EllipticF[(c + d*x)/2,
8/7] + Sqrt[3 + 4*Cos[c + d*x]]*(212*Sin[c + d*x] + 9*Sin[2*(c + d*x)] +
30*Sin[3*(c + d*x)]))/(420*d)
```

**fricas [F]** time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4\cos(dx + c) + 3}\cos(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(3+4*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(4*cos(d*x + c) + 3)*cos(d*x + c)^3, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3, x)

**maple** [A] time = 0.65, size = 275, normalized size = 1.99

$$\sqrt{\left(8 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(7680 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 14976 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x)

[Out] -1/420\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(7680\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-14976\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+12344\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+413\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-141\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-4480\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^3 \sqrt{4 \cos(c + dx) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(4\*cos(c + d\*x) + 3)^(1/2),x)

[Out] int(cos(c + d\*x)^3\*(4\*cos(c + d\*x) + 3)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

### 3.510 $\int \cos^2(c + dx) \sqrt{3 + 4 \cos(c + dx)} dx$

**Optimal.** Leaf size=105

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{21\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{\sin(c + dx)(4 \cos(c + dx) + 3)^{3/2}}{10d} - \frac{\sin(c + dx) \sqrt{4 \cos(c + dx) + 3}}{5d}$$

[Out]  $1/10*(3+4*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+21/20*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}-1/20*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}-1/5*\sin(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.14, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2791, 2753, 2752, 2661, 2653}

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{21\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{\sin(c + dx)(4 \cos(c + dx) + 3)^{3/2}}{10d} - \frac{\sin(c + dx) \sqrt{4 \cos(c + dx) + 3}}{5d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*Sqrt[3 + 4\*Cos[c + d\*x]],x]

[Out]  $(21*\text{Sqrt}[7]*\text{EllipticE}[(c + d*x)/2, 8/7])/(20*d) - (\text{Sqrt}[7]*\text{EllipticF}[(c + d*x)/2, 8/7])/(20*d) - (\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + ((3 + 4*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(10*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^m\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2791

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^m\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] := -Simp[(d^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*

`Simp[b*(d^2*(m + 1) + c^2*(m + 2)) - d*(a*d - 2*b*c*(m + 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]`

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)\sqrt{3 + 4 \cos(c + dx)} dx &= \frac{(3 + 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} + \frac{1}{10} \int (6 - 3 \cos(c + dx))\sqrt{3 + 4 \cos(c + dx)} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{5d} + \frac{(3 + 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} + \frac{1}{10} \int (6 - 3 \cos(c + dx))\sqrt{3 + 4 \cos(c + dx)} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{5d} + \frac{(3 + 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} - \frac{1}{10} \int (6 - 3 \cos(c + dx))\sqrt{3 + 4 \cos(c + dx)} dx \\ &= \frac{21\sqrt{7}E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{20d} - \frac{\sqrt{7}F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{20d} - \frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{5d} \end{aligned}$$

**Mathematica** [A] time = 0.14, size = 81, normalized size = 0.77

$$\frac{-\sqrt{7}F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right) + 21\sqrt{7}E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right) + 2(\sin(c + dx) + 2\sin(2(c + dx)))\sqrt{4\cos(c + dx) + 3}}{20d}$$

Antiderivative was successfully verified.

[In] `Integrate[Cos[c + d*x]^2*Sqrt[3 + 4*Cos[c + d*x]], x]`

[Out] `(21*Sqrt[7]*EllipticE[(c + d*x)/2, 8/7] - Sqrt[7]*EllipticF[(c + d*x)/2, 8/7] + 2*Sqrt[3 + 4*Cos[c + d*x]]*(Sin[c + d*x] + 2*Sin[2*(c + d*x)]))/(20*d)`

**fricas** [F] time = 1.30, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4 \cos(dx + c) + 3} \cos(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(3+4*cos(d*x+c))^(1/2), x, algorithm="fricas")`

[Out] `integral(sqrt(4*cos(d*x + c) + 3)*cos(d*x + c)^2, x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(3+4*cos(d*x+c))^(1/2), x, algorithm="giac")`

[Out] `integrate(sqrt(4*cos(d*x + c) + 3)*cos(d*x + c)^2, x)`

**maple** [A] time = 0.66, size = 253, normalized size = 2.41

$$\frac{\sqrt{\left(8 \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-256 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 384 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \dots\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(3+4*cos(d*x+c))^(1/2),x)`

[Out] 
$$-1/20*((8*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-256*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+384*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c))-7*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(8*\sin(1/2*d*x+1/2*c)^2-7)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2*2^(1/2))-21*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(8*\sin(1/2*d*x+1/2*c)^2-7)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2*2^(1/2))-140*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-8*\sin(1/2*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(8*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(3+4*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(4*cos(d*x + c) + 3)*cos(d*x + c)^2, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 \sqrt{4 \cos(c + dx) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(4*cos(c + d*x) + 3)^(1/2),x)`

[Out] `int(cos(c + d*x)^2*(4*cos(c + d*x) + 3)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} \cos^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(3+4*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(4*cos(c + d*x) + 3)*cos(c + d*x)**2, x)`

### 3.511 $\int \cos(c + dx) \sqrt{3 + 4 \cos(c + dx)} dx$

Optimal. Leaf size=78

$$\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{6d} + \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{2d} + \frac{2 \sin(c + dx) \sqrt{4 \cos(c + dx) + 3}}{3d}$$

[Out]  $\frac{1}{2} \frac{(\cos(1/2 dx + 1/2 c))^2)^{1/2}}{\cos(1/2 dx + 1/2 c)} \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2/7 * 14^{1/2}) / d * 7^{1/2} + 1/6 \frac{(\cos(1/2 dx + 1/2 c))^2)^{1/2}}{\cos(1/2 dx + 1/2 c)} \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2/7 * 14^{1/2}) / d * 7^{1/2} + 2/3 \sin(dx + c) * (3 + 4 \cos(dx + c))^{1/2} / d$

**Rubi [A]** time = 0.08, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2753, 2752, 2661, 2653}

$$\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{6d} + \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{2d} + \frac{2 \sin(c + dx) \sqrt{4 \cos(c + dx) + 3}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7])/(2\*d) + (Sqrt[7]\*EllipticF[(c + d\*x)/2, 8/7])/(6\*d) + (2\*Sqrt[3 + 4\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rubi steps



$$\begin{aligned}
\int \cos(c+dx)\sqrt{3+4\cos(c+dx)} dx &= \frac{2\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{3d} + \frac{2}{3} \int \frac{2+\frac{3}{2}\cos(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx \\
&= \frac{2\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{3d} + \frac{1}{4} \int \sqrt{3+4\cos(c+dx)} dx + \frac{7}{12} \int \frac{1}{\sqrt{3+4\cos(c+dx)}} dx \\
&= \frac{\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2d} + \frac{\sqrt{7} F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{6d} + \frac{2\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 69, normalized size = 0.88

$$\frac{\sqrt{7} F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) + 3\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) + 4\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (3\*Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7] + Sqrt[7]\*EllipticF[(c + d\*x)/2, 8/7] + 4\*Sqrt[3 + 4\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d)

**fricas [F]** time = 1.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4\cos(dx+c)+3}\cos(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4\cos(dx+c)+3}\cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**maple [A]** time = 0.62, size = 231, normalized size = 2.96

$$\frac{\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(64\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 7\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{8\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{6\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x)

[Out] -1/6\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(64\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+7\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))-56\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-8\*sin(1/2\*d\*x+1/2\*c)^2)

$2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(8*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) \sqrt{4 \cos(c + dx) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(4\*cos(c + d\*x) + 3)^(1/2),x)

[Out] int(cos(c + d\*x)\*(4\*cos(c + d\*x) + 3)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(4\*cos(c + d\*x) + 3)\*cos(c + d\*x), x)

### 3.512 $\int \sqrt{3 + 4 \cos(c + dx)} dx$

**Optimal.** Leaf size=23

$$\frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{d}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2653}

$$\frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7])/d

**Rule 2653**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rubi steps**

$$\int \sqrt{3 + 4 \cos(c + dx)} dx = \frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{d}$$

**Mathematica [A]** time = 0.02, size = 23, normalized size = 1.00

$$\frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7])/d

**fricas [F]** time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4 \cos(dx + c) + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(4\*cos(d\*x + c) + 3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.42, size = 137, normalized size = 5.96

$$\frac{2\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1 - \cos(dx+c)}{2}}\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\sqrt{\frac{1 - \cos(dx+c)}{2}}\right)}{\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3+4\*cos(d\*x+c))^(1/2),x)

[Out] 2\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \sqrt{4 \cos(c + dx) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4\*cos(c + d\*x) + 3)^(1/2),x)

[Out] int((4\*cos(c + d\*x) + 3)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(4\*cos(c + d\*x) + 3), x)

### 3.513 $\int \sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) dx$

Optimal. Leaf size=48

$$\frac{8F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{6\Pi\left(2; \frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out]  $8/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+6/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2803, 2661, 2805}

$$\frac{8F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{6\Pi\left(2; \frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[3 + 4*Cos[c + d*x]]*Sec[c + d*x], x]`

[Out]  $(8*\text{EllipticF}[(c + d*x)/2, 8/7])/(Sqrt[7]*d) + (6*\text{EllipticPi}[2, (c + d*x)/2, 8/7])/(Sqrt[7]*d)$

#### Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2803

`Int[Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rule 2805

`Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`

#### Rubi steps

$$\begin{aligned} \int \sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) dx &= 3 \int \frac{\sec(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx + 4 \int \frac{1}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= \frac{8F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{6\Pi\left(2; \frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 41, normalized size = 0.85

$$\frac{8F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) + 6\Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 + 4\*Cos[c + d\*x]]\*Sec[c + d\*x], x]

[Out] (8\*EllipticF[(c + d\*x)/2, 8/7] + 6\*EllipticPi[2, (c + d\*x)/2, 8/7])/(Sqrt[7]\*d)

**fricas** [F] time = 2.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4 \cos(dx + c) + 3} \sec(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**maple** [A] time = 0.55, size = 158, normalized size = 3.29

$$\frac{2\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(4\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x)

[Out] -2\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(4\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))-3\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, 2\*2^(1/2)))/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{4 \cos(c + dx) + 3}}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((4*cos(c + d*x) + 3)^(1/2)/cos(c + d*x), x)`

[Out] `int((4*cos(c + d*x) + 3)^(1/2)/cos(c + d*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)*(3+4*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(4*cos(c + d*x) + 3)*sec(c + d*x), x)`

### 3.514 $\int \sqrt{3 + 4 \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=95

$$\frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{d} + \frac{4\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{d}$$

[Out]  $3/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+4/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.25, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2796, 3060, 2653, 3002, 2661, 2805}

$$\frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{d} + \frac{4\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[3 + 4*Cos[c + d*x]]*Sec[c + d*x]^2, x]`

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + d*x)/2, 8/7])/d) + (3*\text{EllipticF}[(c + d*x)/2, 8/7])/(\text{Sqrt}[7]*d) + (4*\text{EllipticPi}[2, (c + d*x)/2, 8/7])/(\text{Sqrt}[7]*d) + (\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/d$

#### Rule 2653

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2661

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2796

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(m + n + 2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2*m, 2*n]`

#### Rule 2805

`Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`



Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3060

```
Int[((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{3 + 4 \cos(c + dx)} \sec^2(c + dx) dx &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{(2 - 2 \cos^2(c + dx)) \sec(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{4} \int \frac{(-8 - 6 \cos(c + dx)) \sec(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{d} + \frac{3}{2} \int \frac{1}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{d} + \frac{3F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} + \frac{4\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{d} \end{aligned}$$

**Mathematica** [C] time = 1.12, size = 157, normalized size = 1.65

$$\frac{6\sqrt{7}\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{8}{7}\right) + 21\sqrt{4 \cos(c + dx) + 3} \tan(c + dx) + \frac{i\sqrt{7} \sin(c + dx) \left(-12F\left(i \sinh^{-1}(\sqrt{4 \cos(c + dx) + 3}) \middle| -\frac{1}{7}\right) + 21E\left(i \sinh^{-1}(\sqrt{4 \cos(c + dx) + 3}) \middle| -\frac{1}{7}\right)\right)}{\sqrt{3 + 4 \cos(c + dx)}}}{21d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[3 + 4*Cos[c + d*x]]*Sec[c + d*x]^2,x]
```

```
[Out] (6*Sqrt[7]*EllipticPi[2, (c + d*x)/2, 8/7] + (I*Sqrt[7]*(21*EllipticE[I*ArcSinh[Sqrt[3 + 4*Cos[c + d*x]]], -1/7] - 12*EllipticF[I*ArcSinh[Sqrt[3 + 4*Cos[c + d*x]]], -1/7] - 8*EllipticPi[-1/3, I*ArcSinh[Sqrt[3 + 4*Cos[c + d*x]]], -1/7])*Sin[c + d*x])/Sqrt[Sin[c + d*x]^2] + 21*Sqrt[3 + 4*Cos[c + d*x]]*Tan[c + d*x])/(21*d)
```

**fricas** [F] time = 1.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4 \cos(dx + c) + 3} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(3+4*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(4*cos(d*x + c) + 3)*sec(d*x + c)^2, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^2, x)

**maple** [B] time = 0.80, size = 350, normalized size = 3.68

$$\sqrt{-\left(-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} + \frac{3\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

sin

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2\*(3+4\*cos(d\*x+c))^(1/2),x)

[Out] -((-8\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)\*(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,2\*2^(1/2))/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{4 \cos(c + dx) + 3}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4\*cos(c + d\*x) + 3)^(1/2)/cos(c + d\*x)^2,x)

[Out] int((4\*cos(c + d\*x) + 3)^(1/2)/cos(c + d\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2\*(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(4\*cos(c + d\*x) + 3)\*sec(c + d\*x)\*\*2, x)

### 3.515 $\int \sqrt{3 + 4 \cos(c + dx)} \sec^3(c + dx) dx$

**Optimal.** Leaf size=135

$$\frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} + \frac{5\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d} + \frac{\sqrt{4\cos(c+dx)}}{3d}$$

[Out]  $3/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+5/21*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}-1/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/2*\sec(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.36, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2796, 3055, 3059, 2653, 3002, 2661, 2805}

$$\frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} + \frac{5\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d} + \frac{\sqrt{4\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 + 4\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c+d*x)/2, 8/7])/(3*d) + (3*\text{EllipticF}[(c+d*x)/2, 8/7])/(\text{Sqrt}[7]*d) + (5*\text{EllipticPi}[2, (c+d*x)/2, 8/7])/(3*\text{Sqrt}[7]*d) + (\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(3*d) + (\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2796

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x])\*(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{3 + 4 \cos(c + dx)} \sec^3(c + dx) dx &= \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{(2 + 3 \cos(c + dx) + \sqrt{3 + 4 \cos(c + dx)})}{\sqrt{3 + 4 \cos(c + dx)}} dx \\
 &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{3F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} + \frac{5\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7} d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d}
 \end{aligned}$$

**Mathematica [C]** time = 1.27, size = 194, normalized size = 1.44

$$\frac{12F\left(\frac{1}{2}(c+dx)\frac{8}{7}\right)}{\sqrt{7}} + \frac{6\Pi\left(2;\frac{1}{2}(c+dx)\frac{8}{7}\right)}{\sqrt{7}} + (2\cos(c+dx)+3)\sqrt{4\cos(c+dx)+3}\tan(c+dx)\sec(c+dx) + \frac{2i\sin(c+dx)\left(-12\right)}{6d}$$

6d

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 + 4\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out] ((12\*EllipticF[(c + d\*x)/2, 8/7])/Sqrt[7] + (6\*EllipticPi[2, (c + d\*x)/2, 8/7])/Sqrt[7] + (((2\*I)/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) + (3 + 2\*Cos[c + d\*x])\*Sqrt[3 + 4\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d)

**fricas [F]** time = 1.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{4\cos(dx+c)+3}\sec(dx+c)^3,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4\cos(dx+c)+3}\sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**maple [B]** time = 0.95, size = 408, normalized size = 3.02

$$\sqrt{-\left(-8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(\frac{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+7\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)^2}-\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x)

[Out] -(-(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-cos(1/2\*d\*x+1/2\*c)\*(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^2-2/3\*cos(1/2\*d\*x+1/2\*c)\*(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-5/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,2\*2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(dx + c) + 3} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{4 \cos(c + dx) + 3}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((4\*cos(c + d\*x) + 3)^(1/2)/cos(c + d\*x)^3,x)

[Out] int((4\*cos(c + d\*x) + 3)^(1/2)/cos(c + d\*x)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{4 \cos(c + dx) + 3} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3\*(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(4\*cos(c + d\*x) + 3)\*sec(c + d\*x)\*\*3, x)

### 3.516 $\int \sqrt{3 - 4 \cos(c + dx)} \cos^3(c + dx) dx$

**Optimal.** Leaf size=140

$$\frac{59F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} - \frac{47E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} - \frac{\sin(c + dx) \cos(c + dx)(3 - 4 \cos(c + dx))^{3/2}}{14d} - \frac{3 \sin(c + dx)}{14d}$$

[Out]  $-3/70*(3-4*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d-1/14*(3-4*\cos(d*x+c))^{(3/2)}*\cos(d*x+c)*\sin(d*x+c)/d+47/140*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}+59/420*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}+59/105*\sin(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.19, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2793, 3023, 2753, 2752, 2662, 2654}

$$\frac{59F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} - \frac{47E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} - \frac{\sin(c + dx) \cos(c + dx)(3 - 4 \cos(c + dx))^{3/2}}{14d} - \frac{3 \sin(c + dx)}{14d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 - 4\*Cos[c + d\*x]]\*Cos[c + d\*x]^3,x]

[Out]  $(-47*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(20*\text{Sqrt}[7]*d) - (59*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(60*\text{Sqrt}[7]*d) + (59*\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(105*d) - (3*(3 - 4*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(70*d) - ((3 - 4*\text{Cos}[c + d*x])^{(3/2)}*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(14*d)$

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^m\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2793

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*cos[e + f*x]*(a + b*sin[e + f*x
])^(m - 2)*(c + d*sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +
n)), Int[(a + b*sin[e + f*x])^(m - 3)*(c + d*sin[e + f*x])^n*Simp[a^3*d*(m
+ n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*
a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
| IntegersQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&
NeQ[c, 0])))

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rubi steps

$$\begin{aligned}
\int \sqrt{3 - 4 \cos(c + dx)} \cos^3(c + dx) dx &= -\frac{(3 - 4 \cos(c + dx))^{3/2} \cos(c + dx) \sin(c + dx)}{14d} - \frac{1}{14} \int \sqrt{3 - 4 \cos(c + dx)} \cos^2(c + dx) dx \\
&= -\frac{3(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{70d} - \frac{(3 - 4 \cos(c + dx))^{3/2} \cos(c + dx)}{14d} \\
&= \frac{59\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{105d} - \frac{3(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{70d} \\
&= \frac{59\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{105d} - \frac{3(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{70d} \\
&= -\frac{47E\left(\frac{1}{2}(c + \pi + dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} - \frac{59F\left(\frac{1}{2}(c + \pi + dx)\middle|\frac{8}{7}\right)}{60\sqrt{7}d} + \frac{59\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{105d}
\end{aligned}$$

**Mathematica** [A] time = 0.21, size = 114, normalized size = 0.81

$$\frac{654 \sin(c + dx) - 511 \sin(2(c + dx)) + 108 \sin(3(c + dx)) - 60 \sin(4(c + dx)) - 413\sqrt{4 \cos(c + dx) - 3} F\left(\frac{1}{2}(c + dx)\middle|\frac{8}{7}\right)}{420d\sqrt{3 - 4 \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]]\*Cos[c + d\*x]^3,x]

[Out] (141\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 8] - 413\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8] + 654\*Sin[c + d\*x] - 511\*Sin[2\*(c + d\*x)] + 108\*Sin[3\*(c + d\*x)] - 60\*Sin[4\*(c + d\*x)])/(420\*d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas** [F] time = 1.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")



[Out] integral(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3, x)

**maple** [A] time = 0.75, size = 276, normalized size = 1.97

$$\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(7680 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 8064 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x)

[Out] 1/420\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(7680\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8-8064\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+5432\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+59\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))+141\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))-568\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^3 \sqrt{3 - 4 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3\*(3 - 4\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^3\*(3 - 4\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

### 3.517 $\int \sqrt{3 - 4 \cos(c + dx)} \cos^2(c + dx) dx$

**Optimal.** Leaf size=107

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx + \pi) \middle| \frac{8}{7}\right)}{20d} + \frac{21\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi) \middle| \frac{8}{7}\right)}{20d} - \frac{\sin(c + dx)(3 - 4 \cos(c + dx))^{3/2}}{10d} + \frac{\sin(c + dx)\sqrt{3 - 4 \cos(c + dx)}}{5d}$$

[Out]  $-1/10*(3-4*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d-21/20*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/20*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/5*\sin(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.14, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2791, 2753, 2752, 2662, 2654}

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx + \pi) \middle| \frac{8}{7}\right)}{20d} + \frac{21\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi) \middle| \frac{8}{7}\right)}{20d} - \frac{\sin(c + dx)(3 - 4 \cos(c + dx))^{3/2}}{10d} + \frac{\sin(c + dx)\sqrt{3 - 4 \cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[3 - 4*Cos[c + d*x]]*Cos[c + d*x]^2, x]`

[Out]  $(21*\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(20*d) - (\text{Sqrt}[7]*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(20*d) + (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) - ((3 - 4*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(10*d)$

#### Rule 2654

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a - b]*EllipticE[(1*(c + Pi/2 + d*x))/2, (-2*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]`

#### Rule 2662

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c + Pi/2 + d*x))/2, (-2*b)/(a - b)])/(d*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]`

#### Rule 2752

`Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]`

#### Rule 2753

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m]/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]`

#### Rule 2791

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] := -Simp[(d^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*`

Simp[b\*(d^2\*(m + 1) + c^2\*(m + 2)) - d\*(a\*d - 2\*b\*c\*(m + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{3 - 4 \cos(c + dx)} \cos^2(c + dx) dx &= -\frac{(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} - \frac{1}{10} \int \sqrt{3 - 4 \cos(c + dx)} (-6 - \\ &= \frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{5d} - \frac{(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} \\ &= \frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{5d} - \frac{(3 - 4 \cos(c + dx))^{3/2} \sin(c + dx)}{10d} \\ &= \frac{21\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{20d} - \frac{\sqrt{7} F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{20d} \end{aligned}$$

**Mathematica** [A] time = 0.21, size = 104, normalized size = 0.97

$$\frac{14 \sin(c + dx) - 16 \sin(2(c + dx)) + 8 \sin(3(c + dx)) + 7\sqrt{4 \cos(c + dx) - 3} F\left(\frac{1}{2}(c + dx) \middle| 8\right) + 21\sqrt{4 \cos(c + dx) - 3} E\left(\frac{1}{2}(c + dx) \middle| 8\right)}{20d\sqrt{3 - 4 \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]]\*Cos[c + d\*x]^2,x]

[Out] -1/20\*(21\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 8] + 7\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8] + 14\*Sin[c + d\*x] - 16\*Sin[2\*(c + d\*x)] + 8\*Sin[3\*(c + d\*x)])/(d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas** [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4 \cos(dx + c) + 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3 \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^2, x)

**maple** [A] time = 0.72, size = 253, normalized size = 2.36

$$\sqrt{-\left(8 \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 7\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left(-256 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 128 \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(3-4*cos(d*x+c))^(1/2),x)`

[Out]  $1/20*(-(8*\cos(1/2*d*x+1/2*c)^2-7)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-256*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+128*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c))+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(56*\sin(1/2*d*x+1/2*c)^2-7)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2/7*14^{(1/2)})-21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(56*\sin(1/2*d*x+1/2*c)^2-7)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2/7*14^{(1/2)})-12*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(8*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-8*\cos(1/2*d*x+1/2*c)^2+7)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(3-4*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(-4*cos(d*x + c) + 3)*cos(d*x + c)^2, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 \sqrt{3 - 4 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^2*(3 - 4*cos(c + d*x))^(1/2),x)`

[Out] `int(cos(c + d*x)^2*(3 - 4*cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} \cos^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(3-4*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(3 - 4*cos(c + d*x))*cos(c + d*x)**2, x)`

### 3.518 $\int \sqrt{3 - 4 \cos(c + dx)} \cos(c + dx) dx$

**Optimal.** Leaf size=80

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{6d} - \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{2d} + \frac{2 \sin(c + dx) \sqrt{3 - 4 \cos(c + dx)}}{3d}$$

[Out]  $1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/6*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+2/3*\sin(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.08, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2753, 2752, 2662, 2654}

$$-\frac{\sqrt{7} F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{6d} - \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{2d} + \frac{2 \sin(c + dx) \sqrt{3 - 4 \cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 - 4\*Cos[c + d\*x]]\*Cos[c + d\*x],x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(2*d) - (\text{Sqrt}[7]*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(6*d) + (2*\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)]/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^m\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned}
\int \sqrt{3-4\cos(c+dx)} \cos(c+dx) dx &= \frac{2\sqrt{3-4\cos(c+dx)} \sin(c+dx)}{3d} + \frac{2}{3} \int \frac{-2 + \frac{3}{2} \cos(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx \\
&= \frac{2\sqrt{3-4\cos(c+dx)} \sin(c+dx)}{3d} - \frac{1}{4} \int \sqrt{3-4\cos(c+dx)} dx - \frac{7}{12} \int \frac{1}{\sqrt{3-4\cos(c+dx)}} dx \\
&= -\frac{\sqrt{7} E\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{2d} - \frac{\sqrt{7} F\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{6d} + \frac{2\sqrt{3-4\cos(c+dx)}}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.10, size = 94, normalized size = 1.18

$$\frac{12 \sin(c+dx) - 8 \sin(2(c+dx)) - 7\sqrt{4\cos(c+dx)-3} F\left(\frac{1}{2}(c+dx)\middle|8\right) + 3\sqrt{4\cos(c+dx)-3} E\left(\frac{1}{2}(c+dx)\middle|8\right)}{6d\sqrt{3-4\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]]\*Cos[c + d\*x], x]

[Out] (3\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 8] - 7\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8] + 12\*Sin[c + d\*x] - 8\*Sin[2\*(c + d\*x)])/(6\*d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4 \cos(dx+c)+3} \cos(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx+c)+3} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**maple [A]** time = 0.74, size = 231, normalized size = 2.89

$$\frac{\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(64\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{6\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x)

[Out] 1/6\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(64\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2))+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2)))

$2*c), 2/7*14^{(1/2)}-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(8*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-8*\cos(1/2*d*x+1/2*c)^2+7)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) \sqrt{3 - 4 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(3 - 4\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)\*(3 - 4\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(3 - 4\*cos(c + d\*x))\*cos(c + d\*x), x)

### 3.519 $\int \sqrt{3 - 4 \cos(c + dx)} dx$

**Optimal.** Leaf size=24

$$\frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{d}$$

[Out]  $-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2654}

$$\frac{2\sqrt{7} E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[7]\*EllipticE[(c + Pi + d\*x)/2, 8/7])/d

**Rule 2654**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rubi steps**

$$\int \sqrt{3 - 4 \cos(c + dx)} dx = \frac{2\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx)\middle|\frac{8}{7}\right)}{d}$$

**Mathematica [A]** time = 0.03, size = 44, normalized size = 1.83

$$\frac{2\sqrt{4 \cos(c + dx) - 3} E\left(\frac{1}{2}(c + dx)\middle|8\right)}{d\sqrt{3 - 4 \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out]  $(-2*\text{Sqrt}[-3 + 4*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 8])/(d*\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]])$

**fricas [F]** time = 1.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4 \cos(dx + c) + 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-4\*cos(d\*x + c) + 3), x)



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.46, size = 138, normalized size = 5.75

$$\frac{2\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7}\operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3-4\*cos(d\*x+c))^(1/2),x)

[Out] -2\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \sqrt{3 - 4 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3 - 4\*cos(c + d\*x))^(1/2),x)

[Out] int((3 - 4\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(3 - 4\*cos(c + d\*x)), x)

$$3.520 \quad \int \sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) dx$$

Optimal. Leaf size=50

$$-\frac{8F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{6\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out]  $8/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+6/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2803, 2662, 2806}

$$-\frac{8F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{6\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 - 4\*Cos[c + d\*x]]\*Sec[c + d\*x], x]

[Out]  $(-8*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(\text{Sqrt}[7]*d) - (6*\text{EllipticPi}[2, (c + \text{Pi} + d*x)/2, 8/7])/(\text{Sqrt}[7]*d)$

Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

Rule 2803

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2806

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(-2\*b)/(a - b), (1\*(e + Pi/2 + f\*x))/2, (-2\*d)/(c - d)])/(f\*(a - b)\*Sqrt[c - d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c - d, 0]

Rubi steps

$$\begin{aligned} \int \sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) dx &= 3 \int \frac{\sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx - 4 \int \frac{1}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{8F\left(\frac{1}{2}(c + \pi + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{6\Pi\left(2; \frac{1}{2}(c + \pi + dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} \end{aligned}$$

**Mathematica** [A] time = 0.06, size = 61, normalized size = 1.22

$$\frac{2\sqrt{4\cos(c+dx)-3}\left(3\Pi\left(2;\frac{1}{2}(c+dx)\middle|8\right)-4F\left(\frac{1}{2}(c+dx)\middle|8\right)\right)}{d\sqrt{3-4\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]]\*Sec[c + d\*x], x]

[Out] (2\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*(-4\*EllipticF[(c + d\*x)/2, 8] + 3\*EllipticPi[2, (c + d\*x)/2, 8]))/(d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas** [F] time = 2.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4\cos(dx+c)+3}\sec(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4\cos(dx+c)+3}\sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**maple** [A] time = 0.80, size = 159, normalized size = 3.18

$$\frac{2\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-7\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}}\sqrt{56\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-7}\left(4\text{EllipticF}\left(\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)}{7\sqrt{8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{-8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x)

[Out] 2/7\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*(4\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2))+3\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, 2/7\*14^(1/2)))/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4\cos(dx+c)+3}\sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{3-4\cos(c+dx)}}{\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((3 - 4*cos(c + d*x))^(1/2)/cos(c + d*x), x)
```

```
[Out] int((3 - 4*cos(c + d*x))^(1/2)/cos(c + d*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)*(3-4*cos(d*x+c))**(1/2), x)
```

```
[Out] Integral(sqrt(3 - 4*cos(c + d*x))*sec(c + d*x), x)
```

### 3.521 $\int \sqrt{3 - 4 \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=98

$$\frac{3F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{d} + \frac{4\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{d}$$

[Out]  $-3/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}-4/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.25, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2796, 3060, 2654, 3002, 2662, 2806}

$$\frac{3F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{d} + \frac{4\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[3 - 4*Cos[c + d*x]]*Sec[c + d*x]^2, x]`

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/d) + (3*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(\text{Sqrt}[7]*d) + (4*\text{EllipticPi}[2, (c + \text{Pi} + d*x)/2, 8/7])/(\text{Sqrt}[7]*d) + (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/d$

#### Rule 2654

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a - b]*EllipticE[(1*(c + Pi/2 + d*x))/2, (-2*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]`

#### Rule 2662

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c + Pi/2 + d*x))/2, (-2*b)/(a - b)]/(d*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]`

#### Rule 2796

`Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(m + n + 2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2*m, 2*n]`

#### Rule 2806

`Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(-2*b)/(a - b), (1*(e + Pi/2 + f*x))/2, (-2*d)/(c - d)]/(f*(a - b)*Sqrt[c - d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c - d, 0]`

Rule 3002

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3060

```
Int[((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \sqrt{3 - 4 \cos(c + dx)} \sec^2(c + dx) dx &= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{(-2 + 2 \cos^2(c + dx)) \sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{4} \int \frac{(-8 + 6 \cos(c + dx)) \sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{d} + \frac{3}{2} \int \frac{1}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{d} + \frac{3F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} + \frac{4\Pi\left(2; \frac{1}{2}(c + \pi + dx)\right)}{\sqrt{7} d} \end{aligned}$$

**Mathematica** [C] time = 1.47, size = 178, normalized size = 1.82

$$21\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx) - \frac{42\sqrt{4 \cos(c + dx) - 3} \Pi\left(2; \frac{1}{2}(c + dx) \middle| 8\right)}{\sqrt{3 - 4 \cos(c + dx)}} - \frac{i\sqrt{7} \sin(c + dx) \left(-12F\left(i \sinh^{-1}(\sqrt{3 - 4 \cos(c + dx)}) \middle| -\frac{1}{7}\right) + 21E\left(i \sinh^{-1}(\sqrt{3 - 4 \cos(c + dx)}) \middle| \frac{8}{7}\right)\right)}{\sqrt{7} d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[3 - 4*Cos[c + d*x]]*Sec[c + d*x]^2, x]
```

```
[Out] ((-42*Sqrt[-3 + 4*Cos[c + d*x]]*EllipticPi[2, (c + d*x)/2, 8])/Sqrt[3 - 4*Cos[c + d*x]] - (I*Sqrt[7]*(21*EllipticE[I*ArcSinh[Sqrt[3 - 4*Cos[c + d*x]]], -1/7] - 12*EllipticF[I*ArcSinh[Sqrt[3 - 4*Cos[c + d*x]]], -1/7] - 8*EllipticPi[-1/3, I*ArcSinh[Sqrt[3 - 4*Cos[c + d*x]]], -1/7])*Sin[c + d*x])/Sqrt[Sin[c + d*x]^2] + 21*Sqrt[3 - 4*Cos[c + d*x]]*Tan[c + d*x])/(21*d)
```

**fricas** [F] time = 1.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4 \cos(dx + c) + 3} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^2*(3-4*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(-4*cos(d*x + c) + 3)*sec(d*x + c)^2, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^2, x)

**maple** [B] time = 0.88, size = 351, normalized size = 3.58

$$\frac{\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}} + \frac{3\sqrt{\frac{1 - \cos(dx+c)}{2}}\sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{7\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

sin

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2\*(3-4\*cos(d\*x+c))^(1/2),x)

[Out] 
$$-\left(-\left(8\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 7\right)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \left(-2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) * \left(8\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 - \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} / \left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 1\right) + 3/7 * \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \left(56\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 7\right)^{1/2} / \left(8\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 - \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \text{EllipticF}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2/7 * 14^{1/2}\right) - \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \left(56\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 7\right)^{1/2} / \left(8\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 - \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2/7 * 14^{1/2}\right) + 4/7 * \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \left(56\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 - 7\right)^{1/2} / \left(8\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^4 - \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2\right)^{1/2} * \text{EllipticPi}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2, 2/7 * 14^{1/2}\right) / \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right) / \left(-8\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 + 7\right)^{1/2} / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{3 - 4 \cos(c + dx)}}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3 - 4\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2,x)

[Out] int((3 - 4\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2\*(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(3 - 4\*cos(c + d\*x))\*sec(c + d\*x)\*\*2, x)

### 3.522 $\int \sqrt{3 - 4 \cos(c + dx)} \sec^3(c + dx) dx$

**Optimal.** Leaf size=138

$$\frac{3F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{7}E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{3d} - \frac{5\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d}$$

[Out]  $3/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}-1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}-1/3*(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/2*\sec(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.37, antiderivative size = 138, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2796, 3055, 3059, 2654, 3002, 2662, 2806}

$$\frac{3F\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} + \frac{\sqrt{7}E\left(\frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{3d} - \frac{5\Pi\left(2; \frac{1}{2}(c + dx + \pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[3 - 4\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out] (Sqrt[7]\*EllipticE[(c + Pi + d\*x)/2, 8/7])/(3\*d) - (3\*EllipticF[(c + Pi + d\*x)/2, 8/7])/(Sqrt[7]\*d) - (5\*EllipticPi[2, (c + Pi + d\*x)/2, 8/7])/(3\*Sqrt[7]\*d) - (Sqrt[3 - 4\*Cos[c + d\*x]]\*Tan[c + d\*x])/(3\*d) + (Sqrt[3 - 4\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d/Sqrt[a - b], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2796

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

#### Rule 2806

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(-2\*b)/(a - b), (1\*(e + Pi/2 + f\*x))/2, (-2\*d)/(c - d)])/f\*(a - b)\*Sqrt[c - d], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]



, 0] && GtQ[c - d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
 \int \sqrt{3 - 4 \cos(c + dx)} \sec^3(c + dx) dx &= \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{(-2 + 3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\
 &= -\frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= -\frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} - \frac{3F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{\sqrt{7}d} - \frac{5\Pi\left(2; \frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7}d}
 \end{aligned}$$

**Mathematica [C]** time = 1.88, size = 237, normalized size = 1.72

$$-\frac{12\sqrt{4\cos(c+dx)-3}F\left(\frac{1}{2}(c+dx)\middle|8\right)}{\sqrt{3-4\cos(c+dx)}} + \frac{6\sqrt{4\cos(c+dx)-3}\Pi\left(2;\frac{1}{2}(c+dx)\middle|8\right)}{\sqrt{3-4\cos(c+dx)}} - \sqrt{3-4\cos(c+dx)}(2\cos(c+dx)-3)\tan(c+dx)\sec(c+dx)$$

6d

Antiderivative was successfully verified.

[In] Integrate[Sqrt[3 - 4\*Cos[c + d\*x]]\*Sec[c + d\*x]^3,x]

[Out] ((-12\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8])/Sqrt[3 - 4\*Cos[c + d\*x]] + (6\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticPi[2, (c + d\*x)/2, 8])/Sqrt[3 - 4\*Cos[c + d\*x]] + (((2\*I)/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) - Sqrt[3 - 4\*Cos[c + d\*x]]\*(-3 + 2\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x]/(6\*d)

**fricas [F]** time = 1.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{-4\cos(dx+c)+3}\sec(dx+c)^3,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4\cos(dx+c)+3}\sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**maple [B]** time = 1.04, size = 408, normalized size = 2.96

$$\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-7\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(-\frac{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)^2}+\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x)

[Out] -((8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-cos(1/2\*d\*x+1/2\*c)\*(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^2+2/3\*cos(1/2\*d\*x+1/2\*c)\*(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)-3/7\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))-5/21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,2/7\*14^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-4 \cos(dx + c) + 3} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3\*(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{3 - 4 \cos(c + dx)}}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3 - 4\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^3,x)

[Out] int((3 - 4\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{3 - 4 \cos(c + dx)} \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3\*(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(3 - 4\*cos(c + d\*x))\*sec(c + d\*x)\*\*3, x)

$$3.523 \quad \int \frac{\cos^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=215

$$\frac{2a(8a^2 + 7b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + 2(8a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - 8a \sin(c+dx)}{15b^3 d \sqrt{a+b \cos(c+dx)}} + \frac{2(8a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - 8a \sin(c+dx)}{15b^3 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $-8/15*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/d+2/5*\cos(d*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b/d+2/15*(8*a^2+9*b^2)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^3/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/15*a*(8*a^2+7*b^2)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.29, antiderivative size = 215, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2793, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(8a^2 + 7b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + 2(8a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - 8a \sin(c+dx)}{15b^3 d \sqrt{a+b \cos(c+dx)}} + \frac{2(8a^2 + 9b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - 8a \sin(c+dx)}{15b^3 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^3/Sqrt[a + b*Cos[c + d*x]], x]`

[Out]  $(2*(8*a^2 + 9*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(15*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*a*(8*a^2 + 7*b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(15*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (8*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^2*d) + (2*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b*d)$

**Rule 2653**

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

**Rule 2655**

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

**Rule 2661**

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

**Rule 2663**

`Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -`

$b^2, 0] \&\& !GtQ[a + b, 0]$

### Rule 2752

$\text{Int}[(c_.) + (d_.)\sin[(e_.) + (f_.)x])/ \text{Sqrt}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]], x\_Symbol] \rightarrow \text{Dist}[(b*c - a*d)/b, \text{Int}[1/\text{Sqrt}[a + b*\sin[e + f*x]], x], x] + \text{Dist}[d/b, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2793

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)} [(c_.) + (d_.)\sin[(e_.) + (f_.)x]]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m-2)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\sin[e + f*x])^{(m-3)}*(c + d*\sin[e + f*x])^n*\text{Simp}[a^3*d*(m+n) + b^2*(b*c*(m-2) + a*d*(n+1)) - b*(a*b*c - b^2*d*(m+n-1) - 3*a^2*d*(m+n))*\sin[e + f*x] - b^2*(b*c*(m-1) - a*d*(3*m + 2*n - 2))*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& GtQ[m, 2] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2*m, 2*n]) \&\& !(IGtQ[n, 2] \&\& (!\text{IntegerQ}[m] \mid \mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

### Rule 3023

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]^{(m_.)} [(A_.) + (B_.)\sin[(e_.) + (f_.)x] + (C_.)\sin[(e_.) + (f_.)x]]^2, x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !LtQ[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{2\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{5bd} + \frac{2\int \frac{a+\frac{3}{2}b\cos(c+dx)-2a\cos^2(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{5b} \\ &= -\frac{8a\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{15b^2d} + \frac{2\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{5bd} \\ &= -\frac{8a\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{15b^2d} + \frac{2\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{5bd} \\ &= -\frac{8a\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{15b^2d} + \frac{2\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{5bd} \\ &= \frac{2(8a^2+9b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15b^3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2a(8a^2+7b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{15b^3d\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.91, size = 182, normalized size = 0.85

$$\frac{b\sin(c+dx)(-8a^2-2ab\cos(c+dx)+3b^2\cos(2(c+dx))+3b^2)-2a(8a^2+7b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15b^3d\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*(8\*a^3 + 8\*a^2\*b + 9\*a\*b^2 + 9\*b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 2\*a\*(8\*a^2 + 7\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + b\*(-8\*a^2 + 3\*b^2 - 2\*a\*b\*Cos[c + d\*x] + 3\*b^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(15\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 1.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^3}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^3}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.82, size = 665, normalized size = 3.09

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(24\left(\cos^7\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^3 - 4\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab^2 - 48\left(\cos^5\left(\frac{dx}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(24\*cos(1/2\*d\*x+1/2\*c)^7\*b^3-4\*cos(1/2\*d\*x+1/2\*c)^5\*a\*b^2-48\*cos(1/2\*d\*x+1/2\*c)^5\*b^3-8\*cos(1/2\*d\*x+1/2\*c)^3\*a^2\*b+6\*cos(1/2\*d\*x+1/2\*c)^3\*a\*b^2+30\*cos(1/2\*d\*x+1/2\*c)^3\*b^3-8\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^3-7\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b^2+8\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^3-8\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b^2-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^2\*b+9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b^2-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b^3+8\*cos(1/2\*d\*x+1/2\*c)\*a^2\*b-2\*cos(1/2\*d\*x+1/2\*c)\*a\*b^2-6\*cos(1/2\*d\*x+1/2\*c)\*b^3)/b^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.524 \quad \int \frac{\cos^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=165

$$\frac{2(2a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{a+b \cos(c+dx)}} - \frac{4a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3bd}$$

[Out]  $2/3 \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b/d - 4/3 a (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) (a+b \cos(dx+c))^{1/2} / b^2/d / ((a+b \cos(dx+c))/(a+b))^{1/2} + 2/3 (2a^2 + b^2) (\cos(1/2 dx + 1/2 c))^{1/2} / \cos(1/2 dx + 1/2 c) \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2} (b/(a+b))^{1/2}) ((a+b \cos(dx+c))/(a+b))^{1/2} / b^2/d / (a+b \cos(dx+c))^{1/2}$

**Rubi [A]** time = 0.19, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2791, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(2a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{a+b \cos(c+dx)}} - \frac{4a \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(-4*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(3*b^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(2*a^2 + b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(3*b^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]



Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2791

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(d^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[b*(d^2*(m + 1) + c^2*(m + 2)) - d*(a*d - 2*b*c*(m + 2))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2 \int \frac{\frac{b}{2} - a \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{3b} \\ &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{1}{3} \left(1 + \frac{2a^2}{b^2}\right) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx - \frac{(2a)}{3b} \\ &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3bd} - \frac{(2a\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{3b^2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= -\frac{4a\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2 \left(1 + \frac{2a^2}{b^2}\right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.62, size = 137, normalized size = 0.83

$$\frac{2(2a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2b \sin(c + dx)(a + b \cos(c + dx)) - 4a(a + b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^2 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (-4*a*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + 2*(2*a^2 + b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*(a + b*Cos[c + d*x])*Sin[c + d*x]/(3*b^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas [F]** time = 0.94, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx + c)^2}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(cos(d*x + c)^2/sqrt(b*cos(d*x + c) + a), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{\sqrt{b \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.94, size = 453, normalized size = 2.75

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4\left(\cos^5\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b^2 + 2\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)ab - 6\left(\cos^3\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x)

[Out]  $-2/3*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*\cos(1/2*d*x+1/2*c)^5*b^2+2*\cos(1/2*d*x+1/2*c)^3*a*b-6*\cos(1/2*d*x+1/2*c)^3*b^2+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-2*\cos(1/2*d*x+1/2*c)*a*b+2*\cos(1/2*d*x+1/2*c)*b^2)/b^2/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a*b)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{\sqrt{b \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [B] time = 0.56, size = 116, normalized size = 0.70

$$\frac{2 \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3bd} + \frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) (2a^2 + b^2) - 2a E\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) (a+b) \right)}{3b^2 d \sqrt{a+b \cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^(1/2),x)

[Out]  $(2*\sin(c + d*x)*(a + b*\cos(c + d*x))^{(1/2)})/(3*b*d) + (2*((a + b*\cos(c + d*x))/(a + b))^{(1/2)}*(ellipticF(c/2 + (d*x)/2, (2*b)/(a + b))*(2*a^2 + b^2) - 2*a*ellipticE(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b)))/(3*b^2*d*(a + b*\cos(c + d*x))^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(cos(c + d\*x)\*\*2/sqrt(a + b\*cos(c + d\*x)), x)

$$3.525 \quad \int \frac{\cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=122

$$\frac{2\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2752, 2663, 2661, 2655, 2653}

$$\frac{2\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*a*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{\int \sqrt{a+b\cos(c+dx)} dx}{b} - \frac{a \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{b} \\ &= \frac{\sqrt{a+b\cos(c+dx)} \int \sqrt{\frac{a}{a+b} + \frac{b\cos(c+dx)}{a+b}} dx}{b\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{\left(a\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b\cos(c+dx)}{a+b}}} dx}{b\sqrt{a+b\cos(c+dx)}} \\ &= \frac{2\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2a\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 2.42, size = 86, normalized size = 0.70

$$\frac{2\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \left( (a+b)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - aF\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) \right)}{bd\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(b*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas [F]** time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral(cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+b*cos(d*x+c))^(1/2), x, algorithm="giac")
```

```
[Out] integrate(cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)
```

**maple [A]** time = 0.77, size = 220, normalized size = 1.80

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b}{a - b}} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a + b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)/(a+b*cos(d*x+c))^(1/2),x)`

[Out]  $2*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}))*a+\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b)/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)}*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{\sqrt{b \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)`

**mupad** [B] time = 0.66, size = 80, normalized size = 0.66

$$\frac{2 \left( E\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) (a+b) - a F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) \right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{bd \sqrt{a+b \cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(a + b*cos(c + d*x))^(1/2),x)`

[Out]  $(2*(\text{ellipticE}(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b) - a*\text{ellipticF}(c/2 + (d*x)/2, (2*b)/(a + b)))*((a + b*\cos(c + d*x))/(a + b))^{(1/2)})/(b*d*(a + b*\cos(c + d*x))^{(1/2)})$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(a+b*cos(d*x+c))**(1/2),x)`

[Out] `Integral(cos(c + d*x)/sqrt(a + b*cos(c + d*x)), x)`

$$3.526 \quad \int \frac{1}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=57

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2663, 2661}

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])]/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{a+b \cos(c+dx)}} dx &= \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a+b \cos(c+dx)}} \\ &= \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 57, normalized size = 1.00

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2\sqrt{(a + b\cos[c + d*x])/(a + b)}) * \text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)] / (d*\sqrt{a + b\cos[c + d*x]})$

**fricas** [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `integral(1/sqrt(b*cos(d*x + c) + a), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate(1/sqrt(b*cos(d*x + c) + a), x)`

**maple** [C] time = 0.10, size = 75, normalized size = 1.32

$$\frac{2\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a+b}} \text{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} \middle| \frac{\sqrt{2}\sqrt{b}}{\sqrt{a+b}}\right)}{d\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*cos(d*x+c))^(1/2),x)`

[Out]  $2/d/(2*\cos(1/2*d*x+1/2*c))^{2*b+a-b})^{1/2} * ((2*\cos(1/2*d*x+1/2*c))^{2*b+a-b}/(a+b))^{1/2} * \text{InverseJacobiAM}(1/2*d*x+1/2*c, 2^{1/2}/(a+b)^{1/2}*b^{1/2})$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(b*cos(d*x + c) + a), x)`

**mupad** [B] time = 0.60, size = 52, normalized size = 0.91

$$\frac{2F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d\sqrt{a + b \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*cos(c + d*x))^(1/2),x)`

[Out]  $(2*\text{ellipticF}(c/2 + (d*x)/2, (2*b)/(a + b))) * ((a + b*\cos(c + d*x))/(a + b))^{1/2} / (d*(a + b*\cos(c + d*x))^{1/2})$



sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/sqrt(a + b\*cos(c + d\*x)), x)

$$3.527 \quad \int \frac{\sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=58

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)}*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)})$

**Rubi [A]** time = 0.13, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2807, 2805}

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])]/(a + b))*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 2807**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Dist[Sqrt[(c + d\*Sin[e + f\*x])]/(c + d)]/Sqrt[c + d\*Sin[e + f\*x], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx &= \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a+b \cos(c+dx)}} \\ &= \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 58, normalized size = 1.00

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.60, size = 166, normalized size = 2.86

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a-b}}\text{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] 2\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, (-2\*b/(a-b))^(1/2))/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\cos(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)*(a + b*cos(c + d*x))^(1/2)), x)
```

```
[Out] int(1/(cos(c + d*x)*(a + b*cos(c + d*x))^(1/2)), x)
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)/(a+b*cos(d*x+c))**(1/2), x)
```

```
[Out] Integral(sec(c + d*x)/sqrt(a + b*cos(c + d*x)), x)
```

$$3.528 \quad \int \frac{\sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=206

$$\frac{\tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} - \frac{\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{b\sqrt{a+b \cos(c+dx)}}{ad}$$

[Out]  $-(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/d/(a+b*\cos(d*x+c))^{(1/2)}-b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}+(a+b*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/a/d$

**Rubi [A]** time = 0.49, antiderivative size = 206, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {2802, 3060, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{\tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} - \frac{\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{b\sqrt{a+b \cos(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $-(\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(a*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])) + (\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(a*d)$

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2802

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rule 3002

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3060

```
Int[((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.)
+ (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist
[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c
*C - A*b*d + (b*c*C + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c
+ d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c
- a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{ad} + \frac{\int \frac{\left(-\frac{b}{2}-\frac{1}{2}b\cos^2(c+dx)\right)\sec(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{a} \\
&= \frac{\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{ad} - \frac{\int \sqrt{a+b\cos(c+dx)} dx}{2a} - \frac{\int \frac{\left(\frac{b^2}{2}-\frac{1}{2}ab\cos(c+dx)\right)\sec(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{ab} \\
&= \frac{\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{ad} + \frac{1}{2} \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx - \frac{b \int \frac{\sec(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{2a} \\
&= -\frac{\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{ad} + \frac{\sqrt{a+b\cos(c+dx)}}{ad} \\
&= -\frac{\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{ad\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} - \frac{b\sqrt{a+b\cos(c+dx)}}{2a}
\end{aligned}$$

**Mathematica [C]** time = 8.50, size = 310, normalized size = 1.50

$$4 \tan(c+dx) \sqrt{a+b\cos(c+dx)} - \frac{6b \sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b\cos(c+dx)}} - \frac{2i \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \left(b \Pi\left(\frac{a+b}{a}; i\right)\right)\right)}{\sqrt{a+b\cos(c+dx)}}$$

4ad

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] ((-6\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*a\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

maple [A] time = 1.16, size = 532, normalized size = 2.58

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{a\left(2\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} + \frac{\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -\left(-2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b - a + b \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} \left(-\frac{2}{a}\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right) \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^4 b + (a+b)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} / \left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 - 1 + \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 \right)^{1/2} \left(\left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b + a - b\right) / (a-b) \right)^{1/2} / \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^4 b + (a+b)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} \text{EllipticF}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), \left(-2b/(a-b)\right)^{1/2}\right) - \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 \right)^{1/2} \left(\left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b + a - b\right) / (a-b) \right)^{1/2} / \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^4 b + (a+b)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), \left(-2b/(a-b)\right)^{1/2}\right) + 1/a \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 \right)^{1/2} \left(\left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b + a - b\right) / (a-b) \right)^{1/2} / \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^4 b + (a+b)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} b \text{EllipticE}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), \left(-2b/(a-b)\right)^{1/2}\right) + 1/a b \left(\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 \right)^{1/2} \left(\left(2\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b + a - b\right) / (a-b) \right)^{1/2} / \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^4 b + (a+b)\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)^2 \right)^{1/2} \text{EllipticPi}\left(\cos\left(\frac{1}{2}d*x + \frac{1}{2}c\right), 2, \left(-2b/(a-b)\right)^{1/2}\right) \right) / \sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right) / \left(-2\sin\left(\frac{1}{2}d*x + \frac{1}{2}c\right)\right)^2 b + a + b \right)^{1/2} / d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^2 \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*2/sqrt(a + b\*cos(c + d\*x)), x)



$$3.529 \quad \int \frac{\sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=268

$$\frac{(4a^2 + 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^2 d \sqrt{a+b \cos(c+dx)}} - \frac{3b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4a^2 d} + \frac{3b \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}\right)}{4a^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $\frac{3}{4} b (\cos(\frac{1}{2} d x + \frac{1}{2} c))^2)^{(1/2)} / \cos(\frac{1}{2} d x + \frac{1}{2} c) * \text{EllipticE}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)} * (b / (a + b))^{(1/2)}) * (a + b \cos(d x + c))^{(1/2)} / a^2 / d / ((a + b \cos(d x + c)) / (a + b))^{(1/2)} - \frac{1}{4} b (\cos(\frac{1}{2} d x + \frac{1}{2} c))^2)^{(1/2)} / \cos(\frac{1}{2} d x + \frac{1}{2} c) * \text{EllipticF}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2^{(1/2)} * (b / (a + b))^{(1/2)}) * ((a + b \cos(d x + c)) / (a + b))^{(1/2)} / a / d / (a + b \cos(d x + c))^{(1/2)} + \frac{1}{4} (4 a^2 + 3 b^2) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^2)^{(1/2)} / \cos(\frac{1}{2} d x + \frac{1}{2} c) * \text{EllipticPi}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2, 2^{(1/2)} * (b / (a + b))^{(1/2)}) * ((a + b \cos(d x + c)) / (a + b))^{(1/2)} / a^2 / d / (a + b \cos(d x + c))^{(1/2)} - \frac{3}{4} b (a + b \cos(d x + c))^{(1/2)} * \tan(d x + c) / a^2 / d + \frac{1}{2} \sec(d x + c) * (a + b \cos(d x + c))^{(1/2)} * \tan(d x + c) / a / d$

**Rubi [A]** time = 0.71, antiderivative size = 268, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2802, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2 + 3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^2 d \sqrt{a+b \cos(c+dx)}} - \frac{3b \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4a^2 d} + \frac{3b \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}\right)}{4a^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out]  $(3 * b * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, (2 * b) / (a + b)]) / (4 * a^2 * d * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)]) - (b * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)]) * \text{EllipticF}[(c + d * x) / 2, (2 * b) / (a + b)] / (4 * a * d * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) + ((4 * a^2 + 3 * b^2) * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / (a + b)]) * \text{EllipticPi}[2, (c + d * x) / 2, (2 * b) / (a + b)] / (4 * a^2 * d * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) - (3 * b * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Tan}[c + d * x]) / (4 * a^2 * d) + (\text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sec}[c + d * x] * \text{Tan}[c + d * x]) / (2 * a * d)$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2802

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x
])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3002

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])^n/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

## Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} + \int \frac{\left(-\frac{3b}{2} + a\cos(c+dx) + \frac{1}{2}b\cos^2(c+dx)\right) \sec^2(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx \\ &= -\frac{3b\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{4a^2d} + \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} \\ &= -\frac{3b\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{4a^2d} + \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} \\ &= -\frac{3b\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{4a^2d} + \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} \\ &= \frac{3b\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4a^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{3b\sqrt{a+b\cos(c+dx)} \tan(c+dx)}{4a^2d} + \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} \\ &= \frac{3b\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4a^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{b\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4ad\sqrt{a+b\cos(c+dx)}} + \frac{\sqrt{a+b\cos(c+dx)} \sec(c+dx) \tan(c+dx)}{2ad} \end{aligned}$$

**Mathematica [C]** time = 6.40, size = 518, normalized size = 1.93

$$\frac{\sqrt{a+b\cos(c+dx)} \left( \frac{\tan(c+dx) \sec(c+dx)}{2a} - \frac{3b \tan(c+dx)}{4a^2} \right)}{d} + \frac{2(8a^2+9b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} \Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - 6ib^2 \sin(c+dx) \cos(2(c+dx))}{\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] ((8\*a\*b\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b))\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(8\*a^2 + 9\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b))\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((6\*I)\*b^2\*Sqrt[(b - b\*Cos[c + d\*x])]/(a + b))\*Sqrt[-((b + b\*Cos[c + d\*x])/(a - b))]\*Cos[2\*(c + d\*x)]\*(2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] - b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)))\*Sin[c + d\*x]/(a\*Sqrt[-(a + b)^(-1)]]\*Sqrt[1 - Cos[c + d\*x]^2]\*Sqrt[-((a^2 - b^2 - 2\*a\*(a + b\*Cos[c + d\*x]) + (a + b\*Cos[c + d\*x])^2)/b^2)]\*(2\*a^2 - b^2 - 4\*a\*(a + b\*Cos[c + d\*x]) + 2\*(a + b\*Cos[c + d\*x])^2)

$\text{*(x))}^2)))/(16*a^2*d) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{((-3*b*Tan}[c + d*x])/(4*a^2) + (\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a)))/d$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.99, size = 710, normalized size = 2.65

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{a\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)^2} + \frac{3b \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{\dots}}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x)

[Out]  $-\left(-\left(-2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b-a+b\right)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(-\frac{1}{a}*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}/\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1\right)^2+3/2*b/a^2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)*\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}/\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2-1\right)-1/4*b/a*\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a-b\right)/(a-b)\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\text{EllipticF}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),\left(-2*b/(a-b)\right)^{\frac{1}{2}}\right)+3/4/a*\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a-b\right)/(a-b)\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*b*\text{EllipticE}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),\left(-2*b/(a-b)\right)^{\frac{1}{2}}\right)-3/4*b^2/a^2*\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a-b\right)/(a-b)\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\text{EllipticE}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),\left(-2*b/(a-b)\right)^{\frac{1}{2}}\right)-\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a-b\right)/(a-b)\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\text{EllipticPi}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2,\left(-2*b/(a-b)\right)^{\frac{1}{2}}\right)-3/4/a^2*\left(\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\left(\left(2*\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a-b\right)/(a-b)\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^4*b+(a+b)*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2\right)^{\frac{1}{2}}*\text{EllipticPi}\left(\cos\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right),2,\left(-2*b/(a-b)\right)^{\frac{1}{2}}\right)*b^2/\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)/\left(-2*\sin\left(\frac{1}{2}*d*x+\frac{1}{2}*c\right)^2*b+a+b\right)^{\frac{1}{2}}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^3 \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*3/sqrt(a + b\*cos(c + d\*x)), x)

$$3.530 \quad \int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=326

$$\frac{2a^2 \sin(c+dx) \cos^2(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(6a^2-b^2) \sin(c+dx) \cos(c+dx) \sqrt{a+b \cos(c+dx)}}{5b^2d(a^2-b^2)} - \frac{8a(4a^2+b^2) \sqrt{\frac{a+b \cos(c+dx)}{a}}}{5b^4d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2*a^2*\cos(d*x+c)^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}-2/5*a*(8*a^2-3*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)/d+2/5*(6*a^2-b^2)*\cos(d*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/(a^2-b^2)/d+2/5*(16*a^4-8*a^2*b^2-3*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^4/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-8/5*a*(4*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^4/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.51, antiderivative size = 326, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2792, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2 \sin(c+dx) \cos^2(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(6a^2-b^2) \sin(c+dx) \cos(c+dx) \sqrt{a+b \cos(c+dx)}}{5b^2d(a^2-b^2)} - \frac{2a(8a^2-3b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{5b^3d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2*(16*a^4 - 8*a^2*b^2 - 3*b^4)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(5*b^4*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (8*a*(4*a^2 + b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(5*b^4*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*a^2*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*a*(8*a^2 - 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b^3*(a^2 - b^2)*d) + (2*(6*a^2 - b^2)*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b^2*(a^2 - b^2)*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2792

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 3049

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_)
+ (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_)
+ (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx &= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2 \int \frac{\cos(c+dx) \left(2a^2 - \frac{1}{2}ab \cos(c+dx) - \frac{1}{2}(6a^2-b^2) \cos^2(c+dx)\right)}{\sqrt{a+b\cos(c+dx)}}}{b(a^2-b^2)} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(6a^2-b^2) \cos(c+dx) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{5b^2(a^2-b^2)d} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2a(8a^2-3b^2) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{5b^3(a^2-b^2)d} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2a(8a^2-3b^2) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{5b^3(a^2-b^2)d} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2a(8a^2-3b^2) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{5b^3(a^2-b^2)d} \\
&= \frac{2(16a^4-8a^2b^2-3b^4) \sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{5b^4(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{8a(4a^2+b^2) \sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{5b^4d\sqrt{a+b}}
\end{aligned}$$

**Mathematica [A]** time = 1.31, size = 242, normalized size = 0.74

$$\frac{-b \sin(c+dx) (16a^4 + 4ab(a^2-b^2) \cos(c+dx) - 7a^2b^2 + (b^4 - a^2b^2) \cos(2(c+dx)) + b^4) - 8a(4a^4 - 3a^2b^2 - b^4)}{5b^4d(a-b)(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(16\*a^5 + 16\*a^4\*b - 8\*a^3\*b^2 - 8\*a^2\*b^3 - 3\*a\*b^4 - 3\*b^5)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 8\*a\*(4\*a^4 - 3\*a^2\*b^2 - b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] - b\*(16\*a^4 - 7\*a^2\*b^2 + b^4 + 4\*a\*b\*(a^2 - b^2)\*Cos[c + d\*x] + (-a^2\*b^2 + b^4)\*Cos[2\*(c + d\*x)]\*Sin[c + d\*x])/(5\*(a - b)\*b^4\*(a + b)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^4}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^4/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^4}{(b \cos(dx+c) + a)^{3/2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^4/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple [B]** time = 1.13, size = 1285, normalized size = 3.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/5*(-8*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*(a^2-b^2)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-8*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(a^3-a^2*b-a*b^2+b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*(8*a^4+2*a^3*b-4*a^2*b^2-2*a*b^3+b^4)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-16*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5+12*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+4*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4+16*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-16*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b-8*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+8*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3-3*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4+3*(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^5)/b^4/(a-b)/(a+b)/(-2*\sin(1/2*d*x+1/2*c))^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c))^2*b+a+b)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^4}{(b \cos(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^4/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^4}{(a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^4/(a + b*cos(c + d*x))^(3/2), x)
```

```
[Out] int(cos(c + d*x)^4/(a + b*cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4/(a+b*cos(d*x+c))**(3/2), x)
```

```
[Out] Timed out
```

$$3.531 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=257

$$-\frac{2a^2 \sin(c+dx) \cos(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(4a^2-b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3b^2d(a^2-b^2)} + \frac{2(8a^2+b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{3b^3d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2*a^2*\cos(d*x+c)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(4*a^2-b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^2/(a^2-b^2)/d-2/3*a*(8*a^2-5*b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2/3*(8*a^2+b^2)*(\cos(1/2*d*x+1/2*c))^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.34, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2792, 3023, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2a^2 \sin(c+dx) \cos(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(4a^2-b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3b^2d(a^2-b^2)} + \frac{2(8a^2+b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{3b^3d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-2*a*(8*a^2-5*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,(2*b)/(a+b)]/(3*b^3*(a^2-b^2)*d*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)])+(2*(8*a^2+b^2)*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]*\text{EllipticF}[(c+d*x)/2,(2*b)/(a+b)]/(3*b^3*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])-(2*a^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(b*(a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])+(2*(4*a^2-b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*b^2*(a^2-b^2)*d)$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]] , x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[a + b\*SIN[c + d\*x]]/Sqrt[(a + b\*SIN[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*SIN[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]] , x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[(a + b\*SIN[c + d\*x])/(a + b)]/Sqrt[a + b\*SIN[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*SIN[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}{\sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}}, x\_Symbol] \rightarrow \text{Dist}[(b*c - a*d)/b, \text{Int}[1/\sqrt{a + b*\sin[e + f*x]}, x], x] + \text{Dist}[d/b, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2792

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])^n}{x\_Symbol}, x] \rightarrow -\text{Simp}[\frac{(b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m-2}*(c + d*\sin[e + f*x])^{n+1}}{(d*f*(n+1)*(c^2 - d^2))}, x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{m-3}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\sin[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] \mid \mid \text{IntegersQ}[2*m, 2*n])$

### Rule 3023

$\text{Int}[\frac{(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\sin[(e_.) + (f_.)x]) + (C_.)\sin[(e_.) + (f_.)x]^2}{x\_Symbol}, x] \rightarrow -\text{Simp}[\frac{C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1}}{(b*f*(m+2))}, x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{a^2 - \frac{1}{2}ab \cos(c + dx) - \frac{1}{2}(4a^2 - b^2) \cos^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{b(a^2 - b^2)} \\ &= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2(4a^2 - b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2(a^2 - b^2) d} \\ &= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2(4a^2 - b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2(a^2 - b^2) d} \\ &= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2(4a^2 - b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b^2(a^2 - b^2) d} \\ &= -\frac{2a(8a^2 - 5b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(8a^2 + b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^3 d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$



$2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^3 * b + 5 * (-2*\sin(1/2*d*x+1/2*c)^4 * b + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 * b^2 - 5 * (-2*\sin(1/2*d*x+1/2*c)^4 * b + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a * b^3 / b^3 / (a-b) / (a+b) / (-2*\sin(1/2*d*x+1/2*c)^4 * b + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2 * b + a + b)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^3}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^3/(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

$$3.532 \quad \int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=186

$$-\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(2a^2-b^2)\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{b^2d(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{4a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{b^2d\sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2*a^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*(2*a^2-b^2)*( \cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))^{(1/2)}/b^2/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-4*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)}*(a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^2/d/(a+b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.23, antiderivative size = 186, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2790, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{2(2a^2-b^2)\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{b^2d(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{4a\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{b^2d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2*(2*a^2-b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,(2*b)/(a+b)]/(b^2*(a^2-b^2)*d*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)])-(4*a*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]*\text{EllipticF}[(c+d*x)/2,(2*b)/(a+b)]/(b^2*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])-(2*a^2*\text{Sin}[c+d*x])/(b*(a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2790

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*(2*b*c*d - a*(c^2 + d^2)) + (a^2*d^2 - 2*a*b*c*d*(m + 2) + b^2*(d^2*(m + 1) + c^2*(m + 2)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\frac{ab}{2} + \frac{1}{2}(2a^2 - b^2) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{b(a^2 - b^2)} \\ &= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(2a) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b^2} + \frac{(2a^2 - b^2) \int \sqrt{a + b \cos(c + dx)}}{b^2(a^2 - b^2)} \\ &= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\left( (2a^2 - b^2) \sqrt{a + b \cos(c + dx)} \right) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c + dx)}{a+b}}}{b^2(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} \\ &= \frac{2(2a^2 - b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a+b}}} - \frac{4a \sqrt{\frac{a + b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2 d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.70, size = 159, normalized size = 0.85

$$\frac{2(2a^3 + 2a^2b - ab^2 - b^3) \sqrt{\frac{a + b \cos(c + dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2a \left( 2(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + ab \sin(c + dx) \right)}{b^2 d (a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(2\*a^3 + 2\*a^2\*b - a\*b^2 - b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 2\*a\*(2\*(a^2 - b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + a\*b\*Sin[c + d\*x])/((a - b)\*b^2\*(a + b)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a \cos(dx + c)}^2}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")



[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 0.94, size = 530, normalized size = 2.85

$$4\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b} + \frac{a+b}{a-b}} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-\frac{2b}{a-b}}\right) a^3 - 4b^2 a \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2), x)

[Out]  $2*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3-2*b^2*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^2-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^3-2*a^2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/b^2/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(cos(c + d\*x)\*\*2/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.533 \quad \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=170

$$\frac{2a \sin(c+dx)}{d(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2a\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}}$$

[Out] 2\*a\*sin(d\*x+c)/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^(1/2)-2\*a\*(cos(1/2\*d\*x+1/2\*c)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2)\*(b/(a+b))^(1/2))\*(a+b\*cos(d\*x+c))^(1/2)/b/(a^2-b^2)/d/((a+b\*cos(d\*x+c))/(a+b))^(1/2)+2\*(cos(1/2\*d\*x+1/2\*c)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2)\*(b/(a+b))^(1/2))\*((a+b\*cos(d\*x+c))/(a+b))^(1/2)/b/d/(a+b\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.18, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a \sin(c+dx)}{d(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2a\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*cos[c + d\*x])^(3/2), x]

[Out] (-2\*a\*Sqrt[a + b\*cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*(a^2 - b^2)\*d\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]) + (2\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[a + b\*cos[c + d\*x]]) + (2\*a\*sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*cos[c + d\*x]])

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*sin[c + d\*x]]/Sqrt[(a + b\*sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*sin[c + d\*x])/(a + b)]/Sqrt[a + b\*sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= \frac{2a \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{\frac{b}{2} + \frac{1}{2} a \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2} \\ &= \frac{2a \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b} - \frac{a \int \sqrt{a + b \cos(c + dx)} dx}{b(a^2 - b^2)} \\ &= \frac{2a \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(a \sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c + dx)}{a+b}} dx}{b(a^2 - b^2) \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} + \\ &= -\frac{2a \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b(a^2 - b^2) d \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} + \frac{2 \sqrt{\frac{a+b \cos(c + dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}} + \frac{a \int \sqrt{a + b \cos(c + dx)} dx}{b(a^2 - b^2)} \end{aligned}$$

**Mathematica [A]** time = 0.53, size = 137, normalized size = 0.81

$$\frac{2(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + 2ab \sin(c+dx) - 2a(a+b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{bd(a-b)(a+b) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*a*(a + b)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + 2*(a^2 - b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*a*b*Sin[c + d*x]/((a - b)*b*(a + b)*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas [F]** time = 1.29, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [A] time = 0.98, size = 373, normalized size = 2.19

$$2 \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b}} + \frac{a+b}{a-b} \operatorname{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{-\frac{2b}{a-b}} \right) a^2 - b^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{a-b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out]  $-2 * ((\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 - b^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 + (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * b * \operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a - 2*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/b/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)/(a+b\*cos(c+d\*x))^(3/2),x)

[Out] int(cos(c+d\*x)/(a+b\*cos(c+d\*x))^(3/2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(cos(c+d\*x)/(a+b\*cos(c+d\*x))\*\*(3/2),x)

$$3.534 \quad \int \frac{1}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=106

$$\frac{2\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d(a^2-b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2b \sin(c+dx)}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2*b*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2664, 21, 2655, 2653}

$$\frac{2\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d(a^2-b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2b \sin(c+dx)}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-3/2), x]

[Out]  $(2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/((a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*b*\text{Sin}[c + d*x])/((a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2664

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2b \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{-\frac{a}{2} - \frac{1}{2} b \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2} \\
&= -\frac{2b \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\int \sqrt{a + b \cos(c + dx)} dx}{a^2 - b^2} \\
&= -\frac{2b \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\sqrt{a + b \cos(c + dx)} \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c + dx)}{a+b}} dx}{(a^2 - b^2) \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} \\
&= \frac{2\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{(a^2 - b^2) d \sqrt{\frac{a+b \cos(c + dx)}{a+b}}} - \frac{2b \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.21, size = 83, normalized size = 0.78

$$\frac{2(a + b) \sqrt{\frac{a+b \cos(c + dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2b \sin(c + dx)}{d(a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-3/2), x]

[Out] (2\*(a + b)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 2\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.19, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(-3/2), x)

**maple [A]** time = 0.79, size = 217, normalized size = 2.05

$$\frac{2 \left( \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}} + \frac{a+b}{a-b} \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-\frac{2b}{a-b}}\right) a - \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}} \right)}{(a - b)(a + b) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \dots \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*cos(d*x+c))^(3/2),x)`

[Out]  $-2*((\sin(1/2*d*x+1/2*c))^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^{2+(a+b)/(a-b)})^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a-(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^{2+(a+b)/(a-b)})^{1/2}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^(-3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*cos(c + d*x))^(3/2),x)`

[Out] `int(1/(a + b*cos(c + d*x))^(3/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))**(3/2),x)`

[Out] `Integral((a + b*cos(c + d*x))**(-3/2), x)`



$$3.535 \quad \int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2b\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}}$$

[Out]  $2*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(1/2)-2*b*(\cos(1/2*d*x+1/2*c))^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b)))^(1/2)*(a+b*\cos(d*x+c))^(1/2)/a/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)+2*(\cos(1/2*d*x+1/2*c))^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^(1/2)*(b/(a+b))^(1/2))*((a+b*\cos(d*x+c))/(a+b))^(1/2)/a/d/(a+b*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.39, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2802, 3059, 2655, 2653, 12, 2807, 2805}

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2b\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2-b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-2*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)] + (2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b^2*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e

```

+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

```

Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\left(\frac{1}{2}(a^2 - b^2) - \frac{1}{2}ab \cos(c + dx) - \frac{1}{2}b^2 \cos^2(c + dx)\right) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)} \\
 &= \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int -\frac{b(a^2 - b^2) \sec(c + dx)}{2\sqrt{a + b \cos(c + dx)}} dx}{ab(a^2 - b^2)} - \frac{b \int \sqrt{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\
 &= \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} - \frac{(b \sqrt{a + b \cos(c + dx)}) \int \sqrt{a + b \cos(c + dx)} dx}{a(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} \\
 &= -\frac{2b \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} + \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{\int \sqrt{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\
 &= -\frac{2b \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} + \frac{2 \sqrt{\frac{a + b \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right)}{ad \sqrt{a + b \cos(c + dx)}} + \frac{\int \sqrt{a + b \cos(c + dx)} dx}{a(a^2 - b^2)}
 \end{aligned}$$

**Mathematica [C]** time = 5.19, size = 402, normalized size = 2.28

$$\frac{4b^2 \sin(c+dx)}{(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2(2a^2-3b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{4ab\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{2i \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)-1)}{b-a}}}{\sqrt{a+b \cos(c+dx)}}$$

2ad

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-((( -4\*a\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(2\*a^2 - 3\*b^2)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*Sqrt[-(a + b)^(-1)]))/((-a + b)\*(a + b))) + (4\*b^2\*Sin[c + d\*x])/((a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]))/(2\*a\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple [A]** time = 0.92, size = 376, normalized size = 2.14

$$2\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b} + \frac{a+b}{a-b}} b \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{-\frac{2b}{a-b}}\right) a - 2b^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] 2\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*b\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, (-2\*b/(a-b))^(1/2))\*a^2-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*s

$\text{in}(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*b^2+2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/a/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx) (a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.536 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=277

$$\frac{b(a^2 - 3b^2) \sin(c + dx)}{a^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{(a^2 - 3b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2 d (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{3b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2 d \sqrt{a + b \cos(c + dx)}}$$

[Out]  $b*(a^2-3*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}-(a^2-3*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/d/(a+b*\cos(d*x+c))^{(1/2)}-3*b*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)}+\tan(d*x+c)/a/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.78, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2802, 3056, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(a^2 - 3b^2) \sin(c + dx)}{a^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{(a^2 - 3b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2 d (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{3b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $-(((a^2 - 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])) + (\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (3*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (b*(a^2 - 3*b^2)*\text{Sin}[c + d*x])/(a^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + \text{Tan}[c + d*x]/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2802

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x
])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rule 3002

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])^(n_)/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3056

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :=
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin
[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2
) - (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A
*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(
IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]
)))
```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx &= \frac{\tan(c+dx)}{ad\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{\left(-\frac{3b}{2} + \frac{1}{2}b\cos^2(c+dx)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{a} \\
&= \frac{b(a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\tan(c+dx)}{ad\sqrt{a+b\cos(c+dx)}} + \frac{2\int \frac{\left(-\frac{3}{4}b(a^2-b^2) + \frac{1}{2}ab\cos(c+dx)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{a} \\
&= \frac{b(a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\tan(c+dx)}{ad\sqrt{a+b\cos(c+dx)}} - \frac{2\int \frac{\left(\frac{3}{4}b^2(a^2-b^2) - \frac{1}{4}ab\cos(c+dx)\right)\sec(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{a^2b} \\
&= \frac{b(a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\tan(c+dx)}{ad\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{2a} \\
&= -\frac{(a^2-3b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{a^2(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{b(a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} \\
&= -\frac{(a^2-3b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{a^2(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{ad\sqrt{a+b\cos(c+dx)}}
\end{aligned}$$

**Mathematica [C]** time = 4.15, size = 441, normalized size = 1.59

$$\frac{4\tan(c+dx)(a^3+b(a^2-3b^2)\cos(c+dx)-ab^2)}{(a^2-b^2)\sqrt{a+b\cos(c+dx)}} - \frac{b\left(\frac{2(7a^2-9b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - 2i(a^2-3b^2)\csc(c+dx)\sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}}\sqrt{-\frac{b(\cos(c+dx)+1)}{a-b}}}\right)}{\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(3/2), x]

```

[Out] (-((b*((-8*a*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2
*b)/(a + b)])/Sqrt[a + b*Cos[c + d*x]] + (2*(7*a^2 - 9*b^2)*Sqrt[(a + b*Cos
[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)])/Sqrt[a + b*Co
s[c + d*x]] - ((2*I)*(a^2 - 3*b^2)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))
]*Sqrt[-((b*(1 + Cos[c + d*x]))/(a - b))]*Csc[c + d*x]*(2*a*(a - b)*Ellipti
cE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)
] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]
], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]
*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b^2*Sqrt[-(a + b)^(-1)]
))/((a - b)*(a + b))) + (4*(a^3 - a*b^2 + b*(a^2 - 3*b^2)*Cos[c + d*x])*Tan
[c + d*x])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]))/(4*a^2*d)

```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 2.02, size = 894, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2/a^2/s \\ & \sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d \\ & *x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & )*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d* \\ & x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin \\ & (1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/( \\ & a-b))^{(1/2)})+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+2/a^2*b*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1 \\ & /2*c), 2, (-2*b/(a-b))^{(1/2)})+2/a*(-1/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*( \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(- \\ & 2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/ \\ & 2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1 \\ & /2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/ \\ & a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(c \\ & os(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a \\ & b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b)) \\ & ^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(3/2), x)



**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^2 (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(3/2)), x)

[Out] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sec(c + d\*x)\*\*2/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.537 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=345

$$\frac{5b \tan(c+dx)}{4a^2 d \sqrt{a+b \cos(c+dx)}} - \frac{5b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^2 d \sqrt{a+b \cos(c+dx)}} - \frac{b^2 (7a^2 - 15b^2) \sin(c+dx)}{4a^3 d (a^2 - b^2) \sqrt{a+b \cos(c+dx)}} + \frac{b (7a^2 - 15b^2)}{4a^3 d \sqrt{a+b \cos(c+dx)}}$$

[Out]  $-1/4*b^2*(7*a^2-15*b^2)*\sin(d*x+c)/a^3/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)+1/4*b*(7*a^2-15*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a^3/(a^2-b^2)/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-5/4*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)+1/4*(4*a^2+15*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^3/d/(a+b*\cos(d*x+c))^{(1/2)}-5/4*b*\tan(d*x+c)/a^2/d/(a+b*\cos(d*x+c))^{(1/2)+1/2*\sec(d*x+c)*\tan(d*x+c)/a/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 1.08, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {2802, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$-\frac{b^2 (7a^2 - 15b^2) \sin(c+dx)}{4a^3 d (a^2 - b^2) \sqrt{a+b \cos(c+dx)}} + \frac{b (7a^2 - 15b^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4a^3 d (a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(4a^2 + 15b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{4a^3 d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(b*(7*a^2 - 15*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (5*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(4*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((4*a^2 + 15*b^2)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(4*a^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (b^2*(7*a^2 - 15*b^2)*\text{Sin}[c + d*x])/(4*a^3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (5*b*\text{Tan}[c + d*x])/(4*a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*SIN[c + d\*x]]/Sqrt[(a + b\*SIN[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*SIN[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[

{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 3002

Int((((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int((((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2]), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]

) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E  
 qQ[a, 0]))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^  
 2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) +  
 (f\_.)\*(x\_.)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x],  
 x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e  
 + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ  
 [{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]  
 && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx &= \frac{\sec(c+dx)\tan(c+dx)}{2ad\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{\left(-\frac{5b}{2}+a\cos(c+dx)+\frac{3}{2}b\cos^2(c+dx)\right)\sec^2(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{2a} \\ &= -\frac{5b\tan(c+dx)}{4a^2d\sqrt{a+b\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2ad\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{\left(\frac{1}{4}(4a^2+15b^2)+\frac{3}{2}ab\cos(c+dx)-\frac{5}{2}b^2\cos^2(c+dx)\right)\sec^2(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{2a^2} \\ &= -\frac{b^2(7a^2-15b^2)\sin(c+dx)}{4a^3(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{5b\tan(c+dx)}{4a^2d\sqrt{a+b\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2ad\sqrt{a+b\cos(c+dx)}} \\ &= -\frac{b^2(7a^2-15b^2)\sin(c+dx)}{4a^3(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{5b\tan(c+dx)}{4a^2d\sqrt{a+b\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2ad\sqrt{a+b\cos(c+dx)}} \\ &= -\frac{b^2(7a^2-15b^2)\sin(c+dx)}{4a^3(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{5b\tan(c+dx)}{4a^2d\sqrt{a+b\cos(c+dx)}} + \frac{\sec(c+dx)\tan(c+dx)}{2ad\sqrt{a+b\cos(c+dx)}} \\ &= \frac{b(7a^2-15b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4a^3(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{b^2(7a^2-15b^2)\sin(c+dx)}{4a^3(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} \\ &= \frac{b(7a^2-15b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4a^3(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{5b\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{4a^2d\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica** [C] time = 6.48, size = 597, normalized size = 1.73

$$\frac{\sqrt{a+b\cos(c+dx)}\left(-\frac{7b\tan(c+dx)}{4a^3} + \frac{\tan(c+dx)\sec(c+dx)}{2a^2} + \frac{2b^4\sin(c+dx)}{a^3(a^2-b^2)(a+b\cos(c+dx))}\right)}{d} - \frac{2(4a^3b-20ab^3)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] -1/16\*((2\*(4\*a^3\*b - 20\*a\*b^3)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF  
 [(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(8\*a^4 + 29\*a^2  
 \*b^2 - 45\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2

, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*(7\*a^2\*b^2 - 15\*b^4)\*Sqrt[(b - b\*Cos[c + d\*x])/(a + b)]\*Sqrt[-((b + b\*Cos[c + d\*x])/(a - b))]\*Cos[2\*(c + d\*x)]\*(2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] - b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))\*Sin[c + d\*x])/(a\*Sqrt[-(a + b)^(-1)]\*Sqrt[1 - Cos[c + d\*x]^2]\*Sqrt[-((a^2 - b^2 - 2\*a\*(a + b\*Cos[c + d\*x]) + (a + b\*Cos[c + d\*x])^2)/b^2)]\*(2\*a^2 - b^2 - 4\*a\*(a + b\*Cos[c + d\*x]) + 2\*(a + b\*Cos[c + d\*x])^2)))/(a^3\*(-a + b)\*(a + b)\*d) + (Sqrt[a + b\*Cos[c + d\*x]]\*((2\*b^4\*Sin[c + d\*x])/(a^3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])) - (7\*b\*Tan[c + d\*x])/(4\*a^3) + (Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^2)))/d

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 2.39, size = 1542, normalized size = 4.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2/a\*(-1/2/a\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^2+3/4\*b/a^2\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)-1/8\*b/a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))+3/8/a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))-3/8\*b^2/a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))-1/2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,(-2\*b/(a-b))^(1/2))-3/8/a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,(-2\*b/(a-b))^(1/2))\*b^2-2/a^3\*b^3/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a^2-b^2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(c

$\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a - (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * b * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 2*b * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 - 2*b^2/a^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) - 2/a^2*b*(-1/a*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2-1) + 1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - 1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * b * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2*b+a-b)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^3 (a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(3/2)), x)

[Out] int(1/(cos(c + d\*x)^3\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sec(c + d\*x)\*\*3/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.538 \quad \int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=436

$$\frac{2a^2 \sin(c+dx) \cos^3(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{8a^2(2a^2-3b^2) \sin(c+dx) \cos^2(c+dx)}{3b^2d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{4a(32a^4-49a^2b^2+7b^4) \sin(c+dx)}{15b^4d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2/3*a^2*\cos(d*x+c)^3*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(3/2)-8/3*a^2*(2*a^2-3*b^2)*\cos(d*x+c)^2*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^(1/2)-4/15*a*(32*a^4-49*a^2*b^2+7*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/b^4/(a^2-b^2)^2/d+2/15*(48*a^4-71*a^2*b^2+3*b^4)*\cos(d*x+c)*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/b^3/(a^2-b^2)^2/d+2/15*(128*a^6-212*a^4*b^2+55*a^2*b^4+9*b^6)*(\cos(1/2*d*x+1/2*c))^2^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*(a+b*\cos(d*x+c))^(1/2)/b^5/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^(1/2)-2/15*a*(128*a^4-116*a^2*b^2-17*b^4)*(\cos(1/2*d*x+1/2*c))^2^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^(1/2)*(b/(a+b))^(1/2))*((a+b*\cos(d*x+c))/(a+b))^(1/2)/b^5/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(1/2)$

**Rubi [A]** time = 0.86, antiderivative size = 436, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {2792, 3047, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2 \sin(c+dx) \cos^3(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{8a^2(2a^2-3b^2) \sin(c+dx) \cos^2(c+dx)}{3b^2d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2(-71a^2b^2+48a^4+3b^4) \sin(c+dx)}{15b^4d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^5/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(2*(128*a^6 - 212*a^4*b^2 + 55*a^2*b^4 + 9*b^6)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^5*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*a*(128*a^4 - 116*a^2*b^2 - 17*b^4)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^5*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*a^2*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^(3/2)) - (8*a^2*(2*a^2 - 3*b^2)*\text{Cos}[c + d*x]^2*\text{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (4*a*(32*a^4 - 49*a^2*b^2 + 7*b^4)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^4*(a^2 - b^2)^2*d) + (2*(48*a^4 - 71*a^2*b^2 + 3*b^4)*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^3*(a^2 - b^2)^2*d)$

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2792

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rule 3047

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3049

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_
```



```
.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rubi steps

$$\int \frac{\cos^5(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{\cos^2(c + dx)(3a^2 - \frac{3}{2}ab \cos(c + dx) - \frac{1}{2}(8a^2 - 3b^2) \cos^2(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx}{3b(a^2 - b^2)}$$

$$= -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(2a^2 - 3b^2) \cos^2(c + dx) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(2a^2 - 3b^2) \cos^2(c + dx) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(2a^2 - 3b^2) \cos^2(c + dx) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(2a^2 - 3b^2) \cos^2(c + dx) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2 \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(2a^2 - 3b^2) \cos^2(c + dx) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2(128a^6 - 212a^4b^2 + 55a^2b^4 + 9b^6) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^5(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2a}{15b^5d}$$

**Mathematica [A]** time = 1.99, size = 272, normalized size = 0.62

$$b \left( \frac{10a^5 \sin(c+dx)}{a^2-b^2} - \frac{10a^4(11a^2-15b^2) \sin(c+dx)(a+b \cos(c+dx))}{(a^2-b^2)^2} - 28a \sin(c + dx)(a + b \cos(c + dx))^2 + 3b \sin(2(c + dx))(a + b \cos(c + dx))^2 \right) / (15b^5d)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^5/(a + b*Cos[c + d*x])^(5/2), x]
[Out] ((2*((a + b*Cos[c + d*x])/(a + b))^(3/2)*((128*a^6 - 212*a^4*b^2 + 55*a^2*b^4 + 9*b^6)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + a*(-128*a^5 + 128*a^4*b + 116*a^3*b^2 - 116*a^2*b^3 + 17*a*b^4 - 17*b^5)*EllipticF[(c + d*x)/2, (2*b)/(a + b)]))/(a - b)^2 + b*((10*a^5*Sin[c + d*x])/(a^2 - b^2) - (10*a^4*(11*a^2 - 15*b^2)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2 - 28*a*(a + b*Cos[c + d*x])^2*Sin[c + d*x] + 3*b*(a + b*Cos[c + d*x])^2*Sin[2*(c + d*x)]))/(15*b^5*d*(a + b*Cos[c + d*x])^(3/2))
```

**fricas** [F] time = 2.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^5}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^5/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^5}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^5/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 4.37, size = 1684, normalized size = 3.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(16/b^2*(-1/10/b*\cos(1/2*d*x+1/2*c)^3*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-1/60/b^2*(-4*a+12*b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/60/b^2*(-4*a+12*b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/60*(4*a^2-15*a*b+27*b^2)/b^3*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) -8/b^3*(2*a+3*b)*(-1/6/b*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/6/b*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/12/b^2*(-2*a+6*b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) -2/b^5*(3*a^2+4*a*b+3*b^2)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}))) -2*(4*a^3+3*a^2*b+2*a*b^2+b^3)/b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+10*a^4/b^5/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a-b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)-2/b^5*a^5*($$

$$\frac{1}{6} \frac{b}{(a-b)(a+b)} \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \left(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^{4b+(a+b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 + \frac{1}{2} \frac{b}{(a-b)^2} \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 + \frac{8}{3} \frac{b}{(a-b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{a}{(-2\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right))^{2b-a+b}} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 + \frac{(3a-b)}{(3a^3+3a^2b-3ab^2-3b^3)} \left(\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{b+a-b}{(a-b)} \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right))^{4b+(a+b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), \frac{-2b}{(a-b)}\right)^{1/2}}{(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right))^{4b+(a+b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{b+a-b}{(a-b)} \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right))^{4b+(a+b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), \frac{-2b}{(a-b)}\right)^{1/2}}{(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right))^{4b+(a+b)} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \frac{b+a-b}{(a-b)} \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \text{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), \frac{-2b}{(a-b)}\right)^{1/2}}{\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \left(-2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^{2b+a+b} \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2} \frac{1}{d}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^5}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^5/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^5}{(a+b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^5/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)^5/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.539 \quad \int \frac{\cos^4(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=345

$$\frac{2a^2 \sin(c+dx) \cos^2(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(2a^2-b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3b^3d(a^2-b^2)} + \frac{2(16a^4-16a^2b^2-b^4) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^4d(a^2-b^2) \sqrt{a+b}}$$

[Out]  $-2/3*a^2*\cos(d*x+c)^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)+4/3*a^3*(3*a^2-5*b^2)*\sin(d*x+c)/b^3/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)+2/3*(2*a^2-b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)/d-8/3*a*(4*a^4-7*a^2*b^2+2*b^4)*(cos(1/2*d*x+1/2*c))^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^4/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)+2/3*(16*a^4-16*a^2*b^2-b^4)*(cos(1/2*d*x+1/2*c))^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^4/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.57, antiderivative size = 345, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2792, 3031, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2 \sin(c+dx) \cos^2(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2) \sin(c+dx)}{3b^3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2(2a^2-b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3b^3d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^4/(a + b\*cos[c + d\*x])^(5/2), x]

[Out]  $(-8*a*(4*a^4-7*a^2*b^2+2*b^4)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, (2*b)/(a+b)]/(3*b^4*(a^2-b^2)^2*d*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]) + (2*(16*a^4-16*a^2*b^2-b^4)*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]*\text{EllipticF}[(c+d*x)/2, (2*b)/(a+b)]/(3*b^4*(a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]) - (2*a^2*\text{Cos}[c+d*x]^2*\text{Sin}[c+d*x])/(3*b*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^{(3/2)}) + (4*a^3*(3*a^2-5*b^2)*\text{Sin}[c+d*x])/(3*b^3*(a^2-b^2)^2*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]) + (2*(2*a^2-b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])*\text{Sin}[c+d*x]/(3*b^3*(a^2-b^2)*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*SIN[c + d\*x]]/Sqrt[(a + b\*SIN[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*SIN[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2792

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 3031

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f
_)*(x_)]^2, x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx &= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2 \int \frac{\cos(c+dx)(2a^2-\frac{3}{2}ab\cos(c+dx)-\frac{3}{2}(2a^2-b^2)\cos^2(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx}{3b(a^2-b^2)} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2)\sin(c+dx)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \frac{4 \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{3b^3(a^2-b^2)^2} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2)\sin(c+dx)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2(2a^2-b^2)}{3b^3(a^2-b^2)^2} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2)\sin(c+dx)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2(2a^2-b^2)}{3b^3(a^2-b^2)^2} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2)\sin(c+dx)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2(2a^2-b^2)}{3b^3(a^2-b^2)^2} \\
&= -\frac{2a^2 \cos^2(c+dx) \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a^3(3a^2-5b^2)\sin(c+dx)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2(2a^2-b^2)}{3b^3(a^2-b^2)^2} \\
&= -\frac{8a(4a^4-7a^2b^2+2b^4)\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^4(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2(16a^4-16a^2b^2-b^4)}{3b^4(a^2-b^2)^2}
\end{aligned}$$

**Mathematica [A]** time = 1.64, size = 237, normalized size = 0.69

$$2 \left( \frac{b \sin(c+dx) \left( 16a^6 - 25a^4b^2 + (b^3 - a^2b)^2 \cos(2(c+dx)) + 4ab(5a^4 - 8a^2b^2 + b^4) \cos(c+dx) + b^6 \right)}{2(a^2 - b^2)^2} + \frac{\left( \frac{a+b\cos(c+dx)}{a+b} \right)^{3/2} \left( (16a^5 - 16a^4b - 16a^3b^2 + 16a^2b^3 - ab^4 + b^5) \operatorname{EllipticF}\left[\frac{c+dx}{2}, \frac{2b}{a+b}\right] + (16a^6 - 25a^4b^2 + b^6 + 4a^2b(5a^4 - 8a^2b^2 + b^4) \cos(c+dx) + (-a^2b + b^3)^2 \cos(2(c+dx))) \sin(c+dx) \right)}{3b^4 d(a+b\cos(c+dx))^{3/2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^4/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(((a + b\*Cos[c + d\*x])/(a + b))^(3/2)\*(-4\*(4\*a^5 - 7\*a^3\*b^2 + 2\*a\*b^4)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + (16\*a^5 - 16\*a^4\*b - 16\*a^3\*b^2 + 16\*a^2\*b^3 - a\*b^4 + b^5)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]))/(a - b)^2 + (b\*(16\*a^6 - 25\*a^4\*b^2 + b^6 + 4\*a\*b\*(5\*a^4 - 8\*a^2\*b^2 + b^4)\*Cos[c + d\*x] + (-a^2\*b + b^3)^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(2\*(a^2 - b^2)^2))/(3\*b^4\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas [F]** time = 1.64, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^4}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^4/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^4}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^4/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple [B]** time = 3.38, size = 1291, normalized size = 3.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(8/b^2*(-1/6 \\ & /b*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}+1/6/b*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b \\ & +a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/12/b^2*(-2*a+6*b)*( \\ & a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & )/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF \\ & (\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/ \\ & (a-b))^{(1/2)})))+4/b^4*(a+b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2* \\ & d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-Elliptic \\ & E(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)}))+2*(3*a^2+2*a*b+b^2)/b^4*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin( \\ & 1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+ \\ & 1/2*c),(-2*b/(a-b))^{(1/2)})-8*a^3/b^4/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1 \\ & /2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c \\ & )^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+( \\ & a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}* \\ & b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+2*b*\cos(1/2*d*x+1/2*c)*\sin \\ & (1/2*d*x+1/2*c)^2)+2/b^4*a^4*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin \\ & (1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^ \\ & 2+1/2/b*(a-b))^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2 \\ & *c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b) \\ & /((3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x \\ & +1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b) \\ & )/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b) \\ & ))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF \\ & (\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^4}{(b \cos(dx+c)+a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^4/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^4}{(a+b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^4/(a + b*cos(c + d*x))^(5/2), x)
```

```
[Out] int(cos(c + d*x)^4/(a + b*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4/(a+b*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```



$$3.540 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=281

$$\frac{8a^2(a^2-2b^2)\sin(c+dx)}{3b^2d(a^2-b^2)^2\sqrt{a+b\cos(c+dx)}} - \frac{2a^2\sin(c+dx)\cos(c+dx)}{3bd(a^2-b^2)(a+b\cos(c+dx))^{3/2}} - \frac{2a(8a^2-9b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c\right)}{3b^3d(a^2-b^2)\sqrt{a+b\cos(c+dx)}}$$

[Out]  $-2/3*a^2*\cos(d*x+c)*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}-8/3*a^2*(a^2-2*b^2)*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(8*a^4-15*a^2*b^2+3*b^4)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/b^3/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-2/3*a*(8*a^2-9*b^2)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/b^3/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.38, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2792, 3021, 2752, 2663, 2661, 2655, 2653}

$$\frac{8a^2(a^2-2b^2)\sin(c+dx)}{3b^2d(a^2-b^2)^2\sqrt{a+b\cos(c+dx)}} - \frac{2a^2\sin(c+dx)\cos(c+dx)}{3bd(a^2-b^2)(a+b\cos(c+dx))^{3/2}} - \frac{2a(8a^2-9b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c\right)}{3b^3d(a^2-b^2)\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/(a + b\*cos[c + d\*x])^(5/2), x]

[Out]  $(2*(8*a^4-15*a^2*b^2+3*b^4)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,(2*b)/(a+b)]/(3*b^3*(a^2-b^2)^2*d*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]) - (2*a*(8*a^2-9*b^2)*\text{Sqrt}[(a+b*\text{Cos}[c+d*x])/(a+b)]*\text{EllipticF}[(c+d*x)/2,(2*b)/(a+b)]/(3*b^3*(a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]) - (2*a^2*\text{Cos}[c+d*x]*\text{Sin}[c+d*x])/(3*b*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^{(3/2)}) - (8*a^2*(a^2-2*b^2)*\text{Sin}[c+d*x])/(3*b^2*(a^2-b^2)^2*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2792

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(
n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e
+ f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 +
a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b
^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^
2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x
] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2
, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
egersQ[2*m, 2*n])
```

### Rule 3021

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{a^2 - \frac{3}{2}ab \cos(c + dx) - \frac{1}{2}(4a^2 - 3b^2) \cos^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{3b(a^2 - b^2)} \\
&= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(a^2 - 2b^2) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{4 \int \frac{1}{2} \frac{a^2 - b^2}{(a + b \cos(c + dx))^{3/2}} dx}{3b(a^2 - b^2)} \\
&= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(a^2 - 2b^2) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} - \frac{(a(8a^2 - 9b^2) \sqrt{a + b \cos(c + dx)})}{3b^2(a^2 - b^2)} \\
&= -\frac{2a^2 \cos(c + dx) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{8a^2(a^2 - 2b^2) \sin(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{((8a^2 - 9b^2) \sqrt{a + b \cos(c + dx)})}{3b^2(a^2 - b^2)} \\
&= \frac{2(8a^4 - 15a^2b^2 + 3b^4) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2a(8a^2 - 9b^2) \sqrt{a + b \cos(c + dx)}}{3b^3(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} - \frac{2a(8a^2 - 9b^2) \sqrt{a + b \cos(c + dx)}}{3b^3(a^2 - b^2)}
\end{aligned}$$

**Mathematica [A]** time = 1.27, size = 188, normalized size = 0.67

$$2 \left( \frac{a^2 b \sin(c+dx) (-4a^3 + (9b^3 - 5a^2 b) \cos(c+dx) + 8ab^2)}{(a^2 - b^2)^2} + \frac{\left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} \left((8a^4 - 15a^2 b^2 + 3b^4) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a(-8a^3 + 8a^2 b + 9ab^2 - 9b^3) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)\right)}{(a-b)^2} \right) \frac{1}{3b^3 d (a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(((a + b\*Cos[c + d\*x])/(a + b))^(3/2)\*((8\*a^4 - 15\*a^2\*b^2 + 3\*b^4)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + a\*(-8\*a^3 + 8\*a^2\*b + 9\*a\*b^2 - 9\*b^3)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]))/(a - b)^2 + (a^2\*b\*(-4\*a^3 + 8\*a\*b^2 + (-5\*a^2\*b + 9\*b^3)\*Cos[c + d\*x])\*Sin[c + d\*x]/(a^2 - b^2)^2)/(3\*b^3\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas [F]** time = 1.61, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^3}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^3/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple [B]** time = 2.88, size = 907, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2/b^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a+EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b)+6\*a^2/b^3/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)/(a^2-b^2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*b\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)-2/b^3\*a^3\*(1/6/b/(a-b)/(a+b)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2/b\*(a-b))^2+8/3\*b\*sin(1/2\*d

```
*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-(-2*cos(1/2*d*x+1/2*c)^2
*b-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-
2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(
a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))))/sin(1/2*d*
x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a-b)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^3}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate(cos(d*x + c)^3/(b*cos(d*x + c) + a)^(5/2), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^3}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^3/(a + b*cos(c + d*x))^(5/2),x)
```

```
[Out] int(cos(c + d*x)^3/(a + b*cos(c + d*x))^(5/2), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.541 \quad \int \frac{\cos^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=263

$$-\frac{2a^2 \sin(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{4a(a^2-3b^2) \sin(c+dx)}{3bd(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2(2a^2-3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{3b^2d(a^2-b^2) \sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2/3*a^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}+4/3*a*(a^2-3*b^2)*\sin(d*x+c)/b/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}-4/3*a*(a^2-3*b^2)*(cos(1/2*d*x+1/2*c))^2^{1/2}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/b^2/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}+2/3*(2*a^2-3*b^2)*(cos(1/2*d*x+1/2*c))^2^{1/2}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/b^2/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}$

**Rubi [A]** time = 0.34, antiderivative size = 263, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2790, 2754, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2a^2 \sin(c+dx)}{3bd(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{4a(a^2-3b^2) \sin(c+dx)}{3bd(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2(2a^2-3b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{3b^2d(a^2-b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-4*a*(a^2-3*b^2)*Sqrt[a+b*Cos[c+d*x]]*EllipticE[(c+d*x)/2,(2*b)/(a+b)]/(3*b^2*(a^2-b^2)^2*d*Sqrt[(a+b*Cos[c+d*x])/(a+b)])+(2*(2*a^2-3*b^2)*Sqrt[(a+b*Cos[c+d*x])/(a+b)]*EllipticF[(c+d*x)/2,(2*b)/(a+b)]/(3*b^2*(a^2-b^2)*d*Sqrt[a+b*Cos[c+d*x]])-(2*a^2*Sin[c+d*x])/(3*b*(a^2-b^2)*d*(a+b*Cos[c+d*x])^{3/2})+(4*a*(a^2-3*b^2)*Sin[c+d*x])/(3*b*(a^2-b^2)^2*d*Sqrt[a+b*Cos[c+d*x]])$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

$b^2, 0] \&\& !\text{GtQ}[a + b, 0]$

### Rule 2752

$\text{Int}[\frac{(c_.) + (d_.)\sin[(e_.) + (f_.)x]}{\sqrt{(a_.) + (b_.)\sin[(e_.) + (f_.)x]}}, x\_Symbol] :> \text{Dist}[(b*c - a*d)/b, \text{Int}[1/\sqrt{a + b*\sin[e + f*x]}, x], x] + \text{Dist}[d/b, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2754

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x]), x\_Symbol] :> -\text{Simp}[(b*c - a*d)\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1} / (f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * \text{Simp}[(a*c - b*d)*(m+1) - (b*c - a*d)*(m+2)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegerQ}[2*m]$

### Rule 2790

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])^2, x\_Symbol] :> -\text{Simp}[(b^2*c^2 - 2*a*b*c*d + a^2*d^2)\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1} / (b*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * \text{Simp}[b*(m+1)*(2*b*c*d - a*(c^2 + d^2)) + (a^2*d^2 - 2*a*b*c*d*(m+2) + b^2*(d^2*(m+1) + c^2*(m+2)))*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx &= -\frac{2a^2 \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2 \int \frac{\frac{3ab}{2} + \frac{1}{2}(2a^2-3b^2)\cos(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3b(a^2-b^2)} \\ &= -\frac{2a^2 \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a(a^2-3b^2)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \frac{4 \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{3b(a^2-b^2)^2} \\ &= -\frac{2a^2 \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a(a^2-3b^2)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \frac{(2a(a^2-3b^2)) \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{3b(a^2-b^2)^2} \\ &= -\frac{2a^2 \sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{4a(a^2-3b^2)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \frac{(2a(a^2-3b^2)) \int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{3b(a^2-b^2)^2} \\ &= -\frac{4a(a^2-3b^2)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^2(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2(2a^2-3b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{3b^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.15, size = 175, normalized size = 0.67

$$\frac{2 \left( \frac{ab \sin(c+dx)(a^3+2b(a^2-3b^2)\cos(c+dx)-5ab^2)}{(a^2-b^2)^2} - \frac{\left(\frac{a+b\cos(c+dx)}{a+b}\right)^{3/2} \left( 2(a^3-3ab^2)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) + (-2a^3+2a^2b+3ab^2-3b^3)F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) \right)}{(a-b)^2} \right)}{3b^2 d(a+b\cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(-(((a + b\*Cos[c + d\*x])/(a + b))^(3/2)\*(2\*(a^3 - 3\*a\*b^2)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + (-2\*a^3 + 2\*a^2\*b + 3\*a\*b^2 - 3\*b^3)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])))/(a - b)^2 + (a\*b\*(a^3 - 5\*a\*b^2 + 2\*b\*(a^2 - 3\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/(a^2 - b^2)^2)/(3\*b^2\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas** [F] time = 1.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^2}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 2.85, size = 846, normalized size = 3.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2/b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-4/b^2\*a/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)/(a^2-b^2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*b\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)+2/b^2\*a^2\*(1/6/b/(a-b)/(a+b)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2/b\*(a-b))^2+8/3\*b\*sin(1/2\*d\*x+1/2\*c)^2/(a-b)^2/(a+b)^2\*cos(1/2\*d\*x+1/2\*c)\*a/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+(3\*a-b)/(3\*a^3+3\*a^2\*b-3\*a\*b^2-3\*b^3)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-4/3\*a/(a-b)/(a+b)^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))))/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^2}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)^2/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out



$$3.542 \quad \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=243

$$\frac{2(a^2 + 3b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2a \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(a^2 + 3b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

[Out]  $2/3*a*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}+2/3*(a^2+3*b^2)*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}-2/3*(a^2+3*b^2)*(cos(1/2*d*x+1/2*c))^2^{1/2}/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/b/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}+2/3*a*(cos(1/2*d*x+1/2*c))^2^{1/2}/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c), 2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}$

**Rubi [A]** time = 0.27, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 + 3b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2a \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(a^2 + 3b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-2*(a^2 + 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*a*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(3*b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) + (2*(a^2 + 3*b^2)*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

b^2, 0] && !GtQ[a + b, 0]

Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rubi steps

$$\int \frac{\cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{\frac{3b}{2} - \frac{1}{2}a \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2(a^2 + 3b^2) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{4 \int \frac{-ab - \frac{1}{4}}{\sqrt{a + b \cos(c + dx)}} dx}{3}$$

$$= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2(a^2 + 3b^2) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{a \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{3b(a^2 - b^2)}$$

$$= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} + \frac{2(a^2 + 3b^2) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} - \frac{((a^2 + 3b^2) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx)}{3b(a^2 - b^2)}$$

$$= -\frac{2(a^2 + 3b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}$$

**Mathematica [A]** time = 1.00, size = 154, normalized size = 0.63

$$\frac{2 \left( \frac{\sin(c+dx)(b(a^2+3b^2) \cos(c+dx)+2a(a^2+b^2))}{(a^2-b^2)^2} - \frac{\left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} \left( (a^2+3b^2) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + a(b-a) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right)}{b(a-b)^2} \right)}{3d(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(-(((a + b\*Cos[c + d\*x])/(a + b))^(3/2)\*((a^2 + 3\*b^2)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + a\*(-a + b)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])))/((a - b)^2\*b)) + ((2\*a\*(a^2 + b^2) + b\*(a^2 + 3\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/(a^2 - b^2^2)/(3\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas** [F] time = 1.36, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} \cos(dx+c)}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 2.73, size = 742, normalized size = 3.05

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-\frac{2b\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{a-b}} \right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b/\sin(1/2 \\ & *d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d*x+1/2 \\ & *c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2 \\ & *b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2* \\ & c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d \\ & *x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)} \\ & )+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*a/b*(1/6/b/(a-b)/(a+b) \\ & )*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2) \\ & )^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^{(1/2)}+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b) \\ & )^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2 \\ & *c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2 \\ & *b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1 \\ & /2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-\text{Ell \\ & ipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin \\ & (1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)/(a + b\*cos(c + d\*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(cos(c + d\*x)/(a + b\*cos(c + d\*x))\*\*(5/2), x)

$$3.543 \quad \int \frac{1}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=221

$$\frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{2b \sin(c+dx)}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}}$$

[Out]  $-2/3*b*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}-8/3*a*b*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}+8/3*a*(\cos(1/2*d*x+1/2*c))^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*(a+b*\cos(d*x+c))^{1/2}/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{1/2}-2/3*(\cos(1/2*d*x+1/2*c))^{1/2}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{1/2}*(b/(a+b))^{1/2})*((a+b*\cos(d*x+c))/(a+b))^{1/2}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{1/2}$

**Rubi [A]** time = 0.23, antiderivative size = 221, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {2664, 2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{2b \sin(c+dx)}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-5/2), x]

[Out]  $(8*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*b*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) - (8*a*b*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2663**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]] , x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

b^2, 0] && !GtQ[a + b, 0]

Rule 2664

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^{5/2}} dx = -\frac{2b \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3a}{2} + \frac{1}{2}b \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8ab \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(3a^2 - b^2) \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8ab \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{(4a) \int \frac{\sqrt{a + b \cos(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{8ab \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{(4a \sqrt{a + b \cos(c + dx)}) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{3(a^2 - b^2)}$$

$$= \frac{8a \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3(a^2 - b^2)d \sqrt{a + b \cos(c + dx)}} - \frac{(4a^2) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{3(a^2 - b^2)}$$

**Mathematica** [A] time = 0.93, size = 158, normalized size = 0.71

$$\frac{2b \sin(c + dx) (-5a^2 - 4ab \cos(c + dx) + b^2) - 2(a - b)(a + b)^2 \left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 8a(a + b)^2 \left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2}}{3d(a - b)^2(a + b)^2(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-5/2),x]

[Out]  $(8*a*(a+b)^2*((a+b*\cos[c+d*x])/(a+b))^{3/2}*EllipticE[(c+d*x)/2, (2*b)/(a+b)] - 2*(a-b)*(a+b)^2*((a+b*\cos[c+d*x])/(a+b))^{3/2}*EllipticF[(c+d*x)/2, (2*b)/(a+b)] + 2*b*(-5*a^2 + b^2 - 4*a*b*\cos[c+d*x])*Sin[c+d*x])/(3*(a-b)^2*(a+b)^2*d*(a+b*\cos[c+d*x])^{3/2})$

**fricas** [F] time = 1.53, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)+a}}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral(sqrt(b*cos(d*x+c)+a)/(b^3*cos(d*x+c)^3 + 3*a*b^2*cos(d*x+c)^2 + 3*a^2*b*cos(d*x+c)+a^3), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")`

[Out] `integrate((b*cos(d*x+c)+a)^(-5/2), x)`

**maple** [A] time = 1.66, size = 489, normalized size = 2.21

$$\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b}\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \left( \frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{3b(a-b)(a+b)\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{a-b}{2b}\right)^2} + \frac{1}{3(a-b)^2(a+b)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a+b*cos(d*x+c))^(5/2),x)`

[Out]  $-(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(1/3/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a-b))^{2+16/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3))*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-8/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(-5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(1/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(-5/2), x)



$$3.544 \quad \int \frac{\sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=320

$$\frac{2b^2(7a^2 - 3b^2) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

[Out]  $2/3*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}+2/3*b^2*(7*a^2-3*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}-2/3*b*(7*a^2-3*b^2)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)^2/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}+2/3*b*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/a^2/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.87, antiderivative size = 320, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 10, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.476$ , Rules used = {2802, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2b^2(7a^2 - 3b^2) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-2*b*(7*a^2 - 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)]/(a^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b^2*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*b^2*(7*a^2 - 3*b^2)*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Dist[Sqrt[a + b\*SIN[c + d\*x]]/Sqrt[(a + b\*SIN[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*SIN[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2802

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x
])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)
), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n +
2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 3002

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)])/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

## Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rubi steps

$$\begin{aligned} \int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2 \int \frac{\left(\frac{3}{2}(a^2-b^2) - \frac{3}{2}ab\cos(c+dx) + \frac{1}{2}b^2\cos^2(c+dx)\right) \sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3a(a^2-b^2)} \\ &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2b^2(7a^2-3b^2)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{4 \int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3a(a^2-b^2)} \\ &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2b^2(7a^2-3b^2)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \frac{4 \int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3a(a^2-b^2)} \\ &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2b^2(7a^2-3b^2)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{\sec(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3a(a^2-b^2)} \\ &= -\frac{2b(7a^2-3b^2)\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3a^2(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} \\ &= -\frac{2b(7a^2-3b^2)\sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3a^2(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2b\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3a(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 4.80, size = 464, normalized size = 1.45

$$\frac{4b^2 \sin(c+dx)(8a^3+b(7a^2-3b^2)\cos(c+dx)-4ab^2)}{(a^3-ab^2)^2(a+b\cos(c+dx))^{3/2}} + \frac{8ab(3a^2-b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) + 2i(3b^2-7a^2)\csc(c+dx)\sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}}\sqrt{-\frac{b(\cos(c+dx)+1)}{a+b}}}{\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (((-8\*a\*b\*(3\*a^2 - b^2)\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b))\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(6\*a^4 - 19\*a^2\*b^2 + 9\*b^4)\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b))\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + ((2\*I)\*(-7\*a^2 + 3\*b^2)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*

ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]], (a + b)/(a - b)])))/  
(a\*Sqrt[-(a + b)^(-1)])/(a^2\*(a - b)^2\*(a + b)^2) + (4\*b^2\*(8\*a^3 - 4\*a\*b^2 + b\*(7\*a^2 - 3\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^3 - a\*b^2)^2\*(a + b\*Cos[c + d\*x])^(3/2)))/(6\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 2.72, size = 845, normalized size = 2.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] -((-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2/a^2\*b/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)/(a^2-b^2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2))\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*b\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-2/a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, (-2\*b/(a-b))^(1/2))-2/a\*b\*(1/6/b/(a-b)/(a+b)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2/b\*(a-b))^2+8/3\*b\*sin(1/2\*d\*x+1/2\*c)^2/(a-b)^2/(a+b)^2\*cos(1/2\*d\*x+1/2\*c)\*a/((-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+(3\*a-b)/(3\*a^3+3\*a^2\*b-3\*a\*b^2-3\*b^3)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-4/3\*a/(a-b)/(a+b)^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)/(a-b))^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx) (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)\*(a + b\*cos(c + d\*x))^(5/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*(5/2), x)

$$3.545 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=380

$$\frac{5b \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^3 d \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2 - 5b^2) \sin(c+dx)}{3a^2 d (a^2 - b^2) (a+b \cos(c+dx))^{3/2}} + \frac{(3a^2 - 5b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3a^2 d (a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

[Out]  $\frac{1}{3} b (3 a^2 - 5 b^2) \sin(d x + c) / a^2 / (a^2 - b^2) / d / (a + b \cos(d x + c))^{3/2} + \frac{1}{3} b (3 a^4 - 26 a^2 b^2 + 15 b^4) \sin(d x + c) / a^3 / (a^2 - b^2)^2 / d / (a + b \cos(d x + c))^{1/2} - \frac{1}{3} (3 a^4 - 26 a^2 b^2 + 15 b^4) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) * \text{EllipticE}(\sin(1/2 d x + 1/2 c), 2^{1/2} * (b / (a + b))^{1/2}) * (a + b \cos(d x + c))^{1/2} / a^3 / (a^2 - b^2)^2 / d / ((a + b \cos(d x + c)) / (a + b))^{1/2} + \frac{1}{3} (3 a^2 - 5 b^2) (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) * \text{EllipticF}(\sin(1/2 d x + 1/2 c), 2^{1/2} * (b / (a + b))^{1/2}) * ((a + b \cos(d x + c)) / (a + b))^{1/2} / a^2 / (a^2 - b^2) / d / (a + b \cos(d x + c))^{1/2} - 5 b (\cos(1/2 d x + 1/2 c))^2 / \cos(1/2 d x + 1/2 c) * \text{EllipticPi}(\sin(1/2 d x + 1/2 c), 2, 2^{1/2} * (b / (a + b))^{1/2}) * ((a + b \cos(d x + c)) / (a + b))^{1/2} / a^3 / d / (a + b \cos(d x + c))^{1/2} + \tan(d x + c) / a / d / (a + b \cos(d x + c))^{3/2}$

**Rubi [A]** time = 1.10, antiderivative size = 380, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {2802, 3056, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(-26a^2b^2 + 3a^4 + 15b^4) \sin(c+dx)}{3a^3 d (a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2 - 5b^2) \sin(c+dx)}{3a^2 d (a^2 - b^2) (a+b \cos(c+dx))^{3/2}} + \frac{(3a^2 - 5b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3a^2 d (a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $-\frac{((3 a^4 - 26 a^2 b^2 + 15 b^4) \sqrt{a + b \cos[c + d x]} \text{EllipticE}[(c + d x) / 2, (2 b) / (a + b)]) / (3 a^3 (a^2 - b^2)^2 d \sqrt{a + b \cos[c + d x]} / (a + b)) + ((3 a^2 - 5 b^2) \sqrt{a + b \cos[c + d x]} / (a + b) \text{EllipticF}[(c + d x) / 2, (2 b) / (a + b)]) / (3 a^2 (a^2 - b^2) d \sqrt{a + b \cos[c + d x]}) - (5 b \sqrt{a + b \cos[c + d x]} / (a + b) \text{EllipticPi}[2, (c + d x) / 2, (2 b) / (a + b)]) / (a^3 d \sqrt{a + b \cos[c + d x]}) + (b (3 a^2 - 5 b^2) \sin[c + d x]) / (3 a^2 (a^2 - b^2) d (a + b \cos[c + d x])^{3/2}} + (b (3 a^4 - 26 a^2 b^2 + 15 b^4) \sin[c + d x]) / (3 a^3 (a^2 - b^2)^2 d \sqrt{a + b \cos[c + d x]}) + \tan[c + d x] / (a d (a + b \cos[c + d x])^{3/2}}$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2655**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 3002

Int((((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c

```
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3056

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :>
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin
[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2
) - (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A
*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(
IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]
)))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\sec^2(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx &= \frac{\tan(c+dx)}{ad(a+b\cos(c+dx))^{3/2}} + \frac{\int \frac{\left(-\frac{5b}{2} + \frac{3}{2}b\cos^2(c+dx)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx}{a} \\
&= \frac{b(3a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{\tan(c+dx)}{ad(a+b\cos(c+dx))^{3/2}} + \frac{2\int \frac{\left(-\frac{15}{4}b(a^2-b^2)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx}{a} \\
&= \frac{b(3a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{b(3a^4-26a^2b^2+15b^4)\sin(c+dx)}{3a^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2\int \frac{\left(-\frac{15}{4}b(a^2-b^2)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx}{a} \\
&= \frac{b(3a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{b(3a^4-26a^2b^2+15b^4)\sin(c+dx)}{3a^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2\int \frac{\left(-\frac{15}{4}b(a^2-b^2)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx}{a} \\
&= \frac{b(3a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{b(3a^4-26a^2b^2+15b^4)\sin(c+dx)}{3a^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \frac{2\int \frac{\left(-\frac{15}{4}b(a^2-b^2)\right)\sec(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx}{a} \\
&= -\frac{(3a^4-26a^2b^2+15b^4)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3a^3(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{b(3a^2-5b^2)\sqrt{a+b\cos(c+dx)}}{3a^2(a^2-b^2)d} \\
&= -\frac{(3a^4-26a^2b^2+15b^4)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3a^3(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{(3a^2-5b^2)\sqrt{a+b\cos(c+dx)}}{3a^2(a^2-b^2)d}
\end{aligned}$$

**Mathematica [C]** time = 6.58, size = 638, normalized size = 1.68

$$\frac{\sqrt{a+b\cos(c+dx)}\left(\frac{\tan(c+dx)}{a^3} - \frac{2b^3\sin(c+dx)}{3a^2(a^2-b^2)(a+b\cos(c+dx))^2} - \frac{4(5a^2b^3\sin(c+dx)-3b^5\sin(c+dx))}{3a^3(a^2-b^2)^2(a+b\cos(c+dx))}\right) + b\left(\frac{2(20ab^3-36a^3b)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{\sqrt{a+b\cos(c+dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] 
$$\begin{aligned}
& -1/12*(b*((2*(-36*a^3*b + 20*a*b^3)*Sqrt[(a + b*Cos[c + d*x])]/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(33*a^4 - 86*a^2*b^2 + 45*b^4)*Sqrt[(a + b*Cos[c + d*x])]/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(3*a^4 - 26*a^2*b^2 + 15*b^4)*Sqrt[(b - b*Cos[c + d*x])]/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(a^3*(-a + b)^2*(a + b)^2*d) + (Sqrt[a + b*Cos[c + d*x]]*((-2*b^3*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (4*(5*a^2*b^3*Sin[c + d*x] - 3*b^5*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + Tan[c + d*x]/a^3))/d
\end{aligned}$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 3.61, size = 1320, normalized size = 3.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*b^2/a^3/s \\ & \sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*\sin(1/2*d \\ & *x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d* \\ & x+1/2*c), (-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin \\ & (1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/( \\ & a-b))^{(1/2)})+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+4/a^3*b*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1 \\ & /2*c), 2, (-2*b/(a-b))^{(1/2)})+2/a^2*(-1/a*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos( \\ & 1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos \\ & (1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/ \\ & 2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*\text{EllipticE} \\ & (\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+( \\ & a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b) \\ & ))^{(1/2)}))+2*b^2/a^2*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+ \\ & 1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2/b*(a \\ & -b))^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(- \\ & 2*\cos(1/2*d*x+1/2*c)^2*b-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3* \\ & a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2* \\ & b+a-b)/(a-b))^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*\cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^{(1/2)}/( \\ & -2*\sin(1/2*d*x+1/2*c)^4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos( \\ & 1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b) \\ & ))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^2 (a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^2\*(a + b\*cos(c + d\*x))^(5/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(sec(c + d\*x)\*\*2/(a + b\*cos(c + d\*x))\*\*(5/2), x)

$$3.546 \quad \int \frac{1}{(a+b \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=282

$$\frac{2b(23a^2 + 9b^2) \sin(c + dx)}{15d(a^2 - b^2)^3 \sqrt{a + b \cos(c + dx)}} - \frac{16ab \sin(c + dx)}{15d(a^2 - b^2)^2 (a + b \cos(c + dx))^{3/2}} - \frac{2b \sin(c + dx)}{5d(a^2 - b^2) (a + b \cos(c + dx))^{5/2}} - \frac{16}{15}$$

[Out]  $-2/5*b*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(5/2)}-16/15*a*b*\sin(d*x+c)/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(3/2)}-2/15*b*(23*a^2+9*b^2)*\sin(d*x+c)/(a^2-b^2)^3/d/(a+b*\cos(d*x+c))^{(1/2)}+2/15*(23*a^2+9*b^2)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/(a^2-b^2)^3/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}-16/15*a*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*((a+b*\cos(d*x+c))/(a+b))^{(1/2)}/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.36, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$ , Rules used = {2664, 2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2b(23a^2 + 9b^2) \sin(c + dx)}{15d(a^2 - b^2)^3 \sqrt{a + b \cos(c + dx)}} - \frac{16ab \sin(c + dx)}{15d(a^2 - b^2)^2 (a + b \cos(c + dx))^{3/2}} - \frac{2b \sin(c + dx)}{5d(a^2 - b^2) (a + b \cos(c + dx))^{5/2}} - \frac{16}{15}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(-7/2), x]

[Out]  $(2*(23*a^2 + 9*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(15*(a^2 - b^2)^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (16*a*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)])/(15*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (2*b*\text{Sin}[c + d*x])/(5*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(5/2)}) - (16*a*b*\text{Sin}[c + d*x])/(15*(a^2 - b^2)^2*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) - (2*b*(23*a^2 + 9*b^2)*\text{Sin}[c + d*x])/(15*(a^2 - b^2)^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b)

+ (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2664

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \cos(c + dx))^{7/2}} dx &= -\frac{2b \sin(c + dx)}{5(a^2 - b^2)d(a + b \cos(c + dx))^{5/2}} - \frac{2 \int \frac{-\frac{5a}{2} + \frac{3}{2}b \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{5(a^2 - b^2)} \\
 &= -\frac{2b \sin(c + dx)}{5(a^2 - b^2)d(a + b \cos(c + dx))^{5/2}} - \frac{16ab \sin(c + dx)}{15(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}} + \frac{4}{15} \\
 &= -\frac{2b \sin(c + dx)}{5(a^2 - b^2)d(a + b \cos(c + dx))^{5/2}} - \frac{16ab \sin(c + dx)}{15(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}} - \frac{4}{15} \\
 &= -\frac{2b \sin(c + dx)}{5(a^2 - b^2)d(a + b \cos(c + dx))^{5/2}} - \frac{16ab \sin(c + dx)}{15(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}} - \frac{4}{15} \\
 &= -\frac{2b \sin(c + dx)}{5(a^2 - b^2)d(a + b \cos(c + dx))^{5/2}} - \frac{16ab \sin(c + dx)}{15(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}} - \frac{4}{15} \\
 &= \frac{2(23a^2 + 9b^2) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15(a^2 - b^2)^3 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{16a \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 1.42, size = 189, normalized size = 0.67

$$2 \left( \frac{\left( \frac{a+b \cos(c+dx)}{a+b} \right)^{5/2} \left( (23a^2+9b^2) E\left( \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b} \right) + 8a(b-a) F\left( \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b} \right) \right)}{(a-b)^3} + \frac{b \sin(c+dx) (34a^4+b^2(23a^2+9b^2) \cos^2(c+dx) + 2ab(27a^2+5b^2) \cos(c+dx))}{(b^2-a^2)^3} \right) \frac{1}{15d(a+b \cos(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(-7/2), x]

[Out] (2\*(((a + b\*Cos[c + d\*x])/(a + b))^(5/2)\*((23\*a^2 + 9\*b^2)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + 8\*a\*(-a + b)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]))/(a - b)^3 + (b\*(34\*a^4 - 5\*a^2\*b^2 + 3\*b^4 + 2\*a\*b\*(27\*a^2 + 5\*b^2)\*Cos[c + d\*x] + b^2\*(23\*a^2 + 9\*b^2)\*Cos[c + d\*x]^2)\*Sin[c + d\*x])/(-a^2 + b^2)^3)/(15\*d\*(a + b\*Cos[c + d\*x])^(5/2))

**fricas [F]** time = 2.82, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{b^4 \cos(dx + c)^4 + 4ab^3 \cos(dx + c)^3 + 6a^2b^2 \cos(dx + c)^2 + 4a^3b \cos(dx + c) + a^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(7/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/(b^4\*cos(d\*x + c)^4 + 4\*a\*b^3\*cos(d\*x + c)^3 + 6\*a^2\*b^2\*cos(d\*x + c)^2 + 4\*a^3\*b\*cos(d\*x + c) + a^4), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(-7/2), x)

**maple [A]** time = 2.36, size = 616, normalized size = 2.18

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b - a + b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{10b^2(a-b)(a+b)\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{a-b}{2b}\right)^3} + \frac{8a \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{15b(a-b)^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(7/2), x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(1/10/b^2/(a-b)/(a+b)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2/b\*(a-b))^3+8/15\*a/b/(a-b)^2/(a+b)^2\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2/b\*(a-b))^2+4/15\*b\*sin(1/2\*d\*x+1/2\*c)^2/(a-b)^3/(a+b)^3\*cos(1/2\*d\*x+1/2\*c)\*(23\*a^2+9\*b^2)/(-(-2\*cos(1/2\*d\*x+1/2\*c)^2\*b-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*(15\*a^2-8\*a\*b+9\*b^2)/(15\*a^5+15\*a^4\*b-30\*a^3\*b^2-30\*a^2\*b^3+15\*a\*b^4+15\*b^5)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*cos(

$$\frac{1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2})^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-2/15*(23*a^2+9*b^2)/(a-b)^2/(a+b)^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}/(a-b))^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^{4*b+(a+b)*\sin(1/2*d*x+1/2*c)^2})^{1/2}*(EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{1/2}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(-7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b\*cos(c + d\*x))^(7/2),x)

[Out] int(1/(a + b\*cos(c + d\*x))^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

$$3.547 \quad \int \frac{\cos^3(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=111

$$-\frac{23F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} + \frac{9\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{20d} + \frac{\sin(c+dx)\cos(c+dx)\sqrt{4\cos(c+dx)+3}}{10d} - \frac{\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{10d}$$

[Out]  $-23/140*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+9/20*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}-1/10*\sin(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}/d+1/10*\cos(d*x+c)*\sin(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.15, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2793, 3023, 2752, 2661, 2653}

$$-\frac{23F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} + \frac{9\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{20d} + \frac{\sin(c+dx)\cos(c+dx)\sqrt{4\cos(c+dx)+3}}{10d} - \frac{\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{10d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out]  $(9*\text{Sqrt}[7]*\text{EllipticE}[(c+d*x)/2, 8/7])/(20*d) - (23*\text{EllipticF}[(c+d*x)/2, 8/7])/(20*\text{Sqrt}[7]*d) - (\text{Sqrt}[3+4*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(10*d) + (\text{Cos}[c+d*x]*\text{Sqrt}[3+4*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(10*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d/Sqrt[a + b], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2793

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(m+n)), x] + Dist[1/(d\*(m+n)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m+n) + b^2\*(b\*c\*(m-2) + a\*d\*(n+1)) - b\*(a\*b\*c - b^2\*d\*(m+n-1) - 3\*a^2\*d\*(m+n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&



NeQ[c, 0]))))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx &= \frac{\cos(c + dx)\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{1}{10} \int \frac{3 + 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{\cos(c + dx)\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{1}{10} \int \frac{3 + 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{\cos(c + dx)\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{1}{10} \int \frac{3 + 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= \frac{9\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d} - \frac{23F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20\sqrt{7}d} - \frac{\sqrt{3 + 4 \cos(c + dx)} \sin(c + dx)}{10d} + \frac{1}{10} \int \frac{3 + 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \end{aligned}$$

**Mathematica** [A] time = 0.18, size = 81, normalized size = 0.73

$$\frac{-23\sqrt{7} F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right) + 63\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right) + 7(\sin(2(c + dx)) - 2 \sin(c + dx))\sqrt{4 \cos(c + dx) + 3}}{140d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (63\*Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7] - 23\*Sqrt[7]\*EllipticF[(c + d\*x)/2, 8/7] + 7\*Sqrt[3 + 4\*Cos[c + d\*x]]\*(-2\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]))/(140\*d)

**fricas** [F] time = 1.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx + c)^3}{\sqrt{4 \cos(dx + c) + 3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [A] time = 0.76, size = 231, normalized size = 2.08

$$\frac{\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-64\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 56\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{20\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2), x)

[Out] -1/20\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-64\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+56\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-23\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2)))/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3}{\sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(4\*cos(c + d\*x) + 3)^(1/2), x)

[Out] int(cos(c + d\*x)^3/(4\*cos(c + d\*x) + 3)^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(3+4\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.548 \quad \int \frac{\cos^2(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx$$

Optimal. Leaf size=78

$$\frac{17F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{4d} + \frac{\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{6d}$$

[Out] 17/84\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))/d\*7^(1/2)-1/4\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))/d\*7^(1/2)+1/6\*sin(d\*x+c)\*(3+4\*cos(d\*x+c))^(1/2)/d

Rubi [A] time = 0.10, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2791, 2752, 2661, 2653}

$$\frac{17F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{4d} + \frac{\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{6d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/Sqrt[3 + 4\*Cos[c + d\*x]],x]

[Out] -(Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7])/(4\*d) + (17\*EllipticF[(c + d\*x)/2, 8/7])/(12\*Sqrt[7]\*d) + (Sqrt[3 + 4\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d)

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2791

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[(d^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[b\*(d^2\*(m + 1) + c^2\*(m + 2)) - d\*(a\*d - 2\*b\*c\*(m + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx &= \frac{\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{6d} + \frac{1}{6} \int \frac{2-3\cos(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx \\
&= \frac{\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{6d} - \frac{1}{8} \int \sqrt{3+4\cos(c+dx)} dx + \frac{17}{24} \int \frac{1}{\sqrt{3+4\cos(c+dx)}} dx \\
&= -\frac{\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{4d} + \frac{17F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} + \frac{\sqrt{3+4\cos(c+dx)} \sin(c+dx)}{6d}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 70, normalized size = 0.90

$$\frac{17\sqrt{7}F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) - 21\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) + 14\sin(c+dx)\sqrt{4\cos(c+dx)+3}}{84d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (-21\*Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7] + 17\*Sqrt[7]\*EllipticF[(c + d\*x)/2, 8/7] + 14\*Sqrt[3 + 4\*Cos[c + d\*x]]\*Sin[c + d\*x])/(84\*d)

**fricas [F]** time = 1.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^2}{\sqrt{4\cos(dx+c)+3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{\sqrt{4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**maple [A]** time = 0.59, size = 231, normalized size = 2.96

$$\frac{\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(32\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 17\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)\sqrt{8\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{12\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2), x)

[Out] -1/12\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(32\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+17\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(8\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2\*2^(1/2))

$\cdot c), 2 \cdot 2^{(1/2)} - 28 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) / (-8 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 + 7 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / (8 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{(1/2)} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^2}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad [B]** time = 0.09, size = 78, normalized size = 1.00

$$\frac{\sin(c + dx) \sqrt{4 \cos(c + dx) + 3}}{6d} - \frac{\sqrt{\frac{4 \cos(c+dx)}{7} + \frac{3}{7}} \left( 42 E\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{8}{7}\right) - 34 F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{8}{7}\right) \right)}{24d \sqrt{4 \cos(c + dx) + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(4\*cos(c + d\*x) + 3)^(1/2),x)

[Out] (sin(c + d\*x)\*(4\*cos(c + d\*x) + 3)^(1/2))/(6\*d) - (((4\*cos(c + d\*x))/7 + 3/7)^(1/2)\*(42\*ellipticE(c/2 + (d\*x)/2, 8/7) - 34\*ellipticF(c/2 + (d\*x)/2, 8/7)))/(24\*d\*(4\*cos(c + d\*x) + 3)^(1/2))

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c + dx)}{\sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*2/sqrt(4\*cos(c + d\*x) + 3), x)

$$3.549 \quad \int \frac{\cos(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=51

$$\frac{\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2d} - \frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2\sqrt{7}d}$$

[Out]  $-3/14*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}+1/2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2752, 2661, 2653}

$$\frac{\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2d} - \frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/Sqrt[3 + 4\*Cos[c + d\*x]],x]

[Out] (Sqrt[7]\*EllipticE[(c + d\*x)/2, 8/7])/(2\*d) - (3\*EllipticF[(c + d\*x)/2, 8/7])/(2\*Sqrt[7]\*d)

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2752**

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx &= \frac{1}{4} \int \sqrt{3+4\cos(c+dx)} dx - \frac{3}{4} \int \frac{1}{\sqrt{3+4\cos(c+dx)}} dx \\ &= \frac{\sqrt{7} E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2d} - \frac{3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2\sqrt{7}d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 43, normalized size = 0.84

$$\frac{7E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right) - 3F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{2\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/Sqrt[3 + 4\*Cos[c + d\*x]],x]

[Out] (7\*EllipticE[(c + d\*x)/2, 8/7] - 3\*EllipticF[(c + d\*x)/2, 8/7])/(2\*Sqrt[7]\*d)

**fricas** [F] time = 1.46, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)}{\sqrt{4\cos(dx+c)+3}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(cos(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{\sqrt{4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [A] time = 0.61, size = 155, normalized size = 3.04

$$\frac{\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(3 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{2\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x)

[Out] 1/2\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(3\*EllipticF(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))+EllipticE(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2)))/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)}{\sqrt{4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [B] time = 0.63, size = 54, normalized size = 1.06

$$\frac{\sqrt{\frac{4\cos(c+dx)}{7}} + \frac{3}{7} \left(7E\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{8}{7}\right) - 3F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{8}{7}\right)\right)}{2d\sqrt{4\cos(c+dx)+3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(4*cos(c + d*x) + 3)^(1/2),x)`

[Out] `((4*cos(c + d*x))/7 + 3/7)^(1/2)*(7*ellipticE(c/2 + (d*x)/2, 8/7) - 3*ellipticF(c/2 + (d*x)/2, 8/7))/(2*d*(4*cos(c + d*x) + 3)^(1/2))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{\sqrt{4\cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(3+4*cos(d*x+c))**(1/2),x)`

[Out] `Integral(cos(c + d*x)/sqrt(4*cos(c + d*x) + 3), x)`



$$3.550 \quad \int \frac{1}{\sqrt{3+4 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=23

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out]  $2/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2661}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*EllipticF[(c + d\*x)/2, 8/7])/(Sqrt[7]\*d)

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{3+4 \cos(c+dx)}} dx = \frac{2F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

**Mathematica [A]** time = 0.03, size = 23, normalized size = 1.00

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*EllipticF[(c + d\*x)/2, 8/7])/(Sqrt[7]\*d)

**fricas [F]** time = 1.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{4 \cos(dx + c) + 3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(1/sqrt(4\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [C] time = 0.02, size = 23, normalized size = 1.00

$$\frac{2\sqrt{7} \operatorname{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} \middle| \frac{2\sqrt{14}}{7}\right)}{7d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3+4\*cos(d\*x+c))^(1/2),x)

[Out] 2/7/d\*7^(1/2)\*InverseJacobiAM(1/2\*d\*x+1/2\*c,2/7\*14^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [B] time = 0.57, size = 39, normalized size = 1.70

$$\frac{2\sqrt{\frac{4\cos(c+dx)}{7} + \frac{3}{7}} F\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{8}{7}\right)}{d\sqrt{4\cos(c+dx) + 3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(4\*cos(c + d\*x) + 3)^(1/2),x)

[Out] (2\*((4\*cos(c + d\*x))/7 + 3/7)^(1/2)\*ellipticF(c/2 + (d\*x)/2, 8/7))/(d\*(4\*cos(c + d\*x) + 3)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(4\*cos(c + d\*x) + 3), x)

$$3.551 \quad \int \frac{\sec(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=24

$$\frac{2\Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out]  $2/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {2805}

$$\frac{2\Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*EllipticPi[2, (c + d\*x)/2, 8/7])/(Sqrt[7]\*d)

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{\sec(c+dx)}{\sqrt{3+4 \cos(c+dx)}} dx = \frac{2\Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

**Mathematica [A]** time = 0.05, size = 24, normalized size = 1.00

$$\frac{2\Pi\left(2; \frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] (2\*EllipticPi[2, (c + d\*x)/2, 8/7])/(Sqrt[7]\*d)

**fricas [F]** time = 2.12, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(dx+c)}{\sqrt{4 \cos(dx+c)+3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sec(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.48, size = 138, normalized size = 5.75

$$\frac{2\sqrt{\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)}{\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x)

[Out] 2\*((8\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, 2\*^(1/2))/sin(1/2\*d\*x+1/2\*c)/(8\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c + dx) \sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(4\*cos(c + d\*x) + 3)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)\*(4\*cos(c + d\*x) + 3)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{\sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)/sqrt(4\*cos(c + d\*x) + 3), x)

$$3.552 \quad \int \frac{\sec^2(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} - \frac{4\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d}$$

[Out]  $1/7*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}-4/21*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}-1/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.26, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2802, 3060, 2653, 3002, 2661, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} - \frac{4\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + d*x)/2, 8/7])/(3*d) + \text{EllipticF}[(c + d*x)/2, 8/7]/(\text{Sqrt}[7]*d) - (4*\text{EllipticPi}[2, (c + d*x)/2, 8/7])/(3*\text{Sqrt}[7]*d) + (\text{Sqrt}[3 + 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(3*d)$

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d, x) /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3060

Int[((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x])\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{1}{3} \int \frac{(-2 - 2 \cos^2(c + dx)) \sec(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} - \frac{1}{12} \int \frac{(8 - 6 \cos(c + dx)) \sec(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx - \frac{1}{6} \int \sqrt{\dots} \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{1}{2} \int \frac{1}{\sqrt{3 + 4 \cos(c + dx)}} \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} - \frac{4\Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7} d} + \frac{\sqrt{3 + 4 \cos(c + dx)}}{3d} \end{aligned}$$

**Mathematica** [C] time = 1.18, size = 158, normalized size = 1.56

$$\frac{-\frac{6\Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{8}{7}\right)}{\sqrt{7}} + \sqrt{4 \cos(c + dx) + 3} \tan(c + dx) + \frac{i \sin(c+dx) \left(-12F\left(i \sinh^{-1}\left(\sqrt{4 \cos(c+dx)+3}\right) \middle| -\frac{1}{7}\right) + 21E\left(i \sinh^{-1}\left(\sqrt{4 \cos(c+dx)+3}\right) \middle| -\frac{1}{7}\right)\right)}{3\sqrt{7} \sqrt{\sin^2(c+dx)}}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out] ((-6\*EllipticPi[2, (c + d\*x)/2, 8/7])/Sqrt[7] + ((I/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) + Sqrt[3 + 4\*Cos[c + d\*x]]\*Tan[c + d\*x])/(3\*d)

**fricas** [F] time = 2.27, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(dx + c)^2}{\sqrt{4 \cos(dx + c) + 3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^2}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.84, size = 350, normalized size = 3.47

$$\sqrt{-\left(-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)} + \frac{\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{\sqrt{-8\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -(-(-8*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/3*\cos(1/2*d*x+1/2*c)*(-8*\sin(1/2*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-8*\sin(1/2*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2*2^{(1/2)})+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-8*\sin(1/2*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2*2^{(1/2)})+4/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-8*\sin(1/2*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,2*2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(8*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^2}{\sqrt{4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^2/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^2 \sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(4\*cos(c + d\*x) + 3)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^2\*(4\*cos(c + d\*x) + 3)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c + dx)}{\sqrt{4 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2/(3+4*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sec(c + d*x)**2/sqrt(4*cos(c + d*x) + 3), x)
```



$$3.553 \quad \int \frac{\sec^3(c+dx)}{\sqrt{3+4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=137

$$-\frac{F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} + \frac{\sqrt{7}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} - \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d}$$

[Out]  $-1/21*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}-1/3*(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/6*\sec(d*x+c)*(3+4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.37, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2653, 3002, 2661, 2805}

$$-\frac{F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} + \frac{\sqrt{7}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{3d} - \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d} + \frac{\sqrt{4\cos(c+dx)+3}\tan(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/Sqrt[3 + 4\*Cos[c + d\*x]], x]

[Out]  $(\text{Sqrt}[7]*\text{EllipticE}[(c+d*x)/2, 8/7])/(3*d) - \text{EllipticF}[(c+d*x)/2, 8/7]/(3*\text{Sqrt}[7]*d) + (\text{Sqrt}[7]*\text{EllipticPi}[2, (c+d*x)/2, 8/7])/(3*d) - (\text{Sqrt}[3+4*\text{Cos}[c+d*x]]*\text{Tan}[c+d*x])/(3*d) + (\text{Sqrt}[3+4*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]*\text{Tan}[c+d*x])/(6*d)$

**Rule 2653**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2661**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

**Rule 2802**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

**Rule 2805**

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

### Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3055

$\text{Int}[((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}*(c + d*\sin[e + f*x])^{(n + 1)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*(c + d*\sin[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

### Rule 3059

$\text{Int}[((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{\sqrt{3 + 4 \cos(c + dx)}} dx &= \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int \frac{(-6 + 3 \cos(c + dx) + 2 \cos^2(c + dx))}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int \frac{(-6 + 3 \cos(c + dx) + 2 \cos^2(c + dx))}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} - \frac{1}{7} \int \frac{(-6 + 3 \cos(c + dx) + 2 \cos^2(c + dx))}{\sqrt{3 + 4 \cos(c + dx)}} dx \\ &= \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} - \frac{\sqrt{3 + 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} \\ &= \frac{\sqrt{7} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} - \frac{F\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{7} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{3d} - \frac{\sqrt{3 + 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [C]** time = 1.32, size = 195, normalized size = 1.42

$$\frac{4F\left(\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}} + \frac{18\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}} - (2\cos(c+dx)-1)\sqrt{4\cos(c+dx)+3}\tan(c+dx)\sec(c+dx) - \frac{2i\sin(c+dx)(-12i)}{\sqrt{7}}$$

---

6d

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/Sqrt[3 + 4\*Cos[c + d\*x]],x]

[Out] ((4\*EllipticF[(c + d\*x)/2, 8/7])/Sqrt[7] + (18\*EllipticPi[2, (c + d\*x)/2, 8/7])/Sqrt[7] - (((2\*I)/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 + 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) - (-1 + 2\*Cos[c + d\*x])\*Sqrt[3 + 4\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d)

**fricas [F]** time = 2.28, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(dx+c)^3}{\sqrt{4\cos(dx+c)+3}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{\sqrt{4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**maple [B]** time = 0.84, size = 408, normalized size = 2.98

$$\sqrt{-\left(-8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(-\frac{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+7\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)^2}+\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{-8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+7\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2),x)

[Out] -(-(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1/3\*cos(1/2\*d\*x+1/2\*c)\*(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^2+2/3\*cos(1/2\*d\*x+1/2\*c)\*(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)-1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2\*2^(1/2))-7/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-8\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-8\*sin(1/2\*d\*x+1/2\*c)^4+7\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)

$*d*x+1/2*c)^4+7*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,2*2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(8*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{\sqrt{4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3+4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^3/sqrt(4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^3 \sqrt{4\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(4\*cos(c + d\*x) + 3)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^3\*(4\*cos(c + d\*x) + 3)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c+dx)}{\sqrt{4\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(3+4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*3/sqrt(4\*cos(c + d\*x) + 3), x)

$$3.554 \quad \int \frac{\cos^3(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=113

$$\frac{23F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} - \frac{9\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{20d} - \frac{\sin(c+dx)\sqrt{3-4\cos(c+dx)}\cos(c+dx)}{10d} - \frac{\sin(c+dx)\sqrt{3}}{10d}$$

[Out]  $-23/140*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+9/20*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}-1/10*\sin(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}/d-1/10*\cos(d*x+c)*\sin(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.15, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2793, 3023, 2752, 2662, 2654}

$$\frac{23F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{20\sqrt{7}d} - \frac{9\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{20d} - \frac{\sin(c+dx)\sqrt{3-4\cos(c+dx)}\cos(c+dx)}{10d} - \frac{\sin(c+dx)\sqrt{3}}{10d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out]  $(-9*\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(20*d) + (23*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(20*\text{Sqrt}[7]*d) - (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(10*d) - (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(10*d)$

**Rule 2654**

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rule 2662**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)]/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rule 2752**

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

**Rule 2793**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] &&

NeQ[c, 0]))))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx &= -\frac{\sqrt{3 - 4 \cos(c + dx)} \cos(c + dx) \sin(c + dx)}{10d} - \frac{1}{10} \int \frac{3 - 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{10d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \cos(c + dx) \sin(c + dx)}{10d} + \frac{1}{60} \int \frac{3 - 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{10d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \cos(c + dx) \sin(c + dx)}{10d} - \frac{9}{40} \int \frac{3 - 6 \cos(c + dx) - 6 \cos^2(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{9\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{20d} + \frac{23F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{20\sqrt{7}d} - \frac{\sqrt{3 - 4 \cos(c + dx)} \sin(c + dx)}{10d} \end{aligned}$$

**Mathematica** [A] time = 0.17, size = 102, normalized size = 0.90

$$\frac{-4 \sin(c + dx) + \sin(2(c + dx)) + 2 \sin(3(c + dx)) + 23\sqrt{4 \cos(c + dx) - 3} F\left(\frac{1}{2}(c + dx) \middle| 8\right) + 9\sqrt{4 \cos(c + dx) - 3} E\left(\frac{1}{2}(c + dx) \middle| \frac{8}{7}\right)}{20d\sqrt{3 - 4 \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out] (9\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 8] + 23\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8] - 4\*Sin[c + d\*x] + Sin[2\*(c + d\*x)] + 2\*Sin[3\*(c + d\*x)])/(20\*d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas** [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)^3}{4 \cos(dx + c) - 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^3/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^3/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple [A]** time = 0.63, size = 254, normalized size = 2.25

$$\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-448\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 504\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2), x)

[Out] -1/140\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-448\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+504\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+23\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2))-63\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2))-56\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^3}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^3/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^3/(3 - 4\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^3/(3 - 4\*cos(c + d\*x))^(1/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3/(3-4\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.555 \quad \int \frac{\cos^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

Optimal. Leaf size=80

$$\frac{17F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{4d} - \frac{\sin(c+dx)\sqrt{3-4\cos(c+dx)}}{6d}$$

[Out] -17/84\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))/d\*7^(1/2)+1/4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))/d\*7^(1/2)-1/6\*sin(d\*x+c)\*(3-4\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.10, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2791, 2752, 2662, 2654}

$$\frac{17F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{4d} - \frac{\sin(c+dx)\sqrt{3-4\cos(c+dx)}}{6d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] -(Sqrt[7]\*EllipticE[(c + Pi + d\*x)/2, 8/7])/(4\*d) + (17\*EllipticF[(c + Pi + d\*x)/2, 8/7])/(12\*Sqrt[7]\*d) - (Sqrt[3 - 4\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d)

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d/Sqrt[a - b], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2791

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] :> -Simp[(d^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[b\*(d^2\*(m + 1) + c^2\*(m + 2)) - d\*(a\*d - 2\*b\*c\*(m + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rubi steps



$$\begin{aligned}
\int \frac{\cos^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx &= -\frac{\sqrt{3-4\cos(c+dx)} \sin(c+dx)}{6d} - \frac{1}{6} \int \frac{-2-3\cos(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx \\
&= -\frac{\sqrt{3-4\cos(c+dx)} \sin(c+dx)}{6d} - \frac{1}{8} \int \sqrt{3-4\cos(c+dx)} dx + \frac{17}{24} \int \frac{1}{\sqrt{3-4\cos(c+dx)}} dx \\
&= -\frac{\sqrt{7} E\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{4d} + \frac{17F\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{12\sqrt{7}d} - \frac{\sqrt{3-4\cos(c+dx)} \sin(c+dx)}{6d}
\end{aligned}$$

**Mathematica [A]** time = 0.13, size = 94, normalized size = 1.18

$$\frac{-6 \sin(c+dx) + 4 \sin(2(c+dx)) + 17\sqrt{4\cos(c+dx)-3} F\left(\frac{1}{2}(c+dx)\middle|8\right) + 3\sqrt{4\cos(c+dx)-3} E\left(\frac{1}{2}(c+dx)\middle|8\right)}{12d\sqrt{3-4\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out] (3\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 8] + 17\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8] - 6\*Sin[c + d\*x] + 4\*Sin[2\*(c + d\*x)])/(12\*d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas [F]** time = 1.30, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4\cos(dx+c)+3}\cos(dx+c)^2}{4\cos(dx+c)-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)^2/(4\*cos(d\*x + c) - 3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{\sqrt{-4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^2/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple [A]** time = 0.68, size = 232, normalized size = 2.90

$$\frac{\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(224\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\cos\left(\frac{dx}{2} + \frac{c}{2}\right) + 17\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{56\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{84\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2), x)

[Out] -1/84\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(224\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+17\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2))

$2*d*x+1/2*c)^{2-7}^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2/7*14^{1/2})-21*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(56*\sin(1/2*d*x+1/2*c)^{2-7}^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2/7*14^{1/2})-28*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(8*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(-8*\cos(1/2*d*x+1/2*c)^{2+7}^{1/2})/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^2}{\sqrt{-4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^2/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [B] time = 0.09, size = 78, normalized size = 0.98

$$\frac{\sqrt{4\cos(c+dx)-3}\left(6E\left(\frac{c}{2}+\frac{dx}{2}\middle|8\right)+34F\left(\frac{c}{2}+\frac{dx}{2}\middle|8\right)\right)}{24d\sqrt{3-4\cos(c+dx)}}-\frac{\sin(c+dx)\sqrt{3-4\cos(c+dx)}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2/(3 - 4\*cos(c + d\*x))^(1/2),x)

[Out] ((4\*cos(c + d\*x) - 3)^(1/2)\*(6\*ellipticE(c/2 + (d\*x)/2, 8) + 34\*ellipticF(c/2 + (d\*x)/2, 8)))/(24\*d\*(3 - 4\*cos(c + d\*x))^(1/2)) - (sin(c + d\*x)\*(3 - 4\*cos(c + d\*x))^(1/2))/(6\*d)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2/(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*2/sqrt(3 - 4\*cos(c + d\*x)), x)

$$3.556 \quad \int \frac{\cos(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=53

$$\frac{3F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{2\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{2d}$$

[Out]  $-3/14*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2752, 2662, 2654}

$$\frac{3F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{2\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(2*d) + (3*\text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7])/(2*\text{Sqrt}[7]*d)$

**Rule 2654**

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rule 2662**

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d/Sqrt[a - b], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rule 2752**

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx &= -\left(\frac{1}{4} \int \sqrt{3-4\cos(c+dx)} dx\right) + \frac{3}{4} \int \frac{1}{\sqrt{3-4\cos(c+dx)}} dx \\ &= -\frac{\sqrt{7}E\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{2d} + \frac{3F\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{2\sqrt{7}d} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 60, normalized size = 1.13

$$\frac{\sqrt{4\cos(c+dx)-3}\left(3F\left(\frac{1}{2}(c+dx)\middle|8\right)+E\left(\frac{1}{2}(c+dx)\middle|8\right)\right)}{2d\sqrt{3-4\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out] (Sqrt[-3 + 4\*Cos[c + d\*x]]\*(EllipticE[(c + d\*x)/2, 8] + 3\*EllipticF[(c + d\*x)/2, 8]))/(2\*d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas** [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4 \cos(dx + c) + 3} \cos(dx + c)}{4 \cos(dx + c) - 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*cos(d\*x + c)/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [A] time = 0.73, size = 158, normalized size = 2.98

$$\frac{\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7} \left(3 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{14\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2), x)

[Out] -1/14\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*(3\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2))-7\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2/7\*14^(1/2)))/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [B] time = 0.14, size = 52, normalized size = 0.98

$$\frac{\sqrt{4 \cos(c + dx) - 3} \left( E\left(\frac{c}{2} + \frac{dx}{2} \middle| 8\right) + 3F\left(\frac{c}{2} + \frac{dx}{2} \middle| 8\right) \right)}{2d \sqrt{3 - 4 \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)/(3 - 4*cos(c + d*x))^(1/2), x)`

[Out] `((4*cos(c + d*x) - 3)^(1/2)*(ellipticE(c/2 + (d*x)/2, 8) + 3*ellipticF(c/2 + (d*x)/2, 8)))/(2*d*(3 - 4*cos(c + d*x))^(1/2))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)/(3-4*cos(d*x+c))**(1/2), x)`

[Out] `Integral(cos(c + d*x)/sqrt(3 - 4*cos(c + d*x)), x)`

$$3.557 \quad \int \frac{1}{\sqrt{3-4 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=24

$$\frac{2F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out]  $-2/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2/7*14^{(1/2)})/d*7^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$ , Rules used = {2662}

$$\frac{2F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] (2\*EllipticF[(c + Pi + d\*x)/2, 8/7])/(Sqrt[7]\*d)

**Rule 2662**

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{3-4 \cos(c+dx)}} dx = \frac{2F\left(\frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

**Mathematica [A]** time = 0.04, size = 44, normalized size = 1.83

$$\frac{2\sqrt{4 \cos(c+dx)-3}F\left(\frac{1}{2}(c+dx)\middle|8\right)}{d\sqrt{3-4 \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8])/(d\*Sqrt[3 - 4\*Cos[c + d\*x]])

**fricas [F]** time = 1.20, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4 \cos(dx+c)+3}}{4 \cos(dx+c)-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [C] time = 0.07, size = 54, normalized size = 2.25

$$\frac{2\sqrt{8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7 \operatorname{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} | 2\sqrt{2}\right)}{d\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3-4\*cos(d\*x+c))^(1/2),x)

[Out] 2/d/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)\*(8\*cos(1/2\*d\*x+1/2\*c)^2-7)^(1/2)\*InverseJacobiAM(1/2\*d\*x+1/2\*c,2\*2^(1/2))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [B] time = 0.57, size = 39, normalized size = 1.62

$$\frac{2\sqrt{4\cos(c+dx)-3}F\left(\frac{c}{2} + \frac{dx}{2} \middle| 8\right)}{d\sqrt{3-4\cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3 - 4\*cos(c + d\*x))^(1/2),x)

[Out] (2\*(4\*cos(c + d\*x) - 3)^(1/2)\*ellipticF(c/2 + (d\*x)/2, 8))/(d\*(3 - 4\*cos(c + d\*x))^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/sqrt(3 - 4\*cos(c + d\*x)), x)

$$3.558 \quad \int \frac{\sec(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

Optimal. Leaf size=25

$$-\frac{2\Pi\left(2; \frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

[Out] 2/7\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,2/7\*14^(1/2))/d\*7^(1/2)

Rubi [A] time = 0.04, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {2806}

$$-\frac{2\Pi\left(2; \frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] (-2\*EllipticPi[2, (c + Pi + d\*x)/2, 8/7])/(Sqrt[7]\*d)

Rule 2806

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(-2\*b)/(a - b), (1\*(e + Pi/2 + f\*x))/2, (-2\*d)/(c - d)])/(f\*(a - b)\*Sqrt[c - d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c - d, 0]

Rubi steps

$$\int \frac{\sec(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx = -\frac{2\Pi\left(2; \frac{1}{2}(c+\pi+dx)\middle|\frac{8}{7}\right)}{\sqrt{7}d}$$

Mathematica [A] time = 0.06, size = 45, normalized size = 1.80

$$\frac{2\sqrt{4\cos(c+dx)-3}\Pi\left(2; \frac{1}{2}(c+dx)\middle|8\right)}{d\sqrt{3-4\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticPi[2, (c + d\*x)/2, 8])/(d\*Sqrt[3 - 4\*Cos[c + d\*x]])

fricas [F] time = 2.84, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4\cos(dx+c)+3}\sec(dx+c)}{4\cos(dx+c)-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(sec(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.59, size = 139, normalized size = 5.56

$$\frac{2\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7}\operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{7\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{-8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 7}} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2),x)

[Out] 2/7\*(-(8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,2/7\*14^(1/2))/sin(1/2\*d\*x+1/2\*c)/(-8\*cos(1/2\*d\*x+1/2\*c)^2+7)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c + dx) \sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)\*(3 - 4\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)\*(3 - 4\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)/(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)/sqrt(3 - 4\*cos(c + d\*x)), x)

$$3.559 \quad \int \frac{\sec^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=104

$$\frac{F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} - \frac{4\Pi\left(2;\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{3-4\cos(c+dx)}\tan(c+dx)}{3d}$$

[Out]  $-1/7*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+4/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.25, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2802, 3060, 2654, 3002, 2662, 2806}

$$\frac{F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} - \frac{4\Pi\left(2;\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} + \frac{\sqrt{3-4\cos(c+dx)}\tan(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^2/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(3*d) + \text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7]/(\text{Sqrt}[7]*d) - (4*\text{EllipticPi}[2, (c + \text{Pi} + d*x)/2, 8/7])/(3*\text{Sqrt}[7]*d) + (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(3*d)$

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/(d\*Sqrt[a - b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2806

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(-2\*b)/(a - b), (1\*(e + Pi/2 + f\*x))/2, (-2\*d)/(c - d)])/(f\*(a - b)\*Sqrt[c - d]), x] /; FreeQ[{a, b,

$c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c - d, 0]$

### Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])]/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3060

$\text{Int}[(A_.) + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2]/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{\sec^2(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx &= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{1}{3} \int \frac{(2 + 2 \cos^2(c + dx)) \sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{1}{12} \int \frac{(8 + 6 \cos(c + dx)) \sec(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx - \frac{1}{6} \int \frac{1}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{1}{2} \int \frac{1}{\sqrt{3 - 4 \cos(c + dx)}} dx \\ &= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{\sqrt{7} d} - \frac{4\Pi\left(2; \frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7} d} + \frac{\sqrt{3}}{3\sqrt{7} d} \end{aligned}$$

**Mathematica [C]** time = 1.52, size = 179, normalized size = 1.72

$$\frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx) + \frac{6\sqrt{4 \cos(c + dx) - 3} \Pi\left(2; \frac{1}{2}(c + dx) \middle| 8\right)}{\sqrt{3 - 4 \cos(c + dx)}} - \frac{i \sin(c + dx) \left(-12F\left(i \sinh^{-1}(\sqrt{3 - 4 \cos(c + dx)}) \middle| -\frac{1}{7}\right) + 21E\left(i \sinh^{-1}(\sqrt{3 - 4 \cos(c + dx)}) \middle| -\frac{1}{7}\right)\right)}{3\sqrt{7} d}}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^2/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out] ((6\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticPi[2, (c + d\*x)/2, 8])/Sqrt[3 - 4\*Cos[c + d\*x]] - ((I/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) + Sqrt[3 - 4\*Cos[c + d\*x]]\*Tan[c + d\*x])/(3\*d)

**fricas [F]** time = 1.64, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4 \cos(dx + c) + 3} \sec(dx + c)^2}{4 \cos(dx + c) - 3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^2/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{\sqrt{-4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^2/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.83, size = 351, normalized size = 3.38

$$\frac{\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 7\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sin\left(\frac{dx}{2}\right)} \left( -\frac{2\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3\left(2\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} + \frac{\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{56\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{7\sqrt{8\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -\left(-\left(8\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-7\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-\frac{2}{3}\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right. \\ & \left.+\left(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right) \\ & +\frac{1}{7}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(56\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-7\right)^{\frac{1}{2}} \\ & / \left(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\text{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),\frac{2}{7}\sqrt{14}\right) \\ & -\frac{1}{3}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(56\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-7\right)^{\frac{1}{2}} \\ & / \left(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\text{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),\frac{2}{7}\sqrt{14}\right) \\ & -\frac{4}{21}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(56\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-7\right)^{\frac{1}{2}} \\ & / \left(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\text{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),\frac{2}{7}\sqrt{14}\right) \\ & \left. / \sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right) / \left(-8\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+7\right)^{\frac{1}{2}}\right) / d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^2}{\sqrt{-4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^2/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^2/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c+dx)^2\sqrt{3-4\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^2\*(3 - 4\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^2\*(3 - 4\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**2/(3-4*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sec(c + d*x)**2/sqrt(3 - 4*cos(c + d*x)), x)
```

$$3.560 \quad \int \frac{\sec^3(c+dx)}{\sqrt{3-4\cos(c+dx)}} dx$$

**Optimal.** Leaf size=140

$$\frac{F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} - \frac{\sqrt{7}\Pi\left(2;\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} + \frac{\sqrt{3-4\cos(c+dx)}\tan(c+dx)}{3d} + \frac{\sqrt{3-4\cos(c+dx)}}{3d}$$

[Out]  $-1/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, 2/7*14^{(1/2)})/d*7^{(1/2)}+1/3*(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d+1/6*\sec(d*x+c)*(3-4*\cos(d*x+c))^{(1/2)}*\tan(d*x+c)/d$

**Rubi [A]** time = 0.37, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2654, 3002, 2662, 2806}

$$\frac{F\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3\sqrt{7}d} - \frac{\sqrt{7}E\left(\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} - \frac{\sqrt{7}\Pi\left(2;\frac{1}{2}(c+dx+\pi)\middle|\frac{8}{7}\right)}{3d} + \frac{\sqrt{3-4\cos(c+dx)}\tan(c+dx)}{3d} + \frac{\sqrt{3-4\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^3/Sqrt[3 - 4\*Cos[c + d\*x]], x]

[Out]  $-(\text{Sqrt}[7]*\text{EllipticE}[(c + \text{Pi} + d*x)/2, 8/7])/(3*d) + \text{EllipticF}[(c + \text{Pi} + d*x)/2, 8/7]/(3*\text{Sqrt}[7]*d) - (\text{Sqrt}[7]*\text{EllipticPi}[2, (c + \text{Pi} + d*x)/2, 8/7])/(3*d) + (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Tan}[c + d*x])/(3*d) + (\text{Sqrt}[3 - 4*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(6*d)$

#### Rule 2654

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a - b]\*EllipticE[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2662

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c + Pi/2 + d\*x))/2, (-2\*b)/(a - b)])/d/Sqrt[a - b], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a - b, 0]

#### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2806

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(-2\*b)/(a - b), (1\*(e + P

$i/2 + f*x))/2, (-2*d)/(c - d)]/(f*(a - b)*Sqrt[c - d]), x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c - d, 0]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sec^3(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx = \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int \frac{(6 + 3 \cos(c + dx) - 2 \cos^2(c + dx))}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

$$= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} + \dots$$

$$= \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{6d} + \dots$$

$$= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)} \tan(c + dx)}{3d} + \frac{\sqrt{3 - 4 \cos(c + dx)}}{3d} + \dots$$

$$= -\frac{\sqrt{7} E\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} + \frac{F\left(\frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3\sqrt{7}d} - \frac{\sqrt{7} \Pi\left(2; \frac{1}{2}(c + \pi + dx) \middle| \frac{8}{7}\right)}{3d} + \dots$$

**Mathematica** [C] time = 1.90, size = 236, normalized size = 1.69

$$\frac{4\sqrt{4\cos(c+dx)-3}F\left(\frac{1}{2}(c+dx)\middle|8\right)}{\sqrt{3-4\cos(c+dx)}} + \frac{18\sqrt{4\cos(c+dx)-3}\Pi\left(2;\frac{1}{2}(c+dx)\middle|8\right)}{\sqrt{3-4\cos(c+dx)}} + \sqrt{3-4\cos(c+dx)}(2\cos(c+dx)+1)\tan(c+dx)\sec$$

6d

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^3/Sqrt[3 - 4\*Cos[c + d\*x]],x]

[Out] ((-4\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 8])/Sqrt[3 - 4\*Cos[c + d\*x]] + (18\*Sqrt[-3 + 4\*Cos[c + d\*x]]\*EllipticPi[2, (c + d\*x)/2, 8])/Sqrt[3 - 4\*Cos[c + d\*x]] - (((2\*I)/3)\*(21\*EllipticE[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 12\*EllipticF[I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7] - 8\*EllipticPi[-1/3, I\*ArcSinh[Sqrt[3 - 4\*Cos[c + d\*x]]], -1/7])\*Sin[c + d\*x])/(Sqrt[7]\*Sqrt[Sin[c + d\*x]^2]) + Sqrt[3 - 4\*Cos[c + d\*x]]\*(1 + 2\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d)

**fricas** [F] time = 1.63, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-4\cos(dx+c)+3}\sec(dx+c)^3}{4\cos(dx+c)-3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-4\*cos(d\*x + c) + 3)\*sec(d\*x + c)^3/(4\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^3}{\sqrt{-4\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^3/sqrt(-4\*cos(d\*x + c) + 3), x)

**maple** [B] time = 1.06, size = 408, normalized size = 2.91

$$\sqrt{-\left(8\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-7\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(\frac{\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)^2}-\frac{2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{8\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}}{3\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2),x)

[Out] -((8\*cos(1/2\*d\*x+1/2\*c)^2-7)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1/3\*cos(1/2\*d\*x+1/2\*c)\*(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^2-2/3\*cos(1/2\*d\*x+1/2\*c)\*(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)+1/21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))-1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(56\*sin(1/2\*d\*x+1/2\*c)^2-7)^(1/2)/(8\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2/7\*14^(1/2))-1/3\*(sin(



$\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} * (56 * \sin(\frac{1}{2}dx + \frac{1}{2}c)^{2-7})^{1/2} / (8 * \sin(\frac{1}{2}dx + \frac{1}{2}c)^4 - \sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{1/2} * \text{EllipticPi}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2, 2/7 * 14^{1/2}) / \sin(\frac{1}{2}dx + \frac{1}{2}c) / (-8 * \cos(\frac{1}{2}dx + \frac{1}{2}c)^{2+7})^{1/2} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^3}{\sqrt{-4 \cos(dx + c) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^3/(3-4\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^3/sqrt(-4\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^3 \sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^3\*(3 - 4\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^3\*(3 - 4\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^3(c + dx)}{\sqrt{3 - 4 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*3/(3-4\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*3/sqrt(3 - 4\*cos(c + d\*x)), x)

$$3.561 \quad \int \cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=111

$$\frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{10BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{21d} + \frac{2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{10B \sin(c + dx)}{7d}$$

[Out]  $6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+10/21*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*A*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+10/21*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.07, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2635, 2639, 2641}

$$\frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{10BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{21d} + \frac{2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{10B \sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(6*A*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (10*B*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (10*B*\text{Sqrt}[\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(21*d) + (2*A*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*B*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))dx &= A \int \cos^{\frac{5}{2}}(c+dx)dx + B \int \cos^{\frac{7}{2}}(c+dx)dx \\
&= \frac{2A \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{2B \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{1}{5}(3A) \\
&= \frac{6AE \left(\frac{1}{2}(c+dx)\right|_2)}{5d} + \frac{10B\sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{2A \cos^{\frac{3}{2}}(c+dx)}{5} \\
&= \frac{6AE \left(\frac{1}{2}(c+dx)\right|_2)}{5d} + \frac{10BF \left(\frac{1}{2}(c+dx)\right|_2)}{21d} + \frac{10B\sqrt{\cos(c+dx)} \sin(c+dx)}{21d}
\end{aligned}$$

**Mathematica [A]** time = 0.53, size = 77, normalized size = 0.69

$$\frac{\sin(c+dx)\sqrt{\cos(c+dx)}(42A\cos(c+dx)+15B\cos(2(c+dx))+65B)+126AE\left(\frac{1}{2}(c+dx)\right|_2)+50BF\left(\frac{1}{2}(c+dx)\right|_2)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (126\*A\*EllipticE[(c + d\*x)/2, 2] + 50\*B\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(65\*B + 42\*A\*Cos[c + d\*x] + 15\*B\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(105\*d)

**fricas [F]** time = 2.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx+c)^3 + A \cos(dx+c)^2\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2), x)

**maple [A]** time = 0.71, size = 290, normalized size = 2.61

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(240B\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+(-168A-360B)\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)\right)}{105d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c)), x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A-360\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c))

$$\frac{1}{2}d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 0.96, size = 87, normalized size = 0.78

$$\frac{2 A \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7 d \sqrt{\sin(c + dx)^2}} - \frac{2 B \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)^2\right)}{9 d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(A + B\*cos(c + d\*x)),x)

[Out] - (2\*A\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2)) - (2\*B\*cos(c + d\*x)^(9/2)\*sin(c + d\*x)\*hypergeom([1/2, 9/4], 13/4, cos(c + d\*x)^2))/(9\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

### 3.562 $\int \cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=87

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5d}$$

[Out]  $6/5*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/3*A*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.06, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2635, 2641, 2639}

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A \sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(6*B*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*A*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$   $\text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$   $\text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx))dx &= A \int \cos^{\frac{3}{2}}(c+dx)dx + B \int \cos^{\frac{5}{2}}(c+dx)dx \\ &= \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2B\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{1}{3}A \int \frac{1}{\sqrt{\cos(c+dx)}}dx \\ &= \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.24, size = 66, normalized size = 0.76

$$\frac{2\left(\sin(c+dx)\sqrt{\cos(c+dx)}(5A+3B\cos(c+dx))+5AF\left(\frac{1}{2}(c+dx)\middle|2\right)+9BE\left(\frac{1}{2}(c+dx)\middle|2\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (2\*(9\*B\*EllipticE[(c + d\*x)/2, 2] + 5\*A\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(5\*A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(15\*d)

**fricas** [F] time = 1.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B\cos(dx+c)^2 + A\cos(dx+c)\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c) + A)\cos(dx+c)^{\frac{3}{2}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2), x)

**maple** [B] time = 0.74, size = 262, normalized size = 3.01

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c)), x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(20\*A+24\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*A-6\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-9\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin

$(\frac{1}{2}d^2x + \frac{1}{2}c)^2)^{1/2} / \sin(\frac{1}{2}d^2x + \frac{1}{2}c) / (2\cos(\frac{1}{2}d^2x + \frac{1}{2}c)^2 - 1)^{1/2} / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2), x)

**mupad [B]** time = 0.74, size = 80, normalized size = 0.92

$$\frac{2 A F\left(\frac{c}{2} + \frac{d x}{2} \middle| 2\right)}{3 d} + \frac{2 A \sqrt{\cos(c + d x)} \sin(c + d x)}{3 d} - \frac{2 B \cos(c + d x)^{7/2} \sin(c + d x) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + d x)\right)}{7 d \sqrt{\sin(c + d x)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(A + B\*cos(c + d\*x)),x)

[Out] (2\*A\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d) + (2\*A\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d) - (2\*B\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

### 3.563 $\int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=61

$$\frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2B \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

[Out]  $2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2639, 2635, 2641}

$$\frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2B \sin(c + dx) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]`

[Out]  $(2*A*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*B*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (A + B \cos(c + dx)) dx &= A \int \sqrt{\cos(c + dx)} dx + B \int \cos^{\frac{3}{2}}(c + dx) dx \\ &= \frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$



**Mathematica [A]** time = 0.11, size = 53, normalized size = 0.87

$$\frac{2 \left( 3AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) + B \left( F \left( \frac{1}{2}(c + dx) \middle| 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(3\*A\*EllipticE[(c + d\*x)/2, 2] + B\*(EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])))/(3\*d)

**fricas [F]** time = 2.04, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.64, size = 229, normalized size = 3.75

$$\frac{2 \sqrt{\left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \left( -4B \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 3A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)}{3 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x)

[Out] 2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.65, size = 53, normalized size = 0.87

$$\frac{2A E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2B F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2B \sqrt{\cos(c+dx)} \sin(c+dx)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(A + B\*cos(c + d\*x)),x)

[Out] (2\*A\*ellipticE(c/2 + (d\*x)/2, 2))/d + (2\*B\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d) + (2\*B\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(cos(c + d\*x)), x)

$$3.564 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=35

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out]  $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d$

**Rubi [A]** time = 0.04, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2748, 2641, 2639}

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sqrt[Cos[c + d\*x]], x]

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/d + (2\*A\*EllipticF[(c + d\*x)/2, 2])/d

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx &= A \int \frac{1}{\sqrt{\cos(c+dx)}} dx + B \int \sqrt{\cos(c+dx)} dx \\ &= \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 35, normalized size = 1.00

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*cos[c + d\*x])/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/d + (2\*A\*EllipticF[(c + d\*x)/2, 2])/d

**fricas** [F] time = 1.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.69, size = 152, normalized size = 4.34

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.26, size = 33, normalized size = 0.94

$$\frac{2AF\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2BE\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/cos(c + d\*x)^(1/2),x)

[Out]  $(2*A*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*B*\text{ellipticE}(c/2 + (d*x)/2, 2))/d$   
**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/sqrt(cos(c + d\*x)), x)

$$3.565 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=57

$$-\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out]  $-2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2639, 2641}

$$-\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/Cos[c + d*x]^(3/2), x]`

[Out]  $(-2*A*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*B*\text{EllipticF}[(c+d*x)/2, 2])/d + (2*A*\sin[c+d*x])/(d*\text{Sqrt}[\cos[c+d*x]])$

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx &= A \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - A \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 51, normalized size = 0.89

$$\frac{2 \left( -AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) + \frac{A \sin(c + dx)}{\sqrt{\cos(c + dx)}} + BF \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Cos[c + d\*x]^(3/2), x]

[Out] (2\*(-(A\*EllipticE[(c + d\*x)/2, 2]) + B\*EllipticF[(c + d\*x)/2, 2] + (A\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]]))/d

**fricas [F]** time = 0.98, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.74, size = 148, normalized size = 2.60

$$\frac{2 \left( A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \text{EllipticE} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) - 2A \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{\sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] -2\*(A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+

$B \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{1/2} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{1/2} \cdot \text{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{1/2}) / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c) / (2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^{1/2} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.97, size = 60, normalized size = 1.05

$$\frac{2BF\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2A \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/cos(c + d\*x)^(3/2),x)

[Out] (2\*B\*ellipticF(c/2 + (d\*x)/2, 2))/d + (2\*A\*sin(c + d\*x)\*hypergeom([-1/4, 1/2], 3/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(1/2)\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/cos(c + d\*x)\*\*(3/2), x)



$$3.566 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=83

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2*B*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2641, 2639}

$$\frac{2AF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Cos[c + d\*x]^(5/2), x]

[Out]  $(-2*B*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*A*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*A*\sin[c+d*x])/(3*d*\cos[c+d*x]^{(3/2)}) + (2*B*\sin[c+d*x])/(d*\sqrt{\cos[c+d*x]})$

Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx &= A \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{1}{3} A \int \frac{1}{\sqrt{\cos(c + dx)}} dx - B \int \sqrt{\cos(c + dx)} dx \\
&= -\frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2AF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.42, size = 65, normalized size = 0.78

$$\frac{\frac{2 \sin(c+dx)(A+3B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} + 2AF \left( \frac{1}{2}(c + dx) \middle| 2 \right) - 6BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Cos[c + d\*x]^(5/2), x]

[Out] (-6\*B\*EllipticE[(c + d\*x)/2, 2] + 2\*A\*EllipticF[(c + d\*x)/2, 2] + (2\*(A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2))/(3\*d)

**fricas [F]** time = 1.31, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 1.59, size = 397, normalized size = 4.78

$$\frac{2 \sqrt{-\left(-2 \left(\cos^2 \left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right) \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \text{EllipticF} \left(\cos \left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2 \left(\sin^2 \left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)\right)}{\cos(dx+c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x)

[Out] 2/3\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(4\*sin(1/2\*d\*x+1/2\*c)^4-4\*sin(1/2\*d\*x+1/2\*c)^2+1)/sin(1/2\*d\*x+1/2\*c)^3\*(2\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-1\*EllipticF(cos(1/2\*d\*x+1/2\*c), sqrt(2\*(sin(1/2\*d\*x+1/2\*c)^2))))/cos(1/2\*d\*x+1/2\*c)^2

$$+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2+6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\sin(1/2*d*x+1/2*c)^2-12*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+6*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 1.23, size = 87, normalized size = 1.05

$$\frac{2 A \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{2 B \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/cos(c + d\*x)^(5/2),x)

[Out] (2\*A\*sin(c + d\*x)\*hypergeom([-3/4, 1/2], 1/4, cos(c + d\*x)^2))/(3\*d\*cos(c + d\*x)^(3/2)\*(sin(c + d\*x)^2)^(1/2)) + (2\*B\*sin(c + d\*x)\*hypergeom([-1/4, 1/2], 3/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(1/2)\*(sin(c + d\*x)^2)^(1/2))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.567 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=111

$$-\frac{6AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2A \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{6A \sin(c+dx)}{5d \sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $-6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*A*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+2/3*B*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+6/5*A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 111, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2748, 2636, 2639, 2641}

$$-\frac{6AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2A \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{6A \sin(c+dx)}{5d \sqrt{\cos(c+dx)}} + \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])/ \text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(-6*A*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*B*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*A*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*B*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (6*A*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx &= A \int \frac{1}{\cos^{\frac{7}{2}}(c + dx)} dx + B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(3A) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{6A \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} - \frac{1}{5} \left( \frac{1}{2}(c + dx) \right) \\
&= -\frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{5d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d} + \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \dots
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 95, normalized size = 0.86

$$\frac{9A \sin(2(c + dx)) + 6A \tan(c + dx) - 18A \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 10B \sin(c + dx) + 10B \cos^{\frac{3}{2}}(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Cos[c + d\*x]^(7/2), x]

[Out] (-18\*A\*Cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + 10\*B\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 10\*B\*Sin[c + d\*x] + 9\*A\*Sin[2\*(c + d\*x)] + 6\*A\*Tan[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 1.26, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/cos(d\*x + c)^(7/2), x)

**maple [B]** time = 1.83, size = 502, normalized size = 4.52

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2A \left( 12 \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1 - \cos(dx+c)}{2}} \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)`

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/5*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/cos(d*x + c)^(7/2), x)`

**mupad** [B] time = 1.46, size = 87, normalized size = 0.78

$$\frac{2 A \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right)}{5 d \cos(c + dx)^{5/2} \sqrt{\sin(c + dx)^2}} + \frac{2 B \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/cos(c + d*x)^(7/2),x)`

[Out] 
$$(2*A*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2))/(5*d*\cos(c + d*x)^{(5/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (2*B*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)`

[Out] Timed out

### 3.568 $\int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=160

$$\frac{2(9a^2 + 7b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(9a^2 + 7b^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{20abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4ab\sin(c + dx)}{7d}$$

[Out]  $2/15*(9*a^2+7*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+20/21*a*b*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/45*(9*a^2+7*b^2)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/d+4/7*a*b*cos(d*x+c)^{(5/2)}*sin(d*x+c)/d+2/9*b^2*cos(d*x+c)^{(7/2)}*sin(d*x+c)/d+20/21*a*b*sin(d*x+c)*cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.12, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2789, 2635, 2641, 3014, 2639}

$$\frac{2(9a^2 + 7b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(9a^2 + 7b^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{20abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4ab\sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $(2*(9*a^2 + 7*b^2)*EllipticE[(c + d*x)/2, 2])/(15*d) + (20*a*b*EllipticF[(c + d*x)/2, 2])/(21*d) + (20*a*b*sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(9*a^2 + 7*b^2)*Cos[c + d*x]^{(3/2)}*Sin[c + d*x])/(45*d) + (4*a*b*cos[c + d*x]^{(5/2)}*sin[c + d*x])/(7*d) + (2*b^2*cos[c + d*x]^{(7/2)}*sin[c + d*x])/(9*d)$

#### Rule 2635

$\text{Int}[(b* \sin[(c + d*x)])^n, x\_Symbol] \rightarrow -\text{Simp}[(b*\cos[c + d*x])*(b*\sin[c + d*x])^{(n-1)}]/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\sin[c + d*x])^{(n-2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{sqrt}[\sin[(c + d*x)]], x\_Symbol] \rightarrow \text{Simp}[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{sqrt}[\sin[(c + d*x)]], x\_Symbol] \rightarrow \text{Simp}[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2789

$\text{Int}[(b*\sin[(e + f*x)] + (f*x))^m*((c + d*\sin[(e + f*x)] + (f*x))^2), x\_Symbol] \rightarrow \text{Dist}[(2*c*d)/b, \text{Int}[(b*\sin[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\sin[e + f*x])^m*(c^2 + d^2*\sin[e + f*x]^2), x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3014

$\text{Int}[(b*\sin[(e + f*x)] + (f*x))^m*((A + C*\sin[(e + f*x)] + (f*x))^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(b*\sin[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[(A*(m+2) + C*(m+1))/(m+2), \text{Int}[(b*\sin[e + f*x])^m, x], x]$

, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^{\frac{7}{2}}(c+dx) dx + \int \cos^{\frac{5}{2}}(c+dx)(a^2+b^2\cos^2(c+dx)) dx \\ &= \frac{4ab \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{2b^2 \cos^{\frac{7}{2}}(c+dx) \sin(c+dx)}{9d} + \frac{1}{7}(10ab) \\ &= \frac{20ab\sqrt{\cos(c+dx)} \sin(c+dx)}{21d} + \frac{2(9a^2+7b^2)\cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{45d} \\ &= \frac{2(9a^2+7b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{20abF\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{20ab\sqrt{\cos(c+dx)}}{21d} \end{aligned}$$

**Mathematica [A]** time = 0.80, size = 113, normalized size = 0.71

$$\frac{84(9a^2+7b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right) + \sin(c+dx)\sqrt{\cos(c+dx)}(7(36a^2+43b^2)\cos(c+dx) + 5b(36a\cos(2(c+dx)))}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2,x]

[Out] (84\*(9\*a^2 + 7\*b^2)\*EllipticE[(c + d\*x)/2, 2] + 600\*a\*b\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(7\*(36\*a^2 + 43\*b^2)\*Cos[c + d\*x] + 5\*b\*(156\*a + 36\*a\*Cos[2\*(c + d\*x)] + 7\*b\*Cos[3\*(c + d\*x)]))\*Sin[c + d\*x])/(630\*d)

**fricas [F]** time = 2.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx+c)^4 + 2ab \cos(dx+c)^3 + a^2 \cos(dx+c)^2\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^4 + 2\*a\*b\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.80, size = 398, normalized size = 2.49

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(-1120b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (1440ab + 2240b^2)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{21d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(cos(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(1440*a*b+2240*b^2)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-504*a^2-2160*a*b-2072*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(504*a^2+1680*a*b+952*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-126*a^2-480*a*b-168*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-189*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-147*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+150*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 1.04, size = 135, normalized size = 0.84

$$\frac{2a^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{4}; \frac{11}{4}; \cos(c + dx)^2\right)}{7d \sqrt{\sin(c + dx)^2}} - \frac{2b^2 \cos(c + dx)^{11/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c + dx)^2\right)}{11d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] 
$$-(2*a^2*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) - (2*b^2*\cos(c + d*x)^{(11/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2))/(11*d*(\sin(c + d*x)^2)^{(1/2)}) - (4*a*b*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.569 \quad \int \cos^3(c + dx)(a + b \cos(c + dx))^2 dx$$

**Optimal.** Leaf size=135

$$\frac{2(7a^2 + 5b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a^2 + 5b^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{12abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4ab\sin(c + dx)\cos(c + dx)}{5d}$$

[Out]  $12/5*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/21*(7*a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/5*a*b*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/7*b^2*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/21*(7*a^2+5*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.10, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2789, 2635, 2639, 3014, 2641}

$$\frac{2(7a^2 + 5b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a^2 + 5b^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{12abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4ab\sin(c + dx)\cos(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2, x]`

[Out]  $(12*a*b*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(7*a^2 + 5*b^2)*\text{EllipticF}[(c + d*x)/2, 2])/(21*d) + (2*(7*a^2 + 5*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (4*a*b*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*b^2*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2789

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := Dist[(2*c*d)/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] + Int[(b*Sin[e + f*x])^m*(c^2 + d^2*Sin[e + f*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 3014

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[(A*(m + 2) + C*(m + 1))/(m + 2), Int[(b*Sin[e + f*x])^m,`

, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^{\frac{5}{2}}(c+dx) dx + \int \cos^{\frac{3}{2}}(c+dx)(a^2+b^2\cos^2(c+dx)) dx \\ &= \frac{4ab \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{2b^2 \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{7d} + \frac{1}{5}(6a^2 \\ &= \frac{12abE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(7a^2+5b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{21d} + \frac{4a^2}{5} \\ &= \frac{12abE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(7a^2+5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(7a^2+5b^2)}{5} \end{aligned}$$

**Mathematica [A]** time = 0.63, size = 98, normalized size = 0.73

$$\frac{10(7a^2+5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right) + \sin(c+dx)\sqrt{\cos(c+dx)}(70a^2+84ab\cos(c+dx)+15b^2\cos(2(c+dx))) + 6a^2}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2,x]

[Out] (252\*a\*b\*EllipticE[(c + d\*x)/2, 2] + 10\*(7\*a^2 + 5\*b^2)\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(70\*a^2 + 65\*b^2 + 84\*a\*b\*Cos[c + d\*x] + 15\*b^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(105\*d)

**fricas [F]** time = 1.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx+c)^3 + 2ab \cos(dx+c)^2 + a^2 \cos(dx+c)\right)\sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^3 + 2\*a\*b\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2), x)

**maple [B]** time = 0.75, size = 362, normalized size = 2.68

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(240b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-336ab - 360b^2)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)}{105d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-336*a*b-360*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(140*a^2+336*a*b+280*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-70*a^2-84*a*b-80*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+35*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-126*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.89, size = 128, normalized size = 0.95

$$\frac{2 \left( a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^2 \sqrt{\cos(c + dx)} \sin(c + dx) \right)}{3d} + \frac{2b^2 \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4}; \frac{13}{4}; \cos(c + dx)\right)}{9d \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] 
$$(2*(a^2*\text{ellipticF}(c/2 + (d*x)/2, 2) + a^2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x)))/(3*d) - (2*b^2*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)}) - (4*a*b*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.570 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2 dx$$

**Optimal.** Leaf size=101

$$\frac{2(5a^2 + 3b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4ab \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2b^2 \sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d}$$

[Out]  $2/5*(5*a^2+3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*b^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d+4/3*a*b*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.09, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2789, 2635, 2641, 3014, 2639}

$$\frac{2(5a^2 + 3b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4ab \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2b^2 \sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(2*(5*a^2 + 3*b^2)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a*b*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (4*a*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*b^2*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3014

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(m + 2), Int[(b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^{\frac{3}{2}}(c+dx) dx + \int \sqrt{\cos(c+dx)}(a^2+b^2\cos^2(c+dx)) dx \\ &= \frac{4ab\sqrt{\cos(c+dx)}\sin(c+dx)}{3d} + \frac{2b^2\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5d} + \frac{1}{3}(2ab) \\ &= \frac{2(5a^2+3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4abF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4ab\sqrt{\cos(c+dx)}}{3} \end{aligned}$$

**Mathematica** [A] time = 0.32, size = 79, normalized size = 0.78

$$\frac{6(5a^2+3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)+20abF\left(\frac{1}{2}(c+dx)\middle|2\right)+2b\sin(c+dx)\sqrt{\cos(c+dx)}(10a+3b\cos(c+dx))}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2,x]

[Out] (6\*(5\*a^2 + 3\*b^2)\*EllipticE[(c + d\*x)/2, 2] + 20\*a\*b\*EllipticF[(c + d\*x)/2, 2] + 2\*b\*Sqrt[Cos[c + d\*x]]\*(10\*a + 3\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/(15\*d)

**fricas** [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2\cos(dx+c)^2+2ab\cos(dx+c)+a^2\right)\sqrt{\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b\cos(dx+c)+a)^2\sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c)), x)

**maple** [B] time = 0.69, size = 321, normalized size = 3.18

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)-1\right)\left(\sin^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}\left(-24b^2\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2}+\frac{c}{2}\right)\right)+\left(40ab+24b^2\right)\left(\sin^4\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^2,x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*b^2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(40\*a\*b+24\*b^2)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-20\*a\*b-6\*b^2)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+10\*a\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*Elliptic

$F(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c)), x)

**mupad [B]** time = 1.01, size = 102, normalized size = 1.01

$$\frac{2a^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4ab F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{4ab \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2 \cos(c + dx)^{7/2} \sin(c + dx) {}_2F_1}{7d \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] (2\*a^2\*ellipticE(c/2 + (d\*x)/2, 2))/d + (4\*a\*b\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d) + (4\*a\*b\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d) - (2\*b^2\*cos(c + d\*x)^(7/2)\*sin(c + d\*x)\*hypergeom([1/2, 7/4], 11/4, cos(c + d\*x)^2))/(7\*d\*(sin(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.571 \quad \int \frac{(a+b \cos(c+dx))^2}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=72

$$\frac{2(3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b^2 \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] 4\*a\*b\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2/3\*(3\*a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2/3\*b^2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.08, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2789, 2639, 3014, 2641}

$$\frac{2(3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b^2 \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Sqrt[Cos[c + d\*x]],x]

[Out] (4\*a\*b\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(3\*a^2 + b^2)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*b^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3014

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(m + 2), Int[(b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

Rubi steps



$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^2}{\sqrt{\cos(c + dx)}} dx &= (2ab) \int \sqrt{\cos(c + dx)} dx + \int \frac{a^2 + b^2 \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} (3a^2 + b^2) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2b^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 64, normalized size = 0.89

$$\frac{2\left((3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6abE\left(\frac{1}{2}(c + dx) \middle| 2\right) + b^2 \sin(c + dx)\sqrt{\cos(c + dx)}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*(6\*a\*b\*EllipticE[(c + d\*x)/2, 2] + (3\*a^2 + b^2)\*EllipticF[(c + d\*x)/2, 2] + b^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]))/(3\*d)

**fricas [F]** time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.80, size = 283, normalized size = 3.93

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\left(4b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3a^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*b^2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(

$$\frac{1}{2}d^2x + \frac{1}{2}c)^{2-1})^{1/2} \text{EllipticF}(\cos(\frac{1}{2}d^2x + \frac{1}{2}c), 2^{1/2}) + b^2(\sin(\frac{1}{2}d^2x + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}d^2x + \frac{1}{2}c)^{2-1})^{1/2} \text{EllipticF}(\cos(\frac{1}{2}d^2x + \frac{1}{2}c), 2^{1/2}) - 6(\sin(\frac{1}{2}d^2x + \frac{1}{2}c)^2)^{1/2} (2\sin(\frac{1}{2}d^2x + \frac{1}{2}c)^{2-1})^{1/2} \text{EllipticE}(\cos(\frac{1}{2}d^2x + \frac{1}{2}c), 2^{1/2}) * a * b - 2 * b^2 * \cos(\frac{1}{2}d^2x + \frac{1}{2}c) * \sin(\frac{1}{2}d^2x + \frac{1}{2}c)^2 / (-2 * \sin(\frac{1}{2}d^2x + \frac{1}{2}c)^4 + \sin(\frac{1}{2}d^2x + \frac{1}{2}c)^2)^{1/2} / \sin(\frac{1}{2}d^2x + \frac{1}{2}c) / (2 * \cos(\frac{1}{2}d^2x + \frac{1}{2}c)^{2-1})^{1/2} / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

**mupad** [B] time = 0.94, size = 76, normalized size = 1.06

$$\frac{2a^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2b^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2b^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{4ab E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/cos(c + d\*x)^(1/2),x)

[Out] (2\*a^2\*ellipticF(c/2 + (d\*x)/2, 2))/d + (2\*b^2\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d) + (2\*b^2\*cos(c + d\*x)^(1/2)\*sin(c + d\*x))/(3\*d) + (4\*a\*b\*ellipticE(c/2 + (d\*x)/2, 2))/d

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.572 \quad \int \frac{(a+b \cos(c+dx))^2}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=68

$$-\frac{2(a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $-2*(a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2789, 2641, 3012, 2639}

$$-\frac{2(a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(3/2), x]

[Out]  $(-2*(a^2 - b^2)*\text{EllipticE}[(c + d*x)/2, 2])/d + (4*a*b*\text{EllipticF}[(c + d*x)/2, 2])/d + (2*a^2*\sin[c + d*x])/(d*\text{Sqrt}[\cos[c + d*x]])$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2789**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 3012**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

**Rubi steps**

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\cos^{\frac{3}{2}}(c + dx)} dx &= (2ab) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + \int \frac{a^2 + b^2 \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - (a^2 - b^2) \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2(a^2 - b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.30, size = 62, normalized size = 0.91

$$\frac{2\left(\left(b^2 - a^2\right)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + a\left(\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)}} + 2bF\left(\frac{1}{2}(c + dx) \middle| 2\right)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(3/2), x]

[Out] (2\*((-a^2 + b^2)\*EllipticE[(c + d\*x)/2, 2] + a\*(2\*b\*EllipticF[(c + d\*x)/2, 2] + (a\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]]))/d

**fricas [F]** time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(3/2), x)

**maple [A]** time = 0.69, size = 202, normalized size = 2.97

$$\frac{2\left(2ab\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(3/2), x)

[Out]  $-2*(2*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-2*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2/cos(d*x+c)^(3/2), x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)`

**mupad** [B] time = 1.13, size = 81, normalized size = 1.19

$$\frac{2b^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{4ab F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^2/cos(c + d*x)^(3/2), x)`

[Out] `(2*b^2*ellipticE(c/2 + (d*x)/2, 2))/d + (4*a*b*ellipticF(c/2 + (d*x)/2, 2))/d + (2*a^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2/cos(d*x+c)**(3/2), x)`

[Out] Timed out

$$3.573 \quad \int \frac{(a+b \cos(c+dx))^2}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=95

$$\frac{2(a^2 + 3b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4ab \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out]  $-4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*(a^2+3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+4*a*b*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2789, 2636, 2639, 3012, 2641}

$$\frac{2(a^2 + 3b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4abE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4ab \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(5/2), x]

[Out]  $(-4*a*b*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^2 + 3*b^2)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)}) + (4*a*b*\sin[c + d*x])/(d*\sqrt{\cos[c + d*x]})$

#### Rule 2636

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2789

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3012

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((A\_.) + (C\_)\*sin[(e\_.) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x]

$]^{(m+2)}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{LtQ}[m, -1]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\cos^{\frac{5}{2}}(c + dx)} dx &= (2ab) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \int \frac{a^2 + b^2 \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - (2ab) \int \sqrt{\cos(c + dx)} dx - \frac{1}{3}(-a^2 - 3b^2) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{4ab E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(a^2 + 3b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.62, size = 73, normalized size = 0.77

$$\frac{2 \left( (a^2 + 3b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6ab E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx)(a + 6b \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(5/2), x]

[Out] (2\*(-6\*a\*b\*EllipticE[(c + d\*x)/2, 2] + (a^2 + 3\*b^2)\*EllipticF[(c + d\*x)/2, 2] + (a\*(a + 6\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2)))/(3\*d)

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 1.58, size = 514, normalized size = 5.41

$$2 \sqrt{-\left(-2 \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2 \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2 \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \sqrt{\frac{1}{2}} - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2/cos(d*x+c)^(5/2),x)`

[Out]  $2/3*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(4*\sin(1/2*d*x+1/2*c)^4-4*\sin(1/2*d*x+1/2*c)^2+1)/\sin(1/2*d*x+1/2*c)^3*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*\sin(1/2*d*x+1/2*c)^2+6*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*\sin(1/2*d*x+1/2*c)^2+12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b*\sin(1/2*d*x+1/2*c)^2-24*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+2*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+12*a*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2/cos(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)`

**mupad** [B] time = 1.24, size = 108, normalized size = 1.14

$$\frac{2b^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{4ab \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^2/cos(c + d*x)^(5/2),x)`

[Out]  $(2*b^2*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*a^2*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2))/(3*d*\cos(c + d*x)^{(3/2)}*(\sin(c + d*x)^2)^{(1/2)}) + (4*a*b*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2/cos(d*x+c)**(5/2),x)`

[Out] Timed out



$$3.574 \quad \int \frac{(a+b \cos(c+dx))^2}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=135

$$-\frac{2(3a^2 + 5b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(3a^2 + 5b^2) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{4abF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4ab \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $-2/5*(3*a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+4/3*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/5*a^2*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+4/3*a*b*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*(3*a^2+5*b^2)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2789, 2636, 2641, 3012, 2639}

$$-\frac{2(3a^2 + 5b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2(3a^2 + 5b^2) \sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2 \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)} + \frac{4abF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{4ab \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(7/2), x]

[Out]  $(-2*(3*a^2 + 5*b^2)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (4*a*b*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (4*a*b*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*(3*a^2 + 5*b^2)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2789

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Dist[(2\*c\*d)/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] + Int[(b\*Sin[e + f\*x])^m\*(c^2 + d^2\*Sin[e + f\*x]^2), x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3012

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[(A\*Cos[e + f\*x]\*(b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m

+ 1)), x] + Dist[(A\*(m + 2) + C\*(m + 1))/(b^2\*(m + 1)), Int[(b\*Sin[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\cos^{\frac{7}{2}}(c + dx)} dx &= (2ab) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \int \frac{a^2 + b^2 \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}(2ab) \int \frac{1}{\sqrt{\cos(c + dx)}} dx - \frac{1}{5}(-3a^2 - 5b^2) \\ &= \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3a^2 + 5b^2) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} \\ &= -\frac{2(3a^2 + 5b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4abF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [A]** time = 0.40, size = 124, normalized size = 0.92

$$\frac{-6(3a^2 + 5b^2) \cos^{\frac{3}{2}}(c + dx)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9a^2 \sin(2(c + dx)) + 6a^2 \tan(c + dx) + 20ab \sin(c + dx) + 20ab \cos(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Cos[c + d\*x]^(7/2), x]

[Out] (-6\*(3\*a^2 + 5\*b^2)\*Cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + 20\*a\*b\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 20\*a\*b\*Sin[c + d\*x] + 9\*a^2\*Sin[2\*(c + d\*x)] + 15\*b^2\*Sin[2\*(c + d\*x)] + 6\*a^2\*Tan[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/cos(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(7/2), x)

maple [B] time = 2.09, size = 660, normalized size = 4.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/5*a^2/(8*\sin \\ & (1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2 \\ & *d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2* \\ & c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2* \\ & d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2 \\ & * \sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2 \\ & *c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\ & -8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}+2*b^2*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{Ellip \\ & ticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/ \\ & (2*\sin(1/2*d*x+1/2*c)^2-1)+4*a*b*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin( \\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}+(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))) \\ & / \sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(7/2), x)

mupad [B] time = 1.38, size = 113, normalized size = 0.84

$$\frac{6a^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right) + 30b^2 \cos(c + dx)^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{15d \cos(c + dx)^{5/2} \sqrt{1 - \cos(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/cos(c + d\*x)^(7/2),x)

[Out] 
$$\begin{aligned} & (6*a^2*\sin(c + d*x)*\text{hypergeom}([-5/4, 1/2], -1/4, \cos(c + d*x)^2) + 30*b^2*c \\ & \cos(c + d*x)^2*\sin(c + d*x)*\text{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2) + 20 \\ & *a*b*\cos(c + d*x)*\sin(c + d*x)*\text{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2)) \\ & / (15*d*\cos(c + d*x)^{(5/2)}*(1 - \cos(c + d*x)^2)^{(1/2)}) \end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.575 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3 dx$$

**Optimal.** Leaf size=194

$$\frac{2a(7a^2 + 15b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2b(27a^2 + 7b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2b(27a^2 + 7b^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \dots$$

[Out]  $\frac{2}{15}b(27a^2 + 7b^2)(\cos(1/2dx + 1/2c))^2 \sqrt{\cos(1/2dx + 1/2c)} \operatorname{EllipticE}(\sin(1/2dx + 1/2c), 2^{1/2})/d + \frac{2}{21}a(7a^2 + 15b^2)(\cos(1/2dx + 1/2c))^2 \sqrt{\cos(1/2dx + 1/2c)} \operatorname{EllipticF}(\sin(1/2dx + 1/2c), 2^{1/2})/d + \frac{2}{45}b(27a^2 + 7b^2)\cos(dx + c)^{3/2}\sin(dx + c)/d + \frac{40}{63}ab^2\cos(dx + c)^{5/2}\sin(dx + c)/d + \frac{2}{9}b^2\cos(dx + c)^{5/2}(a + b\cos(dx + c))\sin(dx + c)/d + \frac{2}{21}a(7a^2 + 15b^2)\sin(dx + c)\cos(dx + c)^{1/2}/d$

**Rubi [A]** time = 0.22, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2793, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(7a^2 + 15b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2b(27a^2 + 7b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2b(27a^2 + 7b^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \dots$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3,x]`

[Out]  $(2b(27a^2 + 7b^2)\operatorname{EllipticE}[(c + dx)/2, 2])/(15d) + (2a(7a^2 + 15b^2)\operatorname{EllipticF}[(c + dx)/2, 2])/(21d) + (2a(7a^2 + 15b^2)\sqrt{\cos[c + dx]}\sin[c + dx])/(21d) + (2b(27a^2 + 7b^2)\cos[c + dx]^{3/2}\sin[c + dx])/(45d) + (40ab^2\cos[c + dx]^{5/2}\sin[c + dx])/(63d) + (2b^2\cos[c + dx]^{5/2}(a + b\cos[c + dx])\sin[c + dx])/(9d)$

#### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 2793

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*COS[e + f*x]*(a + b*SIN[e + f*x])^(m - 2)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m +`

n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] | | (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3 dx &= \frac{2b^2 \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c + dx) \\ &= \frac{40ab^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2b^2 \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))}{9d} \\ &= \frac{40ab^2 \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2b^2 \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))}{9d} \\ &= \frac{2a(7a^2 + 15b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2b(27a^2 + 7b^2) \cos^{\frac{3}{2}}(c + dx)}{45d} \\ &= \frac{2b(27a^2 + 7b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2a(7a^2 + 15b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica [A]** time = 1.03, size = 137, normalized size = 0.71

$$\frac{60(7a^3 + 15ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 84(27a^2b + 7b^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)} (5(84a^3 + 5b^3) \cos^{\frac{3}{2}}(c + dx))}{630d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3, x]

[Out] (84\*(27\*a^2\*b + 7\*b^3)\*EllipticE[(c + d\*x)/2, 2] + 60\*(7\*a^3 + 15\*a\*b^2)\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(7\*b\*(108\*a^2 + 43\*b^2)\*Cos[c + d\*x] + 5\*(84\*a^3 + 234\*a\*b^2 + 54\*a\*b^2\*Cos[2\*(c + d\*x)] + 7\*b^3\*Cos[3\*(c + d\*x)]))\*Sin[c + d\*x])/(630\*d)

**fricas [F]** time = 1.58, size = 0, normalized size = 0.00

$$\text{integral}((b^3 \cos(dx + c)^4 + 3ab^2 \cos(dx + c)^3 + 3a^2b \cos(dx + c)^2 + a^3 \cos(dx + c)) \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^4 + 3\*a\*b^2\*cos(d\*x + c)^3 + 3\*a^2\*b\*cos(d\*x + c)^2 + a^3\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2), x)

**maple** [B] time = 0.75, size = 470, normalized size = 2.42

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-1120b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (2160b^2a + 2240b^3)\left(\sin\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(2160*a*b^2+2240*b^3)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1512*a^2*b-3240*a*b^2-2072*b^3)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(420*a^3+1512*a^2*b+2520*a*b^2+952*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-210*a^3-378*a^2*b-720*a*b^2-168*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+105*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+225*b^2*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-567*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b-147*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 1.05, size = 178, normalized size = 0.92

$$\frac{2a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{2a^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} - \frac{2b^3 \cos(c+dx)^{11/2} \sin(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{11}{4}; \frac{15}{4}; \cos(c+dx)\right)}{11d \sqrt{\sin(c+dx)}^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] 
$$\begin{aligned} & (2*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (2*a^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d) - (2*b^3*\cos(c + d*x)^{(11/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 11/4], 15/4, \cos(c + d*x)^2))/(11*d*(\sin(c + d*x)^2)^{(1/2)}) - (6*a^2*b*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d) \end{aligned}$$

```
*(sin(c + d*x)^2)^(1/2)) - (2*a*b^2*cos(c + d*x)^(9/2)*sin(c + d*x)*hyperge  
om([1/2, 9/4], 13/4, cos(c + d*x)^2))/(3*d*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

### 3.576 $\int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=159

$$\frac{2b(21a^2 + 5b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(5a^2 + 9b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2b(21a^2 + 5b^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{32}{35} \frac{ab^2 \cos^2(c + dx) \sin(c + dx) \sqrt{\cos(c + dx)}}{d}$$

[Out] 2/5\*a\*(5\*a^2+9\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2/21\*b\*(21\*a^2+5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+32/35\*a\*b^2\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)/d+2/7\*b^2\*cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))\*sin(d\*x+c)/d+2/21\*b\*(21\*a^2+5\*b^2)\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.20, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2793, 3023, 2748, 2639, 2635, 2641}

$$\frac{2b(21a^2 + 5b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(5a^2 + 9b^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2b(21a^2 + 5b^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{32}{35} \frac{ab^2 \cos^2(c + dx) \sin(c + dx) \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^3,x]

[Out] (2\*a\*(5\*a^2 + 9\*b^2)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*b\*(21\*a^2 + 5\*b^2)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*b\*(21\*a^2 + 5\*b^2)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (32\*a\*b^2\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*b^2\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d)

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x])\*(b\*Ssin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Ssin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Ssin[e + f\*x])^(m - 3)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e



```
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2*m, 2*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3 dx &= \frac{2b^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2 dx \\ &= \frac{32ab^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2b^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{7d} \\ &= \frac{32ab^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2b^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{7d} \\ &= \frac{2a(5a^2 + 9b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2b(21a^2 + 5b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} \\ &= \frac{2a(5a^2 + 9b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2b(21a^2 + 5b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica [A]** time = 0.79, size = 110, normalized size = 0.69

$$\frac{42(5a^3 + 9ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 10(21a^2b + 5b^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(c + dx) \sqrt{\cos(c + dx)} (210a^2 + 12b^2)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^3,x]

[Out] (42\*(5\*a^3 + 9\*a\*b^2)\*EllipticE[(c + d\*x)/2, 2] + 10\*(21\*a^2\*b + 5\*b^3)\*EllipticF[(c + d\*x)/2, 2] + b\*Sqrt[Cos[c + d\*x]]\*(210\*a^2 + 65\*b^2 + 126\*a\*b\*Cos[c + d\*x] + 15\*b^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(105\*d)

**fricas [F]** time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sqrt(cos(d\*x + c)), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.74, size = 421, normalized size = 2.65

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-504b^2a - 360b^3)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-504*a*b^2-360*b^3)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c) \\ & + (420*a^2*b+504*a*b^2+280*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c) + (-210*a^2*b-126*a*b^2-80*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c) \\ & + 105*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 25*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 105*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a^3 - 189*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a*b^2 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

**mupad [B]** time = 0.94, size = 146, normalized size = 0.92

$$\frac{2\left(a^3 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^2 b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + a^2 b \sqrt{\cos(c + dx)} \sin(c + dx)\right)}{d} - \frac{2b^3 \cos(c + dx)^{9/2} \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{9}{4} \middle| \frac{13}{4}, \cos(c + dx)^2\right)}{9d \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] 
$$\begin{aligned} & (2*(a^3*ellipticE(c/2 + (d*x)/2, 2) + a^2*b*ellipticF(c/2 + (d*x)/2, 2) + a^2*b*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/d - (2*b^3*\cos(c + d*x)^{(9/2)}*\sin(c + d*x)*hypergeom([1/2, 9/4], 13/4, \cos(c + d*x)^2))/(9*d*(\sin(c + d*x)^2)^{(1/2)}) \\ & - (6*a*b^2*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*hypergeom([1/2, 7/4], 11/4, \cos(c + d*x)^2))/(7*d*(\sin(c + d*x)^2)^{(1/2)}) \end{aligned}$$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.577 \quad \int \frac{(a+b \cos(c+dx))^3}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=116

$$\frac{2a(a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{6b(5a^2+b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b^2 \sin(c+dx)\sqrt{\cos(c+dx)}(a+b \cos(c+dx))}{5d}$$

[Out] 6/5\*b\*(5\*a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+2\*a\*(a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/d+8/5\*a\*b^2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d+2/5\*b^2\*(a+b\*cos(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.18, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2793, 3023, 2748, 2641, 2639}

$$\frac{2a(a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{6b(5a^2+b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b^2 \sin(c+dx)\sqrt{\cos(c+dx)}(a+b \cos(c+dx))}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Sqrt[Cos[c + d\*x]],x]

[Out] (6\*b\*(5\*a^2 + b^2)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*a\*(a^2 + b^2)\*EllipticF[(c + d\*x)/2, 2])/d + (8\*a\*b^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d) + (2\*b^2\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2793**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

**Rule 3023**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\sqrt{\cos(c + dx)}} dx &= \frac{2b^2 \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2}a(5a^2 + b^2) + \frac{3}{2}b(5a^2 + b^2)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{8ab^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{5d} + \frac{2b^2 \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) \sin(c + dx)}{5d} + \dots \\ &= \frac{8ab^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{5d} + \frac{2b^2 \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) \sin(c + dx)}{5d} + \dots \\ &= \frac{6b(5a^2 + b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8ab^2 \sqrt{\cos(c + dx)}}{5d} \end{aligned}$$

**Mathematica** [A] time = 0.40, size = 84, normalized size = 0.72

$$\frac{2 \left( 3(5a^2b + b^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 5a(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + b^2 \sin(c + dx) \sqrt{\cos(c + dx)} (5a + b \cos(c + dx)) \right)}{5d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3/Sqrt[Cos[c + d*x]], x]
```

```
[Out] (2*(3*(5*a^2*b + b^3)*EllipticE[(c + d*x)/2, 2] + 5*a*(a^2 + b^2)*EllipticF
[(c + d*x)/2, 2] + b^2*Sqrt[Cos[c + d*x]]*(5*a + b*Cos[c + d*x])*Sin[c + d*
x]))/(5*d)
```

**fricas** [F] time = 1.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3/cos(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c)
+ a^3)/sqrt(cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3/cos(d*x+c)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x)
```

**maple [B]** time = 0.68, size = 376, normalized size = 3.24

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-8b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20b^2a + 8b^3)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(1/2),x)

[Out]  $-2/5*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*a*b^2+8*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*a*b^2-2*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+5*b^2*a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/sqrt(cos(d\*x + c)), x)

**mupad [B]** time = 0.88, size = 125, normalized size = 1.08

$$\frac{2a^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6a^2 b E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2ab^2 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2ab^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{d} - \frac{2b^3 \cos(c + dx)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^(1/2),x)

[Out]  $(2*a^3*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (6*a^2*b*\text{ellipticE}(c/2 + (d*x)/2, 2))/d + (2*a*b^2*\text{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*a*b^2*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/d - (2*b^3*\cos(c + d*x)^{(7/2)}*\sin(c + d*x)*\text{hypergeom}([1/2, 7/4], [11/4, \cos(c + d*x)^2])/(7*d*(\sin(c + d*x)^2)^{(1/2)}))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.578 \quad \int \frac{(a+b \cos(c+dx))^3}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=124

$$\frac{2b(9a^2 + b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(a^2 - 3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2b(3a^2 - b^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2a^2 \sin(c+dx)}{d}$$

[Out]  $-2*a*(a^2-3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/3*b*(9*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*a^2*(a+b*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}-2/3*b*(3*a^2-b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.19, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2792, 3023, 2748, 2641, 2639}

$$\frac{2b(9a^2 + b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(a^2 - 3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2b(3a^2 - b^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2a^2 \sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(3/2), x]

[Out]  $(-2*a*(a^2 - 3*b^2)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*b*(9*a^2 + b^2)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) - (2*b*(3*a^2 - b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int

egersQ[2\*m, 2\*n])

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{2a^2b - \frac{1}{2}a(a^2 - 3b^2) \cos(c + dx) - \frac{1}{2}b}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{2b(3a^2 - b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \\ &= -\frac{2b(3a^2 - b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \\ &= -\frac{2a(a^2 - 3b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b(9a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2b(3a^2 - b^2)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.56, size = 86, normalized size = 0.69

$$\frac{2 \left( \frac{\sin(c+dx)(3a^3+b^3 \cos(c+dx))}{\sqrt{\cos(c+dx)}} - 3(a^3 - 3ab^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right) + (9a^2b + b^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(3/2), x]

[Out] (2\*(-3\*(a^3 - 3\*a\*b^2)\*EllipticE[(c + d\*x)/2, 2] + (9\*a^2\*b + b^3)\*Elliptic F[(c + d\*x)/2, 2] + ((3\*a^3 + b^3\*Cos[c + d\*x])\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]])/(3\*d)

**fricas [F]** time = 1.30, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.80, size = 303, normalized size = 2.44

$$\frac{2 \left( 4b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 9a^2b \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2),x)

[Out] 
$$-2/3*(4*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^3-9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^2-6*a^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(3/2), x)

**mupad** [B] time = 0.93, size = 124, normalized size = 1.00

$$\frac{2b^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d} + \frac{6ab^2 E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{6a^2b F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2b^3 \sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{2a^3 \sin(c+dx)}{d \sqrt{\cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^(3/2),x)

[Out] 
$$(2*b^3*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/(3*d) + (6*a*b^2*\operatorname{ellipticE}(c/2 + (d*x)/2, 2))/d + (6*a^2*b*\operatorname{ellipticF}(c/2 + (d*x)/2, 2))/d + (2*b^3*\cos(c + d*x)^{(1/2)}*\sin(c + d*x))/(3*d) + (2*a^3*\sin(c + d*x)*\operatorname{hypergeom}([-1/4, 1/2], 3/4, \cos(c + d*x)^2))/(d*\cos(c + d*x)^{(1/2)}*(\sin(c + d*x)^2)^{(1/2)})$$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out



$$3.579 \quad \int \frac{(a+b \cos(c+dx))^3}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=120

$$\frac{2a(a^2 + 9b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2b(3a^2 - b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2 \sin(c+dx)(a+b \cos(c+dx))}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{16a^2b \sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

[Out]  $-2*b*(3*a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a*(a^2+9*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/d+2/3*a^2*(a+b*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+16/3*a^2*b*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.19, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2792, 3021, 2748, 2641, 2639}

$$\frac{2a(a^2 + 9b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2b(3a^2 - b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2 \sin(c+dx)(a+b \cos(c+dx))}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{16a^2b \sin(c+dx)}{3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(5/2), x]

[Out]  $(-2*b*(3*a^2 - b^2)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*a*(a^2 + 9*b^2)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (16*a^2*b*\sin[c + d*x])/(3*d*\text{Sqrt}[\cos[c + d*x]]) + (2*a^2*(a + b*\cos[c + d*x])*\sin[c + d*x])/(3*d*\cos[c + d*x]^{(3/2)})$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int

egersQ[2\*m, 2\*n])

### Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{4a^2b + \frac{1}{2}a(a^2 + 9b^2) \cos(c + dx) - \frac{1}{2}b(a^2 + 9b^2)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{16a^2b \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4}{3} \int \frac{\frac{1}{4}a(a^2 + 9b^2) - \frac{3}{4}b(3a^2 + 9b^2) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{16a^2b \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - (b(3a^2 - b^2)) \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2b(3a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(a^2 + 9b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{16a^2b \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 1.33, size = 85, normalized size = 0.71

$$\frac{2 \left( (3b^3 - 9a^2b) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + a \left( (a^2 + 9b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx)(a + 9b \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(5/2), x]

[Out] (2\*((-9\*a^2\*b + 3\*b^3)\*EllipticE[(c + d\*x)/2, 2] + a\*((a^2 + 9\*b^2)\*EllipticF[(c + d\*x)/2, 2] + (a\*(a + 9\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2))))/(3\*d)

**fricas** [F] time = 1.18, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

**maple** [B] time = 1.64, size = 631, normalized size = 5.26

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \sqrt{\frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x)

[Out]  $\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (4 * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 1) / \sin(1/2 * d * x + 1/2 * c) ^ 3 * (2 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ 3 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 18 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a * b ^ 2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 18 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ 2 * b * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * b ^ 3 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 36 * a ^ 2 * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - a ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 9 * b ^ 2 * a * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 9 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a ^ 2 * b + 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * b ^ 3 + 2 * a ^ 3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 18 * a ^ 2 * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

**mupad** [B] time = 1.64, size = 128, normalized size = 1.07

$$\frac{2 \left( E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^3 + 3 a F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) b^2 \right)}{d} + \frac{2 a^3 \sin(c + dx) {}_2F_1\left(-\frac{3}{4}, \frac{1}{2}; \frac{1}{4}; \cos(c + dx)^2\right)}{3 d \cos(c + dx)^{3/2} \sqrt{\sin(c + dx)^2}} + \frac{6 a^2 b \sin(c + dx)}{d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^(5/2),x)

[Out]  $(2 * (b^3 * \operatorname{ellipticE}(c/2 + (d*x)/2, 2) + 3 * a * b^2 * \operatorname{ellipticF}(c/2 + (d*x)/2, 2))) / d + (2 * a^3 * \sin(c + d*x) * \operatorname{hypergeom}([-3/4, 1/2], 1/4, \cos(c + d*x)^2)) / (3 * d * \cos(c + d*x) ^ (3/2) * (\sin(c + d*x) ^ 2) ^ (1/2)) + (6 * a^2 * b * \sin(c + d*x) * \operatorname{hypergeo}$

```
m([-1/4, 1/2], 3/4, cos(c + d*x)^2)/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

$$3.580 \quad \int \frac{(a+b \cos(c+dx))^3}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=149

$$\frac{2b(a^2 + b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{6a(a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{6a(a^2 + 5b^2)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2\sin(c+dx)(a+b\cos(c+dx))}{5d\cos^{\frac{5}{2}}(c+dx)}$$

[Out]  $-6/5*a*(a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2*b*(a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/d+8/5*a^2*b*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}+2/5*a^2*(a+b*\cos(d*x+c))*\sin(d*x+c)/d/\cos(d*x+c)^{(5/2)}+6/5*a*(a^2+5*b^2)*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.21, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2792, 3021, 2748, 2636, 2639, 2641}

$$\frac{2b(a^2 + b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{6a(a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{6a(a^2 + 5b^2)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a^2\sin(c+dx)(a+b\cos(c+dx))}{5d\cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(7/2), x]

[Out]  $(-6*a*(a^2 + 5*b^2)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*b*(a^2 + b^2)*\text{EllipticF}[(c + d*x)/2, 2])/d + (8*a^2*b*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(3/2)}) + (6*a*(a^2 + 5*b^2)*\sin[c + d*x])/(5*d*\sqrt{\cos[c + d*x]}) + (2*a^2*(a + b*\cos[c + d*x])*\sin[c + d*x])/(5*d*\cos[c + d*x]^{(5/2)})$

**Rule 2636**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*SIN[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 2)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(

$(n + 1)(c^2 - d^2)$ ,  $x$ ] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{6a^2b + \frac{3}{2}a(a^2 + 5b^2) \cos(c + dx) + \frac{1}{2}b(a^2 + 5b^2)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{8a^2b \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{4}{15} \int \frac{\frac{9}{4}a(a^2 + 5b^2) + \frac{15}{4}b(a^2 + 5b^2)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{8a^2b \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (b(a^2 + b^2)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2b(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^2b \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} + \frac{6a(a^2 + 5b^2) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} \\ &= -\frac{6a(a^2 + 5b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2b(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{8a^2b \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica** [A] time = 0.96, size = 125, normalized size = 0.84

$$\frac{3(a^3 + 5ab^2) \sin(2(c + dx)) + 2a^3 \tan(c + dx) + 10b(a^2 + b^2) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6a(a^2 + 5b^2) \cos^{\frac{3}{2}}(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(7/2), x]

[Out] (-6\*a\*(a^2 + 5\*b^2)\*Cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + 10\*b\*(a^2 + b^2)\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 10\*a^2\*b\*Sin[c + d\*x] + 3\*(a^3 + 5\*a\*b^2)\*Sin[2\*(c + d\*x)] + 2\*a^3\*Tan[c + d\*x])/(5\*d\*Cos[c + d\*x]^(3/2))

**fricas** [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{\cos(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**maple** [B] time = 2.07, size = 738, normalized size = 4.95

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/5*a^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+6*a^2*b*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**mupad** [B] time = 1.74, size = 156, normalized size = 1.05

$$\frac{2b^3 F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d} + \frac{2a^3 \sin(c + dx) {}_2F_1\left(-\frac{5}{4}, \frac{1}{2}; -\frac{1}{4}; \cos(c + dx)^2\right)}{5d \cos(c + dx)^{5/2} \sqrt{\sin(c + dx)^2}} + \frac{6ab^2 \sin(c + dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c + dx)^2\right)}{d \sqrt{\cos(c + dx)} \sqrt{\sin(c + dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*cos(c + d*x))^3/cos(c + d*x)^(7/2),x)
```

```
[Out] (2*b^3*ellipticF(c/2 + (d*x)/2, 2))/d + (2*a^3*sin(c + d*x)*hypergeom([-5/4, 1/2], -1/4, cos(c + d*x)^2))/(5*d*cos(c + d*x)^(5/2)*(sin(c + d*x)^2)^(1/2)) + (6*a*b^2*sin(c + d*x)*hypergeom([-1/4, 1/2], 3/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(1/2)*(sin(c + d*x)^2)^(1/2)) + (2*a^2*b*sin(c + d*x)*hypergeom([-3/4, 1/2], 1/4, cos(c + d*x)^2))/(d*cos(c + d*x)^(3/2)*(sin(c + d*x)^2)^(1/2))
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```



$$3.581 \quad \int \frac{(a+b \cos(c+dx))^3}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=194

$$\frac{2a(5a^2 + 21b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{2b(9a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5a^2 + 21b^2)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(9a^2 + 5b^2)}{5d\sqrt{\cos}}$$

[Out]  $-2/5*b*(9*a^2+5*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+2/21*a*(5*a^2+21*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/d+32/35*a^2*b*sin(d*x+c)/d/cos(d*x+c)^{(5/2)}+2/21*a*(5*a^2+21*b^2)*sin(d*x+c)/d/cos(d*x+c)^{(3/2)}+2/7*a^2*(a+b*cos(d*x+c))*sin(d*x+c)/d/cos(d*x+c)^{(7/2)}+2/5*b*(9*a^2+5*b^2)*sin(d*x+c)/d/cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.23, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2792, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(5a^2 + 21b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{2b(9a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(5a^2 + 21b^2)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(9a^2 + 5b^2)}{5d\sqrt{\cos}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Cos[c + d\*x]^(9/2), x]

[Out]  $(-2*b*(9*a^2 + 5*b^2)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*a*(5*a^2 + 21*b^2)*EllipticF[(c + d*x)/2, 2])/(21*d) + (32*a^2*b*Sin[c + d*x])/(35*d*Cos[c + d*x]^{(5/2)}) + (2*a*(5*a^2 + 21*b^2)*Sin[c + d*x])/(21*d*Cos[c + d*x]^{(3/2)}) + (2*b*(9*a^2 + 5*b^2)*Sin[c + d*x])/(5*d*sqrt[Cos[c + d*x]]) + (2*a^2*(a + b*Cos[c + d*x])*Sin[c + d*x])/(7*d*Cos[c + d*x]^{(7/2)})$

**Rule 2636**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 2792**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3}{\cos^2(c + dx)} dx = \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{8a^2b + \frac{1}{2}a(5a^2 + 21b^2) \cos(c + dx) + \frac{1}{2}b(5a^2 + 21b^2) \sin(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{32a^2b \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{4}{35} \int \frac{\frac{5}{4}a(5a^2 + 21b^2) + \frac{7}{4}b(5a^2 + 21b^2) \sin(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{32a^2b \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2a^2(a + b \cos(c + dx)) \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{1}{5} (b(9a^2 + 5b^2)) \int \frac{1}{\cos^2(c + dx)} dx$$

$$= \frac{32a^2b \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2a(5a^2 + 21b^2) \sin(c + dx)}{21d \cos^2(c + dx)} + \frac{2b(9a^2 + 5b^2) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{2a^2}{35d \cos^2(c + dx)}$$

$$= -\frac{2b(9a^2 + 5b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(5a^2 + 21b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{32a^2b \sin(c + dx)}{35d \cos^2(c + dx)}$$

**Mathematica** [A] time = 0.81, size = 177, normalized size = 0.91

$$\frac{25a^3 \sin(2(c + dx)) + 30a^3 \tan(c + dx) + 10a(5a^2 + 21b^2) \cos^{\frac{5}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 42b(9a^2 + 5b^2) \cos^{\frac{5}{2}}(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3/Cos[c + d*x]^(9/2), x]
```

```
[Out] (-42*b*(9*a^2 + 5*b^2)*Cos[c + d*x]^(5/2)*EllipticE[(c + d*x)/2, 2] + 10*a*(5*a^2 + 21*b^2)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 126*a^2*b*Sin[c + d*x] + 378*a^2*b*Cos[c + d*x]^2*Sin[c + d*x] + 210*b^3*Cos[c + d*x]^2*Sin[c + d*x] + 25*a^3*Sin[2*(c + d*x)] + 105*a*b^2*Sin[2*(c + d*x)] + 30*a^3*Tan[c + d*x])/((105*d*Cos[c + d*x]^(5/2))
```

**fricas** [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}{\cos(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/cos(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^3}{\cos(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)

**maple** [B] time = 2.60, size = 847, normalized size = 4.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-6/5*a^2*b/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*b^3*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+6*b^2*a*(-1/6*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+2*a^3*(-1/56*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^4-5/42*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+5/21*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^3}{\cos(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)

**mupad [B]** time = 2.00, size = 147, normalized size = 0.76

$$\frac{2a^3 \sin(c+dx) {}_2F_1\left(-\frac{7}{4}, \frac{1}{2}; -\frac{3}{4}; \cos(c+dx)^2\right)}{7} + 2b^3 \cos(c+dx)^3 \sin(c+dx) {}_2F_1\left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(c+dx)^2\right) + \frac{6a^2 b \cos(c+dx)}{d \cos(c+dx)^{7/2} \sqrt{1 - \cos(c+dx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/cos(c + d\*x)^(9/2),x)

[Out] ((2\*a^3\*sin(c + d\*x)\*hypergeom([-7/4, 1/2], -3/4, cos(c + d\*x)^2))/7 + 2\*b^3\*cos(c + d\*x)^3\*sin(c + d\*x)\*hypergeom([-1/4, 1/2], 3/4, cos(c + d\*x)^2) + (6\*a^2\*b\*cos(c + d\*x)\*sin(c + d\*x)\*hypergeom([-5/4, 1/2], -1/4, cos(c + d\*x)^2))/5 + 2\*a\*b^2\*cos(c + d\*x)^2\*sin(c + d\*x)\*hypergeom([-3/4, 1/2], 1/4, cos(c + d\*x)^2))/(d\*cos(c + d\*x)^(7/2)\*(1 - cos(c + d\*x)^2)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.582 \quad \int \frac{\cos^2(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=112

$$\frac{2a^3 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^3 d(a+b)} + \frac{2(3a^2 + b^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3 d} - \frac{2aE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3bd}$$

[Out]  $-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d+2/3*(3*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/d-2*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^3/(a+b)/d+2/3*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/d$

**Rubi [A]** time = 0.39, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2793, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(3a^2 + b^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3 d} - \frac{2a^3 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^3 d(a+b)} - \frac{2aE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + b\*cos[c + d\*x]), x]

[Out]  $(-2*a*\text{EllipticE}[(c+d*x)/2, 2])/(b^2*d) + (2*(3*a^2 + b^2)*\text{EllipticF}[(c+d*x)/2, 2])/(3*b^3*d) - (2*a^3*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(b^3*(a+b)*d) + (2*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*b*d)$

**Rule 2639**

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2793**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m-2)\*(c + d\*sin[e + f\*x])^(n+1))/(d\*f\*(m+n)), x] + Dist[1/(d\*(m+n)), Int[(a + b\*sin[e + f\*x])^(m-3)\*(c + d\*sin[e + f\*x])^n\*Simp[a^3\*d\*(m+n) + b^2\*(b\*c\*(m-2) + a\*d\*(n+1)) - b\*(a\*b\*c - b^2\*d\*(m+n-1) - 3\*a^2\*d\*(m+n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

**Rule 2805**

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a+b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c+d)])/(f\*(a+b)\*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

0] && GtQ[c + d, 0]

### Rule 3002

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x])\*(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)}{a+b\cos(c+dx)} dx &= \frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} + \frac{2 \int \frac{\frac{a}{2} + \frac{1}{2}b \cos(c+dx) - \frac{3}{2}a \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3b} \\ &= \frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} - \frac{2 \int \frac{-\frac{ab}{2} - \frac{1}{2}(3a^2+b^2)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3b^2} - \frac{a \int \sqrt{\cos(c+dx)} dx}{b^2} \\ &= -\frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} - \frac{a^3 \int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{b^3} + \dots \\ &= -\frac{2aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2(3a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} - \frac{2a^3\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3(a+b)d} + \frac{2\sqrt{\cos(c+dx)} \sin(c+dx)}{3bd} \end{aligned}$$

**Mathematica [A]** time = 2.04, size = 158, normalized size = 1.41

$$\frac{6 \sin(c+dx) \left( (b^2-2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) \right)}{b^2 \sqrt{\sin^2(c+dx)}} - \frac{6a \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b}$$


---

6bd

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x]), x]

[Out] (4\*EllipticF[(c + d\*x)/2, 2] - (6\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + 4\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x] - (6\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(b^2\*Sqrt[Sin[c + d\*x]^2]))/(6\*b\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.87, size = 516, normalized size = 4.61

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( (4b^2a - 4b^3) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-2b^2a + 2b^3) \left(\sin\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] 
$$-2/3 * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * ((4 * a * b ^ 2 - 4 * b ^ 3) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 + (-2 * a * b ^ 2 + 2 * b ^ 3) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) + 3 * a ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 3 * a ^ 2 * b * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + b ^ 2 * a * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - b ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a ^ 2 * b - 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b ^ 2 - 3 * a ^ 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2 ^ (1/2))) / b ^ 3 / (a - b) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out



$$3.583 \quad \int \frac{\cos^3(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=75

$$\frac{2a^2 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d(a+b)} - \frac{2aF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/d - 2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/d + 2*a^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b^2/(a+b)/d$

**Rubi [A]** time = 0.16, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2804, 2639, 2803, 2641, 2805}

$$\frac{2a^2 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d(a+b)} - \frac{2aF\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + b\*cos[c + d\*x]), x]

[Out]  $(2*\text{EllipticE}[(c + d*x)/2, 2])/(b*d) - (2*a*\text{EllipticF}[(c + d*x)/2, 2])/(b^2*d) + (2*a^2*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^2*(a + b)*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2803

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2804

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[b/d, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[(b\*c - a\*d)/d, Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c+dx)}{a+b\cos(c+dx)} dx &= \frac{\int \sqrt{\cos(c+dx)} dx}{b} - \frac{a \int \frac{\sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx}{b} \\ &= \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{a \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b^2} + \frac{a^2 \int \frac{1}{\sqrt{\cos(c+dx)(a+b\cos(c+dx))}} dx}{b^2} \\ &= \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2a^2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2(a+b)d} \end{aligned}$$

**Mathematica** [A] time = 0.30, size = 81, normalized size = 1.08

$$\frac{2 \sin(c+dx) \left( -(a+b)F\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) + a\Pi\left(-\frac{b}{a}; \sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) + bE\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) \right)}{b^2 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x]), x]

[Out] (-2\*(b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] - (a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + a\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x]/(b^2\*d\*Sqrt[Sin[c + d\*x]^2])

**fricas** [F] time = 152.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{3}{2}}}{b\cos(dx+c)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{b\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.79, size = 227, normalized size = 3.03

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)\right)}{b^2(a-b)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x)`

[Out]  $2*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-a^2*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}))/b^2/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate(cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{a+b \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(3/2)/(a+b*cos(c+d*x)),x)`

[Out] `int(cos(c+d*x)^(3/2)/(a+b*cos(c+d*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)`

[Out] Timed out

$$3.584 \quad \int \frac{\sqrt{\cos(c+dx)}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=53

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/d-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/b/(a+b)/d$

**Rubi [A]** time = 0.10, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2803, 2641, 2805}

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x]), x]

[Out]  $(2*\text{EllipticF}[(c + d*x)/2, 2])/(b*d) - (2*a*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b*(a + b)*d)$

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2803

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{a+b \cos(c+dx)} dx &= \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b} - \frac{a \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{b} \\ &= \frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 48, normalized size = 0.91

$$\frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right) - \frac{2a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b}}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b)/(b\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a), x)

**maple [A]** time = 0.68, size = 188, normalized size = 3.55

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), 2\right)\right)}{(a-b)b\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a-EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*b-a\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2^(1/2)))/(a-b)/b/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\cos(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x)), x)

[Out] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c)), x)

[Out] Timed out

$$3.585 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=29

$$\frac{2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{d(a+b)}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/(a+b)/d$

**Rubi [A]** time = 0.05, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.043$ , Rules used = {2805}

$$\frac{2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a + b)\*d)

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))} dx = \frac{2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{(a+b)d}$$

**Mathematica [A]** time = 0.08, size = 29, normalized size = 1.00

$$\frac{2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a + b)\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.63, size = 150, normalized size = 5.17

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{(a-b)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2^(1/2))/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out



$$3.586 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=77

$$\frac{2b\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}}$$

[Out]  $-2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d-2*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a/(a+b)/d+2*\sin(d*x+c)/a/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.24, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2802, 3059, 2639, 12, 2805}

$$\frac{2b\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} - \frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])), x]

[Out]  $(-2*\text{EllipticE}[(c + d*x)/2, 2])/(a*d) - (2*b*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d) + (2*\text{Sin}[c + d*x])/(a*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - P i/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

## Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rubi steps

$$\begin{aligned} \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} dx &= \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} + \frac{2\int \frac{-\frac{b}{2}-\frac{1}{2}a\cos(c+dx)-\frac{1}{2}b\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{a} \\ &= \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{\int \sqrt{\cos(c+dx)} dx}{a} - \frac{2\int \frac{b^2}{2\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{ab} \\ &= -\frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{b\int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{a} \\ &= -\frac{2E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{2b\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a(a+b)d} + \frac{2\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [B]** time = 3.11, size = 195, normalized size = 2.53

$$\frac{2\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)+2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)-2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)\right)}{ab\sqrt{\sin^2(c+dx)}} + \frac{6b\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b}$$


---

2ad

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] -1/2\*((6\*b\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (2\*a\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b))/b - (4\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]] + (2\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2]))/(a\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b\cos(dx+c)+a)\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 0.94, size = 354, normalized size = 4.60

$$2 \left( -2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right)} (a-b) \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - b \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \right.} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*(-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(a-b)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a-(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b)/a/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

$$3.587 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=128

$$\frac{2b^2 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d(a+b)} + \frac{2bE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d} - \frac{2b \sin(c+dx)}{a^2 d \sqrt{\cos(c+dx)}} + \frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3ad} + \frac{2 \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $2*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/d+2/3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/d+2*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^2/(a+b)/d+2/3*\sin(d*x+c)/a/d/\cos(d*x+c)^{(3/2)}-2*b*\sin(d*x+c)/a^2/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.55, antiderivative size = 128, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2b^2 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d(a+b)} + \frac{2bE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d} - \frac{2b \sin(c+dx)}{a^2 d \sqrt{\cos(c+dx)}} + \frac{2F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3ad} + \frac{2 \sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])), x]

[Out]  $(2*b*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) + (2*\text{EllipticF}[(c+d*x)/2, 2])/(3*a*d) + (2*b^2*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(a^2*(a+b)*d) + (2*\sin[c+d*x])/(3*a*d*\cos[c+d*x]^{(3/2)}) - (2*b*\sin[c+d*x])/(a^2*d*\text{Sqrt}[\cos[c+d*x]])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[c + d, 0]$

### Rule 3002

$\text{Int}[(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])))/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \text{:>} \text{Dist}[B/d, \text{Int}[(a + b*\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\sin[e + f*x])^m/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 3055

$\text{Int}[((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \text{:>} -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}*(c + d*\sin[e + f*x])^{(n + 1)}]/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m + 1)}*(c + d*\sin[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$

### Rule 3059

$\text{Int}[((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \text{:>} \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\sin[e + f*x], x]/(\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))} dx &= \frac{2\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} + \frac{2\int \frac{-\frac{3b}{2} + \frac{1}{2}a\cos(c+dx) + \frac{1}{2}b\cos^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} dx}{3a} \\
&= \frac{2\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{2b\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{4\int \frac{\frac{1}{4}(a^2+3b^2) + ab\cos(c+dx) + \frac{3}{4}b^2\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3a^2} \\
&= \frac{2\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{2b\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{4\int \frac{-\frac{1}{4}b(a^2+3b^2) - \frac{1}{4}ab^2\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{3a^2b} \\
&= \frac{2bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{2b\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{3a} \\
&= \frac{2bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{2F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{2b^2\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a^2(a+b)d} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{3a}
\end{aligned}$$

**Mathematica [A]** time = 4.58, size = 210, normalized size = 1.64

$$\frac{2(2a^2+9b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{6\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)\right)}{a\sqrt{\sin^2(c+dx)}}$$


---


$$6a^2d$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] ((2\*(2\*a^2 + 9\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + 8\*a\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) + (4\*(a - 3\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2) + (6\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2]))/(6\*a^2\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b\cos(dx+c)+a)\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 1.96, size = 452, normalized size = 3.53

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{4b^3 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{a^2(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x)

[Out] 
$$-\left(-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-4b^3/a^2/\left(-2*a*b+2*b^2\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), -2*b/(a-b), 2^{\frac{1}{2}}\right)-2/a^2*b*\left(-\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\right)*\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2^{\frac{1}{2}}\right)+2*\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/\left(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)+2/a*\left(-1/6*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}/\left(-1/2+\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^2+1/3*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{\frac{1}{2}}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right), 2^{\frac{1}{2}}\right)\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))), x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)), x)

[Out] Timed out

$$3.588 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=245

$$-\frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{bd(a^2-b^2)(a+b \cos(c+dx))} + \frac{(5a^2-2b^2) \sin(c+dx) \sqrt{\cos(c+dx)}}{3b^2d(a^2-b^2)} - \frac{a(5a^2-4b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^3d(a^2-b^2)} + \frac{(15a^4-16a^2b^2-2b^4) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^4d(a^2-b^2)} - \frac{a^3(5a^2-7b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^4d(a-b)(a+b)^2} + \frac{a^2 \cos^{\frac{3}{2}}(c+dx)}{b^2d(a^2-b^2)}$$

[Out]  $-a*(5*a^2-4*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/(a^2-b^2)/d+1/3*(15*a^4-16*a^2*b^2-2*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^4/(a^2-b^2)/d-a^3*(5*a^2-7*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/(a-b)/b^4/(a+b)^2/d-a^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))+1/3*(5*a^2-2*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b^2/(a^2-b^2)/d$

**Rubi [A]** time = 0.70, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2792, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-16a^2b^2 + 15a^4 - 2b^4) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^4d(a^2-b^2)} - \frac{a(5a^2-4b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^3d(a^2-b^2)} - \frac{a^3(5a^2-7b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^4d(a-b)(a+b)^2} + \frac{a^2 \cos^{\frac{3}{2}}(c+dx)}{b^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(7/2)}/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $-((a*(5*a^2-4*b^2)*\text{EllipticE}[(c+d*x)/2, 2])/(b^3*(a^2-b^2)*d)) + ((15*a^4-16*a^2*b^2-2*b^4)*\text{EllipticF}[(c+d*x)/2, 2])/(3*b^4*(a^2-b^2)*d) - (a^3*(5*a^2-7*b^2)*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(a-b)*b^4*(a+b)^2*d + ((5*a^2-2*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*b^2*(a^2-b^2)*d) - (a^2*\cos[c+d*x]^{(3/2)}*\sin[c+d*x])/(b*(a^2-b^2)*d*(a+b*\cos[c+d*x]))$

**Rule 2639**

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

**Rule 2792**

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}(((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m-2)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(c^2 - d^2)), x) + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m-3)}*(c + d*\sin[e + f*x])^{(n+1)}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\sin[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n])$



Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3049

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e
_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx &= -\frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{\sqrt{\cos(c+dx)} \left( \frac{3a^2}{2} - ab \cos(c+dx) - \frac{1}{2}(5a^2-2b^2) \cos^2(c+dx) \right)}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{(5a^2-2b^2) \sqrt{\cos(c+dx)} \sin(c+dx)}{3b^2(a^2-b^2)d} - \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{2 \int \frac{-\frac{1}{4}a(5a^2-2b^2) \sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
&= \frac{(5a^2-2b^2) \sqrt{\cos(c+dx)} \sin(c+dx)}{3b^2(a^2-b^2)d} - \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} + \frac{2 \int \frac{\frac{1}{4}ab(5a^2-2b^2) \sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\
&= -\frac{a(5a^2-4b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^3(a^2-b^2)d} + \frac{(5a^2-2b^2) \sqrt{\cos(c+dx)} \sin(c+dx)}{3b^2(a^2-b^2)d} - \frac{a^2 \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= -\frac{a(5a^2-4b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^3(a^2-b^2)d} + \frac{(15a^4-16a^2b^2-2b^4) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^4(a^2-b^2)d} - \frac{a^3(5a^2-2b^2)}{b(a^2-b^2)d}
\end{aligned}$$

**Mathematica [A]** time = 1.96, size = 266, normalized size = 1.09

$$\frac{4 \sin(c+dx) \sqrt{\cos(c+dx)} \left( \frac{3a^3}{(a^2-b^2)(a+b\cos(c+dx))} + 2 \right) - \frac{2(5a^3-8ab^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) + 8(2a^2+b^2) \left( (a+b) F\left(\frac{1}{2}(c+dx) \middle| 2\right) - a \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \right)}{12b^2d}}{12b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(7/2)/(a + b\*Cos[c + d\*x])^2,x]

[Out] (4\*Sqrt[Cos[c + d\*x]]\*(2 + (3\*a^3)/((a^2 - b^2)\*(a + b\*Cos[c + d\*x]))) \* Sin[c + d\*x] - ((2\*(5\*a^3 - 8\*a\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]) / (a + b) + (8\*(2\*a^2 + b^2)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])) / (a + b) + (6\*(5\*a^2 - 4\*b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x]) / (b^2\*Sqrt[Sin[c + d\*x]^2])) / ((a - b)\*(a + b))) / (12\*b^2\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{2}}}{(b\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c) + a)^2, x)

maple [B] time = 2.59, size = 1070, normalized size = 4.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/3/b^2*(2*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-4/b^3*(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(3*a^2+2*a*b+b^2)/b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+16*a^3/b^3/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2/b^4*a^4*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{7/2}}{(b\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{7/2}}{(a+b\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^(7/2)/(a + b\*cos(c + d\*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.589 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=185

$$\frac{(3a^2 - 2b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d (a^2 - b^2)} - \frac{a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{bd (a^2 - b^2) (a + b \cos(c + dx))} - \frac{a (3a^2 - 4b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d (a^2 - b^2)} + \frac{a^2 (3a^2 - 5b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d (a - b) (a + b)^2} - \frac{a^2 \sin(c + dx)}{bd (a^2 - b^2)}$$

[Out] (3\*a^2-2\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/b^2/(a^2-b^2)/d-a\*(3\*a^2-4\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/b^3/(a^2-b^2)/d+a^2\*(3\*a^2-5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c),2\*b/(a+b),2^(1/2))/(a-b)/b^3/(a+b)^2/d-a^2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/b/(a^2-b^2)/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.46, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2792, 3059, 2639, 3002, 2641, 2805}

$$-\frac{a (3a^2 - 4b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d (a^2 - b^2)} + \frac{(3a^2 - 2b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d (a^2 - b^2)} + \frac{a^2 (3a^2 - 5b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d (a - b) (a + b)^2} - \frac{a^2 \sin(c + dx)}{bd (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + b\*cos[c + d\*x])^2,x]

[Out] ((3\*a^2 - 2\*b^2)\*EllipticE[(c + d\*x)/2, 2])/(b^2\*(a^2 - b^2)\*d) - (a\*(3\*a^2 - 4\*b^2)\*EllipticF[(c + d\*x)/2, 2])/(b^3\*(a^2 - b^2)\*d) + (a^2\*(3\*a^2 - 5\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b^3\*(a + b)^2\*d) - (a^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*sin[e + f\*x])^(m - 3)\*(c + d\*sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

#### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{\cos^5(c + dx)}{(a + b \cos(c + dx))^2} dx = -\frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{\frac{a^2}{2} - ab \cos(c + dx) - \frac{1}{2}(3a^2 - 2b^2) \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b(a^2 - b^2)}$$

$$= -\frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{-\frac{a^2 b}{2} - \frac{1}{2}a(3a^2 - 4b^2) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b^2(a^2 - b^2)} + \frac{(3a^2 - 2b^2) \int \sqrt{\cos(c + dx)}}{2b^2(a^2 - b^2)}$$

$$= \frac{(3a^2 - 2b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} - \frac{a^2 \sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(a^2(3a^2 - 5b^2)) \int \sqrt{\cos(c + dx)}}{2b^3(a^2 - b^2)}$$

$$= \frac{(3a^2 - 2b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} - \frac{a(3a^2 - 4b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2)d} + \frac{a^2(3a^2 - 5b^2) \Pi\left(\frac{2}{a+b}, \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)b^3(a^2 - b^2)}$$

**Mathematica [A]** time = 1.85, size = 251, normalized size = 1.36

$$\frac{4a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{(b^2 - a^2)(a + b \cos(c + dx))} + \frac{\frac{2(a^2 - 2b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} + \frac{2(3a^2 - 2b^2) \sin(c + dx) \left( (b^2 - 2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2ab E\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| 2\right) \right)}{ab^2 \sqrt{\sin^2(c + dx)}}}{(a - b)(a + b)}$$

4bd

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)/(a + b*Cos[c + d*x])^2, x]
[Out] ((4*a^2*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((-a^2 + b^2)*(a + b*Cos[c + d*x])) + ((2*(a^2 - 2*b^2)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + 4*a*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b)) + (2*(3*a^2 - 2*b^2)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]])/(a + b))
```

$d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b))/(4*b*d)$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)

**maple** [B] time = 2.24, size = 815, normalized size = 4.41

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/b^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & *( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * a + \\ & EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b) - 12*a^2/b^2/(-2*a*b+2*b^2)*( \sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2 \\ & ^{(1/2)}) - 2/b^3*a^3*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b) - 1/2/(a+b)/a \\ & *( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)}) - 1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(c \\ & os(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*( \\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ & )^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*a/(a^2-b^2)/(-2*a*b+2*b^ \\ & 2)*b*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c) \\ & , -2*b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*( \sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin \\ & (1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^{5/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out



$$3.590 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=163

$$\frac{(a^2 - 2b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a^2 - b^2)} - \frac{aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd(a^2 - b^2)} - \frac{a(a^2 - 3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a-b)(a+b)^2} + \frac{a \sin(c+dx)\sqrt{\cos(c+dx)}}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

[Out]  $-a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b/(a^2-b^2)/d+(a^2-2*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^2/(a^2-b^2)/d-a*(a^2-3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/(a-b)/b^2/(a+b)^2/d+a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.38, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2799, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2 - 2b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a^2 - b^2)} - \frac{aE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd(a^2 - b^2)} - \frac{a(a^2 - 3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a-b)(a+b)^2} + \frac{a \sin(c+dx)\sqrt{\cos(c+dx)}}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^2, x]

[Out]  $-((a*\text{EllipticE}[(c+d*x)/2, 2])/(b*(a^2 - b^2)*d)) + ((a^2 - 2*b^2)*\text{EllipticF}[(c+d*x)/2, 2])/(b^2*(a^2 - b^2)*d) - (a*(a^2 - 3*b^2)*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(a-b)*b^2*(a+b)^2*d + (a*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(a^2 - b^2)*d*(a+b*\text{Cos}[c+d*x])$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2799**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-1))/(f\*(m+1)\*(a^2 - b^2)), x] + Dist[1/((m+1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n-2)\*Simp[c\*(a\*c - b\*d)\*(m+1) + d\*(b\*c - a\*d)\*(n-1) + (d\*(a\*c - b\*d)\*(m+1) - c\*(b\*c - a\*d)\*(m+2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m+n+1)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a+b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c+d)])/(f\*(a+b)\*Sqrt[c+d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^2} dx = \frac{a\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{-\frac{a}{2} + b \cos(c + dx) + \frac{1}{2}a \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{-a^2 + b^2}$$

$$= \frac{a\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{\frac{ab}{2} + \frac{1}{2}(a^2 - 2b^2) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b(a^2 - b^2)} - \frac{a \int \sqrt{\cos(c + dx)} dx}{2b(a^2 - b^2)}$$

$$= -\frac{aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} + \frac{a\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(a(a^2 - 3b^2)) \int \frac{1}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{2b^2(a^2 - b^2)}$$

$$= -\frac{aE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} + \frac{(a^2 - 2b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} - \frac{a(a^2 - 3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)b^2(a + b)^2d}$$

**Mathematica [A]** time = 3.40, size = 194, normalized size = 1.19

$$\frac{4a \sin(c + dx) \sqrt{\cos(c + dx)}}{(a^2 - b^2)(a + b \cos(c + dx))} - \frac{2 \sin(c + dx) \left( (b^2 - 2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{b^2 \sqrt{\sin^2(c + dx)}} - \frac{10a \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((4\*a\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) - (8\*EllipticF[(c + d\*x)/2, 2] - (10\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (2\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(b^2\*Sqrt[Sin[c + d\*x]^2]))/((a - b)\*(a + b)))/(4\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

maple [B] time = 1.81, size = 794, normalized size = 4.87

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+8/b*a \\ & /(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2/b^2*a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{3/2}}{(a+b \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(3/2)/(a + b*cos(c + d*x))^2,x)
```

```
[Out] int(cos(c + d*x)^(3/2)/(a + b*cos(c + d*x))^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

$$3.591 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=148

$$\frac{aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d(a^2-b^2)} - \frac{(a^2+b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a-b)(a+b)^2} - \frac{b \sin(c+dx)\sqrt{\cos(c+dx)}}{d(a^2-b^2)(a+b \cos(c+dx))}$$

[Out] (cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/(a^2-b^2)/d+a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c), 2^(1/2))/b/(a^2-b^2)/d-(a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c), 2\*b/(a+b), 2^(1/2))/(a-b)/b/(a+b)^2/d-b\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/(a^2-b^2)/d/(a+b\*cos(d\*x+c))

**Rubi [A]** time = 0.40, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2796, 3059, 2639, 3002, 2641, 2805}

$$\frac{aF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd(a^2-b^2)} + \frac{E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d(a^2-b^2)} - \frac{(a^2+b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a-b)(a+b)^2} - \frac{b \sin(c+dx)\sqrt{\cos(c+dx)}}{d(a^2-b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^2, x]

[Out] EllipticE[(c + d\*x)/2, 2]/((a^2 - b^2)\*d) + (a\*EllipticF[(c + d\*x)/2, 2])/((b\*(a^2 - b^2)\*d) - ((a^2 + b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b\*(a + b)^2\*d) - (b\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2796

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,

0] && GtQ[c + d, 0]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^2} dx = -\frac{b\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{\frac{b}{2} - a \cos(c + dx) - \frac{1}{2}b \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{-a^2 + b^2}$$

$$= -\frac{b\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \sqrt{\cos(c + dx)} dx}{2(a^2 - b^2)} + \frac{\int \frac{-\frac{b^2}{2} + \frac{1}{2}ab \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b(a^2 - b^2)}$$

$$= \frac{E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{(a^2 - b^2)d} - \frac{b\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{a \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{2b(a^2 - b^2)} - \frac{(a^2 + b^2) \int \dots}{(a^2 - b^2)d}$$

$$= \frac{E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{(a^2 - b^2)d} + \frac{aF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} - \frac{(a^2 + b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a - b)b(a + b)^2d} - \frac{b\sqrt{\cos(c + dx)} \sin(c + dx)}{(a^2 - b^2)d}$$

**Mathematica [A]** time = 3.70, size = 229, normalized size = 1.55

$$\frac{4b \sin(c + dx) \sqrt{\cos(c + dx)}}{(b^2 - a^2)(a + b \cos(c + dx))} - \frac{2 \left( \frac{\sin(c + dx) \left( (b^2 - 2a^2) \Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2ab E\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{a \sqrt{\sin^2(c + dx)}} - \frac{b^2 \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a + b} \right)}{b(b - a)(a + b)}$$

4d

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((4\*b\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((-a^2 + b^2)\*(a + b\*Cos[c + d\*x])) - (2\*(-((b^2\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) + 2\*a\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) + ((-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2])))/(b\*(-a + b)\*(a + b)))/(4\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

**maple** [B] time = 1.91, size = 713, normalized size = 4.82

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{4\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4/(-2*a*b+2*b^2) \\ & *( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), - \\ & 2*b/(a-b), 2^{(1/2)})-2/b*a*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/ \\ & (a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2* \\ & c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{Elli \\ & pticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a \\ & *b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x \\ & +1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)} \\ & )))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out



$$3.592 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=157

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d(a^2-b^2)} - \frac{bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad(a^2-b^2)} + \frac{(3a^2-b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a-b)(a+b)^2} + \frac{b^2 \sin(c+dx)\sqrt{\cos(c+dx)}}{ad(a^2-b^2)(a+b \cos(c+dx))}$$

[Out]  $-b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/(a^2-b^2)/d - (\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/(a^2-b^2)/d + (3*a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a/(a-b)/(a+b)^2/d + b^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.44, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2802, 3059, 2639, 3002, 2641, 2805}

$$\frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d(a^2-b^2)} - \frac{bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad(a^2-b^2)} + \frac{(3a^2-b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a-b)(a+b)^2} + \frac{b^2 \sin(c+dx)\sqrt{\cos(c+dx)}}{ad(a^2-b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2), x]

[Out]  $-((b*\text{EllipticE}[(c + d*x)/2, 2])/(a*(a^2 - b^2)*d)) - \text{EllipticF}[(c + d*x)/2, 2]/((a^2 - b^2)*d) + ((3*a^2 - b^2)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a - b)*(a + b)^2*d) + (b^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c

, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx = \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}(2a^2-b^2)-ab\cos(c+dx)-\frac{1}{2}b^2\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{a(a^2-b^2)}$$

$$= \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{-\frac{1}{2}b(2a^2-b^2)+\frac{1}{2}ab^2\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{ab(a^2-b^2)} - \frac{b \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2(a^2-b^2)}$$

$$= -\frac{bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a(a^2-b^2)d} + \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2(a^2-b^2)}$$

$$= -\frac{bE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a(a^2-b^2)d} - \frac{F\left(\frac{1}{2}(c+dx)\middle|2\right)}{(a^2-b^2)d} + \frac{(3a^2-b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a(a-b)(a+b)^2d}$$

**Mathematica [A]** time = 3.51, size = 238, normalized size = 1.52

$$\frac{4b^2\sin(c+dx)\sqrt{\cos(c+dx)}}{(a^2-b^2)(a+b\cos(c+dx))} + \frac{\frac{2(4a^2-3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} - 2\sin(c+dx)\left(\frac{b^2-2a^2}{a}\right)\Pi\left(-\frac{b}{a}; \sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) + 2a(a+b)F\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) - 2abE\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|2\right)}{a\sqrt{\sin^2(c+dx)}}}{(a-b)(a+b)}$$

4ad

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2), x]

[Out] ((4\*b^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + ((2\*(4\*a^2 - 3\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + 8\*a\*(-EllipticF[(c + d\*x)/2, 2] + (a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) - (2\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2]))/((a - b)\*(a + b)))/(4\*a\*d)

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 1.36, size = 612, normalized size = 3.90

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{a(a^2 - b^2)\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)} - \frac{\sqrt{\frac{1 - \cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{(a+b)a\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / (2*\cos(1/2*d*x+1/2*c)^{2*b+a-b}-1/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 6*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 2/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^2), x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*2, x)

[Out] Timed out

$$3.593 \quad \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=217

$$\frac{bF\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad(a^2-b^2)} - \frac{(2a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d(a^2-b^2)} - \frac{b(5a^2-3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a^2d(a-b)(a+b)^2} + \frac{b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{\cos(c+dx)}}$$

[Out]  $-(2a^2-3b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/(a^2-b^2)/d+b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/(a^2-b^2)/d-b*(5a^2-3b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^2/(a-b)/(a+b)^2/d+(2*a^2-3*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}+b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.68, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{bF\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad(a^2-b^2)} - \frac{(2a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d(a^2-b^2)} - \frac{b(5a^2-3b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a^2d(a-b)(a+b)^2} + \frac{b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2), x]

[Out]  $-(((2a^2-3b^2)*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*(a^2-b^2)*d)) + (b*\text{EllipticF}[(c+d*x)/2, 2])/(a*(a^2-b^2)*d) - (b*(5a^2-3b^2)*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(a^2*(a-b)*(a+b)^2*d) + ((2a^2-3b^2)*\sin[c+d*x])/(a^2*(a^2-b^2)*d*\text{Sqrt}[\cos[c+d*x]]) + (b^2*\sin[c+d*x])/(a*(a^2-b^2)*d*\text{Sqrt}[\cos[c+d*x]]*(a+b*\cos[c+d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^(n+1))/(f\*(m+1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m+1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m+1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m+1) + b^2\*d\*(m+n+2) - (b^2\*c + b\*(b\*c - a\*d)\*(m+1))\*Sin[e + f\*x] - b^2\*d\*(m+n+3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3055

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3059

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^2} dx = \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}(2a^2-3b^2)-ab\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} dx}{a(a^2-b^2)}$$

$$= \frac{(2a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))}$$

$$= \frac{(2a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))}$$

$$= -\frac{(2a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2-b^2)d} + \frac{(2a^2-3b^2)\sin(c+dx)}{a^2(a^2-b^2)d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)}$$

$$= -\frac{(2a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2(a^2-b^2)d} + \frac{bF\left(\frac{1}{2}(c+dx)\middle|2\right)}{a(a^2-b^2)d} - \frac{b(5a^2-3b^2)\Gamma\left(\frac{1}{2}(c+dx)\right)}{a^2(a^2-b^2)}$$

**Mathematica [A]** time = 3.14, size = 278, normalized size = 1.28

$$4\sqrt{\cos(c+dx)} \left( \frac{b^3 \sin(c+dx)}{(b^2-a^2)(a+b\cos(c+dx))} + 2 \tan(c+dx) \right) - \frac{\frac{(8ab^2-4a^3)\left(2F\left(\frac{1}{2}(c+dx)\middle|2\right) - \frac{2a\Gamma\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b}\right)}{b} + \frac{2(9b^3-10a^2b)\Gamma\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b}}{4a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2),x]
[Out] (-(((2*(-10*a^2*b + 9*b^3)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]])/(a + b) + ((-4*a^3 + 8*a*b^2)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]])/(a + b)))/b - (2*(2*a^2 - 3*b^2)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b))) + 4*Sqrt[Cos[c + d*x]]*(b^3*Sin[c + d*x])/((-a^2 + b^2)*(a + b*Cos[c + d*x])) + 2*Tan[c + d*x]))/(4*a^2*d)
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 2.49, size = 874, normalized size = 4.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/a^2*b^2/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2/a^2*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/a*b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^2),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out



$$3.594 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=281

$$\frac{(2a^2 - 5b^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d (a^2 - b^2)} + \frac{b^2 \sin(c+dx)}{ad (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} + \frac{(2a^2 - 5b^2) \sin(c+dx)}{3a^2 d (a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{b(4a^2 - 5b^2)}{ad (a^2 - b^2)}$$

[Out] b\*(4\*a^2-5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^3/(a^2-b^2)/d+1/3\*(2\*a^2-5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))/a^2/(a^2-b^2)/d+b^2\*(7\*a^2-5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c),2\*b/(a+b),2^(1/2))/a^3/(a-b)/(a+b)^2/d+1/3\*(2\*a^2-5\*b^2)\*sin(d\*x+c)/a^2/(a^2-b^2)/d/cos(d\*x+c)^(3/2)+b^2\*sin(d\*x+c)/a/(a^2-b^2)/d/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))-b\*(4\*a^2-5\*b^2)\*sin(d\*x+c)/a^3/(a^2-b^2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 1.00, antiderivative size = 281, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(2a^2 - 5b^2) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d (a^2 - b^2)} + \frac{b(4a^2 - 5b^2) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a^3 d (a^2 - b^2)} + \frac{b^2 (7a^2 - 5b^2) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^3 d (a-b)(a+b)^2} + \frac{b(4a^2 - 5b^2)}{ad (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2),x]

[Out] (b\*(4\*a^2 - 5\*b^2)\*EllipticE[(c + d\*x)/2, 2])/(a^3\*(a^2 - b^2)\*d) + ((2\*a^2 - 5\*b^2)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*(a^2 - b^2)\*d) + (b^2\*(7\*a^2 - 5\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^3\*(a - b)\*(a + b)^2\*d) + ((2\*a^2 - 5\*b^2)\*Sin[c + d\*x])/(3\*a^2\*(a^2 - b^2)\*d\*Cos[c + d\*x]^(3/2)) - (b\*(4\*a^2 - 5\*b^2)\*Sin[c + d\*x])/(a^3\*(a^2 - b^2)\*d\*sqrt[Cos[c + d\*x]]) + (b^2\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x]))

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n]))

&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^2} dx &= \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}(2a^2-5b^2)-ab\cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))} dx}{a(a^2-b^2)} \\
&= \frac{(2a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} \\
&= \frac{(2a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)} - \frac{b(4a^2-5b^2)\sin(c+dx)}{a^3(a^2-b^2)d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)} \\
&= \frac{(2a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)} - \frac{b(4a^2-5b^2)\sin(c+dx)}{a^3(a^2-b^2)d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{a(a^2-b^2)} \\
&= \frac{b(4a^2-5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)\sin(c+dx)}{3a^2(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)} - \frac{b^2 \sin(c+dx)}{a^3(a^2-b^2)} \\
&= \frac{b(4a^2-5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2(a^2-b^2)d} + \frac{b^2 \sin(c+dx)}{a^3(a^2-b^2)}
\end{aligned}$$

**Mathematica [A]** time = 3.57, size = 294, normalized size = 1.05

$$4\sqrt{\cos(c+dx)} \left( \frac{3b^4 \sin(c+dx)}{(a^2-b^2)(a+b\cos(c+dx))} + 2 \tan(c+dx)(a \sec(c+dx) - 6b) \right) + \frac{8(7a^3-10ab^2)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right) - a\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2),x]

[Out] (((2\*(4\*a^4 + 44\*a^2\*b^2 - 45\*b^4)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/ (a + b) + (8\*(7\*a^3 - 10\*a\*b^2)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b) + (6\*(4\*a^2 - 5\*b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2])))/((a - b)\*(a + b)) + 4\*Sqrt[Cos[c + d\*x]]\*((3\*b^4\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + 2\*(-6\*b + a\*Sec[c + d\*x])\*Tan[c + d\*x]))/(12\*a^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^2 \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2)), x)

**maple [B]** time = 3.36, size = 1008, normalized size = 3.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*b^3/a^3/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+ \\ & 1/2*c), -2*b/(a-b), 2^{(1/2)})-4/a^3*b*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & )*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/ \\ & 2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2/a^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2+1/ \\ & 3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})+2*b^2/a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c) \\ & )^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(- \\ & 2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2) \\ & )*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin( \\ & 1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), \\ & -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin( \\ & 1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{5/2}(a+b\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^2), x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.595 \quad \int \frac{\cos^{\frac{9}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=346

$$\frac{a^2 (7a^2 - 13b^2) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{4b^2 d (a^2 - b^2)^2 (a + b \cos(c + dx))} - \frac{a^2 \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{2bd (a^2 - b^2) (a + b \cos(c + dx))^2} - \frac{a (35a^4 - 65a^2 b^2 + 24b^4) E\left(\frac{1}{2}(c + dx)\right)}{4b^4 d (a^2 - b^2)^2}$$

[Out]  $-1/4*a*(35*a^4-65*a^2*b^2+24*b^4)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^{(1/2)})/b^4/(a^2-b^2)^2/d+1/12*(105*a^6-223*a^4*b^2+128*a^2*b^4+8*b^6)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^{(1/2)})/b^5/(a^2-b^2)^2/d-1/4*a^3*(35*a^4-86*a^2*b^2+63*b^4)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})/(a-b)^2/b^5/(a+b)^3/d-1/2*a^2*cos(d*x+c)^{(5/2)}*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^2-1/4*a^2*(7*a^2-13*b^2)*cos(d*x+c)^{(3/2)}*sin(d*x+c)/b^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))+1/12*(35*a^4-61*a^2*b^2+8*b^4)*sin(d*x+c)*cos(d*x+c)^{(1/2)}/b^3/(a^2-b^2)^2/d$

**Rubi [A]** time = 1.04, antiderivative size = 346, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {2792, 3047, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-223a^4b^2 + 128a^2b^4 + 105a^6 + 8b^6) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{12b^5d(a^2 - b^2)^2} - \frac{a(-65a^2b^2 + 35a^4 + 24b^4) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4d(a^2 - b^2)^2} - \frac{a^3(-86a^2b^2)}{4b^4d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(9/2)/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $-(a*(35*a^4 - 65*a^2*b^2 + 24*b^4)*EllipticE[(c + d*x)/2, 2])/(4*b^4*(a^2 - b^2)^2*d) + ((105*a^6 - 223*a^4*b^2 + 128*a^2*b^4 + 8*b^6)*EllipticF[(c + d*x)/2, 2])/(12*b^5*(a^2 - b^2)^2*d) - (a^3*(35*a^4 - 86*a^2*b^2 + 63*b^4)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^5*(a + b)^3*d) + ((35*a^4 - 61*a^2*b^2 + 8*b^4)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(12*b^3*(a^2 - b^2)^2*d) - (a^2*cos[c + d*x]^(5/2)*sin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*cos[c + d*x])^2) - (a^2*(7*a^2 - 13*b^2)*cos[c + d*x]^(3/2)*sin[c + d*x])/(4*b^2*(a^2 - b^2)^2*d*(a + b*cos[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 3)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - 2\*a\*b\*d), x]]

2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2))\*Sin[e + f\*x]^2, x  
 ], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2  
 , 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int  
 egersQ[2\*m, 2\*n])

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.)  
 + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi  
 /2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c  
 , d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,  
 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.)  
 + (f\_.)\*(x\_)])/(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Dist[  
 B/d, Int[(a + b\*SIN[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Si  
 n[e + f\*x])^m/(c + d\*SIN[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B  
 , m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) +  
 (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.  
 + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x]  
 \*(a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^(n + 1)/(d\*f\*(n + 1)\*(c^2 - d  
 ^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*SIN[e + f\*x])^(m - 1)  
 \*(c + d\*SIN[e + f\*x])^(n + 1)\*Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\*  
 (b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1)  
 - a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] +  
 b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1)))\*Sin[e + f\*x]  
 ^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0  
 ] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.)  
 + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_  
 .) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x]  
 )^m\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n  
 + 2)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^n\*Simp[a\*A\*d\*(  
 m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c  
 - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n  
 + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x  
 ] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,  
 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]  
 ^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) +  
 (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*SIN[e + f\*x]], x],  
 x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e  
 + f\*x], x]/(Sqrt[a + b\*SIN[e + f\*x]]\*(c + d\*SIN[e + f\*x])), x], x] /; FreeQ  
 [{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]  
 && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{9}{2}}(c+dx)}{(a+b\cos(c+dx))^3} dx &= -\frac{a^2 \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{\cos^{\frac{3}{2}}(c+dx) \left( \frac{5a^2}{2} - 2ab\cos(c+dx) - \frac{1}{2}(7a^2-4b^2)\cos^2(c+dx) \right)}{(a+b\cos(c+dx))^2} \\
&= -\frac{a^2 \cos^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{a^2(7a^2-13b^2)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{4b^2(a^2-b^2)^2 d(a+b\cos(c+dx))} + \int \\
&= \frac{(35a^4-61a^2b^2+8b^4)\sqrt{\cos(c+dx)}\sin(c+dx)}{12b^3(a^2-b^2)^2 d} - \frac{a^2 \cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= \frac{(35a^4-61a^2b^2+8b^4)\sqrt{\cos(c+dx)}\sin(c+dx)}{12b^3(a^2-b^2)^2 d} - \frac{a^2 \cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= -\frac{a(35a^4-65a^2b^2+24b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^4(a^2-b^2)^2 d} + \frac{(35a^4-61a^2b^2+8b^4)\sqrt{\cos(c+dx)}}{12b^3(a^2-b^2)^2 d} \\
&= -\frac{a(35a^4-65a^2b^2+24b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^4(a^2-b^2)^2 d} + \frac{(105a^6-223a^4b^2+128a^2b^4+8b^6)F}{12b^5(a^2-b^2)^2 d}
\end{aligned}$$

**Mathematica [A]** time = 3.23, size = 354, normalized size = 1.02

$$\frac{4\sin(c+dx)\sqrt{\cos(c+dx)}\left(35a^6-57a^4b^2+4(b^3-a^2b)^2\cos(2(c+dx))+ab(49a^4-83a^2b^2+16b^4)\cos(c+dx)+4b^6\right)}{(a^2-b^2)^2(a+b\cos(c+dx))^2} - \frac{2(35a^5-73a^3b^2+56ab^4)\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)}{a+b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(9/2)/(a + b\*cos[c + d\*x])^3,x]

[Out] ((4\*Sqrt[Cos[c + d\*x]]\*(35\*a^6 - 57\*a^4\*b^2 + 4\*b^6 + a\*b\*(49\*a^4 - 83\*a^2\*b^2 + 16\*b^4))\*Cos[c + d\*x] + 4\*(-(a^2\*b) + b^3)^2\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*cos[c + d\*x])^2) - ((2\*(35\*a^5 - 73\*a^3\*b^2 + 56\*a\*b^4)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (16\*(7\*a^4 - 14\*a^2\*b^2 - 2\*b^4)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b) + (6\*(35\*a^4 - 65\*a^2\*b^2 + 24\*b^4)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(b^2\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2))/(48\*b^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(b\cos(dx+c)+a)^3} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(9/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(cos(d*x + c)^(9/2)/(b*cos(d*x + c) + a)^3, x)
```

**maple [B]** time = 3.69, size = 2194, normalized size = 6.34

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(9/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4/3/b^3*(2*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-2/b^4*(3*a+2*b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*(6*a^2+3*a*b+b^2)/b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/b^5*a^5*(-1/2*b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/4/(a+b)/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+40/b^4*a^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+10/b^5*a^4*(-b^2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
```

$$\begin{aligned} & +1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*b/a/(a^2-b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & - 3*a/(a^2-b^2) / (-2*a*b+2*b^2) * b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2) / (-2*a*b+2*b^2) * b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) \\ & \end{aligned} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{9}{2}}}{(b \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(9/2)/(b\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{9/2}}{(a+b \cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(9/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(9/2)/(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(9/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.596 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=282

$$\frac{a^2 \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} - \frac{a^2(5a^2-11b^2) \sin(c+dx) \sqrt{\cos(c+dx)}}{4b^2d(a^2-b^2)^2(a+b \cos(c+dx))} - \frac{3a(5a^4-11a^2b^2+8b^4) F\left(\frac{1}{2}(c+dx)\right)}{4b^4d(a^2-b^2)^2}$$

[Out]  $\frac{1}{4}*(15*a^4-29*a^2*b^2+8*b^4)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^3/(a^2-b^2)^2/d-3/4*a*(5*a^4-11*a^2*b^2+8*b^4)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/b^4/(a^2-b^2)^2/d+1/4*a^2*(15*a^4-38*a^2*b^2+35*b^4)*(\cos(1/2*d*x+1/2*c))^2^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/(a-b)^2/b^4/(a+b)^3/d-1/2*a^2*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2-1/4*a^2*(5*a^2-11*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.77, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2792, 3047, 3059, 2639, 3002, 2641, 2805}

$$-\frac{3a(-11a^2b^2+5a^4+8b^4) F\left(\frac{1}{2}(c+dx)\right)}{4b^4d(a^2-b^2)^2} + \frac{(-29a^2b^2+15a^4+8b^4) E\left(\frac{1}{2}(c+dx)\right)}{4b^3d(a^2-b^2)^2} + \frac{a^2(-38a^2b^2+15a^4+8b^4)}{4b^4d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(7/2)/(a + b\*cos[c + d\*x])^3, x]

[Out]  $((15*a^4-29*a^2*b^2+8*b^4)*\text{EllipticE}[(c+d*x)/2, 2])/(4*b^3*(a^2-b^2)^2*d) - (3*a*(5*a^4-11*a^2*b^2+8*b^4)*\text{EllipticF}[(c+d*x)/2, 2])/(4*b^4*(a^2-b^2)^2*d) + (a^2*(15*a^4-38*a^2*b^2+35*b^4)*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(4*(a-b)^2*b^4*(a+b)^3*d) - (a^2*\cos[c+d*x]^{(3/2)}*\sin[c+d*x])/(2*b*(a^2-b^2)*d*(a+b*\cos[c+d*x])^2) - (a^2*(5*a^2-11*b^2)*\sqrt{\cos[c+d*x]}*\sin[c+d*x])/(4*b^2*(a^2-b^2)^2*d*(a+b*\cos[c+d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2

, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\*(b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1) - a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))]\*Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\int \frac{\cos^{\frac{7}{2}}(c + dx)}{(a + b \cos(c + dx))^3} dx = -\frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{\int \frac{\sqrt{\cos(c+dx)} \left( \frac{3a^2}{2} - 2ab \cos(c+dx) - \frac{1}{2}(5a^2 - 4b^2) \cos^2(c+dx) \right)}{(a+b \cos(c+dx))^2} dx}{2b(a^2 - b^2)}$$

$$= -\frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{a^2(5a^2 - 11b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{4b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \dots$$

$$= \frac{(15a^4 - 29a^2b^2 + 8b^4) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d} - \frac{a^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2b(a^2 - b^2)d(a + b \cos(c + dx))^2} - \frac{a^2(5a^2 - 11b^2) \sqrt{\cos(c + dx)} \sin(c + dx)}{4b^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{(15a^4 - 29a^2b^2 + 8b^4) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3(a^2 - b^2)^2 d} - \frac{3a(5a^4 - 11a^2b^2 + 8b^4) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^4(a^2 - b^2)^2 d}$$

**Mathematica [A]** time = 3.01, size = 309, normalized size = 1.10

$$\frac{8(a^3 - 4ab^2) \left( \frac{(a+b)F\left(\frac{1}{2}(c+dx) \middle| 2\right) - a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b} + \frac{(5a^4 - 7a^2b^2 + 8b^4)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b} + \frac{(15a^4 - 29a^2b^2 + 8b^4) \sin(c+dx) \left( (b^2 - 2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) + ab^2 \sqrt{\sin^2(c+dx)} \right)}{(a-b)^2(a+b)^2} \right)}{8b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(7/2)/(a + b*cos[c + d*x])^3,x]
```

```
[Out] ((-2*a^2*Sqrt[Cos[c + d*x]]*(5*a^3 - 11*a*b^2 + b*(7*a^2 - 13*b^2)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*cos[c + d*x])^2) + (((5*a^4 - 7*a^2*b^2 + 8*b^4)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(a^3 - 4*a*b^2)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((15*a^4 - 29*a^2*b^2 + 8*b^4)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/((a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(8*b^2*d)
```

**fricas [F]** time = 160.50, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx + c)^{\frac{7}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral(cos(d*x + c)^(7/2)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{7}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c) + a)^3, x)

maple [B] time = 3.52, size = 1935, normalized size = 6.86

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2/b^4/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * (2\sin(1/2dx+1/2c)^2-1)^{(1/2)} * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (3\text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) * a + \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) * b) + 2/b^4 * a^4 * (-1/2 * b^2/a/(a^2-b^2) * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} / (2\cos(1/2dx+1/2c)^2 * b+a-b)^2 - 3/4 * b^2 * (3 * a^2-b^2)/a^2/(a^2-b^2)^2 * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} / (2\cos(1/2dx+1/2c)^2 * b+a-b) - 7/8/(a+b)/(a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 1/4/(a+b)/(a^2-b^2)/a * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) * b + 3/8/(a+b)/(a^2-b^2)/a^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) * b^2 - 9/8 * b/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 3/8 * b^3/a^2/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 9/8 * b/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 3/8 * b^3/a^2/(a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 15/4 * a^2/(a^2-b^2)^2 / (-2 * a * b + 2 * b^2) * b * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2 * b/(a-b), 2^{(1/2)}) + 3/2/(a^2-b^2)^2 / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2 * b/(a-b), 2^{(1/2)}) - 3/4/a^2/(a^2-b^2)^2 / (-2 * a * b + 2 * b^2) * b^5 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2 * b/(a-b), 2^{(1/2)}) - 24 * a^2/b^3 / (-2 * a * b + 2 * b^2) * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2 * b/(a-b), 2^{(1/2)}) - 8/b^4 * a^3 * (-b^2/a/(a^2-b^2) * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} / (2\cos(1/2dx+1/2c)^2 * b+a-b) - 1/2/(a+b)/a * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 1/2 * b/a/(a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 1/2 * b/a/(a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 3 * a/(a^2-b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2 * b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^2+1)^{(1/2)} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{(1/2)} * \end{aligned}$$

$d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{7/2}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{7/2}}{(a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(7/2)/(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.597 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=264

$$-\frac{3a(a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2d(a^2-b^2)^2} - \frac{a^2 \sin(c+dx)\sqrt{\cos(c+dx)}}{2bd(a^2-b^2)(a+b \cos(c+dx))^2} + \frac{3a(a^2-3b^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{4bd(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{(3a^4-5a^2b^2+8b^4)\cos^{\frac{1}{2}}(c+dx)}{4b^3d(a^2-b^2)^2(a+b \cos(c+dx))}$$

[Out]  $-3/4*a*(a^2-3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/b^2/(a^2-b^2)^2/d+1/4*(3*a^4-5*a^2*b^2+8*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})/b^3/(a^2-b^2)^2/d-3/4*a*(a^4-2*a^2*b^2+5*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})/(a-b)^2/b^3/(a+b)^3/d-1/2*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+3/4*a*(a^2-3*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.78, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2792, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-5a^2b^2 + 3a^4 + 8b^4)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3d(a^2-b^2)^2} - \frac{3a(a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2d(a^2-b^2)^2} - \frac{3a(-2a^2b^2 + a^4 + 5b^4)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{4b^3d(a-b)^2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)/(a + b\*cos[c + d\*x])^3, x]

[Out]  $(-3*a*(a^2-3*b^2)*\text{EllipticE}[(c+d*x)/2, 2])/(4*b^2*(a^2-b^2)^2*d) + ((3*a^4-5*a^2*b^2+8*b^4)*\text{EllipticF}[(c+d*x)/2, 2])/(4*b^3*(a^2-b^2)^2*d) - (3*a*(a^4-2*a^2*b^2+5*b^4)*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2])/(4*(a-b)^2*b^3*(a+b)^3*d) - (a^2*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(2*b*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^2) + (3*a*(a^2-3*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(4*b*(a^2-b^2)^2*d*(a+b*\text{Cos}[c+d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m-2)\*(c + d\*Ssin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m-3)\*(c + d\*Ssin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int



egersQ[2\*m, 2\*n])

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_))\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^3} dx &= -\frac{a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\frac{a^2}{2}-2ab\cos(c+dx)-\frac{1}{2}(3a^2-4b^2)\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2b(a^2-b^2)} \\
&= -\frac{a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3a(a^2-3b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4b(a^2-b^2)^2d(a+b\cos(c+dx))} - \frac{\int \frac{1}{4}}{\dots} \\
&= -\frac{a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3a(a^2-3b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4b(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \frac{1}{4}}{\dots} \\
&= -\frac{3a(a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} - \frac{a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3a(a^2-3b^2)}{4b(a^2-b^2)} \\
&= -\frac{3a(a^2-3b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} + \frac{(3a^4-5a^2b^2+8b^4)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d} - \frac{3a(a^4-2b^4)}{\dots}
\end{aligned}$$

**Mathematica [A]** time = 2.17, size = 284, normalized size = 1.08

$$\frac{4a\sin(c+dx)\sqrt{\cos(c+dx)}(a^3+3b(a^2-3b^2)\cos(c+dx)-7ab^2)}{(a^2-b^2)^2(a+b\cos(c+dx))^2} - \frac{2(a^3+5ab^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} - \frac{16(a^2+2b^2)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b} + \frac{6(a^2-3b^2)}{\dots}$$

16bd

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((4\*a\*Sqrt[Cos[c + d\*x]]\*(a^3 - 7\*a\*b^2 + 3\*b\*(a^2 - 3\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) - ((2\*(a^3 + 5\*a\*b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) - (16\*(a^2 + 2\*b^2)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b) + (6\*(a^2 - 3\*b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2)/(16\*b\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^3, x)

**maple [B]** time = 3.08, size = 1914, normalized size = 7.25

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2/b^3*a^3*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+12/b^2*a/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+6/b^3*a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{5/2}}{(a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.598 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=244

$$\frac{a(a^2 - 7b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2d(a^2 - b^2)^2} - \frac{(a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4bd(a^2 - b^2)^2} + \frac{(a^2 + 5b^2)\sin(c+dx)\sqrt{\cos(c+dx)}}{4d(a^2 - b^2)^2(a+b\cos(c+dx))} + \frac{a\sin(c+dx)}{2d(a^2 - b^2)}$$

[Out]  $-1/4*(a^2+5*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticE(\sin(1/2*d*x+1/2*c),2^{(1/2)})/b/(a^2-b^2)^2/d+1/4*a*(a^2-7*b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticF(\sin(1/2*d*x+1/2*c),2^{(1/2)})/b^2/(a^2-b^2)^2/d-1/4*(a^4-10*a^2*b^2-3*b^4)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*EllipticPi(\sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})/(a-b)^2/b^2/(a+b)^3/d+1/2*a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2+1/4*(a^2+5*b^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))$

**Rubi [A]** time = 0.66, antiderivative size = 244, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2799, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{a(a^2 - 7b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2d(a^2 - b^2)^2} - \frac{(a^2 + 5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4bd(a^2 - b^2)^2} - \frac{(-10a^2b^2 + a^4 - 3b^4)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{4b^2d(a-b)^2(a+b)^3} + \frac{a\sin(c+dx)}{4d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^3, x]

[Out]  $-((a^2 + 5*b^2)*EllipticE[(c + d*x)/2, 2])/(4*b*(a^2 - b^2)^2*d) + (a*(a^2 - 7*b^2)*EllipticF[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) - ((a^4 - 10*a^2*b^2 - 3*b^4)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*(a - b)^2*b^2*(a + b)^3*d) + (a*sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) + ((a^2 + 5*b^2)*sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2799**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^3} dx &= \frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{-\frac{a}{2}+2b\cos(c+dx)-\frac{1}{2}a\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+5b^2)\sqrt{\cos(c+dx)} \sin(c+dx)}{4(a^2-b^2)^2 d(a+b\cos(c+dx))} - \frac{\int \frac{\frac{3}{4}a}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= \frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+5b^2)\sqrt{\cos(c+dx)} \sin(c+dx)}{4(a^2-b^2)^2 d(a+b\cos(c+dx))} + \frac{\int \frac{\frac{3}{4}ab}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{(a^2+5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b(a^2-b^2)^2 d} + \frac{a\sqrt{\cos(c+dx)} \sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2+5b^2)\sqrt{\cos(c+dx)} \sin(c+dx)}{4(a^2-b^2)^2 d} \\
&= -\frac{(a^2+5b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b(a^2-b^2)^2 d} + \frac{a(a^2-7b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2 d} - \frac{(a^4-10a^2b^2-3b^4)}{4(a-b)^2}
\end{aligned}$$

**Mathematica [A]** time = 2.07, size = 272, normalized size = 1.11

$$\frac{4\sin(c+dx)\sqrt{\cos(c+dx)}(b(a^2+5b^2)\cos(c+dx)+3a(a^2+b^2))}{(a^2-b^2)^2(a+b\cos(c+dx))^2} - \frac{2(5a^2+b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{2(a^2+5b^2)\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}; \sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)\right)}{ab^2\sqrt{\cos(c+dx)}}$$

16d

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((4\*Sqrt[Cos[c + d\*x]]\*(3\*a\*(a^2 + b^2) + b\*(a^2 + 5\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) - ((-2\*(5\*a^2 + b^2)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + 24\*a\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) + (2\*(a^2 + 5\*b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b^2\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2)/(16\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^3, x)

**maple [B]** time = 3.05, size = 1836, normalized size = 7.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2\cos(1/2dx+1/2c)^{2+1}\sin(1/2dx+1/2c)^2)^{1/2}*(2/b^2a^{2*(-1/2} \\ & *b^2/a/(a^2-b^2)*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/ \\ & 2c)^2)^{1/2}/(2*\cos(1/2dx+1/2c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2 \\ & -b^2)^2*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & /((2*\cos(1/2dx+1/2c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2dx+1/2c) \\ & ^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/ \\ & 2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c),2^{1/2}))+1/4/(a+b)/(a^2- \\ & b^2)/a*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*s \\ & in(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c \\ & ),2^{1/2})*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1 \\ & /2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & *EllipticF(\cos(1/2dx+1/2c),2^{1/2})*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2dx \\ & +1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4 \\ & +\sin(1/2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c),2^{1/2}))+3/8*b^3/ \\ & a^2/(a^2-b^2)^2*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2} \\ & /(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2* \\ & dx+1/2c),2^{1/2}))+9/8*b/(a^2-b^2)^2*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos( \\ & 1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & *EllipticE(\cos(1/2dx+1/2c),2^{1/2}))-3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2* \\ & dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c) \\ & ^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticE(\cos(1/2dx+1/2c),2^{1/2}))-15/4* \\ & a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2d \\ & *x+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*E \\ & llipticPi(\cos(1/2dx+1/2c),-2*b/(a-b),2^{1/2}))+3/2/(a^2-b^2)^2/(-2*a*b+2* \\ & b^2)*b^3*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2 \\ & *sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticPi(\cos(1/2dx+1/ \\ & 2c),-2*b/(a-b),2^{1/2}))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2d* \\ & x+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^ \\ & 4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticPi(\cos(1/2dx+1/2c),-2*b/(a-b),2^{1/2} \\ & ))-4/b/(-2*a*b+2*b^2)*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c) \\ & ^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticP \\ & i(\cos(1/2dx+1/2c),-2*b/(a-b),2^{1/2}))-4/b^2*a*(-b^2/a/(a^2-b^2)*\cos(1/2* \\ & dx+1/2c)*(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(2*\cos(1/2* \\ & dx+1/2c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2d* \\ & x+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*El \\ & lipticF(\cos(1/2dx+1/2c),2^{1/2}))-1/2*b/a/(a^2-b^2)*(sin(1/2dx+1/2c)^2 \\ & )^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2* \\ & dx+1/2c)^2)^{1/2}*EllipticF(\cos(1/2dx+1/2c),2^{1/2}))+1/2*b/a/(a^2-b^2) \\ & *(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2 \\ & *dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticE(\cos(1/2dx+1/2c),2^{1/2} \\ & ))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/ \\ & 2dx+1/2c)^{2+1})^{1/2}/(-2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & )*EllipticPi(\cos(1/2dx+1/2c),-2*b/(a-b),2^{1/2}))+1/a/(a^2-b^2)/(-2*a*b+2 \\ & *b^2)*b^3*(sin(1/2dx+1/2c)^2)^{1/2}*(-2*\cos(1/2dx+1/2c)^{2+1})^{1/2}/(- \\ & 2*\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}*EllipticPi(\cos(1/2dx+1 \\ & /2c),-2*b/(a-b),2^{1/2}))) / \sin(1/2dx+1/2c) / (2*\cos(1/2dx+1/2c)^2-1)^{1/2} / d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^3}{(b\cos(dx+c)+a)^3} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.599 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=250

$$\frac{3(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4bd(a^2 - b^2)^2} + \frac{(5a^2 + b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ad(a^2 - b^2)^2} - \frac{b(5a^2 + b^2) \sin(c + dx) \sqrt{\cos(c + dx)}}{4ad(a^2 - b^2)^2 (a + b \cos(c + dx))} - \frac{b \sin(c + dx)}{2d(a^2 - b^2) (a + b \cos(c + dx))}$$

[Out]  $\frac{1}{4} * (5 * a^2 + b^2) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2 \wedge (1/2)) / a / (a^2 - b^2)^2 / d + 3/4 * (a^2 + b^2) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2 \wedge (1/2)) / b / (a^2 - b^2)^2 / d - 1/4 * (3 * a^4 + 10 * a^2 * b^2 - b^4) * (\cos(1/2 * d * x + 1/2 * c))^2 \wedge (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticPi}(\sin(1/2 * d * x + 1/2 * c), 2 * b / (a + b), 2 \wedge (1/2)) / a / (a - b)^2 / b / (a + b)^3 / d - 1/2 * b * \sin(d * x + c) * \cos(d * x + c) \wedge (1/2) / (a^2 - b^2) / d / (a + b * \cos(d * x + c))^2 - 1/4 * b * (5 * a^2 + b^2) * \sin(d * x + c) * \cos(d * x + c) \wedge (1/2) / a / (a^2 - b^2)^2 / d / (a + b * \cos(d * x + c))$

**Rubi [A]** time = 0.68, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2796, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{3(a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4bd(a^2 - b^2)^2} + \frac{(5a^2 + b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ad(a^2 - b^2)^2} - \frac{(10a^2b^2 + 3a^4 - b^4) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{4abd(a - b)^2(a + b)^3} - \frac{b(5a^2 + b^2)}{4ad(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^3, x]

[Out]  $((5 * a^2 + b^2) * \text{EllipticE}[(c + d * x) / 2, 2]) / (4 * a * (a^2 - b^2)^2 * d) + (3 * (a^2 + b^2) * \text{EllipticF}[(c + d * x) / 2, 2]) / (4 * b * (a^2 - b^2)^2 * d) - ((3 * a^4 + 10 * a^2 * b^2 - b^4) * \text{EllipticPi}[(2 * b) / (a + b), (c + d * x) / 2, 2]) / (4 * a * (a - b)^2 * b * (a + b)^3 * d) - (b * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (2 * (a^2 - b^2) * d * (a + b * \text{Cos}[c + d * x])^2) - (b * (5 * a^2 + b^2) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{Sin}[c + d * x]) / (4 * a * (a^2 - b^2)^2 * d * (a + b * \text{Cos}[c + d * x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2796

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

$/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^3} dx &= -\frac{b\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\frac{b}{2}-2a\cos(c+dx)+\frac{1}{2}b\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{b\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{b(5a^2+b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d(a+b\cos(c+dx))} - \frac{\int \frac{\frac{1}{4}b(7}{\dots}}{\dots} \\
&= -\frac{b\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{b(5a^2+b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d(a+b\cos(c+dx))} + \frac{\int \frac{-\frac{1}{4}b}{\dots}}{\dots} \\
&= \frac{(5a^2+b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a(a^2-b^2)^2d} - \frac{b\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{b(5a^2+b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= \frac{(5a^2+b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a(a^2-b^2)^2d} + \frac{3(a^2+b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b(a^2-b^2)^2d} - \frac{(3a^4+10a^2b^2-b^4)\Pi\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a(a-b)^2b(a+b)}
\end{aligned}$$

**Mathematica [A]** time = 3.07, size = 291, normalized size = 1.16

$$\frac{2(3b^3-9a^2b)\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{8a(2a^2+b^2)\left(2F\left(\frac{1}{2}(c+dx)\middle|2\right) - \frac{2a\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c+dx)\middle|2\right)}{a+b}\right)}{b} + \frac{2(5a^2+b^2)\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}, \sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|-1\right) + 2a(a+b)F\left(\sin^{-1}\left(\sqrt{\cos(c+dx)}\right)\middle|2\right)\right)}{ab\sqrt{\sin^2(c+dx)}}}{(a-b)^2(a+b)^2}$$

16ad

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((-4\*b\*Sqrt[Cos[c + d\*x]]\*(7\*a^3 - a\*b^2 + b\*(5\*a^2 + b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) + ((2\*(-9\*a^2\*b + 3\*b^3)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (8\*a\*(2\*a^2 + b^2)\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)))/b + (2\*(5\*a^2 + b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2])/((a - b)^2\*(a + b)^2)/(16\*a\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b\cos(dx+c)+a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^3, x)

**maple [B]** time = 2.96, size = 1736, normalized size = 6.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/b*a*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2/b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] integrate(sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^3, x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/2)/(a + b*cos(c + d*x))^3,x)
```

```
[Out] int(cos(c + d*x)^(1/2)/(a + b*cos(c + d*x))^3, x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.600 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=261

$$\frac{(7a^2 - b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ad(a^2 - b^2)^2} - \frac{3b(3a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} + \frac{3b^2(3a^2 - b^2) \sin(c + dx) \sqrt{\cos(c + dx)}}{4a^2d(a^2 - b^2)^2(a + b \cos(c + dx))} + \frac{b^2 \operatorname{arctan}\left(\frac{\sin(c + dx)}{a + b \cos(c + dx)}\right)}{2ad(a + b \cos(c + dx))}$$

[Out]  $-3/4*b*(3*a^2-b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\operatorname{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/(a^2-b^2)^2/d-1/4*(7*a^2-b^2)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\operatorname{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a/(a^2-b^2)^2/d+3/4*(5*a^4-2*a^2*b^2+b^4)*(cos(1/2*d*x+1/2*c)^2)^{(1/2)}/cos(1/2*d*x+1/2*c)*\operatorname{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^2/(a-b)^2/(a+b)^3/d+1/2*b^2*\sin(d*x+c)*cos(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^2+3/4*b^2*(3*a^2-b^2)*\sin(d*x+c)*cos(d*x+c)^{(1/2)}/a^2/(a^2-b^2)^2/d/(a+b*cos(d*x+c))$

**Rubi [A]** time = 0.77, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(7a^2 - b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4ad(a^2 - b^2)^2} - \frac{3b(3a^2 - b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a^2 - b^2)^2} + \frac{3(-2a^2b^2 + 5a^4 + b^4) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{4a^2d(a-b)^2(a+b)^3} + \frac{3b^2 \operatorname{arctan}\left(\frac{\sin(c + dx)}{a + b \cos(c + dx)}\right)}{2ad(a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[1/(\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])*(a + b*\operatorname{Cos}[c + d*x])^3, x]$

[Out]  $(-3*b*(3*a^2 - b^2)*\operatorname{EllipticE}[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - ((7*a^2 - b^2)*\operatorname{EllipticF}[(c + d*x)/2, 2])/(4*a*(a^2 - b^2)^2*d) + (3*(5*a^4 - 2*a^2*b^2 + b^4)*\operatorname{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^2*(a - b)^2*(a + b)^3*d) + (b^2*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(2*a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x])^2) + (3*b^2*(3*a^2 - b^2)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Sin}[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*(a + b*\operatorname{Cos}[c + d*x]))$

**Rule 2639**

$\operatorname{Int}[\operatorname{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \operatorname{Simp}[(2*\operatorname{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

**Rule 2641**

$\operatorname{Int}[1/\operatorname{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \operatorname{Simp}[(2*\operatorname{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

**Rule 2802**

$\operatorname{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b^2*\operatorname{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \operatorname{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \operatorname{Int}[(a + b*\sin[e + f*x])^{(m+1)}*(c + d*\sin[e + f*x])^n*\operatorname{Simp}[a*(b*c - a*d)*(m+1) + b^2*d*(m+n+2) - (b^2*c + b*(b*c - a*d)*(m+1))*\sin[e + f*x] - b^2*d*(m+n+3)*\sin[e + f*x]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, n\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{IntegersQ}[2*m, 2*n] \&\& ((\operatorname{EqQ}[a, 0] \&\& \operatorname{IntegerQ}[m] \&\& !\operatorname{IntegerQ}[n]) || !(\operatorname{IntegerQ}[2*n] \&\& \operatorname{LtQ}[n, -1] \&\& ((\operatorname{IntegerQ}[n] \&\& !\operatorname{IntegerQ}[m]) || \operatorname{EqQ}[a, 0])))$

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^3} dx &= \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2-3b^2)-2ab\cos(c+dx)+\frac{1}{2}b^2\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2a(a^2-b^2)} \\
&= \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3b^2(3a^2-b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{3b^2(3a^2-b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= -\frac{3b(3a^2-b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2(a^2-b^2)^2d} + \frac{b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{2a(a^2-b^2)d(a+b\cos(c+dx))} \\
&= -\frac{3b(3a^2-b^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2(a^2-b^2)^2d} - \frac{(7a^2-b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a(a^2-b^2)^2d} + \frac{3b(3a^2-b^2)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d}
\end{aligned}$$

**Mathematica [A]** time = 3.00, size = 301, normalized size = 1.15

$$\frac{4b^2\sin(c+dx)\sqrt{\cos(c+dx)}(11a^3+(9a^2b-3b^3)\cos(c+dx)-5ab^2)}{(a^2-b^2)^2(a+b\cos(c+dx))^2} + \frac{16(ab^2-4a^3)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b},\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b} - \frac{6(3a^2-b^2)\sin(c+dx)\left((b^2-2a^2)\Pi\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b},\frac{1}{2}(c+dx)\middle|2\right)\right)}{16a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^3),x]

[Out] ((4\*b^2\*Sqrt[Cos[c + d\*x]]\*(11\*a^3 - 5\*a\*b^2 + (9\*a^2\*b - 3\*b^3)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) + ((2\*(16\*a^4 - 19\*a^2\*b^2 + 9\*b^4)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (16\*(-4\*a^3 + a\*b^2)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b) - (6\*(3\*a^2 - b^2)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2))/(16\*a^2\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b\cos(dx+c)+a)^3\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c))), x)

**maple [B]** time = 1.92, size = 1176, normalized size = 4.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-b^2/a/(a^2-b^2) \\ & )*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/( \\ & 2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/2*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2 \\ & *d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2 \\ & *d*x+1/2*c)^2*b+a-b)-7/4/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & os(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2/(a+b)/(a^2-b^2)/a*(sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+3/ \\ & 4/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(co \\ & s(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/4*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & )*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/4*b^3/a^2/(a^2-b^2)^2 \\ & *(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1 \\ & /2)})+9/4*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(c \\ & os(1/2*d*x+1/2*c),2^{(1/2)})-3/4*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/2*a^2/(a^2-b^2)^2 \\ & /(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^ \\ & (1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1 \\ & /2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2 \\ & ^{(1/2)})-3/2/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & }*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)}))/sin(1/2*d*x \\ & +1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^3),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.601 \quad \int \frac{1}{\cos^2(c+dx)(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=328

$$\frac{b(11a^2 - 5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2 - b^2)^2} + \frac{b^2(11a^2 - 5b^2)\sin(c+dx)}{4a^2d(a^2 - b^2)^2\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} + \frac{b^2\sin(c+dx)}{2ad(a^2 - b^2)\sqrt{\cos(c+dx)}(a+b\cos(c+dx))}$$

[Out]  $-1/4*(8*a^4-29*a^2*b^2+15*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^3/(a^2-b^2)^2/d+1/4*b*(11*a^2-5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})/a^2/(a^2-b^2)^2/d-1/4*b*(35*a^4-38*a^2*b^2+15*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})/a^3/(a-b)^2/(a+b)^3/d+1/4*(8*a^4-29*a^2*b^2+15*b^4)*\sin(d*x+c)/a^3/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}+1/2*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^2/\cos(d*x+c)^{(1/2)}+1/4*b^2*(11*a^2-5*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 1.07, antiderivative size = 328, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{b(11a^2 - 5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2 - b^2)^2} - \frac{(-29a^2b^2 + 8a^4 + 15b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^3d(a^2 - b^2)^2} - \frac{b(-38a^2b^2 + 35a^4 + 15b^4)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{4a^3d(a-b)^2(a+b)^3}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out]  $-((8*a^4 - 29*a^2*b^2 + 15*b^4)*\text{EllipticE}[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) + (b*(11*a^2 - 5*b^2)*\text{EllipticF}[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - (b*(35*a^4 - 38*a^2*b^2 + 15*b^4)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*(a + b)^3*d) + ((8*a^4 - 29*a^2*b^2 + 15*b^4)*\text{Sin}[c + d*x])/(4*a^3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (b^2*\text{Sin}[c + d*x])/(2*a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]])*(a + b*\text{Cos}[c + d*x])^2 + (b^2*(11*a^2 - 5*b^2)*\text{Sin}[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]])*(a + b*\text{Cos}[c + d*x])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m]

, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3055

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^3} dx &= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2-5b^2)-2ab\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^3} dx}{2a(a^2-b^2)} \\
&= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} + \frac{b^2(11a^2-5b^2)}{4a^2(a^2-b^2)^2 d\sqrt{\cos(c+dx)}} \\
&= \frac{(8a^4-29a^2b^2+15b^4)\sin(c+dx)}{4a^3(a^2-b^2)^2 d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} \\
&= \frac{(8a^4-29a^2b^2+15b^4)\sin(c+dx)}{4a^3(a^2-b^2)^2 d\sqrt{\cos(c+dx)}} + \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} \\
&= -\frac{(8a^4-29a^2b^2+15b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^3(a^2-b^2)^2 d} + \frac{(8a^4-29a^2b^2+15b^4)\sin(c+dx)}{4a^3(a^2-b^2)^2 d\sqrt{\cos(c+dx)}} \\
&= -\frac{(8a^4-29a^2b^2+15b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^3(a^2-b^2)^2 d} + \frac{b(11a^2-5b^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2(a^2-b^2)^2 d}
\end{aligned}$$

**Mathematica [A]** time = 3.62, size = 334, normalized size = 1.02

$$4\sqrt{\cos(c+dx)} \left( \frac{b^3 \sin(c+dx)(-15a^3+(7b^3-13a^2b)\cos(c+dx)+9ab^2)}{(a^2-b^2)^2(a+b\cos(c+dx))^2} + 8 \tan(c+dx) \right) - \frac{2(56a^4b-95a^2b^3+45b^5)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{8a(2a^4-10a^2b^2+5b^4)}{4a^2(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out] (-(((2\*(56\*a^4\*b - 95\*a^2\*b^3 + 45\*b^5)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (8\*a\*(2\*a^4 - 10\*a^2\*b^2 + 5\*b^4)\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)))/b + (2\*(8\*a^4 - 29\*a^2\*b^2 + 15\*b^4)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2) + 4\*Sqrt[Cos[c + d\*x]]\*((b^3\*(-15\*a^3 + 9\*a\*b^2 + (-13\*a^2\*b + 7\*b^3)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) + 8\*Tan[c + d\*x]))/(16\*a^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2)), x)

**maple** [B] time = 3.71, size = 1992, normalized size = 6.07

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/a*b*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}) \\ & / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/(a^2-b^2) \\ & / a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & +3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & -15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) \\ & -3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) \\ & +4*b^2/a^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2/a^3*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/a^2*b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}) \\ & / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \end{aligned}$$

```

sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/a/(
a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2
*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-
2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(
1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1
/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c
)^2-1)^(1/2)/d

```

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

[Out] Exception raised: RuntimeError >> ECL says: THROW: The catch RAT-ERR is undefined.

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{3/2} (a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c+d*x)^(3/2)*(a+b*cos(c+d*x))^3),x)
```

```
[Out] int(1/(cos(c+d*x)^(3/2)*(a+b*cos(c+d*x))^3),x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```



$$3.602 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=395

$$\frac{b^2 (13a^2 - 7b^2) \sin(c + dx)}{4a^2 d (a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} + \frac{b^2 \sin(c + dx)}{2ad (a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \frac{b (24a^4 - 65a^2 b^2 + 35b^4)}{4a^4 d (a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2}$$

[Out]  $\frac{1}{4} b (24 a^4 - 65 a^2 b^2 + 35 b^4) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \operatorname{EllipticE}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2^{\frac{1}{2}}) / a^4 / (a^2 - b^2)^2 / d + \frac{1}{12} (8 a^4 - 61 a^2 b^2 + 35 b^4) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \operatorname{EllipticF}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2^{\frac{1}{2}}) / a^3 / (a^2 - b^2)^2 / d + \frac{1}{4} b^2 (63 a^4 - 86 a^2 b^2 + 35 b^4) (\cos(\frac{1}{2} d x + \frac{1}{2} c))^{\frac{1}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c) \operatorname{EllipticPi}(\sin(\frac{1}{2} d x + \frac{1}{2} c), 2 b / (a + b), 2^{\frac{1}{2}}) / a^4 / (a - b)^2 / (a + b)^3 / d + \frac{1}{12} (8 a^4 - 61 a^2 b^2 + 35 b^4) \sin(d x + c) / a^3 / (a^2 - b^2)^2 / d / \cos(d x + c)^{\frac{3}{2}} + \frac{1}{2} b^2 \sin(d x + c) / a / (a^2 - b^2) / d / \cos(d x + c)^{\frac{3}{2}} / (a + b \cos(d x + c))^2 + \frac{1}{4} b^2 (13 a^2 - 7 b^2) \sin(d x + c) / a^2 / (a^2 - b^2)^2 / d / \cos(d x + c)^{\frac{3}{2}} / (a + b \cos(d x + c)) - \frac{1}{4} b (24 a^4 - 65 a^2 b^2 + 35 b^4) \sin(d x + c) / a^4 / (a^2 - b^2)^2 / d / \cos(d x + c)^{\frac{1}{2}}$

**Rubi [A]** time = 1.35, antiderivative size = 395, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-61a^2b^2 + 8a^4 + 35b^4) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{12a^3d(a^2 - b^2)^2} + \frac{b(-65a^2b^2 + 24a^4 + 35b^4) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^4d(a^2 - b^2)^2} + \frac{b^2(-86a^2b^2 + 63a^4 + 35b^4)}{4a^4d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out]  $(b(24a^4 - 65a^2b^2 + 35b^4) \operatorname{EllipticE}[(c + dx)/2, 2]) / (4a^4(a^2 - b^2)^2d) + ((8a^4 - 61a^2b^2 + 35b^4) \operatorname{EllipticF}[(c + dx)/2, 2]) / (12a^3(a^2 - b^2)^2d) + (b^2(63a^4 - 86a^2b^2 + 35b^4) \operatorname{EllipticPi}[(2b)/(a + b), (c + dx)/2, 2]) / (4a^4(a - b)^2(a + b)^3d) + ((8a^4 - 61a^2b^2 + 35b^4) \sin[c + dx]) / (12a^3(a^2 - b^2)^2d \cos[c + dx]^{\frac{3}{2}}) - (b(24a^4 - 65a^2b^2 + 35b^4) \sin[c + dx]) / (4a^4(a^2 - b^2)^2d \sqrt{\cos[c + dx]}) + (b^2 \sin[c + dx]) / (2a(a^2 - b^2)d \cos[c + dx]^{\frac{3}{2}}) * (a + b \cos[c + dx])^2 + (b^2(13a^2 - 7b^2) \sin[c + dx]) / (4a^2(a^2 - b^2)^2d \cos[c + dx]^{\frac{3}{2}}(a + b \cos[c + dx]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e

```

+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m
, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n]
&& LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^3} dx &= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2-7b^2)-2ab \cos \frac{1}{2}(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a(a^2-b^2)} \\
&= \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^2} + \frac{b^2(13a^2-10b^2)}{4a^2(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{(8a^4-61a^2b^2+35b^4)\sin(c+dx)}{12a^3(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)} + \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))} \\
&= \frac{(8a^4-61a^2b^2+35b^4)\sin(c+dx)}{12a^3(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)} - \frac{b(24a^4-65a^2b^2+35b^4)\sin(c+dx)}{4a^4(a^2-b^2)^2 d \sqrt{\cos(c+dx)}} \\
&= \frac{(8a^4-61a^2b^2+35b^4)\sin(c+dx)}{12a^3(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)} - \frac{b(24a^4-65a^2b^2+35b^4)\sin(c+dx)}{4a^4(a^2-b^2)^2 d \sqrt{\cos(c+dx)}} \\
&= \frac{b(24a^4-65a^2b^2+35b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^4(a^2-b^2)^2 d} + \frac{(8a^4-61a^2b^2+35b^4)}{12a^3(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)} \\
&= \frac{b(24a^4-65a^2b^2+35b^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^4(a^2-b^2)^2 d} + \frac{(8a^4-61a^2b^2+35b^4)}{12a^3(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)}
\end{aligned}$$

**Mathematica [A]** time = 5.96, size = 349, normalized size = 0.88

$$4\sqrt{\cos(c+dx)} \left( \frac{3b^4 \sin(c+dx)(19a^3+b(17a^2-11b^2)\cos(c+dx)-13ab^2)}{(a^2-b^2)^2(a+b\cos(c+dx))^2} + 8 \tan(c+dx)(a \sec(c+dx) - 9b) \right) + \frac{16(20a^5-64a^3b^2+35b^4)}{(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^3),x]

[Out] (((2\*(16\*a^6 + 328\*a^4\*b^2 - 641\*a^2\*b^4 + 315\*b^6)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (16\*(20\*a^5 - 64\*a^3\*b^2 + 35\*a\*b^4)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b) + (6\*(24\*a^4 - 65\*a^2\*b^2 + 35\*b^4)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (-2\*a^2 + b^2)\*EllipticPi[-(b/a), ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2 + 4\*Sqrt[Cos[c + d\*x]]\*((3\*b^4\*(19\*a^3 - 13\*a\*b^2 + b\*(17\*a^2 - 11\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2) + 8\*(-9\*b + a\*Sec[c + d\*x])\*Tan[c + d\*x]))/(48\*a^4\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(5/2)), x)

**maple [B]** time = 5.45, size = 2128, normalized size = 5.39

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2/a^2*(-1/2 \\ & *b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2 \\ & -b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2-b \\ & ^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*s \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c \\ & ),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1 \\ & /2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/ \\ & a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ & /2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2* \\ & d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos( \\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c \\ & )^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4* \\ & a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & llipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2* \\ & b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2 \\ & *sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/ \\ & 2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1 \\ & /2))) -12*b^3/a^4/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d* \\ & x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*El \\ & llipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-6/a^4*b*(-(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2 \\ & *d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2 \\ & *c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2/a^3*(-1/6*\cos(1/2* \\ & d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1 \\ & /2*d*x+1/2*c)^2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \end{aligned}$$

$$2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2})) + 4*b^2/a^3*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b) - 1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{1/2}) + 1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{1/2})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{5/2} (a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(5/2)\*(a+b\*cos(c+d\*x))^3),x)

[Out] int(1/(cos(c+d\*x)^(5/2)\*(a+b\*cos(c+d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

### 3.603 $\int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} dx$

**Optimal.** Leaf size=438

$$\frac{\sqrt{a+b} (a^2 - 4b^2) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{4b^2 d}$$

[Out]  $\frac{1}{4} a \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b d \cos(dx+c)^{1/2} + \frac{1}{2} \sin(dx+c) \cos(dx+c)^{1/2} (a+b \cos(dx+c))^{1/2} / d - \frac{1}{4} (a-b) \cot(dx+c) \text{EllipticE}\left(\frac{a+b \cos(dx+c)}{(a+b)^{1/2} \cos(dx+c)^{1/2}}, \left(\frac{-a-b}{a-b}\right)^{1/2}\right) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b d + \frac{1}{4} (a+2b) \cot(dx+c) \text{EllipticF}\left(\frac{a+b \cos(dx+c)}{(a+b)^{1/2} \cos(dx+c)^{1/2}}, \left(\frac{-a-b}{a-b}\right)^{1/2}\right) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b d + \frac{1}{4} (a^2 - 4b^2) \cot(dx+c) \text{EllipticPi}\left(\frac{a+b \cos(dx+c)}{(a+b)^{1/2} \cos(dx+c)^{1/2}}, (a+b)/b, \left(\frac{-a-b}{a-b}\right)^{1/2}\right) (a+b)^{1/2} (a(1-\sec(dx+c)) / (a+b))^{1/2} (a(1+\sec(dx+c)) / (a-b))^{1/2} / b^2 d$

**Rubi [A]** time = 0.92, antiderivative size = 438, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2821, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (a^2 - 4b^2) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{4b^2 d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]],x]

[Out]  $-\frac{(a-b) \sqrt{a+b} \cot[c + dx] \text{EllipticE}\left[\text{ArcSin}\left[\sqrt{\frac{a+b \cos[c + dx]}{a+b}}\right]\right]}{\left(\sqrt{a+b} \sqrt{\cos[c + dx]}\right)} - \frac{(a+b) \sqrt{\frac{a(1-\sec[c + dx])}{a+b}} \sqrt{\frac{a(1+\sec[c + dx])}{a-b}}}{(4bd)} + \frac{\sqrt{a+b} (a+2b) \cot[c + dx] \text{EllipticF}\left[\text{ArcSin}\left[\sqrt{\frac{a+b \cos[c + dx]}{a+b}}\right]\right]}{\left(\sqrt{a+b} \sqrt{\cos[c + dx]}\right)} - \frac{(a+b) \sqrt{\frac{a(1-\sec[c + dx])}{a+b}} \sqrt{\frac{a(1+\sec[c + dx])}{a-b}}}{(4bd)} + \frac{\sqrt{a+b} (a^2 - 4b^2) \cot[c + dx] \text{EllipticPi}\left[\frac{(a+b)}{b}, \text{ArcSin}\left[\sqrt{\frac{a+b \cos[c + dx]}{a+b}}\right]\right]}{\left(\sqrt{a+b} \sqrt{\cos[c + dx]}\right)} - \frac{(a+b) \sqrt{\frac{a(1-\sec[c + dx])}{a+b}} \sqrt{\frac{a(1+\sec[c + dx])}{a-b}}}{(4b^2 d)} + \frac{a \sqrt{a+b \cos[c + dx]} \sin[c + dx]}{(4bd \sqrt{\cos[c + dx]})} + \frac{\sqrt{\cos[c + dx]} \sqrt{a+b \cos[c + dx]} \sin[c + dx]}{(2d)}$

**Rule 2809**

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x])]/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x])]/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2821

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Ssin[e + f*x])
^(m - 1)*(c + d*Ssin[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[
(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[a^2*c*d*(m +
n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b
*d*(m + n - 1)))*Sin[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*Sin[e + f*x
]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ
[m + n, 0] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3053

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Ssin[e + f*x
]])/(d*f*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)} dx &= \frac{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{2d} + \frac{\int \frac{\frac{ab}{2} + b^2 \cos(c+dx) + \frac{1}{2} ab \cos^2(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx}{2b} \\
&= \frac{a \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{4bd \sqrt{\cos(c+dx)}} + \frac{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{2d} \\
&= \frac{a \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{4bd \sqrt{\cos(c+dx)}} + \frac{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{2d} \\
&= \frac{\sqrt{a+b} (a^2 - 4b^2) \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b}}{4b^2 d} \\
&= -\frac{(a-b) \sqrt{a+b} \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{4bd}
\end{aligned}$$

**Mathematica [C]** time = 17.59, size = 1152, normalized size = 2.63

$$\frac{12a^2 \sqrt{\frac{(a+b) \cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}} \sqrt{-\frac{(a+b) \cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}} \sqrt{\frac{(a+b \cos(c+dx)) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}}}{(a+b) \sqrt{\cos(c+dx)} \sqrt{a+b}}$$

$$\frac{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} \sin(c+dx)}{2d} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) + ((-12\*a^2\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 16\*a\*b\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*a\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])



```

os[c + d*x])*Sec[c + d*x])/(a + b))] + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)
/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[
((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[
Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)
]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
- (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d
*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/
a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c
+ d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos
[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c
+ d*x])/(b*Sqrt[Cos[c + d*x]])))/(8*d)

```

**fricas** [F] time = 88.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2), x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.27, size = 1233, normalized size = 2.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] -1/4/d*(-2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c)
,-1,(-(a-b)/(a+b))^(1/2))*a^2+8*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2+2*cos(d*x+c)*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b-4*cos(d
*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(
1/2))*b^2+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*a^2+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b+2*cos(d*x+c)^4*b^2-2*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticP
i((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+8*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)
*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2*sin(d*x
+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b*s
in(d*x+c)-4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)

```

$c)/ (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})$   
 $* b^2 * \sin(d*x+c) + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/ (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})$   
 $* a^2 * \sin(d*x+c) + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/ (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})$   
 $* a * b * \sin(d*x+c) + 3 * \cos(d*x+c)^3 * a * b + \cos(d*x+c)^2 * a^2 - \cos(d*x+c)^2 * a * b - 2 * \cos(d*x+c)^2 * b^2 - a^2 * \cos(d*x+c) - 2 * a * b * \cos(d*x+c)) / (a+b*\cos(d*x+c))^{1/2}$   
 $) / \cos(d*x+c)^{1/2} / \sin(d*x+c) / b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(3/2), x)

### 3.604 $\int \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} dx$

**Optimal.** Leaf size=371

$$\frac{\sin(c + dx)\sqrt{a + b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b} \cos(c + dx)}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{d}$$

[Out]  $\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}-(a-b)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d+\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/d-a*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, (a+b)/b, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/b/d$

**Rubi [A]** time = 0.57, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2821, 3054, 2809, 12, 2801, 2816, 2994}

$$\frac{\sin(c + dx)\sqrt{a + b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b} \cos(c + dx)}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]],x]`

[Out]  $-(((a - b)*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*d)) + (\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/d - (a*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b*d) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]))$

#### Rule 12

`Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]`

#### Rule 2801

`Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sine[e + f*x]]*Sqrt[c + d*Sine[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sine[e + f*x])/((a + b*Sine[e + f*x])^(3/2)*Sqrt[c + d*Sine[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

#### Rule 2809

`Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sine[e + f*x]]/(Sqrt[b*Sine[e + f*x]]*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c`

$a^2 - d^2, 0] \ \&\& \ \text{PosQ}[(c + d)/b]$

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2821

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n))/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n - 1)*Simp[a^2*c*d*(m + n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b*d*(m + n - 1)))*Sin[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rule 3054

```
Int[((A_) + (C_)*sin[(e_) + (f_)*(x_)])^2/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C - 2*a*b*C*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} dx &= \frac{\sqrt{a+b\cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{\int \frac{-\frac{ab}{2} + \frac{1}{2}ab\cos^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{b} \\
&= \frac{\sqrt{a+b\cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{1}{2}a \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx + \dots \\
&= -\frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sin^2(c+dx))}{a+b}}}{bd} \\
&= -\frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sin^2(c+dx))}{a+b}}}{bd} \\
&= -\frac{(a-b)\sqrt{a+b} \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sin^2(c+dx))}{a+b}}}{ad}
\end{aligned}$$

**Mathematica [A]** time = 7.06, size = 314, normalized size = 0.85

$$\frac{\sqrt{\cos(c+dx)} \left( -\frac{4a \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)^{\frac{b-a}{a+b}}}{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}} + \frac{2(a+b) \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} E\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)^{\frac{b-a}{a+b}}}{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}} + \frac{4a \sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}}}{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}} \right)}{2d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*((2\*(a + b)\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x])])]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]/Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] - (4\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x])])]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]/Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] + (4\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x])])]\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]/Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] + b\*Sec[(c + d\*x)/2]\*Sin[(3\*(c + d\*x))/2] + 2\*a\*Tan[(c + d\*x)/2] - b\*Tan[(c + d\*x)/2]))/(2\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 3.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b\cos(dx+c)+a}\sqrt{\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b\cos(dx+c)+a}\sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.27, size = 801, normalized size = 2.16

$$-2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)\cos(dx+c)\sin(dx+c)a+\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2), x)

[Out]  $-1/d*(-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+2*a*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\sin(d*x+c)+\cos(d*x+c)^3*b+a*\cos(d*x+c)^2-\cos(d*x+c)^2*b-a*\cos(d*x+c))/((a+b*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}/\sin(d*x+c))$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*sqrt(cos(c + d\*x)), x)

$$3.605 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=135

$$\frac{2 \csc(c+dx) \sqrt{\frac{a(1-\cos(c+dx))}{a+b \cos(c+dx)}} \sqrt{\frac{a(\cos(c+dx)+1)}{a+b \cos(c+dx)}} (a+b \cos(c+dx)) \Pi\left(\frac{b}{a+b}; \sin^{-1}\left(\frac{\sqrt{a+b} \sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right) \middle| -\frac{a-b}{a+b}\right)}{d\sqrt{a+b}}$$

[Out]  $-2*(a+b*\cos(d*x+c))*\csc(d*x+c)*\text{EllipticPi}((a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}, b/(a+b), ((-a+b)/(a+b))^{(1/2)})*(a*(1-\cos(d*x+c))/(a+b*\cos(d*x+c)))^{(1/2)}*(a*(1+\cos(d*x+c))/(a+b*\cos(d*x+c)))^{(1/2)}/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2811}

$$\frac{2 \csc(c+dx) \sqrt{\frac{a(1-\cos(c+dx))}{a+b \cos(c+dx)}} \sqrt{\frac{a(\cos(c+dx)+1)}{a+b \cos(c+dx)}} (a+b \cos(c+dx)) \Pi\left(\frac{b}{a+b}; \sin^{-1}\left(\frac{\sqrt{a+b} \sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right) \middle| -\frac{a-b}{a+b}\right)}{d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]], x]

[Out]  $(-2*\text{Sqrt}[(a*(1 - \text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])]*\text{Sqrt}[(a*(1 + \text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])]*(a + b*\text{Cos}[c + d*x])*\text{Csc}[c + d*x]*\text{EllipticPi}[b/(a + b), \text{ArcSin}[(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])/\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], -(a - b)/(a + b)])/(\text{Sqrt}[a + b]*d)$

**Rule 2811**

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Simp[(2\*(a + b\*Sin[e + f\*x])\*Sqrt[((b\*c - a\*d)\*(1 + Sin[e + f\*x]))/((c - d)\*(a + b\*Sin[e + f\*x]))]\*Sqrt[-(((b\*c - a\*d)\*(1 - Sin[e + f\*x]))/((c + d)\*(a + b\*Sin[e + f\*x])))]\*EllipticPi[(b\*(c + d))/(d\*(a + b)), ArcSin[(Rt[(a + b)/(c + d), 2]\*Sqrt[c + d\*Sin[e + f\*x]])/Sqrt[a + b\*Sin[e + f\*x]]], ((a - b)\*(c + d))/((a + b)\*(c - d))]/(d\*f\*Rt[(a + b)/(c + d), 2]\*Cos[e + f\*x]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && PosQ[(a + b)/(c + d)]

**Rubi steps**

$$\int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx = -\frac{2 \sqrt{\frac{a(1-\cos(c+dx))}{a+b \cos(c+dx)}} \sqrt{\frac{a(1+\cos(c+dx))}{a+b \cos(c+dx)}} (a+b \cos(c+dx)) \csc(c+dx) \Pi\left(\frac{b}{a+b}; \sin^{-1}\left(\frac{\sqrt{a+b} \sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right) \middle| -\frac{a-b}{a+b}\right)}{\sqrt{a+b} d}$$

**Mathematica [A]** time = 1.28, size = 137, normalized size = 1.01

$$\frac{2\sqrt{\cos(c+dx)} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left( (a-b)F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 2b\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right) \right)}{d \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*((a - b)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*b\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]))/(d\*Sqrt[Cos[c + d\*x]]/(1 + Cos[c + d\*x]))\*Sqrt[a + b\*Cos[c + d\*x]]

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.22, size = 197, normalized size = 1.46

$$\frac{2 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \left( \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) a - \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) b + 2b \text{EllipticPi} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)} \right)^{\frac{1}{2}} \right) \right)}{d \sqrt{a + b \cos(dx + c)} \cos(dx + c)^{\frac{3}{2}} (-1 + \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] -2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(a+b\*cos(d\*x+c))^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b+2\*b\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a + b*cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)`

[Out] `int((a + b*cos(c + d*x))^(1/2)/cos(c + d*x)^(1/2), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2), x)`

[Out] `Integral(sqrt(a + b*cos(c + d*x))/sqrt(cos(c + d*x)), x)`

$$3.606 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{3 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=229

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} 2(a-b)\sqrt{a+b} \cot(c+dx)$$

[Out] 2\*(a-b)\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d-2\*(a-b)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d

**Rubi [A]** time = 0.26, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2795, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} 2(a-b)\sqrt{a+b} \cot(c+dx)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - (2\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)

#### Rule 2795

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]

&& PosQ[(c + d)/b]

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx = a \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx + (-a + b) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2(a - b) \sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a + b}}}{ad}$$

**Mathematica [A]** time = 3.46, size = 203, normalized size = 0.89

$$\frac{\sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{a + b \cos(c + dx)} \left(-\sin(c + dx) \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} - \sqrt{\cos(c + dx)} \sqrt{\cos(c + dx) + 1} F\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a + b}}\right)}{d \sqrt{\cos(c + dx)} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(3/2), x]

[Out] -((Sqrt[a + b\*Cos[c + d\*x]]\*Sec[(c + d\*x)/2]^2\*(Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*Sin[c + d\*x]))/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]))

**fricas [F]** time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**maple [B]** time = 0.25, size = 789, normalized size = 3.45

$$2 \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a + \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x)

[Out] 
$$-2/d*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a+\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*b-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*b+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+\cos(d*x+c)^2*b+a*\cos(d*x+c)-b*\cos(d*x+c)-a)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))/cos(c + d\*x)\*\*(3/2), x)

$$3.607 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=271

$$\frac{2b(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{2 \sin(c+dx) \sqrt{a}}{3d \cos^2(c+dx)^{3/2}}}{3a^2 d}$$

[Out]  $2/3 \sin(dx+c) (a+b \cos(dx+c))^{1/2} / d \cos(dx+c)^{3/2} + 2/3 (a-b) b \cot(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a+b))^{1/2} / a^2 / d + 2/3 (a-b) \cot(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a-b))^{1/2} / a / d$

**Rubi [A]** time = 0.40, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2796, 2998, 2816, 2994}

$$\frac{2b(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{2 \sin(c+dx) \sqrt{a}}{3d \cos^2(c+dx)^{3/2}}}{3a^2 d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(5/2), x]

[Out]  $(2*(a-b)*b*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(3*a^2*d) + (2*(a-b)*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(3*a*d) + (2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/((3*d*\text{Cos}[c+d*x])^{3/2})$

**Rule 2796**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*SIN[e + f\*x] - b\*d\*(m + n + 2)\*SIN[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*SIN[e + f\*x]]/(Sqrt[d\*SIN[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rule 2994**

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(-2\*A

```

*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{b}{2} + \frac{1}{2}a \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}(a - b) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2(a - b)b\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a + b}}}{3a^2 d}
\end{aligned}$$

**Mathematica [A]** time = 7.87, size = 247, normalized size = 0.91

$$\tan\left(\frac{1}{2}(c + dx)\right) \left(2a^2 + 2a(a + 2b) \cos(c + dx) + b(a + b) \cos(2(c + dx)) + ab + b^2\right) + 2a(a + b) \sqrt{\cos(c + dx) + 1}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]/Cos[c + d*x]^(5/2), x]
```

```
[Out] (-2*b*(a + b)*Cos[c + d*x]^(3/2)*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c +
d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-
a + b)/(a + b)] + 2*a*(a + b)*Cos[c + d*x]^(3/2)*Sqrt[1 + Cos[c + d*x]]*Sqr
t[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(
c + d*x)/2]], (-a + b)/(a + b)] + (2*a^2 + a*b + b^2 + 2*a*(a + 2*b)*Cos[c
+ d*x] + b*(a + b)*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/(3*a*d*Cos[c + d*x]^(
3/2)*Sqrt[a + b*Cos[c + d*x]])

```

**fricas [F]** time = 1.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)/cos(d*x+c)^(5/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**maple** [B] time = 0.30, size = 880, normalized size = 3.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x)

[Out] 
$$-2/3/d*(\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*a^2+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*b^2+\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*a^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*b^2+\cos(d*x+c)^3*a*b+\cos(d*x+c)^3*b^2+\cos(d*x+c)^2*a^2+\cos(d*x+c)^2*a*b-\cos(d*x+c)^2*b^2-2*a*b*\cos(d*x+c)-a^2)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{(3/2)}/a$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(5/2),x)

[Out] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(5/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))/cos(c + d\*x)\*\*(5/2), x)



$$3.608 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=329

$$\frac{2(a-b)\sqrt{a+b}(9a+2b)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|\frac{a+b}{a-b}\right)}{15a^2d} +$$

```
[Out] 2/5*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(5/2)+2/15*b*sin(d*x+c)*
(a+b*cos(d*x+c))^(1/2)/a/d/cos(d*x+c)^(3/2)+2/15*(a-b)*(9*a^2-2*b^2)*cot(d*
x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/
(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/
(a-b))^(1/2)/a^3/d-2/15*(a-b)*(9*a+2*b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c)
)^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*
(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d
```

**Rubi [A]** time = 0.65, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2796, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2-2b^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|\frac{a+b}{a-b}\right)}{15a^3d} 2(a-b)$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]/Cos[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2 - 2*b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a
+ b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*S
qrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(
15*a^3*d) - (2*(a - b)*Sqrt[a + b]*(9*a + 2*b)*Cot[c + d*x]*EllipticF[ArcSi
n[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a
- b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a
- b)]/(15*a^2*d) + (2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(5*d*Cos[c +
d*x]^(5/2)) + (2*b*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*Cos[c + d
*x]^(3/2))
```

**Rule 2796**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])
^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m +
1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n
- 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] -
b*d*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1]
] && LtQ[0, n, 1] && IntegersQ[2*m, 2*n]
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)]
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{b}{2} + \frac{3}{2}a \cos(c + dx) + b \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15ad \cos^{\frac{3}{2}}(c + dx)} + \frac{4 \int \frac{\frac{1}{4}(9a^2 - 2b^2)}{\cos^{\frac{3}{2}}(c + dx)}}{dx}$$

$$= \frac{2\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15ad \cos^{\frac{3}{2}}(c + dx)} - \frac{((a - b)(9a - 2b^2))}{15a^3d} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}$$

**Mathematica [A]** time = 13.29, size = 453, normalized size = 1.38

$$\frac{\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2\sec(c+dx)(9a^2\sin(c+dx)-2b^2\sin(c+dx))}{15a^2} + \frac{2b\tan(c+dx)\sec(c+dx)}{15a} + \frac{2}{5}\tan(c+dx)\sec^2(c+dx)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(7/2), x]

[Out] (8\*(Cos[(c + d\*x)/2]^2)^(7/2)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*(-2\*(9\*a^3 + 9\*a^2\*b - 2\*a\*b^2 - 2\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(9\*a^2 + 7\*a\*b - 2\*b^2)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (9\*a^2 - 2\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/((15\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(1 + Cos[c + d\*x])^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]\*(9\*a^2\*Sin[c + d\*x] - 2\*b^2\*Sin[c + d\*x]))/(15\*a^2) + (2\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/(15\*a) + (2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/5))/d

**fricas [F]** time = 2.51, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}}{\cos(dx+c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b\cos(dx+c)+a}}{\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**maple [B]** time = 0.26, size = 1555, normalized size = 4.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2), x)

[Out] -2/15/d\*(cos(d\*x+c)^2\*a\*b^2-9\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^3-3\*a^3+2\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b^2+7\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/

```
(a+b)^(1/2))*a^2*b-2*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b^2-9*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^2*b+2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b^2-2*cos(d*x+c)^4*b^3+9*cos(d*x+c)^3*a^3-4*cos(d*x+c)*a^2*b+9*cos(d*x+c)^4*a^2*b+cos(d*x+c)^4*a*b^2-5*cos(d*x+c)^3*a^2*b-2*cos(d*x+c)^3*a*b^2+2*cos(d*x+c)^3*b^3-6*cos(d*x+c)^2*a^3-9*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^2*b+7*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^2*b-2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a*b^2+2*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*b^3+9*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^3-9*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^3+2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*b^3+9*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^3)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(5/2)/a^2
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(7/2),x)

[Out] int((a + b\*cos(c + d\*x))^(1/2)/cos(c + d\*x)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.609 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=389

$$\frac{2(25a^2 - 4b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105a^2d \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(a-b) \sqrt{a+b} (19a^2 + 8b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)-1)}{a+b}}}{105a^4d}$$

[Out]  $2/7 * \sin(d*x+c) * (a+b*\cos(d*x+c))^{(1/2)} / d / \cos(d*x+c)^{(7/2)} + 2/35 * b * \sin(d*x+c) * (a+b*\cos(d*x+c))^{(1/2)} / a / d / \cos(d*x+c)^{(5/2)} + 2/105 * (25*a^2 - 4*b^2) * \sin(d*x+c) * (a+b*\cos(d*x+c))^{(1/2)} / a^2 / d / \cos(d*x+c)^{(3/2)} + 2/105 * (a-b) * b * (19*a^2 + 8*b^2) * \cot(d*x+c) * \text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)}) * (a+b)^{(1/2)} * (a*(1-\sec(d*x+c))) / (a+b)^{(1/2)} * (a*(1+\sec(d*x+c))) / (a-b)^{(1/2)} / a^4 / d + 2/105 * (a-b) * (25*a^2 + 6*a*b + 8*b^2) * \cot(d*x+c) * \text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)}) * (a+b)^{(1/2)} * (a*(1-\sec(d*x+c))) / (a+b)^{(1/2)} * (a*(1+\sec(d*x+c))) / (a-b)^{(1/2)} / a^3 / d$

**Rubi [A]** time = 0.92, antiderivative size = 389, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2796, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2 - 4b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105a^2d \cos^{\frac{3}{2}}(c+dx)} + \frac{2(a-b) \sqrt{a+b} (25a^2 + 6ab + 8b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)-1)}{a+b}}}{105a^3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(9/2), x]

[Out]  $(2*(a-b)*b*\text{Sqrt}[a+b]*(19*a^2+8*b^2)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] * \text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)] * \text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)] / (105*a^4*d) + (2*(a-b)*\text{Sqrt}[a+b]*(25*a^2+6*a*b+8*b^2)*\text{Cot}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] * \text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)] * \text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)] / (105*a^3*d) + (2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]) / (7*d*\text{Cos}[c+d*x]^(7/2)) + (2*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]) / (35*a*d*\text{Cos}[c+d*x]^(5/2)) + (2*(25*a^2-4*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]) / (105*a^2*d*\text{Cos}[c+d*x]^(3/2))$

**Rule 2796**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -

$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

#### Rule 2994

$\text{Int}[\frac{(A_.) + (B_.)\sin[e_.] + (f_.)x_.)}{((b_.)\sin[e_.] + (f_.)x_.)} \wedge^{3/2} \sqrt{(c_.) + (d_.)\sin[e_.] + (f_.)x_.)}], x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{(c*(1 + \text{Csc}[e + f*x]))/(c - d)}*\sqrt{(c*(1 - \text{Csc}[e + f*x]))/(c + d)}*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\sin[e + f*x]]}/(\sqrt{b*\sin[e + f*x]}*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 2998

$\text{Int}[\frac{(A_.) + (B_.)\sin[e_.] + (f_.)x_.)}{((a_.) + (b_.)\sin[e_.] + (f_.)x_.)} \wedge^{3/2} \sqrt{(c_.) + (d_.)\sin[e_.] + (f_.)x_.)}], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\sin[e + f*x]}*\sqrt{c + d*\sin[e + f*x]})], x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])/((a + b*\sin[e + f*x]) \wedge^{3/2} \sqrt{c + d*\sin[e + f*x]})], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

#### Rule 3055

$\text{Int}[\frac{(a_.) + (b_.)\sin[e_.] + (f_.)x_.) \wedge^{(m_.)} ((c_.) + (d_.)\sin[e_.] + (f_.)x_.) \wedge^{(n_.)} ((A_.) + (B_.)\sin[e_.] + (f_.)x_.) + (C_.)\sin[e_.] + (f_.)x_.) \wedge^2}{(a + b*\sin[e + f*x]) \wedge^{(m + 1)} (c + d*\sin[e + f*x]) \wedge^{(n + 1)} (f*(m + 1)*(b*c - a*d)*(a^2 - b^2))}, x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x]) \wedge^{(m + 1)} (c + d*\sin[e + f*x]) \wedge^n \text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b\cos(c+dx)}}{\cos^{\frac{9}{2}}(c+dx)} dx &= \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2}{7} \int \frac{\frac{b}{2} + \frac{5}{2}a\cos(c+dx) + 2b\cos^2(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx \\
&= \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2b\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35ad\cos^{\frac{5}{2}}(c+dx)} + \frac{4}{7} \int \frac{\frac{1}{4}(25a^2 - b^2)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx \\
&= \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2b\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35ad\cos^{\frac{5}{2}}(c+dx)} + \frac{2(25a^2 - b^2)}{7d} \int \frac{1}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx \\
&= \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7d\cos^{\frac{7}{2}}(c+dx)} + \frac{2b\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35ad\cos^{\frac{5}{2}}(c+dx)} + \frac{2(25a^2 - b^2)}{7d} \int \frac{1}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx \\
&= \frac{2(a-b)b\sqrt{a+b}(19a^2 + 8b^2)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-b^2)}{a+b}}}{105a^4d}
\end{aligned}$$

**Mathematica [C]** time = 6.23, size = 1304, normalized size = 3.35

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Cos[c + d\*x]^(9/2),x]

[Out]  $((-4*a*(25*a^4 - 17*a^2*b^2 - 8*b^4)*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]] / \text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) - 4*a*(-19*a^3*b - 8*a*b^3) * ((\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]] / \text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]] / \text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / (b\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]])) + 2*(-19*a^2*b^2 - 8*b^4) * ((\text{I}\text{Cos}[(c+d*x)/2] * \text{Sqrt}[a+b\text{Cos}[c+d*x]] * \text{EllipticE}[\text{I}\text{ArcSinh}[\text{Sin}[(c+d*x)/2] / \text{Sqrt}[\text{Cos}[c+d*x]]], (-2*a)/(-a-b)] * \text{Sec}[c+d*x]) / (b\text{Sqrt}[\text{Cos}[(c+d*x)/2]^2 * \text{Sec}[c+d*x]] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Sec}[c+d*x]}{(a+b)}]) + (2*a * ((a\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]] / \text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (a\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]] / \text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / (b\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]])) / b + (\text{Sqrt}[a+b\text{Cos}[c+d*x]] * \text{Sin}[c+d*x]) / (b\text{Sqrt}[\text{Cos}[c+d*x]])) / (105*a^3*d) + (\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]] * ((2*\text{Sec}[c+d*x]^2 * (25*a^2*\text{Sin}[c+d*x] - 4*b^2*\text{Sin}[c+d*x])) / (105*a^2) + (2*\text{Sec}[c+d*x] * (19*a^2*b*\text{Sin}[c+d*x] + 8*b^3*\text{Sin}[c+d*x]$

))/(105\*a^3) + (2\*b\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(35\*a) + (2\*Sec[c + d\*x]^3 \*Tan[c + d\*x])/7))/d

**fricas** [F] time = 1.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

**maple** [B] time = 0.31, size = 1826, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(9/2),x)

[Out] -2/105/d\*(25\*cos(d\*x+c)^5\*a^3\*b+25\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a^4-15\*a^4+19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a^3\*b+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a^2\*b^2+8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a\*b^3-19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a^3\*b-19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a^2\*b^2-8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^4\*sin(d\*x+c)\*a\*b^3+19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^3\*b+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^2\*b^2+8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a\*b^3-19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^3\*b-19\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^2\*



$$b^2 - 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right) / (a+b)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) \cos(dx+c)^3 \sin(dx+c) a b^3 - 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right) / (a+b)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) \cos(dx+c)^4 \sin(dx+c) b^4 + 25 \cos(dx+c)^3 \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right) / (a+b)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^4 - 8 \cos(dx+c)^3 \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right) / (a+b)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) b^4 + 19 \cos(dx+c)^5 a^2 b^2 - 4 \cos(dx+c)^5 a b^3 + 19 \cos(dx+c)^4 a^3 b - 20 \cos(dx+c)^4 a^2 b^2 + 8 \cos(dx+c)^4 a b^3 - 26 \cos(dx+c)^3 a^3 b - 4 \cos(dx+c)^3 a b^3 + \cos(dx+c)^2 a^2 b^2 - 18 \cos(dx+c) a^3 b + 25 \cos(dx+c)^4 a^4 - 10 \cos(dx+c)^2 a^4 + 8 \cos(dx+c)^5 b^4 - 8 \cos(dx+c)^4 b^4 / (a+b\cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{7/2} / a^3$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(1/2)/cos(dx+c)^(9/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(dx+c)+a)/cos(dx+c)^(9/2),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(c+dx))^(1/2)/cos(c+dx)^(9/2),x)

[Out] int((a+b\*cos(c+dx))^(1/2)/cos(c+dx)^(9/2),x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(1/2)/cos(dx+c)\*\*(9/2),x)

[Out] Timed out

$$3.610 \quad \int \cos^3(c + dx)(a + b \cos(c + dx))^{3/2} dx$$

**Optimal.** Leaf size=508

$$\frac{(3a^2 + 16b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} - \frac{(a - b) \sqrt{a + b} (3a^2 + 16b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{24abd}$$

[Out]  $\frac{1}{3}(a+b \cos(dx+c))^{3/2} \sin(dx+c) \cos(dx+c)^{1/2} / d + \frac{1}{24}(3a^2+16b^2) \sin(dx+c) (a+b \cos(dx+c))^{1/2} / b/d / \cos(dx+c)^{1/2} + \frac{1}{4} a \sin(dx+c) \cos(dx+c)^{1/2} (a+b \cos(dx+c))^{1/2} / d - \frac{1}{24}(a-b) (3a^2+16b^2) \cot(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) * (a+b)^{1/2} * (a*(1-\sec(dx+c)) / (a+b))^{1/2} * (a*(1+\sec(dx+c)) / (a-b))^{1/2} / a/b/d + \frac{1}{24}(a+2b) (3a+8b) \cot(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) * (a+b)^{1/2} * (a*(1-\sec(dx+c)) / (a+b))^{1/2} * (a*(1+\sec(dx+c)) / (a-b))^{1/2} / b/d + \frac{1}{8} a (a^2-12b^2) \cot(dx+c) \text{EllipticPi}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2}) * (a+b)^{1/2} * (a*(1-\sec(dx+c)) / (a+b))^{1/2} * (a*(1+\sec(dx+c)) / (a-b))^{1/2} / b^2/d$

**Rubi [A]** time = 1.26, antiderivative size = 508, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2821, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2 + 16b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} - \frac{(a - b) \sqrt{a + b} (3a^2 + 16b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{24abd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $-\frac{(a-b) \text{Sqrt}[a+b] (3a^2+16b^2) \text{Cot}[c+d*x] \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b \text{Cos}[c+d*x]] / (\text{Sqrt}[a+b] \text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] \text{Sqrt}[(a*(1-\text{Sec}[c+d*x])) / (a+b)] \text{Sqrt}[(a*(1+\text{Sec}[c+d*x])) / (a-b)] / (24*a*b*d) + (\text{Sqrt}[a+b] (a+2b) (3a+8b) \text{Cot}[c+d*x] \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b \text{Cos}[c+d*x]] / (\text{Sqrt}[a+b] \text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] \text{Sqrt}[(a*(1-\text{Sec}[c+d*x])) / (a+b)] \text{Sqrt}[(a*(1+\text{Sec}[c+d*x])) / (a-b)] / (24*b*d) + (a \text{Sqrt}[a+b] (a^2-12*b^2) \text{Cot}[c+d*x] \text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b \text{Cos}[c+d*x]] / (\text{Sqrt}[a+b] \text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] \text{Sqrt}[(a*(1-\text{Sec}[c+d*x])) / (a+b)] \text{Sqrt}[(a*(1+\text{Sec}[c+d*x])) / (a-b)] / (8*b^2*d) + ((3a^2+16b^2) \text{Sqrt}[a+b \text{Cos}[c+d*x]] \text{Sin}[c+d*x]) / (24*b*d \text{Sqrt}[\text{Cos}[c+d*x]]) + (a \text{Sqrt}[\text{Cos}[c+d*x]] \text{Sqrt}[a+b \text{Cos}[c+d*x]] \text{Sin}[c+d*x]) / (4*d) + (\text{Sqrt}[\text{Cos}[c+d*x]] (a+b \text{Cos}[c+d*x])^(3/2) \text{Sin}[c+d*x]) / (3*d)$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A

$\text{rcSin}[\text{Sqrt}[a + b\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2]), -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

### Rule 2821

$\text{Int}[(a + (b*\text{sin}[e + f*x])*(x))^m*((c + (d*\text{sin}[e + f*x]) + (f)*(x))^n), x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^n)/(f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^{n-1}*\text{Simp}[a^2*c*d*(m + n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b*d*(m + n - 1)))*\text{Sin}[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[0, m, 2] \&\& \text{LtQ}[-1, n, 2] \&\& \text{NeQ}[m + n, 0] \&\& (\text{IntegerQ}[m] \mid\mid \text{IntegersQ}[2*m, 2*n])$

### Rule 2994

$\text{Int}[(A + (B*\text{sin}[e + f*x])*(x))/((b*\text{sin}[e + f*x]) + (f)*(x))^{3/2}*\text{Sqrt}[(c + (d*\text{sin}[e + f*x]) + (f)*(x))], x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2]), -(c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A + (B*\text{sin}[e + f*x])*(x))/((a + (b*\text{sin}[e + f*x]) + (f)*(x))^{3/2}*\text{Sqrt}[(c + (d*\text{sin}[e + f*x]) + (f)*(x))], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 3049

$\text{Int}[(a + (b*\text{sin}[e + f*x])*(x))^m*((c + (d*\text{sin}[e + f*x]) + (f)*(x))^n + (f)*(x))^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& !( \text{IGtQ}[n, 0] \&\& ( !\text{IntegerQ}[m] \mid\mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]) ) )$

### Rule 3053

$\text{Int}[(A + (B*\text{sin}[e + f*x])*(x) + (C*\text{sin}[e + f*x])*(x))^2/((a + (b*\text{sin}[e + f*x]) + (f)*(x))^{3/2}*\text{Sqrt}[(c + (d*\text{sin}[e + f*x]) + (f)*(x))], x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

## Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

## Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + b \cos(c + dx))^{3/2} dx &= \frac{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{\int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{ab}{2} + 2\sqrt{a + b \cos(c + dx)}\right)}{\sqrt{\cos(c + dx)}} dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{a\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d} + \frac{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d} \\ &= \frac{(3a^2 + 16b^2)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24bd\sqrt{\cos(c + dx)}} + \frac{a\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{(3a^2 + 16b^2)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24bd\sqrt{\cos(c + dx)}} + \frac{a\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a\sqrt{a + b}(a^2 - 12b^2) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \mid -\frac{a+b}{a-b}\right)}{8b^2d} \\ &= -\frac{(a - b)\sqrt{a + b}(3a^2 + 16b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \mid -\frac{a+b}{a-b}\right)}{24abd} \end{aligned}$$

**Mathematica** [C] time = 19.59, size = 1189, normalized size = 2.34

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(3/2), x]

```
[Out] ((-4*a*(17*a^2 + 16*b^2)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 208*a^2*b*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(3*a^2 + 16*b^2)
```

```

*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c +
d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)*Sec[c + d*x])/(b*Sqrt[Cos[(c
+ d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b
)] + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*C
os[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x
)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c
+ d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqr
t[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/
2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[(
(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b),
ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/
(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]
])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(
48*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((7*a*Sin[c + d*x])/12
+ (b*Sin[2*(c + d*x)]/6))/d

```

**fricas** [F] time = 3.29, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c)^2 + a \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c)^2 + a*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sqrt(
cos(d*x + c)), x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.26, size = 1683, normalized size = 3.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] 1/24/d*(6*cos(d*x+c)^2*a*b^2+6*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3+6*(cos(d*x+c)/(1+cos(d*x+
c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos
(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)-3*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)-16*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+3*
a^3*cos(d*x+c)+16*cos(d*x+c)*a*b^2+3*cos(d*x+c)^2*a^2*b-8*cos(d*x+c)^5*b^3+
16*cos(d*x+c)^2*b^3+14*cos(d*x+c)*a^2*b-22*cos(d*x+c)^4*a*b^2-17*cos(d*x+c)
^3*a^2*b-8*cos(d*x+c)^3*b^3-3*cos(d*x+c)^2*a^3-3*cos(d*x+c)*sin(d*x+c)*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3-16*cos(d*x+
c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*
x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2
))*b^3-72*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)

```

```

)/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))
)*a*b^2*sin(d*x+c)-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(
1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+
b))^(1/2))*a^2*b*sin(d*x+c)-16*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-14*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+52*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-72*cos(d*x+c)*sin(d*
x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a
+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a*
b^2-3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-
b)/(a+b))^(1/2))*a^2*b-16*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+
c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-14*cos(d*x+c)*sin(d*x+c)*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*El
lipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b+52*cos(d*x+c
)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x
+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2)
)*a*b^2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(1/2)/b

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^{3/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

### 3.611 $\int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} dx$

**Optimal.** Leaf size=433

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sin(c + dx) + \dots}{4bd}$$

[Out]  $1/2*(a+b*\cos(d*x+c))^(3/2)*\sin(d*x+c)/d/\cos(d*x+c)^(1/2)+3/4*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(1/2)-5/4*(a-b)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2), ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/d+1/4*(5*a+2*b)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2), ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/d-1/4*(3*a^2+4*b^2)*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2), (a+b)/b, ((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/b/d$

**Rubi [A]** time = 1.17, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2821, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sin(c + dx) + \dots}{4bd}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2), x]`

[Out]  $(-5*(a - b)*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(4*d) + (\text{Sqrt}[a + b]*(5*a + 2*b)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(4*d) - (\text{Sqrt}[a + b]*(3*a^2 + 4*b^2)*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(4*b*d) + (3*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + ((a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rule 2809**

`Int[Sqrt[(b_)*sin[(e_.) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]`

**Rule 2816**

`Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)]]*Sqrt[(a_) + (b_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]`

Rule 2821

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])
^(m - 1)*(c + d*Sin[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[
(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n - 1)*Simp[a^2*c*d*(m +
n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b
*d*(m + n - 1)))*Sin[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*Sin[e + f*x
]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ
[m + n, 0] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]], x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)

```



```

+ (f_.)*(x_)]], x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} dx &= \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} + \frac{\int \frac{\sqrt{a+b \cos(c+dx)} \left(-\frac{ab}{2} + b^2 \cos(c+dx)\right)}{\cos^{\frac{3}{2}}(c+dx)} dx}{2b} \\
 &= -\frac{a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} \\
 &= \frac{3a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} \\
 &= \frac{3a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{2d\sqrt{\cos(c + dx)}} \\
 &= -\frac{\sqrt{a + b} (3a^2 + 4b^2) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4bd} \\
 &= -\frac{5(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a}{a+b}}}{4d}
 \end{aligned}$$

**Mathematica [A]** time = 12.27, size = 437, normalized size = 1.01

$$\sqrt{\cos(c + dx)} \left( \frac{-4(4a^2 - ab + 2b^2) \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 12a^2 \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{\dots} \right)$$

Antiderivative was successfully verified.

```

[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2), x]
[Out] (Sqrt[Cos[c + d*x]]*(4*b*(a + b*Cos[c + d*x])*Sin[c + d*x] + (10*a*(a + b)*
Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan
n[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(4*a^2 - a*b + 2*b^2)*Sqrt[(a + b*Co
s[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]
], (-a + b)/(a + b)] + 12*a^2*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))]*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 16*
b^2*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1,
ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 5*a*b*Sqrt[Cos[c + d*x]/(1 +
Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 10*a^2*Sqrt[Cos[c +
d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - 5*a*b*Sqrt[Cos[c + d*x]/(1 + Co
s[c + d*x])]*Tan[(c + d*x)/2])/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]))/(8*d
*Sqrt[a + b*Cos[c + d*x]])

```

**fricas** [F] time = 3.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx+c) + a\right)^{\frac{3}{2}} \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^{\frac{3}{2}} \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c)), x)

**maple** [B] time = 0.19, size = 1421, normalized size = 3.28

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 1/4/d\*(8\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a^2-2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b+4\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*b^2-5\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^2-5\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b-6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2)\*a^2-8\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2)\*b^2+8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^2\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b\*sin(d\*x+c)+4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*b^2\*sin(d\*x+c)-5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^2\*sin(d\*x+c)-5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b\*sin(d\*x+c)-6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2)\*a^2\*sin(d\*x+c)-8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2)\*b^2\*sin(d\*x+c)-2\*cos(d\*x+c)^4\*b^2-7\*cos(d\*x+c)^3\*a\*b-5\*cos(d\*x+c)^2\*a^2+5\*cos(d\*x+c)^2\*a\*b+2\*cos(d\*x+c)^2\*b^2+5\*a^2\*cos(d\*x+c)+2\*a\*b\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)/sin(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^{\frac{3}{2}} \sqrt{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(3/2)\*sqrt(cos(c + d\*x)), x)

$$3.612 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=375

$$\frac{b \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{\sqrt{a+b} (2a+b) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d}$$

[Out] b\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)-(a-b)\*b\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d+(2\*a+b)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/d-3\*a\*cot(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/d

**Rubi [A]** time = 0.64, antiderivative size = 375, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2821, 3053, 2809, 2998, 2816, 2994}

$$\frac{b \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{\sqrt{a+b} (2a+b) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Sqrt[Cos[c + d\*x]], x]

[Out] -(((a - b)\*b\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)) + (Sqrt[a + b]\*(2\*a + b)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d - (3\*a\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d + (b\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

Rule 2809

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]/Sqrt[(c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_.) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2821

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[e + f*x]*(a + b*Sin[e + f*x])
^(m - 1)*(c + d*Sin[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[
(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n - 1)*Simp[a^2*c*d*(m +
n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b
*d*(m + n - 1)))*Sin[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*Sin[e + f*x
]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ
[m + n, 0] && (IntegerQ[m] || IntegersQ[2*m, 2*n])

```

### Rule 2994

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rule 2998

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx &= \frac{b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \int \frac{-\frac{ab}{2} + a^2 \cos(c + dx) + \frac{3}{2}ab \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{1}{2}(3ab) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx + \int \frac{\frac{3}{2}ab \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx \\
&= -\frac{3a\sqrt{a + b} \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{d} \\
&= -\frac{(a - b)b\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}
\end{aligned}$$

**Mathematica [A]** time = 7.57, size = 339, normalized size = 0.90

$$\sqrt{\cos(c+dx)} \sec^2\left(\frac{1}{2}(c+dx)\right) \left( b \cos(c+dx) \tan\left(\frac{1}{2}(c+dx)\right) \sec^2\left(\frac{1}{2}(c+dx)\right) (a+b \cos(c+dx)) + 4a(a-2b) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)/Sqrt[Cos[c + d\*x]],x]

[Out] -((Sqrt[Cos[c + d\*x]]\*Sec[(c + d\*x)/2]^2\*(2\*b\*(a + b)\*Sqrt[Cos[c + d\*x]]/(1 + Cos[c + d\*x]))\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 4\*a\*(a - 2\*b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 12\*a\*b\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(d\*Sqrt[a + b\*Cos[c + d\*x]]\*(-1 + Tan[(c + d\*x)/2]^4))

**fricas [F]** time = 1.29, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)/sqrt(cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.27, size = 1003, normalized size = 2.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2),x)

[Out] -1/d/(a+b\*cos(d\*x+c))^(1/2)\*(2\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-4\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b+EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2+6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+

$\cos(dx+c)/(a+b)^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} \cos(dx+c) \sin(dx+c) a^2 b + 2(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} a^2 \sin(dx+c) - 4(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} a^2 b \sin(dx+c) + (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} a^2 b \sin(dx+c) + (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} b^2 \sin(dx+c) + 6(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} a^2 b \sin(dx+c) + \cos(dx+c)^3 b^2 + \cos(dx+c)^2 a^2 b - \cos(dx+c)^2 b^2 - a^2 b \cos(dx+c) / \cos(dx+c)^{1/2} / \sin(dx+c)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{3/2}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)/cos(dx+c)^(1/2), x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)/sqrt(cos(dx+c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(1/2), x)

[Out] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)/cos(dx+c)\*\*(1/2), x)

[Out] Integral((a + b\*cos(c + dx))\*\*(3/2)/sqrt(cos(c + dx)), x)

$$3.613 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=337

$$\frac{2(a-2b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2(a-b)\sqrt{a+b} \cot(c+dx)}{d}$$

[Out] 2\*(a-b)\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/d-2\*(a-2\*b)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/d-2\*b\*cot(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/d

**Rubi [A]** time = 0.47, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2798, 2809, 2998, 2816, 2994}

$$\frac{2(a-2b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2(a-b)\sqrt{a+b} \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(3/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d - (2\*(a - 2\*b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d - (2\*b\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d

**Rule 2798**

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Dist[d^2/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b^2, Int[Simp[b\*c + a\*d + 2\*b\*d\*Sin[e + f\*x], x]/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2809**

Int[Sqrt[(b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2816**



```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx = a \int \frac{a + 2b \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx + b^2 \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= -\frac{2b\sqrt{a+b} \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{d} \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}$$

$$= \frac{2(a-b)\sqrt{a+b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{d} \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}$$

**Mathematica [A]** time = 13.13, size = 357, normalized size = 1.06

$$\cos(c + dx) \left( \frac{2(a^2 + 2ab - b^2) \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}} - 2a^2 \tan\left(\frac{1}{2}(c + dx)\right) + \frac{4b^2 \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}}\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)/Cos[c + d*x]^(3/2), x]
```

```
[Out] (2*a*(a + b*Cos[c + d*x])*Sin[c + d*x] + Cos[c + d*x]*((-2*a*(a + b)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])])*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)])/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + (2*(a^2 + 2*a*b - b^2)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])])*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)])/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] + (4*b^2*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])])*EllipticPi[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)])/Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])])
```

```
*x)))*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]/Sqrt[Cos
[c + d*x]/(1 + Cos[c + d*x])] - a*b*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] -
2*a^2*Tan[(c + d*x)/2] + a*b*Tan[(c + d*x)/2))/(d*Sqrt[Cos[c + d*x]]*Sqrt
[a + b*Cos[c + d*x]])
```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(3/2), x)
```

**maple** [B] time = 0.22, size = 1183, normalized size = 3.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(3/2),x)
```

```
[Out] -2/d*(2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1
, (-a-b)/(a+b))^(1/2))*b^2+EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+
b))^(1/2))*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*a^2+2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elli
pticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b-cos(d*x+c)*sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2-c
os(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b
))^(1/2))*a^2-cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b
*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+
c), (-a-b)/(a+b))^(1/2))*a*b+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -
1, (-a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c), (-a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos
(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)-(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)+cos(d*x+c)^2*a
*b+a^2*cos(d*x+c)-a*b*cos(d*x+c)-a^2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos
(d*x+c)^(1/2)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^{\frac{3}{2}}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(3/2)/cos(c + d\*x)\*\*(3/2), x)

$$3.614 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=277

$$\frac{2a \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d \cos^2(c+dx)} + \frac{2(a-3b)(a-b) \sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a}}{\sqrt{a+b}}\right)\right)}{3ad}$$

[Out] 2/3\*a\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+8/3\*(a-b)\*b\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d+2/3\*(a-3\*b)\*(a-b)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d

**Rubi [A]** time = 0.44, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2799, 2998, 2816, 2994}

$$\frac{2a \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3d \cos^2(c+dx)} + \frac{2(a-3b)(a-b) \sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a}}{\sqrt{a+b}}\right)\right)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(5/2), x]

[Out] (8\*(a - b)\*b\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a\*d) + (2\*(a - 3\*b)\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a\*d) + (2\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

**Rule 2799**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rule 2994**

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^5(c + dx)} dx &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} + \frac{2}{3} \int \frac{2ab + \frac{1}{2}(a^2 + 3b^2) \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} + \frac{1}{3}((a - 3b)(a - b)) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{8(a - b)b\sqrt{a + b} \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{3ad} \end{aligned}$$

**Mathematica [A]** time = 4.98, size = 256, normalized size = 0.92

$$2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \left( (a^2 + 4ab + 3b^2) \sqrt{\frac{\sec^2\left(\frac{1}{2}(c + dx)\right)(a + b \cos(c + dx))}{a + b}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b - a}{a + b}\right) - 4b \tan\left(\frac{1}{2}(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(5/2), x]

[Out] ((2\*(a + b\*Cos[c + d\*x])\*(a + 4\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2) + 2\*Sqrt[Cos[(c + d\*x)/2]^2]\*(-4\*b\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] + (a^2 + 4\*a\*b + 3\*b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] - 4\*b\*(a + b\*Cos[c + d\*x])\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*Tan[(c + d\*x)/2])/(3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(5/2), x)

**maple** [B] time = 0.26, size = 1075, normalized size = 3.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2),x)

[Out] 
$$-2/3/d*(\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2+4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-4*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2+4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2-4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-4*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+\cos(d*x+c)^3*a*b+4*\cos(d*x+c)^3*b^2+\cos(d*x+c)^2*a^2+4*\cos(d*x+c)^2*a*b-4*\cos(d*x+c)^2*b^2-5*a*b*\cos(d*x+c)-a^2)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{3/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(5/2), x)

[Out] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^{\frac{3}{2}}}{\cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)/cos(d\*x+c)\*\*(5/2), x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*(3/2)/cos(c + d\*x)\*\*(5/2), x)

$$3.615 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=325

$$\frac{2(a-b)\sqrt{a+b} (3a^2 + b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 4b \sin(c+dx)}{5a^2d}$$

```
[Out] 2/5*a*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(5/2)+4/5*b*sin(d*x+c)
*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(3/2)+2/5*(a-b)*(3*a^2+b^2)*cot(d*x+c)
*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*
(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d-
2/5*(a-b)*(3*a-b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),
((-a-b)/(a-b))^(1/2))*
(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d
```

**Rubi [A]** time = 0.66, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2799, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (3a^2 + b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 4b \sin(c+dx)}{5a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)/Cos[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(3*a^2 + b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a +
b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqr
t[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(5*
a^2*d) - (2*(a - b)*(3*a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))
]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]
)/(5*a*d) + (2*a*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(5*d*Cos[c + d*x]^(
5/2)) + (4*b*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(5*d*Cos[c + d*x]^(3/2)
)
```

**Rule 2799**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*SIn
[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x
] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*S
in[e + f*x])^(n - 2)*Simp[c*(a*c - b*d)*(m + 1) + d*(b*c - a*d)*(n - 1) + (
d*(a*c - b*d)*(m + 1) - c*(b*c - a*d)*(m + 2))*Sin[e + f*x] - d*(b*c - a*d)
*(m + n + 1)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] &&
NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] &
& LtQ[1, n, 2] && IntegersQ[2*m, 2*n]
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```



Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx = \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{3ab + \frac{1}{2}(3a^2 + 5b^2) \cos(c + dx) + ab \cos^3(c + dx)}{\cos^2(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{4b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^3(c + dx)} + \frac{4}{5} \int \frac{a \cos^2(c + dx)}{\cos^2(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{4b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^3(c + dx)} - \frac{1}{5} \left( (a - b) \sqrt{a + b} (3a^2 + b^2) \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \middle| - \frac{a + b}{a - b} \right) \sqrt{\frac{a(1 - \sec(c + dx))}{a - b}} \right)$$

$$= \frac{2(a - b)\sqrt{a + b} (3a^2 + b^2) \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \middle| - \frac{a + b}{a - b} \right) \sqrt{\frac{a(1 - \sec(c + dx))}{a - b}}}{5a^2 d}$$

**Mathematica [A]** time = 13.52, size = 443, normalized size = 1.36

$$\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2 \sec(c + dx) (3a^2 \sin(c + dx) + b^2 \sin(c + dx))}{5a} + \frac{2}{5} a \tan(c + dx) \sec^2(c + dx) + \frac{4}{5} b \tan(c + dx) \right)$$


---

d

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^(3/2)/cos[c + d*x]^(7/2), x]
```

```
[Out] (8*(Cos[(c + d*x)/2]^2)^(7/2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(-2*(3*a^3 + 3*a^2*b + a*b^2 + b^3)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) * EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(3*a^2 + 4*a*b + b^2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]) * EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3*a^2 + b^2)*Cos[c + d*x]*(a + b*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(5*a*d*cos[c + d*x]^(3/2)*(1 + Cos[c + d*x])^(3/2)*Sqrt[a + b*cos[c + d*x]]) + (Sqrt[Cos[c + d*x])*Sqrt[a + b*cos[c + d*x]])*((2*Sec[c + d*x]*(3*a^2*sin[c + d*x] + b^2*sin[c + d*x]))/(5*a) + (4*b*Sec[c + d*x]*Tan[c + d*x])/5 + (2*a*Sec[c + d*x]^2*Tan[c + d*x])/5))/d
```

**fricas** [F] time = 1.03, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(7/2), x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(7/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(7/2), x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(7/2), x)
```

**maple** [B] time = 0.22, size = 1539, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(7/2), x)
```

```
[Out] -2/5/d*(3*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3+4*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b+cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2-3*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3-3*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2-cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*
```

$$\frac{1}{2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * b^3 + 3 * \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^3 + 4 * \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^2 * b + \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a * b^2 - 3 * \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^3 - 3 * \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^2 * b - \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a * b^2 - \cos(dx+c)^2 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1 + \cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1 + \cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * b^3 + 3 * \cos(dx+c)^4 * a^2 * b^2 * \cos(dx+c)^4 * a * b^2 + \cos(dx+c)^4 * b^3 + 3 * \cos(dx+c)^3 * a^3 + \cos(dx+c)^3 * a * b^2 - \cos(dx+c)^3 * b^3 - 2 * \cos(dx+c)^2 * a^3 - 3 * \cos(dx+c)^2 * a * b^2 - 3 * \cos(dx+c) * a^2 * b - a^3 / (a+b * \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{5/2} / a$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)/cos(dx+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)/cos(dx+c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(7/2),x)

[Out] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)/cos(dx+c)\*\*(7/2),x)

[Out] Timed out

$$3.616 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=387

$$\frac{2(25a^2 + 3b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad \cos^2(c + dx)} + \frac{2(a - b) \sqrt{a + b} (25a^2 - 57ab - 6b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{105a^2d}$$

[Out]  $2/7*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+16/35*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}+2/105*(25*a^2+3*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d/\cos(d*x+c)^{(3/2)}+4/105*(a-b)*b*(41*a^2-3*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a^3/d+2/105*(a-b)*(25*a^2-57*a*b-6*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a^2/d$

**Rubi [A]** time = 0.95, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2799, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2 + 3b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad \cos^2(c + dx)} + \frac{2(a - b) \sqrt{a + b} (25a^2 - 57ab - 6b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{105a^2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(9/2), x]

[Out]  $(4*(a - b)*b*\text{Sqrt}[a + b]*(41*a^2 - 3*b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))] * \text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)] * \text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)] / (105*a^3*d) + (2*(a - b)*\text{Sqrt}[a + b]*(25*a^2 - 57*a*b - 6*b^2)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))] * \text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)] * \text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)] / (105*a^2*d) + (2*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (7*d*\text{Cos}[c + d*x]^(7/2)) + (16*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (35*d*\text{Cos}[c + d*x]^(5/2)) + (2*(25*a^2 + 3*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]) / (105*a*d*\text{Cos}[c + d*x]^(3/2))$

**Rule 2799**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A

rcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3055

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^9(c + dx)} dx &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{2}{7} \int \frac{4ab + \frac{1}{2}(5a^2 + 7b^2) \cos(c + dx) + 2ab \cos^2(c + dx)}{\cos^7(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{16b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{4 \int \frac{1}{4} a^2 \cos^2(c + dx) dx}{\cos^5(c + dx)} \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{16b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2(25a^2 \cos^2(c + dx) + 10ab \cos(c + dx) + 5b^2)}{35d \cos^5(c + dx)} \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^7(c + dx)} + \frac{16b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2(25a^2 \cos^2(c + dx) + 10ab \cos(c + dx) + 5b^2)}{35d \cos^5(c + dx)} \\
&= \frac{4(a - b)b\sqrt{a + b} (41a^2 - 3b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{105a^3d}
\end{aligned}$$

**Mathematica [C]** time = 6.26, size = 1302, normalized size = 3.36

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(9/2), x]

[Out] ((-4\*a\*(25\*a^4 - 31\*a^2\*b^2 + 6\*b^4)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-82\*a^3\*b + 6\*a\*b^3)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-82\*a^2\*b^2 + 6\*b^4)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]])\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b)\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])/(105\*a^2\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])\*((2\*Sec[c + d\*x]^2\*(25\*a^2\*Sin[c + d\*x] + 3\*b^2\*Sin[c + d\*x]

$$\frac{((105*a) + (4*Sec[c + d*x]*(41*a^2*b*Sin[c + d*x] - 3*b^3*Sin[c + d*x]))/(105*a^2) + (16*b*Sec[c + d*x]^2*Tan[c + d*x])/35 + (2*a*Sec[c + d*x]^3*Tan[c + d*x])/7)/d$$

**fricas [F]** time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(9/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(9/2), x)

**maple [B]** time = 0.27, size = 1827, normalized size = 4.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2),x)

[Out] 
$$-2/105/d*(25*\cos(d*x+c)^5*a^3*b+25*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^4-15*a^4+82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b+51*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2-6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3+82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+51*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2-6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b-82*(\cos(d*x+c)/(1+$$

$\cos(dx+c)^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a^2 * b^2 + 6 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a * b^3 + 6 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^4 * \sin(dx+c) * b^4 + 25 * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 + 6 * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b\cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * b^4 + 82 * \cos(dx+c)^5 * a^2 * b^2 + 3 * \cos(dx+c)^5 * a * b^3 + 82 * \cos(dx+c)^4 * a^3 * b - 55 * \cos(dx+c)^4 * a^2 * b^2 - 6 * \cos(dx+c)^4 * a * b^3 - 68 * \cos(dx+c)^3 * a^3 * b + 3 * \cos(dx+c)^3 * a * b^3 - 27 * \cos(dx+c)^2 * a^2 * b^2 - 39 * \cos(dx+c) * a^3 * b + 25 * \cos(dx+c)^4 * a^4 - 10 * \cos(dx+c)^2 * a^4 - 6 * \cos(dx+c)^5 * b^4 + 6 * \cos(dx+c)^4 * b^4) / (a+b\cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{7/2} / a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)/cos(dx+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)/cos(dx+c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(9/2),x)

[Out] int((a + b\*cos(c + dx))^(3/2)/cos(c + dx)^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)/cos(dx+c)\*\*(9/2),x)

[Out] Timed out



$$3.617 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=454

$$\frac{8b(22a^2 - b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315a^2d \cos^2(c+dx)} + \frac{2(49a^2 + 3b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)}$$

[Out]  $2/9*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{(9/2)}+20/63*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{(7/2)}+2/315*(49*a^2+3*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/a/d/\cos(d*x+c)^{(5/2)}+8/315*b*(22*a^2-b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}/a^2/d/\cos(d*x+c)^{(3/2)}+2/315*(a-b)*(147*a^4+33*a^2*b^2+8*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{1/2})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a^4/d-2/315*(a-b)*(147*a^3-39*a^2*b-6*a*b^2-8*b^3)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{1/2})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{1/2}*(a*(1+\sec(d*x+c))/(a-b))^{1/2}/a^3/d$

**Rubi [A]** time = 1.32, antiderivative size = 454, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2799, 3055, 2998, 2816, 2994}

$$\frac{8b(22a^2 - b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315a^2d \cos^2(c+dx)} + \frac{2(49a^2 + 3b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b \cos(c+dx)}}{315ad \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(11/2), x]

[Out]  $(2*(a-b)*\text{Sqrt}[a+b]*(147*a^4+33*a^2*b^2+8*b^4)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*a^4*d) - (2*(a-b)*\text{Sqrt}[a+b]*(147*a^3-39*a^2*b-6*a*b^2-8*b^3)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(315*a^3*d) + (2*a*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(9*d*\text{Cos}[c+d*x]^{(9/2)}) + (20*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(63*d*\text{Cos}[c+d*x]^{(7/2)}) + (2*(49*a^2+3*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(315*a*d*\text{Cos}[c+d*x]^{(5/2)}) + (8*b*(22*a^2-b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(315*a^2*d*\text{Cos}[c+d*x]^{(3/2)})$

Rule 2799

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sine[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sine[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((a_) + (b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rule 3055

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_) + (C_)*sin[(e_)] + (f_)*(x_))^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^{11/2}(c + dx)} dx &= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{5ab + \frac{1}{2}(7a^2 + 9b^2) \cos(c + dx) + 3a^2}{\cos^{9/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{20b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{4}{9} \int \frac{a^2}{\cos^{7/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{20b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{2(49a^2 - 4b^2)}{315a^4d} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{20b\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{2(49a^2 - 4b^2)}{315a^4d} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) \\
&= \frac{2(a - b)\sqrt{a + b} (147a^4 + 33a^2b^2 + 8b^4) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{315a^4d}
\end{aligned}$$

**Mathematica [C]** time = 6.30, size = 1368, normalized size = 3.01

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)/Cos[c + d\*x]^(11/2), x]

[Out] 
$$\begin{aligned}
&-1/315 * ((-4*a*(-39*a^4*b + 31*a^2*b^3 + 8*b^5)*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)]}{2}]^2/(-a+b)] * \text{Sqrt}[-((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a]) * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a}{\text{Sqrt}[2]}], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) \\
&- 4*a*(147*a^5 + 33*a^3*b^2 + 8*a*b^4) * ((\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)]}{2}]^2/(-a+b)] * \text{Sqrt}[-((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a]) * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a}{\text{Sqrt}[2]}], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)]}{2}]^2/(-a+b)] * \text{Sqrt}[-((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a]) * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a}{\text{Sqrt}[2]}], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / (b\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) \\
&+ 2*(147*a^4*b + 33*a^2*b^3 + 8*b^5) * ((I*\text{Cos}[(c+d*x)/2] * \text{Sqrt}[a+b\text{Cos}[c+d*x]] * \text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c+d*x)/2]/\text{Sqrt}[\text{Cos}[c+d*x]]], (-2*a)/(-a-b)] * \text{Sec}[c+d*x]) / (b\text{Sqrt}[\text{Cos}[(c+d*x)/2]^2 * \text{Sec}[c+d*x]] * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Sec}[c+d*x]) / (a+b)]) + (2*a * ((a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)]}{2}]^2/(-a+b)] * \text{Sqrt}[-((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a]) * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a}{\text{Sqrt}[2]}], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)]}{2}]^2/(-a+b)] * \text{Sqrt}[-((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a]) * \text{Sqrt}[(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x]) * \text{Csc}[(c+d*x)/2]^2/a}{\text{Sqrt}[2]}], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b\text{Cos}[c+d*x]])
\end{aligned}$$

```
rt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*
Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]])))/b + (
Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(a^3*d) + (
Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]*((2*Sec[c + d*x]^3*(49*a^2*Ssin[
c + d*x] + 3*b^2*Ssin[c + d*x]))/(315*a) + (8*Sec[c + d*x]^2*(22*a^2*b*Ssin[c
+ d*x] - b^3*Ssin[c + d*x]))/(315*a^2) + (2*Sec[c + d*x]*(147*a^4*Ssin[c + d
*x] + 33*a^2*b^2*Ssin[c + d*x] + 8*b^4*Ssin[c + d*x]))/(315*a^3) + (20*b*Sec[
c + d*x]^3*Tan[c + d*x])/63 + (2*a*Sec[c + d*x]^4*Tan[c + d*x])/9))/d
```

**fricas** [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(11/2),x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(11/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(11/2), x)
```

**maple** [B] time = 0.42, size = 2503, normalized size = 5.51

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(11/2),x)
```

```
[Out] -2/315/d*(cos(d*x+c)^3*a^2*b^3+147*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((
-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^5-10*cos(d*x+c)^5*a^4*b+3
3*cos(d*x+c)^5*a^3*b^2-34*cos(d*x+c)^5*a^2*b^3+8*cos(d*x+c)^5*a*b^4-68*cos(
d*x+c)^4*a^3*b^2-4*cos(d*x+c)^4*a*b^4-52*cos(d*x+c)^3*a^4*b-53*cos(d*x+c)^2
*a^3*b^2-85*cos(d*x+c)*a^4*b+147*cos(d*x+c)^6*a^4*b+88*cos(d*x+c)^6*a^3*b^2
+33*cos(d*x+c)^6*a^2*b^3-4*cos(d*x+c)^6*a*b^4-35*a^5+8*cos(d*x+c)^6*b^5+147
*cos(d*x+c)^5*a^5-8*cos(d*x+c)^5*b^5-98*cos(d*x+c)^4*a^5-14*cos(d*x+c)^2*a^
5+8*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-
b)/(a+b))^(1/2))*a*b^4-147*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4*b-33*cos(d*x+c)^5*sin(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3*b^2-33*co
s(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(
1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+
b))^(1/2))*a^2*b^3-8*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^4+186*cos(d*x+c)^4*sin(d*x+c)*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*El
```

```

lipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^4*b+33*cos(d*x+c)
)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d
*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/
2))*a^3*b^2+2*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*
x+c),(-(a-b)/(a+b))^(1/2))*a^2*b^3+8*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF
((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^4-147*cos(d*x+c)^4*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
)/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^
4*b-33*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*a^3*b^2-33*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b^3-8*cos(d*x+c)^4*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b
))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^4+18
6*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c
)))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)
)/(a+b))^(1/2))*a^4*b+33*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3*b^2+2*cos(d*x+c)^5*sin(d*x+c)*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^2*b^3-147*cos
(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b
))^(1/2))*a^5-8*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c),(-(a-b)/(a+b))^(1/2))*b^5+147*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF
((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^5-147*cos(d*x+c)^4*sin(
d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(
a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^5-
8*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c
)))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)
)/(a+b))^(1/2))*b^5)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(9/2)/a^3

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(11/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\cos(c + dx)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(11/2),x)

[Out] int((a + b\*cos(c + d\*x))^(3/2)/cos(c + d\*x)^(11/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)/cos(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

$$3.618 \quad \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2} dx$$

Optimal. Leaf size=506

$$\frac{(33a^2 + 16b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (33a^2 + 26ab + 16b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a + b}}}{24d}$$

[Out] 1/3\*b^2\*cos(d\*x+c)^(3/2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d+1/24\*(33\*a^2+16\*b^2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)+13/12\*a\*b\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2)/d-1/24\*(a-b)\*(33\*a^2+16\*b^2)\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a+b))^(1/2)/a/d+1/24\*(33\*a^2+26\*a\*b+16\*b^2)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a+b))^(1/2)/d-5/8\*a\*(a^2+4\*b^2)\*cot(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a+b))^(1/2)/b/d

**Rubi [A]** time = 1.36, antiderivative size = 506, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2793, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2 + 16b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (33a^2 + 26ab + 16b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a + b}}}{24d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] -((a - b)\*Sqrt[a + b]\*(33\*a^2 + 16\*b^2)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*a\*d) + (Sqrt[a + b]\*(33\*a^2 + 26\*a\*b + 16\*b^2)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*d) - (5\*a\*Sqrt[a + b]\*(a^2 + 4\*b^2)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(8\*b\*d) + ((33\*a^2 + 16\*b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*d\*Sqrt[Cos[c + d\*x]]) + (13\*a\*b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(12\*d) + (b^2\*Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e
_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^(m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m +
n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)
^2])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```



## Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

## Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} (a+b\cos(c+dx))^{5/2} dx &= \frac{b^2 \cos^3(c+dx) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{3d} + \frac{1}{3} \int \frac{\sqrt{\cos(c+dx)}}{\cos(c+dx)} dx \\
&= \frac{13ab\sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{12d} + \frac{b^2 \cos^3(c+dx)}{3d} \\
&= \frac{(33a^2 + 16b^2) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{24d\sqrt{\cos(c+dx)}} + \frac{13ab\sqrt{\cos(c+dx)}}{24d} \\
&= \frac{(33a^2 + 16b^2) \sqrt{a+b\cos(c+dx)} \sin(c+dx)}{24d\sqrt{\cos(c+dx)}} + \frac{13ab\sqrt{\cos(c+dx)}}{24d} \\
&= -\frac{5a\sqrt{a+b} (a^2 + 4b^2) \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{8bd} \\
&= -\frac{(a-b)\sqrt{a+b} (33a^2 + 16b^2) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{24ad}
\end{aligned}$$

**Mathematica [C]** time = 19.06, size = 1203, normalized size = 2.38

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(5/2), x]

```
[Out] ((-4*a*(59*a^2*b + 16*b^3)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(48*a^3 + 76*a*b^2)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*
```

```
(33*a^2*b + 16*b^3)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE
[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d
*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Se
c[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)
])*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c +
d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Co
s[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)
/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a
+ b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*
x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]
*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a
]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt
[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt
[Cos[c + d*x]]))/((48*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((1
3*a*b*Sin[c + d*x])/12 + (b^2*Sin[2*(c + d*x)]/6))/d
```

**fricas** [F] time = 2.23, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(b*cos(d*x + c)
) + a)*sqrt(cos(d*x + c)), x)
```

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] Timed out
```

**maple** [B] time = 0.25, size = 1866, normalized size = 3.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] -1/24/d*(-18*cos(d*x+c)^2*a*b^2-48*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3+30*cos(d*x+c)*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(
1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3+30*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(
1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3*sin
(d*x+c)+33*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*
a^3*sin(d*x+c)+16*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+co
s(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(
1/2))*b^3*sin(d*x+c)-33*a^3*cos(d*x+c)-16*cos(d*x+c)*a*b^2-33*cos(d*x+c)^2
*a^2*b+8*cos(d*x+c)^5*b^3-16*cos(d*x+c)^2*b^3-26*cos(d*x+c)*a^2*b+34*cos(d*
x+c)^4*a*b^2+59*cos(d*x+c)^3*a^2*b+8*cos(d*x+c)^3*b^3+33*cos(d*x+c)^2*a^3+3
3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))
/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(
a+b))^(1/2))*a^3+16*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
```

```

*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b^3+120*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+33*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)+16*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+26*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-76*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-48*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)+120*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b^2+33*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b+16*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2+26*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b-76*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2/(a+b*cos(d*x+c))^(1/2)/cos(d*x+c)^(1/2)/sin(d*x+c)

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(5/2), x)

[Out] int(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

$$3.619 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=443

$$\frac{\sqrt{a+b} (8a^2 + 9ab + 2b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b}}{4d}$$

[Out]  $9/4*a*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}+1/2*b^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)*(a+b*\cos(d*x+c))^{(1/2)}/d-9/4*(a-b)*b*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/d+1/4*(8*a^2+9*a*b+2*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/d-1/4*(15*a^2+4*b^2)*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/d}$

**Rubi [A]** time = 1.00, antiderivative size = 443, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2793, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (8a^2 + 9ab + 2b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a+b}}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Sqrt[Cos[c + d\*x]], x]

[Out]  $(-9*(a-b)*b*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(4*d) + (\text{Sqrt}[a+b]*(8*a^2+9*a*b+2*b^2)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(4*d) - (\text{Sqrt}[a+b]*(15*a^2+4*b^2)*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(4*d) + (9*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(4*d*\text{Sqrt}[\text{Cos}[c+d*x]]) + (b^2*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(2*d)$

**Rule 2793**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m-2)\*(c + d\*Ssin[e + f\*x])^(n+1))/(d\*f\*(m+n)), x] + Dist[1/(d\*(m+n)), Int[(a + b\*Ssin[e + f\*x])^(m-3)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^3\*d\*(m+n) + b^2\*(b\*c\*(m-2) + a\*d\*(n+1)) - b\*(a\*b\*c - b^2\*d\*(m+n-1) - 3\*a^2\*d\*(m+n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 +

$\text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x\_Symbol] \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

### Rule 2994

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]/(((b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{3/2}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{3/2}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 3053

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)] + (C_*)*\text{sin}[(e_*) + (f_*)*(x_*)]^2/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^{3/2}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3061

$\text{Int}[(A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)] + (C_*)*\text{sin}[(e_*) + (f_*)*(x_*)]^2/(\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])/(d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx &= \frac{b^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\frac{1}{2} a (4a^2 + b^2) + b (6a^2 + b^2)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{9ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\cos(c + dx)}} + \frac{b^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} \\
&= \frac{9ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\cos(c + dx)}} + \frac{b^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} \\
&= -\frac{\sqrt{a + b} (15a^2 + 4b^2) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{4d} \\
&= -\frac{9(a-b)b \sqrt{a+b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{4d}
\end{aligned}$$

**Mathematica** [A] time = 6.62, size = 329, normalized size = 0.74

$$\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \left( 2b(15a^2 + 4b^2) \sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a+b \cos(c+dx))}{a+b}} \Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 2(4a^3 - 12a^2b + a^2b^2 - 2b^3) \text{EllipticF}\left[\text{ArcSin}\left[\tan\left(\frac{1}{2}(c + dx)\right)\right], \frac{(-a + b)}{(a + b)}\right] \sqrt{\frac{((a + b \cos(c + dx)) \sec^2((c + dx)/2))^2}{(a + b)} + 2b(15a^2 + 4b^2) \text{EllipticPi}\left[-1, \text{ArcSin}\left[\tan\left(\frac{1}{2}(c + dx)\right)\right], \frac{(-a + b)}{(a + b)}\right] \sqrt{\frac{((a + b \cos(c + dx)) \sec^2((c + dx)/2))^2}{(a + b)} + 9a^2b \cos(c + dx) \sqrt{\cos(c + dx) \sec^2((c + dx)/2) \tan((c + dx)/2)}}}{(4d \sqrt{a + b \cos(c + dx)})} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*b^2\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x] + Sqrt[Cos[(c + d\*x)/2]^2]\*(9\*a\*b\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] + 2\*(4\*a^3 - 12\*a^2\*b + a\*b^2 - 2\*b^3)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] + 2\*b\*(15\*a^2 + 4\*b^2)\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] + 9\*a\*b\*(a + b\*Cos[c + d\*x])\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*Tan[(c + d\*x)/2]))/(4\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 3.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{5/2}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/sqrt(cos(d\*x + c)), x)

**maple [B]** time = 0.21, size = 1629, normalized size = 3.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x)

[Out] 
$$-1/4/d/(a+b*\cos(d*x+c))^{1/2}*(30*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-(a-b)/(a+b))^{1/2})*a^2*b+8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-(a-b)/(a+b))^{1/2})*b^3+8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^3-24*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2-4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*b^3+9*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b+9*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2+2*\cos(d*x+c)^4*b^3+30*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-(a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-(a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-24*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+9*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+9*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+11*\cos(d*x+c)^3*a*b^2+9*\cos(d*x+c)^2*a^2*b-9*\cos(d*x+c)^2*a*b^2-2*\cos(d*x+c)^2*b^3-9*\cos(d*x+c)*a^2*b-2*\cos(d*x+c)*a*b^2)/\cos(d*x+c)^{1/2}/\sin(d*x+c)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{5/2}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/sqrt(cos(d\*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(1/2), x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(1/2), x)

[Out] Timed out



$$3.620 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=445

$$\frac{(2a^2 - b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (2a^2 - 6ab - b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

```
[Out] 2*a^2*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)-(2*a^2-b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/cos(d*x+c)^(1/2)+(a-b)*(2*a^2-b^2)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d-(2*a^2-6*a*b-b^2)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d-5*a*b*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d
```

**Rubi [A]** time = 1.01, antiderivative size = 445, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2792, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2a^2 - b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (2a^2 - 6ab - b^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)/Cos[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(2*a^2 - b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d) - (Sqrt[a + b]*(2*a^2 - 6*a*b - b^2)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d - (5*a*b*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a^2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) - ((2*a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

**Rule 2792**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 3)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

**Rule 2809**

```
Int[Sqrt[(b_)*sin[(e_)] + (f_)*(x_)]]/Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*
(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)]]*Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*
(x_)]], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_)]
^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)]/(((a_)] + (b_)*sin[(e_)] + (f_)*
(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*(x_)]], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rule 3053

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^
2)/(((a_)] + (b_)*sin[(e_)] + (f_)*(x_)]^(3/2)*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*
(x_)]], x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 3061

```
Int[((A_)] + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^
2)/(Sqrt[(a_)] + (b_)*sin[(e_)] + (f_)*(x_)]*Sqrt[(c_)] + (d_)*sin[(e_)] + (f_)*
(x_)]], x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2], x)/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^3(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{3a^2 b}{2} - \frac{1}{2} a (a^2 - 3b^2) \cos(c + dx) - \frac{1}{2} b}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{(2a^2 - b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{(2a^2 - b^2) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\
&= -\frac{5ab \sqrt{a + b} \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{d} \\
&= \frac{(a - b) \sqrt{a + b} (2a^2 - b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}
\end{aligned}$$

**Mathematica [C]** time = 18.19, size = 1185, normalized size = 2.66

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(3/2), x]

[Out] (2\*a^2\*sqrt[a + b\*cos[c + d\*x]]\*sin[c + d\*x])/(d\*sqrt[cos[c + d\*x]]) + ((4\*a\*(-4\*a^2\*b - b^3)\*sqrt[((a + b)\*cot[(c + d\*x)/2]^2)/(-a + b)]\*sqrt[-((a + b)\*cos[c + d\*x]\*csc[(c + d\*x)/2]^2)/a])\*sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a]/sqrt[2]], (-2\*a)/(-a + b)]\*sin[(c + d\*x)/2]^4)/((a + b)\*sqrt[cos[c + d\*x]]\*sqrt[a + b\*cos[c + d\*x]]) + 4\*a\*(2\*a^3 - 6\*a\*b^2)\*((sqrt[((a + b)\*cot[(c + d\*x)/2]^2)/(-a + b)]\*sqrt[-((a + b)\*cos[c + d\*x]\*csc[(c + d\*x)/2]^2)/a])\*sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a])\*csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a]/sqrt[2]], (-2\*a)/(-a + b)]\*sin[(c + d\*x)/2]^4)/((a + b)\*sqrt[cos[c + d\*x]]\*sqrt[a + b\*cos[c + d\*x]]) - (sqrt[((a + b)\*cot[(c + d\*x)/2]^2)/(-a + b)]\*sqrt[-((a + b)\*cos[c + d\*x]\*csc[(c + d\*x)/2]^2)/a])\*sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a])\*csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a]/sqrt[2]], (-2\*a)/(-a + b)]\*sin[(c + d\*x)/2]^4)/(b\*sqrt[cos[c + d\*x]]\*sqrt[a + b\*cos[c + d\*x]]) - 2\*(2\*a^2\*b - b^3)\*((I\*cos[(c + d\*x)/2]\*sqrt[a + b\*cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/sqrt[cos[c + d\*x]]], (-2\*a)/(-a - b)]\*sec[c + d\*x])/(b\*sqrt[cos[(c + d\*x)/2]^2\*sec[c + d\*x]]\*sqrt[((a + b\*cos[c + d\*x])\*sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*sqrt[((a + b)\*cot[(c + d\*x)/2]^2)/(-a + b)]\*sqrt[-((a + b)\*cos[c + d\*x]\*csc[(c + d\*x)/2]^2)/a])\*sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a])\*csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a]/sqrt[2]], (-2\*a)/(-a + b)]\*sin[(c + d\*x)/2]^4)/((a + b)\*sqrt[cos[c + d\*x]]\*sqrt[a + b\*cos[c + d\*x]]) - (a\*sqrt[((a + b)\*cot[(c + d\*x)/2]^2)/(-a + b)]\*sqrt[-((a + b)\*cos[c + d\*x]\*csc[(c + d\*x)/2]^2)/a])\*sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a])\*csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*cos[c + d\*x])\*csc[(c + d\*x)/2]^2)/a]/sqrt[2]], (-2\*a)/(-a + b)]\*sin[(c + d\*x)/2]^4)/(b\*sqrt[cos[c + d\*x]]\*sqrt[a + b\*cos[c + d\*x]]))/b + (sqrt[a + b\*cos[c + d\*x]]\*sin[c + d\*x])/(b\*sqrt[cos[c + d\*x]])/(2\*d)

**fricas** [F] time = 56.37, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{\frac{5}{2}}}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(3/2), x)

**maple** [B] time = 0.20, size = 1626, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x)

[Out] 1/d\*(2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^3+2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^2\*b-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b^2-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*b^3-10\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2)\*a\*b^2-2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^3-6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^2\*b+6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b^2+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^3\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a^2\*b\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b^2\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*b^3\*sin(d\*x+c)-10\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2)\*a\*b^2\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*

$$\frac{((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})^3*\sin(d*x+c)-6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})^2*b*\sin(d*x+c)+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})^2*a*b^2*\sin(d*x+c)-\cos(d*x+c)^3*b^3-2*\cos(d*x+c)^2*a^2*b-\cos(d*x+c)^2*a*b^2+\cos(d*x+c)^2*b^3-2*a^3*\cos(d*x+c)+2*\cos(d*x+c)*a^2*b+\cos(d*x+c)*a*b^2+2*a^3)/((a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{1/2})$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.621 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=392

$$\frac{2\sqrt{a+b} (a^2 - 7ab + 9b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2a^2 \sin(c+dx)}{3d}$$

[Out]  $2/3*a^2*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}+14/3*(a-b)*b*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/d+2/3*(a^2-7*a*b+9*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/d-2*b^2*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/d$

**Rubi [A]** time = 0.74, antiderivative size = 392, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2792, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (a^2 - 7ab + 9b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2a^2 \sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(5/2), x]

[Out]  $(14*(a-b)*b*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*d) + (2*\text{Sqrt}[a+b]*(a^2-7*a*b+9*b^2)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*d) - (2*b^2*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/d + (2*a^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/((3*d*\text{Cos}[c+d*x])^{(3/2)})$

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 +

$\text{Csc}[e + f*x])/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /;$  FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]), x\_Symbol] := \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

$\text{Int}(((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/(((b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^(3/2)*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x\_Symbol] := \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /;$  FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

$\text{Int}(((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)])/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^(3/2)*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x\_Symbol] := \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3053

$\text{Int}(((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_*)] + (C_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^2/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_*)])^(3/2)*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)])), x\_Symbol] := \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{7a^2b}{2} + \frac{1}{2}a(a^2 + 9b^2) \cos(c + dx) + \frac{3}{2}b^3}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{7a^2b}{2} + \frac{1}{2}a(a^2 + 9b^2) \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx + b \\
&= -\frac{2b^2 \sqrt{a + b} \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{d} \\
&= \frac{14(a-b)b\sqrt{a+b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{3d}
\end{aligned}$$

**Mathematica [A]** time = 7.04, size = 328, normalized size = 0.84

$$2\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \left( (a^3 + 7a^2b + 9ab^2 - 3b^3) \sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a+b \cos(c+dx))}{a+b}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 6b^3 \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(5/2), x]

[Out] ((2\*a\*(a + b\*Cos[c + d\*x])\*(a + 7\*b\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2) + 2\*sqrt[Cos[(c + d\*x)/2]^2]\*(-7\*a\*b\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) + (a^3 + 7\*a^2\*b + 9\*a\*b^2 - 3\*b^3)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) + 6\*b^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) - 7\*a\*b\*(a + b\*Cos[c + d\*x])\*sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*Tan[(c + d\*x)/2])/(3\*d\*sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 61.29, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{5/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{5/2}}{\cos(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2), x, algorithm="giac")



[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(5/2), x)

**maple [B]** time = 0.28, size = 1485, normalized size = 3.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2), x)

[Out] 
$$-2/3/d*(\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3-7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+9*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^3+6*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*b^3-7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2+\cos(d*x+c)^3*a*b^2+\cos(d*x+c)^2*a^3+7*\cos(d*x+c)^2*a^2*b-7*\cos(d*x+c)^2*a*b^2-8*\cos(d*x+c)*a^2*b-a^3)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{3/2}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{5/2}}{\cos(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*cos(c + d*x))^(5/2)/cos(c + d*x)^(5/2), x)
```

```
[Out] int((a + b*cos(c + d*x))^(5/2)/cos(c + d*x)^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)/cos(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

$$3.622 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=338

$$\frac{2(a-b)\sqrt{a+b} (9a^2 - 8ab + 15b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{15ad}$$

[Out] 2/5\*a^2\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(5/2)+22/15\*a\*b\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+2/15\*(a-b)\*(9\*a^2+23\*b^2)\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d-2/15\*(a-b)\*(9\*a^2-8\*a\*b+15\*b^2)\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d

**Rubi [A]** time = 0.76, antiderivative size = 338, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2792, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (9a^2 - 8ab + 15b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{15ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(7/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2 + 23\*b^2)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a\*d) - (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2 - 8\*a\*b + 15\*b^2)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a\*d) + (2\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (22\*a\*b\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2))

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 3)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A

$\text{rcSin}[\text{Sqrt}[a + b\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2]), -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{PosQ}[(a + b)/d]$

### Rule 2994

$\text{Int}[(A_ + (B_)*\text{sin}[e_ + (f_)*(x_)])/((b_)*\text{sin}[e_ + (f_)*(x_)])^{(3/2)}*\text{Sqrt}[(c_ + (d_)*\text{sin}[e_ + (f_)*(x_)])], x\_Symbol] \text{:>} \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2]), -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{EqQ}[A, B] \ \&\& \ \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_ + (B_)*\text{sin}[e_ + (f_)*(x_)])/((a_ + (b_)*\text{sin}[e_ + (f_)*(x_)])^{(3/2)}*\text{Sqrt}[(c_ + (d_)*\text{sin}[e_ + (f_)*(x_)])], x\_Symbol] \text{:>} \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[A, B]$

### Rule 3055

$\text{Int}[(a_ + (b_)*\text{sin}[e_ + (f_)*(x_)])^{(m_)}*((c_ + (d_)*\text{sin}[e_ + (f_)*(x_)])^{(n_)}*((A_ + (B_)*\text{sin}[e_ + (f_)*(x_)] + (C_)*\text{sin}[e_ + (f_)*(x_)]^2), x\_Symbol] \text{:>} -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{\frac{11a^2b}{2} + \frac{3}{2}a(a^2 + 5b^2) \cos(c + dx) + \frac{1}{2}b}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{22ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^2(c + dx)} + \frac{4}{15} \int \frac{1}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{22ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^2(c + dx)} - \frac{1}{15} \left( \frac{a+b}{a-b} \sqrt{\frac{a(1-\sec(c+dx))}{a-b}} \right) \\ &= \frac{2(a-b)\sqrt{a+b} (9a^2 + 23b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{15ad} \end{aligned}$$

**Mathematica [A]** time = 11.80, size = 427, normalized size = 1.26

$$\frac{\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2}{15}\sec(c+dx)(9a^2\sin(c+dx)+23b^2\sin(c+dx))+\frac{2}{5}a^2\tan(c+dx)\sec^2(c+dx)\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(7/2), x]

[Out] (-4\*(Cos[(c + d\*x)/2]^2)^(5/2)\*(Cos[c + d\*x]/(1 + Cos[c + d\*x]))^(3/2)\*Sqrt[1 + Cos[c + d\*x]]\*((9\*a^3 + 9\*a^2\*b + 23\*a\*b^2 + 23\*b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sec[(c + d\*x)/2]^2\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] - (9\*a^3 + 17\*a^2\*b + 23\*a\*b^2 + 15\*b^3)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sec[(c + d\*x)/2]^2\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] + (9\*a^2 + 23\*b^2)\*(a + b\*Cos[c + d\*x])\*(Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2)^(3/2)\*Sec[c + d\*x]\*Tan[(c + d\*x)/2])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]\*(9\*a^2\*Sin[c + d\*x] + 23\*b^2\*Sin[c + d\*x]))/15 + (22\*a\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/15 + (2\*a^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/5))/d

**fricas [F]** time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(7/2), x)

**maple [B]** time = 0.22, size = 1750, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2), x)

[Out] -2/15/d\*(-34\*cos(d\*x+c)^2\*a\*b^2+15\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*b^3-9\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^3-3\*a^3-23\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*

$x+c)/((1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2+17*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b+23*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2-9*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b-23*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2+23*\cos(dx+c)^4*b^3+9*\cos(dx+c)^3*a^3-14*\cos(dx+c)*a^2*b+9*\cos(dx+c)^4*a^2*b+11*\cos(dx+c)^4*a*b^2+5*\cos(dx+c)^3*a^2*b+23*\cos(dx+c)^3*a*b^2-23*\cos(dx+c)^3*b^3-6*\cos(dx+c)^2*a^3+15*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^2*\sin(dx+c)*b^3-9*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b+17*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b+23*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2-23*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * b^3+9*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3-9*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3-23*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * b^3+9*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3)/(a+b*\cos(dx+c))^{1/2}/\sin(dx+c)/\cos(dx+c)^{5/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)/cos(dx+c)^(7/2), x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(5/2)/cos(dx+c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(5/2)/cos(c + dx)^(7/2), x)

[Out] int((a + b\*cos(c + dx))^(5/2)/cos(c + dx)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

$$3.623 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=387

$$\frac{2(5a^2 + 9b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{21d \cos^3(c+dx)} + \frac{2(a-b) \sqrt{a+b} (5a^2 - 24ab + 3b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)-1)}{a+b}}}{21ad}$$

[Out]  $2/7*a^2*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+6/7*a*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}+2/21*(5*a^2+9*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}+2/21*(a-b)*b*(29*a^2+3*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d+2/21*(a-b)*(5*a^2-24*a*b+3*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d$

**Rubi [A]** time = 1.04, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2792, 3055, 2998, 2816, 2994}

$$\frac{2(5a^2 + 9b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{21d \cos^3(c+dx)} + \frac{2(a-b) \sqrt{a+b} (5a^2 - 24ab + 3b^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)-1)}{a+b}}}{21ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(9/2), x]

[Out]  $(2*(a-b)*b*\text{Sqrt}[a+b]*(29*a^2+3*b^2)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] * \text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)] * \text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(21*a^2*d) + (2*(a-b)*\text{Sqrt}[a+b]*(5*a^2-24*a*b+3*b^2)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))] * \text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)] * \text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(21*a*d) + (2*a^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(7*d*\text{Cos}[c+d*x]^(7/2)) + (6*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(7*d*\text{Cos}[c+d*x]^(5/2)) + (2*(5*a^2+9*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(21*d*\text{Cos}[c+d*x]^(3/2))$

#### Rule 2792

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1



$$- \text{Csc}[e + f*x]) / (a + b)] * \text{Sqrt}[(a*(1 + \text{Csc}[e + f*x])) / (a - b)] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / (\text{Sqrt}[d*\text{Sin}[e + f*x]] * \text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))] / (a*f), x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{PosQ}[(a + b)/d]$$

#### Rule 2994

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)(x_*)]) / ((b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])], x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))] / (f*b*c^2), x] /;$$

$$\text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{EqQ}[A, B] \ \&\& \ \text{PosQ}[(c + d)/b]$$

#### Rule 2998

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)(x_*)]) / ((a_*) + (b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]] * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[A, B]$$

#### Rule 3055

$$\text{Int}[(a + (b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{(m)} * ((c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])^{(n)} * ((A_*) + (B_*)\text{sin}[(e_*) + (f_*)(x_*)] + (C_*)\text{sin}[(e_*) + (f_*)(x_*)])^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m+1)} * (c + d*\text{Sin}[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)} * (c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$$

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{\frac{15a^2b}{2} + \frac{1}{2}a(5a^2 + 21b^2) \cos(c + dx) + \frac{1}{2}}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{6ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{4 \int \frac{5a^2}{4}}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{6ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2(5a^2)}{7d \cos^2(c + dx)} \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{6ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2(5a^2)}{7d \cos^2(c + dx)} \\
&= \frac{2(a - b)b \sqrt{a + b} (29a^2 + 3b^2) \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \middle| -\frac{a+b}{a-b} \right) \sqrt{\frac{a(1-\sin(c+dx))}{a+b}}}{21a^2d}
\end{aligned}$$

**Mathematica** [C] time = 6.30, size = 1302, normalized size = 3.36

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(9/2),x]

[Out] ((-4\*a\*(5\*a^4 - 2\*a^2\*b^2 - 3\*b^4)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-29\*a^3\*b - 3\*a\*b^3)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])) + 2\*(-29\*a^2\*b^2 - 3\*b^4)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]])\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b)\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(21\*a\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]^2\*(5\*a^2\*Sin[c + d\*x] + 9\*b^2\*Sin[c + d\*x]))/21 + (2\*Sec[c + d\*x]\*(29\*a^2\*b\*Sin[c + d\*x] + 3\*b^3\*Sin[c + d\*x]))/(21\*a) + (

$6ab \sec^2(c+dx) \tan(c+dx)/7 + (2a^2 \sec^3(c+dx) \tan(c+dx))/7)/d$

**fricas** [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{\frac{5}{2}}}{\cos(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(9/2), x)

**maple** [B] time = 0.28, size = 1827, normalized size = 4.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x)

[Out]  $-2/21/d*(5*\cos(d*x+c)^5*a^3*b+5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^4-3*a^4+29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b+27*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3+29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+27*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b-29*(\cos(d*x+c)/(1+\cos(d*x+c))$

$$\begin{aligned} & d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*EllipticE((-1+ \\ & \cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^ \\ & 2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b \\ & ))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\cos(d*x \\ & +c)^3*\sin(d*x+c)*a*b^3-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c) \\ & )/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/ \\ & (a+b))^{(1/2)}*\cos(d*x+c)^4*\sin(d*x+c)*b^4+5*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d* \\ & x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{(1/2)}*El \\ & lipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4-3*\cos(d*x+c)^3 \\ & *\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+ \\ & c)))/(a+b))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ & *b^4+29*\cos(d*x+c)^5*a^2*b^2+9*\cos(d*x+c)^5*a*b^3+29*\cos(d*x+c)^4*a^3*b-11* \\ & \cos(d*x+c)^4*a^2*b^2+3*\cos(d*x+c)^4*a*b^3-22*\cos(d*x+c)^3*a^3*b-12*\cos(d*x+ \\ & c)^3*a*b^3-18*\cos(d*x+c)^2*a^2*b^2-12*\cos(d*x+c)*a^3*b+5*\cos(d*x+c)^4*a^4-2 \\ & *\cos(d*x+c)^2*a^4+3*\cos(d*x+c)^5*b^4-3*\cos(d*x+c)^4*b^4)/(a+b*\cos(d*x+c))^{( \\ & 1/2)}/\sin(d*x+c)/\cos(d*x+c)^{(7/2)}/a \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{\frac{5}{2}}}{\cos(c + dx)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(9/2),x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.624 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=454

$$\frac{2(49a^2 + 75b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315d \cos^5(c+dx)} + \frac{2b(163a^2 + 5b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^3(c+dx)} + \frac{2a^2 \sin(c+dx)}{315d \cos^3(c+dx)}$$

[Out]  $\frac{2}{9}a^2 \sin(d*x+c) * (a+b*\cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{9/2} + 38/63*a*b*\sin(d*x+c) * (a+b*\cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{7/2} + 2/315*(49*a^2+75*b^2)*\sin(d*x+c) * (a+b*\cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{5/2} + 2/315*b*(163*a^2+5*b^2)*\sin(d*x+c) * (a+b*\cos(d*x+c))^{1/2} / a / d / \cos(d*x+c)^{3/2} + 2/315*(a-b)*(147*a^4+279*a^2*b^2-10*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2} / (a+b)^{1/2} / \cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) * (a+b)^{1/2} * (a*(1-\sec(d*x+c)) / (a+b))^{1/2} * (a*(1+\sec(d*x+c)) / (a-b))^{1/2} / a^3 / d - 2/315*(a-b)*(147*a^3-114*a^2*b+165*a*b^2+10*b^3)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2} / (a+b)^{1/2} / \cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) * (a+b)^{1/2} * (a*(1-\sec(d*x+c)) / (a+b))^{1/2} * (a*(1+\sec(d*x+c)) / (a-b))^{1/2} / a^2 / d$

**Rubi [A]** time = 1.41, antiderivative size = 454, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2792, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2 + 75b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315d \cos^5(c+dx)} + \frac{2b(163a^2 + 5b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad \cos^3(c+dx)} - \frac{2(a-b) \sqrt{a+b \cos(c+dx)}}{315d \cos^3(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(11/2), x]

[Out]  $(2*(a-b)*\text{Sqrt}[a+b]*(147*a^4+279*a^2*b^2-10*b^4)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(315*a^3*d) - (2*(a-b)*\text{Sqrt}[a+b]*(147*a^3-114*a^2*b+165*a*b^2+10*b^3)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(315*a^2*d) + (2*a^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(9*d*\text{Cos}[c+d*x]^{9/2}) + (38*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(63*d*\text{Cos}[c+d*x]^{7/2}) + (2*(49*a^2+75*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(315*d*\text{Cos}[c+d*x]^{5/2}) + (2*b*(163*a^2+5*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(315*a*d*\text{Cos}[c+d*x]^{3/2})$

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m-2)\*(c + d\*Ssin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m-3)\*(c + d\*Ssin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2\*m, 2\*n])

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_))]^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((a_) + (b_)*sin[(e_)] + (f_)*(x_))]^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))]^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))]^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_)] + (C_)*sin[(e_)] + (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^{11/2}(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\frac{19a^2b}{2} + \frac{1}{2}a(7a^2 + 27b^2) \cos(c + dx)}{\cos^{9/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{4}{9} \int \frac{a(7a^2 + 27b^2) \cos(c + dx)}{\cos^{7/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{2}{9} \int \frac{a(7a^2 + 27b^2) \cos(c + dx)}{\cos^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{2}{9} \int \frac{a(7a^2 + 27b^2) \cos(c + dx)}{\cos^{3/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{63d \cos^{7/2}(c + dx)} + \frac{2}{9} \int \frac{a(7a^2 + 27b^2) \cos(c + dx)}{\cos^{1/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2(a - b) \sqrt{a + b} (147a^4 + 279a^2b^2 - 10b^4) \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{315a^3d}
\end{aligned}$$

**Mathematica [C]** time = 6.31, size = 1368, normalized size = 3.01

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(11/2),x]

[Out] 
$$\begin{aligned}
&-1/315 * ((-4*a*(-114*a^4*b + 124*a^2*b^3 - 10*b^5) * \text{Sqrt}[\frac{(a + b) * \text{Cot}[(c + d*x)/2]}{2}] / (-a + b)] * \text{Sqrt}[-((a + b) * \text{Cos}[c + d*x] * \text{Csc}[(c + d*x)/2]^2) / a]) * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a} * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a}] / \text{Sqrt}[2]], (-2*a) / (-a + b)] * \text{Sin}[(c + d*x)/2]^4] / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) \\
&- 4*a*(147*a^5 + 279*a^3*b^2 - 10*a*b^4) * ((\text{Sqrt}[\frac{(a + b) * \text{Cot}[(c + d*x)/2]}{2}] / (-a + b)] * \text{Sqrt}[-((a + b) * \text{Cos}[c + d*x] * \text{Csc}[(c + d*x)/2]^2) / a]) * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a} * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a}] / \text{Sqrt}[2]], (-2*a) / (-a + b)] * \text{Sin}[(c + d*x)/2]^4] / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) \\
&- (\text{Sqrt}[\frac{(a + b) * \text{Cot}[(c + d*x)/2]}{2}] / (-a + b)] * \text{Sqrt}[-((a + b) * \text{Cos}[c + d*x] * \text{Csc}[(c + d*x)/2]^2) / a]) * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a} * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a}] / \text{Sqrt}[2]], (-2*a) / (-a + b)] * \text{Sin}[(c + d*x)/2]^4] / (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) \\
&+ 2*(147*a^4*b + 279*a^2*b^3 - 10*b^5) * ((\text{I} * \text{Cos}[(c + d*x)/2] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{EllipticE}[\text{I} * \text{ArcSinh}[\text{Sin}[(c + d*x)/2] / \text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a) / (-a - b)] * \text{Sec}[c + d*x]) / (b * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]] * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Sec}[c + d*x]}{a + b}]) \\
&+ (2*a * ((a * \text{Sqrt}[\frac{(a + b) * \text{Cot}[(c + d*x)/2]}{2}] / (-a + b)] * \text{Sqrt}[-((a + b) * \text{Cos}[c + d*x] * \text{Csc}[(c + d*x)/2]^2) / a]) * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a} * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a}] / \text{Sqrt}[2]], (-2*a) / (-a + b)] * \text{Sin}[(c + d*x)/2]^4] / ((a + b) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) \\
&- (a * \text{Sqrt}[\frac{(a + b) * \text{Cot}[(c + d*x)/2]}{2}] / (-a + b)] * \text{Sqrt}[-((a + b) * \text{Cos}[c + d*x] * \text{Csc}[(c + d*x)/2]^2) / a]) * \text{Sqrt}[\frac{(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2}{a} * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{Ar}
\end{aligned}$$

```
cSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(a^2*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]^3*(49*a^2*Sin[c + d*x] + 75*b^2*Sin[c + d*x]))/315 + (2*Sec[c + d*x]^2*(163*a^2*b*Sin[c + d*x] + 5*b^3*Sin[c + d*x]))/(315*a) + (2*Sec[c + d*x]*(147*a^4*Sin[c + d*x] + 279*a^2*b^2*Sin[c + d*x] - 10*b^4*Sin[c + d*x]))/(315*a^2) + (38*a*b*Sec[c + d*x]^3*Tan[c + d*x])/63 + (2*a^2*Sec[c + d*x]^4*Tan[c + d*x])/9))/d
```

**fricas** [F] time = 0.94, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{11}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)/cos(d*x+c)^(11/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(11/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)/cos(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(11/2), x)
```

**maple** [B] time = 0.38, size = 2504, normalized size = 5.52

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)/cos(d*x+c)^(11/2),x)
```

```
[Out] -2/315/d*(-80*cos(d*x+c)^3*a^2*b^3+147*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^5+65*cos(d*x+c)^5*a^4*b+279*cos(d*x+c)^5*a^3*b^2-199*cos(d*x+c)^5*a^2*b^3-10*cos(d*x+c)^5*a*b^4-272*cos(d*x+c)^4*a^3*b^2+5*cos(d*x+c)^4*a*b^4-82*cos(d*x+c)^3*a^4*b-170*cos(d*x+c)^2*a^3*b^2-130*cos(d*x+c)*a^4*b+147*cos(d*x+c)^6*a^4*b+163*cos(d*x+c)^6*a^3*b^2+279*cos(d*x+c)^6*a^2*b^3+5*cos(d*x+c)^6*a*b^4-35*a^5-10*cos(d*x+c)^6*b^5+147*cos(d*x+c)^5*a^5+10*cos(d*x+c)^5*b^5-98*cos(d*x+c)^4*a^5-14*cos(d*x+c)^2*a^5-10*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^4-147*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^4*b-279*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b^2-279*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^3+10*cos(d*x+c)^5*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Elliptic
```



$cE\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a * b^4 + 261 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^4 * b + 279 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^3 * b^2 + 155 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^2 * b^3 - 10 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a * b^4 - 147 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^4 * b - 279 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^3 * b^2 - 279 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^2 * b^3 + 10 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a * b^4 + 261 * \cos(dx+c)^5 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^4 * b + 279 * \cos(dx+c)^5 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^3 * b^2 + 155 * \cos(dx+c)^5 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^2 * b^3 - 147 * \cos(dx+c)^5 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^5 + 10 * \cos(dx+c)^5 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * b^5 + 147 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^5 - 147 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * a^5 + 10 * \cos(dx+c)^4 * \sin(dx+c) * \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} * \left(\frac{a+b * \cos(dx+c)}{1+\cos(dx+c)}\right) / (a+b)^{1/2} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) * b^5 / (a+b * \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{9/2} / a^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)/cos(dx+c)^(11/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(5/2)/cos(dx+c)^(11/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos(c + dx)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(11/2),x)

```
[Out] int((a + b*cos(c + d*x))^(5/2)/cos(c + d*x)^(11/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)/cos(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

$$3.625 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=522

$$\frac{2(81a^2 + 113b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{693d \cos^2(c+dx)} + \frac{2b(229a^2 + 3b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{693ad \cos^2(c+dx)} + \frac{2a^2 \sin(c+dx)}{693d \cos^2(c+dx)}$$

[Out]  $2/11*a^2*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(11/2)}+46/99*a*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(9/2)}+2/693*(81*a^2+113*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+2/693*b*(229*a^2+3*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a/d/\cos(d*x+c)^{(5/2)}+2/693*(135*a^4+205*a^2*b^2-4*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^2/d/\cos(d*x+c)^{(3/2)}+2/693*(a-b)*b*(741*a^4+51*a^2*b^2+8*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/d+2/693*(a-b)*(135*a^4-606*a^3*b+57*a^2*b^2+6*a*b^3+8*b^4)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d$

**Rubi [A]** time = 1.77, antiderivative size = 522, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2792, 3055, 2998, 2816, 2994}

$$\frac{2(81a^2 + 113b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{693d \cos^2(c+dx)} + \frac{2b(229a^2 + 3b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{693ad \cos^2(c+dx)} + \frac{2(205a^2b)}{693d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(13/2), x]

[Out]  $(2*(a-b)*b*\text{Sqrt}[a+b]*(741*a^4+51*a^2*b^2+8*b^4)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(693*a^4*d) + (2*(a-b)*\text{Sqrt}[a+b]*(135*a^4-606*a^3*b+57*a^2*b^2+6*a*b^3+8*b^4)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(693*a^3*d) + (2*a^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/((11*d*\text{Cos}[c+d*x])^{(11/2)}) + (46*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(99*d*\text{Cos}[c+d*x]^{(9/2)}) + (2*(81*a^2+113*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(693*d*\text{Cos}[c+d*x]^{(7/2)}) + (2*b*(229*a^2+3*b^2)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(693*a*d*\text{Cos}[c+d*x]^{(5/2)}) + (2*(135*a^4+205*a^2*b^2-4*b^4)*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(693*a^2*d*\text{Cos}[c+d*x]^{(3/2)})$

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n+1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[b\*(m-2)\*(b\*c - a\*d)^2 + a\*d\*(n+1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n+1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n+2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int

egersQ[2\*m, 2\*n])

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)])^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^{13/2}(c + dx)} dx &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{2}{11} \int \frac{\frac{23a^2b}{2} + \frac{3}{2}a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{11/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{46ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{4}{99} \int \frac{23a^2b + 3a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{9/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{46ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2}{99} \int \frac{23a^2b + 3a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{7/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{46ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2}{99} \int \frac{23a^2b + 3a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{46ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2}{99} \int \frac{23a^2b + 3a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{3/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{46ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2}{99} \int \frac{23a^2b + 3a(3a^2 + 11b^2) \cos(c + dx)}{\cos^{1/2}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{2(a - b)b \sqrt{a + b} (741a^4 + 51a^2b^2 + 8b^4) \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{693a^4d}
\end{aligned}$$

**Mathematica [C]** time = 6.35, size = 1431, normalized size = 2.74

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Cos[c + d\*x]^(13/2), x]

[Out] ((-4\*a\*(135\*a^6 - 78\*a^4\*b^2 - 49\*a^2\*b^4 - 8\*b^6)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-741\*a^5\*b - 51\*a^3\*b^3 - 8\*a\*b^5)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-741\*a^4\*b^2 - 51\*a^2\*b^4 - 8\*b^6)\*((I\*Csc[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

+ dx)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + dx)/2]^4)/((a + b)\*Sqrt[Cos[c + dx]]\*Sqrt[a + b\*Cos[c + dx]]) - (a\*Sqrt[((a + b)\*Cot[(c + dx)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + dx]\*Csc[(c + dx)/2]^2)/a]]\*Sqrt[(a + b\*Cos[c + dx])\*Csc[(c + dx)/2]^2)/a]\*Csc[c + dx]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + dx])\*Csc[(c + dx)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + dx)/2]^4)/(b\*Sqrt[Cos[c + dx]]\*Sqrt[a + b\*Cos[c + dx]])))/b + (Sqrt[a + b\*Cos[c + dx]]\*Sin[c + dx])/(b\*Sqrt[Cos[c + dx]])))/(693\*a^3\*d) + (Sqrt[Cos[c + dx]]\*Sqrt[a + b\*Cos[c + dx]]\*((2\*Sec[c + dx]^4\*(81\*a^2\*Sin[c + dx] + 113\*b^2\*Sin[c + dx]))/693 + (2\*Sec[c + dx]^3\*(229\*a^2\*b\*Sin[c + dx] + 3\*b^3\*Sin[c + dx]))/(693\*a) + (2\*Sec[c + dx]^2\*(135\*a^4\*Sin[c + dx] + 205\*a^2\*b^2\*Sin[c + dx] - 4\*b^4\*Sin[c + dx]))/(693\*a^2) + (2\*Sec[c + dx]\*(741\*a^4\*b\*Sin[c + dx] + 51\*a^2\*b^3\*Sin[c + dx] + 8\*b^5\*Sin[c + dx]))/(693\*a^3) + (46\*a\*b\*Sec[c + dx]^4\*Tan[c + dx])/99 + (2\*a^2\*Sec[c + dx]^5\*Tan[c + dx])/11))/d

**fricas** [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{13}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)/cos(dx+c)^(13/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(dx + c)^2 + 2\*a\*b\*cos(dx + c) + a^2)\*sqrt(b\*cos(dx + c) + a)/cos(dx + c)^(13/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)/cos(dx+c)^(13/2),x, algorithm="giac")

[Out] integrate((b\*cos(dx + c) + a)^(5/2)/cos(dx + c)^(13/2), x)

**maple** [B] time = 0.59, size = 2789, normalized size = 5.34

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(dx+c))^(5/2)/cos(dx+c)^(13/2),x)

[Out] -2/693/d\*(-4\*cos(dx+c)^7\*a\*b^5+741\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(dx+c))/sin(dx+c),(-(a-b)/(a+b))^(1/2))\*a^5\*b+663\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(dx+c))/sin(dx+c),(-(a-b)/(a+b))^(1/2))\*a^4\*b^2+51\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(dx+c))/sin(dx+c),(-(a-b)/(a+b))^(1/2))\*a^3\*b^3+2\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(dx+c))/sin(dx+c),(-(a-b)/(a+b))^(1/2))\*a^2\*b^4+8\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(dx+c))/sin(dx+c),(-(a-b)/(a+b))^(1/2))\*a\*b^5-741\*cos(dx+c)^6\*sin(dx+c)\*(cos(dx+c)/(1+cos(dx+c)))^(1/2)\*((a+b\*cos(dx+c))/(1+cos(dx+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(dx+c))/sin(dx+c),(-(a-b)

```

/(a+b)^(1/2))*a^5*b-741*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/
(a+b)^(1/2))*cos(d*x+c)^6*sin(d*x+c)*a^4*b^2-51*(cos(d*x+c)/(1+cos(d*x+c)
)^(1/2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x
+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^6*sin(d*x+c)*a^3*b^3-51*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^6*
sin(d*x+c)*a^2*b^4-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*cos(d*x+c)^6*sin(d*x+c)*a*b^5+741*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a^5*b+8*cos(d*x+c)
^7*b^6-8*cos(d*x+c)^6*b^6+135*cos(d*x+c)^6*a^6-54*cos(d*x+c)^4*a^6-18*cos(d
*x+c)^2*a^6+135*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1
/2))*cos(d*x+c)^6*sin(d*x+c)*a^6-63*a^6+663*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2))*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a^4*b^2+51*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*El
lipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d
*x+c)*a^3*b^3+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(
d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1
/2))*cos(d*x+c)^5*sin(d*x+c)*a^2*b^4+8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a*b^5-741*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*
a^5*b-741*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*c
os(d*x+c)^5*sin(d*x+c)*a^4*b^2-51*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*c
os(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
,(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a^3*b^3-51*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a^2*
b^4-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d
*x+c)^5*sin(d*x+c)*a*b^5+741*cos(d*x+c)^6*a^5*b-307*cos(d*x+c)^6*a^4*b^2+51
*cos(d*x+c)^6*a^3*b^3-52*cos(d*x+c)^6*a^2*b^4+8*cos(d*x+c)^6*a*b^5-566*cos(
d*x+c)^5*a^5*b-140*cos(d*x+c)^5*a^3*b^3-4*cos(d*x+c)^5*a*b^5-160*cos(d*x+c)
^4*a^4*b^2+cos(d*x+c)^4*a^2*b^4-86*cos(d*x+c)^3*a^5*b-116*cos(d*x+c)^3*a^3*
b^3-274*cos(d*x+c)^2*a^4*b^2-224*cos(d*x+c)*a^5*b+135*cos(d*x+c)^7*a^5*b+74
1*cos(d*x+c)^7*a^4*b^2+205*cos(d*x+c)^7*a^3*b^3+51*cos(d*x+c)^7*a^2*b^4-8*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1
/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^6
*sin(d*x+c)*b^6+135*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+
cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)
)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*a^6-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d
*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^5*sin(d*x+c)*b^6)/(a+b*cos(d*x+c))^(
1/2)/sin(d*x+c)/cos(d*x+c)^(11/2)/a^3

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(13/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(13/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + d x))^{5/2}}{\cos(c + d x)^{13/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(13/2), x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/cos(c + d\*x)^(13/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/cos(d\*x+c)\*\*(13/2), x)

[Out] Timed out



$$3.626 \quad \int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=379

$$\frac{a\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{\sin(c+dx) \sqrt{a+b} \cos(c+dx)}{bd \sqrt{\cos(c+dx)}}$$

```
[Out] sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b/d/cos(d*x+c)^(1/2)-(a-b)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b)^(1/2)/a/b/d+cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b)^(1/2)/b/d+a*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b)^(1/2)/b^2/d
```

**Rubi [A]** time = 0.74, antiderivative size = 414, normalized size of antiderivative = 1.09, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{a\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{\sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a+b} \cos(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d) + (Sqrt[a + b]*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) + (a*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

### Rule 2801

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
```

```
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2820

```
Int[((d_)*sin[(e_) + (f_)*(x_)])^(3/2)/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]], x_Symbol] :> -Dist[(a*d)/(2*b), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/(2*b), Int[(Sqrt[d*Sin[e + f*x]]*(a + 2*b*Sin[e + f*x]))/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

### Rule 2993

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*(a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)), x_Symbol] :> Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rule 3003

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{\int \frac{\sqrt{\cos(c+dx)}(a+2b\cos(c+dx))}{\sqrt{a+b\cos(c+dx)}} dx}{2b} - \frac{a \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx}{2b} \\
&= \frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^2 d} \\
&= \frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^2 d} \\
&= \frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^2 d} \\
&= \frac{a\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^2 d} \\
&= -\frac{(a-b)\sqrt{a+b} \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{abd}
\end{aligned}$$

**Mathematica [C]** time = 4.46, size = 479, normalized size = 1.26

$$\frac{\sqrt{\cos(c+dx)} \left( 2a\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) - b\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) + b\sqrt{\frac{a-b}{a+b}} \sin\left(\frac{3}{2}(c+dx)\right) \right)}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*((2\*I)\*(a - b)\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] - (4\*I)\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] + (4\*I)\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] + b\*Sqrt[(a - b)/(a + b)]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sin[(3\*(c + d\*x))/2] + 2\*a\*Sqrt[(a - b)/(a + b)]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Tan[(c + d\*x)/2] - b\*Sqrt[(a - b)/(a + b)]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Tan[(c + d\*x)/2])/(2\*b\*Sqrt[(a - b)/(a + b)]\*d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.37, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{3}{2}}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.25, size = 622, normalized size = 1.64

$$\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a + \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out]  $-1/d*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*b-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)-2*a*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\sin(d*x+c)+\cos(d*x+c)^3*b+a*\cos(d*x+c)^2-\cos(d*x+c)^2*b-a*\cos(d*x+c))/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{1/2}/b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{3/2}}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/sqrt(a + b\*cos(c + d\*x)), x)

$$3.627 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=116

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

[Out]  $-2*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}), (a+b)/b, ((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b/d$

**Rubi [A]** time = 0.07, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2809}

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(-2*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/(b*d)$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx = -\frac{2\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}}}{bd}$$

**Mathematica [A]** time = 0.92, size = 130, normalized size = 1.12

$$\frac{2\sqrt{\cos(c+dx)} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left( F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) \right)}{d \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out]  $(-2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*(\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - 2*\text{EllipticPi}[-$

1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)])))/(d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 65.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.25, size = 159, normalized size = 1.37

$$\frac{2\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{-\frac{a-b}{a+b}}\right)\right)\left(\sin^2(dx+c)\right)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{\cos(dx+c)}{1-\cos(dx+c)}}}{d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))-2\*Elliptic Pi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))/(a+b\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(cos(c + d\*x))/sqrt(a + b\*cos(c + d\*x)), x)



$$3.628 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=109

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

[Out]  $2*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d$

**Rubi [A]** time = 0.07, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2816}

$$\frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out]  $(2*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a*d)$

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx = \frac{2\sqrt{a+b} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

**Mathematica [A]** time = 1.40, size = 170, normalized size = 1.56

$$\frac{4(a+b) \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \sqrt{-\frac{(a+b) \cot^2\left(\frac{1}{2}(c+dx)\right)}{a-b}} \sqrt{\frac{\csc^2\left(\frac{1}{2}(c+dx)\right)(a+b \cos(c+dx))}{a}} F\left(\sin^{-1}\left(\sqrt{-\frac{a+b \cos(c+dx)}{a(\cos(c+dx)-1)}}\right) \middle| \right)}{ad \sqrt{a+b \cos(c+dx)} \left(-\frac{(a+b) \cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out]  $(-4*(a + b)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[-(((a + b)*\text{Cot}[(c + d*x)/2]^2)/(a - b))]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2/a]*\text{Csc}[c + d*x]*\text{EllipticF}[$

ArcSin[Sqrt[-((a + b\*Cos[c + d\*x])/(a\*(-1 + Cos[c + d\*x])))]], (2\*a)/(a - b  
 )]/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*(-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]  
 ^2)/a))^(3/2))

**fricas** [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b \cos(dx + c)^2 + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c)^2 + a\*  
 cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.21, size = 123, normalized size = 1.13

$$\frac{2 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}}\right) \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} (\sin^4(dx+c))}{d \sqrt{a + b \cos(dx + c)} \cos(dx + c)^{\frac{3}{2}} (-1 + \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(a+b\*cos(d\*x+c))^(1/2)\*EllipticF((-1  
 +cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+  
 c))/(a+b))^(1/2)\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*sqrt(cos(c + d\*x))), x)

$$3.629 \quad \int \frac{1}{\cos^2(c+dx) \sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=224

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2\sqrt{a+b} \cot(c+dx)}{a^2 d}$$

[Out] 2\*(a-b)\*cot(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a^2/d-2\*cot(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*(a\*(1-sec(d\*x+c))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c))/(a-b))^(1/2)/a/d

**Rubi [A]** time = 0.23, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2801, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2\sqrt{a+b} \cot(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a^2\*d) - (2\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a\*d)

#### Rule 2801

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[1/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /;

FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a\*f), x] /;

FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /;

FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]

&& PosQ[(c + d)/b]

Rubi steps

$$\int \frac{1}{\cos^3(c + dx)\sqrt{a + b \cos(c + dx)}} dx = - \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx + \int \frac{1 + \cos(c + dx)}{\cos^3(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2(a - b)\sqrt{a + b} \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\cos(c+dx))}{a+b}}}{a^2 d}$$

**Mathematica [A]** time = 4.96, size = 211, normalized size = 0.94

$$\frac{2\left(\tan\left(\frac{1}{2}(c + dx)\right)(a + b \cos(c + dx)) + a\sqrt{\cos(c + dx)}\sqrt{\cos(c + dx) + 1}\sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}}F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right)\right)}{ad\sqrt{\cos(c + dx)}\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out] (2\*(-((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)) + a\*Sqrt[Cos[c + d\*x]]\*Sqrt[1 + Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + (a + b\*Cos[c + d\*x])\*Tan[(c + d\*x)/2]))/(a\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 2.34, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b \cos(dx + c)^3 + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**maple [B]** time = 0.24, size = 612, normalized size = 2.73

$$\frac{2\left(\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)\cos(dx+c)\sin(dx+c)a - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out]  $-2/d * ((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * b + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * \sin(d*x+c) - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * \sin(d*x+c) - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * b * \sin(d*x+c) + \cos(d*x+c)^2 * b + a * \cos(d*x+c) - b * \cos(d*x+c) - a) / (a+b*\cos(d*x+c))^{1/2} / \sin(d*x+c) / \cos(d*x+c)^{1/2} / a$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{3/2} \sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(1/2)), x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(3/2)), x)

$$3.630 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=274

$$\frac{4b(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a+b}(a+2b)}{3a^3d}$$

[Out]  $2/3 \sin(dx+c) (a+b \cos(dx+c))^{1/2} / a/d / \cos(dx+c)^{3/2} - 4/3 (a-b) b \cot(dx+c) \text{EllipticE}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a+b))^{1/2} / a^3/d + 2/3 (a+2b) \cot(dx+c) \text{EllipticF}((a+b \cos(dx+c))^{1/2} / (a+b)^{1/2} / \cos(dx+c)^{1/2}, ((-a-b)/(a-b))^{1/2}) (a+b)^{1/2} (a*(1-\sec(dx+c)) / (a+b))^{1/2} (a*(1+\sec(dx+c)) / (a+b))^{1/2} / a^2/d$

**Rubi [A]** time = 0.40, antiderivative size = 274, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2802, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a+2b) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 4b(a-b)\sqrt{a+b}}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out]  $(-4*(a-b)*b*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^3*d) + (2*\text{Sqrt}[a+b]*(a+2*b)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^2*d) + (2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*a*d*\text{Cos}[c+d*x]^(3/2))$

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1)\*(c + d\*sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*sin[e + f\*x])^(m + 1)\*(c + d\*sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*sin[e + f\*x]]/(Sqrt[d\*sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rule 2994**

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx = \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} + \frac{2\int \frac{-b+\frac{1}{2}a\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{3a}$$

$$= \frac{2\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3ad\cos^{\frac{3}{2}}(c+dx)} - \frac{(2b)\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{3a} + \dots$$

$$= -\frac{4(a-b)b\sqrt{a+b}\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{3a^3d}$$

**Mathematica [A]** time = 13.97, size = 371, normalized size = 1.35

$$\frac{\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2\tan(c+dx)\sec(c+dx)}{3a} - \frac{4b\tan(c+dx)}{3a^2}\right)}{d} + \frac{16\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\cos^2\left(\frac{1}{2}(c+dx)\right)^{7/2}\sqrt{\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*Sqrt[a + b\*Cos[c + d\*x]]),x]

[Out] (16\*(Cos[(c + d\*x)/2]^2)^(7/2)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2\*(2\*b\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + a\*(a - 2\*b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(1 + Cos[c + d\*x])^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((-4\*b\*Tan[c + d\*x])/(3\*a^2) + (2\*Sec[c + d\*x]\*Tan[c + d\*x])/(3\*a)))/d

**fricas [F]** time = 1.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{b\cos(dx+c)^4+a\cos(dx+c)^3},x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.32, size = 883, normalized size = 3.22

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$-2/3/d*(\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b+2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2-2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+\cos(d*x+c)^3*a*b-2*\cos(d*x+c)^3*b^2+\cos(d*x+c)^2*a^2-2*\cos(d*x+c)^2*a*b+2*\cos(d*x+c)^2*b^2+a*b*\cos(d*x+c)-a^2)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{3/2}/a^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{5/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(1/2)), x)`

[Out] `int(1/(cos(c + d*x)^(5/2)*(a + b*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)} \cos^{\frac{5}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(1/2), x)`

[Out] `Integral(1/(sqrt(a + b*cos(c + d*x))*cos(c + d*x)**(5/2)), x)`

**3.631**  $\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$

**Optimal.** Leaf size=465

$$\frac{2a^2 \sin(c+dx)\sqrt{\cos(c+dx)}}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{(3a^2-b^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}} - \frac{(3a^2-b^2) \cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}}$$

```
[Out] -2*a^2*sin(d*x+c)*cos(d*x+c)^(1/2)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)+(3*a^2-b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/b^2/(a^2-b^2)/d/cos(d*x+c)^(1/2)
-(3*a^2-b^2)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b^2/d/(a+b)^(1/2)+(3*a+b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d/(a+b)^(1/2)+3*a*cot(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^3/d
```

**Rubi [A]** time = 0.99, antiderivative size = 465, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2792, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a^2 \sin(c+dx)\sqrt{\cos(c+dx)}}{bd(a^2-b^2)\sqrt{a+b \cos(c+dx)}} + \frac{(3a^2-b^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}} - \frac{(3a^2-b^2) \cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2d(a^2-b^2)\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] -(((3*a^2 - b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d)
+ ((3*a + b)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d) + (3*a*Sqrt[a + b]*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d) - (2*a^2*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + ((3*a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])
```

**Rule 2792**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx &= -\frac{2a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2\int \frac{\frac{a^2}{2}-\frac{1}{2}ab\cos(c+dx)-\frac{1}{2}(3a^2-b^2)\cos^2(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} dx}{b(a^2-b^2)} \\
&= -\frac{2a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{(3a^2-b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{\cos(c+dx)}} \\
&= -\frac{2a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{(3a^2-b^2)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{\cos(c+dx)}} \\
&= \frac{3a\sqrt{a+b}\cot(c+dx)\Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^3d} \\
&= -\frac{(3a^2-b^2)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{ab^2\sqrt{a+bd}}
\end{aligned}$$

**Mathematica [C]** time = 6.22, size = 1201, normalized size = 2.58

result too large to display

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*a^2\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*(-a^2 + b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + ((-4\*a\*(a^2 - b^2)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 8\*a^2\*b\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(3\*a^2 - b^2)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(2\*(a - b)\*b\*(a + b)\*d)

**fricas** [F] time = 3.02, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 0.22, size = 1661, normalized size = 3.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 1/d\*(cos(d\*x+c)^2\*a\*b^2+6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^3+6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^3\*sin(d\*x+c)-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^3\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*b^3\*sin(d\*x+c)+3\*a^3\*cos(d\*x+c)-cos(d\*x+c)\*a\*b^2+3\*cos(d\*x+c)^2\*a^2\*b-cos(d\*x+c)^2\*b^3-2\*cos(d\*x+c)\*a^2\*b-cos(d\*x+c)^3\*a^2\*b+cos(d\*x+c)^3\*b^3-3\*cos(d\*x+c)^2\*a^3-3\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^3+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*b^3-6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a\*b^2\*sin(d\*x+c)-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^2\*b\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^2\*b\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b^2\*sin(d\*x+c)-6\*cos(d\*x+c)\*si

$n(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))$   
 $/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-(a-b)/(a+b))^{1/2})$   
 $*a*b^2-3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos$   
 $(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),$   
 $-(a-b)/(a+b))^{1/2})*a^2*b+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))$   
 $)^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x$   
 $+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*$   
 $x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*El$   
 $lipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b+2*\cos(d*x+c)$   
 $*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+$   
 $c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})$   
 $*a*b^2)/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{1/2}/b^2/(a-b)/(a+b)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(b\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{5/2}}{(a+b\cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^(5/2)/(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

$$3.632 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=387

$$\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} - \frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\right)}{b^2d}$$

[Out]  $-2*a^2*\sin(d*x+c)/b/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b/d/(a+b)^{(1/2)}-2*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b/d/(a+b)^{(1/2)}-2*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, (a+b)/b, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/b^2/d$

**Rubi [A]** time = 0.50, antiderivative size = 387, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {2797, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} - \frac{2\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\right)}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + b\*cos[c + d\*x])^(3/2), x]

[Out]  $(2*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(b*\text{Sqrt}[a+b]*d) - (2*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(b*\text{Sqrt}[a+b]*d) - (2*\text{Sqrt}[a+b]*\text{Cot}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(b^2*d) - (2*a^2*\text{Sin}[c+d*x])/(b*(a^2-b^2)*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

#### Rule 2794

Int[Sqrt[(d\_)\*sin[e\_ + (f\_)\*(x\_)]/((a\_) + (b\_)\*sin[e\_ + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*a\*d\*cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[d\*sin[e + f\*x]]], x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b\*sin[e + f\*x]]/(d\*sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2795

Int[Sqrt[(c\_) + (d\_)\*sin[e\_ + (f\_)\*(x\_)]/((a\_) + (b\_)\*sin[e\_ + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*sin[e + f\*x])^(3/2)\*Sqrt[c + d\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]



Rule 2797

Int[((d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2)/((a\_) + (b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2), x\_Symbol] := Dist[d/b, Int[Sqrt[d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[(a\*d)/b, Int[Sqrt[d\*Sin[e + f\*x]]/(a + b\*Sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2809

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]/Sqrt[(c\_) + (d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]\*Sqrt[(a\_) + (b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]]], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_.) + (f\_.)\*(x\_)]/(((b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx &= \frac{\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx}{b} - \frac{a \int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^{3/2}} dx}{b} \\ &= -\frac{2\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}}}{b^2 d} \\ &= -\frac{2\sqrt{a+b} \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}}}{b^2 d} \\ &= \frac{2 \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}}}{b\sqrt{a+bd}} \end{aligned}$$

**Mathematica [C]** time = 17.73, size = 985, normalized size = 2.55

$$\frac{2a\sqrt{\cos(c+dx)} \sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2a \left( \frac{i \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{a+b\cos(c+dx)} E\left(i \sinh^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{2a}{-a-b}\right) \sec(c+dx)}{b \sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)} \sec(c+dx) \sqrt{\frac{(a+b\cos(c+dx)) \sec(c+dx)}{a+b}}} \right)}{a \sqrt{\frac{(a+b) \cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*a\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (-4\*a\*b\*((Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*a\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)) + (2\*a\*((a\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/((a - b)\*(a + b)\*d)

**fricas [F]** time = 81.38, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 0.25, size = 1206, normalized size = 3.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2/d\*(-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*b^2+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^2+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b-2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^2+2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*b^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+cos(d\*x+c)^2\*a^2-cos(d\*x+c)^2\*a\*b-a^2\*cos(d\*x+c)+a\*b\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(1/2)/b/(a-b)/(a+b)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^{3/2}}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.633 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=266

$$\frac{2a \sin(c+dx)}{d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2 \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad \sqrt{a+b}}$$

[Out]  $2*a*\sin(d*x+c)/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}-2*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/(a+b)^{(1/2)}+2*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.33, antiderivative size = 266, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2794, 2795, 2816, 2994}

$$\frac{2a \sin(c+dx)}{d(a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2 \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-2*\cot[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\sec[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\sec[c+d*x]))/(a-b)]/(a*\text{Sqrt}[a+b]*d) + (2*\cot[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\sec[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\sec[c+d*x]))/(a-b)]/(a*\text{Sqrt}[a+b]*d) + (2*a*\sin[c+d*x])/((a^2-b^2)*d*\text{Sqrt}[\cos[c+d*x]]*\text{Sqrt}[a+b*\cos[c+d*x]])$

**Rule 2794**

Int[Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(3/2), x\_Symbol] := Simp[(-2\*a\*d\*cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[d\*sin[e + f\*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b\*sin[e + f\*x]]/(d\*sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

**Rule 2795**

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(3/2), x\_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*sin[e + f\*x]]\*Sqrt[c + d\*sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*sin[e + f\*x])^(3/2)\*Sqrt[c + d\*sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*sin[e + f\*x]]/(Sqrt[d\*sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx = \frac{2a \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos^2(c+dx)} dx}{a^2 - b^2}$$

$$= \frac{2a \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx}{a + b} - \frac{a \int \dots}{a^2 - b^2}$$

$$= -\frac{2 \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a-b}}}{a \sqrt{a + b} d} + \dots$$

**Mathematica** [A] time = 4.82, size = 196, normalized size = 0.74

$$\frac{2 \left( (a - b) \sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) - (a + b) \sqrt{\cos(c + dx) + 1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b}{a}\right) \right)}{d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*((a + b)*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 +
Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (a
+ b)*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c +
d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (a - b)*Sq
rt[Cos[c + d*x]]*Tan[(c + d*x)/2])/((a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]
)
```

**fricas** [F] time = 1.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^2 +
2*a*b*cos(d*x + c) + a^2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple [B]** time = 0.21, size = 809, normalized size = 3.04

$$2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)\cos(dx+c)\sin(dx+c)a+2\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{-\frac{a-b}{a+b}}\right)\cos(dx+c)\sin(dx+c)a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2/d\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*a+EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*b-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*a-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*b+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b\*sin(d\*x+c)-a\*cos(d\*x+c)^2+cos(d\*x+c)^2\*b+a\*cos(d\*x+c)-b\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)/sin(d\*x+c)/(a-b)/(a+b)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b\cos(dx+c)+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(3/2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(3/2), x)
```

```
[Out] Integral(sqrt(cos(c + d*x))/(a + b*cos(c + d*x))**(3/2), x)
```



$$3.634 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=267

$$\frac{2b \sin(c+dx)}{d(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{2b \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos}{\sqrt{a+b}\sqrt{\cos}}\right)\right)}{a^2 d \sqrt{a+b}}$$

[Out]  $-2*b*\sin(d*x+c)/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2*b*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/d/(a+b)^{(1/2)}+2*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.39, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2800, 2998, 2816, 2994}

$$\frac{2b \sin(c+dx)}{d(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{2b \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos}{\sqrt{a+b}\sqrt{\cos}}\right)\right)}{a^2 d \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)),x]

[Out]  $(2*b*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a^2*\text{Sqrt}[a+b]*d) + (2*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b)))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a*\text{Sqrt}[a+b]*d) - (2*b*\text{Sin}[c+d*x])/((a^2-b^2)*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

#### Rule 2800

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)), x\_Symbol] := Simp[(2\*b\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(b + a\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]

&& PosQ[(c + d)/b]

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rubi steps

$$\int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx = -\frac{2b\sin(c+dx)}{(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{b+a\cos(c+dx)}{\cos^3(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{a^2-b^2}$$

$$= -\frac{2b\sin(c+dx)}{(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{\int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} dx}{a+b}$$

$$= \frac{2b\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle| -\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{a^2\sqrt{a+bd}}$$

**Mathematica** [A] time = 5.79, size = 202, normalized size = 0.76

$$\frac{2\left(b(b-a)\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right) + a(a+b)\sqrt{\cos(c+dx)+1}\sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}}F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{ad(a^2-b^2)\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (2\*(-(b\*(a + b)\*Sqrt[1 + Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]) + a\*(a + b)\*Sqrt[1 + Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*(-a + b)\*Sqrt[Cos[c + d\*x]]\*Tan[(c + d\*x)/2]))/(a\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 1.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{b^2\cos(dx+c)^3+2ab\cos(dx+c)^2+a^2\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^2\*cos(d\*x + c)^3 + 2\*a\*b\*cos(d\*x + c)^2 + a^2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b\cos(dx+c)+a)^2\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.23, size = 830, normalized size = 3.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2/d/(a+b\*cos(d\*x+c))^(1/2)\*(-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b+EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+cos(d\*x+c)^2\*a\*b-cos(d\*x+c)^2\*b^2-a\*b\*cos(d\*x+c)+cos(d\*x+c)\*b^2)/cos(d\*x+c)^(1/2)/sin(d\*x+c)/(a+b)/(a-b)/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{\frac{3}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x))\*\*(3/2)\*sqrt(cos(c + d\*x))), x)

$$3.635 \quad \int \frac{1}{\cos^2(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=285

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} - \frac{2(a+2b)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^2d\sqrt{a+b}}$$

[Out]  $2*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2*(a^2-2*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/d/(a+b)^{(1/2)}-2*(a+2*b)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.46, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2802, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-2b^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^3d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(3/2)),x]

[Out]  $(2*(a^2 - 2*b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a^3*\text{Sqrt}[a + b]*d) - (2*(a + 2*b)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(a^2*\text{Sqrt}[a + b]*d) + (2*b^2*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Ssin[e + f\*x]]/(Sqrt[d\*Ssin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} dx = \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{2 \int \frac{\frac{1}{2}(a^2-2b^2)-\frac{1}{2}ab}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{a(a^2-b^2)}$$

$$= \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} - \frac{(a+2b) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a(a^2-b^2)}$$

$$= \frac{2(a^2-2b^2) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{a^3\sqrt{a+b}d}$$

**Mathematica [C]** time = 6.28, size = 1233, normalized size = 4.33

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[1/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)),x]
[Out] ((-4*a*(2*a^2*b - 2*b^3)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-
(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*C
sc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*
x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/
(a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(a^3 - 2*a*b^2)*
((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*
Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*C
sc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)
/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*
x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)
]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c +
d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(
(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[
(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(a^2*b
- 2*b^3)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh
[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sq
rt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x]
```

$\left. \right)/(a+b)] + (2*a*((a*Sqrt[((a+b)*Cot[(c+d*x)/2]^2)/(-a+b)]*Sqrt[-((a+b)*Cos[c+d*x]*Csc[(c+d*x)/2]^2)/a])*Sqrt[((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]*Csc[c+d*x]*EllipticF[ArcSin[Sqrt[((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a+b)]*Sin[(c+d*x)/2]^4)/((a+b)*Sqrt[Cos[c+d*x]]*Sqrt[a+b*Cos[c+d*x]]) - (a*Sqrt[((a+b)*Cot[(c+d*x)/2]^2)/(-a+b)]*Sqrt[-((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a])*Sqrt[((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]*Csc[c+d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a+b)]*Sin[(c+d*x)/2]^4)/(b*Sqrt[Cos[c+d*x]]*Sqrt[a+b*Cos[c+d*x]])))/b + (Sqrt[a+b*Cos[c+d*x]]*Sin[c+d*x])/(b*Sqrt[Cos[c+d*x]])))/(a^2*(-a+b)*(a+b)*d) + (Sqrt[Cos[c+d*x]]*Sqrt[a+b*Cos[c+d*x]])*(-2*b^3*Sin[c+d*x])/(a^2*(a^2-b^2)*(a+b*Cos[c+d*x])) + (2*Tan[c+d*x])/a^2))/d$

**fricas** [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)} + a \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^4 + 2ab \cos(dx+c)^3 + a^2 \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^2\*cos(d\*x + c)^4 + 2\*a\*b\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2)), x)

**maple** [B] time = 0.25, size = 1452, normalized size = 5.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out]  $-2/d*(\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^3-\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b-2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2-\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^3-\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a*b^2+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*b^3+(\cos(d*x+c)/(1+\cos(d*x+c))$

)^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^3\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^2\*b\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b^2\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^3\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a^2\*b\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*b^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*b^3\*sin(d\*x+c)+cos(d\*x+c)^2\*a^2\*b+cos(d\*x+c)^2\*a\*b^2-2\*cos(d\*x+c)^2\*b^3+a^3\*cos(d\*x+c)-cos(d\*x+c)\*a^2\*b-2\*cos(d\*x+c)\*a\*b^2+2\*cos(d\*x+c)\*b^3-a^3+b^2\*a)/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(1/2)/a^2/(a-b)/(a+b)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{\frac{3}{2}} \cos^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x))\*\*(3/2)\*cos(c + d\*x)\*\*(3/2)), x)

**3.636** 
$$\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=357

$$\frac{2(a+2b)(a+4b) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^3 d \sqrt{a+b}} + \frac{2b^2}{ad(a^2-b^2) \cos^{\frac{3}{2}}(c+dx)}$$

```
[Out] 2*b^2*sin(d*x+c)/a/(a^2-b^2)/d/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2)+2/3*(a^2-4*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a^2/(a^2-b^2)/d/cos(d*x+c)^(3/2)-2/3*b*(5*a^2-8*b^2)*cot(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^4/d/(a+b)^(1/2)+2/3*(a+2*b)*(a+4*b)*cot(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/(a+b)^(1/2)
```

**Rubi [A]** time = 0.72, antiderivative size = 357, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2802, 3055, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} + \frac{2(a^2-4b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2 d (a^2-b^2) \cos^{\frac{3}{2}}(c+dx)} - \frac{2b(5a^2-8b^2) \cot(c+dx)}{ad(a^2-b^2) \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[1/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(3/2)),x]
```

```
[Out] (-2*b*(5*a^2 - 8*b^2)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^4*Sqrt[a + b]*d) + (2*(a + 2*b)*(a + 4*b)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^3*Sqrt[a + b]*d) + (2*b^2*Sin[c + d*x])/(a*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^2 - 4*b^2)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*Cos[c + d*x]^(3/2))
```

**Rule 2802**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -
```



$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2994

$\text{Int}[(A + B)\sin(e + f*x)]/((b)\sin(e + f*x))^{3/2}\sqrt{(c + d)\sin(e + f*x)}, x\_Symbol] \text{ :> } \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{(c*(1 + \text{Csc}[e + f*x]))/(c - d)}*\sqrt{(c*(1 - \text{Csc}[e + f*x]))/(c + d)}*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\text{Sin}[e + f*x]]]/(\sqrt{b*\text{Sin}[e + f*x]}*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rule 2998

$\text{Int}[(A + B)\sin(e + f*x)]/((a + b)\sin(e + f*x))^{3/2}\sqrt{(c + d)\sin(e + f*x)}, x\_Symbol] \text{ :> } \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\text{Sin}[e + f*x]}*\sqrt{c + d*\text{Sin}[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/(a + b*\text{Sin}[e + f*x])^{3/2}\sqrt{c + d*\text{Sin}[e + f*x]}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

Rule 3055

$\text{Int}[(a + b)\sin(e + f*x)]^m*((c + d)\sin(e + f*x) + (f*x))^n*((A + B)\sin(e + f*x) + (C)\sin(e + f*x))^2, x\_Symbol] \text{ :> } -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{n+1}]/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} dx = \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(a^2 - 4b^2) - \frac{1}{2}ab \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx}{a(a^2 - b^2)}$$

$$= \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 - 4b^2) \sqrt{a + b \cos(c + dx)}}{3a^2(a^2 - b^2)}$$

$$= \frac{2b^2 \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 - 4b^2) \sqrt{a + b \cos(c + dx)}}{3a^2(a^2 - b^2)}$$

$$= -\frac{2b(5a^2 - 8b^2) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1 - \frac{a+b}{a-b} \cos(c+dx))}}{3a^4 \sqrt{a + b} d}$$

**Mathematica [C]** time = 6.36, size = 1269, normalized size = 3.55

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^(3/2)),x]

[Out] 
$$\begin{aligned} &((-4*a*(a^4 + 7*a^2*b^2 - 8*b^4)*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]]) - 4*a*(5*a^3*b - 8*a*b^3) * ((\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]]) - (\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / (b*\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]]) + 2*(5*a^2*b^2 - 8*b^4) * ((\text{I}\text{Cos}[(c+d*x)/2] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]] * \text{EllipticE}[\text{I}\text{ArcSinh}[\text{Sin}[(c+d*x)/2]/\text{Sqrt}[\text{Cos}[c+d*x]]], (-2*a)/(-a-b)] * \text{Sec}[c+d*x]) / (b*\text{Sqrt}[\text{Cos}[(c+d*x)/2]^2 * \text{Sec}[c+d*x]] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Sec}[c+d*x]}{(a+b)}]) + (2*a*((a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / ((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]]) - (a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}] * \text{Sqrt}[-\frac{(a+b)\text{Cos}[c+d*x]\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}] * \text{Csc}[c+d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b*\text{Cos}[c+d*x])\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)] * \text{Sin}[(c+d*x)/2]^4) / (b*\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]])) / b + (\text{Sqrt}[a+b*\text{Cos}[c+d*x]] * \text{Sin}[c+d*x]) / (b*\text{Sqrt}[\text{Cos}[c+d*x]])) / (3*a^3*(a-b)*(a+b)*d + (\text{Sqrt}[\text{Cos}[c+d*x]] * \text{Sqrt}[a+b*\text{Cos}[c+d*x]] * ((2*b^4*\text{Sin}[c+d*x]) / (a^3*(a^2-b^2)*(a+b*\text{Cos}[c+d*x])) - (10*b*\text{Tan}[c+d*x]) / (3*a^3) + (2*\text{Sec}[c+d*x]*\text{Tan}[c+d*x]) / (3*a^2)))) / d \end{aligned}$$

**fricas [F]** time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^5 + 2ab \cos(dx+c)^4 + a^2 \cos(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^2\*cos(d\*x + c)^5 + 2\*a\*b\*cos(d\*x + c)^4 + a^2\*cos(d\*x + c)^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(5/2)), x)

**maple [B]** time = 0.22, size = 1781, normalized size = 4.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] 
$$-2/3/d*(-8*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^4-a^4-5*\cos(d*x+c)^3*a^2*b^2-5*\cos(d*x+c)^2*a^3*b+8*\cos(d*x+c)^2*a*b^3-4*\cos(d*x+c)*a*b^3+8*\cos(d*x+c)^3*b^4-8*\cos(d*x+c)^2*b^4+a^2*b^2+\cos(d*x+c)^3*a^3*b-4*\cos(d*x+c)^3*a*b^3+4*\cos(d*x+c)^2*a^2*b^2+4*\cos(d*x+c)*a^3*b-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^3-5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^2+8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^3+5*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b+5*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^2-8*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^3-5*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b+2*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^2+8*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b+5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^2+\cos(d*x+c)^2*a^4+\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^4+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{3/2}/(a+b)/(a-b)/a^3$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.637 \quad \int \frac{1}{\cos^{\frac{7}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=433

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2) \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} + \frac{2(a^2-6b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{5a^2d(a^2-b^2) \cos^{\frac{5}{2}}(c+dx)} - \frac{2(3a+4b)(a^2+4b^2)}{5a^2d(a^2-b^2) \cos^{\frac{5}{2}}(c+dx)}$$

[Out]  $2*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/\cos(d*x+c)^{(5/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2/5*(a^2-6*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^2/(a^2-b^2)/d/\cos(d*x+c)^{(5/2)}-2/5*b*(3*a^2-8*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^3/(a^2-b^2)/d/\cos(d*x+c)^{(3/2)}+2/5*(3*a^4+8*a^2*b^2-16*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^5/d/(a+b)^{(1/2)}-2/5*(3*a+4*b)*(a^2+4*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 1.06, antiderivative size = 433, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2802, 3055, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx)}{ad(a^2-b^2) \cos^{\frac{5}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} - \frac{2b(3a^2-8b^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{5a^3d(a^2-b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{2(a^2-6b^2) \sin(c+dx)}{5a^2d(a^2-b^2) \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(7/2)\*(a + b\*Cos[c + d\*x])^(3/2)),x]

[Out]  $(2*(3*a^4 + 8*a^2*b^2 - 16*b^4)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(5*a^5*\text{Sqrt}[a + b]*d) - (2*(3*a + 4*b)*(a^2 + 4*b^2)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(5*a^4*\text{Sqrt}[a + b]*d) + (2*b^2*\text{Sin}[c + d*x]/(a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^(5/2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^2 - 6*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*a^2*(a^2 - b^2)*d*\text{Cos}[c + d*x]^(5/2)) - (2*b*(3*a^2 - 8*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*a^3*(a^2 - b^2)*d*\text{Cos}[c + d*x]^(3/2))$

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1

```
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{7}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} dx &= \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} + \frac{2 \int \frac{\frac{1}{2}(a^2-6b^2) - \frac{1}{2}ab \cot(c+dx)}{\cos^{\frac{7}{2}}(c+dx)} dx}{a(a^2-b^2)} \\
&= \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-6b^2)\sqrt{a+b\cos(c+dx)}}{5a^2(a^2-b^2)} \\
&= \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-6b^2)\sqrt{a+b\cos(c+dx)}}{5a^2(a^2-b^2)} \\
&= \frac{2b^2 \sin(c+dx)}{a(a^2-b^2)d \cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-6b^2)\sqrt{a+b\cos(c+dx)}}{5a^2(a^2-b^2)} \\
&= \frac{2(3a^4+8a^2b^2-16b^4) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{5a^5\sqrt{a+bd}}
\end{aligned}$$

**Mathematica [C]** time = 6.38, size = 1314, normalized size = 3.03

result too large to display

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(7/2)\*(a + b\*Cos[c + d\*x])^(3/2)),x]

[Out] ((a^2 + 4\*b^2)\*((-4\*a\*(4\*a^2\*b - 4\*b^3)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(3\*a^3 - 4\*a\*b^2)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(3\*a^2\*b - 4\*b^3)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])

$$\frac{1}{(b\sqrt{\cos[c+dx]})}) \frac{1}{(5a^4(-a+b)(a+b)d)} + (\sqrt{\cos[c+dx]} \sqrt{a+b\cos[c+dx]}) * \frac{(-2b^5\sin[c+dx])}{(a^4(a^2-b^2)(a+b\cos[c+dx]))} + (2\sec[c+dx](3a^2\sin[c+dx] + 11b^2\sin[c+dx])) / (5a^4) - (6b\sec[c+dx]\tan[c+dx]) / (5a^3) + (2\sec[c+dx]^2\tan[c+dx]) / (5a^2) \Big) / d$$

**fricas** [F] time = 1.35, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)} + a \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^6 + 2ab \cos(dx+c)^5 + a^2 \cos(dx+c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(dx+c)+a)\*sqrt(cos(dx+c))/(b^2\*cos(dx+c)^6+2\*a\*b\*cos(dx+c)^5+a^2\*cos(dx+c)^4), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(dx+c)+a)^(3/2)\*cos(dx+c)^(7/2)), x)

**maple** [B] time = 0.27, size = 2478, normalized size = 5.72

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(3/2),x)

[Out] 
$$\begin{aligned} & -2/5/d * (-6*\cos(dx+c)^3*a^2*b^3+3*\cos(dx+c)^3*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^5-16*\cos(dx+c)^4*b^5+3*\cos(dx+c)^3*a^5+16*\cos(dx+c)^3*b^5+3*\cos(dx+c)^4*a^4*b-3*\cos(dx+c)^4*a^3*b^2+8*\cos(dx+c)^4*a*b^4-5*\cos(dx+c)^3*a^4*b-6*\cos(dx+c)^2*a^3*b^2+2*\cos(dx+c)*a^4*b-a^5+8*\cos(dx+c)^4*a^2*b^3+8*\cos(dx+c)^3*a^3*b^2-16*\cos(dx+c)^3*a*b^4+8*\cos(dx+c)^2*a*b^4-2*\cos(dx+c)*a^2*b^3+a^3*b^2-2*\cos(dx+c)^2*a^5-3*\cos(dx+c)^3*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^5+16*\cos(dx+c)^3*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*b^5+3*\cos(dx+c)^2*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^5-3*\cos(dx+c)^2*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^5+16*\cos(dx+c)^2*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^3+16*\cos(dx+c)^3*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b^4-\cos(dx+c)^2*\sin(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*((a+b*\cos(dx+c))/(1+$$



$\cos(dx+c)/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b^8 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 - 4 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 16 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 16 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b - 8 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 - 8 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 + 16 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 + 16 \cos(dx+c)^2 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b - \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b + 8 \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 - 4 \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 16 \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 16 \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b - 8 \cos(dx+c)^3 \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 / (a+b \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{5/2} / (a+b) / (a-b) / a^4$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(dx+c) + a)^(3/2)\*cos(dx+c)^(7/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c+dx)^{7/2} (a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+dx)^(7/2)\*(a+b\*cos(c+dx))^(3/2)),x)

[Out] int(1/(cos(c+dx)^(7/2)\*(a+b\*cos(c+dx))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(dx+c)\*\*(7/2)/(a+b\*cos(dx+c))\*\*(3/2),x)

[Out] Timed out

**3.638**  $\int \frac{\cos^5(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$

**Optimal.** Leaf size=497

$$\frac{2a^2(3a^2 - 7b^2) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + ab - 6b^2) \cot(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

[Out]  $-2/3*a^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}-2/3*a^2*(3*a^2-7*b^2)*\sin(d*x+c)/b^2/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(3*a^2-7*b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)})/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/(a-b)/b^2/(a+b)^{(3/2)}/d-2/3*(3*a^2+a*b-6*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/(a-b)/b^2/(a+b)^{(3/2)}/d-2*\cot(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)}*(a+b)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b^3/d$

**Rubi [A]** time = 1.06, antiderivative size = 497, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {2792, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{2a^2(3a^2 - 7b^2) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2a^2 \sin(c + dx) \sqrt{\cos(c + dx)}}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + ab - 6b^2) \cot(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^{(5/2)}/(a + b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(2*(3*a^2 - 7*b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*(a - b)*b^2*(a + b)^{(3/2)*d} - (2*(3*a^2 + a*b - 6*b^2)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*(a - b)*b^2*(a + b)^{(3/2)*d} - (2*\text{Sqrt}[a + b]*\text{Cot}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(b^3*d) - (2*a^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) - (2*a^2*(3*a^2 - 7*b^2)*\text{Sin}[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]))$

**Rule 2792**

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\text{Simp}(((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 3)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{NeQ}\{a^2 - b^2, 0\} \&\& \text{NeQ}\{c^2 - d^2, 0\} \&\& \text{GtQ}\{m, 2\} \&\& \text{LtQ}\{n, -1\} \&\& (\text{IntegerQ}\{m\} || \text{IntegersQ}\{2*m, 2*n\})$

Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x])]/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x])]/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3051

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[1/b, Int[(A\*b + (b\*B - a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^{\frac{5}{2}}} dx &= -\frac{2a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} - \frac{2\int \frac{\frac{a^2}{2}-\frac{3}{2}ab\cos(c+dx)-\frac{3}{2}(a^2-b^2)\cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{\frac{3}{2}}} dx}{3b(a^2-b^2)} \\
&= -\frac{2a^2\sqrt{\cos(c+dx)}\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx}{b^2} - \frac{2\int \frac{\frac{a^2b}{2}+\left(-\frac{3ab^2}{2}+\frac{3}{2}a(a^2-b^2)\cos(c+dx)\right)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{\frac{3}{2}}} dx}{3b^2(a^2-b^2)} \\
&= -\frac{2\sqrt{a+b}\cot(c+dx)\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^3d} \\
&= -\frac{2\sqrt{a+b}\cot(c+dx)\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^3d} \\
&= \frac{2(3a^2-7b^2)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{3(a-b)b^2(a+b)^{\frac{3}{2}}d}
\end{aligned}$$

**Mathematica** [C] time = 6.30, size = 1282, normalized size = 2.58

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*a^2\*Sin[c + d\*x]))/(3\*b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) + (2\*(3\*a^3\*Sin[c + d\*x] - 7\*a\*b^2\*Sin[c + d\*x]))/(3\*b\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x])))/d - (((-4\*a\*(a^3 - a\*b^2)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-(a^2\*b) - 3\*b^3)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(3\*a^3 - 7\*a\*b^2)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b)\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)

]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b +  
 (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(3\*(a - b  
 )^2\*b\*(a + b)^2\*d)

**fricas** [F] time = 62.14, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)/(b^3\*cos(d\*x + c)^3 +  
 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.27, size = 3911, normalized size = 7.87

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] -2/3/d\*(6\*cos(d\*x+c)^2\*a^4\*b+8\*cos(d\*x+c)^3\*a^2\*b^3+6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^2\*b^5-14\*cos(d\*x+c)^2\*a^2\*b^3-7\*cos(d\*x+c)\*a^3\*b^2-4\*cos(d\*x+c)^3\*a^4\*b+4\*cos(d\*x+c)^2\*a^3\*b^2-2\*cos(d\*x+c)\*a^4\*b+3\*a^5\*cos(d\*x+c)+3\*cos(d\*x+c)^3\*a^3\*b^2-7\*cos(d\*x+c)^3\*a\*b^4+7\*cos(d\*x+c)^2\*a\*b^4+6\*cos(d\*x+c)\*a^2\*b^3+6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*a^5\*sin(d\*x+c)-3\*cos(d\*x+c)^2\*a^5-3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)^2\*b^5+6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*a^5+6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*a^5-12\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^3\*b^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)+6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a\*b^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*sin(d\*x+c)



$$\begin{aligned}
 & -b)/(a+b))^{1/2}) * a^2 * b^3 + 7 * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b^4 - 7 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * \cos(dx+c) * a^2 * b^3 / (a+b * \cos(dx+c))^{3/2} / \sin(dx+c) / \cos(dx+c)^{1/2} / (a-b)^2 / (a+b)^2 / b^2
 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(5/2)/(a+b\*cos(dx+c))^(5/2), x, algorithm="maxima")

[Out] integrate(cos(dx + c)^(5/2)/(b\*cos(dx + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{5/2}}{(a+b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + dx)^(5/2)/(a + b\*cos(c + dx))^(5/2), x)

[Out] int(cos(c + dx)^(5/2)/(a + b\*cos(c + dx))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(5/2)/(a+b\*cos(dx+c))\*\*(5/2), x)

[Out] Timed out

$$3.639 \quad \int \frac{\cos^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=342

$$-\frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx) \sqrt{\cos(c+dx)}}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(a-3b) \cot(c+dx) \sqrt{a(1-\cos(c+dx))}}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}}$$

[Out]  $2/3*a*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}-8/3*a*b*\sin(d*x+c)/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}+8/3*b*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d+2/3*(a-3*b)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d$

**Rubi [A]** time = 0.61, antiderivative size = 342, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2799, 2993, 2998, 2816, 2994}

$$-\frac{8ab \sin(c+dx)}{3d(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx) \sqrt{\cos(c+dx)}}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(a-3b) \cot(c+dx) \sqrt{a(1-\cos(c+dx))}}{3d(a^2-b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(8*b*\cot[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\sec[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\sec[c+d*x]))/(a-b)]/(3*a*(a-b)*(a+b)^{(3/2)*d}) + (2*(a-3*b)*\cot[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\cos[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\cos[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\sec[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\sec[c+d*x]))/(a-b)]/(3*a*(a-b)*(a+b)^{(3/2)*d}) + (2*a*\text{Sqrt}[\cos[c+d*x]]*\sin[c+d*x])/(3*(a^2-b^2)*d*(a+b*\cos[c+d*x])^{(3/2)}) - (8*a*b*\sin[c+d*x])/(3*(a^2-b^2)^2*d*\text{Sqrt}[\cos[c+d*x]]*\text{Sqrt}[a+b*\cos[c+d*x]])$

#### Rule 2799

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sine[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sine[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sine[e + f\*x]]]/(Sqrt[d\*Sine[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]



Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx = \frac{2a\sqrt{\cos(c + dx)} \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} - \frac{2 \int \frac{-\frac{a}{2} + \frac{3}{2}b \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{\frac{3}{2}}} dx}{3(a^2 - b^2)}$$

$$= \frac{2a\sqrt{\cos(c + dx)} \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} - \frac{8ab \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2a\sqrt{\cos(c + dx)} \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} - \frac{8ab \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{8b \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(1 + \sec(c + dx))}{a - b}}}{3a(a - b)(a + b)^{\frac{3}{2}}d} + \dots$$

**Mathematica [A]** time = 6.38, size = 277, normalized size = 0.81

$$2 \left( \sin(c + dx) \sqrt{\cos(c + dx)} (a^3 + 3ab^2 + 4b^3 \cos(c + dx)) - \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} (a + b \cos(c + dx)) \right) \left( - (a^2 + 4b^2) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(5/2),x]

[Out] (2\*(Sqrt[Cos[c + d\*x]]\*(a^3 + 3\*a\*b^2 + 4\*b^3\*Cos[c + d\*x])\*Sin[c + d\*x] - Sqrt[Cos[(c + d\*x)/2]^2]\*(a + b\*Cos[c + d\*x])\*(4\*b\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) - (a^2 + 4\*a\*b + 3\*b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) + 4\*b\*(a + b\*Cos[c + d\*x])\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*Tan[(c + d\*x)/2]))/(3\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.30, size = 1782, normalized size = 5.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] -2/3/d\*(8\*cos(d\*x+c)^2\*a\*b^2+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^3-a^3\*cos(d\*x+c)-3\*cos(d\*x+c)\*a\*b^2-4\*cos(d\*x+c)^2\*a^2\*b-4\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b^2-4\*cos(d\*x+c)^2\*b^3+cos(d\*x+c)^3\*a^3+4\*cos(d\*x+c)\*a^2\*b-5\*cos(d\*x+c)^3\*a\*b^2+4\*cos(d\*x+c)^3\*b^3+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*b^3+3\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b^3+cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b^2-4\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b^3-4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a

$$\begin{aligned} &^2*b*\sin(d*x+c)-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a*b^2*\sin(d*x+c)+4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a^2*b*\sin(d*x+c)+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a*b^2*\sin(d*x+c)-4*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*b^3+(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a^3*\sin(d*x+c)-4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a^2*b-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a*b^2+5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a^2*b+7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)} \\ &)*a*b^2/(a+b*\cos(d*x+c))^{(3/2)}/\sin(d*x+c)/\cos(d*x+c)^{(1/2)}/(a-b)^2/(a+b)^2 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{3}{2}}}{(b\cos(dx+c)+a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c+dx)^{3/2}}{(a+b\cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)^(3/2)/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(cos(c + d\*x)\*\*(3/2)/(a + b\*cos(c + d\*x))\*\*(5/2), x)

$$3.640 \quad \int \frac{\sqrt{\cos(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=359

$$\frac{2(3a^2 + b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2b \sin(c + dx) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + b^2) \cot(c + dx) \sqrt{a(1 - \cos(c + dx))}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

[Out]  $-2/3*b*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}+2/3*(3*a^2+b^2)*\sin(d*x+c)/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}-2/3*(3*a^2+b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/(a-b)/(a+b)^{(3/2)}/d+2/3*(3*a-b)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d$

**Rubi [A]** time = 0.64, antiderivative size = 359, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2796, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2 + b^2) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{2b \sin(c + dx) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + b^2) \cot(c + dx) \sqrt{a(1 - \cos(c + dx))}}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-2*(3*a^2 + b^2)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^2*(a - b)*(a + b)^{(3/2)*d} + (2*(3*a - b)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a*(a - b)*(a + b)^{(3/2)*d} - (2*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (2*(3*a^2 + b^2)*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

Rule 2796

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Ssin[e + f\*x]]/(Sqrt[d\*Ssin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^{5/2}} dx = -\frac{2b\sqrt{\cos(c+dx)} \sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2 \int \frac{\frac{b}{2} - \frac{3}{2}a \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx}{3(a^2-b^2)}$$

$$= -\frac{2b\sqrt{\cos(c+dx)} \sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2+b^2) \sin(c+dx)}{3(a^2-b^2)^2 d \sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)}}$$

$$= -\frac{2b\sqrt{\cos(c+dx)} \sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2+b^2) \sin(c+dx)}{3(a^2-b^2)^2 d \sqrt{\cos(c+dx)} \sqrt{a+b\cos(c+dx)}}$$

$$= -\frac{2(3a^2+b^2) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{3a^2(a-b)(a+b)^{3/2}d}$$

**Mathematica [C]** time = 6.25, size = 1273, normalized size = 3.55

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((-2*b*Sin[c + d*x])/(3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(3*a^2*b*Sin[c + d*x] + b^3*Sin[c + d*x]
```

$$\frac{((3*a*(a^2 - b^2)^2*(a + b*\cos[c + d*x])))/d + ((-4*a*(-(a^2*b) + b^3)*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - 4*a*(3*a^3 + a*b^2)*((\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - (\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) + 2*(3*a^2*b + b^3)*((I*\cos[(c + d*x)/2]*\sqrt{a + b*\cos[c + d*x]}*\text{EllipticE}[I*\text{ArcSinh}[\sin[(c + d*x)/2]/\sqrt{\cos[c + d*x]}], (-2*a)/(-a - b)]*\sec[c + d*x])/(b*\sqrt{\cos[c + d*x]/2}^2*\sec[c + d*x])*sqrt(((a + b*\cos[c + d*x])*sec[c + d*x])/(a + b)) + (2*a*((a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - (a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])*\csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]})))/b + (\sqrt{a + b*\cos[c + d*x]}*\sin[c + d*x])/(b*\sqrt{\cos[c + d*x]})/(3*a*(a - b)^2*(a + b)^2*d)$$

**fricas** [F] time = 2.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.21, size = 2417, normalized size = 6.73

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x)

```
[Out] -2/3/d*(cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (
-(a-b)/(a+b))^(1/2))*b^4-3*cos(d*x+c)^3*a^2*b^2-6*cos(d*x+c)^2*a^3*b-2*cos(
d*x+c)^2*a*b^3-cos(d*x+c)*a^2*b^2-cos(d*x+c)^3*b^4+cos(d*x+c)^2*b^4+2*cos(d
*x+c)^3*a^3*b+2*cos(d*x+c)^3*a*b^3+4*cos(d*x+c)^2*a^2*b^2+4*cos(d*x+c)*a^3*
b+sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x
+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2)
)*a^2*b^2+sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b
))^(1/2))*a*b^3-4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), -(a
-b)/(a+b))^(1/2))*a^3*b-sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
), -(a-b)/(a+b))^(1/2))*a^2*b^2+3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^4+3*sin(d*x+c)*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^3*b+2*cos(d*x+c)*sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a*b^3
-7*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/
(a+b))^(1/2))*a^3*b-5*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^2*b^2-cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellipti
cF((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a*b^3+3*cos(d*x+c)^2*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^
3*b+3*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(
a-b)/(a+b))^(1/2))*a^2*b^2+cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a*b^3-3*cos(d*x+c)^2*sin(d*x+c)*(co
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^3*b-4*cos(d*
x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+co
s(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(
1/2))*a^2*b^2-cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c), -(a-b)/(a+b))^(1/2))*a*b^3+6*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^3*b+4*cos(d*x+c)*sin(d*x+c
)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))
^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^2*b^2+3
*cos(d*x+c)^2*a^4-3*a^4*cos(d*x+c)+3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+
c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^4-3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*a^4+cos(d*x+c)*sin(d*x+c)*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*b^4-3*cos(d*x+c)*
sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), -(a-b)/(a+b))^(1/2))*
a^4/(a+b*cos(d*x+c))^(3/2)/cos(d*x+c)^(1/2)/sin(d*x+c)/(a-b)^2/(a+b)^2/a
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int(cos(c + d\*x)^(1/2)/(a + b\*cos(c + d\*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(sqrt(cos(c + d\*x))/(a + b\*cos(c + d\*x))\*\*(5/2), x)



$$3.641 \quad \int \frac{1}{\sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=381

$$\frac{2b^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3ad(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2) \sin(c+dx)}{3ad(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2(3a^2-3ab-2b^2) \cot(c+dx)}{3ad(a^2-b^2)(a+b \cos(c+dx))^{3/2}}$$

[Out]  $2/3*b^2*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)-4/3*b*(3*a^2-b^2)*\sin(d*x+c)/a/(a^2-b^2)^2/d/\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)+4/3*b*(3*a^2-b^2)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)})*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^3/(a-b)/(a+b)^{(3/2)}/d+2/3*(3*a^2-3*a*b-2*b^2)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^2/(a-b)/(a+b)^{(3/2)}/d$

**Rubi [A]** time = 0.73, antiderivative size = 381, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2802, 2993, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx) \sqrt{\cos(c+dx)}}{3ad(a^2-b^2)(a+b \cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2) \sin(c+dx)}{3ad(a^2-b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2(3a^2-3ab-2b^2) \cot(c+dx)}{3ad(a^2-b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(5/2)),x]

[Out]  $(4*b*(3*a^2-b^2)*\text{Cot}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^3*(a-b)*(a+b)^{(3/2)*d} + (2*(3*a^2-3*a*b-2*b^2)*\text{Cot}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^2*(a-b)*(a+b)^{(3/2)*d} + (2*b^2*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/((3*a*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^{(3/2)}) - (4*b*(3*a^2-b^2)*\text{Sin}[c+d*x])/((3*a*(a^2-b^2)^2*d*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]))$

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Ssin[e + f\*x]]/(Sqrt[d\*Ssin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

### Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] := Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{5/2}} dx &= \frac{2b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2\int \frac{\frac{1}{2}(3a^2-2b^2)-\frac{3}{2}ab\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx}{3a(a^2-b^2)} \\ &= \frac{2b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2)\sin(c+dx)}{3a(a^2-b^2)^2d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} \\ &= \frac{2b^2\sqrt{\cos(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2)\sin(c+dx)}{3a(a^2-b^2)^2d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} \\ &= \frac{4b(3a^2-b^2)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{3a^3(a-b)(a+b)^{3/2}d} \end{aligned}$$

**Mathematica** [C] time = 6.28, size = 1296, normalized size = 3.40

result too large to display

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(5/2)),x]

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*b^2*Sin[c + d*x])/(3*a*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (4*(3*a^2*b^2*Sin[c + d*x] - b^4*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)^2*(a + b*Cos[c + d*x])))/d + ((-4*a*(3*a^4 - 5*a^2*b^2 + 2*b^4)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-6*a^3*b + 2*a*b^3)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-6*a^2*b^2 + 2*b^4)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(3*a^2*(a - b)^2*(a + b)^2*d)
```

**fricas** [F] time = 1.13, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^4 + 3ab^2 \cos(dx + c)^3 + 3a^2b \cos(dx + c)^2 + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^3*cos(d*x + c)^4 + 3*a*b^2*cos(d*x + c)^3 + 3*a^2*b*cos(d*x + c)^2 + a^3*cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate(1/((b*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)
```

**maple** [B] time = 0.29, size = 2743, normalized size = 7.20

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.



$1/2) * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{1/2} * a*b^4 + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) / \sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * a^2 * b^3 / \cos(d*x+c)^{1/2} / \sin(d*x+c) / a^2 / (a+b)^2 / (a-b)^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{\frac{5}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x))\*\*(5/2)\*sqrt(cos(c + d\*x))), x)

**3.642**  $\int \frac{1}{\cos^2(c+dx)(a+b \cos(c+dx))^{5/2}} dx$

**Optimal.** Leaf size=398

$$\frac{8b^2(2a^2 - b^2) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2(3a^4 - 15a^2b^2 + 8b^4)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

[Out]  $2/3*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(3/2)/\cos(d*x+c)^(1/2)+8/3*b^2*(2*a^2-b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/\cos(d*x+c)^(1/2)/(a+b*\cos(d*x+c))^(1/2)+2/3*(3*a^4-15*a^2*b^2+8*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/a^4/(a-b)/(a+b)^(3/2)/d-2/3*(3*a^3+9*a^2*b-6*a*b^2-8*b^3)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/a^3/(a-b)/(a+b)^(3/2)/d$

**Rubi [A]** time = 0.81, antiderivative size = 398, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2802, 3055, 2998, 2816, 2994}

$$\frac{8b^2(2a^2 - b^2) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}} + \frac{2(9a^2b + 3b^3)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[1/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)),x]`

[Out]  $(2*(3*a^4 - 15*a^2*b^2 + 8*b^4)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/(3*a^4*(a - b)*(a + b)^(3/2)*d) - (2*(3*a^3 + 9*a^2*b - 6*a*b^2 - 8*b^3)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/(3*a^3*(a - b)*(a + b)^(3/2)*d) + (2*b^2*\text{Sin}[c + d*x])/((3*a*(a^2 - b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^(3/2)) + (8*b^2*(2*a^2 - b^2)*\text{Sin}[c + d*x])/((3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]))$

**Rule 2802**

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))`

**Rule 2816**

`Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A`

rcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3055

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{5/2}} dx &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} + \frac{2 \int \frac{\frac{1}{2}(3a^2-4b^2)-\frac{3}{2}ab}{\cos^{\frac{3}{2}}(c+dx)} dx}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} + \frac{8b^2(2a^2-3ab+b^2)}{3a^2(a^2-b^2)^2 d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} + \frac{8b^2(2a^2-3ab+b^2)}{3a^2(a^2-b^2)^2 d\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} \\
&= \frac{2(3a^4-15a^2b^2+8b^4) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^4(a-b)(a+b)^{3/2}d}
\end{aligned}$$

**Mathematica** [C] time = 6.40, size = 1321, normalized size = 3.32

result too large to display

Antiderivative was successfully verified.

[In] Integrate[1/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(5/2)),x]

[Out] 
$$\begin{aligned}
& -1/3*((-4*a*(9*a^4*b - 17*a^2*b^3 + 8*b^5)*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}]*\text{Sqrt}[-\frac{((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a}]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)]*\text{Sin}[(c+d*x)/2]^4)/((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]]) - 4*a*(3*a^5 - 15*a^3*b^2 + 8*a*b^4)*((\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}]*\text{Sqrt}[-\frac{((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a}]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)]*\text{Sin}[(c+d*x)/2]^4)/((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}]*\text{Sqrt}[-\frac{((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a}]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]*\text{Csc}[c+d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)]*\text{Sin}[(c+d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]])) + 2*(3*a^4*b - 15*a^2*b^3 + 8*b^5)*((I*\text{Cos}[(c+d*x)/2]*\text{Sqrt}[a+b\text{Cos}[c+d*x]]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c+d*x)/2]/\text{Sqrt}[\text{Cos}[c+d*x]]], (-2*a)/(-a-b)]*\text{Sec}[c+d*x])/(b*\text{Sqrt}[\text{Cos}[(c+d*x)/2]^2*\text{Sec}[c+d*x]]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Sec}[c+d*x]}{(a+b)}]) + (2*a*((a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}]*\text{Sqrt}[-\frac{((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a}]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)]*\text{Sin}[(c+d*x)/2]^4)/((a+b)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]]) - (a*\text{Sqrt}[\frac{(a+b)\text{Cot}[(c+d*x)/2]^2}{(-a+b)}]*\text{Sqrt}[-\frac{((a+b)\text{Cos}[c+d*x]*\text{Csc}[(c+d*x)/2]^2)/a}]*\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]*\text{Csc}[c+d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\frac{(a+b\text{Cos}[c+d*x])*\text{Csc}[(c+d*x)/2]^2}{a}]/\text{Sqrt}[2]], (-2*a)/(-a+b)]*\text{Sin}[(c+d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]])))/b + (\text{Sqrt}[a+b\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(b*\text{Sqrt}[\text{Cos}[c+d*x]])))/(a^3*(a-b)^2*(a+b)^2*d + (\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sqrt}[a+b\text{Cos}[c+d*x]]*((-2*b^3*\text{Sin}[c+d*x])/(3*a^2*(a^2-b^2)*(a+b\text{Cos}[c+d*x])^2) - (2*(9*a^2*b^3*\text{Sin}[c+d*x] - 5*b^5*\text{Sin}[c+d*x]))/(3*a^3*(a^2-b^2)^2*(a+b\text{Cos}[c+d*x])) + (2*\text{Tan}[c+d*x])/a^3))/d
\end{aligned}$$



**fricas** [F] time = 2.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)} + a \sqrt{\cos(dx+c)}}{b^3 \cos(dx+c)^5 + 3ab^2 \cos(dx+c)^4 + 3a^2b \cos(dx+c)^3 + a^3 \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^5 + 3\*a\*b^2\*cos(d\*x + c)^4 + 3\*a^2\*b\*cos(d\*x + c)^3 + a^3\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{\frac{5}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

**maple** [B] time = 0.27, size = 3693, normalized size = 9.28

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -2/3/d*(-15*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *a^4*b^2*\sin(d*x+c)+8*\cos(d*x+c)^3*b^6-8*\cos(d*x+c)^2*b^6+3*\cos(d*x+c)*a^6+ \\ & 6*b^2*a^4-3*b^4*a^2-3*a^6+3*\cos(d*x+c)^3*a^4*b^2-15*\cos(d*x+c)^3*a^2*b^4-4* \\ & \cos(d*x+c)^3*a*b^5+6*\cos(d*x+c)^2*a^5*b-30*\cos(d*x+c)^2*a^3*b^3+10*\cos(d*x+c)^2*a^2*b^4+16*\cos(d*x+c)^2*a*b^5-15*\cos(d*x+c)*a^4*b^2+22*\cos(d*x+c)*a^3* \\ & b^3+8*\cos(d*x+c)*a^2*b^4-12*\cos(d*x+c)*a*b^5+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *a^6*\sin(d*x+c)-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *a^6*\sin(d*x+c)+8*\cos(d*x+c)^3*a^3*b^3+6*\cos(d*x+c)^2*a^4*b^2-6*\cos(d*x+c)*a^5*b+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *a^2*b^4*\sin(d*x+c)-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *\sin(d*x+c)*a^5*b+15*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *\sin(d*x+c)*a^4*b^2+15*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *\sin(d*x+c)*a^3*b^3-8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *a^2*b^4*\sin(d*x+c)-8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *\sin(d*x+c)*a*b^5-8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & *\cos(d*x+c)^2*\sin(d*x+c)*b^6+3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2} \end{aligned}$$

```

(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^6
-3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/
(a+b)^(1/2))*a^6-8*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/si
n(d*x+c),(-a-b)/(a+b)^(1/2))*b^6-6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x
+c),(-a-b)/(a+b)^(1/2))*a^5*b*sin(d*x+c)+7*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^4-16*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*Ell
ipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*sin(d*x+
c)*a*b^5-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*
cos(d*x+c)*sin(d*x+c)*a^5*b-21*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(
d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-
a-b)/(a+b)^(1/2))*cos(d*x+c)*sin(d*x+c)*a^4*b^2-13*cos(d*x+c)*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*a^3*b^3+10*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*
sin(d*x+c)*a^2*b^4+8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(
1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^5-6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*
((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*sin(d*x+c)*a^5*b+12*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE(
(-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)*sin(d*x+c)*a^4*
b^2+30*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(
a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(
d*x+c)*sin(d*x+c)*a^3*b^3+3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x
+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-
b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^5*b-6*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^4*b^2-15*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*
sin(d*x+c)*a^3*b^3+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(
1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b^4+8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a*b^5-3*(cos(d*x+c
)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*Ellip
ticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+
c)*a^5*b-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*
cos(d*x+c)^2*sin(d*x+c)*a^4*b^2+15*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^3*b^3+15*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b)^(1/2)*EllipticE((
-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2
*b^4-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(
a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b)^(1/2))*cos(
d*x+c)^2*sin(d*x+c)*a*b^5)/(a+b*cos(d*x+c))^(3/2)/sin(d*x+c)/cos(d*x+c)^(1/
2)/a^3/(a+b)^2/(a-b)^2

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{3/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^(3/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.643 \quad \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=473

$$\frac{4b^2(5a^2 - 3b^2) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{8b(2a^4 - 7a^2)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}}$$

[Out]  $\frac{2}{3}b^2 \sin(d*x+c)/a/(a^2-b^2)/d/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(3/2)}+4/3*b^2*(5*a^2-3*b^2)*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(a^4-13*a^2*b^2+8*b^4)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/a^3/(a^2-b^2)^2/d/\cos(d*x+c)^{(3/2)}-8/3*b*(2*a^4-7*a^2*b^2+4*b^4)*\cot(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^5/(a-b)/(a+b)^{(3/2)}/d+2/3*(a^4+9*a^3*b+16*a^2*b^2-12*a*b^3-16*b^4)*\cot(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a*(1-\sec(d*x+c))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))^{(1/2)}/a^4/(a-b)/(a+b)^{(3/2)}/d$

**Rubi [A]** time = 1.17, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {2802, 3055, 2998, 2816, 2994}

$$\frac{4b^2(5a^2 - 3b^2) \sin(c + dx)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2(-13a^2b^2 + 8b^4)}{3a^2d(a^2 - b^2)^2 \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} + \frac{2b^2 \sin(c + dx)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^(5/2)),x]

[Out]  $(-8*b*(2*a^4 - 7*a^2*b^2 + 4*b^4)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^5*(a - b)*(a + b)^{(3/2)*d} + (2*(a^4 + 9*a^3*b + 16*a^2*b^2 - 12*a*b^3 - 16*b^4)*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^4*(a - b)*(a + b)^{(3/2)*d} + (2*b^2*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)}*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (4*b^2*(5*a^2 - 3*b^2)*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^4 - 13*a^2*b^2 + 8*b^4)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*\text{Cos}[c + d*x]^{(3/2)})$

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

**Rule 2816**

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/(((b_)*sin[(e_)] + (f_)*(x_)))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_))/((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rule 3055

```
Int[((a_) + (b_)*sin[(e_)] + (f_)*(x_))^(m_)*((c_) + (d_)*sin[(e_)] + (f_)*(x_))^(n_)*((A_) + (B_)*sin[(e_)] + (f_)*(x_) + (C_)*sin[(e_)] + (f_)*(x_))^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{5}{2}}} dx &= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{2 \int \frac{\frac{3}{2}(a^2-2b^2) - \frac{3}{2}ab \cot(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{3a(a^2-b^2)d} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-7b^2)}{3a^2(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-7b^2)}{3a^2(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-7b^2)}{3a^2(a^2-b^2)^2 d \cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} \\
&= -\frac{8b(2a^4-7a^2b^2+4b^4) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^5(a-b)(a+b)^{\frac{3}{2}}d}
\end{aligned}$$

**Mathematica** [C] time = 6.49, size = 1351, normalized size = 2.86

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^(5/2)),x]

[Out] ((-4\*a\*(a^6 + 15\*a^4\*b^2 - 32\*a^2\*b^4 + 16\*b^6)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(8\*a^5\*b - 28\*a^3\*b^3 + 16\*a\*b^5)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(8\*a^4\*b^2 - 28\*a^2\*b^4 + 16\*b^6)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b

+ (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(3\*a^4\*(a - b)^2\*(a + b)^2\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*b^4\*Sin[c + d\*x])/(3\*a^3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) + (8\*(3\*a^2\*b^4\*Sin[c + d\*x] - 2\*b^6\*Sin[c + d\*x]))/(3\*a^4\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])) - (16\*b\*Tan[c + d\*x])/(3\*a^4) + (2\*Sec[c + d\*x]\*Tan[c + d\*x])/(3\*a^3))) /d

**fricas** [F] time = 1.30, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^6 + 3ab^2 \cos(dx + c)^5 + 3a^2b \cos(dx + c)^4 + a^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^6 + 3\*a\*b^2\*cos(d\*x + c)^5 + 3\*a^2\*b\*cos(d\*x + c)^4 + a^3\*cos(d\*x + c)^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.32, size = 4189, normalized size = 8.86

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] -2/3/d\*(16\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*b^7+cos(d\*x+c)^4\*a^5\*b^2-16\*cos(d\*x+c)^2\*a^2\*b^5+24\*cos(d\*x+c)^2\*a\*b^6+6\*cos(d\*x+c)\*a^6\*b-12\*cos(d\*x+c)\*a^4\*b^3+6\*cos(d\*x+c)\*a^2\*b^5-8\*cos(d\*x+c)^4\*a^4\*b^3-13\*cos(d\*x+c)^4\*a^3\*b^4+28\*cos(d\*x+c)^4\*a^2\*b^5+8\*cos(d\*x+c)^4\*a\*b^6+2\*cos(d\*x+c)^3\*a^6\*b-16\*cos(d\*x+c)^3\*a^5\*b^2-8\*cos(d\*x+c)^3\*a^4\*b^3+56\*cos(d\*x+c)^3\*a^3\*b^4-18\*cos(d\*x+c)^3\*a^2\*b^5-32\*cos(d\*x+c)^3\*a\*b^6-8\*cos(d\*x+c)^2\*a^6\*b+13\*cos(d\*x+c)^2\*a^5\*b^2+28\*cos(d\*x+c)^2\*a^4\*b^3-42\*cos(d\*x+c)^2\*a^3\*b^4+cos(d\*x+c)^2\*a^7-16\*cos(d\*x+c)^4\*b^7+16\*cos(d\*x+c)^3\*b^7-a^7+2\*a^5\*b^2-a^3\*b^4+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)\*a^7+16\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*b^7+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*a^7+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^6\*b-8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^5\*b^2+7\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a^4\*b^3





)^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a^6\*b+8\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*a^5\*b^2-28\*cos(d\*x+c)\*sin(d\*x+c)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a^4\*b^3-28\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*a^3\*b^4+16\*cos(d\*x+c)\*sin(d\*x+c)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a^2\*b^5+16\*cos(d\*x+c)\*sin(d\*x+c)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a\*b^6)/(a+b\*cos(d\*x+c))^(3/2)/sin(d\*x+c)/cos(d\*x+c)^(3/2)/(a-b)^2/(a+b)^2/a^4

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\cos(c + dx)^{5/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.644 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2+3 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=32

$$\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out] 2/5\*EllipticF(sin(d\*x+c)/(1+cos(d\*x+c)),1/5\*5^(1/2))/d\*5^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2813}

$$\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]]),x]

[Out] (2\*EllipticF[ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])], 1/5])/(Sqrt[5]\*d)

**Rule 2813**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -((a - b\*d)/(a + b\*d)))]/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2+3 \cos(c+dx)}} dx = \frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

**Mathematica [B]** time = 3.66, size = 131, normalized size = 4.09

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{3\cos(c+dx)+2}\sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)}\csc(c+dx)F\left(\sin^{-1}\left(\frac{1}{2}\sqrt{(3\cos(c+dx)+2)\csc^2\left(\frac{1}{2}(c+dx)\right)}\right)\right)}{d\sqrt{\frac{-3\cos(c+dx)-2}{\cos(c+dx)-1}}\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)-1}}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]]),x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]]\*Sqrt[Cot[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/2], -4])/(d\*Sqrt[(-2 - 3\*Cos[c + d\*x])/(-1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]/(-1 + Cos[c + d\*x])])

**fricas [F]** time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{3 \cos(dx+c)+2} \sqrt{\cos(dx+c)}}{3 \cos(dx+c)^2 + 2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^2 + 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(dx + c) + 2} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.20, size = 115, normalized size = 3.59

$$\frac{\sqrt{2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} (\sin^4(dx+c)) \sqrt{10} \sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{\sqrt{5}}{5}\right)}{5d\sqrt{2+3\cos(dx+c)} \cos(dx+c)^{\frac{3}{2}} (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(2+3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^4\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),1/5\*5^(1/2))/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(dx + c) + 2} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{3 \cos(c + dx) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) + 2)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) + 2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(c + dx) + 2} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(2+3\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(3\*cos(c + d\*x) + 2)\*sqrt(cos(c + d\*x))), x)

$$3.645 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-2+3 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=25

$$\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|5\right)}{d}$$

[Out] 2\*EllipticF(sin(d\*x+c)/(1+cos(d\*x+c)),5^(1/2))/d

**Rubi [A]** time = 0.05, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2813}

$$\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] (2\*EllipticF[ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])], 5])/d

Rule 2813

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -((a - b\*d)/(a + b\*d)))/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

Rubi steps

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-2+3 \cos(c+dx)}} dx = \frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)\middle|5\right)}{d}$$

**Mathematica [B]** time = 0.94, size = 156, normalized size = 6.24

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{-\left((3 \cos(c+dx)-2) \csc^2\left(\frac{1}{2}(c+dx)\right)\right)}}{\sqrt{5} d \sqrt{\cos(c+dx)} \sqrt{3 \cos(c+dx)-2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2]\*Sqrt[-((-2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[-((-2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)]/2], 4/5]\*Sin[(c + d\*x)/2]^4)/(Sqrt[5]\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]])

**fricas [F]** time = 1.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{3} \cos(dx+c)-2 \sqrt{\cos(dx+c)}}{3 \cos(dx+c)^2-2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(dx + c) - 2} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.19, size = 107, normalized size = 4.28

$$\frac{2 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} (\sin^4(dx+c)) \sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right)}{d\sqrt{-2+3\cos(dx+c)} \cos(dx+c)^{\frac{3}{2}} (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(-2+3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^4\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(dx + c) - 2} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) - 2)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(3\*cos(c + d\*x) - 2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3 \cos(c + dx) - 2} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(-2+3\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(3\*cos(c + d\*x) - 2)\*sqrt(cos(c + d\*x))), x)

$$3.646 \quad \int \frac{1}{\sqrt{2-3\cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=56

$$\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5} d \sqrt{\cos(c+dx)}}$$

[Out]  $-2/5*\text{EllipticF}(\sin(d*x+c)/(1-\cos(d*x+c)), 1/5*5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}/d*5^{(1/2)}/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2814, 2813}

$$\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5} d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]), x]

[Out]  $(-2*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{EllipticF}[\text{ArcSin}[\text{Sin}[c + d*x]/(1 - \text{Cos}[c + d*x])], 1/5])/(\text{Sqrt}[5]*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rule 2813**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -((a - b\*d)/(a + b\*d)))]/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rule 2814**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[Sign[b]\*Sin[e + f\*x]]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[Sign[b]\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && GtQ[b^2, 0] && !(EqQ[d^2, 1] && GtQ[b\*d, 0])

**Rubi steps**

$$\int \frac{1}{\sqrt{2-3\cos(c+dx)} \sqrt{\cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{1}{\sqrt{2-3\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} = -\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5} d \sqrt{\cos(c+dx)}}$$

**Mathematica [B]** time = 1.10, size = 143, normalized size = 2.55

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{(2-3\cos(c+dx)) \csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{\cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{d \sqrt{2-3\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out] (-4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[(2 - 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Sqrt[Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2]/2], -4]\*Sin[(c + d\*x)/2]^4)/(d\*Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 1.42, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-3 \cos(dx+c)+2} \sqrt{\cos(dx+c)}}{3 \cos(dx+c)^2 - 2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-3 \cos(dx+c)+2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.18, size = 119, normalized size = 2.12

$$\frac{2 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{\frac{3}{2}} \sqrt{2-3 \cos(dx+c)} \sqrt{\frac{-2+3 \cos(dx+c)}{1+\cos(dx+c)}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) (\sin^4(dx+c))}{d \cos(dx+c)^{\frac{3}{2}} (-2+3 \cos(dx+c)) (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*(2-3\*cos(d\*x+c))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-2+3\*cos(d\*x+c))/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-3 \cos(dx+c)+2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2-3 \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(2 - 3\*cos(c + d\*x))^(1/2)),x)

[Out] `int(1/(cos(c + d*x)^(1/2)*(2 - 3*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2 - 3 \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(2-3*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2), x)`

[Out] `Integral(1/(sqrt(2 - 3*cos(c + d*x))*sqrt(cos(c + d*x))), x)`



$$3.647 \quad \int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=49

$$-\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right) \middle| 5\right)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $-2*\text{EllipticF}(\sin(d*x+c)/(1-\cos(d*x+c)), 5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2814, 2813}

$$-\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right) \middle| 5\right)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]), x]

[Out]  $(-2*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{EllipticF}[\text{ArcSin}[\text{Sin}[c + d*x]/(1 - \text{Cos}[c + d*x])], 5])/d*\text{Sqrt}[\text{Cos}[c + d*x]]$

**Rule 2813**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -((a - b\*d)/(a + b\*d)))/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rule 2814**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[Sign[b]\*Sin[e + f\*x]]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[Sign[b]\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && GtQ[b^2, 0] && !(EqQ[d^2, 1] && GtQ[b\*d, 0])

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx &= \frac{\sqrt{-\cos(c+dx)} \int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{-\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} \\ &= -\frac{2\sqrt{-\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right) \middle| 5\right)}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [B]** time = 1.52, size = 153, normalized size = 3.12

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right) \csc(c+dx)} \sqrt{-\cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{(3 \cos(c+dx) + 2) \csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{3 \cos(c+dx) + 2} \sqrt{\cos(c+dx)}}{\sqrt{5} d \sqrt{-3 \cos(c+dx) - 2} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[5/2]\*Sqrt[Cos[c + d\*x]/(-1 + Cos[c + d\*x])]], 4/5]\*Sin[(c + d\*x)/2]^4)/(Sqrt[5]\*d\*Sqrt[-2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 1.95, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-3 \cos(dx+c)-2} \sqrt{\cos(dx+c)}}{3 \cos(dx+c)^2 + 2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^2 + 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-3 \cos(dx+c)-2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.19, size = 132, normalized size = 2.69

$$\frac{\sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{-2-3 \cos(dx+c)} \sqrt{10} \sqrt{\frac{2+3 \cos(dx+c)}{1+\cos(dx+c)}} \text{EllipticF}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5 \sin(dx+c)}, \sqrt{5}\right) (\sin^4(dx+c)) \sqrt{5}}{5d \cos(dx+c)^{\frac{3}{2}} (2+3 \cos(dx+c)) (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 1/5/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*(-2-3\*cos(d\*x+c))^(1/2)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(2+3\*cos(d\*x+c))/(-1+cos(d\*x+c))^2\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-3 \cos(dx+c)-2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c+d x)} \sqrt{-3 \cos(c+d x)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(1/2)*(- 3*cos(c + d*x) - 2)^(1/2)),x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(- 3*cos(c + d*x) - 2)^(1/2)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-3 \cos(c + dx) - 2} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-2-3*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)`

[Out] `Integral(1/(sqrt(-3*cos(c + d*x) - 2)*sqrt(cos(c + d*x))), x)`

$$3.648 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=58

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d}$$

[Out]  $2*\cot(d*x+c)*\text{EllipticF}(1/5*(3+2*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)}, I*5^{(1/2)})*(-\tan(d*x+c)^2)^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2815}

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]

[Out] (2\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[3 + 2\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[Cos[c + d\*x]])], -5]\*Sqrt[-Tan[c + d\*x]^2])/d

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)]]\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b))]/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{3+2\cos(c+dx)}} dx = \frac{2 \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3+2\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d} \sqrt{-\tan^2(c+dx)}$$

**Mathematica [B]** time = 1.05, size = 140, normalized size = 2.41

$$\frac{4\sqrt{\cos(c+dx)} \sqrt{2\cos(c+dx)+3} \sqrt{-\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{(2\cos(c+dx)+3)\csc^2\left(\frac{1}{2}(c+dx)\right)}}{\sqrt{6}}\right)\right) - 6}{d\sqrt{-\cos(c+dx)\csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{(2\cos(c+dx)+3)\csc^2\left(\frac{1}{2}(c+dx)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]

[Out] (4\*Sqrt[Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]\*Sqrt[-Cot[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(3 + 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/Sqrt[6]], 6])/((d\*Sqrt[-(Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2])\*Sqrt[(3 + 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2])

**fricas** [F] time = 1.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2 \cos(dx+c)} + 3 \sqrt{\cos(dx+c)}}{2 \cos(dx+c)^2 + 3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2 \cos(dx+c)} + 3 \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.22, size = 116, normalized size = 2.00

$$\frac{\sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{10} \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) (\sin^4(dx+c))}{5d\sqrt{3+2\cos(dx+c)} \cos(dx+c)^{\frac{3}{2}} (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(3+2\*cos(d\*x+c))^(1/2)\*10^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),1/5\*I\*5^(1/2))\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2 \cos(dx+c)} + 3 \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2 \cos(c+dx)} + 3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(1/2)\*(2\*cos(c+d\*x)+3)^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^(1/2)\*(2\*cos(c+d\*x)+3)^(1/2)),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2 \cos(c+dx)} + 3 \sqrt{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(1/2)/(3+2*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(1/(sqrt(2*cos(c + d*x) + 3)*sqrt(cos(c + d*x))), x)
```

$$3.649 \quad \int \frac{1}{\sqrt{3-2\cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=60

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out]  $2/5*\cot(d*x+c)*\text{EllipticF}((3-2*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}, 1/5*I*5^{(1/2)})*(-\tan(d*x+c)^2)^{1/2}/d*5^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2815}

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]), x]

[Out]  $(2*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]]]/\text{Sqrt}[\text{Cos}[c + d*x]]], -1/5)*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/(\text{Sqrt}[5]*d)$

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]]\*Rt[(a + b)/d, 2]]), -(a + b)/(a - b))]/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{3-2\cos(c+dx)} \sqrt{\cos(c+dx)}} dx = \frac{2 \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{-\tan^2(c+dx)}}{\sqrt{5}d}$$

**Mathematica [B]** time = 1.04, size = 144, normalized size = 2.40

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right) \csc(c+dx)} \sqrt{(3-2\cos(c+dx)) \csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{-\cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{d \sqrt{3-2\cos(c+dx)} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]), x]

[Out]  $(4*\text{Sqrt}[\text{Cot}[(c + d*x)/2]^2]*\text{Sqrt}[(3 - 2*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2]*\text{Sqrt}[-(\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2])* \text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]/(-1 + \text{Cos}[c + d*x])]]/\text{Sqrt}[3]], 6)*\text{Sin}[(c + d*x)/2]^4)/(d*\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]])$

**fricas** [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-2 \cos(dx+c)} + 3\sqrt{\cos(dx+c)}}{2 \cos(dx+c)^2 - 3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^2 - 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-2 \cos(dx+c)} + 3\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))), x)

**maple** [B] time = 0.19, size = 125, normalized size = 2.08

$$\frac{\sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{3-2 \cos(dx+c)} \sqrt{-\frac{2(-3+2 \cos(dx+c))}{1+\cos(dx+c)}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, i\sqrt{5}\right) (\sin^4(dx+c))}{d \cos(dx+c)^{\frac{3}{2}} (-3+2 \cos(dx+c)) (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] 1/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*(3-2\*cos(d\*x+c))^(1/2)\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), I\*5^(1/2))\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-3+2\*cos(d\*x+c))/(-1+cos(d\*x+c))^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-2 \cos(dx+c)} + 3\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-2\*cos(d\*x + c) + 3)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{3-2 \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c+d\*x)^(1/2)\*(3-2\*cos(c+d\*x))^(1/2)),x)

[Out] int(1/(cos(c+d\*x)^(1/2)\*(3-2\*cos(c+d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{3-2 \cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(3-2*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral(1/(sqrt(3 - 2*cos(c + d*x))*sqrt(cos(c + d*x))), x)
```

$$3.650 \quad \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-3+2 \cos(c+dx)}} dx$$

**Optimal.** Leaf size=84

$$\frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out]  $-2/5*\csc(d*x+c)*\text{EllipticF}((-3+2*\cos(d*x+c))^{(1/2)/(-\cos(d*x+c))^{(1/2)}, 1/5*I*5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(-\tan(d*x+c)^2)^{(1/2)}/d*5^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2817, 2815}

$$\frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[-3 + 2\*Cos[c + d\*x]]), x]

[Out]  $(-2*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]/\text{Sqrt}[-\text{Cos}[c + d*x]]], -1/5]*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/(\text{Sqrt}[5]*d)$

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]]], -((a + b)/(a - b)))/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rule 2817**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[-(d\*Sin[e + f\*x])]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[-(d\*Sin[e + f\*x])]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && NegQ[(a + b)/d]

**Rubi steps**

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-3+2 \cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-3+2 \cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} = \frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-3+2 \cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right)\right)}{\sqrt{5}d}$$

**Mathematica [A]** time = 1.26, size = 144, normalized size = 1.71

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\frac{2\cos(c+dx)-3}{\cos(c+dx)-1}}\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{-\cot^2\left(\frac{1}{2}(c+dx)\right)}F\left(\sin^{-1}\left(\frac{\sqrt{\frac{2\cos(c+dx)-3}{\cos(c+dx)-1}}}{\sqrt{3}}\right)\middle|\frac{6}{5}\right)}{\sqrt{5}d\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)-1}}\sqrt{2\cos(c+dx)-3}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[Cos[c + d\*x]]\*Sqrt[-3 + 2\*Cos[c + d\*x]]),x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*Sqrt[(-3 + 2\*Cos[c + d\*x])/(-1 + Cos[c + d\*x])] \* Sqrt[-Cot[(c + d\*x)/2]^2]\*EllipticF[ArcSin[Sqrt[(-3 + 2\*Cos[c + d\*x])/(-1 + Cos[c + d\*x])]]/Sqrt[3]], 6/5]\*Tan[(c + d\*x)/2]/(Sqrt[5]\*d\*Sqrt[Cos[c + d\*x]/(-1 + Cos[c + d\*x])]\*Sqrt[-3 + 2\*Cos[c + d\*x]])

**fricas [F]** time = 1.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{2\cos(dx+c)-3}\sqrt{\cos(dx+c)}}{2\cos(dx+c)^2-3\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^2 - 3\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2\cos(dx+c)-3}\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))), x)

**maple [A]** time = 0.20, size = 123, normalized size = 1.46

$$\frac{i\sqrt{2}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}}(\sin^4(dx+c))\sqrt{\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}}\text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)},\frac{i\sqrt{5}}{5}\right)\sqrt{5}}{5d\sqrt{-3+2\cos(dx+c)}\cos(dx+c)^{\frac{3}{2}}(-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x)

[Out] 1/5\*I/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(-3+2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^4\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c),1/5\*I\*5^(1/2))/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2\*5^(1/2)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2\cos(dx+c)-3}\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{2 \cos(c + dx) - 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/2)\*(2\*cos(c + d\*x) - 3)^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/2)\*(2\*cos(c + d\*x) - 3)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{2 \cos(c + dx) - 3} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/2)/(-3+2\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(2\*cos(c + d\*x) - 3)\*sqrt(cos(c + d\*x))), x)

$$3.651 \quad \int \frac{1}{\sqrt{-3-2\cos(c+dx)} \sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=82

$$\frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

[Out]  $-2*\csc(d*x+c)*\text{EllipticF}(1/5*(-3-2*\cos(d*x+c))^{(1/2)}*5^{(1/2)/(-\cos(d*x+c))^{(1/2)}, I*5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(-\tan(d*x+c)^2)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2817, 2815}

$$\frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out]  $(-2*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]]/(\text{Sqrt}[5]*\text{Sqrt}[-\text{Cos}[c + d*x]])], -5]*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/d$

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]]], -(a + b)/(a - b))]/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rule 2817**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[-(d\*Sin[e + f\*x])]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[-(d\*Sin[e + f\*x])]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && NegQ[(a + b)/d]

**Rubi steps**

$$\int \frac{1}{\sqrt{-3-2\cos(c+dx)} \sqrt{\cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{1}{\sqrt{-3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} = \frac{2\sqrt{-\cos(c+dx)} \sqrt{\cos(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

**Mathematica [A]** time = 1.06, size = 153, normalized size = 1.87

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{(2\cos(c+dx)+3) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{\sqrt{5} d \sqrt{-2\cos(c+dx)-3} \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]),x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Sqrt[(3 + 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[5/3]\*Sqrt[Cos[c + d\*x]/(-1 + Cos[c + d\*x])]]], 6/5)\*Sin[(c + d\*x)/2]^4/(Sqrt[5]\*d\*Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 1.31, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-2 \cos(dx+c)-3} \sqrt{\cos(dx+c)}}{2 \cos(dx+c)^2+3 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-2 \cos(dx+c)-3} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.20, size = 137, normalized size = 1.67

$$\frac{i\sqrt{2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{\frac{3}{2}} \sqrt{-3-2 \cos(dx+c)} \left(\sin^4(dx+c)\right) \sqrt{10} \sqrt{\frac{3+2 \cos(dx+c)}{1+\cos(dx+c)}} \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5 \sin(dx+c)}, i\sqrt{5}\right) \sqrt{\cos(dx+c)}}{5d \cos(dx+c)^{\frac{3}{2}} (3+2 \cos(dx+c)) (-1+\cos(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x)

[Out] -1/5\*I/d\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*(-3-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^4\*10^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), I\*5^(1/2))/cos(d\*x+c)^(3/2)/(3+2\*cos(d\*x+c))/(-1+cos(d\*x+c))^2\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-2 \cos(dx+c)-3} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-2 \cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(cos(c + d*x)^(1/2)*(- 2*cos(c + d*x) - 3)^(1/2)),x)`

[Out] `int(1/(cos(c + d*x)^(1/2)*(- 2*cos(c + d*x) - 3)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-2 \cos(c + dx) - 3} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-3-2*cos(d*x+c))**(1/2)/cos(d*x+c)**(1/2),x)`

[Out] `Integral(1/(sqrt(-2*cos(c + d*x) - 3)*sqrt(cos(c + d*x))), x)`

$$3.652 \quad \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{2+3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=54

$$\frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d\sqrt{-\cos(c+dx)}}$$

[Out] 2/5\*EllipticF(sin(d\*x+c)/(1+cos(d\*x+c)),1/5\*5^(1/2))\*cos(d\*x+c)^(1/2)/d\*5^(1/2)/(-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2814, 2813}

$$\frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]]),x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*EllipticF[ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])], 1/5))/(Sqrt[5]\*d\*Sqrt[-Cos[c + d\*x]])

#### Rule 2813

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -((a - b\*d)/(a + b\*d)))/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

#### Rule 2814

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[Sign[b]\*Sin[e + f\*x]]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[Sign[b]\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && GtQ[b^2, 0] && !(EqQ[d^2, 1] && GtQ[b\*d, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{2+3\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{2+3\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} \\ &= \frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d\sqrt{-\cos(c+dx)}} \end{aligned}$$

**Mathematica [B]** time = 0.61, size = 150, normalized size = 2.78

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{(3\cos(c+dx)+2) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{d\sqrt{-\cos(c+dx)} \sqrt{3\cos(c+dx)+2}}$$

Antiderivative was successfully verified.



[In] Integrate[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]]),x]

[Out] (-4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/2], -4]\*Sin[(c + d\*x)/2]^4)/(d\*Sqrt[-Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]])

**fricas** [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)+2}}{3\cos(dx+c)^2+2\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) + 2)/(3\*cos(d\*x + c)^2 + 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) + 2)), x)

**maple** [B] time = 0.19, size = 122, normalized size = 2.26

$$\frac{\text{EllipticF}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5\sin(dx+c)}, \sqrt{5}\right)\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{10}\sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}}(\sin^2(dx+c))\sqrt{5}}{5d\sqrt{2+3\cos(dx+c)}(-1+\cos(dx+c))\sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x)

[Out] 1/5/d\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(2+3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/(-cos(d\*x+c))^(1/2)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) + 2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{3\cos(c+dx)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((-cos(c + d*x))^(1/2)*(3*cos(c + d*x) + 2)^(1/2)),x)`

[Out] `int(1/((-cos(c + d*x))^(1/2)*(3*cos(c + d*x) + 2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c + dx)} \sqrt{3 \cos(c + dx) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(d*x+c))**(1/2)/(2+3*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(-cos(c + d*x))*sqrt(3*cos(c + d*x) + 2)), x)`

$$3.653 \quad \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-2+3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=47

$$\frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|5\right)}{d\sqrt{-\cos(c+dx)}}$$

[Out] 2\*EllipticF(sin(d\*x+c)/(1+cos(d\*x+c)),5^(1/2))\*cos(d\*x+c)^(1/2)/d/(-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2814, 2813}

$$\frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{\cos(c+dx)+1}\right)\middle|5\right)}{d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*EllipticF[ArcSin[Sin[c + d\*x]/(1 + Cos[c + d\*x])], 5)/(d\*Sqrt[-Cos[c + d\*x]])

**Rule 2813**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -(a - b\*d)/(a + b\*d))]/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rule 2814**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[Sign[b]\*Sin[e + f\*x]]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[Sign[b]\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && GtQ[b^2, 0] && !(EqQ[d^2, 1] && GtQ[b\*d, 0])

**Rubi steps**

$$\begin{aligned} \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-2+3\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{-2+3\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} \\ &= \frac{2\sqrt{\cos(c+dx)} F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1+\cos(c+dx)}\right)\middle|5\right)}{d\sqrt{-\cos(c+dx)}} \end{aligned}$$

**Mathematica [B]** time = 0.40, size = 158, normalized size = 3.36

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{-\left((3\cos(c+dx)-2)\csc^2\left(\frac{1}{2}(c+dx)\right)\right)}}{\sqrt{5} d \sqrt{-\cos(c+dx)} \sqrt{3\cos(c+dx)-2}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2]\*Sqrt[-((-2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[-((-2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)]/2], 4/5]\*Sin[(c + d\*x)/2]^4)/(Sqrt[5]\*d\*Sqrt[-Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]])

**fricas** [F] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)-2}}{3\cos(dx+c)^2-2\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) - 2)/(3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) - 2)), x)

**maple** [B] time = 0.19, size = 109, normalized size = 2.32

$$\frac{2 \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) \sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\sin^2(dx+c))}{d\sqrt{-2+3\cos(dx+c)}(-1+\cos(dx+c))\sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x)

[Out] 2/d\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/(-cos(d\*x+c))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(3\*cos(d\*x + c) - 2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((-cos(c + d*x))^(1/2)*(3*cos(c + d*x) - 2)^(1/2)),x)`

[Out] `int(1/((-cos(c + d*x))^(1/2)*(3*cos(c + d*x) - 2)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c + dx)} \sqrt{3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(d*x+c))**(1/2)/(-2+3*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(-cos(c + d*x))*sqrt(3*cos(c + d*x) - 2)), x)`

$$3.654 \quad \int \frac{1}{\sqrt{2-3\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=34

$$-\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out]  $-2/5*\text{EllipticF}(\sin(d*x+c)/(1-\cos(d*x+c)),1/5*5^{(1/2)})/d*5^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2813}

$$-\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]),x]

[Out]  $(-2*\text{EllipticF}[\text{ArcSin}[\sin[c + d*x]/(1 - \cos[c + d*x])], 1/5])/(\text{Sqrt}[5]*d)$

**Rule 2813**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*d\*EllipticF[ArcSin[Cos[e + f\*x]/(1 + d\*Sin[e + f\*x])], -(a - b\*d)/(a + b\*d))]/(f\*Sqrt[a + b\*d]), x] /; FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{2-3\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx = -\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|\frac{1}{5}\right)}{\sqrt{5}d}$$

**Mathematica [B]** time = 0.55, size = 145, normalized size = 4.26

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{(2-3\cos(c+dx))} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right)}{d \sqrt{2-3\cos(c+dx)} \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]),x]

[Out]  $(-4*\text{Sqrt}[\text{Cot}[(c + d*x)/2]^2]*\text{Sqrt}[(2 - 3*\text{Cos}[c + d*x])**\text{Csc}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[c + d*x]**\text{Csc}[(c + d*x)/2]^2]**\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + d*x]**\text{Csc}[(c + d*x)/2]^2]/2], -4]*\text{Sin}[(c + d*x)/2]^4)/(d*\text{Sqrt}[2 - 3*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]])$

**fricas [F]** time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)} \sqrt{-3\cos(dx+c)+2}}{3\cos(dx+c)^2 - 2\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) + 2)/(3\*cos(d\*x + c)^2 - 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) + 2)), x)

**maple** [B] time = 0.16, size = 121, normalized size = 3.56

$$\frac{2 \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) \sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{2-3\cos(dx+c)} (\sin^2(dx+c))}{d(3(\cos^2(dx+c)) - 5\cos(dx+c) + 2) \sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x)

[Out] -2/d\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(2-3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(3\*cos(d\*x+c)^2-5\*cos(d\*x+c)+2)/(-cos(d\*x+c))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) + 2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{2-3\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((-cos(c + d\*x))^(1/2)\*(2 - 3\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/((-cos(c + d\*x))^(1/2)\*(2 - 3\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{2-3\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(2-3\*cos(d\*x+c))\*\*(1/2)/(-cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(-cos(c + d\*x))\*sqrt(2 - 3\*cos(c + d\*x))), x)

$$3.655 \quad \int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=27

$$-\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|5\right)}{d}$$

[Out]  $-2*\text{EllipticF}(\sin(d*x+c)/(1-\cos(d*x+c)),5^{(1/2)})/d$

**Rubi [A]** time = 0.06, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2813}

$$-\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|5\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[1/(\text{Sqrt}[-2 - 3*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]]),x]$

[Out]  $(-2*\text{EllipticF}[\text{ArcSin}[\text{Sin}[c + d*x]/(1 - \text{Cos}[c + d*x])], 5])/d$

**Rule 2813**

$\text{Int}[1/(\text{Sqrt}[(d_*)*\sin[(e_*) + (f_*)*(x_*)]]*\text{Sqrt}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]]), x\_Symbol] :> \text{Simp}[(-2*d*\text{EllipticF}[\text{ArcSin}[\text{Cos}[e + f*x]/(1 + d*\text{Sin}[e + f*x])], -((a - b*d)/(a + b*d)))/(f*\text{Sqrt}[a + b*d]), x] /;$  FreeQ[{a, b, d, e, f}, x] && LtQ[a^2 - b^2, 0] && EqQ[d^2, 1] && GtQ[b\*d, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{-2-3 \cos(c+dx)} \sqrt{-\cos(c+dx)}} dx = -\frac{2F\left(\sin^{-1}\left(\frac{\sin(c+dx)}{1-\cos(c+dx)}\right)\middle|5\right)}{d}$$

**Mathematica [B]** time = 0.49, size = 155, normalized size = 5.74

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{(3 \cos(c+dx)+2) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{\sqrt{5} d \sqrt{-3 \cos(c+dx)-2} \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[1/(\text{Sqrt}[-2 - 3*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]]),x]$

[Out]  $(4*\text{Sqrt}[\text{Cot}[(c + d*x)/2]^2]*\text{Sqrt}[-(\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)]*\text{Sqrt}[(2 + 3*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[5/2]*\text{Sqrt}[\text{Cos}[c + d*x]/(-1 + \text{Cos}[c + d*x])]]], 4/5)*\text{Sin}[(c + d*x)/2]^4)/(\text{Sqrt}[5]*d*\text{Sqrt}[-2 - 3*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]])$

**fricas [F]** time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)} \sqrt{-3 \cos(dx+c)-2}}{3 \cos(dx+c)^2 + 2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) - 2)/(3\*cos(d\*x + c)^2 + 2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) - 2)), x)

**maple** [B] time = 0.18, size = 129, normalized size = 4.78

$$\frac{\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{\sqrt{5}}{5}\right) \sqrt{10} \sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{-2-3\cos(dx+c)} (\sin^2(dx+c))}{5d \left(3(\cos^2(dx+c)) - \cos(dx+c) - 2\right) \sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 1/5\*5^(1/2))\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-2-3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(3\*cos(d\*x+c)^2-cos(d\*x+c)-2)/(-cos(d\*x+c))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) - 2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{-3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((-cos(c + d\*x))^(1/2)\*(-3\*cos(c + d\*x) - 2)^(1/2)),x)

[Out] int(1/((-cos(c + d\*x))^(1/2)\*(-3\*cos(c + d\*x) - 2)^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{-3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x)

[Out] Integral(1/(sqrt(-cos(c + d\*x))\*sqrt(-3\*cos(c + d\*x) - 2)), x)

$$3.656 \quad \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=80

$$\frac{2 \cos^{\frac{3}{2}}(c+dx) \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right)}{d\sqrt{-\cos(c+dx)}}$$

[Out]  $2*\cos(d*x+c)^{(3/2)}*csc(d*x+c)*EllipticF(1/5*(3+2*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)}, I*5^{(1/2)})*(-\tan(d*x+c)^2)^{(1/2)}/d/(-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2817, 2815}

$$\frac{2 \cos^{\frac{3}{2}}(c+dx) \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right)}{d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]

[Out]  $(2*\cos[c + d*x]^{(3/2)}*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[3 + 2*\cos[c + d*x]]]/(Sqrt[5]*Sqrt[\cos[c + d*x]])], -5)*Sqrt[-Tan[c + d*x]^2]/(d*Sqrt[-Cos[c + d*x]])$

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]]], -(a + b)/(a - b))]/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rule 2817**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[-(d\*Sin[e + f\*x])]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[-(d\*Sin[e + f\*x])]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && NegQ[(a + b)/d]

**Rubi steps**

$$\int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{3+2\cos(c+dx)}} dx = \frac{\sqrt{\cos(c+dx)} \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{3+2\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}}$$

$$= \frac{2 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3+2\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right) \sqrt{-\tan^2(c+dx)}}{d\sqrt{-\cos(c+dx)}}$$

**Mathematica [A]** time = 0.61, size = 154, normalized size = 1.92

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{-\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{(2\cos(c+dx)+3) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{d\sqrt{-\cos(c+dx)} \sqrt{2\cos(c+dx)+3}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]),x]

[Out] (-4\*Sqrt[-Cot[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Sqrt[(3 + 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(3 + 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/Sqrt[6]], 6]\*Sin[(c + d\*x)/2]^4)/(d\*Sqrt[-Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]])

**fricas** [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)+3}}{2\cos(dx+c)^2+3\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) + 3)/(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) + 3)), x)

**maple** [A] time = 0.16, size = 127, normalized size = 1.59

$$\frac{i \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5\sin(dx+c)}, i\sqrt{5}\right) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{10} \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}} (\sin^2(dx+c)) \sqrt{5}}{5d\sqrt{3+2\cos(dx+c)} (-1+\cos(dx+c)) \sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x)

[Out] -1/5\*I/d\*EllipticF(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), I\*5^(1/2))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*10^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(3+2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/(-cos(d\*x+c))^(1/2)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) + 3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{2\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((-cos(c + d*x))^(1/2)*(2*cos(c + d*x) + 3)^(1/2)),x)`

[Out] `int(1/((-cos(c + d*x))^(1/2)*(2*cos(c + d*x) + 3)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c + dx)} \sqrt{2 \cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(-cos(d*x+c))**(1/2)/(3+2*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(-cos(c + d*x))*sqrt(2*cos(c + d*x) + 3)), x)`

$$3.657 \quad \int \frac{1}{\sqrt{3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=82

$$\frac{2 \cos^{\frac{3}{2}}(c+dx) \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

[Out]  $2/5*\cos(d*x+c)^{(3/2)}*\csc(d*x+c)*\text{EllipticF}((3-2*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}, 1/5*I*5^{(1/2)})*(-\tan(d*x+c)^2)^{(1/2)}/d*5^{(1/2)}/(-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2817, 2815}

$$\frac{2 \cos^{\frac{3}{2}}(c+dx) \sqrt{-\tan^2(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]), x]

[Out]  $(2*\text{Cos}[c + d*x]^{(3/2)}*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[3 - 2*\text{Cos}[c + d*x]]]/\text{Sqrt}[\text{Cos}[c + d*x]]], -1/5)*\text{Sqrt}[-\text{Tan}[c + d*x]^2]/(\text{Sqrt}[5]*d*\text{Sqrt}[-\text{Cos}[c + d*x]])$

**Rule 2815**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rule 2817**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Dist[Sqrt[-(d\*Sin[e + f\*x])]/Sqrt[d\*Sin[e + f\*x]], Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[-(d\*Sin[e + f\*x])]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && NegQ[(a + b)/d]

**Rubi steps**

$$\int \frac{1}{\sqrt{3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx = \frac{\sqrt{\cos(c+dx)} \int \frac{1}{\sqrt{3-2\cos(c+dx)} \sqrt{\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} = \frac{2 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{-\tan^2(c+dx)}}{\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

**Mathematica [A]** time = 0.48, size = 146, normalized size = 1.78

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{(3-2\cos(c+dx)) \csc^2\left(\frac{1}{2}(c+dx)\right)} \sqrt{-\cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{d \sqrt{3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]),x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[(3 - 2\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]/(-1 + Cos[c + d\*x])]]/Sqrt[3]], 6]\*Sin[(c + d\*x)/2]^4)/(d\*Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]])

**fricas** [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)+3}}{2\cos(dx+c)^2-3\cos(dx+c)},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) + 3)/(2\*cos(d\*x + c)^2 - 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) + 3)), x)

**maple** [A] time = 0.13, size = 107, normalized size = 1.30

$$\frac{2i \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{3-2\cos(dx+c)} \sqrt{5}}{5d \sqrt{-\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}} \sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x)

[Out] 2/5\*I/d\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c),1/5\*I\*5^(1/2))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) + 3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{3-2\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((-cos(c + d*x))^(1/2)*(3 - 2*cos(c + d*x))^(1/2)),x)`

[Out] `int(1/((-cos(c + d*x))^(1/2)*(3 - 2*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c + dx)} \sqrt{3 - 2\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(3-2*cos(d*x+c))**(1/2)/(-cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(-cos(c + d*x))*sqrt(3 - 2*cos(c + d*x))), x)`

$$3.658 \quad \int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=62

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out]  $-2/5*\cot(d*x+c)*\text{EllipticF}((-3+2*\cos(d*x+c))^{(1/2)/(-\cos(d*x+c))^{(1/2)}, 1/5*I*5^{(1/2)})*(-\tan(d*x+c)^2)^{(1/2)}/d*5^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2815}

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[-3 + 2\*Cos[c + d\*x]]),x]

[Out]  $(-2*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]/\text{Sqrt}[-\text{Cos}[c + d*x]]], -1/5)*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/(\text{Sqrt}[5]*d)$

**Rule 2815**

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{-3+2\cos(c+dx)}} dx = -\frac{2 \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-3+2\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{-\tan^2(c+dx)}}{\sqrt{5}d}$$

**Mathematica [B]** time = 0.69, size = 160, normalized size = 2.58

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{-\cot^2\left(\frac{1}{2}(c+dx)\right)} \cot(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{-\left((2\cos(c+dx)-3)\csc^2\right)}}{\sqrt{5}d(-\cos(c+dx))^{3/2}\sqrt{2\cos(c+dx)-3}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-Cos[c + d\*x]]\*Sqrt[-3 + 2\*Cos[c + d\*x]]),x]

[Out]  $(4*\text{Sqrt}[-\text{Cot}[(c + d*x)/2]^2]*\text{Cot}[c + d*x]*\text{Sqrt}[-(\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)]*\text{Sqrt}[-((-3 + 2*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]/(-1 + \text{Cos}[c + d*x])]/\text{Sqrt}[3]], 6/5)*\text{Sin}[(c + d*x)/2]^4)/(\text{Sqrt}[5]*d*(-\text{Cos}[c + d*x])^{(3/2)}*\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]])$



**fricas** [F] time = 1.51, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)-3}}{2\cos(dx+c)^2-3\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) - 3)/(2\*cos(d\*x + c)^2 - 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) - 3)), x)

**maple** [A] time = 0.12, size = 98, normalized size = 1.58

$$\frac{2\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, i\sqrt{5}\right)\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{-3+2\cos(dx+c)}}{d\sqrt{-\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}}\sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2), x)

[Out] 2/d\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), I\*5^(1/2))/(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-3+2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(2\*cos(d\*x + c) - 3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((-cos(c + d\*x))^(1/2)\*(2\*cos(c + d\*x) - 3)^(1/2)), x)

[Out] int(1/((-cos(c + d\*x))^(1/2)\*(2\*cos(c + d\*x) - 3)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c+dx)} \sqrt{2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-cos(d\*x+c))\*\*(1/2)/(-3+2\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(1/(sqrt(-cos(c + d\*x))\*sqrt(2\*cos(c + d\*x) - 3)), x)

$$3.659 \quad \int \frac{1}{\sqrt{-3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx$$

**Optimal.** Leaf size=60

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{d}$$

[Out]  $-2*\cot(d*x+c)*\text{EllipticF}(1/5*(-3-2*\cos(d*x+c))^{(1/2)}*5^{(1/2)/(-\cos(d*x+c))^{(1/2)}, I*5^{(1/2)})*(-\tan(d*x+c)^2)^{(1/2)}/d$

**Rubi [A]** time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2815}

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{d}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]),x]

[Out]  $(-2*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]]]/(\text{Sqrt}[5]*\text{Sqrt}[-\text{Cos}[c + d*x]])], -5)*\text{Sqrt}[-\text{Tan}[c + d*x]^2])/d$

**Rule 2815**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] :> Simp[(-2\*Sqrt[a^2]\*Sqrt[-Cot[e + f\*x]^2]\*Rt[(a + b)/d, 2]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b))]/(a\*f\*Sqrt[a^2 - b^2]\*Cot[e + f\*x]), x] /; FreeQ[{a, b, d, e, f}, x] && GtQ[a^2 - b^2, 0] && PosQ[(a + b)/d] && GtQ[a^2, 0]

**Rubi steps**

$$\int \frac{1}{\sqrt{-3-2\cos(c+dx)} \sqrt{-\cos(c+dx)}} dx = -\frac{2 \cot(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right) - 5}{d} \sqrt{-\tan^2(c+dx)}$$

**Mathematica [B]** time = 0.46, size = 155, normalized size = 2.58

$$\frac{4 \sin^4\left(\frac{1}{2}(c+dx)\right) \sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)} \csc(c+dx) \sqrt{-\cos(c+dx)} \csc^2\left(\frac{1}{2}(c+dx)\right) \sqrt{(2\cos(c+dx)+3) \csc^2\left(\frac{1}{2}(c+dx)\right)}}{\sqrt{5} d \sqrt{-2\cos(c+dx)-3} \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]),x]

[Out]  $(4*\text{Sqrt}[\text{Cot}[(c + d*x)/2]^2]*\text{Sqrt}[-(\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)]*\text{Sqrt}[(3 + 2*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[5/3]*\text{Sqrt}[\text{Cos}[c + d*x]/(-1 + \text{Cos}[c + d*x])]], 6/5]*\text{Sin}[(c + d*x)/2]^4)/(\text{Sqrt}[5]*d*\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]])$

**fricas** [F] time = 1.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)-3}}{2\cos(dx+c)^2+3\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) - 3)/(2\*cos(d\*x + c)^2 + 3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) - 3)), x)

**maple** [B] time = 0.17, size = 128, normalized size = 2.13

$$\frac{\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) \sqrt{10} \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{-3-2\cos(dx+c)} (\sin^2(dx+c))}{5d \left(2(\cos^2(dx+c)) + \cos(dx+c) - 3\right) \sqrt{-\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(-3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 1/5\*I\*5^(1/2))\*10^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-3-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(2\*cos(d\*x+c)^2+cos(d\*x+c)-3)/(-cos(d\*x+c))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) - 3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{-2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((-cos(c + d\*x))^(1/2)\*(-2\*cos(c + d\*x) - 3)^(1/2)),x)

[Out] int(1/((-cos(c + d\*x))^(1/2)\*(-2\*cos(c + d\*x) - 3)^(1/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-\cos(c+dx)}\sqrt{-2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(-3-2\*cos(d\*x+c))\*\*(1/2)/(-cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(-cos(c + d\*x))\*sqrt(-2\*cos(c + d\*x) - 3)), x)

$$3.660 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=77

$$\frac{4 \cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)+2}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| 5\right)}{3d}$$

[Out]  $-4/3*\cot(d*x+c)*\text{EllipticPi}(1/5*(2+3*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)},5/3,5^{(1/2)})*(-1-\sec(d*x+c))^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2809}

$$\frac{4 \cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)+2}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| 5\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[2 + 3\*Cos[c + d\*x]],x]

[Out]  $(-4*\text{Cot}[c + d*x]*\text{EllipticPi}[5/3, \text{ArcSin}[\text{Sqrt}[2 + 3*\text{Cos}[c + d*x]]]/(\text{Sqrt}[5]*\text{Sqrt}[\text{Cos}[c + d*x]])], 5)*\text{Sqrt}[-1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]]/(3*d)$

**Rule 2809**

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx = -\frac{4 \cot(c+dx) \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{2+3\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| 5\right) \sqrt{-1-\sec(c+dx)} \sqrt{1-\sec(c+dx)}}{3d}$$

**Mathematica [B]** time = 2.84, size = 175, normalized size = 2.27

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{3\cos(c+dx)+2}\sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)}\csc(c+dx)\left(3F\left(\sin^{-1}\left(\frac{1}{2}\sqrt{(3\cos(c+dx)+2)\csc^2\left(\frac{1}{2}(c+dx)\right)}\right)\right)\right)}{3d\sqrt{\frac{-3\cos(c+dx)-2}{\cos(c+dx)-1}}\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)-1}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[2 + 3\*Cos[c + d\*x]],x]

[Out]  $(2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[2 + 3*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cot}[(c + d*x)/2]^2]*\text{Csc}[c + d*x]*(3*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(2 + 3*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2]/2], -4] - 5*\text{EllipticPi}[-2/3, \text{ArcSin}[\text{Sqrt}[(2 + 3*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2]])/d$

) / 2] ^ 2] / 2], -4])) / (3 \* d \* Sqrt[(-2 - 3 \* Cos[c + d \* x]) / (-1 + Cos[c + d \* x])] \* Sqrt[Cos[c + d \* x] / (-1 + Cos[c + d \* x])])

**fricas** [F] time = 1.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**maple** [B] time = 0.21, size = 142, normalized size = 1.84

$$\frac{\sqrt{10} \sqrt{2} \left( \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{\sqrt{5}}{5}\right) - 2 \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{\sqrt{5}}{5}\right) \right) (\sin^2(dx+c)) \sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}}}{5d\sqrt{2+3\cos(dx+c)} (-1+\cos(dx+c)) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2), x)

[Out] -1/5/d\*10^(1/2)\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 1/5\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, 1/5\*5^(1/2)))\*sin(d\*x+c)^2\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(2+3\*cos(d\*x+c))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2+3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3\cos(c+dx)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(3\*cos(c + d\*x) + 2)^(1/2), x)

[Out] int(cos(c + d\*x)^(1/2)/(3\*cos(c + d\*x) + 2)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{3 \cos(c + dx) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(2+3\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(cos(c + d\*x))/sqrt(3\*cos(c + d\*x) + 2), x)



$$3.661 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx$$

Optimal. Leaf size=75

$$\frac{4 \cot(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)-2}}{\sqrt{\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5}d}$$

[Out]  $-4/15*\cot(d*x+c)*\text{EllipticPi}((-2+3*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}, 1/3, 1/5*5^{(1/2)})*(-1+\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d*5^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2809}

$$\frac{4 \cot(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)-2}}{\sqrt{\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[-2 + 3\*Cos[c + d\*x]], x]

[Out]  $(-4*\text{Cot}[c + d*x]*\text{EllipticPi}[1/3, \text{ArcSin}[\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]]/\text{Sqrt}[\text{Cos}[c + d*x]]], 1/5)*\text{Sqrt}[-1 + \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]/(3*\text{Sqrt}[5]*d)$

Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx = -\frac{4 \cot(c+dx) \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{-2+3\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| \frac{1}{5}\right) \sqrt{-1+\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{3\sqrt{5}d}$$

**Mathematica [A]** time = 0.69, size = 140, normalized size = 1.87

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\frac{3\cos(c+dx)-2}{\cos(c+dx)+1}} \left(F\left(\sin^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{1}{5}\right) - 2\Pi\left(-\frac{1}{5}; \sin^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{1}{5}\right)\right)}{\sqrt{5}d \sqrt{\cos(c+dx)} \sqrt{3\cos(c+dx)-2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[-2 + 3\*Cos[c + d\*x]], x]

[Out]  $(-4*\text{Cos}[(c + d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(-2 + 3*\text{Cos}[c + d*x])/(1 + \text{Cos}[c + d*x])]*(\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[5]*\text{Tan}[(c + d*x)/2]], 1/5] - 2*\text{EllipticPi}[-1/5, \text{ArcSin}[\text{Sqrt}[5]*\text{Tan}[(c + d*x)/2]], 1/5)))/(\text{Sqrt}[5]*d*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[-2 + 3*\text{Cos}[c + d*x]])$

**fricas** [F] time = 2.19, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**maple** [B] time = 0.18, size = 132, normalized size = 1.76

$$\frac{2\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{5}\right)\right) \sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\sin^2(dx+c))}{d\sqrt{-2+3\cos(dx+c)} (-1+\cos(dx+c)) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2), x)

[Out] -2/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, 5^(1/2)))\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-2+3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(3\*cos(c + d\*x) - 2)^(1/2), x)

[Out] int(cos(c + d\*x)^(1/2)/(3\*cos(c + d\*x) - 2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(-2+3*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(cos(c + d*x))/sqrt(3*cos(c + d*x) - 2), x)
```

$$3.662 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=99

$$\frac{4 \cos^2(c+dx) \csc(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

[Out]  $-4/15*\cos(d*x+c)^{(3/2)}*csc(d*x+c)*EllipticPi((2-3*\cos(d*x+c))^{(1/2)}/(-\cos(d*x+c))^{(1/2)}, 1/3, 1/5*5^{(1/2)})*(-1+\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d*5^{(1/2)}/(-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2810, 2809}

$$\frac{4 \cos^2(c+dx) \csc(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[2 - 3\*Cos[c + d\*x]], x]

[Out]  $(-4*\cos[c + d*x]^{(3/2)}*Csc[c + d*x]*EllipticPi[1/3, ArcSin[Sqrt[2 - 3*Cos[c + d*x]]/Sqrt[-Cos[c + d*x]]], 1/5]*Sqrt[-1 + Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])/(3*Sqrt[5]*d*Sqrt[-Cos[c + d*x]])$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx = \frac{\sqrt{\cos(c+dx)} \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} = -\frac{4 \cos^2(c+dx) \csc(c+dx) \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right) \sqrt{-1 + \sec(c+dx)} \sqrt{1 + \sec(c+dx)}}{3\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

**Mathematica [A]** time = 1.77, size = 145, normalized size = 1.46

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{-\frac{(2-3\cos(c+dx))^2}{(\cos(c+dx)+1)^2}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| 5\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| 5\right)\right)}{d \sqrt{2-3\cos(c+dx)} \sqrt{\cos(c+dx)} \sqrt{\frac{2-3\cos(c+dx)}{\cos(c+dx)+1}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[2 - 3\*Cos[c + d\*x]],x]

[Out]  $(-4 \cos((c + dx)/2)^2 \sqrt{-((2 - 3 \cos(c + dx))^2 / (1 + \cos(c + dx)))^2} \sqrt{\cos(c + dx) / (1 + \cos(c + dx))} * (\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], 5] - 2 * \text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + dx)/2]], 5])) / (d * \sqrt{2 - 3 * \cos(c + dx)} * \sqrt{\cos(c + dx)} * \sqrt{(2 - 3 * \cos(c + dx)) / (1 + \cos(c + dx))})$

**fricas** [F] time = 1.21, size = 0, normalized size = 0.00

$$\text{integral} \left( -\frac{\sqrt{-3 \cos(dx + c) + 2} \sqrt{\cos(dx + c)}}{3 \cos(dx + c) - 2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c) - 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{\sqrt{-3 \cos(dx + c) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) + 2), x)

**maple** [A] time = 0.19, size = 144, normalized size = 1.45

$$\frac{2 \left( \text{EllipticF} \left( \frac{-1 + \cos(dx + c)}{\sin(dx + c)}, \sqrt{5} \right) - 2 \text{EllipticPi} \left( \frac{-1 + \cos(dx + c)}{\sin(dx + c)}, -1, \sqrt{5} \right) \right) \sqrt{\frac{-2 + 3 \cos(dx + c)}{1 + \cos(dx + c)}} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sqrt{2 - 3 \cos(dx + c)}}{d \left( 3 \left( \cos^2(dx + c) \right) - 5 \cos(dx + c) + 2 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x)

[Out]  $2/d * (\text{EllipticF}((-1 + \cos(dx + c)) / \sin(dx + c), 5^{1/2}) - 2 * \text{EllipticPi}((-1 + \cos(dx + c)) / \sin(dx + c), -1, 5^{1/2})) * ((-2 + 3 * \cos(dx + c)) / (1 + \cos(dx + c)))^{1/2} * (\cos(dx + c) / (1 + \cos(dx + c)))^{1/2} * (2 - 3 * \cos(dx + c))^{1/2} * \sin(dx + c)^2 / (3 * \cos(dx + c)^2 - 5 * \cos(dx + c) + 2) / \cos(dx + c)^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx + c)}}{\sqrt{-3 \cos(dx + c) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) + 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{2 - 3 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(1/2)/(2 - 3*cos(c + d*x))^(1/2), x)`

[Out] `int(cos(c + d*x)^(1/2)/(2 - 3*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{2 - 3 \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(2-3*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(cos(c + d*x))/sqrt(2 - 3*cos(c + d*x)), x)`

$$3.663 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{4 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right)}{3d\sqrt{-\cos(c+dx)}}$$

[Out]  $-4/3*\cos(d*x+c)^{(3/2)}*csc(d*x+c)*EllipticPi(1/5*(-2-3*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/(-\cos(d*x+c))^{(1/2)},5/3,5^{(1/2)})*(-1-\sec(d*x+c))^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}/d/(-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2810, 2809}

$$\frac{4 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right)}{3d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[-2 - 3\*Cos[c + d\*x]],x]

[Out]  $(-4*\cos[c + d*x]^{(3/2)}*Csc[c + d*x]*EllipticPi[5/3, ArcSin[Sqrt[-2 - 3*Cos[c + d*x]]/(Sqrt[5]*Sqrt[-Cos[c + d*x]])], 5]*Sqrt[-1 - Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]])/(3*d*Sqrt[-Cos[c + d*x]])$

**Rule 2809**

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2810**

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx = \frac{\sqrt{\cos(c+dx)} \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} = -\frac{4 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-2-3\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right) \sqrt{-1-\sec(c+dx)}}{3d\sqrt{-\cos(c+dx)}}$$

**Mathematica** [A] time = 2.05, size = 155, normalized size = 1.53

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\frac{(3 \cos(c+dx)+2)^2}{(\cos(c+dx)+1)^2}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)\right) \Big|_{\frac{1}{5}} - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)}{\sqrt{5} d \sqrt{-3 \cos(c+dx) - 2} \sqrt{\cos(c+dx)}} \sqrt{\frac{3 \cos(c+dx)+2}{\cos(c+dx)+1}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[-2 - 3\*Cos[c + d\*x]],x]

[Out] (-4\*Cos[(c + d\*x)/2]^2\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[-((2 + 3\*Cos[c + d\*x])^2/(1 + Cos[c + d\*x])^2)]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], 1/5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], 1/5]))/(Sqrt[5]\*d\*Sqrt[-2 - 3\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[-((2 + 3\*Cos[c + d\*x])/(1 + Cos[c + d\*x]))])

**fricas** [F] time = 1.56, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-3 \cos(dx+c)-2} \sqrt{\cos(dx+c)}}{3 \cos(dx+c)+2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c) + 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-3 \cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) - 2), x)

**maple** [A] time = 0.18, size = 161, normalized size = 1.59

$$\frac{\sqrt{2} \sqrt{10} \left( \text{EllipticF}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5 \sin(dx+c)}, \sqrt{5}\right) - 2 \text{EllipticPi}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5 \sin(dx+c)}, -5, \sqrt{5}\right) \right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{2+3 \cos(dx+c)}{1+\cos(dx+c)}}}{5d \left( 3 \left( \cos^2(dx+c) \right) - \cos(dx+c) - 2 \right) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x)

[Out] 1/5/d\*2^(1/2)\*10^(1/2)\*(EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*EllipticPi(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), -5, 5^(1/2)))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(-2-3\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(3\*cos(d\*x+c)^2-cos(d\*x+c)-2)/cos(d\*x+c)^(1/2)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-3 \cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) - 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{-3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(- 3\*cos(c + d\*x) - 2)^(1/2),x)

[Out] int(cos(c + d\*x)^(1/2)/(- 3\*cos(c + d\*x) - 2)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{-3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)/(-2-3\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sqrt(cos(c + d\*x))/sqrt(-3\*cos(c + d\*x) - 2), x)

$$3.664 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=73

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

[Out]  $-3*\cot(d*x+c)*\text{EllipticPi}(1/5*(3+2*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)}, 5/2, I*5^{(1/2)})*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2808}

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[3 + 2\*Cos[c + d\*x]], x]

[Out]  $(-3*\text{Cot}[c + d*x]*\text{EllipticPi}[5/2, \text{ArcSin}[\text{Sqrt}[3 + 2*\text{Cos}[c + d*x]]]/(\text{Sqrt}[5]*\text{Sqrt}[\text{Cos}[c + d*x]])], -5)*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]/d$

**Rule 2808**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx = \frac{3 \cot(c+dx) \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{3+2\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right) \middle| -5\right) \sqrt{1-\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{d}$$

**Mathematica [A]** time = 1.44, size = 115, normalized size = 1.58

$$\frac{2\sqrt{\cos(c+dx)} \sqrt{2\cos(c+dx)+3} \sec^2\left(\frac{1}{2}(c+dx)\right) \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right)\right)}{\sqrt{5}d \sqrt{(3\cos(c+dx) + \cos(2(c+dx)) + 1) \sec^4\left(\frac{1}{2}(c+dx)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[3 + 2\*Cos[c + d\*x]], x]

[Out]  $(-2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[3 + 2*\text{Cos}[c + d*x]]*(\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], -1/5] - 2*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], -1/5])* \text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[5]*d*\text{Sqrt}[(1 + 3*\text{Cos}[c + d*x] + \text{Cos}[2*(c + d*x)])*\text{Sec}[(c + d*x)/2]^4])$

**fricas** [F] time = 1.47, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.18, size = 144, normalized size = 1.97

$$\frac{\sqrt{10} \sqrt{2} \left( \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) - 2 \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{i\sqrt{5}}{5}\right) \right) \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{5d\sqrt{3+2\cos(dx+c)}(-1+\cos(dx+c))\sqrt{\cos(dx+c)}} \left( \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*10^(1/2)\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),1/5\*I\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,1/5\*I\*5^(1/2)))\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(3+2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/2)/(2\*cos(c + d\*x) + 3)^(1/2),x)

[Out] int(cos(c + d\*x)^(1/2)/(2\*cos(c + d\*x) + 3)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(3+2*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(cos(c + d*x))/sqrt(2*cos(c + d*x) + 3), x)
```

$$3.665 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx$$

Optimal. Leaf size=75

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out] 3/5\*cot(d\*x+c)\*EllipticPi((3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2), -1/2, 1/5\*I\*5^(1/2))\*(1-sec(d\*x+c))^(1/2)\*(1+sec(d\*x+c))^(1/2)/d\*5^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2808}

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[3 - 2\*Cos[c + d\*x]], x]

[Out] (3\*Cot[c + d\*x]\*EllipticPi[-1/2, ArcSin[Sqrt[3 - 2\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(Sqrt[5]\*d)

Rule 2808

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -((c + d)/(c - d))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx = \frac{3 \cot(c+dx) \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{1-\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{\sqrt{5}d}$$

**Mathematica [A]** time = 0.84, size = 117, normalized size = 1.56

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{3-2\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -5\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -5\right)\right)}{d\sqrt{3-2\cos(c+dx)}\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[3 - 2\*Cos[c + d\*x]], x]

[Out] (-4\*Cos[(c + d\*x)/2]^2\*Sqrt[(3 - 2\*Cos[c + d\*x])/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], -5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], -5]))/(d\*Sqrt[3 - 2\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-2 \cos(dx+c)+3} \sqrt{\cos(dx+c)}}{2 \cos(dx+c)-3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-2\*cos(d\*x+c)+3)\*sqrt(cos(d\*x+c))/(2\*cos(d\*x+c)-3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-2 \cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x+c))/sqrt(-2\*cos(d\*x+c)+3), x)

**maple** [B] time = 0.18, size = 153, normalized size = 2.04

$$\frac{\sqrt{2} \left( \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, i\sqrt{5}\right) - 2 \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, i\sqrt{5}\right) \right) \sqrt{-\frac{2(-3+2 \cos(dx+c))}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{3-2}}{d \left( 2 \left( \cos^2(dx+c) \right) - 5 \cos(dx+c) + 3 \right) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),I\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,I\*5^(1/2)))\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(3-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(2\*cos(d\*x+c)^2-5\*cos(d\*x+c)+3)/cos(d\*x+c)^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-2 \cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x+c))/sqrt(-2\*cos(d\*x+c)+3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2 \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c+d\*x)^(1/2)/(3-2\*cos(c+d\*x))^(1/2),x)

[Out] int(cos(c+d\*x)^(1/2)/(3-2\*cos(c+d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2 \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)/(3-2*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(cos(c + d*x))/sqrt(3 - 2*cos(c + d*x)), x)
```

$$3.666 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=99

$$\frac{3 \cos^2(c+dx) \csc(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

[Out] 3/5\*cos(d\*x+c)^(3/2)\*csc(d\*x+c)\*EllipticPi((-3+2\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2), -1/2, 1/5\*I\*5^(1/2))\*(1-sec(d\*x+c))^(1/2)\*(1+sec(d\*x+c))^(1/2)/d\*5^(1/2)/(-cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2810, 2808}

$$\frac{3 \cos^2(c+dx) \csc(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5} d \sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[-3 + 2\*Cos[c + d\*x]], x]

[Out] (3\*Cos[c + d\*x]^(3/2)\*Csc[c + d\*x]\*EllipticPi[-1/2, ArcSin[Sqrt[-3 + 2\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(Sqrt[5]\*d\*Sqrt[-Cos[c + d\*x]])

**Rule 2808**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} \\ &= \frac{3 \cos^2(c+dx) \csc(c+dx) \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{-3+2\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{1-\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{\sqrt{5} d \sqrt{-\cos(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 0.98, size = 135, normalized size = 1.36

$$\frac{2i\sqrt{2\cos(c+dx)-3} \sqrt{\frac{\cos(c+dx)}{5\cos(c+dx)+5}} \left(F\left(i \sinh^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right) - 2\Pi\left(\frac{1}{5}; i \sinh^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right)\right)}{d \sqrt{\cos(c+dx)} \sqrt{\frac{3-2\cos(c+dx)}{\cos(c+dx)+1}}}$$



Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[-3 + 2\*Cos[c + d\*x]],x]

[Out]  $((-2*I)*\sqrt{-3 + 2*\cos[c + d*x]}*\sqrt{\cos[c + d*x]/(5 + 5*\cos[c + d*x])})*(\text{EllipticF}[I*\text{ArcSinh}[\sqrt{5}*\tan[(c + d*x)/2]], -1/5] - 2*\text{EllipticPi}[1/5, I*\text{ArcSinh}[\sqrt{5}*\tan[(c + d*x)/2]], -1/5])/(d*\sqrt{\cos[c + d*x]}*\sqrt{(3 - 2*\cos[c + d*x])/(1 + \cos[c + d*x])})$

**fricas** [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**maple** [A] time = 0.18, size = 158, normalized size = 1.60

$$\frac{i\sqrt{2}\left(2\text{EllipticPi}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{1}{5}, \frac{i\sqrt{5}}{5}\right) - \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right)\right)\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}}}{5d\sqrt{-3+2\cos(dx+c)}(-1+\cos(dx+c))\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x)

[Out]  $-1/5*I/d*2^{(1/2)}*(2*\text{EllipticPi}(I*(-1+\cos(d*x+c))*5^{(1/2)}/\sin(d*x+c), 1/5, 1/5 * I*5^{(1/2)}) - \text{EllipticF}(I*(-1+\cos(d*x+c))*5^{(1/2)}/\sin(d*x+c), 1/5*I*5^{(1/2)})) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} * (-2*(-3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)} / (-3+2*\cos(d*x+c))^{(1/2)} * \sin(d*x+c)^2 / (-1+\cos(d*x+c)) / \cos(d*x+c)^{(1/2)} * 5^{(1/2)}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(1/2)/(2*cos(c + d*x) - 3)^(1/2), x)`

[Out] `int(cos(c + d*x)^(1/2)/(2*cos(c + d*x) - 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{2\cos(c + dx) - 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(-3+2*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(cos(c + d*x))/sqrt(2*cos(c + d*x) - 3), x)`

$$3.667 \quad \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=97

$$\frac{3 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d\sqrt{-\cos(c+dx)}}$$

[Out]  $-3*\cos(d*x+c)^{(3/2)}*csc(d*x+c)*EllipticPi(1/5*(-3-2*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/(-\cos(d*x+c))^{(1/2)}, 5/2, I*5^{(1/2)})*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d/(-\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {2810, 2808}

$$\frac{3 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]/Sqrt[-3 - 2\*Cos[c + d\*x]], x]

[Out]  $(-3*\cos[c + d*x]^{(3/2)}*Csc[c + d*x]*EllipticPi[5/2, ArcSin[Sqrt[-3 - 2*Cos[c + d*x]]/(Sqrt[5]*Sqrt[-Cos[c + d*x]])], -5]*Sqrt[1 - Sec[c + d*x]]*Sqrt[1 + Sec[c + d*x]])/(d*Sqrt[-Cos[c + d*x]])$

**Rule 2808**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx = \frac{\sqrt{\cos(c+dx)} \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx}{\sqrt{-\cos(c+dx)}} = -\frac{3 \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right) \sqrt{1-\sec(c+dx)}}{d\sqrt{-\cos(c+dx)}}$$

**Mathematica [A]** time = 0.60, size = 113, normalized size = 1.16

$$\frac{2 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)(2\cos(c+dx)+3)} \sec^4\left(\frac{1}{2}(c+dx)\right) \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right) - 2\Pi\right)}{\sqrt{5}d\sqrt{-2\cos(c+dx)-3}\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]/Sqrt[-3 - 2\*Cos[c + d\*x]],x]

[Out] (-2\*Cos[(c + d\*x)/2]^2\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], -1/5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], -1/5])\*Sqrt[Cos[c + d\*x]\*(3 + 2\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^4]/(Sqrt[5]\*d\*Sqrt[-3 - 2\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]))

**fricas** [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-2 \cos(dx+c)-3} \sqrt{\cos(dx+c)}}{2 \cos(dx+c)+3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-2 \cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) - 3), x)

**maple** [A] time = 0.18, size = 168, normalized size = 1.73

$$\frac{i\sqrt{2} \sqrt{10} \left( \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5 \sin(dx+c)}, i\sqrt{5}\right) - 2 \text{EllipticPi}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5 \sin(dx+c)}, 5, i\sqrt{5}\right) \right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}}}{5d \left( 2 \left( \cos^2(dx+c) \right) + \cos(dx+c) - 3 \right) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x)

[Out] -1/5\*I/d\*2^(1/2)\*10^(1/2)\*(EllipticF(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), I\*5^(1/2))-2\*EllipticPi(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 5, I\*5^(1/2)))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(-3-2\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(2\*cos(d\*x+c)^2+cos(d\*x+c)-3)/cos(d\*x+c)^(1/2)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(dx+c)}}{\sqrt{-2 \cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) - 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2 \cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)^(1/2)/(- 2*cos(c + d*x) - 3)^(1/2), x)`

[Out] `int(cos(c + d*x)^(1/2)/(- 2*cos(c + d*x) - 3)^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(c + dx)}}{\sqrt{-2 \cos(c + dx) - 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)/(-3-2*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(cos(c + d*x))/sqrt(-2*cos(c + d*x) - 3), x)`

$$3.668 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=99

$$\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{-\sec(c+dx)-1}\sqrt{1-\sec(c+dx)}\Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)+2}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right)\Big|_5}{3d}$$

[Out]  $-4/3*\csc(d*x+c)*\text{EllipticPi}(1/5*(2+3*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)}, 5/3, 5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(-1-\sec(d*x+c))^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.10, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2810, 2809}

$$\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{-\sec(c+dx)-1}\sqrt{1-\sec(c+dx)}\Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)+2}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right)\Big|_5}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[2 + 3\*Cos[c + d\*x]], x]

[Out]  $(-4*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[5/3, \text{ArcSin}[\text{Sqrt}[2 + 3*\text{Cos}[c + d*x]]/(\text{Sqrt}[5]*\text{Sqrt}[\text{Cos}[c + d*x]])], 5]*\text{Sqrt}[-1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]])/(3*d)$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{2+3\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} = -\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{2+3\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right)\Big|_5}{3d}\sqrt{-\sec(c+dx)-1}$$

**Mathematica [A]** time = 0.77, size = 194, normalized size = 1.96

$$\frac{4\sin^4\left(\frac{1}{2}(c+dx)\right)\sqrt{\cot^2\left(\frac{1}{2}(c+dx)\right)}\csc(c+dx)\sqrt{-\cos(c+dx)}\csc^2\left(\frac{1}{2}(c+dx)\right)\sqrt{(3\cos(c+dx)+2)}\csc^2\left(\frac{1}{2}(c+dx)\right)}{3d\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[2 + 3\*Cos[c + d\*x]],x]

[Out] (4\*Sqrt[Cot[(c + d\*x)/2]^2]\*Sqrt[-(Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)]\*Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]\*Csc[c + d\*x]\*(3\*EllipticF[ArcSin[Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/2], -4] - 5\*EllipticPi[-2/3, ArcSin[Sqrt[(2 + 3\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2]/2], -4])\*Sin[(c + d\*x)/2]^4)/(3\*d\*Sqrt[-Cos[c + d\*x]]\*Sqrt[2 + 3\*Cos[c + d\*x]])

**fricas** [F] time = 1.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**maple** [A] time = 0.17, size = 159, normalized size = 1.61

$$\frac{\sqrt{2}\sqrt{10}\left(\text{EllipticF}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5\sin(dx+c)}, \sqrt{5}\right) - 2\text{EllipticPi}\left(\frac{\sqrt{5}(-1+\cos(dx+c))}{5\sin(dx+c)}, -5, \sqrt{5}\right)\right)\sqrt{-\cos(dx+c)}\left(\sin^2\left(\frac{dx+c}{2}\right)\right)}{5d\sqrt{2+3\cos(dx+c)}(-1+\cos(dx+c))\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x)

[Out] -1/5/d\*2^(1/2)\*10^(1/2)\*(EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*EllipticPi(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), -5, 5^(1/2)))/(2+3\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) + 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3\cos(c+dx)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-cos(c + d*x))^(1/2)/(3*cos(c + d*x) + 2)^(1/2), x)`

[Out] `int((-cos(c + d*x))^(1/2)/(3*cos(c + d*x) + 2)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{3\cos(c + dx) + 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-cos(d*x+c))**(1/2)/(2+3*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(-cos(c + d*x))/sqrt(3*cos(c + d*x) + 2), x)`



$$3.669 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=97

$$\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\sec(c+dx)-1}\sqrt{\sec(c+dx)+1}\Pi\left(\frac{1}{3};\sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)-2}}{\sqrt{\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)}{3\sqrt{5}d}$$

[Out] -4/15\*csc(d\*x+c)\*EllipticPi((-2+3\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),1/3,1/5\*5^(1/2))\*(-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(1/2)\*(-1+sec(d\*x+c))^(1/2)\*(1+sec(d\*x+c))^(1/2)/d\*5^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2810, 2809}

$$\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\sec(c+dx)-1}\sqrt{\sec(c+dx)+1}\Pi\left(\frac{1}{3};\sin^{-1}\left(\frac{\sqrt{3\cos(c+dx)-2}}{\sqrt{\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)}{3\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[-2 + 3\*Cos[c + d\*x]],x]

[Out] (-4\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[1/3, ArcSin[Sqrt[-2 + 3\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]]], 1/5]\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*Sqrt[5]\*d)

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{-2+3\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} = -\frac{4\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\Pi\left(\frac{1}{3};\sin^{-1}\left(\frac{\sqrt{-2+3\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)\sqrt{-\cos(c+dx)}}{3\sqrt{5}d}$$

**Mathematica [A]** time = 0.22, size = 142, normalized size = 1.46

$$\frac{4\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{3\cos(c+dx)-2}{\cos(c+dx)+1}}\left(F\left(\sin^{-1}\left(\sqrt{5}\tan\left(\frac{1}{2}(c+dx)\right)\right)\middle|\frac{1}{5}\right)-2\Pi\left(-\frac{1}{5};\sin^{-1}\left(\sqrt{5}\tan\left(\frac{1}{2}(c+dx)\right)\right)\middle|\frac{1}{5}\right)\right)}{\sqrt{5}d\sqrt{-\cos(c+dx)}\sqrt{3\cos(c+dx)-2}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[-2 + 3\*Cos[c + d\*x]],x]

[Out] (4\*Cos[(c + d\*x)/2]^2\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(-2 + 3\*Cos[c + d\*x])/(1 + Cos[c + d\*x])]\*(EllipticF[ArcSin[Sqrt[5]\*Tan[(c + d\*x)/2]], 1/5] - 2\*EllipticPi[-1/5, ArcSin[Sqrt[5]\*Tan[(c + d\*x)/2]], 1/5]))/(Sqrt[5]\*d\*Sqrt[-Cos[c + d\*x]]\*Sqrt[-2 + 3\*Cos[c + d\*x]])

**fricas** [F] time = 1.38, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**maple** [A] time = 0.19, size = 142, normalized size = 1.46

$$\frac{2\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{5}\right)\right)\left(\sin^2(dx+c)\right)\sqrt{-\cos(dx+c)}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{d\sqrt{-2+3\cos(dx+c)}(-1+\cos(dx+c))\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, 5^(1/2)))\*sin(d\*x+c)^2\*(-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(3\*cos(d\*x + c) - 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((-cos(c + d*x))^(1/2)/(3*cos(c + d*x) - 2)^(1/2), x)
```

```
[Out] int((-cos(c + d*x))^(1/2)/(3*cos(c + d*x) - 2)^(1/2), x)
```

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{3 \cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(d*x+c))**(1/2)/(-2+3*cos(d*x+c))**(1/2), x)
```

```
[Out] Integral(sqrt(-cos(c + d*x))/sqrt(3*cos(c + d*x) - 2), x)
```

$$3.670 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=77

$$\frac{4 \cot(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5}d}$$

[Out] -4/15\*cot(d\*x+c)\*EllipticPi((2-3\*cos(d\*x+c))^(1/2)/(-cos(d\*x+c))^(1/2),1/3,1/5\*5^(1/2))\*(-1+sec(d\*x+c))^(1/2)\*(1+sec(d\*x+c))^(1/2)/d\*5^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2809}

$$\frac{4 \cot(c+dx) \sqrt{\sec(c+dx)-1} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right)}{3\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[2 - 3\*Cos[c + d\*x]],x]

[Out] (-4\*Cot[c + d\*x]\*EllipticPi[1/3, ArcSin[Sqrt[2 - 3\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], 1/5]\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*Sqrt[5]\*d)

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx = -\frac{4 \cot(c+dx) \Pi\left(\frac{1}{3}; \sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| \frac{1}{5}\right) \sqrt{-1 + \sec(c+dx)} \sqrt{1 + \sec(c+dx)}}{3\sqrt{5}d}$$

**Mathematica [A]** time = 0.51, size = 147, normalized size = 1.91

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{-\frac{(2-3\cos(c+dx))^2}{(\cos(c+dx)+1)^2}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| 5\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)\right)}{d\sqrt{2-3\cos(c+dx)} \sqrt{-\cos(c+dx)} \sqrt{\frac{2-3\cos(c+dx)}{\cos(c+dx)+1}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[2 - 3\*Cos[c + d\*x]],x]

[Out] (4\*Cos[(c + d\*x)/2]^2\*Sqrt[-((2 - 3\*Cos[c + d\*x])^2/(1 + Cos[c + d\*x])^2)]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], 5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], 5]))/(d\*Sqrt[2 - 3\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]]\*Sqrt[(2 - 3\*Cos[c + d\*x])/(1 + Cos[c + d\*x])])

**fricas** [F] time = 1.29, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)+2}}{3\cos(dx+c)-2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) + 2)/(3\*cos(d\*x + c) - 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) + 2), x)

**maple** [B] time = 0.17, size = 154, normalized size = 2.00

$$\frac{2\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{5}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{5}\right)\right) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{-2+3\cos(dx+c)}{1+\cos(dx+c)}} (\sin^2(dx+c) + d(3(\cos^2(dx+c) - 5\cos(dx+c) + 2)\cos(dx+c))}{d(3(\cos^2(dx+c) - 5\cos(dx+c) + 2)\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x)

[Out] 2/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,5^(1/2)))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)^2\*(-cos(d\*x+c))^(1/2)\*(2-3\*cos(d\*x+c))^(1/2)/(3\*cos(d\*x+c)^2-5\*cos(d\*x+c)+2)/cos(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-3\cos(dx+c)+2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) + 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(c+d\*x))^(1/2)/(2-3\*cos(c+d\*x))^(1/2),x)

[Out] int((-cos(c+d\*x))^(1/2)/(2-3\*cos(c+d\*x))^(1/2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2-3\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(d*x+c))**(1/2)/(2-3*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(-cos(c + d*x))/sqrt(2 - 3*cos(c + d*x)), x)
```

$$3.671 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx$$

**Optimal.** Leaf size=79

$$\frac{4 \cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right)}{3d}$$

[Out]  $-4/3*\cot(d*x+c)*\text{EllipticPi}(1/5*(-2-3*\cos(d*x+c))^{(1/2)}*5^{(1/2)/(-\cos(d*x+c))^{(1/2)},5/3,5^{(1/2)})*(-1-\sec(d*x+c))^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2809}

$$\frac{4 \cot(c+dx) \sqrt{-\sec(c+dx)-1} \sqrt{1-\sec(c+dx)} \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[-2 - 3\*Cos[c + d\*x]],x]

[Out]  $(-4*\text{Cot}[c + d*x]*\text{EllipticPi}[5/3, \text{ArcSin}[\text{Sqrt}[-2 - 3*\text{Cos}[c + d*x]]]/(\text{Sqrt}[5]*\text{Sqrt}[-\text{Cos}[c + d*x]])], 5)*\text{Sqrt}[-1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 - \text{Sec}[c + d*x]]/(3*d)$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2-3\cos(c+dx)}} dx = -\frac{4 \cot(c+dx) \Pi\left(\frac{5}{3}; \sin^{-1}\left(\frac{\sqrt{-2-3\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| 5\right) \sqrt{-1-\sec(c+dx)} \sqrt{1-\sec(c+dx)}}{3d}$$

**Mathematica [A]** time = 0.51, size = 156, normalized size = 1.97

$$\frac{4 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{-\frac{(3\cos(c+dx)+2)^2}{(\cos(c+dx)+1)^2}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{1}{5}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{1}{5}\right)\right)}{\sqrt{5}d\sqrt{-3\cos(c+dx)-2}\sqrt{-\cos(c+dx)}\sqrt{\frac{-3\cos(c+dx)-2}{\cos(c+dx)+1}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[-2 - 3\*Cos[c + d\*x]],x]

[Out]  $(4*\text{Cos}[(c + d*x)/2]^2*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[-((2 + 3*\text{Cos}[c + d*x])^2/(1 + \text{Cos}[c + d*x])^2)]*(\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], 1/5] - 2*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], 1/5]))/(\text{Sqrt}[5]*d*\text{Sqrt}[-2$

$-3\cos[c + dx]]\sqrt{-\cos[c + dx]}\sqrt{(-2 - 3\cos[c + dx])/(1 + \cos[c + dx])}]$ )

**fricas** [F] time = 1.40, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{-3\cos(dx+c)-2}}{3\cos(dx+c)+2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(-3\*cos(d\*x + c) - 2)/(3\*cos(d\*x + c) + 2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) - 2), x)

**maple** [B] time = 0.18, size = 164, normalized size = 2.08

$$\frac{\sqrt{10}\sqrt{2}\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{\sqrt{5}}{5}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{\sqrt{5}}{5}\right)\right)\sqrt{\frac{2+3\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{-2-3\cos(dx+c)}}{5d\left(3\left(\cos^2(dx+c)\right) - \cos(dx+c) - 2\right)\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x)

[Out] 1/5/d\*10^(1/2)\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),1/5\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,1/5\*5^(1/2)))\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-2-3\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(3\*cos(d\*x+c)^2-cos(d\*x+c)-2)/cos(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-3\cos(dx+c)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-3\*cos(d\*x + c) - 2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3\cos(c+dx)-2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((-cos(c + d*x))^(1/2)/(- 3*cos(c + d*x) - 2)^(1/2),x)`

[Out] `int((-cos(c + d*x))^(1/2)/(- 3*cos(c + d*x) - 2)^(1/2), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{-3\cos(c + dx) - 2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-cos(d*x+c))**(1/2)/(-2-3*cos(d*x+c))**(1/2),x)`

[Out] `Integral(sqrt(-cos(c + d*x))/sqrt(-3*cos(c + d*x) - 2), x)`

$$3.672 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=95

$$\frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}\Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d}$$

[Out]  $-3*\csc(d*x+c)*\text{EllipticPi}(1/5*(3+2*\cos(d*x+c))^{(1/2)}*5^{(1/2)}/\cos(d*x+c)^{(1/2)}, 5/2, 1*5^{(1/2)})*(-\cos(d*x+c))^{(1/2)}*\cos(d*x+c)^{(1/2)}*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.10, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2810, 2808}

$$\frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}\Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)+3}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[3 + 2\*Cos[c + d\*x]], x]

[Out]  $(-3*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[5/2, \text{ArcSin}[\text{Sqrt}[3 + 2*\text{Cos}[c + d*x]]/(\text{Sqrt}[5]*\text{Sqrt}[\text{Cos}[c + d*x]])], -5]*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]])/d$

#### Rule 2808

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

#### Rule 2810

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

#### Rubi steps

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx = \frac{\sqrt{-\cos(c+dx)} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3+2\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}}$$

$$= \frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{3+2\cos(c+dx)}}{\sqrt{5}\sqrt{\cos(c+dx)}}\right)\right) - 5}{d}\sqrt{1-\sec(c+dx)}$$

**Mathematica [A]** time = 0.50, size = 117, normalized size = 1.23

$$\frac{2\sqrt{-\cos(c+dx)}\sqrt{2\cos(c+dx)+3}\sec^2\left(\frac{1}{2}(c+dx)\right)\left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right) - \frac{1}{5}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)}{\sqrt{5}d\sqrt{(3\cos(c+dx)+\cos(2(c+dx))+1)\sec^4\left(\frac{1}{2}(c+dx)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[3 + 2\*Cos[c + d\*x]],x]

[Out] (-2\*Sqrt[-Cos[c + d\*x]]\*Sqrt[3 + 2\*Cos[c + d\*x]]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], -1/5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], -1/5])\*Sec[(c + d\*x)/2]^2)/(Sqrt[5]\*d\*Sqrt[(1 + 3\*Cos[c + d\*x] + Cos[2\*(c + d\*x)])]\*Sec[(c + d\*x)/2]^4)

**fricas** [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**maple** [A] time = 0.18, size = 168, normalized size = 1.77

$$\frac{i\sqrt{2}\sqrt{10}\left(\text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5\sin(dx+c)}, i\sqrt{5}\right) - 2\text{EllipticPi}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{5\sin(dx+c)}, 5, i\sqrt{5}\right)\right)\sqrt{-\cos(dx+c)}\left(\sin^2(dx+c)\right)}{5d\sqrt{3+2\cos(dx+c)}(-1+\cos(dx+c))\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x)

[Out] 1/5\*I/d\*2^(1/2)\*10^(1/2)\*(EllipticF(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), I\*5^(1/2))-2\*EllipticPi(1/5\*I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 5, I\*5^(1/2)))/(3+2\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(-1+cos(d\*x+c))/cos(d\*x+c)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2\cos(c+dx)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-cos(c + d*x))^(1/2)/(2*cos(c + d*x) + 3)^(1/2), x)`

[Out] `int((-cos(c + d*x))^(1/2)/(2*cos(c + d*x) + 3)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{2\cos(c + dx) + 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-cos(d*x+c))**(1/2)/(3+2*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(-cos(c + d*x))/sqrt(2*cos(c + d*x) + 3), x)`

$$3.673 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=97

$$\frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}\Pi\left(-\frac{1}{2};\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)\right)}{\sqrt{5}d}$$

[Out] 3/5\*csc(d\*x+c)\*EllipticPi((3-2\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2),-1/2,1/5\*I\*5^(1/2))\*(-cos(d\*x+c))^(1/2)\*cos(d\*x+c)^(1/2)\*(1-sec(d\*x+c))^(1/2)\*(1+sec(d\*x+c))^(1/2)/d\*5^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.074$ , Rules used = {2810, 2808}

$$\frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}\Pi\left(-\frac{1}{2};\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[3 - 2\*Cos[c + d\*x]],x]

[Out] (3\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[-1/2, ArcSin[Sqrt[3 - 2\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(Sqrt[5]\*d)

**Rule 2808**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))]/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

**Rule 2810**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[b\*Sin[e + f\*x]]/Sqrt[-(b\*Sin[e + f\*x])], Int[Sqrt[-(b\*Sin[e + f\*x])]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && NegQ[(c + d)/b]

**Rubi steps**

$$\begin{aligned} \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx &= \frac{\sqrt{-\cos(c+dx)} \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{3\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\Pi\left(-\frac{1}{2};\sin^{-1}\left(\frac{\sqrt{3-2\cos(c+dx)}}{\sqrt{\cos(c+dx)}}\right)\right) - \frac{1}{5}\sqrt{1-\sec(c+dx)}}{\sqrt{5}d} \end{aligned}$$

**Mathematica [A]** time = 0.22, size = 119, normalized size = 1.23

$$\frac{4\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{3-2\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)-5\right)-2\Pi\left(-1;\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)}{d\sqrt{3-2\cos(c+dx)}\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[3 - 2\*Cos[c + d\*x]],x]

[Out] (4\*Cos[(c + d\*x)/2]^2\*Sqrt[(3 - 2\*Cos[c + d\*x])/(1 + Cos[c + d\*x])]\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], -5] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], -5]))/(d\*Sqrt[3 - 2\*Cos[c + d\*x]]\*Sqrt[-Cos[c + d\*x]])

**fricas** [F] time = 1.55, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)+3}}{2\cos(dx+c)-3},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) + 3)/(2\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) + 3), x)

**maple** [B] time = 0.17, size = 180, normalized size = 1.86

$$\frac{i\sqrt{2}\left(2\text{EllipticPi}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{1}{5}, \frac{i\sqrt{5}}{5}\right) - \text{EllipticF}\left(\frac{i(-1+\cos(dx+c))\sqrt{5}}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right)\right)\sqrt{3-2\cos(dx+c)}\sqrt{-\cos(dx+c)}}{5d\left(2\left(\cos^2(dx+c)\right) - 5\cos(dx+c) + 3\right)\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x)

[Out] 1/5\*I/d\*2^(1/2)\*(2\*EllipticPi(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c),1/5,1/5\*I\*5^(1/2))-EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c),1/5\*I\*5^(1/2)))\*(3-2\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(2\*cos(d\*x+c)^2-5\*cos(d\*x+c)+3)/cos(d\*x+c)\*5^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-2\cos(dx+c)+3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(3-2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) + 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{3-2\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-cos(c + d*x))^(1/2)/(3 - 2*cos(c + d*x))^(1/2), x)`

[Out] `int((-cos(c + d*x))^(1/2)/(3 - 2*cos(c + d*x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{3 - 2\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((-cos(d*x+c))**(1/2)/(3-2*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(-cos(c + d*x))/sqrt(3 - 2*cos(c + d*x)), x)`

$$3.674 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx$$

Optimal. Leaf size=77

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

[Out]  $3/5*\cot(d*x+c)*\text{EllipticPi}((-3+2*\cos(d*x+c))^{(1/2)/(-\cos(d*x+c))^{(1/2)}, -1/2, 1/5*I*5^{(1/2)})*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d*5^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2808}

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right)}{\sqrt{5}d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[-3 + 2\*Cos[c + d\*x]], x]

[Out]  $(3*\text{Cot}[c + d*x]*\text{EllipticPi}[-1/2, \text{ArcSin}[\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]/\text{Sqrt}[-\text{Cos}[c + d*x]]], -1/5)*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]/(\text{Sqrt}[5]*d)$

Rule 2808

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

Rubi steps

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3+2\cos(c+dx)}} dx = \frac{3 \cot(c+dx) \Pi\left(-\frac{1}{2}; \sin^{-1}\left(\frac{\sqrt{-3+2\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{1-\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{\sqrt{5}d}$$

**Mathematica [C]** time = 0.16, size = 140, normalized size = 1.82

$$\frac{2i \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{2\cos(c+dx)-3} \left( F\left(i \sinh^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right) - 2\Pi\left(\frac{1}{5}; i \sinh^{-1}\left(\sqrt{5} \tan\left(\frac{1}{2}(c+dx)\right)\right) \right) \right)}{\sqrt{5}d \sqrt{-\cos(c+dx)} \sqrt{\frac{3-2\cos(c+dx)}{\cos(c+dx)+1}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[-3 + 2\*Cos[c + d\*x]], x]

[Out]  $((2*I)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[-3 + 2*\text{Cos}[c + d*x]]*(\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[5]*\text{Tan}[(c + d*x)/2]], -1/5] - 2*\text{EllipticPi}[1/5, I*\text{ArcSinh}[\text{Sqrt}[5]*\text{Tan}[(c + d*x)/2]], -1/5]))/(\text{Sqrt}[5]*d*\text{Sqrt}[-\text{Cos}[c + d*x]]*\text{Sqrt}[(3 - 2*\text{Cos}[c + d*x])/(1 + \text{Cos}[c + d*x])])$



**fricas** [F] time = 2.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**maple** [B] time = 0.17, size = 152, normalized size = 1.97

$$\frac{\sqrt{2} \left( \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, i\sqrt{5}\right) - 2 \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, i\sqrt{5}\right) \right) \sqrt{-\frac{2(-3+2\cos(dx+c))}{1+\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}{d\sqrt{-3+2\cos(dx+c)} (-1+\cos(dx+c)) \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x)

[Out] -1/d\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), I\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, I\*5^(1/2)))\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/cos(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(2\*cos(d\*x + c) - 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(c+d\*x))^(1/2)/(2\*cos(c+d\*x)-3)^(1/2),x)

[Out] int((-cos(c+d\*x))^(1/2)/(2\*cos(c+d\*x)-3)^(1/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{2\cos(c + dx) - 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))\*\*(1/2)/(-3+2\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(sqrt(-cos(c + d\*x))/sqrt(2\*cos(c + d\*x) - 3), x)

$$3.675 \quad \int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx$$

Optimal. Leaf size=75

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

[Out]  $-3*\cot(d*x+c)*\text{EllipticPi}(1/5*(-3-2*\cos(d*x+c))^{(1/2)}*5^{(1/2)/(-\cos(d*x+c))}^{(1/2)}, 5/2, I*5^{(1/2)})*(1-\sec(d*x+c))^{(1/2)}*(1+\sec(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.05, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2808}

$$\frac{3 \cot(c+dx) \sqrt{1-\sec(c+dx)} \sqrt{\sec(c+dx)+1} \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[-Cos[c + d\*x]]/Sqrt[-3 - 2\*Cos[c + d\*x]], x]

[Out]  $(-3*\text{Cot}[c + d*x]*\text{EllipticPi}[5/2, \text{ArcSin}[\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]]]/(\text{Sqrt}[5]*\text{Sqrt}[-\text{Cos}[c + d*x]])], -5)*\text{Sqrt}[1 - \text{Sec}[c + d*x]]*\text{Sqrt}[1 + \text{Sec}[c + d*x]]/d$

Rule 2808

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*c\*Rt[b\*(c + d), 2]\*Tan[e + f\*x]\*Sqrt[1 + Csc[e + f\*x]]\*Sqrt[1 - Csc[e + f\*x]]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]]], -((c + d)/(c - d)))/(d\*f\*Sqrt[c^2 - d^2]), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[c^2 - d^2, 0] && PosQ[(c + d)/b] && GtQ[c^2, 0]

Rubi steps

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-3-2\cos(c+dx)}} dx = -\frac{3 \cot(c+dx) \Pi\left(\frac{5}{2}; \sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right) \middle| -5\right) \sqrt{1-\sec(c+dx)} \sqrt{1+\sec(c+dx)}}{d}$$

**Mathematica [A]** time = 0.31, size = 115, normalized size = 1.53

$$\frac{2 \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)(2\cos(c+dx)+3)} \sec^4\left(\frac{1}{2}(c+dx)\right) \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right) - 2\Pi\left(\frac{1}{5}; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| -\frac{1}{5}\right)\right)}{\sqrt{5}d\sqrt{-2\cos(c+dx)-3}\sqrt{-\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[-Cos[c + d\*x]]/Sqrt[-3 - 2\*Cos[c + d\*x]], x]

[Out]  $(2*\text{Cos}[(c + d*x)/2]^{2*(\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], -1/5] - 2*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], -1/5])*Sqrt[\text{Cos}[c + d*x]*(3 + 2*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^4])/(\text{Sqrt}[5]*d*\text{Sqrt}[-3 - 2*\text{Cos}[c + d*x]]*\text{Sqrt}[-\text{Cos}[c + d*x]])$

**fricas** [F] time = 3.86, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-\cos(dx+c)}\sqrt{-2\cos(dx+c)-3}}{2\cos(dx+c)+3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-cos(d\*x + c))\*sqrt(-2\*cos(d\*x + c) - 3)/(2\*cos(d\*x + c) + 3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) - 3), x)

**maple** [B] time = 0.18, size = 164, normalized size = 2.19

$$\frac{\sqrt{10}\sqrt{2}\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{i\sqrt{5}}{5}\right) - 2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{i\sqrt{5}}{5}\right)\right)\sqrt{\frac{3+2\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{-3-2\cos(dx+c)}}{5d\left(2\left(\cos^2(dx+c)\right)+\cos(dx+c)-3\right)\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(d\*x+c))^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x)

[Out] 1/5/d\*10^(1/2)\*2^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),1/5\*I\*5^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,1/5\*I\*5^(1/2)))\*((3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(-3-2\*cos(d\*x+c))^(1/2)\*(-cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(2\*cos(d\*x+c)^2+cos(d\*x+c)-3)/cos(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(dx+c)}}{\sqrt{-2\cos(dx+c)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-cos(d\*x+c))^(1/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(-cos(d\*x + c))/sqrt(-2\*cos(d\*x + c) - 3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{-\cos(c+dx)}}{\sqrt{-2\cos(c+dx)-3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-cos(c+d\*x))^(1/2)/(-2\*cos(c+d\*x)-3)^(1/2),x)

[Out] int((-cos(c+d\*x))^(1/2)/(-2\*cos(c+d\*x)-3)^(1/2),x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-\cos(c + dx)}}{\sqrt{-2\cos(c + dx) - 3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-cos(d*x+c))**(1/2)/(-3-2*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(-cos(c + d*x))/sqrt(-2*cos(c + d*x) - 3), x)
```

$$3.676 \quad \int \frac{\cos^{\frac{2}{3}}(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=176

$$\frac{a \sin(c+dx) \sqrt[6]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos(c+dx)}} - \frac{b \sin(c+dx) \cos^{\frac{2}{3}}(c+dx) F_1\left(\frac{1}{2}; -\frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos^2(c+dx)}}$$

[Out] -b\*AppellF1(1/2,-1/3,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*cos(d\*x+c)^(2/3)\*sin(d\*x+c)/(a^2-b^2)/d/(cos(d\*x+c)^2)^(1/3)+a\*AppellF1(1/2,1/6,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*(cos(d\*x+c)^2)^(1/6)\*sin(d\*x+c)/(a^2-b^2)/d/cos(d\*x+c)^(1/3)

**Rubi [A]** time = 0.20, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2823, 3189, 429}

$$\frac{a \sin(c+dx) \sqrt[6]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos(c+dx)}} - \frac{b \sin(c+dx) \cos^{\frac{2}{3}}(c+dx) F_1\left(\frac{1}{2}; -\frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(2/3)/(a + b\*Cos[c + d\*x]),x]

[Out] -((b\*AppellF1[1/2, -1/3, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^(2/3)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(Cos[c + d\*x]^2)^(1/3))) + (a\*AppellF1[1/2, 1/6, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*(Cos[c + d\*x]^2)^(1/6)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Cos[c + d\*x]^(1/3))

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2823

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)/((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(p\_), x\_Symbol] := With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2]))/(f\*(Sin[e + f\*x]^2)^(FracPart[(m - 1)/2])), Subst[Int[(1 - ff^2\*x^2)^(m - 1)/2]\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{2}{3}}(c+dx)}{a+b\cos(c+dx)} dx &= a \int \frac{\cos^{\frac{2}{3}}(c+dx)}{a^2-b^2\cos^2(c+dx)} dx - b \int \frac{\cos^{\frac{5}{3}}(c+dx)}{a^2-b^2\cos^2(c+dx)} dx \\
&= -\frac{\left(b\cos^{\frac{2}{3}}(c+dx)\right) \text{Subst}\left(\int \frac{\sqrt[3]{1-x^2}}{a^2-b^2+b^2x^2} dx, x, \sin(c+dx)\right) + \left(a\sqrt[6]{\cos^2(c+dx)}\right) \text{Subst}}{d\sqrt[3]{\cos^2(c+dx)}} \\
&= -\frac{bF_1\left(\frac{1}{2}; -\frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \cos^{\frac{2}{3}}(c+dx) \sin(c+dx)}{(a^2-b^2)d\sqrt[3]{\cos^2(c+dx)}} + \frac{aF_1\left(\frac{1}{2}; \frac{1}{6}, 1\right)}{d\sqrt[3]{\cos^2(c+dx)}}
\end{aligned}$$

**Mathematica [B]** time = 21.70, size = 4614, normalized size = 26.22

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(2/3)/(a + b\*Cos[c + d\*x]), x]

[Out] (9\*(a^2 - b^2)\*Sin[c + d\*x]\*((a\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, 1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 4/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 5/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 5\*(a^2 - b^2)\*AppellF1[3/2, 11/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2)))/(d\*Cos[c + d\*x]^(1/3)\*(a + b\*Cos[c + d\*x])\*(Sec[c + d\*x]^2)^(5/6)\*(-b^2 + a^2\*Sec[c + d\*x]^2)\*((9\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(1/6)\*((a\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, 1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 4/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 5/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 5\*(a^2 - b^2)\*AppellF1[3/2, 11/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2)))/(-b^2 + a^2\*Sec[c + d\*x]^2) - (18\*a^2\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(1/6)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, 1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 4/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 5/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 5/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 5\*(a^2 - b^2)\*AppellF1[3/2, 11/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2)))/(-b^2 + a^2\*Sec[c + d\*x]^2)^2 - (15\*(a^2 - b^2)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, 1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/3, 1,





$b^2)) * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / (5*(a^2 - b^2)) - \text{AppellF1}[5/2, 11/6, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) + 5*(a^2 - b^2) * ((-6*a^2 * \text{AppellF1}[5/2, 11/6, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / (5*(a^2 - b^2)) - (11 * \text{AppellF1}[5/2, 17/6, 1, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / 5)) / (-9*(a^2 - b^2) * \text{AppellF1}[1/2, 5/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] + (6*a^2 * \text{AppellF1}[3/2, 5/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] + 5*(a^2 - b^2) * \text{AppellF1}[3/2, 11/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Tan}[c + d*x]^2)) / ((\text{Sec}[c + d*x]^2)^{(5/6)} * (-b^2 + a^2 * \text{Sec}[c + d*x]^2)))$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{2}{3}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(2/3)/(b\*cos(d\*x + c) + a), x)

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{2}{3}}(dx+c)}{a + b \cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{2}{3}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(2/3)/(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{2/3}}{a + b \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(2/3)/(a + b*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^(2/3)/(a + b*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(2/3)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.677 \quad \int \frac{\sqrt[3]{\cos(c+dx)}}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=176

$$\frac{a \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \cos^{\frac{2}{3}}(c+dx)} - \frac{b \sin(c+dx) \sqrt[3]{\cos(c+dx)} F_1\left(\frac{1}{2}; -\frac{1}{6}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \sqrt[6]{\cos^2(c+dx)}}$$

[Out]  $-b \text{AppellF1}(1/2, -1/6, 1, 3/2, \sin(d*x+c)^2, -b^2 \sin(d*x+c)^2/(a^2-b^2)) * \cos(d*x+c)^{(1/3)} * \sin(d*x+c)/(a^2-b^2)/d/(\cos(d*x+c)^2)^{(1/6)} + a \text{AppellF1}(1/2, 1/3, 1, 3/2, \sin(d*x+c)^2, -b^2 \sin(d*x+c)^2/(a^2-b^2)) * (\cos(d*x+c)^2)^{(1/3)} * \sin(d*x+c)/(a^2-b^2)/d/\cos(d*x+c)^{(2/3)}$

**Rubi [A]** time = 0.19, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2823, 3189, 429}

$$\frac{a \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \cos^{\frac{2}{3}}(c+dx)} - \frac{b \sin(c+dx) \sqrt[3]{\cos(c+dx)} F_1\left(\frac{1}{2}; -\frac{1}{6}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \sqrt[6]{\cos^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(1/3)/(a + b\*Cos[c + d\*x]), x]

[Out]  $-((b \text{AppellF1}[1/2, -1/6, 1, 3/2, \text{Sin}[c + d*x]^2, -((b^2 \text{Sin}[c + d*x]^2)/(a^2 - b^2))]) * \text{Cos}[c + d*x]^{(1/3)} * \text{Sin}[c + d*x]) / ((a^2 - b^2) * d * (\text{Cos}[c + d*x]^2)^{(1/6)})) + (a \text{AppellF1}[1/2, 1/3, 1, 3/2, \text{Sin}[c + d*x]^2, -((b^2 \text{Sin}[c + d*x]^2)/(a^2 - b^2))]) * (\text{Cos}[c + d*x]^2)^{(1/3)} * \text{Sin}[c + d*x] / ((a^2 - b^2) * d * \text{Cos}[c + d*x]^{(2/3)})$

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2823

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)/((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2])]/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps

$$\int \frac{\sqrt[3]{\cos(c+dx)}}{a+b\cos(c+dx)} dx = a \int \frac{\sqrt[3]{\cos(c+dx)}}{a^2-b^2\cos^2(c+dx)} dx - b \int \frac{\cos^{\frac{4}{3}}(c+dx)}{a^2-b^2\cos^2(c+dx)} dx$$

$$= \frac{(b\sqrt[3]{\cos(c+dx)}) \operatorname{Subst}\left(\int \frac{\sqrt[6]{1-x^2}}{a^2-b^2+b^2x^2} dx, x, \sin(c+dx)\right)}{d\sqrt[6]{\cos^2(c+dx)}} + \frac{(a\sqrt[3]{\cos^2(c+dx)}) \operatorname{Subst}\left(\int \frac{\sqrt[6]{1-x^2}}{a^2-b^2+b^2x^2} dx, x, \sin(c+dx)\right)}{d}$$

$$= -\frac{bF_1\left(\frac{1}{2}; -\frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \sqrt[3]{\cos(c+dx)} \sin(c+dx)}{(a^2-b^2)d\sqrt[6]{\cos^2(c+dx)}} + \frac{aF_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \sqrt[3]{\cos(c+dx)} \sin(c+dx)}{(a^2-b^2)d\sqrt[6]{\cos^2(c+dx)}}$$

**Mathematica [B]** time = 21.33, size = 4613, normalized size = 26.21

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(1/3)/(a + b\*cos[c + d\*x]), x]

[Out] (9\*(a^2 - b^2)\*Sin[c + d\*x]\*((a\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2 + (b\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(3\*a^2\*AppellF1[3/2, 2/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(a^2 - b^2)\*AppellF1[3/2, 5/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2)/(d\*cos[c + d\*x]^(2/3)\*(a + b\*cos[c + d\*x])\*(Sec[c + d\*x]^2)^(2/3)\*(-b^2 + a^2\*Sec[c + d\*x]^2)\*((9\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(1/3)\*((a\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2 + (b\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(3\*a^2\*AppellF1[3/2, 2/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(a^2 - b^2)\*AppellF1[3/2, 5/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2))/(-b^2 + a^2\*Sec[c + d\*x]^2) - (18\*a^2\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(1/3)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2 + (b\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])/(9\*(a^2 - b^2)\*AppellF1[1/2, 2/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(3\*a^2\*AppellF1[3/2, 2/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + 2\*(a^2 - b^2)\*AppellF1[3/2, 5/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2))/(-b^2 + a^2\*Sec[c + d\*x]^2)^2 - (12\*(a^2 - b^2)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, 1/6,



$b^2)))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / (5*(a^2 - b^2)) - (4 * \text{AppellF1}[5/2, 5/3, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / 5) + 2*(a^2 - b^2) * ((-6 * a^2 * \text{AppellF1}[5/2, 5/3, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x]) / (5*(a^2 - b^2)) - 2 * \text{AppellF1}[5/2, 8/3, 1, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] * \text{Sec}[c + d*x]^2 * \text{Tan}[c + d*x])))) / (-9*(a^2 - b^2) * \text{AppellF1}[1/2, 2/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] + 2*(3 * a^2 * \text{AppellF1}[3/2, 2/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))] + 2*(a^2 - b^2) * \text{AppellF1}[3/2, 5/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2 * \text{Tan}[c + d*x]^2) / (a^2 - b^2))]) * \text{Tan}[c + d*x]^2)^2) / ((\text{Sec}[c + d*x]^2)^{2/3} * (-b^2 + a^2 * \text{Sec}[c + d*x]^2)))$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{1}{3}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(1/3)/(b\*cos(d\*x + c) + a), x)

**maple** [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{1}{3}}(dx+c)}{a + b \cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{1}{3}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(1/3)/(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^{1/3}}{a + b \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/3)/(a + b*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^(1/3)/(a + b*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/3)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.678 \quad \int \frac{1}{\sqrt[3]{\cos(c+dx)}(a+b\cos(c+dx))} dx$$

**Optimal.** Leaf size=176

$$\frac{a \sin(c+dx) \cos^2(c+dx)^{2/3} F_1\left(\frac{1}{2}; \frac{2}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \cos^{4/3}(c+dx)} - \frac{b \sin(c+dx) \sqrt[6]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos(c+dx)}}$$

[Out]  $-b \operatorname{AppellF1}\left(\frac{1}{2}, \frac{1}{6}, 1, \frac{3}{2}, \sin(d*x+c)^2, -\frac{b^2 \sin(d*x+c)^2}{a^2-b^2}\right) (\cos(d*x+c)^2)^{1/6} \sin(d*x+c) / (a^2-b^2) / d / \cos(d*x+c)^{1/3} + a \operatorname{AppellF1}\left(\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \sin(d*x+c)^2, -\frac{b^2 \sin(d*x+c)^2}{a^2-b^2}\right) (\cos(d*x+c)^2)^{2/3} \sin(d*x+c) / (a^2-b^2) / d / \cos(d*x+c)^{4/3}$

**Rubi [A]** time = 0.19, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2823, 3189, 429}

$$\frac{a \sin(c+dx) \cos^2(c+dx)^{2/3} F_1\left(\frac{1}{2}; \frac{2}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \cos^{4/3}(c+dx)} - \frac{b \sin(c+dx) \sqrt[6]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right)}{d(a^2-b^2) \sqrt[3]{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(1/3)\*(a + b\*Cos[c + d\*x])), x]

[Out]  $-((b \operatorname{AppellF1}\left[\frac{1}{2}, \frac{1}{6}, 1, \frac{3}{2}, \sin[c+d*x]^2, -\frac{(b^2 \sin[c+d*x]^2)}{a^2-b^2}\right]) (\cos[c+d*x]^2)^{1/6} \sin[c+d*x]) / ((a^2-b^2) d \cos[c+d*x]^{1/3}) + (a \operatorname{AppellF1}\left[\frac{1}{2}, \frac{2}{3}, 1, \frac{3}{2}, \sin[c+d*x]^2, -\frac{(b^2 \sin[c+d*x]^2)}{a^2-b^2}\right]) (\cos[c+d*x]^2)^{2/3} \sin[c+d*x]) / ((a^2-b^2) d \cos[c+d*x]^{4/3})$

#### Rule 429

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2823

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n+1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3189

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)^(p\_), x\_Symbol] := With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m-1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m-1)/2]))/(f\*(Sin[e + f\*x]^2)^FracPart[(m-1)/2]), Subst[Int[(1 - ff^2\*x^2)^(m-1)/2\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps



$$\begin{aligned} \int \frac{1}{\sqrt[3]{\cos(c+dx)}(a+b\cos(c+dx))} dx &= a \int \frac{1}{\sqrt[3]{\cos(c+dx)}(a^2-b^2\cos^2(c+dx))} dx - b \int \frac{\cos^{\frac{2}{3}}(c+dx)}{a^2-b^2\cos^2(c+dx)} dx \\ &= -\frac{(b\sqrt[6]{\cos^2(c+dx)}) \text{Subst}\left(\int \frac{1}{\sqrt[6]{1-x^2}(a^2-b^2+b^2x^2)} dx, x, \sin(c+dx)\right)}{d\sqrt[3]{\cos(c+dx)}} + \dots \\ &= -\frac{bF_1\left(\frac{1}{2}; \frac{1}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \sqrt[6]{\cos^2(c+dx)} \sin(c+dx)}{(a^2-b^2)d\sqrt[3]{\cos(c+dx)}} + \dots \end{aligned}$$

**Mathematica [B]** time = 21.34, size = 4605, normalized size = 26.16

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(1/3)\*(a + b\*Cos[c + d\*x])),x]

[Out]  $(9*(a^2 - b^2)*\text{Sin}[c + d*x]*((a*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sqrt}[\text{Sec}[c + d*x]^2])/(9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Tan}[c + d*x]^2 + (b*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])/(-9*(a^2 - b^2)*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Tan}[c + d*x]^2) / (d*\text{Cos}[c + d*x]^(4/3)*(a + b*\text{Cos}[c + d*x])* (\text{Sec}[c + d*x]^2)^(1/3)*(-b^2 + a^2*\text{Sec}[c + d*x]^2)*((9*(a^2 - b^2)*(\text{Sec}[c + d*x]^2)^(2/3)*((a*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Sqrt}[\text{Sec}[c + d*x]^2])/(9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) * \text{Tan}[c + d*x]^2 + (b*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])/(-9*(a^2 - b^2)*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Tan}[c + d*x]^2) / (-b^2 + a^2*\text{Sec}[c + d*x]^2) - (18*a^2*(a^2 - b^2)*(\text{Sec}[c + d*x]^2)^(2/3)*\text{Tan}[c + d*x]^2*((a*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Sqrt}[\text{Sec}[c + d*x]^2])/(9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) * \text{Tan}[c + d*x]^2 + (b*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])/(-9*(a^2 - b^2)*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]) * \text{Tan}[c + d*x]^2) / (-b^2 + a^2*\text{Sec}[c + d*x]^2)^2 - (6*(a^2 - b^2)*\text{Tan}[c + d*x]^2*((a*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])$

$$\begin{aligned}
& ]^2)/(a^2 - b^2)) * \text{Sqrt}[\text{Sec}[c + d*x]^2]/(9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, \\
& 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + (-6*a^2*\text{Ap} \\
& \text{pellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^ \\
& 2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c \\
& + d*x]^2)/(a^2 - b^2))]*\text{Tan}[c + d*x]^2 + (b*\text{AppellF1}[1/2, 1/3, 1, 3/2, - \\
& \text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))]/(-9*(a^2 - b^2)*\text{Appel} \\
& \text{llF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] \\
& + 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x] \\
& ^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, \\
& -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Tan}[c + d*x]^2))/((\text{Sec}[c + d*x]^2)^ \\
& (1/3)*(-b^2 + a^2*\text{Sec}[c + d*x]^2)) + (9*(a^2 - b^2)*\text{Tan}[c + d*x]*((a*\text{Appell} \\
& \text{F1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] \\
& * \text{Sqrt}[\text{Sec}[c + d*x]^2]*\text{Tan}[c + d*x])/ (9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, 1, 3 \\
& /2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + (-6*a^2*\text{AppellF} \\
& 1[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] \\
& + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d* \\
& x]^2)/(a^2 - b^2))]*\text{Tan}[c + d*x]^2) + (a*\text{Sqrt}[\text{Sec}[c + d*x]^2]*((-2*a^2*\text{App} \\
& \text{ellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2 \\
& 2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(3*(a^2 - b^2)) + (\text{AppellF1}[3/2, 5/6, 1, 5 \\
& /2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan} \\
& [c + d*x])/9))/ (9*(a^2 - b^2)*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, \\
& -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + (-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, \\
& -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{Appell} \\
& \text{F1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] \\
& * \text{Tan}[c + d*x]^2 + (b*((-2*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, \\
& -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]/(3*(a^2 - \\
& b^2)) - (2*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x] \\
& ^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/9))/(-9*(a^2 - b^2)*\text{AppellF1} \\
& [1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + \\
& 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2) \\
& / (a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -(( \\
& a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Tan}[c + d*x]^2 - (a*\text{AppellF1}[1/2, -1/6 \\
& , 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sqrt}[\text{Sec}[c \\
& + d*x]^2]*(2*(-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan} \\
& [c + d*x]^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c \\
& + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x] \\
& ] + 9*(a^2 - b^2)*((-2*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -(( \\
& a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/ (3*(a^2 - b^ \\
& 2)) + (\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/( \\
& a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/9) + \text{Tan}[c + d*x]^2*(-6*a^2*((-12 \\
& *a^2*\text{AppellF1}[5/2, -1/6, 3, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a \\
& ^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/ (5*(a^2 - b^2)) + (\text{AppellF1}[5/2, 5 \\
& /6, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d \\
& *x]^2*\text{Tan}[c + d*x])/5) + (a^2 - b^2)*((-6*a^2*\text{AppellF1}[5/2, 5/6, 2, 7/2, -T \\
& \text{an}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + \\
& d*x])/ (5*(a^2 - b^2)) - \text{AppellF1}[5/2, 11/6, 1, 7/2, -\text{Tan}[c + d*x]^2, -((a^2 \\
& * \text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]))/ (9*(a^2 - b^ \\
& 2)*\text{AppellF1}[1/2, -1/6, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 \\
& - b^2))] + (-6*a^2*\text{AppellF1}[3/2, -1/6, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan} \\
& [c + d*x]^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 5/6, 1, 5/2, -\text{Tan}[c \\
& + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Tan}[c + d*x]^2)^2 - (b*\text{Appe} \\
& \text{llF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)) \\
& ]*(4*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x] \\
& ^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, \\
& -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x] - 9*(a^2 \\
& - b^2)*((-2*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + \\
& d*x]^2)/(a^2 - b^2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/ (3*(a^2 - b^2)) - (2*\text{Ap} \\
& \text{pellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2 \\
& 2)))*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/9) + 2*\text{Tan}[c + d*x]^2*(3*a^2*((-12*a^2*\text{App}
\end{aligned}$$

$\text{ellF1}[5/2, 1/3, 3, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]]/(5*(a^2 - b^2)) - (2*\text{AppellF1}[5/2, 4/3, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/5) + (a^2 - b^2)*((-6*a^2*\text{AppellF1}[5/2, 4/3, 2, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x]]/(5*(a^2 - b^2)) - (8*\text{AppellF1}[5/2, 7/3, 1, 7/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))]*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/5)))/(-9*(a^2 - b^2))*\text{AppellF1}[1/2, 1/3, 1, 3/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + 2*(3*a^2*\text{AppellF1}[3/2, 1/3, 2, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))] + (a^2 - b^2)*\text{AppellF1}[3/2, 4/3, 1, 5/2, -\text{Tan}[c + d*x]^2, -((a^2*\text{Tan}[c + d*x]^2)/(a^2 - b^2))])* \text{Tan}[c + d*x]^2)^2)/((\text{Sec}[c + d*x]^2)^{1/3}*(-b^2 + a^2*\text{Sec}[c + d*x]^2)))$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)), x)

**maple** [F] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx + c)^{\frac{1}{3}} (a + b \cos(dx + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x)

[Out] int(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{\frac{1}{3}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(c + d*x)^(1/3)*(a + b*cos(c + d*x))),x)
```

```
[Out] int(1/(cos(c + d*x)^(1/3)*(a + b*cos(c + d*x))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(1/3)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.679 \quad \int \frac{1}{\cos^{\frac{2}{3}}(c+dx)(a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=176

$$\frac{a \sin(c+dx) \cos^2(c+dx)^{5/6} F_1\left(\frac{1}{2}; \frac{5}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) + b \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \cos^{\frac{5}{3}}(c+dx)} - \frac{b \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \cos^{\frac{2}{3}}(c+dx)}$$

[Out] -b\*AppellF1(1/2,1/3,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*(cos(d\*x+c)^2)^(1/3)\*sin(d\*x+c)/(a^2-b^2)/d/cos(d\*x+c)^(2/3)+a\*AppellF1(1/2,5/6,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*(cos(d\*x+c)^2)^(5/6)\*sin(d\*x+c)/(a^2-b^2)/d/cos(d\*x+c)^(5/3)

**Rubi [A]** time = 0.19, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {2823, 3189, 429}

$$\frac{a \sin(c+dx) \cos^2(c+dx)^{5/6} F_1\left(\frac{1}{2}; \frac{5}{6}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) + b \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \cos^{\frac{5}{3}}(c+dx)} - \frac{b \sin(c+dx) \sqrt[3]{\cos^2(c+dx)} F_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}\right)}{d(a^2-b^2) \cos^{\frac{2}{3}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[1/(Cos[c + d\*x]^(2/3)\*(a + b\*Cos[c + d\*x])),x]

[Out] -((b\*AppellF1[1/2, 1/3, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*(Cos[c + d\*x]^2)^(1/3)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Cos[c + d\*x]^(2/3))) + (a\*AppellF1[1/2, 5/6, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*(Cos[c + d\*x]^2)^(5/6)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Cos[c + d\*x]^(5/3))

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2823

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)/((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2]))/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^(m - 1)/2]\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps

$$\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)(a+b\cos(c+dx))} dx = a \int \frac{1}{\cos^{\frac{2}{3}}(c+dx)(a^2-b^2\cos^2(c+dx))} dx - b \int \frac{\sqrt[3]{\cos(c+dx)}}{a^2-b^2\cos^2(c+dx)} dx$$

$$= -\frac{(b\sqrt[3]{\cos^2(c+dx)}) \operatorname{Subst}\left(\int \frac{1}{\sqrt[3]{1-x^2}(a^2-b^2+b^2x^2)} dx, x, \sin(c+dx)\right)}{d \cos^{\frac{2}{3}}(c+dx)} + \dots$$

$$= -\frac{bF_1\left(\frac{1}{2}; \frac{1}{3}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \sqrt[3]{\cos^2(c+dx)} \sin(c+dx)}{(a^2-b^2)d \cos^{\frac{2}{3}}(c+dx)} + \dots$$

**Mathematica [B]** time = 21.20, size = 4608, normalized size = 26.18

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Cos[c + d\*x]^(2/3)\*(a + b\*Cos[c + d\*x])),x]

[Out] (9\*(a^2 - b^2)\*Sin[c + d\*x]\*((a\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, -1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 2/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) / (-9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) / (d\*Cos[c + d\*x]^(5/3)\*(a + b\*Cos[c + d\*x])\*(Sec[c + d\*x]^2)^(1/6)\*(-b^2 + a^2\*Sec[c + d\*x]^2)\*((9\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(5/6)\*((a\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, -1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 2/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) / (-9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) / (-b^2 + a^2\*Sec[c + d\*x]^2) - (18\*a^2\*(a^2 - b^2)\*(Sec[c + d\*x]^2)^(5/6)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Sqrt[Sec[c + d\*x]^2])/(9\*(a^2 - b^2)\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) - 2\*(3\*a^2\*AppellF1[3/2, -1/3, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (-a^2 + b^2)\*AppellF1[3/2, 2/3, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) + (b\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) / (-9\*(a^2 - b^2)\*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (6\*a^2\*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))]) + (a^2 - b^2)\*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])\*Tan[c + d\*x]^2) / (-b^2 + a^2\*Sec[c + d\*x]^2)^2 - (3\*(a^2 - b^2)\*Tan[c + d\*x]^2\*((a\*AppellF1[1/2, -1/3, 1, 3/2, -Tan[c + d\*x]^2, -((a^2\*Tan[c + d\*x]^2)/(a^2 - b^2))])



$(-12*a^2*AppellF1[5/2, 1/6, 3, 7/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))]*Sec[c + d*x]^2*Tan[c + d*x])/(5*(a^2 - b^2)) - (AppellF1[5/2, 7/6, 2, 7/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))]*Sec[c + d*x]^2*Tan[c + d*x])/5) + (a^2 - b^2)*((-6*a^2*AppellF1[5/2, 7/6, 2, 7/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))]*Sec[c + d*x]^2*Tan[c + d*x])/(5*(a^2 - b^2)) - (7*AppellF1[5/2, 13/6, 1, 7/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))]*Sec[c + d*x]^2*Tan[c + d*x])/5)))/(-9*(a^2 - b^2)*AppellF1[1/2, 1/6, 1, 3/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))] + (6*a^2*AppellF1[3/2, 1/6, 2, 5/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))] + (a^2 - b^2)*AppellF1[3/2, 7/6, 1, 5/2, -Tan[c + d*x]^2, -((a^2*Tan[c + d*x]^2)/(a^2 - b^2))]*Tan[c + d*x]^2)^2)/((Sec[c + d*x]^2)^(1/6)*(-b^2 + a^2*Sec[c + d*x]^2)))$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)), x)

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx + c)^{\frac{2}{3}} (a + b \cos(dx + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x)

[Out] int(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\cos(c + dx)^{\frac{2}{3}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int(1/(cos(c + d*x)^(2/3)*(a + b*cos(c + d*x))),x)
```

```
[Out] int(1/(cos(c + d*x)^(2/3)*(a + b*cos(c + d*x))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/cos(d*x+c)**(2/3)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.680 \quad \int \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int} \left( \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}}, x \right)$$

[Out] Unintegrable(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2), x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d\*x]^(7/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Defer[Int][Cos[c + d\*x]^(7/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

Rubi steps

$$\int \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx = \int \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Mathematica [A] time = 33.56, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{7}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(7/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Integrate[Cos[c + d\*x]^(7/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

fricas [A] time = 5.66, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^{\frac{7}{3}}}{\sqrt{b \cos(dx+c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(7/3)/sqrt(b\*cos(d\*x + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{7}{3}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(7/3)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{7}{3}}(dx + c)}{\sqrt{a + b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{7}{3}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(7/3)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\cos(c + dx)^{\frac{7}{3}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(7/3)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(7/3)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.681 \quad \int \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int} \left( \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}}, x \right)$$

[Out] Unintegrable(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2), x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d\*x]^(5/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Defer[Int][Cos[c + d\*x]^(5/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

Rubi steps

$$\int \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx = \int \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Mathematica [A] time = 80.14, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{5}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(5/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Integrate[Cos[c + d\*x]^(5/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

fricas [A] time = 5.22, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^{\frac{5}{3}}}{\sqrt{b \cos(dx+c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(5/3)/sqrt(b\*cos(d\*x + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{5}{3}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(5/3)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{5}{3}}(dx + c)}{\sqrt{a + b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{5}{3}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(5/3)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\cos(c + dx)^{\frac{5}{3}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/3)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(5/3)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.682 \quad \int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int} \left( \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}}, x \right)$$

[Out] Unintegrable(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2), x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d\*x]^(4/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Defer[Int][Cos[c + d\*x]^(4/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

Rubi steps

$$\int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx = \int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Mathematica [A] time = 19.41, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{4}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(4/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Integrate[Cos[c + d\*x]^(4/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

fricas [A] time = 3.57, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^{\frac{4}{3}}}{\sqrt{b \cos(dx+c)+a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(4/3)/sqrt(b\*cos(d\*x + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{4}{3}}}{\sqrt{b \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(4/3)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{4}{3}}(dx + c)}{\sqrt{a + b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{4}{3}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(4/3)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\cos(c + dx)^{\frac{4}{3}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(4/3)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(4/3)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{4}{3}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(4/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*(4/3)/sqrt(a + b\*cos(c + d\*x)), x)

$$3.683 \quad \int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int} \left( \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}}, x \right)$$

[Out] Unintegrable(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi** [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d\*x]^(2/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Defer[Int][Cos[c + d\*x]^(2/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

Rubi steps

$$\int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx = \int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Mathematica** [A] time = 9.18, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{2}{3}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(2/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Integrate[Cos[c + d\*x]^(2/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

**fricas** [A] time = 3.80, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^{\frac{2}{3}}}{\sqrt{b \cos(dx+c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(2/3)/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{2}{3}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(2/3)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{2}{3}}(dx + c)}{\sqrt{a + b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{2}{3}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(2/3)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\cos(c + dx)^{\frac{2}{3}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(2/3)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int(cos(c + d\*x)^(2/3)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{2}{3}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(2/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(cos(c + d\*x)\*\*(2/3)/sqrt(a + b\*cos(c + d\*x)), x)

$$3.684 \quad \int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=28

$$\text{Int}\left(\frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}, x\right)$$

[Out] Unintegrable(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi [A]** time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[c + d\*x]^(1/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Defer[Int][Cos[c + d\*x]^(1/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

Rubi steps

$$\int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx = \int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

**Mathematica [A]** time = 2.74, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[c + d\*x]^(1/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] Integrate[Cos[c + d\*x]^(1/3)/Sqrt[a + b\*Cos[c + d\*x]], x]

**fricas [A]** time = 1.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\cos(dx+c)^{\frac{1}{3}}}{\sqrt{b \cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^(1/3)/sqrt(b\*cos(d\*x + c) + a), x)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^{\frac{1}{3}}}{\sqrt{b \cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^(1/3)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{1}{3}}(dx + c)}{\sqrt{a + b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] int(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^{\frac{1}{3}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^(1/3)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\cos(c + dx)^{1/3}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(1/3)/(a + b\*cos(c + d\*x))^(1/2), x)

[Out] int(cos(c + d\*x)^(1/3)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/3)/(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Integral(cos(c + d\*x)\*\*(1/3)/sqrt(a + b\*cos(c + d\*x)), x)

$$3.685 \quad \int \frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}}, x\right)$$

[Out] Unintegrable(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Cos[c + d\*x]^(1/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Defer[Int][1/(Cos[c + d\*x]^(1/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

Rubi steps

$$\int \frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx = \int \frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

Mathematica [A] time = 1.93, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt[3]{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Cos[c + d\*x]^(1/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Integrate[1/(Cos[c + d\*x]^(1/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

fricas [A] time = 3.12, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{2}{3}}}{b \cos(dx+c)^2 + a \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)/(b\*cos(d\*x + c)^2 + a\*cos(d\*x + c)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)), x)

**maple** [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx+c)^{\frac{1}{3}} \sqrt{a+b\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(1/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c+dx)^{\frac{1}{3}} \sqrt{a+b\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(1/3)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(1/3)\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a+b\cos(c+dx)} \sqrt[3]{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(1/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(1/3)), x)

$$3.686 \quad \int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}}, x\right)$$

[Out] Unintegrable(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi [A]** time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Cos[c + d\*x]^(2/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Defer[Int][1/(Cos[c + d\*x]^(2/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

Rubi steps

$$\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx = \int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

**Mathematica [A]** time = 0.53, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^{\frac{2}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Cos[c + d\*x]^(2/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Integrate[1/(Cos[c + d\*x]^(2/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

**fricas [A]** time = 1.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{1}{3}}}{b\cos(dx+c)^2+a\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)/(b\*cos(d\*x + c)^2 + a\*cos(d\*x + c)), x)

**giac [A]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)), x)

**maple** [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx+c)^{\frac{2}{3}} \sqrt{a+b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(2/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c+dx)^{\frac{2}{3}} \sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(2/3)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(2/3)\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a+b \cos(c+dx)} \cos^{\frac{2}{3}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(2/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(2/3)), x)

$$3.687 \quad \int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}}, x\right)$$

[Out] Unintegrable(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi** [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Cos[c + d\*x]^(4/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Defer[Int][1/(Cos[c + d\*x]^(4/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

Rubi steps

$$\int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx = \int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

**Mathematica** [A] time = 82.32, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^{\frac{4}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Cos[c + d\*x]^(4/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Integrate[1/(Cos[c + d\*x]^(4/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

**fricas** [A] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{2}{3}}}{b\cos(dx+c)^3+a\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)/(b\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{4}{3}}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(4/3)), x)

maple [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx+c)^{\frac{4}{3}} \sqrt{a+b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(4/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(4/3)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c+dx)^{\frac{4}{3}} \sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(4/3)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(4/3)\*(a + b\*cos(c + d\*x))^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a+b \cos(c+dx)} \cos^{\frac{4}{3}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(4/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(4/3)), x)

$$3.688 \quad \int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}}, x\right)$$

[Out] Unintegrable(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi** [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Cos[c + d\*x]^(5/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Defer[Int][1/(Cos[c + d\*x]^(5/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

Rubi steps

$$\int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx = \int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

**Mathematica** [A] time = 29.30, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^{\frac{5}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Cos[c + d\*x]^(5/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Integrate[1/(Cos[c + d\*x]^(5/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

**fricas** [A] time = 1.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{1}{3}}}{b\cos(dx+c)^3+a\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(1/3)/(b\*cos(d\*x + c)^3 + a\*cos(d\*x + c)^2), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/3)), x)

**maple** [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx+c)^{\frac{5}{3}} \sqrt{a+b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(5/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/3)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c+dx)^{\frac{5}{3}} \sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(5/3)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(5/3)\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a+b \cos(c+dx)} \cos^{\frac{5}{3}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(5/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(1/(sqrt(a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*(5/3)), x)

$$3.689 \quad \int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Optimal. Leaf size=28

$$\text{Int}\left(\frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}}, x\right)$$

[Out] Unintegrable(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2), x)

**Rubi** [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$ , Rules used = {}

$$\int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(Cos[c + d\*x]^(7/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Defer[Int][1/(Cos[c + d\*x]^(7/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

Rubi steps

$$\int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx = \int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

**Mathematica** [A] time = 86.23, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^{\frac{7}{3}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(Cos[c + d\*x]^(7/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] Integrate[1/(Cos[c + d\*x]^(7/3)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

**fricas** [A] time = 1.76, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{2}{3}}}{b\cos(dx+c)^4+a\cos(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(2/3)/(b\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3), x)

**giac** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b\cos(dx+c)+a}\cos(dx+c)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(7/3)), x)

**maple** [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(dx+c)^{\frac{7}{3}} \sqrt{a+b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] int(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x)

**maxima** [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)^(7/3)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(7/3)), x)

**mupad** [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{\cos(c+dx)^{\frac{7}{3}} \sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(c + d\*x)^(7/3)\*(a + b\*cos(c + d\*x))^(1/2)),x)

[Out] int(1/(cos(c + d\*x)^(7/3)\*(a + b\*cos(c + d\*x))^(1/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(d\*x+c)\*\*(7/3)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

### 3.690 $\int (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=151

$$\frac{2A \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{6A \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} - \frac{6A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{5d}$$

[Out]  $2/3*B*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*A*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+6/5*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3768, 3771, 2641, 2639}

$$\frac{2A \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d} + \frac{6A \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} - \frac{6A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out]  $(-6*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (6*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (2*B*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*A*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

$\text{Int}[(\text{csc}[e\_.] + (f\_.)*(x\_)]*(d\_.)^{(n\_.)}*(\text{csc}[e\_.] + (f\_.)*(x\_)]*(b\_.) + (a\_.) , x\_Symbol] := \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rubi steps

$$\begin{aligned} \int (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx)) dx \\ &= A \int \sec^{\frac{7}{2}}(c + dx) dx + B \int \sec^{\frac{5}{2}}(c + dx) dx \\ &= \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5}(3A) \\ &= \frac{6A \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} \\ &= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{6A \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\ &= -\frac{6A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2B \sqrt{\cos(c + dx)} \sin(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.35, size = 97, normalized size = 0.64

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left( 21A \sin(c + dx) + 9A \sin(3(c + dx)) - 36A \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 10B \sin(2(c + dx)) \right) + 10B \sin(2(c + dx))}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (Sec[c + d\*x]^(5/2)\*(-36\*A\*Cos[c + d\*x]^(5/2)\*EllipticE[(c + d\*x)/2, 2] + 20\*B\*Cos[c + d\*x]^(5/2)\*EllipticF[(c + d\*x)/2, 2] + 21\*A\*Sin[c + d\*x] + 10\*B\*Sin[2\*(c + d\*x)] + 9\*A\*Sin[3\*(c + d\*x)])/(30\*d)

**fricas [F]** time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2), x)

**maple [B]** time = 2.18, size = 502, normalized size = 3.32

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2A\left(12\operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right)\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)-1}\sqrt{\frac{1-\cos(dx+c)}{2}}\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)`

[Out] 
$$\begin{aligned} & -\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\left(-\frac{2}{5}A/(8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6-12\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+6\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\left(12\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)}\right)\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2-1\right)^{(1/2)}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4-24\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^6-12\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)}\right)\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)^2-1\right)^{(1/2)}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^2+24\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)+3\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{(1/2)}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)}\right)-8\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}+2B\left(-\frac{1}{6}\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\right)/\left(-\frac{1}{2}+\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^2+1/3\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{(1/2)}\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{(1/2)}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{(1/2)}\right)\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{(1/2)}/d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left(\frac{1}{\cos(c + dx)}\right)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2),x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(7/2), x)`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)`

[Out] Timed out



### 3.691 $\int (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=123

$$\frac{2A \sin(c + dx) \sec^3(c + dx)}{3d} + \frac{2A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d}$$

[Out]  $2/3*A*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2*B*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3768, 3771, 2639, 2641}

$$\frac{2A \sin(c + dx) \sec^3(c + dx)}{3d} + \frac{2A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out]  $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*A*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c -  
Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x  
\_)]^(n\_.))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)  
\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&  
!IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]  
]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), I  
nt[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&  
IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x]  
)^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&  
EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rubi steps

$$\begin{aligned} \int (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx)) dx \\ &= A \int \sec^{\frac{5}{2}}(c + dx) dx + B \int \sec^{\frac{3}{2}}(c + dx) dx \\ &= \frac{2B\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} A \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2B\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6B \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right)) \\ &= -\frac{2B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 85, normalized size = 0.69

$$\frac{\sec^{\frac{3}{2}}(c + dx) \left( 2 \sin(c + dx)(A + 3B \cos(c + dx)) + 2A \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6B \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (Sec[c + d\*x]^(3/2)\*(-6\*B\*Cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + 2\*A\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 2\*(A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/(3\*d)

**fricas [F]** time = 1.48, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2), x)

**maple [B]** time = 1.91, size = 397, normalized size = 3.23

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( 2A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \right) \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)`

[Out] 
$$\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (4 * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 1) / \sin(1/2 * d * x + 1/2 * c) ^ 3 * (2 * A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 6 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 12 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - A * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 2 * A * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 3 * B * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 6 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left( \frac{1}{\cos(c + dx)} \right)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2),x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(5/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)`

[Out] Timed out

### 3.692 $\int (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=97

$$\frac{2A \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $2*A*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3771, 2641, 3768, 2639}

$$\frac{2A \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^{(3/2)}, x]$

[Out]  $(-2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /; \text{FreeQ}\{a, b, d, e, f, m, n, p\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

#### Rule 3787

`Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]`

### Rubi steps

$$\begin{aligned}
 \int (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (B + A \sec(c + dx)) dx \\
 &= A \int \sec^{\frac{3}{2}}(c + dx) dx + B \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - A \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (B\sqrt{\cos(c + dx)} \\
 &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
 &= -\frac{2A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 71, normalized size = 0.73

$$\frac{2\sqrt{\sec(c + dx)} \left( A \sin(c + dx) - A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*Sqrt[Sec[c + d\*x]]\*(-(A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]) + B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + A\*Sin[c + d\*x]))/d

**fricas [F]** time = 1.36, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2), x)

**maple [A]** time = 0.74, size = 148, normalized size = 1.53

$$\frac{2\left(A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) - 2A \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)`

[Out]  $-2*(A*(\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \left( \frac{1}{\cos(c + dx)} \right)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2),x)`

[Out] `int((A + B*cos(c + d*x))*(1/cos(c + d*x))^(3/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)`

[Out] Timed out

### 3.693 $\int (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=75

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out]  $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.08, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3238, 3787, 3771, 2639, 2641}

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]`

[Out]  $(2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d$

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 3238

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]`

#### Rule 3771

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]`

#### Rule 3787

`Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]`

#### Rubi steps

$$\begin{aligned}
\int (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= A \int \sqrt{\sec(c + dx)} dx + B \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= (A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (B \sqrt{\cos(c + dx)}) \\
&= \frac{2B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}
\end{aligned}$$

**Mathematica** [A] time = 0.07, size = 52, normalized size = 0.69

$$\frac{2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2])\*Sqrt[Sec[c + d\*x]])/d

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A) \sqrt{\sec(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.77, size = 152, normalized size = 2.03

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)



)<sup>4</sup>+sin(1/2\*d\*x+1/2\*c)<sup>2</sup>)<sup>(1/2)</sup>/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)<sup>2</sup>-1)<sup>(1/2)</sup>/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)<sup>(1/2)</sup>,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) \sqrt{\frac{1}{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))\*(1/cos(c + d\*x))<sup>(1/2)</sup>,x)

[Out] int((A + B\*cos(c + d\*x))\*(1/cos(c + d\*x))<sup>(1/2)</sup>, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(sec(c + d\*x)), x)

$$3.694 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B\sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}$$

[Out] 2/3\*B\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+2\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+2/3\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.09, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2641, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2B\sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sqrt[Sec[c + d\*x]],x]

[Out] (2\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= A \int \frac{1}{\sqrt{\sec(c + dx)}} dx + B \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2B \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3}B \int \sqrt{\sec(c + dx)} dx + (A\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2B \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} (B\sqrt{\cos(c + dx)}) \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{2A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}
 \end{aligned}$$

**Mathematica [A]** time = 0.14, size = 76, normalized size = 0.75

$$\frac{\sqrt{\sec(c + dx)} \left( 6A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \left( \sin(2(c + dx)) + 2\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Sec[c + d\*x]]\*(6\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + B\*(2\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + Sin[2\*(c + d\*x)])))/(3\*d)

**fricas [F]** time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/sqrt(sec(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(sec(d\*x + c)), x)

**maple [A]** time = 0.74, size = 229, normalized size = 2.27

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-4B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x)`

[Out]  $2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/sqrt(sec(d*x + c)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(1/cos(c + d*x))^(1/2),x)`

[Out] `int((A + B*cos(c + d*x))/(1/cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/sqrt(sec(c + d*x)), x)`

$$3.695 \quad \int \frac{A+B \cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=127

$$\frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{6B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

[Out]  $2/5*B*\sin(d*x+c)/d/\sec(d*x+c)^{(3/2)}+2/3*A*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+6/5*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.10, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2639, 2641}

$$\frac{2A \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{6B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sec[c + d\*x]^(3/2), x]

[Out]  $(6*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*B*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^{(3/2)}) + (2*A*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d^n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= A \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + B \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} A \int \sqrt{\sec(c + dx)} dx + \frac{1}{5} (3B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2A \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{6B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d}
\end{aligned}$$

**Mathematica** [A] time = 0.32, size = 88, normalized size = 0.69

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx))(5A + 3B \cos(c + dx)) + 10A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 18B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sec[c + d\*x]^(3/2), x]

```
[Out] (Sqrt[Sec[c + d*x]]*(18*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 10
*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (5*A + 3*B*Cos[c + d*x])*
Sin[2*(c + d*x)]))/(15*d)
```

**fricas** [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.86, size = 262, normalized size = 2.06

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x)

[Out] 
$$-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+24*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-6*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c + dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(1/cos(c + d\*x))^(3/2), x)

[Out] int((A + B\*cos(c + d\*x))/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2), x)

[Out] Integral((A + B\*cos(c + d\*x))/sec(c + d\*x)\*\*(3/2), x)

$$3.696 \quad \int \frac{A+B \cos(c+dx)}{5 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=151

$$\frac{2A \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{6A \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2B \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{10B \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{10B \sqrt{\cos(c+dx)}}{21d \sqrt{\sec(c+dx)}}$$

[Out] 2/7\*B\*sin(d\*x+c)/d/sec(d\*x+c)^(5/2)+2/5\*A\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+10/21\*B\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+6/5\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+10/21\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.11, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3787, 3769, 3771, 2641, 2639}

$$\frac{2A \sin(c+dx)}{5d \sec^2(c+dx)} + \frac{6A \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{2B \sin(c+dx)}{7d \sec^2(c+dx)} + \frac{10B \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{10B \sqrt{\cos(c+dx)}}{21d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sec[c + d\*x]^(5/2), x]

[Out] (6\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (10\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*B\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*A\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (10\*B\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && IntegerQ[m] && IntegerQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d^n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&



EqQ[n^2, 1/4]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= A \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + B \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(3A) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \frac{1}{7}(5B) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{10B \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{21}(5B) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{6A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2A \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{6A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{10B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

**Mathematica [A]** time = 0.56, size = 99, normalized size = 0.66

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx))(42A \cos(c + dx) + 15B \cos(2(c + dx)) + 65B) + 252A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sec[c + d\*x]^(5/2), x]

```
[Out] (Sqrt[Sec[c + d*x]]*(252*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 1
00*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (65*B + 42*A*Cos[c + d*
x] + 15*B*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(210*d)
```

**fricas [F]** time = 1.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(5/2), x)

**maple** [A] time = 0.74, size = 290, normalized size = 1.92

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x)

[Out] 
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-360*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(1/cos(c + d\*x))^(5/2),x)

[Out] int((A + B\*cos(c + d\*x))/(1/cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.697 $\int (a + b \cos(c + dx))^2 \sec^{\frac{9}{2}}(c + dx) dx$

**Optimal.** Leaf size=200

$$\frac{2(5a^2 + 7b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(5a^2 + 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2 \sin(c + dx)}{21d}$$

[Out]  $\frac{2}{21} * (5 * a^2 + 7 * b^2) * \sec(d * x + c)^{(3/2)} * \sin(d * x + c) / d + \frac{4}{5} * a * b * \sec(d * x + c)^{(5/2)} * \sin(d * x + c) / d + \frac{2}{7} * a^2 * \sec(d * x + c)^{(7/2)} * \sin(d * x + c) / d + \frac{12}{5} * a * b * \sin(d * x + c) * \sec(d * x + c)^{(1/2)} / d - \frac{12}{5} * a * b * (\cos(1/2 * d * x + 1/2 * c))^2)^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(d * x + c)^{(1/2)} * \sec(d * x + c)^{(1/2)} / d + \frac{2}{21} * (5 * a^2 + 7 * b^2) * (\cos(1/2 * d * x + 1/2 * c))^2)^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(d * x + c)^{(1/2)} * \sec(d * x + c)^{(1/2)} / d$

**Rubi [A]** time = 0.17, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3768, 3771, 2639, 4046, 2641}

$$\frac{2(5a^2 + 7b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(5a^2 + 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a^2 \sin(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(9/2), x]

[Out]  $(-12 * a * b * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, 2] * \text{Sqrt}[\text{Sec}[c + d * x]]) / (5 * d) + (2 * (5 * a^2 + 7 * b^2) * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticF}[(c + d * x) / 2, 2] * \text{Sqrt}[\text{Sec}[c + d * x]]) / (21 * d) + (12 * a * b * \text{Sqrt}[\text{Sec}[c + d * x]] * \text{Sin}[c + d * x]) / (5 * d) + (2 * (5 * a^2 + 7 * b^2) * \text{Sec}[c + d * x]^{(3/2)} * \text{Sin}[c + d * x]) / (21 * d) + (4 * a * b * \text{Sec}[c + d * x]^{(5/2)} * \text{Sin}[c + d * x]) / (5 * d) + (2 * a^2 * \text{Sec}[c + d * x]^{(7/2)} * \text{Sin}[c + d * x]) / (7 * d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1)) / (d\*(n - 1)), x] + Dist[(b^2\*(n - 2)) / (n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^{\frac{9}{2}}(c + dx) dx &= \int \sec^{\frac{5}{2}}(c + dx) (b + a \sec(c + dx))^2 dx \\
&= (2ab) \int \sec^{\frac{7}{2}}(c + dx) dx + \int \sec^{\frac{5}{2}}(c + dx) (b^2 + a^2 \sec^2(c + dx)) dx \\
&= \frac{4ab \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2a^2 \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{5}(6ab) \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{12ab \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(5a^2 + 7b^2) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} \\
&= \frac{12ab \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(5a^2 + 7b^2) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} \\
&= -\frac{12ab \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(5a^2 + 7b^2) \sqrt{\cos(c + dx)}}{210d}
\end{aligned}$$

**Mathematica** [A] time = 0.87, size = 139, normalized size = 0.70

$$\frac{\sec^{\frac{7}{2}}(c + dx) \left( 20(5a^2 + 7b^2) \cos^{\frac{7}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) (5(5a^2 + 7b^2) \cos(2(c + dx)) + 55a^2 + 35b^2) \right)}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(9/2), x]

```
[Out] (Sec[c + d*x]^(7/2)*(-504*a*b*Cos[c + d*x]^(7/2)*EllipticE[(c + d*x)/2, 2]
+ 20*(5*a^2 + 7*b^2)*Cos[c + d*x]^(7/2)*EllipticF[(c + d*x)/2, 2] + 2*(55*a
^2 + 35*b^2 + 273*a*b*Cos[c + d*x] + 5*(5*a^2 + 7*b^2)*Cos[2*(c + d*x)] + 6
3*a*b*Cos[3*(c + d*x)])*Sin[c + d*x])/(210*d)
```

**fricas** [F] time = 1.23, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(9/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(9/2), x)

maple [B] time = 2.78, size = 689, normalized size = 3.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(9/2),x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4/5\*a\*b/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-24\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6-12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+24\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-8\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a^2\*(-1/56\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^4-5/42\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2+5/21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+2\*b^2\*(-1/6\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.698 $\int (a + b \cos(c + dx))^2 \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=175

$$\frac{2(3a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} - \frac{2(3a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx)}{5d}$$

[Out]  $4/3*a*b*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a^2*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/d+2/5*(3*a^2+5*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2/5*(3*a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+4/3*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.16, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3768, 3771, 2641, 4046, 2639}

$$\frac{2(3a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} - \frac{2(3a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2 \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(7/2), x]

[Out]  $(-2*(3*a^2 + 5*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (4*a*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*(3*a^2 + 5*b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/ (5*d) + (4*a*b*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*a^2*\text{Sec}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx))^2 dx \\
&= (2ab) \int \sec^{\frac{5}{2}}(c + dx) dx + \int \sec^{\frac{3}{2}}(c + dx) (b^2 + a^2 \sec^2(c + dx)) dx \\
&= \frac{4ab \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{3}(2ab) \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2(3a^2 + 5b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{4ab \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{4ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2(3a^2 + 5b^2) \sqrt{\sec(c + dx)}}{5d} \\
&= -\frac{2(3a^2 + 5b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4ab \sqrt{\cos(c + dx)}}{3d}
\end{aligned}$$

**Mathematica [A]** time = 1.31, size = 126, normalized size = 0.72

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left( -12(3a^2 + 5b^2) \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) (3(3a^2 + 5b^2) \cos(2(c + dx)) + 15(a^2 + b^2)) \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^2\*Sec[c + d\*x]^(7/2), x]

```
[Out] (Sec[c + d*x]^(5/2)*(-12*(3*a^2 + 5*b^2)*Cos[c + d*x]^(5/2)*EllipticE[(c +
d*x)/2, 2] + 40*a*b*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] + 2*(15*(a
^2 + b^2) + 20*a*b*Cos[c + d*x] + 3*(3*a^2 + 5*b^2)*Cos[2*(c + d*x)])*Sin[c
+ d*x]))/(30*d)
```

**fricas [F]** time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2), x, algorithm="fricas")



[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(7/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

maple [B] time = 2.47, size = 660, normalized size = 3.77

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2/5\*a^2/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-24\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6-12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+24\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-8\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*b^2\*(-(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+4\*a\*b\*(-1/6\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^(1/2)+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.699 $\int (a + b \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx) dx$

**Optimal.** Leaf size=135

$$\frac{2(a^2 + 3b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{4ab \sin(c + dx) \sqrt{\sec(c + dx)}}{d}$$

[Out]  $2/3*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+4*a*b*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(a^2+3*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.14, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3768, 3771, 2639, 4046, 2641}

$$\frac{2(a^2 + 3b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{4ab \sin(c + dx) \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2), x]

[Out]  $(-4*a*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a^2 + 3*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (4*a*b*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d + (2*a^2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Csc[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] :> Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 dx \\
&= (2ab) \int \sec^{\frac{3}{2}}(c + dx) dx + \int \sqrt{\sec(c + dx)} (b^2 + a^2 \sec^2(c + dx)) dx \\
&= \frac{4ab\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} - (2ab) \int \sqrt{\sec(c + dx)} dx \\
&= \frac{4ab\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} - (2ab\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} \\
&= -\frac{4ab\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2(a^2 + 3b^2) \sqrt{\cos(c + dx)}}{3d}
\end{aligned}$$

**Mathematica** [A] time = 0.34, size = 93, normalized size = 0.69

$$\frac{2 \sec^{\frac{3}{2}}(c + dx) \left( (a^2 + 3b^2) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6ab \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + a \sin(c + dx)(a + 6b \cos(c + dx)) \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*Sec[c + d*x]^(3/2)*(-6*a*b*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2]
+ (a^2 + 3*b^2)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + a*(a + 6*b*Cos[c + d*x])*Sin[c + d*x]))/(3*d)
```

**fricas** [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^(5/2), x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sec(d*x + c)^(5/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**maple [B]** time = 1.94, size = 514, normalized size = 3.81

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2} - \dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x)

[Out]  $\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 + 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (4 * \sin(1/2 * d * x + 1/2 * c) ^ 4 - 4 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 1) / \sin(1/2 * d * x + 1/2 * c) ^ 3 * (2 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ 2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 6 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * b ^ 2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 12 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a * b * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 24 * a * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 4 - a ^ 2 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 3 * b ^ 2 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 6 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * a * b + 2 * a ^ 2 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 12 * a * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c) ^ 2) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^2, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.700 $\int (a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx) dx$

**Optimal.** Leaf size=108

$$\frac{2(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{4ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out]  $2a^2 \sin(dx+c) \sec(dx+c)^{1/2} / d - 2(a^2 - b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d + 4a*b * (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} * \sec(dx+c)^{1/2} / d$

**Rubi [A]** time = 0.13, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3788, 3771, 2641, 4046, 2639}

$$\frac{2(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{4ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2), x]

[Out]  $(-2*(a^2 - b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (4*a*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3788

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^2, x\_Symbol] := Dist[(2\*a\*b)/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] + Int[(d\*Csc[e + f\*x])^n\*(a^2 + b^2\*Csc[e + f\*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^2}{\sqrt{\sec(c + dx)}} dx \\
 &= (2ab) \int \sqrt{\sec(c + dx)} dx + \int \frac{b^2 + a^2 \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (-a^2 + b^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + (2ab) \int \sqrt{\sec(c + dx)} dx \\
 &= \frac{4ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a^2 \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \\
 &= -\frac{2(a^2 - b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
 \end{aligned}$$

**Mathematica [A]** time = 0.20, size = 83, normalized size = 0.77

$$\frac{2\sqrt{\sec(c + dx)} \left( a \left( a \sin(c + dx) + 2b\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) - (a^2 - b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*Sqrt[Sec[c + d*x]]*(-((a^2 - b^2)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + a*(2*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*Sin[c + d*x]))) / d
```

**fricas [F]** time = 1.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^(3/2), x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sec(d*x + c)^(3/2), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^(3/2), x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)
```

**maple** [A] time = 0.91, size = 202, normalized size = 1.87

$$2 \left( 2ab \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right), \sqrt{2} \right) + \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2),x)

[Out] -2\*(2\*a\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^2-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b^2-2\*a^2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out



### 3.701 $\int (a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=112

$$\frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b^2 \sqrt{\sec(c + dx)}}{3d}$$

[Out]  $2/3*b^2*\sin(d*x+c)/d/\sec(d*x+c)^{(1/2)}+4*a*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*(3*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.13, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {3238, 3788, 3771, 2639, 4045, 2641}

$$\frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2b^2 \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*\text{Sqrt}[\text{Sec}[c + d*x]], x]$

[Out]  $(4*a*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(3*a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x], x] /; \text{FreeQ}[\{a, b, d, e, f, m, n, p\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

#### Rule 3788

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2, x\_Symbol] \rightarrow \text{Dist}[(2*a*b)/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] + \text{Int}[(d*\text{Csc}[e + f*x])^n*(a^2 + b^2*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

#### Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= (2ab) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \int \frac{b^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{1}{3}(-3a^2 - b^2) \int \sqrt{\sec(c + dx)} dx + (2ab\sqrt{\cos(c + dx)} \\ &\quad - \frac{4ab\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2b^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{1}{3} \\ &= \frac{4ab\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)}}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.19, size = 87, normalized size = 0.78

$$\frac{\sqrt{\sec(c + dx)} \left( 2(3a^2 + b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 12ab\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b^2 \sin(2(c + dx)) \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(12*a*b*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] +
2*(3*a^2 + b^2)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b^2*Sin[2*(c
+ d*x)]))/(3*d)
```

**fricas** [F] time = 1.32, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(sec(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c)), x)
```

**maple** [A] time = 0.81, size = 283, normalized size = 2.53

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(4b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3a^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\right)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(1/2),x)

[Out]  $-2/3*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*2\*sqrt(sec(c + d\*x)), x)

$$3.702 \quad \int \frac{(a+b \cos(c+dx))^2}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=141

$$\frac{2(5a^2 + 3b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4ab \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{4ab\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}$$

[Out] 2/5\*b^2\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+4/3\*a\*b\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+2/5\*(5\*a^2+3\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+4/3\*a\*b\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.14, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3769, 3771, 2641, 4045, 2639}

$$\frac{2(5a^2 + 3b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5d} + \frac{4ab \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{4ab\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Sqrt[Sec[c + d\*x]], x]

[Out] (2\*(5\*a^2 + 3\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (4\*a\*b\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*b^2\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (4\*a\*b\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= (2ab) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + \int \frac{b^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (2ab) \int \sqrt{\sec(c + dx)} dx - \frac{1}{5} (-5a^2 - 3b^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2b^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (2ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2(5a^2 + 3b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} + 4ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d} \end{aligned}$$

Mathematica [A] time = 0.46, size = 100, normalized size = 0.71

$$\frac{\sqrt{\sec(c + dx)} \left( 6(5a^2 + 3b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(2(c + dx))(10a + 3b \cos(c + dx)) + 20ab \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Sqrt[Sec[c + d\*x]], x]

```
[Out] (Sqrt[Sec[c + d*x]]*(6*(5*a^2 + 3*b^2)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*
x)/2, 2] + 20*a*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + b*(10*a +
3*b*Cos[c + d*x])*Sin[2*(c + d*x)]))/(15*d)
```

fricas [F] time = 2.38, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2), x, algorithm="fricas")

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)/sqrt(sec(d*x + c)),
x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.78, size = 321, normalized size = 2.28

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-24b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (40ab + 24b^2)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x)

[Out]  $-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(40*a*b+24*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-20*a*b-6*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+10*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-9*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(1/2),x)

[Out] int((a + b\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^2}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*2/sqrt(sec(c + d\*x)), x)

$$3.703 \quad \int \frac{(a+b \cos(c+dx))^2}{\sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=175

$$\frac{2(7a^2 + 5b^2) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4ab \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{12ab}{5d \sec^{\frac{3}{2}}(c + dx)}$$

[Out] 2/7\*b^2\*sin(d\*x+c)/d/sec(d\*x+c)^(5/2)+4/5\*a\*b\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+2/21\*(7\*a^2+5\*b^2)\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+12/5\*a\*b\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+2/21\*(7\*a^2+5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.16, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3769, 3771, 2639, 4045, 2641}

$$\frac{2(7a^2 + 5b^2) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4ab \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{12ab}{5d \sec^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Sec[c + d\*x]^(3/2), x]

[Out] (12\*a\*b\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*(7\*a^2 + 5\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*b^2\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (4\*a\*b\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*(7\*a^2 + 5\*b^2)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3769**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 3771**

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3788

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^2, x_Symbol] := Dist[(2*a*b)/d, Int[(d*Csc[e + f*x])^(n + 1), x], x]
+ Int[(d*Csc[e + f*x])^n*(a^2 + b^2*Csc[e + f*x]^2), x] /; FreeQ[{a, b, d,
e, f, n}, x]
```

Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_.)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^2}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= (2ab) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + \int \frac{b^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(6ab) \int \frac{1}{\sqrt{\sec(c + dx)}} dx - \frac{1}{7}(-7a^2 - 5b^2) \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7a^2 + 5b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} - \frac{1}{21}(-7a^2 - 5b^2) \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{12ab \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2b^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{12ab \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(7a^2 + 5b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica** [A] time = 0.68, size = 120, normalized size = 0.69

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx)) (70a^2 + 84ab \cos(c + dx) + 15b^2 \cos(2(c + dx)) + 65b^2) + 20(7a^2 + 5b^2) \sqrt{\cos(c + dx)} \right)}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2/Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(504*a*b*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] +
20*(7*a^2 + 5*b^2)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (70*a^2
+ 65*b^2 + 84*a*b*Cos[c + d*x] + 15*b^2*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])
)/(210*d)
```

**fricas** [F] time = 2.52, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(3/2), x)

**maple** [A] time = 0.90, size = 362, normalized size = 2.07

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-336ab - 360b^2)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*b^2\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-336\*a\*b-360\*b^2)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(140\*a^2+336\*a\*b+280\*b^2)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-70\*a^2-84\*a\*b-80\*b^2)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+35\*a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+25\*b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-126\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(3/2),x)

[Out] `int((a + b*cos(c + d*x))^2/(1/cos(c + d*x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^2}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2/sec(d*x+c)**(3/2), x)`

[Out] `Integral((a + b*cos(c + d*x))**2/sec(c + d*x)**(3/2), x)`

$$3.704 \quad \int \frac{(a+b \cos(c+dx))^2}{\sqrt[5]{\sec^2(c+dx)}} dx$$

**Optimal.** Leaf size=200

$$\frac{2(9a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9a^2 + 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4ab \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{20ab}{21d \sqrt{\sec(c + dx)}}$$

[Out] 2/9\*b^2\*sin(d\*x+c)/d/sec(d\*x+c)^(7/2)+4/7\*a\*b\*sin(d\*x+c)/d/sec(d\*x+c)^(5/2)+2/45\*(9\*a^2+7\*b^2)\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+20/21\*a\*b\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+2/15\*(9\*a^2+7\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+20/21\*a\*b\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

**Rubi [A]** time = 0.17, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3788, 3769, 3771, 2641, 4045, 2639}

$$\frac{2(9a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9a^2 + 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4ab \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{20ab}{21d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2/Sec[c + d\*x]^(5/2), x]

[Out] (2\*(9\*a^2 + 7\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(15\*d) + (20\*a\*b\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(21\*d) + (2\*b^2\*Sin[c + d\*x])/(9\*d\*Sec[c + d\*x]^(7/2)) + (4\*a\*b\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*(9\*a^2 + 7\*b^2)\*Sin[c + d\*x])/(45\*d\*Sec[c + d\*x]^(3/2)) + (20\*a\*b\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3769**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3788

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^2, x\_Symbol] := Dist[(2\*a\*b)/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] + Int[(d\*Csc[e + f\*x])^n\*(a^2 + b^2\*Csc[e + f\*x]^2), x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 4045

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*m), x] + Dist[(C\*m + A\*(m + 1))/(b^2\*m), Int[(b\*Csc[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C\*m + A\*(m + 1), 0] && LeQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{\sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^2}{\sec^{\frac{9}{2}}(c + dx)} dx \\ &= (2ab) \int \frac{1}{\sec^{\frac{7}{2}}(c + dx)} dx + \int \frac{b^2 + a^2 \sec^2(c + dx)}{\sec^{\frac{9}{2}}(c + dx)} dx \\ &= \frac{2b^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{7}(10ab) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx - \frac{1}{9}(-9a^2 - 7b^2) \\ &= \frac{2b^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(9a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{20ab \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} \\ &= \frac{2b^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4ab \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(9a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{20ab \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} \\ &= \frac{2(9a^2 + 7b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} + 20ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \dots \end{aligned}$$

**Mathematica** [A] time = 1.11, size = 135, normalized size = 0.68

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx)) \left( 7(36a^2 + 43b^2) \cos(c + dx) + 5b(36a \cos(2(c + dx)) + 156a + 7b \cos(3(c + dx))) \right) \right)}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2/Sec[c + d\*x]^(5/2), x]

[Out] (Sqrt[Sec[c + d\*x]]\*(168\*(9\*a^2 + 7\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 1200\*a\*b\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (7\*(36\*a^2 + 43\*b^2)\*Cos[c + d\*x] + 5\*b\*(156\*a + 36\*a\*Cos[2\*(c + d\*x)] + 7\*b\*Cos[3\*(c + d\*x)]))\*Sin[2\*(c + d\*x)])/(1260\*d)

**fricas** [F] time = 2.34, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}{\sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)/sec(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(5/2), x)

**maple** [A] time = 1.18, size = 398, normalized size = 1.99

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-1120b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (1440ab + 2240b^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x)

[Out] 
$$\begin{aligned} & -2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(1440*a*b+2240*b^2)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-504*a^2-2160*a*b-2072*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(504*a^2+1680*a*b+952*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-126*a^2-480*a*b-168*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-189*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-147*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+150*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2/sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^2}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^2/(1/cos(c + d\*x))^(5/2),x)

```
[Out] int((a + b*cos(c + d*x))^2/(1/cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2/sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

### 3.705 $\int (a + b \cos(c + dx))^3 \sec^{\frac{9}{2}}(c + dx) dx$

**Optimal.** Leaf size=234

$$\frac{2a(5a^2 + 21b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2b(9a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(5a^2 + 21b^2) \sqrt{\cos(c + dx)}}{5d}$$

```
[Out] 2/21*a*(5*a^2+21*b^2)*sec(d*x+c)^(3/2)*sin(d*x+c)/d+32/35*a^2*b*sec(d*x+c)^(5/2)*sin(d*x+c)/d+2/5*b*(9*a^2+5*b^2)*sin(d*x+c)*sec(d*x+c)^(1/2)/d-2/5*b*(9*a^2+5*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2/21*a*(5*a^2+21*b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d
```

**Rubi [A]** time = 0.27, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3842, 4047, 3768, 3771, 2641, 4046, 2639}

$$\frac{2a(5a^2 + 21b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2b(9a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(5a^2 + 21b^2) \sqrt{\cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*Sec[c + d*x]^(9/2), x]
```

```
[Out] (-2*b*(9*a^2 + 5*b^2)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*a*(5*a^2 + 21*b^2)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*b*(9*a^2 + 5*b^2)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a*(5*a^2 + 21*b^2)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(21*d) + (32*a^2*b*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*a^2*b*Sec[c + d*x]^(5/2)*(b + a*Sec[c + d*x])*Sin[c + d*x])/(7*d)
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 3238

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_)]^(p_), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]
```

#### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3842

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(b^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 2))\*(d\*Csc[e + f\*x])^n/(f\*(m + n - 1)), x] + Dist[1/(d\*(m + n - 1)), Int[(a + b\*Csc[e + f\*x])^(m - 3)\*(d\*Csc[e + f\*x])^n\*Simp[a^3\*d\*(m + n - 1) + a\*b^2\*d\*n + b\*(b^2\*d\*(m + n - 2) + 3\*a^2\*d\*(m + n - 1))\*Csc[e + f\*x] + a\*b^2\*d\*(3\*m + 2\*n - 4)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && !IntegerQ[m])

#### Rule 4046

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.) + (A\_.)), x\_Symbol] := -Simp[(C\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(C\*m + A\*(m + 1))/(m + 1), Int[(b\*Csc[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C\*m + A\*(m + 1), 0] && !LeQ[m, -1]

#### Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.))^m\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.)), x\_Symbol] := Dist[B/b, Int[(b\*Csc[e + f\*x])^(m + 1), x], x] + Int[(b\*Csc[e + f\*x])^m\*(A + C\*Csc[e + f\*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

#### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^3 \sec^{\frac{9}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx))^3 dx \\
 &= \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sec^{\frac{3}{2}}(c + dx) \left(\frac{1}{2}b + a \sec(c + dx)\right)^2 dx \\
 &= \frac{2a^2 \sec^{\frac{5}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sec^{\frac{3}{2}}(c + dx) \left(\frac{1}{2}b + a \sec(c + dx)\right)^2 dx \\
 &= \frac{2a(5a^2 + 21b^2) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} + \frac{32a^2b \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} \\
 &= \frac{2b(9a^2 + 5b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(5a^2 + 21b^2) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d} \\
 &= \frac{2a(5a^2 + 21b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d} + \frac{2b(9a^2 + 5b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(5a^2 + 21b^2) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{21d}
 \end{aligned}$$

**Mathematica** [A] time = 1.20, size = 191, normalized size = 0.82

$$\frac{\sec^{\frac{7}{2}}(c + dx) \left(30a^3 \sin(c + dx) + 50a^3 \sin(c + dx) \cos^2(c + dx) + 10a(5a^2 + 21b^2) \cos^{\frac{7}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 2b(9a^2 + 5b^2) \sqrt{\sec(c + dx)} \sin(c + dx)\right)}{5d}$$

Antiderivative was successfully verified.



[In] Integrate[(a + b\*cos[c + d\*x])^3\*Sec[c + d\*x]^(9/2),x]

[Out] (Sec[c + d\*x]^(7/2)\*(-42\*b\*(9\*a^2 + 5\*b^2)\*Cos[c + d\*x]^(7/2)\*EllipticE[(c + d\*x)/2, 2] + 10\*a\*(5\*a^2 + 21\*b^2)\*Cos[c + d\*x]^(7/2)\*EllipticF[(c + d\*x)/2, 2] + 30\*a^3\*Sin[c + d\*x] + 50\*a^3\*Cos[c + d\*x]^2\*Sin[c + d\*x] + 210\*a\*b^2\*Cos[c + d\*x]^2\*Sin[c + d\*x] + 378\*a^2\*b\*Cos[c + d\*x]^3\*Sin[c + d\*x] + 210\*b^3\*Cos[c + d\*x]^3\*Sin[c + d\*x] + 63\*a^2\*b\*Sin[2\*(c + d\*x)]))/(105\*d)

**fricas** [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2), x)

**maple** [B] time = 3.34, size = 847, normalized size = 3.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-6/5\*a^2\*b/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-24\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6-12\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+24\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))-8\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*b^3\*(-(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+6\*b^2\*a\*(-1/6\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+2\*a^3\*(-1/56\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^4-5/42\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-1/2+cos(1/2\*d\*x+1/2\*c)^2)^2+5/21\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.706 $\int (a + b \cos(c + dx))^3 \sec^2(c + dx) dx$

**Optimal.** Leaf size=189

$$\frac{6a(a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2b(a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{6a(a^2 + 5b^2)}{5d}$$

[Out]  $8/5*a^2*b*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/d+2/5*a^2*\sec(d*x+c)^{(3/2)}*(b+a*\sec(d*x+c))*\sin(d*x+c)/d+6/5*a*(a^2+5*b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-6/5*a*(a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2*b*(a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.24, antiderivative size = 189, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3842, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{6a(a^2 + 5b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2b(a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{6a(a^2 + 5b^2)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2), x]

[Out]  $(-6*a*(a^2 + 5*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*b*(a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (6*a*(a^2 + 5*b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(5*d) + (8*a^2*b*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a^2*\text{Sec}[c + d*x]^{(3/2)}*(b + a*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 3842

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_), x_Symbol] :> -Simp[(b^2*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 2)
)*(d*Csc[e + f*x])^n/(f*(m + n - 1)), x] + Dist[1/(d*(m + n - 1)), Int[(a
+ b*Csc[e + f*x])^(m - 3)*(d*Csc[e + f*x])^n*Simp[a^3*d*(m + n - 1) + a*b^2
*d*n + b*(b^2*d*(m + n - 2) + 3*a^2*d*(m + n - 1))*Csc[e + f*x] + a*b^2*d*(
3*m + 2*n - 4)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, n}, x] &
& NeQ[a^2 - b^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) &&
!(IGtQ[n, 2] && !IntegerQ[m])
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec^{\frac{7}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^3 dx \\
&= \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} \left( \frac{1}{2} \right) \\
&= \frac{2a^2 \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} \left( \frac{1}{2} \right) \\
&= \frac{6a (a^2 + 5b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{8a^2 b \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= \frac{6a (a^2 + 5b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{8a^2 b \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
&= -\frac{6a (a^2 + 5b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2b (a^2 + 5b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

Mathematica [A] time = 1.67, size = 134, normalized size = 0.71

$$\frac{2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( 5b (a^2 + b^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3a (a^2 + 5b^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx) (3(a^2 + 5b^2) \cos(c + dx) + 2a^2)}{5d} \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2), x]

```
[Out] (2*sqrt[Cos[c + d*x]]*sqrt[Sec[c + d*x]]*(-3*a*(a^2 + 5*b^2)*EllipticE[(c + d*x)/2, 2] + 5*b*(a^2 + b^2)*EllipticF[(c + d*x)/2, 2] + (a*(5*(a^2 + 3*b^2) + 10*a*b*cos[c + d*x] + 3*(a^2 + 5*b^2)*cos[2*(c + d*x)])*sin[c + d*x])/(2*cos[c + d*x]^(5/2))))/(5*d)
```

**fricas** [F] time = 2.34, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*sec(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sec(d*x + c)^(7/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^3*sec(d*x + c)^(7/2), x)
```

**maple** [B] time = 2.57, size = 738, normalized size = 3.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*sec(d*x+c)^(7/2),x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2/5*a^3/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+6*a^2*b*(-1/6*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(-1/2+cos(1/2*d*x+1/2*c)^2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

### 3.707 $\int (a + b \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx) dx$

**Optimal.** Leaf size=160

$$\frac{2a(a^2 + 9b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2b(3a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $16/3*a^2*b*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d+2/3*a^2*(b+a*\sec(d*x+c))*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/d-2*b*(3*a^2-b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d+2/3*a*(a^2+9*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/d$

**Rubi [A]** time = 0.23, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3842, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(a^2 + 9b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2b(3a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(-2*b*(3*a^2 - b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*a*(a^2 + 9*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (16*a^2*b*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*(b + a*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 3238

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}], x\_Symbol] \rightarrow \text{Dist}[d^{(n*p)}, \text{Int}[(d*\text{Csc}[e + f*x])^{(m - n*p)}*(b + a*\text{Csc}[e + f*x]^n)^p, x] /; \text{FreeQ}\{a, b, d, e, f, m, n, p\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{IntegersQ}[n, p]$

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

#### Rule 3842

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m - 2)}*(d*\text{Csc}[e + f*x])^n)/(f*(m + n - 1)), x] + \text{Dist}[1/(d*(m + n - 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m - 3)}*(d*\text{Csc}[e + f*x])^n*\text{Simp}[a^3*d*(m + n - 1) + a*b^2*d*n + b*(b^2*d*(m + n - 2) + 3*a^2*d*(m + n - 1))*\text{Csc}[e + f*x] + a*b^2*d*($

$3*m + 2*n - 4)*\text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x] \& \& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 2] \&\& (\text{IntegerQ}[m] \|\| \text{IntegersQ}[2*m, 2*n]) \&\& \text{!(IGtQ}[n, 2] \&\& \text{!IntegerQ}[m])$

#### Rule 4046

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x\_Symbol] :> -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /; \text{FreeQ}[\{b, e, f, A, C, m\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{!LeQ}[m, -1]$

#### Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x\_Symbol] :> \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a^2 \sqrt{\sec(c + dx)} (b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{-\frac{1}{2}b(a^2 - 3b^2) - \frac{1}{2}b(a^2 - 3b^2) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a^2 \sqrt{\sec(c + dx)} (b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{-\frac{1}{2}b(a^2 - 3b^2) - \frac{1}{2}b(a^2 - 3b^2) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{16a^2 b \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2a^2 \sqrt{\sec(c + dx)} (b + a \sec(c + dx)) \sin(c + dx)}{3d} \\ &= \frac{2a(a^2 + 9b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{16a^2 b \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} \\ &= -\frac{2b(3a^2 - b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2a(a^2 + 9b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.51, size = 106, normalized size = 0.66

$$\frac{\sec^{\frac{3}{2}}(c + dx) \left( 6b(b^2 - 3a^2) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + a \left( 2(a^2 + 9b^2) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2a \sin(c + dx) \right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2), x]

[Out] (Sec[c + d\*x]^(3/2)\*(6\*b\*(-3\*a^2 + b^2)\*Cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + a\*(2\*(a^2 + 9\*b^2)\*Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 2\*a\*(a + 9\*b\*Cos[c + d\*x])\*Sin[c + d\*x]))/(3\*d)

**fricas [F]** time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2), x)

**maple** [B] time = 2.23, size = 631, normalized size = 3.94

$$2\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(2 \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1 \sqrt{\frac{1}{2}} - \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x)

[Out]  $\frac{2}{3} * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (4 * \sin(1/2 * d * x + 1/2 * c)^4 - 4 * \sin(1/2 * d * x + 1/2 * c)^2 + 1) / \sin(1/2 * d * x + 1/2 * c)^3 * (2 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^3 * \sin(1/2 * d * x + 1/2 * c)^2 + 18 * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * b^2 * \sin(1/2 * d * x + 1/2 * c)^2 + 18 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^2 * b * \sin(1/2 * d * x + 1/2 * c)^2 - 6 * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b^3 * \sin(1/2 * d * x + 1/2 * c)^2 - 36 * a^2 * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^4 - a^3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 9 * b^2 * a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 9 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a^2 * b + 3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^3 + 2 * a^3 * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 + 18 * a^2 * b * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(\frac{1}{\cos(c + dx)}\right)^{5/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3,x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

### 3.708 $\int (a + b \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx) dx$

**Optimal.** Leaf size=166

$$\frac{2a(3a^2 - b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2b(9a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(a^2 - 3b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d}$$

[Out]  $\frac{2}{3} b^2 (b + a \sec(dx + c)) \sin(dx + c) / d \sec(dx + c)^{1/2} + \frac{2}{3} a (3a^2 - b^2) \sin(dx + c) \sec(dx + c)^{1/2} / d - 2a (a^2 - 3b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx + c)^{1/2} * \sec(dx + c)^{1/2} / d + \frac{2}{3} b (9a^2 + b^2) (\cos(1/2 dx + 1/2 c))^2)^{1/2} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) * \cos(dx + c)^{1/2} * \sec(dx + c)^{1/2} / d$

**Rubi [A]** time = 0.23, antiderivative size = 166, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3841, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3a^2 - b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2b(9a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a(a^2 - 3b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2), x]

[Out]  $(-2a(a^2 - 3b^2) \sqrt{\cos[c + d*x]} * \text{EllipticE}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / d + (2b(9a^2 + b^2) \sqrt{\cos[c + d*x]} * \text{EllipticF}[(c + d*x)/2, 2] * \sqrt{\sec[c + d*x]}) / (3d) + (2a(3a^2 - b^2) \sqrt{\sec[c + d*x]} * \sin[c + d*x]) / (3d) + (2b^2(b + a \sec[c + d*x]) * \sin[c + d*x]) / (3d * \sqrt{\sec[c + d*x]})$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3771**

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

**Rule 3841**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := Simp[(a^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 2)

```

*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m
- 3)*(d*Csc[e + f*x])^(n + 1)*Simp[a^2*b*(m - 2*n - 2) - a*(3*b^2*n + a^2*(
n + 1))*Csc[e + f*x] - b*(b^2*n + a^2*(m + n - 1))*Csc[e + f*x]^2, x], x],
x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 2] && ((Inte
gerQ[m] && LtQ[n, -1]) || (IntegersQ[m + 1/2, 2*n] && LeQ[n, -1]))

```

#### Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

#### Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{4ab^2 + \frac{1}{2}b(9a^2 + b^2) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{4ab^2 + \frac{1}{2}a(3a^2 - b^2) \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a(3a^2 - b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2b(9a^2 + b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2a(3a^2 - b^2) \sqrt{\sec(c + dx)}}{d} \\
&= -\frac{2a(a^2 - 3b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2b(9a^2 + b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d}
\end{aligned}$$

**Mathematica** [A] time = 0.63, size = 108, normalized size = 0.65

$$\frac{\sqrt{\sec(c + dx)} \left( 2 \sin(c + dx) (3a^3 + b^3 \cos(c + dx)) + 2b(9a^2 + b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6a(a^2 - 3b^2) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[Sec[c + d\*x]]\*(-6\*a\*(a^2 - 3\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 2\*b\*(9\*a^2 + b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 2\*(3\*a^3 + b^3\*Cos[c + d\*x])\*Sin[c + d\*x]))/(3\*d)

**fricas** [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2), x)

maple [A] time = 0.96, size = 303, normalized size = 1.83

$$\frac{2 \left( 4b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 9a^2b \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1}\right) \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x)

[Out] -2/3\*(4\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+9\*a^2\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^3-9\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b^2-6\*a^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2-2\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{3/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

### 3.709 $\int (a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=156

$$\frac{2a(a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{6b(5a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

[Out]  $2/5*b^2*(b+a*\sec(d*x+c))*\sin(d*x+c)/d/\sec(d*x+c)^(3/2)+8/5*a*b^2*\sin(d*x+c)/d/\sec(d*x+c)^(1/2)+6/5*b*(5*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d+2*a*(a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)*\sec(d*x+c)^(1/2)/d$

**Rubi [A]** time = 0.22, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3841, 4047, 3771, 2639, 4045, 2641}

$$\frac{2a(a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{6b(5a^2 + b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]],x]

[Out]  $(6*b*(5*a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(5*d) + (2*a*(a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (8*a*b^2*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b^2*(b + a*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(5*d*\text{Sec}[c + d*x]^(3/2))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3841

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :> Simp[(a^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 2) \* (d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[1/(d\*n), Int[(a + b\*Csc[e + f\*x])^(m - 3) \* (d\*Csc[e + f\*x])^(n + 1) \* Simp[a^2\*b\*(m - 2\*n - 2) - a\*(3\*b^2\*n + a^2\*(

$n + 1)) * \text{Csc}[e + f*x] - b*(b^2*n + a^2*(m + n - 1)) * \text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 2] \&\& ((\text{IntegerQ}[m] \&\& \text{LtQ}[n, -1]) \|\| (\text{IntegerQ}[m + 1/2, 2*n] \&\& \text{LeQ}[n, -1]))$

#### Rule 4045

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.)^{(m\_.)} * (\text{csc}[(e\_.) + (f\_.)*(x\_)]^2 * (C\_.) + (A\_)), x\_Symbol] :> \text{Simp}[(A * \text{Cot}[e + f*x] * (b * \text{Csc}[e + f*x])^m) / (f*m), x] + \text{Dist}[(C*m + A*(m + 1)) / (b^2*m), \text{Int}[(b * \text{Csc}[e + f*x])^{(m + 2)}, x], x] /; \text{FreeQ}\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m + 1), 0] \&\& \text{LeQ}[m, -1]$

#### Rule 4047

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.)^{(m\_.)} * ((A\_.) + \text{csc}[(e\_.) + (f\_.)*(x\_)] * (B\_.) + \text{csc}[(e\_.) + (f\_.)*(x\_)]^2 * (C\_)), x\_Symbol] :> \text{Dist}[B/b, \text{Int}[(b * \text{Csc}[e + f*x])^{(m + 1)}, x], x] + \text{Int}[(b * \text{Csc}[e + f*x])^m * (A + C * \text{Csc}[e + f*x]^2), x] /; \text{FreeQ}\{b, e, f, A, B, C, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{6ab^2 + \frac{3}{2}b(5a^2 + b^2) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{6ab^2 + \frac{1}{2}a(5a^2 + b^2) \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{8ab^2 \sin(c + dx)}{5d \sqrt{\sec(c + dx)}} + \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + (a(a^2 + b^2)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{6b(5a^2 + b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{8ab^2 \sin(c + dx)}{5d \sqrt{\sec(c + dx)}} \\ &= \frac{6b(5a^2 + b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(a^2 + b^2) \sqrt{\sec(c + dx)}}{5d} \end{aligned}$$

**Mathematica** [A] time = 0.47, size = 106, normalized size = 0.68

$$\frac{\sqrt{\sec(c + dx)} \left( 10a(a^2 + b^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6b(5a^2 + b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b^2 \sin(c + dx) \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Sec[c + d\*x]]\*(6\*b\*(5\*a^2 + b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 10\*a\*(a^2 + b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + b^2\*(5\*a + b\*Cos[c + d\*x])\*Sin[2\*(c + d\*x)]))/(5\*d)

**fricas** [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**maple** [A] time = 1.09, size = 376, normalized size = 2.41

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(-8b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20b^2a + 8b^3)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x)

[Out] 
$$-2/5*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-8*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*a*b^2+8*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*a*b^2-2*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*a^3*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))+5*b^2*a*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^(1/2))-15*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-3*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*\sin(1/2*d*x+1/2*c)^2-1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*sec(d*x+c)**(1/2),x)
```

```
[Out] Integral((a + b*cos(c + d*x))**3*sqrt(sec(c + d*x)), x)
```

$$3.710 \quad \int \frac{(a+b \cos(c+dx))^3}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=199

$$\frac{2b(21a^2 + 5b^2) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2b(21a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(5a^2 + 9b^2) \sqrt{\cos(c + dx)}}{21d}$$

[Out] 32/35\*a\*b^2\*sin(d\*x+c)/d/sec(d\*x+c)^(3/2)+2/7\*b^2\*(b+a\*sec(d\*x+c))\*sin(d\*x+c)/d/sec(d\*x+c)^(5/2)+2/21\*b\*(21\*a^2+5\*b^2)\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+2/5\*a\*(5\*a^2+9\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d+2/21\*b\*(21\*a^2+5\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/d

Rubi [A] time = 0.25, antiderivative size = 199, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3841, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2b(21a^2 + 5b^2) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2b(21a^2 + 5b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2a(5a^2 + 9b^2) \sqrt{\cos(c + dx)}}{21d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3/Sqrt[Sec[c + d\*x]],x]

[Out] (2\*a\*(5\*a^2 + 9\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*b\*(21\*a^2 + 5\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (32\*a\*b^2\*Sin[c + d\*x])/(35\*d\*Sec[c + d\*x]^(3/2)) + (2\*b\*(21\*a^2 + 5\*b^2)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]]) + (2\*b^2\*(b + a\*Sec[c + d\*x])\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2))

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 3841

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))^(m_), x_Symbol] := Simp[(a^2*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 2)
*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m
- 3)*(d*Csc[e + f*x])^(n + 1)*Simp[a^2*b*(m - 2*n - 2) - a*(3*b^2*n + a^2*(
n + 1))*Csc[e + f*x] - b*(b^2*n + a^2*(m + n - 1))*Csc[e + f*x]^2, x], x],
x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 2] && ((Inte
gerQ[m] && LtQ[n, -1]) || (IntegerQ[m + 1/2, 2*n] && LeQ[n, -1]))
```

### Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^3}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{8ab^2 + \frac{1}{2}b(21a^2 + 5b^2) \sec(c + dx) + \frac{1}{2}a(21a^2 + 5b^2) \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{8ab^2 + \frac{1}{2}a(7a^2 + 3b^2) \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx + \frac{1}{7} \int \frac{b(21a^2 + 5b^2) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{32ab^2 \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(21a^2 + 5b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{32ab^2 \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(21a^2 + 5b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2a(5a^2 + 9b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2b(21a^2 + 5b^2) \sqrt{\cos(c + dx)}}{210d}
\end{aligned}$$

**Mathematica** [A] time = 0.96, size = 132, normalized size = 0.66

$$\frac{\sqrt{\sec(c + dx)} \left( b \sin(2(c + dx)) (210a^2 + 126ab \cos(c + dx) + 15b^2 \cos(2(c + dx))) + 65b^2 \right) + 20b(21a^2 + 5b^2) \sqrt{\cos(c + dx)}}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3/Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Sec[c + d\*x]]\*(84\*a\*(5\*a^2 + 9\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 20\*b\*(21\*a^2 + 5\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + b\*(210\*a^2 + 65\*b^2 + 126\*a\*b\*cos[c + d\*x] + 15\*b^2\*cos[2\*(c + d\*x)])\*Sin[2\*(c + d\*x)]))/(210\*d)

**fricas** [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/sqrt(sec(d\*x + c)), x)

**maple** [A] time = 0.93, size = 421, normalized size = 2.12

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-504b^2a - 360b^3)\left(\sin^6\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-504\*a\*b^2-360\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(420\*a^2\*b+504\*a\*b^2+280\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-210\*a^2\*b-126\*a\*b^2-80\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+105\*a^2\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+25\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-105\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^3-189\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b^2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(1/2), x)

[Out] int((a + b\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^3}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(1/2), x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*3/sqrt(sec(c + d\*x)), x)

$$3.711 \quad \int \frac{(a+b \cos(c+dx))^3}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=234

$$\frac{2b(27a^2 + 7b^2) \sin(c + dx)}{45d \sec^2(c + dx)} + \frac{2a(7a^2 + 15b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2a(7a^2 + 15b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{21d}$$

```
[Out] 40/63*a*b^2*sin(d*x+c)/d/sec(d*x+c)^(5/2)+2/45*b*(27*a^2+7*b^2)*sin(d*x+c)/d/sec(d*x+c)^(3/2)+2/9*b^2*(b+a*sec(d*x+c))*sin(d*x+c)/d/sec(d*x+c)^(7/2)+2/21*a*(7*a^2+15*b^2)*sin(d*x+c)/d/sec(d*x+c)^(1/2)+2/15*b*(27*a^2+7*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d+2/21*a*(7*a^2+15*b^2)*(cos(1/2*d*x+1/2*c))^2^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/d
```

**Rubi [A]** time = 0.28, antiderivative size = 234, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3841, 4047, 3769, 3771, 2639, 4045, 2641}

$$\frac{2b(27a^2 + 7b^2) \sin(c + dx)}{45d \sec^2(c + dx)} + \frac{2a(7a^2 + 15b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2a(7a^2 + 15b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3/Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*b*(27*a^2 + 7*b^2)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(15*d) + (2*a*(7*a^2 + 15*b^2)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (40*a*b^2*Sin[c + d*x])/(63*d*Sec[c + d*x]^(5/2)) + (2*b*(27*a^2 + 7*b^2)*Sin[c + d*x])/(45*d*Sec[c + d*x]^(3/2)) + (2*a*(7*a^2 + 15*b^2)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*b^2*(b + a*Sec[c + d*x])*Sin[c + d*x])/(9*d*Sec[c + d*x]^(7/2))
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 3238**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] := Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]
```

**Rule 3769**

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3771

$\text{Int}[(\text{csc}[(c\_.) + (d\_.)*(x\_)]*(b\_.) )^n, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 3841

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(d\_.) )^n*(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.) + (a\_.) )^m, x\_Symbol] \rightarrow \text{Simp}[(a^2*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m-2}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] - \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m-3}*(d*\text{Csc}[e + f*x])^{n+1}*\text{Simp}[a^2*b*(m-2*n-2) - a*(3*b^2*n + a^2*(n+1))*\text{Csc}[e + f*x] - b*(b^2*n + a^2*(m+n-1))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 2] \&\& ((\text{IntegerQ}[m] \&\& \text{LtQ}[n, -1]) || (\text{IntegersQ}[m + 1/2, 2*n] \&\& \text{LeQ}[n, -1]))$

Rule 4045

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.) )^{m\_}*(\text{csc}[(e\_.) + (f\_.)*(x\_)]^2*(C\_.) + (A\_)), x\_Symbol] \rightarrow \text{Simp}[(A*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*m), x] + \text{Dist}[(C*m + A*(m+1))/(b^2*m), \text{Int}[(b*\text{Csc}[e + f*x])^{m+2}, x], x] /; \text{FreeQ}[\{b, e, f, A, C\}, x] \&\& \text{NeQ}[C*m + A*(m+1), 0] \&\& \text{LeQ}[m, -1]$

Rule 4047

$\text{Int}[(\text{csc}[(e\_.) + (f\_.)*(x\_)]*(b\_.) )^{m\_}*((A\_.) + \text{csc}[(e\_.) + (f\_.)*(x\_)]*(B\_.) + \text{csc}[(e\_.) + (f\_.)*(x\_)]^2*(C\_)), x\_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{m+1}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /; \text{FreeQ}[\{b, e, f, A, B, C, m\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{9}{2}}(c + dx)} dx \\ &= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{10ab^2 + \frac{1}{2}b(27a^2 + 7b^2) \sec(c + dx) + \frac{1}{2}a^3}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{10ab^2 + \frac{1}{2}a(9a^2 + 5b^2) \sec^2(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx + \frac{2}{9} \int \frac{a^3 \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{40ab^2 \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b^2(b + a \sec(c + dx)) \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} \\ &= \frac{40ab^2 \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27a^2 + 7b^2) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7a^2 + 15b^2) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2}{9} \int \frac{a^3 \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b(27a^2 + 7b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{40ab^2 \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{9} \int \frac{a^3 \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b(27a^2 + 7b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{2a(7a^2 + 15b^2) \sqrt{\cos(c + dx)}}{21d} + \frac{2}{9} \int \frac{a^3 \sec(c + dx)}{\sec^{\frac{7}{2}}(c + dx)} dx \end{aligned}$$



**Mathematica [A]** time = 1.24, size = 159, normalized size = 0.68

$$\sqrt{\sec(c+dx)} \left( 120a(7a^2+15b^2) \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right) + 168b(27a^2+7b^2) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3/Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[Sec[c + d\*x]]\*(168\*b\*(27\*a^2 + 7\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 120\*a\*(7\*a^2 + 15\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (7\*b\*(108\*a^2 + 43\*b^2)\*Cos[c + d\*x] + 5\*(84\*a^3 + 234\*a\*b^2 + 54\*a\*b^2\*Cos[2\*(c + d\*x)] + 7\*b^3\*Cos[3\*(c + d\*x)]))\*Sin[2\*(c + d\*x)])/(1260\*d)

**fricas [F]** time = 1.08, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}{\sec(dx+c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)/sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^3}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3/sec(d\*x + c)^(3/2), x)

**maple [A]** time = 1.02, size = 470, normalized size = 2.01

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -1120b^3 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^{10}\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (2160b^2a + 2240b^3) \left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2), x)

[Out] -2/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(2160\*a\*b^2+2240\*b^3)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1512\*a^2\*b-3240\*a\*b^2-2072\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(420\*a^3+1512\*a^2\*b+2520\*a\*b^2+952\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-210\*a^3-378\*a^2\*b-720\*a\*b^2-168\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+105\*a^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+225\*b^2\*a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-567\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2\*b-147\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))

$+1/2*c), 2^{(1/2)}) * b^3 / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^3}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^3/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(3/2),x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*3/sec(c + d\*x)\*\*(3/2), x)

$$3.712 \quad \int \frac{\sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=188

$$\frac{2b^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d(a+b)} - \frac{2b \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2 d} + \frac{2b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

[Out]  $2/3 \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a/d - 2*b * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / a^2/d + 2*b * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2/d + 2/3 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a/d + 2*b^2 * (\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2/(a+b)/d$

**Rubi [A]** time = 0.55, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3851, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2b^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a^2 d(a+b)} - \frac{2b \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2 d} + \frac{2b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x]),x]

[Out]  $(2*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*d) + (2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a*d) + (2*b^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a^2*(a + b)*d) - (2*b*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(a^2*d) + (2*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a*d)$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3851

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := -Simp[(d^3\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(n - 2)), x] + Dist[d^3/(b\*(n - 2)), Int[((d\*Csc[e + f\*x])^(n - 3)\*Simp[a\*(n - 3) + b\*(n - 3)\*Csc[e + f\*x] - a\*(n - 2)\*Csc[e + f\*x]^2, x])/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 3]

Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))^(m\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(C\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(m + n + 1)), x] + Dist[d/(b\*(m + n + 1)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[a\*C\*(n - 1) + (A\*b\*(m + n + 1) + b\*C\*(m + n))\*Csc[e + f\*x] + (b\*B\*(m + n + 1) - a\*C\*n)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{a+b\cos(c+dx)} dx &= \int \frac{\sec^{\frac{7}{2}}(c+dx)}{b+a\sec(c+dx)} dx \\
&= \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{2\int \frac{\sqrt{\sec(c+dx)}\left(\frac{b}{2}+\frac{1}{2}a\sec(c+dx)-\frac{3}{2}b\sec^2(c+dx)\right)}{b+a\sec(c+dx)} dx}{3a} \\
&= -\frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{4\int \frac{\frac{3b^2}{4}+ab\sec(c+dx)+\frac{1}{4}(a^2-b^2)\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(b+a\sec(c+dx))} dx}{3a^2} \\
&= -\frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{4\int \frac{\frac{3b^3}{4}+\frac{1}{4}ab^2\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{3a^2b^2} \\
&= -\frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} + \frac{2\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{\int \sqrt{\sec(c+dx)} dx}{3a} + \\
&= \frac{2b^2\sqrt{\cos(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2(a+b)d} - \frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{a^2d} \\
&= \frac{2b\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a^2d} + \frac{2\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{3ad}
\end{aligned}$$

**Mathematica [A]** time = 3.02, size = 165, normalized size = 0.88

$$\cot(c+dx)\left(-2(a^2+3ab+3b^2)\sqrt{-\tan^2(c+dx)}F\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right)\middle|-1\right)-a^2\sec^{\frac{5}{2}}(c+dx)+a^2\cos(2(c+dx))\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x]), x]

[Out] -1/3\*(Cot[c + d\*x]\*(-(a^2\*Sec[c + d\*x]^(5/2)) + a^2\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(5/2) + 6\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 2\*(a^2 + 3\*a\*b + 3\*b^2)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 6\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/(a^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{b\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 2.22, size = 452, normalized size = 2.40

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{4b^3 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{a^2(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} - 2b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x)`

[Out]  $-\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-4b^3/a^2/\left(-2*a*b+2*b^2\right)\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}*\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),-2*b/(a-b),2^{1/2}\right)-2/a^2*b*\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}\right)*\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)+2*\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2/\left(2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)+2/a*\left(-1/6*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)*\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}/\left(-1/2+\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^2+1/3*\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2+1\right)^{1/2}/\left(-2*\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{1/2}*\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{1/2}\right)\right)/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2*\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{5/2}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate(sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(5/2)/(a + b*cos(c + d*x)),x)`

[Out] `int((1/cos(c + d*x))^(5/2)/(a + b*cos(c + d*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(5/2)/(a+b*cos(d*x+c)),x)`

[Out] Timed out

$$3.713 \quad \int \frac{\sec^3(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=117

$$\frac{2b\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

[Out] 2\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/a/d-2\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/d-2\*b\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c),2\*b/(a+b),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/(a+b)/d

**Rubi [A]** time = 0.21, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.304$ , Rules used = {3238, 3850, 3768, 3771, 2639, 3849, 2805}

$$\frac{2b\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} + \frac{2\sin(c+dx)\sqrt{\sec(c+dx)}}{ad} - \frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x]),x]

[Out] (-2\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(a\*d) - (2\*b\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*(a + b)\*d) + (2\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d)

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3238

Int[(csc[(e\_) + (f\_)\*(x\_)])\*(d\_)^(m\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)])\*(b\_)^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 3850

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(5/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[d/b, Int[(d*Csc[e + f*x])^(3/2), x], x] - Dist[(a*
d)/b, Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] /; FreeQ[{a,
b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c+dx)}{a+b\cos(c+dx)} dx &= \int \frac{\sec^5(c+dx)}{b+a\sec(c+dx)} dx \\ &= \frac{\int \sec^3(c+dx) dx}{a} - \frac{b \int \frac{\sec^3(c+dx)}{b+a\sec(c+dx)} dx}{a} \\ &= \frac{2\sqrt{\sec(c+dx)} \sin(c+dx)}{ad} - \frac{\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{a} - \frac{(b\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a} \\ &= -\frac{2b\sqrt{\cos(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a(a+b)d} + \frac{2\sqrt{\sec(c+dx)} \sin(c+dx)}{ad} - \frac{2\sqrt{\cos(c+dx)} \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a} \\ &= -\frac{2\sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{ad} - \frac{2b\sqrt{\cos(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 5.16, size = 83, normalized size = 0.71

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) \left( -(a+b)F\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) + b\Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) + aE\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| 2\right) \right)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sec[c + d*x]^(3/2)/(a + b*Cos[c + d*x]), x]
```

```
[Out] (2*Cot[c + d*x]*(a*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1] - (a + b)*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + b*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[-Tan[c + d*x]^2])/(a^2*d)
```

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c)), x, algorithm="fricas")
```

```
[Out] Timed out
```



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 1.05, size = 354, normalized size = 3.03

$$2 \left( -2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right)} (a-b) \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - b \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \right.} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out]  $-2*(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(a-b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b)/a/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left( \frac{1}{\cos(c+dx)} \right)^{3/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x)),x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^{\frac{3}{2}}(c+dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Integral(sec(c + d*x)**(3/2)/(a + b*cos(c + d*x)), x)
```

$$3.714 \quad \int \frac{\sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=49

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{d(a+b)}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/(a+b)/d$

**Rubi [A]** time = 0.13, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$ , Rules used = {3238, 3849, 2805}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x]), x]

[Out]  $(2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/((a + b)*d)$

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_))^(p\_), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx &= \int \frac{\sec^3(c+dx)}{b+a \sec(c+dx)} dx \\ &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx \\ &= \frac{2\sqrt{\cos(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.34, size = 63, normalized size = 1.29

$$\frac{2\sqrt{-\tan^2(c+dx)} \cot(c+dx) \left( F\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) - \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*Cot[c + d\*x]\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*Sqrt[-Tan[c + d\*x]^2])/(a\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a), x)

**maple [B]** time = 0.83, size = 150, normalized size = 3.06

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{(a-b)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2^(1/2))/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(1/2)/(a + b*cos(c + d*x)), x)`

[Out] `int((1/cos(c + d*x))^(1/2)/(a + b*cos(c + d*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)/(a+b*cos(d*x+c)), x)`

[Out] `Integral(sqrt(sec(c + d*x))/(a + b*cos(c + d*x)), x)`

$$3.715 \quad \int \frac{1}{(a+b \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=93

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

[Out]  $2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b/d-2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b/(a+b)/d$

**Rubi [A]** time = 0.19, antiderivative size = 93, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {3238, 3848, 2803, 2641, 2805}

$$\frac{2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2a\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]), x]

[Out]  $(2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*d) - (2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b*(a + b)*d)$

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2803

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3848

Int[Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[(Sqrt[d\*Sin[e + f\*x])\*Sqrt[d\*Csc[e + f\*x]])/d, Int[S

`sqrt[d*Sin[e + f*x]]/(b + a*Sin[e + f*x]), x, x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)}}{b + a \sec(c + dx)} dx \\ &= \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{\cos(c + dx)}}{a + b \cos(c + dx)} dx \\ &= \frac{\left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} - \frac{\left(a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{bd} \\ &= \frac{2\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} - \frac{2a\sqrt{\cos(c + dx)} \Pi\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 47, normalized size = 0.51

$$\frac{2\sqrt{-\tan^2(c + dx)} \cot(c + dx) \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right)\right) - 1}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]), x]

[Out] (2\*Cot[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2])/(b\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**maple [A]** time = 0.90, size = 188, normalized size = 2.02

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{(a - b)b\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x)

[Out]  $-2*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b-a*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/(a-b)/b/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x))), x)



$$3.716 \quad \int \frac{1}{(a+b \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=135

$$\frac{2a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d(a+b)} - \frac{2a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d}$$

[Out]  $2 * (\cos(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(d * x + c) ^ (1/2) * \sec(d * x + c) ^ (1/2) / b / d - 2 * a * (\cos(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * \cos(d * x + c) ^ (1/2) * \sec(d * x + c) ^ (1/2) / b ^ 2 / d + 2 * a ^ 2 * (\cos(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticPi}(\sin(1/2 * d * x + 1/2 * c), 2 * b / (a + b), 2 ^ (1/2)) * \cos(d * x + c) ^ (1/2) * \sec(d * x + c) ^ (1/2) / b ^ 2 / (a + b) / d$

**Rubi [A]** time = 0.24, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.348$ , Rules used = {3238, 3852, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2a^2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d(a+b)} - \frac{2a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d} + \frac{2 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b \* Cos[c + d \* x]) \* Sec[c + d \* x]^(3/2)), x]

[Out]  $(2 * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, 2] * \text{Sqrt}[\text{Sec}[c + d * x]]) / (b * d) - (2 * a * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticF}[(c + d * x) / 2, 2] * \text{Sqrt}[\text{Sec}[c + d * x]]) / (b ^ 2 * d) + (2 * a ^ 2 * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticPi}[(2 * b) / (a + b), (c + d * x) / 2, 2] * \text{Sqrt}[\text{Sec}[c + d * x]]) / (b ^ 2 * (a + b) * d)$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2 \* EllipticE[(1 \* (c - Pi/2 + d \* x)) / 2, 2]) / d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2 \* EllipticF[(1 \* (c - Pi/2 + d \* x)) / 2, 2]) / d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2 \* EllipticPi[(2 \* b) / (a + b), (1 \* (e - Pi/2 + f \* x)) / 2, (2 \* d) / (c + d)]) / (f \* (a + b) \* Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b \* c - a \* d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)] \* (d\_.))^(m\_) \* ((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)^(p\_), x\_Symbol] := Dist[d^(n \* p), Int[(d \* Csc[e + f \* x])^(m - n \* p) \* (b + a \* Csc[e + f \* x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

**Rule 3771**

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

### Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

### Rule 3852

```
Int[1/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))), x_Symbol] := Dist[b^2/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b
*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a - b*Csc[e + f*x])/Sqrt[d*Csc[e
+ f*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{1}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx \\
&= \frac{\int \frac{b - a \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{b^2} + \frac{a^2 \int \frac{\sec^{\frac{3}{2}}(c + dx)}{b + a \sec(c + dx)} dx}{b^2} \\
&= -\frac{a \int \sqrt{\sec(c + dx)} dx}{b^2} + \frac{\int \frac{1}{\sqrt{\sec(c + dx)}} dx}{b} + \frac{(a^2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - a \sqrt{\cos(c + dx)})}{b^2(a + b)d} \\
&= \frac{2a^2 \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - (a \sqrt{\cos(c + dx)})}{b^2(a + b)d} \\
&= \frac{2\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - 2a \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}
\end{aligned}$$

**Mathematica [A]** time = 6.52, size = 176, normalized size = 1.30

$$\frac{\cot(c + dx) \left( -2a \sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + b \sec^{\frac{7}{2}}(c + dx) - b \sec^{\frac{3}{2}}(c + dx) + b \cos(2(c + dx)) \right)}{b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[1/((a + b*Cos[c + d*x])*Sec[c + d*x]^(3/2)),x]
```

```
[Out] (Cot[c + d*x]*(-(b*Sec[c + d*x]^(3/2)) - b*Cos[2*(c + d*x)]*Sec[c + d*x]^(3
/2) + b*Sec[c + d*x]^(7/2) + b*Cos[2*(c + d*x)]*Sec[c + d*x]^(7/2) - 2*b*El
lipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2*b*Ellipti
cF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] - 2*a*EllipticPi[-
(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2]))/(b^2*d)
```

**fricas** [F] time = 80.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(1/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 1.20, size = 227, normalized size = 1.68

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(\text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{b^2(a-b)\sqrt{-2\left(\sin^4\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x)

[Out] 2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^2-EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b+EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b-EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b^2-a^2\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2)))/b^2/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))),x)

[Out] `int(1/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))/sec(d*x+c)**(3/2), x)`

[Out] `Integral(1/((a + b*cos(c + d*x))*sec(c + d*x)**(3/2)), x)`

$$3.717 \quad \int \frac{1}{(a+b \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=172

$$\frac{2a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^3 d(a+b)} + \frac{2(3a^2 + b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3 d}$$

[Out]  $2/3 \sin(dx+c)/b/d/\sec(dx+c)^{(1/2)} - 2*a*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/b^2/d + 2/3*(3*a^2+b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/b^3/d - 2*a^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(dx+c)^{(1/2)}*\sec(dx+c)^{(1/2)}/b^3/(a+b)/d$

**Rubi [A]** time = 0.39, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {3238, 3853, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(3a^2 + b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3 d} - \frac{2a^3 \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{b^3 d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(-2*a*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^2*d) + (2*(3*a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*b^3*d) - (2*a^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(b^3*(a + b)*d) + (2*\text{Sin}[c + d*x])/(3*b*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] :=> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 3853

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Simp[(Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(a\*f\*n), x] - Dist[1/(a\*d\*n), Int[((d\*Csc[e + f\*x])^(n + 1)\*Simp[b\*n - a\*(n + 1)\*Csc[e + f\*x] - b\*(n + 1)\*Csc[e + f\*x]^2, x])/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1] && IntegerQ[2\*n]

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :=> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))} dx \\
 &= \frac{2 \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{-\frac{3a}{2} + \frac{1}{2}b \sec(c + dx) + \frac{1}{2}a \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{3b} \\
 &= \frac{2 \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} + \frac{2 \int \frac{-\frac{3ab}{2} - \left(-\frac{3a^2}{2} - \frac{b^2}{2}\right) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{3b^3} - \frac{a^3 \int \frac{\sec^{\frac{3}{2}}(c + dx)}{b + a \sec(c + dx)} dx}{b^3} \\
 &= \frac{2 \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} - \frac{a \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{b^2} + \frac{(3a^2 + b^2) \int \sqrt{\sec(c + dx)} dx}{3b^3} \\
 &= -\frac{2a^3 \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^3(a + b)d} + \frac{2 \sin(c + dx)}{3bd\sqrt{\sec(c + dx)}} \\
 &= -\frac{2a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^2d} + \frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)}}{b^2d}
 \end{aligned}$$

**Mathematica [A]** time = 6.79, size = 196, normalized size = 1.14

$$\cot(c + dx) \left( -12a^2 \sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c + dx)}\right)\right) - 1 \right) + 6ab \sec^{\frac{3}{2}}(c + dx) - 6ab \cos(2(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)),x]

[Out] -1/6\*(Cot[c + d\*x]\*(-(b^2\*Sqrt[Sec[c + d\*x]]) + 6\*a\*b\*Sec[c + d\*x]^(3/2) - 6\*a\*b\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) + b^2\*Cos[3\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) - 12\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 4\*(3\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 12\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/(b^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**maple [B]** time = 1.03, size = 516, normalized size = 3.00

$$2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( (4b^2a - 4b^3) \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-2b^2a + 2b^3) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((4\*a\*b^2-4\*b^3)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+(-2\*a\*b^2+2\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+3\*a^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*a^2\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+b^2\*a\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^2\*b-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b^2-3\*a^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2^(1/2))

$2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})/b^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))), x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(5/2), x)

[Out] Timed out



$$3.718 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=341

$$\frac{b^2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{ad(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(2a^2-5b^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d(a^2-b^2)} + \frac{(2a^2-5b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3a^2d(a^2-b^2)}$$

[Out]  $\frac{1}{3} \cdot (2a^2 - 5b^2) \cdot \sec(dx+c)^{3/2} \cdot \sin(dx+c) / a^2 / (a^2 - b^2) / d + b^2 \cdot \sec(dx+c)^{5/2} \cdot \sin(dx+c) / a / (a^2 - b^2) / d / (b + a \cdot \sec(dx+c)) - b \cdot (4a^2 - 5b^2) \cdot \sin(dx+c) \cdot \sec(dx+c)^{1/2} / a^3 / (a^2 - b^2) / d + b \cdot (4a^2 - 5b^2) \cdot (\cos(1/2 \cdot dx + 1/2 \cdot c))^2 \cdot (1/2) / \cos(1/2 \cdot dx + 1/2 \cdot c) \cdot \text{EllipticE}(\sin(1/2 \cdot dx + 1/2 \cdot c), 2^{1/2}) \cdot \cos(dx+c)^{1/2} \cdot \sec(dx+c)^{1/2} / a^3 / (a^2 - b^2) / d + 1/3 \cdot (2a^2 - 5b^2) \cdot (\cos(1/2 \cdot dx + 1/2 \cdot c))^2 \cdot (1/2) / \cos(1/2 \cdot dx + 1/2 \cdot c) \cdot \text{EllipticF}(\sin(1/2 \cdot dx + 1/2 \cdot c), 2^{1/2}) \cdot \cos(dx+c)^{1/2} \cdot \sec(dx+c)^{1/2} / a^2 / (a^2 - b^2) / d + b^2 \cdot (7a^2 - 5b^2) \cdot (\cos(1/2 \cdot dx + 1/2 \cdot c))^2 \cdot (1/2) / \cos(1/2 \cdot dx + 1/2 \cdot c) \cdot \text{EllipticPi}(\sin(1/2 \cdot dx + 1/2 \cdot c), 2b/(a+b), 2^{1/2}) \cdot \cos(dx+c)^{1/2} \cdot \sec(dx+c)^{1/2} / a^3 / (a-b) / (a+b)^2 / d$

**Rubi [A]** time = 0.97, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3845, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{ad(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(2a^2-5b^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d(a^2-b^2)} - \frac{b(4a^2-5b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^3d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(b \cdot (4a^2 - 5b^2) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{EllipticE}[(c + d \cdot x)/2, 2] \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]]) / (a^3 \cdot (a^2 - b^2) \cdot d) + ((2a^2 - 5b^2) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{EllipticF}[(c + d \cdot x)/2, 2] \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]]) / (3a^2 \cdot (a^2 - b^2) \cdot d) + (b^2 \cdot (7a^2 - 5b^2) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]] \cdot \text{EllipticPi}[(2b)/(a + b), (c + d \cdot x)/2, 2] \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]]) / (a^3 \cdot (a - b) \cdot (a + b)^2 \cdot d) - (b \cdot (4a^2 - 5b^2) \cdot \text{Sqrt}[\text{Sec}[c + d \cdot x]] \cdot \text{Sin}[c + d \cdot x]) / (a^3 \cdot (a^2 - b^2) \cdot d) + ((2a^2 - 5b^2) \cdot \text{Sec}[c + d \cdot x]^{3/2} \cdot \text{Sin}[c + d \cdot x]) / (3a^2 \cdot (a^2 - b^2) \cdot d) + (b^2 \cdot \text{Sec}[c + d \cdot x]^{5/2} \cdot \text{Sin}[c + d \cdot x]) / (a \cdot (a^2 - b^2) \cdot d \cdot (b + a \cdot \text{Sec}[c + d \cdot x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegersQ[n + 1/2, 2\*m] && GtQ[n, 2]))

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(C\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(m + n + 1)), x] + Dist[d/(b\*(m + n + 1)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[a\*C\*(n - 1) + (A\*b\*(m + n + 1) + b\*C\*(m + n))\*Csc[e + f\*x] + (b\*B\*(m + n + 1) - a\*C\*n)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx &= \int \frac{\sec^{\frac{9}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx \\
&= \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \int \frac{\sec^{\frac{3}{2}}(c+dx) \left( \frac{3b^2}{2} - ab\sec(c+dx) + \frac{1}{2}(2a^2-5b^2)\sec^2(c+dx) \right)}{b+a\sec(c+dx)} \frac{1}{a(a^2-b^2)} dx \\
&= \frac{(2a^2-5b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} + \frac{b^2 \sec^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{2 \int \frac{\sqrt{\sec(c+dx)}}{a(a^2-b^2)} dx}{a(a^2-b^2)} \\
&= -\frac{b(4a^2-5b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{b(4a^2-5b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{b(4a^2-5b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)d} \\
&= \frac{b^2(7a^2-5b^2)\sqrt{\cos(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)\sqrt{\sec(c+dx)}}{a^3(a-b)(a+b)^2d} - \frac{b(4a^2-5b^2)\sqrt{\cos(c+dx)}}{a^3(a-b)(a+b)^2d} \\
&= \frac{b(4a^2-5b^2)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx) \middle| 2\right)\sqrt{\sec(c+dx)}}{a^3(a^2-b^2)d} + \frac{(2a^2-5b^2)\sqrt{\cos(c+dx)}}{a^3(a^2-b^2)d}
\end{aligned}$$

**Mathematica [A]** time = 6.80, size = 655, normalized size = 1.92

$$\frac{\sqrt{\sec(c+dx)} \left( -\frac{b^3 \sin(c+dx)}{a^2(a^2-b^2)(a+b\cos(c+dx))} + \frac{2 \tan(c+dx)}{3a^2} - \frac{b(4a^2-5b^2)\sin(c+dx)}{a^3(a^2-b^2)} \right)}{d} + \frac{2(40ab^3-28a^3b)\sin(c+dx)\cos^2(c+dx)\sqrt{1-\sec^2(c+dx)}}{b(1-\cos^2(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((2\*(-4\*a^4 - 44\*a^2\*b^2 + 45\*b^4)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-28\*a^3\*b + 40\*a\*b^3)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((-12\*a^2\*b^2 + 15\*b^4)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(12\*a^3\*(-a + b)\*(a + b)\*d) + (Sqrt[Sec[c + d\*x]]\*(-((b\*(4\*a^2 - 5\*b^2)\*Sin[c + d\*x])/(a^3\*(a^2 - b^2))) - (b^3\*Sin[c + d\*x])/(a^2\*(a^2 - b^2))\*(a + b\*Cos[c + d\*x])) + (2\*Tan[c + d\*x])/(3\*a^2)))/d

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)

**maple** [B] time = 3.86, size = 1008, normalized size = 2.96

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-8*b^3/a^3/(-2* \\ & a*b+2*b^2)*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/( \\ & -2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+ \\ & 1/2*c), -2*b/(a-b), 2^{(1/2)})-4/a^3*b*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & )* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/ \\ & 2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2/a^2*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(-1/2+\cos(1/2*d*x+1/2*c)^2)^2+1/ \\ & 3*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})+2*b^2/a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c) \\ & )^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a* \\ & (\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2* \\ & d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})-1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/ \\ & 2)})+1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\ & )^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2) \\ & )*b*( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c) \\ & )^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*( \sin(1/2*d*x+1/2*c)^2) \\ & )^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin( \\ & 1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+b \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.719 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=277

$$\frac{b^2 \sin(c+dx) \sec^3(c+dx)}{ad(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(2a^2-3b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d(a^2-b^2)} + \frac{b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{ad(a^2-b^2)}$$

[Out]  $b^2 \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a / (a^2-b^2) / d / (b+a*\sec(d*x+c)) + (2*a^2-3*b^2) * \sin(d*x+c) * \sec(d*x+c)^{(1/2)} / a^2 / (a^2-b^2) / d - (2*a^2-3*b^2) * (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2 / (a^2-b^2) / d + b * (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a / (a^2-b^2) / d - b * (5*a^2-3*b^2) * (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / a^2 / (a-b) / (a+b)^2 / d$

**Rubi [A]** time = 0.71, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3845, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sec^3(c+dx)}{ad(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(2a^2-3b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d(a^2-b^2)} + \frac{b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{ad(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^2, x]

[Out]  $-(((2*a^2 - 3*b^2) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (a^2 * (a^2 - b^2) * d)) + (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (a * (a^2 - b^2) * d) - (b * (5*a^2 - 3*b^2) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (a^2 * (a - b) * (a + b)^2 * d) + ((2*a^2 - 3*b^2) * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / (a^2 * (a^2 - b^2) * d) + (b^2 * \text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (a * (a^2 - b^2) * d * (b + a * \text{Sec}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]) / (f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)

$*(b + a*\text{Csc}[e + f*x]^n)^p, x] /;$  FreeQ[{a, b, d, e, f, m, n, p}, x] &&  
!IntegerQ[m] && IntegersQ[n, p]

### Rule 3771

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_))* (b_.)^{(n_)}, x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$  FreeQ[{b, c, d}, x] &&  
EqQ[n^2, 1/4]

### Rule 3787

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_))* (d_.)^{(n_)} * (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)], x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x]

### Rule 3845

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_))* (d_.)^{(n_)} * (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)]^{(m_)}, x\_Symbol] \rightarrow -\text{Simp}[(a^2*d^3*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)} * (d*\text{Csc}[e + f*x])^{(n - 3)}) / (b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[d^3/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m + 1)} * (d*\text{Csc}[e + f*x])^{(n - 3)} * \text{Simp}[a^2*(n - 3) + a*b*(m + 1)*\text{Csc}[e + f*x] - (a^2*(n - 2) + b^2*(m + 1))*\text{Csc}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegersQ[n + 1/2, 2\*m] && GtQ[n, 2]))

### Rule 3849

$\text{Int}[(\text{csc}[e_.] + (f_.)*(x_))* (d_.)^{(3/2)} / (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)], x\_Symbol] \rightarrow \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4102

$\text{Int}[(A_.) + \text{csc}[e_.] + (f_.)*(x_))* (B_.) + \text{csc}[e_.] + (f_.)*(x_)]^2 * (C_.)^{(m_)}, x\_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m + 1)} * (d*\text{Csc}[e + f*x])^{(n - 1)}) / (b*f*(m + n + 1)), x] + \text{Dist}[d/(b*(m + n + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{(n - 1)} * \text{Simp}[a*C*(n - 1) + (A*b*(m + n + 1) + b*C*(m + n))*\text{Csc}[e + f*x] + (b*B*(m + n + 1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

### Rule 4106

$\text{Int}[(A_.) + \text{csc}[e_.] + (f_.)*(x_))* (B_.) + \text{csc}[e_.] + (f_.)*(x_)]^2 * (C_.) / (\text{Sqrt}[\text{csc}[e_.] + (f_.)*(x_))* (d_.)] * (\text{csc}[e_.] + (f_.)*(x_))* (b_.) + (a_)), x\_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)} / (a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/\text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^2} dx &= \int \frac{\sec^{\frac{7}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx \\
&= \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \int \frac{\sqrt{\sec(c+dx)} \left( \frac{b^2}{2} - ab \sec(c+dx) + \frac{1}{2}(2a^2-3b^2) \sec^2(c+dx) \right)}{a(a^2-b^2)(b+a\sec(c+dx))} dx \\
&= \frac{(2a^2-3b^2) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{2 \int \frac{-\frac{1}{4}b^2(2}{(a^2-b^2)(b+a\sec(c+dx))} dx}{(a^2-b^2)d(b+a\sec(c+dx))} \\
&= \frac{(2a^2-3b^2) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{2 \int \frac{-\frac{1}{4}b^2(2}{(a^2-b^2)(b+a\sec(c+dx))} dx}{(a^2-b^2)d(b+a\sec(c+dx))} \\
&= \frac{(2a^2-3b^2) \sqrt{\sec(c+dx)} \sin(c+dx)}{a^2(a^2-b^2)d} + \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{b \int \sqrt{\sec(c+dx)}}{2a(a^2-b^2)d(b+a\sec(c+dx))} \\
&= -\frac{b(5a^2-3b^2) \sqrt{\cos(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a^2(a-b)(a+b)^2d} + \frac{(2a^2-3b^2) \sqrt{\sec(c+dx)}}{a^2(a^2-b^2)d} \\
&= -\frac{(2a^2-3b^2) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{a^2(a^2-b^2)d} + \frac{b \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{a(a^2-b^2)d}
\end{aligned}$$

**Mathematica [A]** time = 4.63, size = 351, normalized size = 1.27

$$\frac{2a \sin(c+dx) (2a(a^2-b^2) \sec(c+dx) + 2a^2b - 3b^3)}{(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))} + \frac{\cot(c+dx) \left( -2a^3 \sec^{\frac{3}{2}}(c+dx) + 2a^3 \cos(2(c+dx)) \sec^{\frac{3}{2}}(c+dx) + 2a(2a^2-3b^2) \sqrt{-\tan^2(c+dx)} E\left(\sin^{-1}\left(\frac{b \sqrt{\sec(c+dx)}}{a+b \cos(c+dx)}\right) \middle| 2\right) \right)}{(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((2\*a\*(2\*a^2\*b - 3\*b^3 + 2\*a\*(a^2 - b^2)\*Sec[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]) + (Cot[c + d\*x]\*(-2\*a^3\*Sec[c + d\*x]^(3/2) + 3\*a\*b^2\*Sec[c + d\*x]^(3/2) + 2\*a^3\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) - 3\*a\*b^2\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) + 2\*a\*(2\*a^2 - 3\*b^2)\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 2\*(2\*a^3 + 4\*a^2\*b - 3\*a\*b^2 - 3\*b^3)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 10\*a^2\*b\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 6\*b^3\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/((a - b)\*(a + b))/(2\*a^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^2} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

**maple [B]** time = 2.56, size = 874, normalized size = 3.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4/a^2*b^2/(-2*a \\ & *b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(- \\ & 2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1 \\ & /2*c),-2*b/(a-b),2^{(1/2)})+2/a^2*(-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*E \\ & llipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c \\ & )^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/a*b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)* \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2 \\ & *b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1 \\ & )^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos( \\ & 1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^ \\ & 2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi \\ & (\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(s \\ & in(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d* \\ & x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/( \\ & a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b\cos(dx+c)+a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a+b\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^2, x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)^{\frac{3}{2}}}{(a+b\cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Integral(sec(c + d*x)**(3/2)/(a + b*cos(c + d*x))**2, x)
```

$$3.720 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=217

$$\frac{b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2-b^2)(a \sec(c+dx)+b)} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d(a^2-b^2)} - \frac{b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad(a^2-b^2)}$$

```
[Out] b^2*sin(d*x+c)*sec(d*x+c)^(1/2)/a/(a^2-b^2)/d/(b+a*sec(d*x+c))-b*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticE(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/(a^2-b^2)/d-(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticF(sin(1/2*d*x+1/2*c),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/(a^2-b^2)/d+(3*a^2-b^2)*(cos(1/2*d*x+1/2*c)^2)^(1/2)/cos(1/2*d*x+1/2*c)*EllipticPi(sin(1/2*d*x+1/2*c),2*b/(a+b),2^(1/2))*cos(d*x+c)^(1/2)*sec(d*x+c)^(1/2)/a/(a-b)/(a+b)^2/d
```

**Rubi [A]** time = 0.44, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {3238, 3845, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2-b^2)(a \sec(c+dx)+b)} - \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d(a^2-b^2)} - \frac{b \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Sec[c + d*x]]/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] -((b*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a^2 - b^2)*d) - (Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a^2 - b^2)*d) + ((3*a^2 - b^2)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a*(a - b)*(a + b)^2*d) + (b^2*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2805**

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/((f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

**Rule 3238**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(m_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_))^(p_), x_Symbol] :> Dist[d^(n*p), Int[(d*Csc[e + f*x])^(m - n*p)*(b + a*Csc[e + f*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]
```

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] :=> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :=> -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegersQ[n + 1/2, 2\*m] && GtQ[n, 2]))

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :=> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}}{(a+b\cos(c+dx))^2} dx &= \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx \\
&= \frac{b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{\int \frac{-\frac{b^2}{2}-ab\sec(c+dx)+\frac{1}{2}(2a^2-b^2)\sec^2(c+dx)}{\sqrt{\sec(c+dx)}(b+a\sec(c+dx))} dx}{a(a^2-b^2)} \\
&= \frac{b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} + \frac{\int \frac{-\frac{b^3}{2}-\frac{1}{2}ab^2\sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{ab^2(a^2-b^2)} + \frac{(3a^2-b^2)\int \frac{\sec^{\frac{3}{2}}(c+dx)}{b+a\sec(c+dx)} dx}{2a(a^2-b^2)} \\
&= \frac{b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{a(a^2-b^2)d(b+a\sec(c+dx))} - \frac{\int \sqrt{\sec(c+dx)} dx}{2(a^2-b^2)} - \frac{b\int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a(a^2-b^2)} + \frac{((3a^2-b^2)\int \frac{\sec^{\frac{3}{2}}(c+dx)}{b+a\sec(c+dx)} dx)}{2a(a^2-b^2)} \\
&= \frac{(3a^2-b^2)\sqrt{\cos(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a(a-b)(a+b)^2d} + \frac{b^2\sqrt{\sec(c+dx)}}{a(a^2-b^2)d(b+a\sec(c+dx))} \\
&= -\frac{b\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{\sec(c+dx)}}{a(a^2-b^2)d} - \frac{\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{(a^2-b^2)d}
\end{aligned}$$

**Mathematica [B]** time = 6.67, size = 584, normalized size = 2.69

$$\frac{\sqrt{\sec(c+dx)}\left(\frac{b\sin(c+dx)}{a(a^2-b^2)} + \frac{b\sin(c+dx)}{(b^2-a^2)(a+b\cos(c+dx))}\right)}{d} + \frac{2(3b^2-4a^2)\sin(c+dx)\cos^2(c+dx)\sqrt{1-\sec^2(c+dx)}(a\sec(c+dx)+b)(F(\sin^{-1}(\sqrt{\sec(c+dx)})) - \text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{\sec(c+dx)}]])}{a(1-\cos^2(c+dx))(a+b\cos(c+dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^2,x]

[Out] (Sqrt[Sec[c + d\*x]]\*((b\*Sin[c + d\*x])/(a\*(a^2 - b^2)) + (b\*Sin[c + d\*x])/((-a^2 + b^2)\*(a + b\*Cos[c + d\*x])))/d + (((2\*(-4\*a^2 + 3\*b^2)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (8\*a\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/((a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(4\*a\*(-a + b)\*(a + b)\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

**maple** [B] time = 1.68, size = 612, normalized size = 2.82

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( -\frac{2b^2 \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}}{a(a^2-b^2)\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b+a-b\right)} - \frac{\sqrt{\frac{1}{2}-\frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}}{(a+b)a\sqrt{-2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-6*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^2,x)

[Out] `int((1/cos(c + d*x))^(1/2)/(a + b*cos(c + d*x))^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**2, x)`

[Out] `Integral(sqrt(sec(c + d*x))/(a + b*cos(c + d*x))**2, x)`

$$3.721 \quad \int \frac{1}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=208

$$-\frac{b \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2)(a \sec(c+dx)+b)} + \frac{a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd(a^2-b^2)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d(a^2-b^2)}$$

[Out]  $-b \sin(d*x+c) \sec(d*x+c)^{(1/2)} / (a^2-b^2) / d / (b+a \sec(d*x+c)) + (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / (a^2-b^2) / d + a * (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / b / (a^2-b^2) / d - (a^2+b^2) * (\cos(1/2*d*x+1/2*c))^2)^{(1/2)} / \cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)}) * \cos(d*x+c)^{(1/2)} * \sec(d*x+c)^{(1/2)} / (a-b) / b / (a+b)^2 / d$

**Rubi [A]** time = 0.42, antiderivative size = 208, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {3238, 3844, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$-\frac{b \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2)(a \sec(c+dx)+b)} + \frac{a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{bd(a^2-b^2)} + \frac{\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]), x]

[Out]  $(\text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticE}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / ((a^2 - b^2) * d) + (a * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / (b * (a^2 - b^2) * d) - ((a^2 + b^2) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2] * \text{Sqrt}[\text{Sec}[c + d*x]]) / ((a - b) * b * (a + b)^2 * d) - (b * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]) / ((a^2 - b^2) * d * (b + a * \text{Sec}[c + d*x]))$

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]) / (f\*(a + b) \* Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x])^n]^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]



Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3844

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := Simp[(a\*d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(m + 1)\*(a^2 - b^2)), x] - Dist[d^2/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(a\*(n - 2) + b\*(m + 1)\*Csc[e + f\*x] - a\*(m + n)\*Csc[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(b + a \sec(c + dx))^2} dx \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{\int \frac{-\frac{b}{2} - a \sec(c + dx) + \frac{1}{2}b \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{a^2 - b^2} \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{\int \frac{-\frac{b^2}{2} - \frac{1}{2}ab \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{b^2(a^2 - b^2)} - \frac{(a^2 + b^2) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b(a^2 - b^2)} \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{\int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2(a^2 - b^2)} + \frac{a \int \sqrt{\sec(c + dx)}}{2b(a^2 - b^2)} \\
&= -\frac{(a^2 + b^2) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a - b)b(a + b)^2 d} - \frac{b\sqrt{\sec(c + dx)}}{(a^2 - b^2)d} \\
&= \frac{\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a^2 - b^2)d} + \frac{a\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)}
\end{aligned}$$

**Mathematica [B]** time = 6.67, size = 574, normalized size = 2.76

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{a \sin(c + dx)}{(a^2 - b^2)(a + b \cos(c + dx))} - \frac{\sin(c + dx)}{a^2 - b^2} \right)}{d} + \frac{\sin(c + dx) \cos(2(c + dx))(a \sec(c + dx) + b) \left( -4a^2 \sqrt{\sec(c + dx)} \sqrt{1 - \sec^2(c + dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{\sec(c + dx)}}\right) \middle| 2\right) \right)}{(a^2 - b^2)^2}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Sqrt[Sec[c + d\*x]]\*(-(Sin[c + d\*x]/(a^2 - b^2)) + (a\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])))/d + ((-2\*b\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (8\*a\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*(1 - Cos[c + d\*x]^2)\*Sin[c + d\*x])/(a\*b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2))/(4\*(a - b)\*(a + b)\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c))), x)

**maple** [B] time = 2.31, size = 713, normalized size = 3.43

$$\sqrt{-\left(-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left( \frac{4\sqrt{\frac{1-\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \operatorname{EllipticPi}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), -\frac{2b}{a-b}, \sqrt{2}\right)}{(-2ab+2b^2)\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4/(-2*a*b+2*b^2) \\ & *( \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), - \\ & 2*b/(a-b), 2^{(1/2)})-2/b*a*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/ \\ & (a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2* \\ & c), 2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{Elli \\ & pticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a \\ & *b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x \\ & +1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\operatorname{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)} \\ & ))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2), x)`

[Out] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))**2/sec(d*x+c)**(1/2), x)`

[Out] `Integral(1/((a + b*cos(c + d*x))**2*sqrt(sec(c + d*x))), x)`

$$3.722 \quad \int \frac{1}{(a+b \cos(c+dx))^2 \sec^3(c+dx)} dx$$

**Optimal.** Leaf size=223

$$\frac{a \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(a^2-2b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d (a^2-b^2)} - \frac{a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{bd(a^2-b^2)}$$

[Out] a\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/(a^2-b^2)/d/(b+a\*sec(d\*x+c))-a\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/b/(a^2-b^2)/d+(a^2-2\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/b^2/(a^2-b^2)/d-a\*(a^2-3\*b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c),2\*b/(a+b),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/(a-b)/b^2/(a+b)^2/d

**Rubi [A]** time = 0.41, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {3238, 3843, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(a^2-2b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d (a^2-b^2)} - \frac{a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{bd(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2)),x]

[Out] -((a\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*(a^2 - b^2)\*d) + ((a^2 - 2\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b^2\*(a^2 - b^2)\*d) - (a\*(a^2 - 3\*b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/((a - b)\*b^2\*(a + b)^2\*d) + (a\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(b + a\*Sec[c + d\*x]))

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)]^(p\_), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*((b + a\*Csc[e + f\*x])^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&

!IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3843

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(b\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[b\*d\*(n - 1) + a\*d\*(m + 1)\*Csc[e + f\*x] - b\*d\*(m + n + 1)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}}{(b + a \sec(c + dx))^2} dx \\
&= \frac{a \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} + \frac{\int \frac{-\frac{a}{2} - b \sec(c + dx) + \frac{1}{2} a \sec^2(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx}{a^2 - b^2} \\
&= \frac{a \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} + \frac{\left(a \left(3 - \frac{a^2}{b^2}\right)\right) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{b + a \sec(c + dx)} dx}{2(a^2 - b^2)} + \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{a \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d (b + a \sec(c + dx))} - \frac{a \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b(a^2 - b^2)} + \frac{(a^2 - 2b^2) \int \sqrt{\sec(c + dx)} dx}{2b^2(a^2 - b^2)} \\
&= -\frac{a(a^2 - 3b^2) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a - b)b^2(a + b)^2 d} + \frac{a \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b(a^2 - b^2) d} + \frac{(a^2 - 2b^2) \sqrt{\cos(c + dx)}}{2b^2(a^2 - b^2)}
\end{aligned}$$

**Mathematica [A]** time = 5.64, size = 250, normalized size = 1.12

$$\frac{\cos(2(c + dx)) \csc(c + dx) \sec^{\frac{3}{2}}(c + dx) \left(- (a^2 - 3b^2) \sqrt{-\tan^2(c + dx)} \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) \Pi\left(-\frac{a}{b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}\right)}{(a - b)b^2(a + b)^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2)),x]

[Out] (Cos[2\*(c + d\*x)]\*Csc[c + d\*x]\*Sec[c + d\*x]^(3/2)\*(-(b\*(-a + b))\*(a + b\*Cos[c + d\*x])\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[-Tan[c + d\*x]^2]) - (a^2 - 3\*b^2)\*(a + b\*Cos[c + d\*x])\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[-Tan[c + d\*x]^2] + a\*b\*(a\*Tan[c + d\*x]^2 - (a + b\*Cos[c + d\*x])\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[-Tan[c + d\*x]^2]))/(a - b)\*b^2\*(a + b)\*d\*(b + a\*Sec[c + d\*x])\*(-2 + Sec[c + d\*x]^2))

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

**maple [B]** time = 1.97, size = 794, normalized size = 3.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x)

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+8/b*a / (-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2/b^2*a^2*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^3/2\*(a + b\*cos(c + d\*x))^2),x)

[Out] int(1/((1/cos(c + d\*x))^3/2\*(a + b\*cos(c + d\*x))^2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*\*2/sec(d\*x+c)\*\*(3/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x)\*\*2\*sec(c + d\*x)\*\*(3/2)), x)



$$3.723 \quad \int \frac{1}{(a+b \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=245

$$\frac{a^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{bd(a^2-b^2)(a \sec(c+dx)+b)} + \frac{(3a^2-2b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^2 d(a^2-b^2)} - \frac{a(3a^2-4b^2) \sqrt{\cos(c+dx)}}{b^2 d(a^2-b^2)}$$

[Out]  $-a^2 \sin(dx+c) \sec(dx+c)^{(1/2)} / b / (a^2-b^2) / d / (b+a \sec(dx+c)) + (3a^2-2b^2) \cos(1/2 dx+1/2 c)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticE}(\sin(1/2 dx+1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / b^2 / (a^2-b^2) / d - a(3a^2-4b^2) \cos(1/2 dx+1/2 c)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticF}(\sin(1/2 dx+1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / b^3 / (a^2-b^2) / d + a^2(3a^2-5b^2) \cos(1/2 dx+1/2 c)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticPi}(\sin(1/2 dx+1/2 c), 2b/(a+b), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / (a-b) / b^3 / (a+b)^2 / d$

**Rubi [A]** time = 0.47, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.391$ , Rules used = {3238, 3847, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{bd(a^2-b^2)(a \sec(c+dx)+b)} - \frac{a(3a^2-4b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{b^3 d(a^2-b^2)} + \frac{(3a^2-2b^2) \sqrt{\cos(c+dx)}}{b^2 d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)),x]

[Out]  $((3a^2-2b^2) \text{Sqrt}[\text{Cos}[c+d*x]] \text{EllipticE}[(c+d*x)/2, 2] \text{Sqrt}[\text{Sec}[c+d*x]]) / (b^2(a^2-b^2)d) - (a(3a^2-4b^2) \text{Sqrt}[\text{Cos}[c+d*x]] \text{EllipticF}[(c+d*x)/2, 2] \text{Sqrt}[\text{Sec}[c+d*x]]) / (b^3(a^2-b^2)d) + (a^2(3a^2-5b^2) \text{Sqrt}[\text{Cos}[c+d*x]] \text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2] \text{Sqrt}[\text{Sec}[c+d*x]]) / ((a-b)b^3(a+b)^2d) - (a^2 \text{Sqrt}[\text{Sec}[c+d*x]] \text{Sin}[c+d*x]) / (b(a^2-b^2)d(b+a \text{Sec}[c+d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a+b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c+d)])/((f\*(a+b)\*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c+d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(d\_.)^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] &&

!IntegerQ[m] && IntegersQ[n, p]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3847

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := Simp[(b^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*(a^2\*(m + 1) - b^2\*(m + n + 1) - a\*b\*(m + 1)\*Csc[e + f\*x] + b^2\*(m + n + 2)\*Csc[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n]

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{1}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2} dx$$

$$= -\frac{a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} + \int \frac{\frac{3a^2}{2} - b^2 + ab \sec(c + dx) - \frac{1}{2} a^2 \sec^2(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))} dx$$

$$= -\frac{a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} + \frac{b \left( \frac{3a^2}{2} - b^2 \right) - \left( -ab^2 + a \left( \frac{3a^2}{2} - b^2 \right) \right) \sec(c + dx)}{b^3 (a^2 - b^2)}$$

$$= -\frac{a^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2) d(b + a \sec(c + dx))} - \frac{(a(3a^2 - 4b^2)) \int \sqrt{\sec(c + dx)} dx}{2b^3 (a^2 - b^2)}$$

$$= \frac{a^2 (3a^2 - 5b^2) \sqrt{\cos(c + dx)} \Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{\sec(c + dx)}}{(a - b)b^3(a + b)^2 d} - \frac{a(3a^2 - 5b^2) \int \sqrt{\sec(c + dx)} dx}{b^2 (a^2 - b^2) d}$$

**Mathematica [A]** time = 6.43, size = 319, normalized size = 1.30

$$\frac{4a^2 \sin(c+dx)}{b(b^2-a^2)\sqrt{\sec(c+dx)}(a+b \cos(c+dx))} - \frac{2 \cot(c+dx) \left( 6a^3 \sqrt{-\tan^2(c+dx)} \Pi \left( -\frac{a}{b}; \sin^{-1}(\sqrt{\sec(c+dx)}) \right) - 1 \right) + 2b(-3a^2+ab+2b^2) \sqrt{-\tan^2(c+dx)} F(\sin^{-1}(\sqrt{\sec(c+dx)}))}{b^2(a^2-b^2)d}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)),x]

[Out] ((4\*a^2\*Sin[c + d\*x])/(b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]) - (2\*Cot[c + d\*x]\*(-3\*a^2\*b\*Sec[c + d\*x]^(3/2) + 2\*b^3\*Sec[c + d\*x]^(3/2) + 3\*a^2\*b\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) - 2\*b^3\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) + 2\*b\*(3\*a^2 - 2\*b^2)\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 2\*b\*(-3\*a^2 + a\*b + 2\*b^2)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 6\*a^3\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 10\*a\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/(4\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

**maple [B]** time = 2.40, size = 815, normalized size = 3.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x)

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/b^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*a+\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b)-12*a^2/b^2/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-2/b^3*a^3*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^5/2)\*(a + b\*cos(c + d\*x))^2),x)

[Out] int(1/((1/cos(c + d\*x))^5/2)\*(a + b\*cos(c + d\*x))^2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c)\*\*2/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.724 \quad \int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=455

$$\frac{b^2 \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{b^2(13a^2-7b^2) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} - \frac{b(24a^4-65a^2b^2+35b^4) \sin(c+dx)}{4a^4d(a^2-b^2)^2}$$

[Out]  $1/12*(8*a^4-61*a^2*b^2+35*b^4)*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)/a^3/(a^2-b^2)^2/d+1/2*b^2*\sec(d*x+c)^{(7/2)}*\sin(d*x+c)/a/(a^2-b^2)/d/(b+a*\sec(d*x+c))^{2+1/4}*b^2*(13*a^2-7*b^2)*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)/a^2/(a^2-b^2)^2/d/(b+a*\sec(d*x+c))-1/4*b*(24*a^4-65*a^2*b^2+35*b^4)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^4/(a^2-b^2)^2/d+1/4*b*(24*a^4-65*a^2*b^2+35*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^4/(a^2-b^2)^2/d+1/12*(8*a^4-61*a^2*b^2+35*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^3/(a^2-b^2)^2/d+1/4*b^2*(63*a^4-86*a^2*b^2+35*b^4)*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c),2*b/(a+b),2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/a^4/(a-b)^2/(a+b)^3/d$

**Rubi [A]** time = 1.45, antiderivative size = 455, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {3238, 3845, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{b^2(13a^2-7b^2) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} + \frac{(-61a^2b^2+8a^4+35b^4) \sin(c+dx)}{12a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^3, x]

[Out]  $(b*(24*a^4-65*a^2*b^2+35*b^4)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(4*a^4*(a^2-b^2)^2*d) + ((8*a^4-61*a^2*b^2+35*b^4)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(12*a^3*(a^2-b^2)^2*d) + (b^2*(63*a^4-86*a^2*b^2+35*b^4)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticPi}[(2*b)/(a+b),(c+d*x)/2,2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(4*a^4*(a-b)^2*(a+b)^3*d) - (b*(24*a^4-65*a^2*b^2+35*b^4)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(4*a^4*(a^2-b^2)^2*d) + ((8*a^4-61*a^2*b^2+35*b^4)*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(12*a^3*(a^2-b^2)^2*d) + (b^2*\text{Sec}[c+d*x]^{(7/2)}*\text{Sin}[c+d*x])/(2*a*(a^2-b^2)*d*(b+a*\text{Sec}[c+d*x])^2) + (b^2*(13*a^2-7*b^2)*\text{Sec}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(4*a^2*(a^2-b^2)^2*d*(b+a*\text{Sec}[c+d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c -  
Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^m\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^n, x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m, x\_Symbol] :> -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegerQ[n + 1/2, 2\*m] && GtQ[n, 2]))

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4098

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m, x\_Symbol] :> -Simp[(d\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(a^2 - b^2)\*(m + 1)), x] + Dist[d/(b\*(a^2 - b^2)\*(m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*b^2\*(n - 1) - a\*(b\*B - a\*C)\*(n - 1) + b\*(a\*A - b\*B + a\*C)\*(m + 1)\*Csc[e + f\*x] - (b\*(A\*b - a\*B)\*(m + n + 1) + C\*(a^2\*n + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m, x\_Symbol] :> -Simp[(d\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(a^2 - b^2)\*(m + 1)), x] + Dist[d/(b\*(a^2 - b^2)\*(m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*b^2\*(n - 1) - a\*(b\*B - a\*C)\*(n - 1) + b\*(a\*A - b\*B + a\*C)\*(m + 1)\*Csc[e + f\*x] - (b\*(A\*b - a\*B)\*(m + n + 1) + C\*(a^2\*n + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

_)^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

Rubi steps

$$\begin{aligned}
 \int \frac{\sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^3} dx &= \int \frac{\sec^{\frac{11}{2}}(c + dx)}{(b + a \sec(c + dx))^3} dx \\
 &= \frac{b^2 \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} + \int \frac{\sec^{\frac{5}{2}}(c + dx) \left( \frac{5b^2}{2} - 2ab \sec(c + dx) + \frac{1}{2}(4a^2 - 7b^2) \sec^2(c + dx) \right)}{(b + a \sec(c + dx))^2} dx \\
 &= \frac{b^2 \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{b^2 (13a^2 - 7b^2) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))} + \int \frac{\sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{b + a \sec(c + dx)} dx \\
 &= \frac{(8a^4 - 61a^2b^2 + 35b^4) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d} + \frac{b^2 \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))} \\
 &= -\frac{b(24a^4 - 65a^2b^2 + 35b^4) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^4(a^2 - b^2)^2 d} + \frac{(8a^4 - 61a^2b^2 + 35b^4) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d} \\
 &= -\frac{b(24a^4 - 65a^2b^2 + 35b^4) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^4(a^2 - b^2)^2 d} + \frac{(8a^4 - 61a^2b^2 + 35b^4) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d} \\
 &= -\frac{b(24a^4 - 65a^2b^2 + 35b^4) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^4(a^2 - b^2)^2 d} + \frac{(8a^4 - 61a^2b^2 + 35b^4) \sec^{\frac{1}{2}}(c + dx) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d} \\
 &= \frac{b^2(63a^4 - 86a^2b^2 + 35b^4) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4a^4(a - b)^2(a + b)^3 d} - \frac{b(8a^4 - 61a^2b^2 + 35b^4) \sqrt{\sec(c + dx)} \sin(c + dx)}{12a^3(a^2 - b^2)^2 d} \\
 &= \frac{b(24a^4 - 65a^2b^2 + 35b^4) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4a^4(a^2 - b^2)^2 d} + \frac{(8a^4 - 61a^2b^2 + 35b^4) \sec^{\frac{1}{2}}(c + dx) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d}
 \end{aligned}$$

**Mathematica** [A] time = 6.83, size = 747, normalized size = 1.64

$$\frac{\sqrt{\sec(c+dx)} \left( \frac{2 \tan(c+dx)}{3a^3} - \frac{b^3 \sin(c+dx)}{2a^2(a^2-b^2)(a+b \cos(c+dx))^2} - \frac{b(24a^4-65a^2b^2+35b^4) \sin(c+dx)}{4a^4(a^2-b^2)^2} - \frac{3(5a^2b^3 \sin(c+dx)-3b^5 \sin(c+dx))}{4a^3(a^2-b^2)^2(a+b \cos(c+dx))} \right)}{d} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((2\*(16\*a^6 + 328\*a^4\*b^2 - 641\*a^2\*b^4 + 315\*b^6)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(160\*a^5\*b - 512\*a^3\*b^3 + 280\*a\*b^5)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((72\*a^4\*b^2 - 195\*a^2\*b^4 + 105\*b^6)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(48\*a^4\*(a - b)^2\*(a + b)^2\*d) + (Sqrt[Sec[c + d\*x]]\*(-1/4\*(b\*(24\*a^4 - 65\*a^2\*b^2 + 35\*b^4)\*Sin[c + d\*x])/(a^4\*(a^2 - b^2)^2) - (b^3\*Sin[c + d\*x])/(2\*a^2\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) - (3\*(5\*a^2\*b^3\*Sin[c + d\*x] - 3\*b^5\*Sin[c + d\*x]))/(4\*a^3\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])) + (2\*Tan[c + d\*x])/(3\*a^3)))/d

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^3, x)

**maple** [B] time = 5.95, size = 2128, normalized size = 4.68

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*b^2/a^2\*(-1/2\*b^2/a/(a^2-b^2)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2\*b+a-b)^2-3/4\*b^2\*(3\*a^2-b^2)/a^2/(a^2



$$\begin{aligned}
& -b^2)^2 \cos(1/2 dx + 1/2 c) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / (2 \cos(1/2 dx + 1/2 c)^2 b + a - b) - 7/8 / (a + b) / (a^2 - b^2) * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 1/4 / (a + b) / (a^2 - b^2) / a * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) * b + 3/8 / (a + b) / (a^2 - b^2) / a^2 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) * b^2 - 9/8 * b / (a^2 - b^2)^2 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 3/8 * b^3 / a^2 / (a^2 - b^2)^2 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 9/8 * b / (a^2 - b^2)^2 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 3/8 * b^3 / a^2 / (a^2 - b^2)^2 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 15/4 * a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)}) + 3/2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)}) - 3/4 / a^2 / (a^2 - b^2)^2 / (-2 * a * b + 2 * b^2) * b^5 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)}) - 12 * b^3 / a^4 / (-2 * a * b + 2 * b^2) * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)}) - 6 / a^4 * b * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (2 * \sin(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 2 * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \cos(1/2 dx + 1/2 c) * \sin(1/2 dx + 1/2 c)^2 / \sin(1/2 dx + 1/2 c)^2 / (2 * \sin(1/2 dx + 1/2 c)^2 - 1) + 2 / a^3 * (-1/6 * \cos(1/2 dx + 1/2 c) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / (-1/2 + \cos(1/2 dx + 1/2 c)^2)^2 + 1/3 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 4 * b^2 / a^3 * (-b^2 / a / (a^2 - b^2) * \cos(1/2 dx + 1/2 c) * (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} / (2 * \cos(1/2 dx + 1/2 c)^2 * b + a - b) - 1/2 / (a + b) / a * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) + 1/2 * b / a / (a^2 - b^2) * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{(1/2)}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)}) + 1 / a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2 dx + 1/2 c)^2)^{(1/2)} * (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{(1/2)} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 * b / (a - b), 2^{(1/2)})) / \sin(1/2 dx + 1/2 c) / (2 * \cos(1/2 dx + 1/2 c)^2 - 1)^{(1/2)} / d
\end{aligned}$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(5/2)/(a+b\*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

$$3.725 \quad \int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=388

$$\frac{b^2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{b^2(11a^2-5b^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} + \frac{b(11a^2-5b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4a^2d(a^2-b^2)}$$

[Out]  $\frac{1}{2}b^2 \sec(d*x+c)^{\frac{5}{2}} \sin(d*x+c) / a / (a^2-b^2) / d / (b+a \sec(d*x+c))^{\frac{2}{d}+1/4} b^2 (11a^2-5b^2) \sec(d*x+c)^{\frac{3}{2}} \sin(d*x+c) / a^2 / (a^2-b^2)^2 / d / (b+a \sec(d*x+c)) + 1/4 (8a^4-29a^2b^2+15b^4) \sin(d*x+c) \sec(d*x+c)^{\frac{1}{2}} / a^3 / (a^2-b^2)^2 / d - 1/4 (8a^4-29a^2b^2+15b^4) (\cos(1/2*d*x+1/2*c))^{\frac{1}{2}} / \cos(1/2*d*x+1/2*c) * \text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{\frac{1}{2}}) * \cos(d*x+c)^{\frac{1}{2}} \sec(d*x+c)^{\frac{1}{2}} / a^3 / (a^2-b^2)^2 / d + 1/4 b (11a^2-5b^2) (\cos(1/2*d*x+1/2*c))^{\frac{1}{2}} / \cos(1/2*d*x+1/2*c) * \text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{\frac{1}{2}}) * \cos(d*x+c)^{\frac{1}{2}} \sec(d*x+c)^{\frac{1}{2}} / a^2 / (a^2-b^2)^2 / d - 1/4 b (35a^4-38a^2b^2+15b^4) (\cos(1/2*d*x+1/2*c))^{\frac{1}{2}} / \cos(1/2*d*x+1/2*c) * \text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{\frac{1}{2}}) * \cos(d*x+c)^{\frac{1}{2}} \sec(d*x+c)^{\frac{1}{2}} / a^3 / (a-b)^2 / (a+b)^3 / d$

**Rubi [A]** time = 1.03, antiderivative size = 388, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.478$ , Rules used = {3238, 3845, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{b^2(11a^2-5b^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} + \frac{(-29a^2b^2+8a^4+15b^4) \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^3, x]

[Out]  $-\frac{(8a^4-29a^2b^2+15b^4) \sqrt{\cos[c+d*x]} \text{EllipticE}[(c+d*x)/2, 2] \sqrt{\sec[c+d*x]}}{4a^3(a^2-b^2)^2d} + \frac{b(11a^2-5b^2) \sqrt{\cos[c+d*x]} \text{EllipticF}[(c+d*x)/2, 2] \sqrt{\sec[c+d*x]}}{4a^2(a^2-b^2)^2d} - \frac{b(35a^4-38a^2b^2+15b^4) \sqrt{\cos[c+d*x]} \text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2] \sqrt{\sec[c+d*x]}}{4a^3(a-b)^2(a+b)^3d} + \frac{(8a^4-29a^2b^2+15b^4) \sqrt{\sec[c+d*x]} \sin[c+d*x]}{4a^3(a^2-b^2)^2d} + \frac{b^2 \sec[c+d*x]^{\frac{5}{2}} \sin[c+d*x]}{2a(a^2-b^2)d} + \frac{b^2(11a^2-5b^2) \sec[c+d*x]^{\frac{3}{2}} \sin[c+d*x]}{4a^2(a^2-b^2)^2d(b+a \sec[c+d*x])}$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a+b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c+d)])/((f\*(a+b)\*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

0] && GtQ[c + d, 0]

### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegerQ[n + 1/2, 2\*m] && GtQ[n, 2]))

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4098

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(d\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(a^2 - b^2)\*(m + 1)), x] + Dist[d/(b\*(a^2 - b^2)\*(m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*b^2\*(n - 1) - a\*(b\*B - a\*C)\*(n - 1) + b\*(a\*A - b\*B + a\*C)\*(m + 1)\*Csc[e + f\*x] - (b\*(A\*b - a\*B)\*(m + n + 1) + C\*(a^2\*n + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(C\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(m + n + 1)), x] + Dist[d/(b\*(m + n + 1)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[a\*C\*(n - 1) + (A\*b\*(m + n + 1) + b\*C\*(m + n))\*Csc[e + f\*x] + (b\*B\*(m + n + 1) - a\*C\*n)\*Csc[e

+ f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\sec^3(c+dx)}{(a+b\cos(c+dx))^3} dx = \int \frac{\sec^9(c+dx)}{(b+a\sec(c+dx))^3} dx$$

$$= \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \int \frac{\sec^{\frac{3}{2}}(c+dx) \left( \frac{3b^2}{2} - 2ab\sec(c+dx) + \frac{1}{2}(4a^2-5b^2)\sec^2(c+dx) \right)}{(b+a\sec(c+dx))^2} dx$$

$$= \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \frac{b^2(11a^2-5b^2)\sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{4a^2(a^2-b^2)^2 d(b+a\sec(c+dx))} + \int \frac{\sec^{\frac{1}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx$$

$$= \frac{(8a^4 - 29a^2b^2 + 15b^4) \sqrt{\sec(c+dx)} \sin(c+dx)}{4a^3(a^2-b^2)^2 d} + \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))} + \int \frac{\sec^{\frac{1}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx$$

$$= \frac{(8a^4 - 29a^2b^2 + 15b^4) \sqrt{\sec(c+dx)} \sin(c+dx)}{4a^3(a^2-b^2)^2 d} + \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))} + \int \frac{\sec^{\frac{1}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx$$

$$= \frac{(8a^4 - 29a^2b^2 + 15b^4) \sqrt{\sec(c+dx)} \sin(c+dx)}{4a^3(a^2-b^2)^2 d} + \frac{b^2 \sec^{\frac{5}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))} + \int \frac{\sec^{\frac{1}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx$$

$$= -\frac{b(35a^4 - 38a^2b^2 + 15b^4) \sqrt{\cos(c+dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{4a^3(a-b)^2(a+b)^3 d} + \int \frac{\sec^{\frac{1}{2}}(c+dx)}{(b+a\sec(c+dx))^2} dx$$

$$= -\frac{(8a^4 - 29a^2b^2 + 15b^4) \sqrt{\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{\sec(c+dx)}}{4a^3(a^2-b^2)^2 d} + \frac{b(11a^2 - 5b^2) \sqrt{\sec(c+dx)}}{4a^2(a^2-b^2)^2 d}$$

**Mathematica [A]** time = 6.90, size = 723, normalized size = 1.86

$$\frac{\sqrt{\sec(c+dx)} \left( \frac{b^2 \sin(c+dx)}{2a(a^2-b^2)(a+b\cos(c+dx))^2} + \frac{11a^2b^2 \sin(c+dx) - 5b^4 \sin(c+dx)}{4a^2(a^2-b^2)^2(a+b\cos(c+dx))} + \frac{(8a^4 - 29a^2b^2 + 15b^4) \sin(c+dx)}{4a^3(a^2-b^2)^2} \right)}{d} - \frac{2(16a^5 - 80a^3b^2 + 40ab^4)}{4a^2(a^2-b^2)^2 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^3,x]

[Out] -1/16\*((2\*(56\*a^4\*b - 95\*a^2\*b^3 + 45\*b^5)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]],

```

-1))*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*
Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(16*a^5 - 80*a^3*b^2 + 40*a*b^4)*C
os[c + d*x]^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec
[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(
1 - Cos[c + d*x]^2)) + ((8*a^4*b - 29*a^2*b^3 + 15*b^5)*Cos[2*(c + d*x)]*(b
+ a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[
Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2
*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt
[1 - Sec[c + d*x]^2] - 4*a^2*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d*x]]],
-1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*b^2*EllipticPi[-(a/b),
ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2
])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[
c + d*x]]*(2 - Sec[c + d*x]^2)))/(a^3*(a - b)^2*(a + b)^2*d + (Sqrt[Sec[c
+ d*x]]*(((8*a^4 - 29*a^2*b^2 + 15*b^4)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)^2)
+ (b^2*Sin[c + d*x])/(2*a*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (11*a^2*b^
2*Sin[c + d*x] - 5*b^4*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*(a + b*Cos[c + d
x]))))/d

```

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate(sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^3, x)
```

**maple** [B] time = 4.54, size = 1992, normalized size = 5.13

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x)
```

```

[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/a*b*(-1/2*b^
2/a/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^
2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2
)/(2*cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d
*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/4/(a+b)/(a^2-b^2
)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2
^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*
d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*
EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3/8*b^3/a^2
/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)

```

$$\frac{(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticF}(\cos(1/2dx+1/2c),2^{1/2})+9/8b/(a^2-b^2)^2(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})-3/8b^3/a^2/(a^2-b^2)^2(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})-15/4a^2/(a^2-b^2)^2/(-2ab+2b^2)*b(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})+3/2/(a^2-b^2)^2/(-2ab+2b^2)*b^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})-3/4/a^2/(a^2-b^2)^2/(-2ab+2b^2)*b^5(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})))+4b^2/a^3/(-2ab+2b^2)(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})+2/a^3(-(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}(\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})+2(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2/\sin(1/2dx+1/2c)^2/(2\sin(1/2dx+1/2c)^2-1)-2/a^2b(-b^2/a/(a^2-b^2)*\cos(1/2dx+1/2c)*(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(2\cos(1/2dx+1/2c)^2b+a-b)-1/2/(a+b)/a(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticF}(\cos(1/2dx+1/2c),2^{1/2})-1/2b/a/(a^2-b^2)(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})-3a/(a^2-b^2)/(-2ab+2b^2)*b(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})+1/a/(a^2-b^2)/(-2ab+2b^2)*b^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticPi}(\cos(1/2dx+1/2c),-2b/(a-b),2^{1/2})))/\sin(1/2dx+1/2c)/(2\cos(1/2dx+1/2c)^2-1)^{1/2}/d$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(dx+c)^(3/2)/(a+b\*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a+b\cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + dx))^(3/2)/(a + b\*cos(c + dx))^3,x)

[Out] int((1/cos(c + dx))^(3/2)/(a + b\*cos(c + dx))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```



$$3.726 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=321

$$\frac{b^2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{3b^2(3a^2-b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} - \frac{(7a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)}$$

[Out]  $\frac{1}{2} b^2 \sec(dx+c)^{3/2} \sin(dx+c) / a / (a^2-b^2) / d / (b+a \sec(dx+c))^{2+3/4} b^2 (3a^2-b^2) \sin(dx+c) \sec(dx+c)^{1/2} / a^2 / (a^2-b^2)^2 / d / (b+a \sec(dx+c))^{-3/4} b (3a^2-b^2) (\cos(1/2 dx+1/2 c))^2 / \cos(1/2 dx+1/2 c) * \text{EllipticE}(\sin(1/2 dx+1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} \sec(dx+c)^{1/2} / a^2 / (a^2-b^2)^2 / d - 1/4 (7a^2-b^2) (\cos(1/2 dx+1/2 c))^2 / \cos(1/2 dx+1/2 c) * \text{EllipticF}(\sin(1/2 dx+1/2 c), 2^{1/2}) * \cos(dx+c)^{1/2} \sec(dx+c)^{1/2} / a / (a^2-b^2)^2 / d + 3/4 (5a^4-2a^2b^2+b^4) (\cos(1/2 dx+1/2 c))^2 / \cos(1/2 dx+1/2 c) * \text{EllipticPi}(\sin(1/2 dx+1/2 c), 2b/(a+b), 2^{1/2}) * \cos(dx+c)^{1/2} \sec(dx+c)^{1/2} / a^2 / (a-b)^2 / (a+b)^3 / d$

Rubi [A] time = 0.77, antiderivative size = 321, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3845, 4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} + \frac{3b^2(3a^2-b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{4a^2d(a^2-b^2)^2(a \sec(c+dx)+b)} - \frac{(7a^2-b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^3,x]

[Out]  $(-3*b*(3*a^2-b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(4*a^2*(a^2-b^2)^2*d) - ((7*a^2-b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticF}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(4*a*(a^2-b^2)^2*d) + (3*(5*a^4-2*a^2*b^2+b^4)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(4*a^2*(a-b)^2*(a+b)^3*d) + (b^2*\text{Sec}[c+d*x]^{3/2}*\text{Sin}[c+d*x])/(2*a*(a^2-b^2)*d*(b+a*\text{Sec}[c+d*x])^2) + (3*b^2*(3*a^2-b^2)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(4*a^2*(a^2-b^2)^2*d*(b+a*\text{Sec}[c+d*x]))$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a+b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c+d)])/((f\*(a+b)\*Sqrt[c+d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c+d, 0]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegersQ[n + 1/2, 2\*m] && GtQ[n, 2]))

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 4098

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> -Simp[(d\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(a^2 - b^2)\*(m + 1)), x] + Dist[d/(b\*(a^2 - b^2)\*(m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*b^2\*(n - 1) - a\*(b\*B - a\*C)\*(n - 1) + b\*(a\*A - b\*B + a\*C)\*(m + 1)\*Csc[e + f\*x] - (b\*(A\*b - a\*B)\*(m + n + 1) + C\*(a^2\*n + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 0]

### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}}{(a+b\cos(c+dx))^3} dx &= \int \frac{\sec^{\frac{7}{2}}(c+dx)}{(b+a\sec(c+dx))^3} dx \\
&= \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \frac{\int \frac{\sqrt{\sec(c+dx)} \left( \frac{b^2}{2} - 2ab\sec(c+dx) + \frac{1}{2}(4a^2-3b^2)\sec^2(c+dx) \right)}{(b+a\sec(c+dx))^2}}{2a(a^2-b^2)} \\
&= \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \frac{3b^2(3a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{4a^2(a^2-b^2)^2 d(b+a\sec(c+dx))} + \int \frac{\sqrt{\sec(c+dx)}}{(b+a\sec(c+dx))^2} dx \\
&= \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \frac{3b^2(3a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{4a^2(a^2-b^2)^2 d(b+a\sec(c+dx))} + \int \frac{\sqrt{\sec(c+dx)}}{(b+a\sec(c+dx))^2} dx \\
&= \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} + \frac{3b^2(3a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{4a^2(a^2-b^2)^2 d(b+a\sec(c+dx))} - \int \frac{\sqrt{\sec(c+dx)}}{(b+a\sec(c+dx))^2} dx \\
&= \frac{3(5a^4-2a^2b^2+b^4)\sqrt{\cos(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)\sqrt{\sec(c+dx)}}{4a^2(a-b)^2(a+b)^3d} + \frac{b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2a(a^2-b^2)d(b+a\sec(c+dx))^2} \\
&= -\frac{3b(3a^2-b^2)\sqrt{\cos(c+dx)}E\left(\frac{1}{2}(c+dx) \middle| 2\right)\sqrt{\sec(c+dx)}}{4a^2(a^2-b^2)^2 d} - \frac{(7a^2-b^2)\sqrt{\cos(c+dx)}}{4a^2(a^2-b^2)^2 d}
\end{aligned}$$

**Mathematica [B]** time = 6.77, size = 694, normalized size = 2.16

$$\frac{\sqrt{\sec(c+dx)} \left( \frac{3b(3a^2-b^2)\sin(c+dx)}{4a^2(a^2-b^2)^2} - \frac{b\sin(c+dx)}{2(a^2-b^2)(a+b\cos(c+dx))^2} + \frac{b^3\sin(c+dx)-7a^2b\sin(c+dx)}{4a(a^2-b^2)^2(a+b\cos(c+dx))} \right)}{d} + \frac{2(8ab^3-32a^3b)\sin(c+dx)\cos^2(c+dx)}{b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((2\*(16\*a^4 - 19\*a^2\*b^2 + 9\*b^4)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-32\*a^3\*b + 8\*a\*b^3)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((-9\*a^2\*b^2 + 3\*b^4)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(16\*a^2\*(a - b)^2\*(a + b)^2\*d) + (Sqrt[Sec[c + d\*x]]\*((3\*b\*(3\*a^2 - b^2)\*Sin[c + d\*x])/(4\*a^2\*(a^2 - b^2)^2) - (b\*SIN[c + d\*x])/(2\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) + (-7\*a^2\*b\*SIN[c + d\*x] + b^3\*SIN[c + d\*x])/(4\*a\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])))/d

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^3, x)

**maple** [B] time = 2.15, size = 1176, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-b^2/a/(a^2-b^2) \\ & )*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/( \\ & 2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/2*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2 \\ & *d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2 \\ & *d*x+1/2*c)^2*b+a-b)-7/4/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*c \\ & os(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2/(a+b)/(a^2-b^2)/a*(sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b+3/ \\ & 4/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(co \\ & s(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/4*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & )*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/4*b^3/a^2/(a^2-b^2)^2 \\ & *(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)})+9/4*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(c \\ & os(1/2*d*x+1/2*c), 2^{(1/2)})-3/4*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15/2*a^2/(a^2-b^2)^2 \\ & /(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^ \\ & (1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1 \\ & /2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2 \\ & ^{(1/2)})-3/2/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^{(1/2) \\ & )*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}))/sin(1/2*d*x \\ & +1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a+b \cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^3, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Integral(sqrt(sec(c + d\*x))/(a + b\*cos(c + d\*x))\*\*3, x)

$$3.727 \quad \int \frac{1}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=317

$$\frac{b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} - \frac{b(7a^2-b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)^2(a \sec(c+dx)+b)} + \frac{3(a^2+b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4bd(a^2-b^2)^2}$$

[Out] 1/2\*b^2\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/a/(a^2-b^2)/d/(b+a\*sec(d\*x+c))^2-1/4\*b\*(7\*a^2-b^2)\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/a/(a^2-b^2)^2/d/(b+a\*sec(d\*x+c))+1/4\*(5\*a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/(a^2-b^2)^2/d+3/4\*(a^2+b^2)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/b/(a^2-b^2)^2/d-1/4\*(3\*a^4+10\*a^2\*b^2-b^4)\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticPi(sin(1/2\*d\*x+1/2\*c),2\*b/(a+b),2^(1/2))\*cos(d\*x+c)^(1/2)\*sec(d\*x+c)^(1/2)/a/(a-b)^2/b/(a+b)^3/d

**Rubi [A]** time = 0.75, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3845, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2-b^2)(a \sec(c+dx)+b)^2} - \frac{b(7a^2-b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2-b^2)^2(a \sec(c+dx)+b)} + \frac{3(a^2+b^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{4bd(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]]),x]

[Out] ((5\*a^2 + b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*a\*(a^2 - b^2)^2\*d) + (3\*(a^2 + b^2)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*b\*(a^2 - b^2)^2\*d) - ((3\*a^4 + 10\*a^2\*b^2 - b^4)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*a\*(a - b)^2\*b\*(a + b)^3\*d) + (b^2\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*(b + a\*Sec[c + d\*x])^2) - (b\*(7\*a^2 - b^2)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(4\*a\*(a^2 - b^2)^2\*d\*(b + a\*Sec[c + d\*x]))

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/d, x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

**Rule 3238**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p) \* (b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3845

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_))^(m\_), x\_Symbol] := -Simp[(a^2\*d^3\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[d^3/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 3)\*Simp[a^2\*(n - 3) + a\*b\*(m + 1)\*Csc[e + f\*x] - (a^2\*(n - 2) + b^2\*(m + 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && (IGtQ[n, 3] || (IntegersQ[n + 1/2, 2\*m] && GtQ[n, 2]))

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 4100

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)) \* (csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_))^(m\_), x\_Symbol] := Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[a\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)}{(b + a \sec(c + dx))^3} dx \\
&= \frac{b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{\int \frac{-\frac{b^2}{2} - 2ab \sec(c + dx) + \frac{1}{2}(4a^2 - b^2) \sec^2(c + dx)}{\sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2}}{2a(a^2 - b^2)} \\
&= \frac{b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \frac{b(7a^2 - b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= \frac{b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \frac{b(7a^2 - b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= \frac{b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \frac{b(7a^2 - b^2) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= -\frac{(3a^4 + 10a^2b^2 - b^4) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4a(a - b)^2 b(a + b)^3 d} \\
&= \frac{(5a^2 + b^2) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4a(a^2 - b^2)^2 d} + \frac{3(a^2 + b^2) \sqrt{\cos(c + dx)}}{4a(a - b)^2 b(a + b)^3 d}
\end{aligned}$$

**Mathematica [A]** time = 5.98, size = 395, normalized size = 1.25

$$\frac{2 \cot(c+dx) \left( 6a^4 \sqrt{-\tan^2(c+dx)} \Pi\left(-\frac{a}{b}; \sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| -1\right) + 5a^3 b \sec^{\frac{3}{2}}(c+dx) - 5a^3 b \cos(2(c+dx)) \sec^{\frac{3}{2}}(c+dx) - 2ab(5a^2 + b^2) \sqrt{-\tan^2(c+dx)} E\left(\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \middle| 2\right) \right)}{4a(a-b)^2 b(a+b)^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]]),x]

[Out] ((-4\*b\*(7\*a^3 - a\*b^2 + b\*(5\*a^2 + b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/(a\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]) + (2\*Cot[c + d\*x]\*(5\*a^3\*b\*Sec[c + d\*x]^(3/2) + a\*b^3\*Sec[c + d\*x]^(3/2) - 5\*a^3\*b\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^(3/2) - a\*b^3\*Cos[2\*(c + d\*x)]\*Sec[c + d\*x]^(3/2) - 2\*a\*b\*(5\*a^2 + b^2)\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 2\*b\*(5\*a^3 - 7\*a^2\*b + a\*b^2 + b^3)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 6\*a^4\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 20\*a^2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 2\*b^4\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/(a^2\*(a - b)^2\*b\*(a + b)^2)/(16\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out



giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

maple [B] time = 3.83, size = 1736, normalized size = 5.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x)

[Out] 
$$\begin{aligned} & -((-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2/b*a*(-1/2*b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}) / \\ & (2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2 - 3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\ & (2*\cos(1/2*d*x+1/2*c)^2*b+a-b) - 7/8/(a+b)/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2 )^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b + 3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * b^2 - 9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) - 3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 2/b*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\ & (2*\cos(1/2*d*x+1/2*c)^2*b+a-b) - 1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2 )^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*b/a/(a^2-b^2)*( \sin(1/2*d*x+1/2*c)^2 )^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \end{aligned}$$

$2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral(1/((a + b\*cos(c + d\*x))\*\*3\*sqrt(sec(c + d\*x))), x)

$$3.728 \quad \int \frac{1}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=302

$$\frac{3(a^2 + b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d(a^2 - b^2)^2 (a \sec(c + dx) + b)} - \frac{b \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2) (a \sec(c + dx) + b)^2} + \frac{a(a^2 - 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2}$$

[Out]  $-1/2*b*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)/d/(b+a*\sec(d*x+c))^{2+3/4}*(a^2+b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/(b+a*\sec(d*x+c))-1/4*(a^2+5*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)^2/d+1/4*a*(a^2-7*b^2)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/b^2/(a^2-b^2)^2/d-1/4*(a^4-10*a^2*b^2-3*b^4)*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticPi}(\sin(1/2*d*x+1/2*c), 2*b/(a+b), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}*\sec(d*x+c)^{(1/2)}/(a-b)^2/b^2/(a+b)^3/d$

**Rubi [A]** time = 0.70, antiderivative size = 302, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3844, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{3(a^2 + b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{4d(a^2 - b^2)^2 (a \sec(c + dx) + b)} - \frac{b \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2) (a \sec(c + dx) + b)^2} + \frac{a(a^2 - 7b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2)), x]

[Out]  $-((a^2 + 5*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b*(a^2 - b^2)^2*d) + (a*(a^2 - 7*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) - ((a^4 - 10*a^2*b^2 - 3*b^4)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(4*(a - b)^2*b^2*(a + b)^3*d) - (b*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(2*(a^2 - b^2)*d*(b + a*\text{Sec}[c + d*x])^2) + (3*(a^2 + b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(4*(a^2 - b^2)^2*d*(b + a*\text{Sec}[c + d*x]))$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3844

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] :> Simp[(a\*d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2))/(f\*(m + 1)\*(a^2 - b^2)), x] - Dist[d^2/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*(a\*(n - 2) + b\*(m + 1)\*Csc[e + f\*x] - a\*(m + n)\*Csc[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 4100

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(p\_.), x\_Symbol] :> Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[a\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] :> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)}{(b + a \sec(c + dx))^3} dx \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{\int \frac{-\frac{b}{2} - 2a \sec(c + dx) + \frac{3}{2}b \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} dx}{2(a^2 - b^2)} \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{3(a^2 + b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{3(a^2 + b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= -\frac{b\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{3(a^2 + b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= -\frac{(a^4 - 10a^2b^2 - 3b^4)\sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4(a - b)^2 b^2 (a + b)^3 d} \\
&= -\frac{(a^2 + 5b^2)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4b(a^2 - b^2)^2 d} + \frac{a(a^2 - 7b^2)}{4b(a^2 - b^2)^2 d}
\end{aligned}$$

**Mathematica [B]** time = 6.75, size = 665, normalized size = 2.20

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(a^2 + 5b^2) \sin(c + dx)}{4b(b^2 - a^2)^2} + \frac{a^2 \sin(c + dx)}{2b(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{a^3 \sin(c + dx) - 7ab^2 \sin(c + dx)}{4b(b^2 - a^2)^2 (a + b \cos(c + dx))} \right)}{d} - \frac{2(-5a^2 - b^2) \sin(c + dx) \cos^2(c + dx) \sqrt{\sec(c + dx)}}{4b(a^2 - b^2)^2 d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2)),x]

[Out] -1/16\*((2\*(-5\*a^2 - b^2)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (48\*a\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((a^2 + 5\*b^2)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 4\*a^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*b^2\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2))/((a - b)^2\*(a + b)^2\*d) + (Sqrt[Sec[c + d\*x]]\*((a^2 + 5\*b^2)\*Sin[c + d\*x])/(4\*b\*(-a^2 + b^2)^2) + (a^2\*Sin[c + d\*x])/(2\*b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) + (a^3\*Sin[c + d\*x] - 7\*a\*b^2\*Sin[c + d\*x])/(4\*b\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x])))/d

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

**maple** [B] time = 3.51, size = 1836, normalized size = 6.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^2*a^2*(-1/2 \\ & *b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2 \\ & -b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-7/8/(a+b)/(a^2-b^2)*( \sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2- \\ & b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\ & ),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-4/b/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-4/b^2*a*(-b^2/a/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2*b+a-b)-1/2/(a+b)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/a/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \end{aligned}$$

)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+1/2\*b/a/(a^2-b^2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*a/(a^2-b^2)/(-2\*a\*b+2\*b^2)\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2\*a\*b+2\*b^2)\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^3/2)\*(a + b\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^3/2)\*(a + b\*cos(c + d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.729 \quad \int \frac{1}{(a+b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=319

$$\frac{a(a^2 - 7b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{4bd(a^2 - b^2)^2 (a \sec(c + dx) + b)} + \frac{a \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2) (a \sec(c + dx) + b)^2} - \frac{3a(a^2 - 3b^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^2d(a^2 - b^2)^2}$$

[Out]  $\frac{1}{2} a \sin(dx+c) \sec(dx+c)^{(1/2)} / (a^2-b^2) / d / (b+a \sec(dx+c))^{2+1/4} a (a^2-7b^2) \sin(dx+c) \sec(dx+c)^{(1/2)} / b / (a^2-b^2)^{2/d} / (b+a \sec(dx+c))^{-3/4} a (a^2-3b^2) (\cos(1/2 dx+1/2 c))^2)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticE}(\sin(1/2 dx+1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / b^2 / (a^2-b^2)^{2/d} + 1/4 (3a^4-5a^2b^2+8b^4) (\cos(1/2 dx+1/2 c))^2)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticF}(\sin(1/2 dx+1/2 c), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / b^3 / (a^2-b^2)^{2/d} - 3/4 a (a^4-2a^2b^2+5b^4) (\cos(1/2 dx+1/2 c))^2)^{(1/2)} / \cos(1/2 dx+1/2 c) \text{EllipticPi}(\sin(1/2 dx+1/2 c), 2b/(a+b), 2^{(1/2)}) \cos(dx+c)^{(1/2)} \sec(dx+c)^{(1/2)} / (a-b)^2 / b^3 / (a+b)^3 / d$

**Rubi [A]** time = 0.69, antiderivative size = 319, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 10, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.435$ , Rules used = {3238, 3843, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(a^2 - 7b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{4bd(a^2 - b^2)^2 (a \sec(c + dx) + b)} + \frac{a \sin(c + dx) \sqrt{\sec(c + dx)}}{2d(a^2 - b^2) (a \sec(c + dx) + b)^2} + \frac{(-5a^2b^2 + 3a^4 + 8b^4) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(-3a(a^2 - 3b^2) \text{Sqrt}[\text{Cos}[c + d*x]] \text{EllipticE}[(c + d*x)/2, 2] \text{Sqrt}[\text{Sec}[c + d*x]]) / (4b^2(a^2 - b^2)^2 d) + ((3a^4 - 5a^2b^2 + 8b^4) \text{Sqrt}[\text{Cos}[c + d*x]] \text{EllipticF}[(c + d*x)/2, 2] \text{Sqrt}[\text{Sec}[c + d*x]]) / (4b^3(a^2 - b^2)^2 d) - (3a(a^4 - 2a^2b^2 + 5b^4) \text{Sqrt}[\text{Cos}[c + d*x]] \text{EllipticPi}[(2b)/(a + b), (c + d*x)/2, 2] \text{Sqrt}[\text{Sec}[c + d*x]]) / (4(a - b)^2 b^3 (a + b)^3 d) + (a \text{Sqrt}[\text{Sec}[c + d*x]] \text{Sin}[c + d*x]) / (2(a^2 - b^2) d (b + a \text{Sec}[c + d*x])^2) + (a(a^2 - 7b^2) \text{Sqrt}[\text{Sec}[c + d*x]] \text{Sin}[c + d*x]) / (4b(a^2 - b^2)^2 d (b + a \text{Sec}[c + d*x]))$

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2805**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) \* Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]) / (f\*(a + b) \* Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]



Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(m\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.))^(p\_.), x\_Symbol] := Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3843

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] := -Simp[(b\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[b\*d\*(n - 1) + a\*d\*(m + 1)\*Csc[e + f\*x] - b\*d\*(m + n + 1)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegerQ[2\*m, 2\*n]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 4100

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.), x\_Symbol] := Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[a\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(LtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}}{(b + a \sec(c + dx))^3} dx \\
&= \frac{a\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{\int \frac{-\frac{a}{2} - 2b \sec(c + dx) + \frac{3}{2}a \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} dx}{2(a^2 - b^2)} \\
&= \frac{a\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2 - 7b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= \frac{a\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2 - 7b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= \frac{a\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2 - 7b^2)\sqrt{\sec(c + dx)} \sin(c + dx)}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\
&= -\frac{3a(a^4 - 2a^2b^2 + 5b^4)\sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4(a - b)^2 b^3 (a + b)^3 d} \\
&= -\frac{3a(a^2 - 3b^2)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{4b^2(a^2 - b^2)^2 d} + \frac{(3a^4 - 5b^4)}{8b^3 d}
\end{aligned}$$

**Mathematica [A]** time = 5.66, size = 280, normalized size = 0.88

$$\frac{2ab^2 \sin(c+dx)(a^3+3b(a^2-3b^2)\cos(c+dx)-7ab^2)}{(a^2-b^2)^2 \sqrt{\sec(c+dx)}(a+b \cos(c+dx))^2} + \frac{\cot(c+dx)\left(-6ab(a^2-3b^2)\sin^2(c+dx)\sec^{\frac{3}{2}}(c+dx)+6ab(a^2-3b^2)\sqrt{-\tan^2(c+dx)}E(\sin^{-1}(\sqrt{\sec(c+dx)})\right)}{8b^3 d}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2)),x]

[Out] ((2\*a\*b^2\*(a^3 - 7\*a\*b^2 + 3\*b\*(a^2 - 3\*b^2)\*Cos[c + d\*x])\*Sin[c + d\*x])/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]) + (Cot[c + d\*x]\*(-6\*a\*b\*(a^2 - 3\*b^2)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x]^2 + 6\*a\*b\*(a^2 - 3\*b^2)\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] - 2\*b\*(3\*a^3 - a^2\*b - 9\*a\*b^2 + 7\*b^3)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2] + 6\*(a^4 - 2\*a^2\*b^2 + 5\*b^4)\*EllipticPi[-(a/b), ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[-Tan[c + d\*x]^2]))/((a - b)^2\*(a + b)^2)/(8\*b^3\*d)

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2)), x)

maple [B] time = 3.46, size = 1914, normalized size = 6.00

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2\cos(1/2dx+1/2c)^2+1)\sin(1/2dx+1/2c)^2)^{1/2}(2/b^3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) - 2/b^3 * a^3 * (-1/2b^2/a/(a^2-b^2)\cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & / (2\cos(1/2dx+1/2c)^2b+a-b)^{2-3/4} * b^2 * (3a^2-b^2) / a^2 / (a^2-b^2)^2 * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & / (2\cos(1/2dx+1/2c)^2b+a-b) - 7/8 / (a+b) / (a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 1/4 / (a+b) / (a^2-b^2) / a * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) * b + 3/8 / (a+b) / (a^2-b^2) / a^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) * b^2 - 9/8 * b / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 3/8 * b^3 / a^2 / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 9/8 * b / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 3/8 * b^3 / a^2 / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 15/4 * a^2 / (a^2-b^2)^2 / (-2ab+2b^2) * b * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{1/2}) + 3/2 / (a^2-b^2)^2 / (-2ab+2b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{1/2}) - 3/4 / a^2 / (a^2-b^2)^2 / (-2ab+2b^2) * b^5 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{1/2}) + 6/b^3 * a^2 * (-b^2/a / (a^2-b^2) * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2b+a-b) - 1/2 / (a+b) / a * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) - 1/2 * b / a / (a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2}) + 1/2 * b / a / (a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) - 3 * a / (a^2-b^2) / (-2ab+2b^2) * b * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{1/2}) + 1/a / (a^2-b^2) / (-2ab+2b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{1/2} * (-2\cos(1/2dx+1/2c)^2+1)^{1/2} / (-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2} * \text{EllipticPi} \end{aligned}$$

$c\text{Pi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^3),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.730 $\int \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=369

$$\frac{2(a-b)\sqrt{a+b}(9a+2b)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d\sqrt{\sec(c+dx)}}$$

```
[Out] 2/15*b*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d+2/5*sec(d*x+c)^(5/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d+2/15*(a-b)*(9*a^2-2*b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^3/d/sec(d*x+c)^(1/2)-2/15*(a-b)*(9*a+2*b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a^2/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 0.75, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2796, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2-2b^2)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2 - 2*b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*Sqrt[a + b]*(9*a + 2*b)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) + (2*b*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d) + (2*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

#### Rule 2796

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[(b*cos[e + f*x]*(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*sin[e + f*x])^(m + 1)*(c + d*sin[e + f*x])^(n - 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(m + n + 2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2*m, 2*n]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{2b\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} + \frac{2\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2b\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} + \frac{2\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2(a - b)\sqrt{a + b} (9a^2 - 2b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{15a^3 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 13.08, size = 353, normalized size = 0.96

$$2 \left( \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) \left( (9a^2 - 2b^2) \sin(c + dx) + a \tan(c + dx) (3a \sec(c + dx) + b) \right) + \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)}}{\sqrt{a + b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*((Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(9\*a^3 + 9\*a^2\*b - 2\*a\*b^2 - 2\*b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))] + 2\*a\*(9\*a^2 + 7\*a\*b - 2\*b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))] - (9\*a^2 - 2\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/Sqrt[Sec[(c + d\*x)/2]^2 + (a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]\*((9\*a^2 - 2\*b^2)\*Sin[c + d\*x] + a\*(b + 3\*a\*Sec[c + d\*x])\*Tan[c + d\*x])))/(15\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]))

**fricas [F]** time = 1.34, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**maple [B]** time = 0.25, size = 1563, normalized size = 4.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sec(d*x+c)^(7/2)*(a+b*cos(d*x+c))^(1/2),x)`

[Out] 
$$\begin{aligned} & -2/15/d*(\cos(d*x+c)^2*a*b^2-9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}* \\ & ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-3*a^3+2*\cos(d*x+c)^3*\sin(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+7* \\ & \cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-2*\cos(d*x+c)^3*\sin(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-9*\cos(d*x+c)^2*\sin(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+2*\cos(d*x+c)^2*\sin(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-2*\cos(d*x+c)^4*b^3+9*\cos(d*x+c)^3*a^3-4*\cos(d*x+c)*a^2*b+9*\cos(d*x+c)^4*a^2*b+ \\ & \cos(d*x+c)^4*a^2*b+\cos(d*x+c)^4*a*b^2-5*\cos(d*x+c)^3*a^2*b-2*\cos(d*x+c)^3*a*b^2+2*\cos(d*x+c)^3*b^3-6*\cos(d*x+c)^2*a^3-9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-2*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+2*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3+2*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*\cos(d*x+c)*(1/\cos(d*x+c))^{7/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/a^2 \end{aligned}$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)^(7/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^(1/2),x)
```

```
[Out] int((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^(1/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(7/2)*(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

### 3.731 $\int \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) dx$

**Optimal.** Leaf size=311

$$\frac{2b(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)+2\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}}$$

[Out]  $2/3*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/3*(a-b)*b*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d/\sec(d*x+c)^{(1/2)}+2/3*(a-b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.50, antiderivative size = 311, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2796, 2998, 2816, 2994}

$$\frac{2b(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)+2\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2), x]`

[Out]  $(2*(a-b)*b*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(3*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*(a-b)*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(3*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(3/2)*\text{Sin}[c+d*x])/(3*d)$

#### Rule 2796

`Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[a*c*(m + 1) + b*d*n + (a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2*m, 2*n]`

#### Rule 2816

`Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]`

#### Rule 2994

`Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(-2*A`

```

*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

#### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

#### Rule 4222

```

Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

```

#### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{2\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( (a - b) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{2(a - b)b\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{3a^2 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 10.99, size = 301, normalized size = 0.97

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2b \sin(c + dx)}{3a} + \frac{2}{3} \tan(c + dx) \right) 2 \cos^2 \left( \frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} \left( b \cos(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2), x]
```

```
[Out] (-2*Cos[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]*(2*b*(a + b)*Sqrt[Cos[c + d*x]/(1
+ Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))] * E
llipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*a*(a + b)*Sqrt[Cos
[c + d*x]/(1 + Cos[c + d*x])] * Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c
+ d*x]))] * EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + b*Cos[c
+ d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/(3*a*d*Sq
rt[a + b*Cos[c + d*x]]) + (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*
b*Sin[c + d*x])/(3*a) + (2*Tan[c + d*x])/3))/d

```

**fricas** [F] time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**maple** [B] time = 0.29, size = 888, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -2/3/d*(\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*a^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*b^2+\cos(d*x+c)^3*a*b+\cos(d*x+c)^3*b^2+\cos(d*x+c)^2*a^2+\cos(d*x+c)^2*a*b-\cos(d*x+c)^2*b^2-2*a*b*\cos(d*x+c)-a^2*\cos(d*x+c)*(1/\cos(d*x+c))^{5/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/a \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{5/2} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)\*(a+b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

### 3.732 $\int \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) dx$

**Optimal.** Leaf size=269

$$\frac{2(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}2(a-b)$$

[Out] 2\*(a-b)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d/sec(d\*x+c)^(1/2)-2\*(a-b)\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*2\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.36, antiderivative size = 269, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2795, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}2(a-b)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2),x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]]) - (2\*(a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2795

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^

2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \left( a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{ad \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 6.05, size = 215, normalized size = 0.80

$$2 \left( \frac{\sin(c + dx) \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) + \frac{-\tan\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) - \frac{(a + b) \sqrt{\frac{a + b \cos(c + dx)}{(a + b) \cos(c + dx) + 1}} \left( E \left( \sin^{-1} \left( \tan\left(\frac{1}{2}(c + dx)\right) \right) \right) \right) \frac{b}{a}}{\sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}}}}{\sqrt{\sec^2\left(\frac{1}{2}(c + dx)\right)} \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx)}}{d \sqrt{a + b \cos(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*((a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x] + (-(((a + b)\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x])])\*(EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)] - EllipticF[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b))))/Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]) - (a + b\*Cos[c + d\*x])\*Tan[(c + d\*x)/2])/(Sqrt[Sec[(c + d\*x)/2]^2]\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]])))/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 1.26, size = 0, normalized size = 0.00

$$\operatorname{integral} \left( \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**maple [B]** time = 0.25, size = 797, normalized size = 2.96

$$2 \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) a + \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$-2/d * ((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a + \operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * b - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * a - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c) * \sin(d*x+c) * b + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * \sin(d*x+c) + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * b * \sin(d*x+c) - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * \sin(d*x+c) - (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * b * \sin(d*x+c) + \cos(d*x+c)^2 * b + a * \cos(d*x+c) - b * \cos(d*x+c) - a * \cos(d*x+c) * (1/\cos(d*x+c))^{3/2} / (a+b*\cos(d*x+c))^{1/2} / \sin(d*x+c)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c+dx)} \right)^{3/2} \sqrt{a+b \cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out



### 3.733 $\int \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=155

$$\frac{2\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\sec(c + dx)} \sqrt{\frac{a(1 - \cos(c + dx))}{a + b \cos(c + dx)}} \sqrt{\frac{a(\cos(c + dx) + 1)}{a + b \cos(c + dx)}} (a + b \cos(c + dx)) \Pi\left(\frac{b}{a + b}; \sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b}}\right)\right)}{d\sqrt{a + b}}$$

[Out]  $-2*(a+b*\cos(d*x+c))*\csc(d*x+c)*\text{EllipticPi}((a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^{(1/2)}, b/(a+b), ((-a+b)/(a+b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\cos(d*x+c))/(a+b*\cos(d*x+c)))^{(1/2)}*(a*(1+\cos(d*x+c))/(a+b*\cos(d*x+c)))^{(1/2)}*\sec(d*x+c)^{(1/2)}/d/(a+b)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {4222, 2811}

$$\frac{2\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\sec(c + dx)} \sqrt{\frac{a(1 - \cos(c + dx))}{a + b \cos(c + dx)}} \sqrt{\frac{a(\cos(c + dx) + 1)}{a + b \cos(c + dx)}} (a + b \cos(c + dx)) \Pi\left(\frac{b}{a + b}; \sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b}}\right)\right)}{d\sqrt{a + b}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]], x]`

[Out]  $(-2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[(a*(1 - \text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])]*\text{Sqrt}[(a*(1 + \text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])]*(a + b*\text{Cos}[c + d*x])* \text{Csc}[c + d*x]*\text{EllipticPi}[b/(a + b), \text{ArcSin}[(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])/\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], -((a - b)/(a + b))*\text{Sqrt}[\text{Sec}[c + d*x]]]/(\text{Sqrt}[a + b]*d)$

#### Rule 2811

`Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Simp[(2*(a + b*Sin[e + f*x])*Sqrt[((b*c - a*d)*(1 + Sin[e + f*x]))/((c - d)*(a + b*Sin[e + f*x]))])*Sqrt[-((b*c - a*d)*(1 - Sin[e + f*x]))/((c + d)*(a + b*Sin[e + f*x]))])*EllipticPi[(b*(c + d))/(d*(a + b)), ArcSin[Rt[(a + b)/(c + d), 2]*Sqrt[c + d*Sin[e + f*x]]]/Sqrt[a + b*Sin[e + f*x]], ((a - b)*(c + d))/((a + b)*(c - d))]/(d*f*Rt[(a + b)/(c + d), 2]*Cos[e + f*x]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && PosQ[(a + b)/(c + d)]`

#### Rule 4222

`Int[(csc[(a_) + (b_)*(x_)]*(c_)^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]`

#### Rubi steps

$$\int \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} dx = \left(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2\sqrt{\cos(c + dx)} \sqrt{\frac{a(1 - \cos(c + dx))}{a + b \cos(c + dx)}} \sqrt{\frac{a(1 + \cos(c + dx))}{a + b \cos(c + dx)}} (a + b \cos(c + dx)) \text{cs}}{\sqrt{a + b}}$$

**Mathematica [A]** time = 1.36, size = 146, normalized size = 0.94

$$\frac{2\sqrt{\sec(c+dx)}\sqrt{\cos(c+dx)\sec^2\left(\frac{1}{2}(c+dx)\right)}\sqrt{a+b\cos(c+dx)}\left((a-b)F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right)\Big|_{\frac{b-a}{a+b}}\right)+2b\pi}{d(a+b)\sqrt{\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a+b\cos(c+dx))}{a+b}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]],x]

[Out] (2\*Sqrt[a + b\*Cos[c + d\*x]]\*((a - b)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*b\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)])\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2]\*Sqrt[Sec[c + d\*x]]/((a + b)\*d\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)])

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**maple [A]** time = 0.24, size = 199, normalized size = 1.28

$$\frac{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)a-\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)b+2b\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},-1,\sqrt{\frac{a-b}{a+b}}\right)\right)}{d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x)

[Out] 2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))^(1/2)\*((a-b)/(a+b))^(1/2))\*a-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b+2\*b\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))/((a+b\*cos(d\*x+c))^(1/2)\*(1/cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c)))

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\frac{1}{\cos(c + dx)}} \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*sec(d\*x+c)\*\*(1/2), x)

[Out] Integral(sqrt(a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x)), x)

$$3.734 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\sec(c+dx)}} dx$$

Optimal. Leaf size=431

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}}{d} + \frac{\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\right)}{d\sqrt{\sec(c+dx)}}$$

[Out] sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2)/d-(a-b)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*((a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b))^(1/2)/a/d/sec(d\*x+c)^(1/2)+csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*((a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b))^(1/2)/d/sec(d\*x+c)^(1/2)-a\*csc(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))\*((a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b))^(1/2)/b/d/sec(d\*x+c)^(1/2)

Rubi [A] time = 0.65, antiderivative size = 431, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2821, 3054, 2809, 12, 2801, 2816, 2994}

$$\frac{\sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}}{d} + \frac{\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\right)}{d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Sqrt[Sec[c + d\*x]],x]

[Out] -(((a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)])/(a\*d\*Sqrt[Sec[c + d\*x]])) + (Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)])/(d\*Sqrt[Sec[c + d\*x]]) - (a\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)])/(b\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 2801

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2821

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a^2\*c\*d\*(m + n) + b\*d\*(b\*c\*(m - 1) + a\*d\*n) + (a\*d\*(2\*b\*c + a\*d)\*(m + n) - b\*d\*(a\*c - b\*d\*(m + n - 1)))\*Sin[e + f\*x] + b\*d\*(b\*c\*n + a\*d\*(2\*m + n - 1))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

#### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 3054

Int[((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C - 2\*a\*b\*C\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{\sec(c+dx)}} dx &= (\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)} dx \\
&= \frac{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)} \sin(c+dx)}{d} + \frac{(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \frac{3}{\cos^2}}{b} \\
&= \frac{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)} \sin(c+dx)}{d} + \frac{1}{2} (a \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}) \int \\
&= -\frac{a \sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec)}{a+b}}}{bd \sqrt{\sec(c+dx)}} \\
&= -\frac{a \sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec)}{a+b}}}{bd \sqrt{\sec(c+dx)}} \\
&= -\frac{(a-b) \sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec)}{a+b}}}{ad \sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 13.85, size = 565, normalized size = 1.31

$$\sqrt{\frac{1}{1-\tan^2\left(\frac{1}{2}(c+dx)\right)}} \left( 2a \sqrt{1-\tan^2\left(\frac{1}{2}(c+dx)\right)} \left( \tan^2\left(\frac{1}{2}(c+dx)\right) + 1 \right) \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) + a - b \tan^2\left(\frac{1}{2}(c+dx)\right) + b}{a+b}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Sqrt[Sec[c + d\*x]],x]

[Out] -((Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-(a\*Tan[(c + d\*x)/2]) - b\*Tan[(c + d\*x)/2] + 2\*b\*Tan[(c + d\*x)/2]^3 + a\*Tan[(c + d\*x)/2]^5 - b\*Tan[(c + d\*x)/2]^5 - 2\*a\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 2\*a\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 2\*a\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(d\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2]))

**fricas [F]** time = 2.11, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c)+a}}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**maple** [B] time = 0.34, size = 803, normalized size = 1.86

$$\left(-2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)\cos(dx+c)\sin(dx+c)a+\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x)

[Out]  $-1/d*(-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*b+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+2*a*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2}*\operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\sin(d*x+c)+\cos(d*x+c)^3*b+a*\cos(d*x+c)^2-\cos(d*x+c)^2*b-a*\cos(d*x+c))*(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)/(a+b*\cos(d*x+c))^{1/2}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + d*x))^(1/2)/(1/cos(c + d*x))^(1/2), x)`

[Out] `int((a + b*cos(c + d*x))^(1/2)/(1/cos(c + d*x))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(1/2)/sec(d*x+c)**(1/2), x)`

[Out] `Integral(sqrt(a + b*cos(c + d*x))/sqrt(sec(c + d*x)), x)`



$$3.735 \quad \int \frac{\sqrt{a+b \cos(c+dx)}}{3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=498

$$\frac{\sqrt{a+b} (a^2 - 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^2 d \sqrt{\sec(c+dx)}}$$

[Out] 1/2\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/sec(d\*x+c)^(1/2)+1/4\*a\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2)/b/d-1/4\*(a-b)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b/d/sec(d\*x+c)^(1/2)+1/4\*(a+2\*b)\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b/d/sec(d\*x+c)^(1/2)+1/4\*(a^2-4\*b^2)\*csc(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b^2/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.99, antiderivative size = 498, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2821, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (a^2 - 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4b^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]/Sec[c + d\*x]^(3/2), x]

[Out] -((a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))] \*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b]\*(a + 2\*b)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))] \*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b]\*(a^2 - 4\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))] \*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b^2\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Sqrt[Sec[c + d\*x]]) + (a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(4\*b\*d)

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1

- Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2821

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a^2\*c\*d\*(m + n) + b\*d\*(b\*c\*(m - 1) + a\*d\*n) + (a\*d\*(2\*b\*c + a\*d)\*(m + n) - b\*d\*(a\*c - b\*d\*(m + n - 1)))\*Sin[e + f\*x] + b\*d\*(b\*c\*n + a\*d\*(2\*m + n - 1))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + b \cos(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)} dx \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{ab}{2} + b^2 \cos(c + dx) + \frac{1}{2}}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx}{2b} \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{a \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{4bd} \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{a \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{4bd} \\
 &= \frac{\sqrt{a + b} (a^2 - 4b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^2 d \sqrt{\sec(c + dx)}} \\
 &= -\frac{(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a(1-\cos(c+dx))}}{4bd \sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [C]** time = 18.16, size = 1113, normalized size = 2.23

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(2(c + dx))}{4d} + \frac{a^2 \sqrt{\frac{a-b}{a+b}} \tan^5\left(\frac{1}{2}(c + dx)\right) - ab \sqrt{\frac{a-b}{a+b}} \tan^5\left(\frac{1}{2}(c + dx)\right) + 2ab \sqrt{\frac{a-b}{a+b}} \tan^3\left(\frac{1}{2}(c + dx)\right)}{4d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]/Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[2\*(c + d\*x)])/(4\*d) + (- (a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]) - a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + 2\*a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - (2\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (8\*I)\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (2\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (8\*I)\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - I\*a\*(a - b)\*EllipticE[

```
I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] * Sqrt
[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c +
d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(a^2 + a*b - 2*b^2)*Elli
pticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))
]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan
[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)]/(4*b*Sqrt[(a - b)/(a + b)
]*d*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x)/2]^2)*(1 + Tan[
(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/
2]^2)/(1 + Tan[(c + d*x)/2]^2)]
```

**fricas** [F] time = 59.85, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)
```

**maple** [B] time = 0.27, size = 1241, normalized size = 2.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x)
```

```
[Out] -1/4/d*(-2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c)
,-1,(-(a-b)/(a+b))^(1/2))*a^2+8*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2+2*cos(d*x+c)*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b-4*cos(d
*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(
1/2))*b^2+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos
(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
(a-b)/(a+b))^(1/2))*a^2+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b+2*cos(d*x+c)^4*b^2-2*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticP
i((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+8*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)
*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2*sin(d*x
+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b*s
in(d*x+c)-4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)

```

$c)/ (a+b)^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})$   
 $* b^2 * \sin(dx+c) + (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))$   
 $/ (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})$   
 $* a^2 * \sin(dx+c) + (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b*\cos(dx+c))/(1+\cos(dx+c))$   
 $/ (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})$   
 $* a * b * \sin(dx+c) + 3 * \cos(dx+c)^3 * a * b + \cos(dx+c)^2 * a^2 - \cos(dx+c)^2 * a * b - 2 * \cos(dx+c)^2 * b^2 - a^2 * \cos(dx+c) - 2 * a * b * \cos(dx+c) * \cos(dx+c) * (1/\cos(dx+c))^{3/2} / \sin(dx+c) / (a+b*\cos(dx+c))^{1/2} / b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(dx+c) + a}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(1/2)/sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(b\*cos(dx+c)+a)/sec(dx+c)^(3/2),x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\left(\frac{1}{\cos(c + dx)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(1/2)/(1/cos(c + dx))^(3/2),x)

[Out] int((a + b\*cos(c + dx))^(1/2)/(1/cos(c + dx))^(3/2),x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + b \cos(c + dx)}}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(1/2)/sec(dx+c)\*\*(3/2),x)

[Out] Integral(sqrt(a + b\*cos(c + dx))/sec(c + dx)\*\*(3/2),x)

### 3.736 $\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=427

$$\frac{2(25a^2 + 3b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad} + \frac{2(a - b) \sqrt{a + b} (25a^2 - 57ab - 6b^2) \sqrt{\cos(c + dx)}}{105ad}$$

[Out] 2/105\*(25\*a^2+3\*b^2)\*sec(d\*x+c)^(3/2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/a/d +16/35\*b\*sec(d\*x+c)^(5/2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d+2/7\*a\*sec(d\*x+c)^(7/2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d+4/105\*(a-b)\*b\*(41\*a^2-3\*b^2)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a^3/d/sec(d\*x+c)^(1/2)+2/105\*(a-b)\*(25\*a^2-57\*a\*b-6\*b^2)\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a^2/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 1.05, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2799, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2 + 3b^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad} + \frac{2(a - b) \sqrt{a + b} (25a^2 - 57ab - 6b^2) \sqrt{\cos(c + dx)}}{105ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(9/2),x]

[Out] (4\*(a - b)\*b\*Sqrt[a + b]\*(41\*a^2 - 3\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(105\*a^3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(a - b)\*Sqrt[a + b]\*(25\*a^2 - 57\*a\*b - 6\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(105\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(25\*a^2 + 3\*b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*a\*d) + (16\*b\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d) + (2\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d)

#### Rule 2799

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A

rcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3055

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} \sec^{\frac{9}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{16b\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2a\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105ad} \\
&= \frac{2(25a^2 + 3b^2) \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105ad} + \frac{16b\sqrt{a + b \cos(c + dx)} \sec^{\frac{1}{2}}(c + dx) \sin(c + dx)}{105ad} \\
&= \frac{2(25a^2 + 3b^2) \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105ad} + \frac{16b\sqrt{a + b \cos(c + dx)} \sec^{\frac{1}{2}}(c + dx) \sin(c + dx)}{105ad} \\
&= \frac{4(a - b)b\sqrt{a + b} (41a^2 - 3b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sin(c+dx)}{\sqrt{a+b\cos(c+dx)}}\right)\right)}{105a^3d\sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 13.88, size = 441, normalized size = 1.03

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( -\frac{4b(3b^2 - 41a^2) \sin(c + dx)}{105a^2} + \frac{2 \sec(c + dx) (25a^2 \sin(c + dx) + 3b^2 \sin(c + dx))}{105a} + \frac{2}{7} a \tan(c + dx) \sec^2(c + dx) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(9/2), x]

[Out] (4\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(2\*b\*(-41\*a^3 - 41\*a^2\*b + 3\*a\*b^2 + 3\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/(a + b)\*(1 + Cos[c + d\*x])]) \* EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + a\*(25\*a^3 + 82\*a^2\*b + 51\*a\*b^2 - 6\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/(a + b)\*(1 + Cos[c + d\*x])] \* EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*(-41\*a^2 + 3\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]) / (105\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-4\*b\*(-41\*a^2 + 3\*b^2)\*Sin[c + d\*x]) / (105\*a^2) + (2\*Sec[c + d\*x]\*(25\*a^2\*Sin[c + d\*x] + 3\*b^2\*Sin[c + d\*x])) / (105\*a) + (16\*b\*Sec[c + d\*x]\*Tan[c + d\*x]) / 35 + (2\*a\*Sec[c + d\*x]^2\*Tan[c + d\*x]) / 7)) / d

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c) + a\right)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(9/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(9/2), x)

**maple [B]** time = 0.29, size = 1835, normalized size = 4.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x)

[Out] 
$$-2/105/d*(25*\cos(d*x+c)^5*a^3*b+25*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^4-15*a^4+82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b+51*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2-6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3+82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+51*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2-6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b-82*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^4*\sin(d*x+c)*b^4+25*\cos(d*x+c)^3*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4+6*\cos(d*x+c)^3*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^4+82*\cos(d*x+c)^5*a^2*b^2+3*\cos(d*x+c)^5*a*b^3+82*\cos(d*x+c)^4*a^3*b-55*\cos(d*x+c)^4*a^2*b^2-6*\cos(d*x+c)^4*a*b^3-68*\cos(d*x+c)^3*a^3*b+3*\cos(d*x+c)^3*a*b^3-27*\cos(d*x+c)^2*a^2*b^2-39*\cos(d*x+c)*a^3*b+25*\cos(d*x+c)^4*a^4-10*\cos(d*x+c)^2*a^4-6*\cos(d*x+c)^5*b^4+6*\cos(d*x+c)^4*b^4)*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{9/2}/\sin(d*x+c)/a^2$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

### 3.737 $\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=365

$$\frac{2(a-b)\sqrt{a+b} (3a^2 + b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{5a^2d\sqrt{\sec(c+dx)}}$$

[Out]  $4/5*b*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/5*a*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/5*(a-b)*(3*a^2+b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a^2/d/\sec(d*x+c)^{(1/2)}-2/5*(a-b)*(3*a-b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.76, antiderivative size = 365, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2799, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (3a^2 + b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{5a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(7/2), x]

[Out]  $(2*(a-b)*\text{Sqrt}[a+b]*(3*a^2+b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(5*a^2*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*(a-b)*(3*a-b)*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(5*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (4*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(3/2)*\text{Sin}[c+d*x])/ (5*d) + (2*a*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^(5/2)*\text{Sin}[c+d*x])/ (5*d)$

#### Rule 2799

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sine[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sine[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sine[e + f\*x]]/(Sqrt[d\*Sine[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} \sec^{\frac{7}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2a\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left( 2\sqrt{\cos(c + dx)} \right. \\
&= \frac{4b\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2a\sqrt{a + b \cos(c + dx)}}{5d} \\
&= \frac{4b\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2a\sqrt{a + b \cos(c + dx)}}{5d} \\
&= \frac{2(a - b)\sqrt{a + b} (3a^2 + b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a+b}}{\sqrt{a+b}} \right) \right)}{5a^2 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 11.87, size = 345, normalized size = 0.95

$$2 \left( \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) \left( (3a^2 + b^2) \sin(c + dx) + a \tan(c + dx) (a \sec(c + dx) + 2b) \right) + \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)}}{\sqrt{a + b}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*((Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(3\*a^3 + 3\*a^2\*b + a\*b^2 + b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))]) + 2\*a\*(3\*a^2 + 4\*a\*b + b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))]) - (3\*a^2 + b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/Sqrt[Sec[(c + d\*x)/2]^2 + (a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]\*((3\*a^2 + b^2)\*Sin[c + d\*x] + a\*(2\*b + a\*Sec[c + d\*x])\*Tan[c + d\*x])))/(5\*a\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left( (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(7/2), x)

**maple [B]** time = 0.26, size = 1547, normalized size = 4.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(3/2)*sec(d*x+c)^(7/2),x)`

[Out] 
$$-2/5/d*(3*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+4*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-3*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3-3*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^3+3*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3+4*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-3*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3-3*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^3+3*\cos(d*x+c)^4*a^2*b+2*\cos(d*x+c)^4*a*b^2+\cos(d*x+c)^4*b^3+3*\cos(d*x+c)^3*a^3+\cos(d*x+c)^3*a*b^2-\cos(d*x+c)^3*b^3-2*\cos(d*x+c)^2*a^3-3*\cos(d*x+c)^2*a*b^2-3*\cos(d*x+c)*a^2*b-a^3)*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{7/2}/\sin(d*x+c)/a$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(7/2), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^(3/2),x)
```

```
[Out] int((1/cos(c + d*x))^(7/2)*(a + b*cos(c + d*x))^(3/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

### 3.738 $\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=317

$$\frac{2a \sin(c + dx) \sec^2(c + dx) \sqrt{a + b \cos(c + dx)}}{3d} + \frac{2(a - 3b)(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{3ad \sqrt{\sec(c + dx)}}$$

[Out]  $2/3*a*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+8/3*(a-b)*b*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}+2/3*(a-3*b)*(a-b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.53, antiderivative size = 317, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2799, 2998, 2816, 2994}

$$\frac{2a \sin(c + dx) \sec^2(c + dx) \sqrt{a + b \cos(c + dx)}}{3d} + \frac{2(a - 3b)(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{3ad \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(8*(a - b)*b*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/((3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(a - 3*b)*(a - b)*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)])/((3*a*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x]))/(3*d)$

**Rule 2799**

$\text{Int}[(a + b*\sin[e + f*x])^{(m)}*(c + d*\sin[e + f*x])^{(n)}, x\_Symbol] :> -\text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)})/(f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 2)}*\text{Simp}[c*(a*c - b*d)*(m + 1) + d*(b*c - a*d)*(n - 1) + (d*(a*c - b*d)*(m + 1) - c*(b*c - a*d)*(m + 2))*\text{Sin}[e + f*x] - d*(b*c - a*d)*(m + n + 1)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{LtQ}[1, n, 2] \&\& \text{IntegersQ}[2*m, 2*n]$

**Rule 2816**

$\text{Int}[1/(\text{Sqrt}[d*\sin[e + f*x] + (f*x)]*\text{Sqrt}[a + b*\sin[e + f*x] + (f*x)]), x\_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

**Rule 2994**



```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} \sec^5(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^5(c + dx)} dx \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{\cos(c + dx)} \right) \\ &= \frac{2a\sqrt{a + b \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( (a - 3b)(a - b) \right) \\ &= \frac{8(a - b)b\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \right)}{3ad\sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 7.22, size = 291, normalized size = 0.92

$$\sqrt{\sec(c + dx)} \left( 4 \cos^2 \left( \frac{1}{2}(c + dx) \right) \left( a^2 + 4ab + 3b^2 \right) \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F \left( \sin^{-1} \left( \tan \left( \frac{1}{2}(c + dx) \right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(5/2), x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(4*Cos[(c + d*x)/2]^2*(-4*b*(a + b)*Sqrt[Cos[c + d*x]/(
1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*
EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (a^2 + 4*a*b + 3*b^
2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)
*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]
+ b*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^3*(Sin[(c + d*x)/2] - Sin[(3*(c
+ d*x)/2])) + 2*(a + b*Cos[c + d*x])*(a + 4*b*Cos[c + d*x])*Tan[c + d*x]))
/(3*d*Sqrt[a + b*Cos[c + d*x]])
```

**fricas** [F] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c) + a\right)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2), x)

**maple** [B] time = 0.32, size = 1085, normalized size = 3.42

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2),x)

[Out] 2/3/d\*(4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*a\*b+4\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*a\*b-3\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b^2+4\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b+4\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-4\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b-3\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b^2-cos(d\*x+c)^3\*a\*b-4\*cos(d\*x+c)^3\*b^2-cos(d\*x+c)^2\*a^2-4\*cos(d\*x+c)^2\*a\*b+4\*cos(d\*x+c)^2\*b^2+5\*a\*b\*cos(d\*x+c)+a^2)\*cos(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2)\*(1/cos(d\*x+c))^(5/2)/sin(d\*x+c)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.739 $\int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=397

$$\frac{2(a-2b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{d\sqrt{\sec(c+dx)}} + \dots$$

[Out]  $2*(a-b)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d/\sec(d*x+c)^{1/2}-2*(a-2*b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d/\sec(d*x+c)^{1/2}-2*b*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d/\sec(d*x+c)^{1/2})$

**Rubi [A]** time = 0.56, antiderivative size = 397, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2798, 2809, 2998, 2816, 2994}

$$\frac{2(a-2b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{d\sqrt{\sec(c+dx)}} + \dots$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sec}[c + d*x]^{3/2}, x]$

[Out]  $(2*(a-b)*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*(a-2*b)*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*b*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/(d*\text{Sqrt}[\text{Sec}[c+d*x]])$

**Rule 2798**

$\text{Int}(((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{3/2}/((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{3/2}, x\_Symbol] := \text{Dist}[d^2/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[(b*c - a*d)/b^2, \text{Int}[\text{Simp}[b*c + a*d + 2*b*d*\text{Sin}[e + f*x], x]/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

**Rule 2809**

$\text{Int}[\text{Sqrt}[(b_)*\sin[(e_) + (f_)*(x_)]]/\text{Sqrt}[(c_) + (d_)*\sin[(e_) + (f_)*(x_)]], x\_Symbol] := \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)]))^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]))^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.)^(m_.)*(u_.), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx \\ &= \left( a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{a + 2b \cos(c + dx)}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= -\frac{2b \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d \sqrt{\sec(c + dx)}} \\ &= -\frac{2(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 17.49, size = 639, normalized size = 1.61

$$2 \left( - (a^2 + 2ab - b^2) \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \left( \tan^2\left(\frac{1}{2}(c + dx)\right) + 1 \right) \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c + dx)\right) + a - b \tan^2\left(\frac{1}{2}(c + dx)\right) + b}{a + b}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*(a^2\*Tan[(c + d\*x)/2] + a\*b\*Tan[(c + d\*x)/2] - 2\*a\*b\*Tan[(c + d\*x)/2]^3 - a^2\*Tan[(c + d\*x)/2]^5 + a\*b\*Tan[(c + d\*x)/2]^5 - 2\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 2\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + a\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (a^2 + 2\*a\*b - b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(d\*Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-1 + Tan[(c + d\*x)/2]^2)\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)])

**fricas [F]** time = 48.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c) + a\right)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2), x)

**maple [B]** time = 0.28, size = 1191, normalized size = 3.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(3/2), x)

[Out] -2/d\*(2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2)\*b^2+EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))

$$b)^{(1/2)} \cdot \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot a^2 + 2 \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a \cdot b - \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot b^2 - \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a^2 - \cos(dx+c) \cdot \sin(dx+c) \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a \cdot b + 2 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \cdot b^2 \cdot \sin(dx+c) + (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a^2 \cdot \sin(dx+c) + 2 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a \cdot b \cdot \sin(dx+c) - (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot b^2 \cdot \sin(dx+c) - (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a^2 \cdot \sin(dx+c) - (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \cdot ((a+b \cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cdot a \cdot b \cdot \sin(dx+c) + \cos(dx+c)^2 \cdot a \cdot b + a^2 \cdot \cos(dx+c) - a \cdot b \cdot \cos(dx+c) - a^2 \cdot \cos(dx+c) / (a+b \cos(dx+c))^{(1/2)} \cdot (1/\cos(dx+c))^{(3/2)} / \sin(dx+c)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)\*sec(dx+c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c+dx)} \right)^{3/2} (a+b \cos(c+dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+dx))^(3/2)\*(a+b\*cos(c+dx))^(3/2),x)

[Out] int((1/cos(c+dx))^(3/2)\*(a+b\*cos(c+dx))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)\*sec(dx+c)\*\*(3/2),x)

[Out] Timed out

### 3.740 $\int (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} dx$

Optimal. Leaf size=435

$$\frac{b \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} + \frac{\sqrt{a + b} (2a + b) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d \sqrt{\sec(c + dx)}}$$

```
[Out] b*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-(a-b)*b*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)+(2*a+b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)-3*a*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 0.72, antiderivative size = 435, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2821, 3053, 2809, 2998, 2816, 2994}

$$\frac{b \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} + \frac{\sqrt{a + b} (2a + b) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]],x]
```

```
[Out] -(((a - b)*b*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((a*d*Sqrt[Sec[c + d*x]])) + (Sqrt[a + b]*(2*a + b)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((d*Sqrt[Sec[c + d*x]]) - (3*a*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/((d*Sqrt[Sec[c + d*x]]) + (b*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
```



0] && PosQ[(a + b)/d]

### Rule 2821

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a^2\*c\*d\*(m + n) + b\*d\*(b\*c\*(m - 1) + a\*d\*n) + (a\*d\*(2\*b\*c + a\*d)\*(m + n) - b\*d\*(a\*c - b\*d\*(m + n - 1)))\*Sin[e + f\*x] + b\*d\*(b\*c\*n + a\*d\*(2\*m + n - 1))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)])\*(c\_.)^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sine[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sine[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{b \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{b \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx \\
&= -\frac{3a \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d \sqrt{\sec(c + dx)}} \\
&= -\frac{(a - b) b \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 11.67, size = 322, normalized size = 0.74

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( b \cos(c + dx) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) + 4a(a - 2b) \sqrt{\sec(c + dx)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]],x]

[Out] (Cos[(c + d\*x)/2]^2\*Sqrt[Sec[c + d\*x]]\*(2\*b\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 4\*a\*(a - 2\*b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 12\*a\*b\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]) / (d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 53.10, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c) + a\right)^{\frac{3}{2}} \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c)), x)

**maple [B]** time = 0.33, size = 1005, normalized size = 2.31

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((a+b\cos(dx+c))^{3/2} \sec(dx+c)^{1/2}, x)$

[Out] 
$$-1/d*(1/\cos(dx+c))^{1/2}/(a+b\cos(dx+c))^{1/2}*(2*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*a^2-4*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*b^2+6*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a*b+2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*\sin(dx+c)-4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)+(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)+(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2*\sin(dx+c)+6*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)+\cos(dx+c)^3*b^2+\cos(dx+c)^2*a*b-\cos(dx+c)^2*b^2-a*b*\cos(dx+c))/\sin(dx+c)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^{\frac{3}{2}} \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b\cos(dx+c))^{3/2} \sec(dx+c)^{1/2}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((b*\cos(dx+c) + a)^{3/2}*\text{sqrt}(\sec(dx+c)), x)$

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\frac{1}{\cos(c+dx)}} (a+b\cos(c+dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((1/\cos(c+dx))^{1/2}*(a+b\cos(c+dx))^{3/2}, x)$

[Out]  $\int ((1/\cos(c+dx))^{1/2}*(a+b\cos(c+dx))^{3/2}, x)$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b\cos(dx+c))^{3/2} \sec(dx+c)^{1/2}, x)$

[Out] Timed out

$$3.741 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=493

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4bd\sqrt{\sec(c+dx)}}$$

[Out]  $1/2*(a+b*\cos(d*x+c))^{3/2}*\sin(d*x+c)*\sec(d*x+c)^{1/2}/d+3/4*a*\sin(d*x+c)*(a+b*\cos(d*x+c))^{1/2}*\sec(d*x+c)^{1/2}/d-5/4*(a-b)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d/\sec(d*x+c)^{1/2}+1/4*(5*a+2*b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/d/\sec(d*x+c)^{1/2}-1/4*(3*a^2+4*b^2)*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2}, (a+b)/b, ((-a-b)/(a-b))^{1/2})*(a+b)^{1/2}*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/b/d/\sec(d*x+c)^{1/2}$

**Rubi [A]** time = 1.27, antiderivative size = 493, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2821, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Sqrt[Sec[c + d\*x]], x]

[Out]  $(-5*(a-b)*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/((4*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (\text{Sqrt}[a+b]*(5*a+2*b)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/((4*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (\text{Sqrt}[a+b]*(3*a^2+4*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)])/((4*b*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (3*a*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(4*d) + ((a+b*\text{Cos}[c+d*x])^{3/2}*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(2*d)$

**Rule 2809**

Int[Sqrt[(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]/Sqrt[(c\_)+(d\_)\*sin[(e\_)+(f\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e+f\*x]\*Rt[(c+d)/b, 2]\*Sqrt[(c\*(1+Csc[e+f\*x]))/(c-d)]\*Sqrt[(c\*(1-Csc[e+f\*x]))/(c+d)]\*EllipticPi[(c+d)/d, ArcSin[Sqrt[c+d\*Sin[e+f\*x]]/(Sqrt[b\*Sin[e+f\*x]]\*Rt[(c+d)/b, 2])], -((c+d)/(c-d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2-d^2, 0] && PosQ[(c+d)/b]

**Rule 2816**

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)]]\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e+f\*x]\*Rt[(a+b)/d, 2]\*Sqrt[(a\*(1-Csc[e+f\*x]))/(a+b)]\*Sqrt[(a\*(1+Csc[e+f\*x]))/(a-b)]\*EllipticF[A

rcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2821

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a^2\*c\*d\*(m + n) + b\*d\*(b\*c\*(m - 1) + a\*d\*n) + (a\*d\*(2\*b\*c + a\*d)\*(m + n) - b\*d\*(a\*c - b\*d\*(m + n - 1)))\*Sin[e + f\*x] + b\*d\*(b\*c\*n + a\*d\*(2\*m + n - 1))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\*(b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1) - a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3053

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\sec(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2} dx$$

$$= \frac{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{2d} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int (a + b \cos(c + dx))^{3/2} dx}{2d}$$

$$= -\frac{a\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{2d} + \frac{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}{2d}$$

$$= \frac{3a\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{4d} + \frac{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}{2d}$$

$$= \frac{3a\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{4d} + \frac{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}{2d}$$

$$= -\frac{\sqrt{a + b} (3a^2 + 4b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a}{a-b}\right)}{4bd\sqrt{\sec(c + dx)}}$$

$$= -\frac{5(a - b)\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\cos(c+dx))}{2}}}{4d\sqrt{\sec(c + dx)}}$$

Mathematica [A] time = 17.80, size = 845, normalized size = 1.71

$$\frac{b\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(2(c + dx))}{4d} - \frac{5a^2 \tan^5\left(\frac{1}{2}(c + dx)\right) + 5ab \tan^5\left(\frac{1}{2}(c + dx)\right) - 10ab \tan^3\left(\frac{1}{2}(c + dx)\right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (b*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)]/(4*d) - (5
*a^2*Tan[(c + d*x)/2] + 5*a*b*Tan[(c + d*x)/2] - 10*a*b*Tan[(c + d*x)/2]^3
- 5*a^2*Tan[(c + d*x)/2]^5 + 5*a*b*Tan[(c + d*x)/2]^5 + 6*a^2*EllipticPi[-1
, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*
Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^2
*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c
+ d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a
+ b)] + 6*a^2*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*T
an[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x
)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 8*b^2*EllipticPi[-1, ArcSin[Tan[(
c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2
]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] +
5*a*(a + b)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 -
Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/
2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 2*(4*a^2 - a*b + 2*b^2)*EllipticF[A
rcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1
+ Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/
2]^2)/(a + b)]/(4*d*Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-1 + Tan[(c + d*x
)/2]^2)*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 -
b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)])
```

**fricas** [F] time = 2.39, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((b*cos(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)
```

**maple** [B] time = 0.28, size = 1423, normalized size = 2.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)
```

```
[Out] -1/4/d*(-8*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d
*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos
(d*x+c))/(a+b))^(1/2)*a^2+2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*
x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b-4*cos(d*x+c)*sin(d*x+c)*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b^2+5*cos(d*x+c)*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)
)/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^
2+5*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c
```

$$\frac{((1+\cos(dx+c))/(a+b))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b + 6 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 + 8 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^2 + 2 * \cos(dx+c)^4 * b^2 - 8 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) + 2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b * \sin(dx+c) - 4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^2 * \sin(dx+c) + 5 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) + 5 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b * \sin(dx+c) + 6 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) + 8 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c)) / (a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^2 * \sin(dx+c) + 7 * \cos(dx+c)^3 * a * b + 5 * \cos(dx+c)^2 * a^2 - 5 * \cos(dx+c)^2 * a * b - 2 * \cos(dx+c)^2 * b^2 - 5 * a^2 * \cos(dx+c) - 2 * a * b * \cos(dx+c) * (1/\cos(dx+c))^{1/2} / \sin(dx+c) / (a+b * \cos(dx+c))^{1/2}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{3/2}}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)/sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)/sqrt(sec(dx+c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\frac{1}{\cos(c+dx)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(3/2)/(1/cos(c + dx))^(1/2),x)

[Out] int((a + b\*cos(c + dx))^(3/2)/(1/cos(c + dx))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)/sec(dx+c)\*\*(1/2),x)

[Out] Integral((a + b\*cos(c + dx))\*\*(3/2)/sqrt(sec(c + dx)), x)



$$3.742 \quad \int \frac{(a+b \cos(c+dx))^{3/2}}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=568

$$\frac{(3a^2 + 16b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} - \frac{(a - b) \sqrt{a + b} (3a^2 + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{24bd}$$

[Out] 1/3\*(a+b\*cos(d\*x+c))^(3/2)\*sin(d\*x+c)/d/sec(d\*x+c)^(1/2)+1/4\*a\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/d/sec(d\*x+c)^(1/2)+1/24\*(3\*a^2+16\*b^2)\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2)/b/d-1/24\*(a-b)\*(3\*a^2+16\*b^2)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/b/d/sec(d\*x+c)^(1/2)+1/24\*(a+2\*b)\*(3\*a+8\*b)\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b/d/sec(d\*x+c)^(1/2)+1/8\*a\*(a^2-12\*b^2)\*csc(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b^2/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 1.36, antiderivative size = 568, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2821, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2 + 16b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} - \frac{(a - b) \sqrt{a + b} (3a^2 + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{24bd}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)/Sec[c + d\*x]^(3/2), x]

[Out] -((a - b)\*Sqrt[a + b]\*(3\*a^2 + 16\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*a\*b\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b]\*(a + 2\*b)\*(3\*a + 8\*b)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*b\*d\*Sqrt[Sec[c + d\*x]]) + (a\*Sqrt[a + b]\*(a^2 - 12\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(8\*b^2\*d\*Sqrt[Sec[c + d\*x]]) + (a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[Sec[c + d\*x]]) + ((a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]]) + ((3\*a^2 + 16\*b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(24\*b\*d)

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 2816**

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2821

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[a^2*c*d*(m + n) + b*d*(b*c*(m - 1) + a*d*n) + (a*d*(2*b*c + a*d)*(m + n) - b*d*(a*c - b*d*(m + n - 1)))*Sin[e + f*x] + b*d*(b*c*n + a*d*(2*m + n - 1))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[0, m, 2] && LtQ[-1, n, 2] && NeQ[m + n, 0] && (IntegerQ[m] || IntegerQ[2*m, 2*n])
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 3049

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)])^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && (!IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3053

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)])^2)/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]
```

), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{3/2}}{\sec^3(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{3/2} dx \\
 &= \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{3b} dx}{3b} \\
 &= \frac{a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\sec(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + b \cos(c + dx)}}{3b} dx}{3b} \\
 &= \frac{a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\sec(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{(3a^2 + 1) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b} \\
 &= \frac{a \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\sec(c + dx)}} + \frac{(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{(3a^2 + 1) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3b} \\
 &= \frac{a \sqrt{a + b} (a^2 - 12b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{8b^2 d \sqrt{\sec(c + dx)}} \\
 &= -\frac{(a - b) \sqrt{a + b} (3a^2 + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{24abd \sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 17.62, size = 961, normalized size = 1.69

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \left( \frac{1}{12} b \sin(c + dx) + \frac{7}{24} a \sin(2(c + dx)) + \frac{1}{12} b \sin(3(c + dx)) \right)}{d} + \sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(3/2)/Sec[c + d\*x]^(3/2),x]

[Out] (Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((b\*sin[c + d\*x])/12 + (7\*a\*sin[2\*(c + d\*x)]/24 + (b\*sin[3\*(c + d\*x)]/12))/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(3\*a^3\*Tan[(c + d\*x)/2] + 3\*a^2\*b\*Tan[(c + d\*x)/2] + 16\*a\*b^2\*Tan[(c + d\*x)/2] + 16\*b^3\*Tan[(c + d\*x)/2] - 6\*a^2\*b\*Tan[(c + d\*x)/2]^3 - 3\*2\*b^3\*Tan[(c + d\*x)/2]^3 - 3\*a^3\*Tan[(c + d\*x)/2]^5 + 3\*a^2\*b\*Tan[(c + d\*x)/2]^5 - 16\*a\*b^2\*Tan[(c + d\*x)/2]^5 + 16\*b^3\*Tan[(c + d\*x)/2]^5 - 6\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 72\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 6\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 72\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (3\*a^3 + 3\*a^2\*b + 16\*a\*b^2 + 16\*b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 2\*a\*(7\*a - 26\*b)\*b\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)]))/(24\*b\*d\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)])

**fricas** [F] time = 2.60, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)^(3/2)/sec(d\*x + c)^(3/2), x)

**giac** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple** [B] time = 0.31, size = 1691, normalized size = 2.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x)

[Out] -1/24/d\*(-6\*cos(d\*x+c)^2\*a\*b^2-6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^3-6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-(a-b)/(a+b))^(1/2))\*a^3\*sin(d\*x+c)+3\*(cos(d\*x+c)

$$\frac{1}{b} \left( \frac{1 + \cos(dx+c)}{(a+b)\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^3 \sin(dx+c) + 16 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) b^3 \sin(dx+c) - 3a^3 \cos(dx+c) - 16 \cos(dx+c) a^2 b - 3 \cos(dx+c)^2 a^2 b + 8 \cos(dx+c)^5 b^3 - 16 \cos(dx+c)^2 b^3 - 14 \cos(dx+c) a^2 b + 22 \cos(dx+c)^4 a^2 b + 17 \cos(dx+c)^3 a^2 b + 8 \cos(dx+c)^3 b^3 + 3 \cos(dx+c)^2 a^3 + 3 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^3 + 16 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) b^3 + 72 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticPi} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \sin(dx+c) + 3 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b \sin(dx+c) + 16 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \sin(dx+c) + 14 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b \sin(dx+c) - 52 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \sin(dx+c) + 72 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticPi} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 + 3 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b + 16 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 + 14 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b - 52 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-a-b}{a+b} \right)^{1/2} \right) a^2 b^2 \cos(dx+c) \left( \frac{1}{\cos(dx+c)} \right)^{3/2} / \sin(dx+c) / \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} / b$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^{3/2}}{\sec(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)/sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(3/2)/sec(dx+c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{3/2}}{\left( \frac{1}{\cos(c+dx)} \right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + dx))^(3/2)/(1/cos(c + dx))^(3/2),x)

[Out] int((a + b\*cos(c + dx))^(3/2)/(1/cos(c + dx))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

### 3.743 $\int (a + b \cos(c + dx))^{5/2} \sec^{11/2}(c + dx) dx$

**Optimal.** Leaf size=494

$$\frac{2(49a^2 + 75b^2) \sin(c + dx) \sec^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315d} + \frac{2b(163a^2 + 5b^2) \sin(c + dx) \sec^{3/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315ad}$$

[Out]  $\frac{2}{315} b (163 a^2 + 5 b^2) \sec(d x + c)^{3/2} \sin(d x + c) (a + b \cos(d x + c))^{1/2} / a / d + \frac{2}{315} (49 a^2 + 75 b^2) \sec(d x + c)^{5/2} \sin(d x + c) (a + b \cos(d x + c))^{1/2} / d + \frac{38}{63} a b \sec(d x + c)^{7/2} \sin(d x + c) (a + b \cos(d x + c))^{1/2} / d + \frac{2}{9} a^2 \sec(d x + c)^{9/2} \sin(d x + c) (a + b \cos(d x + c))^{1/2} / d + \frac{2}{315} (a - b) (147 a^4 + 279 a^2 b^2 - 10 b^4) \operatorname{csc}(d x + c) \operatorname{EllipticE}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} \cos(d x + c)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / a^3 / d / \sec(d x + c)^{1/2} - \frac{2}{315} (a - b) (147 a^3 - 114 a^2 b + 165 a b^2 + 10 b^3) \operatorname{csc}(d x + c) \operatorname{EllipticF}((a + b \cos(d x + c))^{1/2} / (a + b)^{1/2} / \cos(d x + c)^{1/2}, ((-a - b) / (a - b))^{1/2}) (a + b)^{1/2} \cos(d x + c)^{1/2} (a (1 - \sec(d x + c)) / (a + b))^{1/2} (a (1 + \sec(d x + c)) / (a - b))^{1/2} / a^2 / d / \sec(d x + c)^{1/2}$

**Rubi [A]** time = 1.52, antiderivative size = 494, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2792, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2 + 75b^2) \sin(c + dx) \sec^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315d} + \frac{2b(163a^2 + 5b^2) \sin(c + dx) \sec^{3/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315ad}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(11/2), x]

[Out]  $(2(a - b) \operatorname{Sqrt}[a + b] (147 a^4 + 279 a^2 b^2 - 10 b^4) \operatorname{Sqrt}[\operatorname{Cos}[c + d x]]) \operatorname{Csc}[c + d x] \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])], -((a + b) / (a - b)) \operatorname{Sqrt}[(a (1 - \operatorname{Sec}[c + d x])) / (a + b)] \operatorname{Sqrt}[(a (1 + \operatorname{Sec}[c + d x])) / (a - b)] / (315 a^3 d \operatorname{Sqrt}[\operatorname{Sec}[c + d x]]) - (2(a - b) \operatorname{Sqrt}[a + b] (147 a^3 - 114 a^2 b + 165 a b^2 + 10 b^3) \operatorname{Sqrt}[\operatorname{Cos}[c + d x]]) \operatorname{Csc}[c + d x] \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]]] / (\operatorname{Sqrt}[a + b] \operatorname{Sqrt}[\operatorname{Cos}[c + d x]])], -((a + b) / (a - b)) \operatorname{Sqrt}[(a (1 - \operatorname{Sec}[c + d x])) / (a + b)] \operatorname{Sqrt}[(a (1 + \operatorname{Sec}[c + d x])) / (a - b)] / (315 a^2 d \operatorname{Sqrt}[\operatorname{Sec}[c + d x]]) + (2 b (163 a^2 + 5 b^2) \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] \operatorname{Sec}[c + d x]^{3/2} \operatorname{Sin}[c + d x]) / (315 a d) + (2 (49 a^2 + 75 b^2) \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] \operatorname{Sec}[c + d x]^{5/2} \operatorname{Sin}[c + d x]) / (315 d) + (38 a b \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] \operatorname{Sec}[c + d x]^{7/2} \operatorname{Sin}[c + d x]) / (63 d) + (2 a^2 \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] \operatorname{Sec}[c + d x]^{9/2} \operatorname{Sin}[c + d x]) / (9 d)$

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Simp[(-2*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_) + (C_)*sin[(e_) + (f_)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x]] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps



$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec^{\frac{11}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^{\frac{11}{2}}(c + dx)} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{1}{9} \left( 2\sqrt{\cos(c + dx)} \right) \\
&= \frac{38ab \sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{315d} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315ad} \\
&= \frac{2(49a^2 + 75b^2) \sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{315d} + \frac{38ab \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315ad} \\
&= \frac{2b(163a^2 + 5b^2) \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315ad} + \frac{2(a - b) \sqrt{a + b} (147a^4 + 279a^2b^2 - 10b^4) \sqrt{\cos(c + dx)} \csc(c + dx)}{315a^3d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 16.29, size = 521, normalized size = 1.05

$$\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2 \sec(c + dx) (163a^2b \sin(c + dx) + 5b^3 \sin(c + dx))}{315a} + \frac{2}{315} \sec^2(c + dx) (49a^2 \sin(c + dx) + 75b^2 \sin(c + dx)) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(11/2), x]

[Out] (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(147\*a^5 + 147\*a^4\*b + 279\*a^3\*b^2 + 279\*a^2\*b^3 - 10\*a\*b^4 - 10\*b^5)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(147\*a^4 + 261\*a^3\*b + 279\*a^2\*b^2 + 155\*a\*b^3 - 10\*b^4)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (147\*a^4 + 279\*a^2\*b^2 - 10\*b^4)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(315\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(147\*a^4 + 279\*a^2\*b^2 - 10\*b^4)\*Sin[c + d\*x])/(315\*a^2) + (2\*Sec[c + d\*x]^2\*(49\*a^2\*Sin[c + d\*x] + 75\*b^2\*Sin[c + d\*x]))/315 + (2\*Sec[c + d\*x]\*(163\*a^2\*b\*Sin[c + d\*x] + 5\*b^3\*Sin[c + d\*x]))/(315\*a) + (38\*a\*b\*Sec[c + d\*x]^2\*Tan[c + d\*x])/63 + (2\*a^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/9))/d

**fricas [F]** time = 1.26, size = 0, normalized size = 0.00

$$\text{integral} \left( \left( b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2 \right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{11}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(11/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(11/2), x)

**maple** [B] time = 0.37, size = 2512, normalized size = 5.09

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(11/2),x)

[Out] 
$$\begin{aligned} & -2/315/d * (-80 * \cos(d*x+c)^3 * a^2 * b^3 + 147 * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / \\ & (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF} \\ & ((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a^5 + 65 * \cos(d*x+c)^5 * a^4 \\ & * b + 279 * \cos(d*x+c)^5 * a^3 * b^2 - 199 * \cos(d*x+c)^5 * a^2 * b^3 - 10 * \cos(d*x+c)^5 * a * b^4 - \\ & 272 * \cos(d*x+c)^4 * a^3 * b^2 + 5 * \cos(d*x+c)^4 * a * b^4 - 82 * \cos(d*x+c)^3 * a^4 * b - 170 * \cos \\ & (d*x+c)^2 * a^3 * b^2 - 130 * \cos(d*x+c) * a^4 * b + 147 * \cos(d*x+c)^6 * a^4 * b + 163 * \cos(d*x+c) \\ & )^6 * a^3 * b^2 + 279 * \cos(d*x+c)^6 * a^2 * b^3 + 5 * \cos(d*x+c)^6 * a * b^4 - 35 * a^5 - 10 * \cos(d*x \\ & + c)^6 * b^5 + 147 * \cos(d*x+c)^5 * a^5 + 10 * \cos(d*x+c)^5 * b^5 - 98 * \cos(d*x+c)^4 * a^5 - 14 * \cos \\ & (d*x+c)^2 * a^5 - 10 * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} \\ & ) * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin \\ & (d*x+c), (-a-b) / (a+b))^{1/2}) * a * b^4 - 147 * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / \\ & (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE} \\ & ((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a^4 * b - 279 * \cos(d*x+c) \\ & )^5 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) \\ & ) / (a+b))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) \\ & ) * a^3 * b^2 - 279 * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * (( \\ & a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d \\ & *x+c), (-a-b) / (a+b))^{1/2}) * a^2 * b^3 + 10 * \cos(d*x+c)^5 * \sin(d*x+c) * (\cos(d*x+c) / \\ & (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{Elliptic} \\ & \text{E}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a * b^4 + 261 * \cos(d*x+c)^4 * \\ & \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c) \\ & )) / (a+b))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * \\ & a^4 * b + 279 * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos \\ & (d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c) \\ & , (-a-b) / (a+b))^{1/2}) * a^3 * b^2 + 155 * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos \\ & (d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}(( \\ & -1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a^2 * b^3 - 10 * \cos(d*x+c)^4 * \sin \\ & (d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / \\ & (a+b))^{1/2} * \text{EllipticF}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a * b \\ & )^4 - 147 * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos \\ & (d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (- \\ & (a-b) / (a+b))^{1/2}) * a^4 * b - 279 * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d* \\ & x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1 + \cos \\ & (d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a^3 * b^2 - 279 * \cos(d*x+c)^4 * \sin(d*x \\ & + c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c)) / (1 + \cos(d*x+c)) / (a+b \\ & ))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a-b) / (a+b))^{1/2}) * a^2 * b^3 \\ & + 10 * \cos(d*x+c)^4 * \sin(d*x+c) * (\cos(d*x+c) / (1 + \cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x \\ & + c)) / (1 + \cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1 + \cos(d*x+c)) / \sin(d*x+c), (-a- \end{aligned}$$

$$\begin{aligned} & b/(a+b))^{(1/2)} * a * b^4 + 261 * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^4 * b + 279 * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^3 * b^2 + 155 * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^2 * b^3 - 147 * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^5 + 10 * \cos(dx+c)^5 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * b^5 + 147 * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^5 - 147 * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * a^5 + 10 * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * ((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * b^5 * \cos(dx+c)/(a+b*\cos(dx+c))^{(1/2)} * (1/\cos(dx+c))^{(11/2)}/\sin(dx+c)/a^2 \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*sec(dx+c)^(11/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx + c) + a)^(5/2)\*sec(dx + c)^(11/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{11/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + dx))^(11/2)\*(a + b\*cos(c + dx))^(5/2),x)

[Out] int((1/cos(c + dx))^(11/2)\*(a + b\*cos(c + dx))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(5/2)\*sec(dx+c)\*\*(11/2),x)

[Out] Timed out

### 3.744 $\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=427

$$\frac{2(5a^2 + 9b^2) \sin(c + dx) \sec^3(c + dx) \sqrt{a + b \cos(c + dx)}}{21d} + \frac{2(a - b) \sqrt{a + b} (5a^2 - 24ab + 3b^2) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx)}{21d}$$

[Out]  $\frac{2}{21} (5a^2 + 9b^2) \sec(d*x+c)^{(3/2)} \sin(d*x+c) (a+b*\cos(d*x+c))^{(1/2)} / d + \frac{2}{7} a^2 \sec(d*x+c)^{(7/2)} \sin(d*x+c) (a+b*\cos(d*x+c))^{(1/2)} / d + \frac{2}{21} (a-b) * b * (29a^2 + 3b^2) * \operatorname{csc}(d*x+c) * \operatorname{EllipticE}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b) / (a-b))^{(1/2)}) * (a+b)^{(1/2)} * \cos(d*x+c)^{(1/2)} * (a*(1-\sec(d*x+c)) / (a+b))^{(1/2)} * (a*(1+\sec(d*x+c)) / (a-b))^{(1/2)} / a^2 / d / \sec(d*x+c)^{(1/2)} + \frac{2}{21} (a-b) * (5a^2 - 24ab + 3b^2) * \operatorname{csc}(d*x+c) * \operatorname{EllipticF}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b) / (a-b))^{(1/2)}) * (a+b)^{(1/2)} * \cos(d*x+c)^{(1/2)} * (a*(1-\sec(d*x+c)) / (a+b))^{(1/2)} * (a*(1+\sec(d*x+c)) / (a-b))^{(1/2)} / a / d / \sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 1.17, antiderivative size = 427, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2792, 3055, 2998, 2816, 2994}

$$\frac{2(5a^2 + 9b^2) \sin(c + dx) \sec^3(c + dx) \sqrt{a + b \cos(c + dx)}}{21d} + \frac{2(a - b) \sqrt{a + b} (5a^2 - 24ab + 3b^2) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^{(5/2)} * \operatorname{Sec}[c + d*x]^{(9/2)}, x]$

[Out]  $(2*(a - b)*b*\operatorname{Sqrt}[a + b]*(29*a^2 + 3*b^2)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Csc}[c + d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]] / (\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))] * \operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x])) / (a + b)] * \operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x])) / (a - b)]) / (21*a^2*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(a - b)*\operatorname{Sqrt}[a + b]*(5*a^2 - 24*a*b + 3*b^2)*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*\operatorname{Csc}[c + d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]] / (\operatorname{Sqrt}[a + b]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])], -((a + b)/(a - b))] * \operatorname{Sqrt}[(a*(1 - \operatorname{Sec}[c + d*x])) / (a + b)] * \operatorname{Sqrt}[(a*(1 + \operatorname{Sec}[c + d*x])) / (a - b)]) / (21*a*d*\operatorname{Sqrt}[\operatorname{Sec}[c + d*x]]) + (2*(5*a^2 + 9*b^2)*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]*\operatorname{Sec}[c + d*x]^{(3/2)}*\operatorname{Sin}[c + d*x]) / (21*d) + (6*a*b*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]*\operatorname{Sec}[c + d*x]^{(5/2)}*\operatorname{Sin}[c + d*x]) / (7*d) + (2*a^2*\operatorname{Sqrt}[a + b*\operatorname{Cos}[c + d*x]]*\operatorname{Sec}[c + d*x]^{(7/2)}*\operatorname{Sin}[c + d*x]) / (7*d)$

**Rule 2792**

$\operatorname{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\operatorname{Simp}(((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m - 2)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}) / (d*f*(n + 1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m - 3)}*(c + d*\operatorname{Sin}[e + f*x])^{(n + 1)}*\operatorname{Simp}[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*\operatorname{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\operatorname{Sin}[e + f*x]^2, x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, x\} \&\& \operatorname{NeQ}\{b*c - a*d, 0\} \&\& \operatorname{NeQ}\{a^2 - b^2, 0\} \&\& \operatorname{NeQ}\{c^2 - d^2, 0\} \&\& \operatorname{GtQ}\{m, 2\} \&\& \operatorname{LtQ}\{n, -1\} \&\& (\operatorname{IntegerQ}\{m\} || \operatorname{IntegersQ}\{2*m, 2*n\})$

**Rule 2816**

$\operatorname{Int}[1/(\operatorname{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)])*\operatorname{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \operatorname{Simp}[(-2*\operatorname{Tan}[e + f*x]*\operatorname{Rt}[(a + b)/d, 2]*\operatorname{Sqrt}[(a*(1$

$$- \text{Csc}[e + f*x]) / (a + b)] * \text{Sqrt}[(a*(1 + \text{Csc}[e + f*x])) / (a - b)] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / (\text{Sqrt}[d*\text{Sin}[e + f*x]] * \text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))] / (a*f), x] /;$$

$$\text{FreeQ}\{a, b, d, e, f, x\} \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{PosQ}[(a + b)/d]$$

#### Rule 2994

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)(x_*)]) / ((b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])], x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]] * \text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))] / (f*b*c^2), x] /;$$

$$\text{FreeQ}\{b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{EqQ}[A, B] \ \&\& \ \text{PosQ}[(c + d)/b]$$

#### Rule 2998

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)(x_*)]) / ((a_*) + (b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]] * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[A, B]$$

#### Rule 3055

$$\text{Int}[(a + (b_*)\text{sin}[(e_*) + (f_*)(x_*)])^{(m_*)} * ((c_*) + (d_*)\text{sin}[(e_*) + (f_*)(x_*)])^{(n_*)} * ((A_*) + (B_*)\text{sin}[(e_*) + (f_*)(x_*)] + (C_*)\text{sin}[(e_*) + (f_*)(x_*)])^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m+1)} * (c + d*\text{Sin}[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)} * (c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /;$$

$$\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ ((\text{EqQ}[a, 0] \ \&\& \ \text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n]) \ || \ !(\text{IntegerQ}[2*n] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ ((\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m]) \ || \ \text{EqQ}[a, 0])))$$

#### Rule 4222

$$\text{Int}[(\text{csc}[(a + (b_*)(x_*)]) * (c_*)^{(m_*)} * (u_*)], x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m * (c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u] / (c*\text{Sin}[a + b*x])^m, x], x] /;$$

$$\text{FreeQ}\{a, b, c, m\}, x] \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ \text{KnownSineIntegrandQ}[u, x]$$

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{6ab \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} + \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2(5a^2 + 9b^2) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{21d} + \frac{6ab \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{21d} \\
&= \frac{2(5a^2 + 9b^2) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{21d} + \frac{6ab \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{21d} \\
&= \frac{2(a - b)b \sqrt{a + b} (29a^2 + 3b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \sin(c+dx)}{\sqrt{a+b \cos(c+dx)}}\right)\right)}{21a^2 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 13.83, size = 443, normalized size = 1.04

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2b(29a^2 + 3b^2) \sin(c + dx)}{21a} + \frac{2}{21} \sec(c + dx) (5a^2 \sin(c + dx) + 9b^2 \sin(c + dx)) + \frac{2}{7} a^2 \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(9/2), x]

[Out] (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*b\*(29\*a^3 + 29\*a^2\*b + 3\*a\*b^2 + 3\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)\*(1 + Cos[c + d\*x])])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(5\*a^3 + 29\*a^2\*b + 27\*a\*b^2 + 3\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)\*(1 + Cos[c + d\*x])])\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - b\*(29\*a^2 + 3\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(21\*a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*b\*(29\*a^2 + 3\*b^2)\*Sin[c + d\*x])/(21\*a) + (2\*Sec[c + d\*x]\*(5\*a^2\*Sin[c + d\*x] + 9\*b^2\*Sin[c + d\*x]))/21 + (6\*a\*b\*Sec[c + d\*x]\*Tan[c + d\*x])/7 + (2\*a^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/7))/d

**fricas** [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(9/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(9/2), x)

**maple [B]** time = 0.28, size = 1835, normalized size = 4.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x)

[Out] 
$$-2/21/d*(5*\cos(d*x+c)^5*a^3*b+5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^4-3*a^4+29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b+27*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^3*b-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*a*b^3+29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+27*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a*b^3-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b-29*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\cos(d*x+c)^4*\sin(d*x+c)*b^4+5*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4-3*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^4+29*\cos(d*x+c)^5*a^2*b^2+9*\cos(d*x+c)^5*a*b^3+29*\cos(d*x+c)^4*a^3*b-11*\cos(d*x+c)^4*a^2*b^2+3*\cos(d*x+c)^4*a*b^3-22*\cos(d*x+c)^3*a^3*b-12*\cos(d*x+c)^3*a*b^3-18*\cos(d*x+c)^2*a^2*b^2-12*\cos(d*x+c)*a^3*b+5*\cos(d*x+c)^4*a^4-2*\cos(d*x+c)^2*a^4+3*\cos(d*x+c)^5*b^4-3*\cos(d*x+c)^4*b^4)*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{9/2}/\sin(d*x+c)/a$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{9/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int((1/cos(c + d\*x))^(9/2)\*(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out



### 3.745 $\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=378

$$\frac{2(a-b)\sqrt{a+b} (9a^2 - 8ab + 15b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15ad\sqrt{\sec(c+dx)}}$$

[Out]  $22/15*a*b*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/5*a^2*\sec(d*x+c)^{(5/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+2/15*(a-b)*(9*a^2+23*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}-2/15*(a-b)*(9*a^2-8*a*b+15*b^2)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/a/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.87, antiderivative size = 378, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2792, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} (9a^2 - 8ab + 15b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(7/2)}, x]$

[Out]  $(2*(a-b)*\text{Sqrt}[a+b]*(9*a^2+23*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(15*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*(a-b)*\text{Sqrt}[a+b]*(9*a^2-8*a*b+15*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(15*a*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (22*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x])/(15*d) + (2*a^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sec}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x])/(5*d)$

#### Rule 2792

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol) \rightarrow -\text{Simp}(((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(c^2 - d^2)), x) + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-3)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n])$

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol) \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -$

$(a + b)/(a - b)))/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

#### Rule 2994

$\text{Int}[(A_ + (B_)*\sin[(e_ + (f_)*(x_))]/((b_)*\sin[(e_ + (f_)*(x_))]^{\frac{3}{2}}*\sqrt{(c_ + (d_)*\sin[(e_ + (f_)*(x_))]}), x\_Symbol] :> \text{Simp}[(-2*A*(c - d)*\tan[e + f*x]*\text{Rt}[(c + d)/b, 2]*\sqrt{(c*(1 + \text{Csc}[e + f*x])})/(c - d)}*\sqrt{(c*(1 - \text{Csc}[e + f*x])})/(c + d)}*\text{EllipticE}[\text{ArcSin}[\sqrt{c + d*\sin[e + f*x]}/(\sqrt{b*\sin[e + f*x]}*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 2998

$\text{Int}[(A_ + (B_)*\sin[(e_ + (f_)*(x_))]/((a_ + (b_)*\sin[(e_ + (f_)*(x_))]^{\frac{3}{2}}*\sqrt{(c_ + (d_)*\sin[(e_ + (f_)*(x_))]}), x\_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b*\sin[e + f*x]}*\sqrt{c + d*\sin[e + f*x]}), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])/(a + b*\sin[e + f*x])^{\frac{3}{2}}*\sqrt{c + d*\sin[e + f*x]}], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

#### Rule 3055

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^m*((c_ + (d_)*\sin[(e_ + (f_)*(x_))]^n*((A_ + (B_)*\sin[(e_ + (f_)*(x_)] + (C_)*\sin[(e_ + (f_)*(x_)]^2), x\_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1}*(c + d*\sin[e + f*x])^{n+1})/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1}*(c + d*\sin[e + f*x])^n*\text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3)*\sin[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

#### Rule 4222

$\text{Int}[(\text{csc}[(a_ + (b_)*(x_)]*(c_))^m*(u_), x\_Symbol] :> \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\sin[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sin[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x\} \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left( 2\sqrt{\cos(c + dx)} \right. \\
&= \frac{22ab \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{15d} + \frac{2a^2 \sqrt{a + b \cos(c + dx)}}{15d} \\
&= \frac{22ab \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{15d} + \frac{2a^2 \sqrt{a + b \cos(c + dx)}}{15d} \\
&= \frac{2(a - b) \sqrt{a + b} (9a^2 + 23b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{\cos(c + dx)}}{\sqrt{a}} \right) \right)}{15ad \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 15.17, size = 376, normalized size = 0.99

$$2\sqrt{\sec(c + dx)} (a + b \cos(c + dx)) \left( (9a^2 + 23b^2) \sin(c + dx) + a \tan(c + dx) (3a \sec(c + dx) + 11b) \right) + \frac{2 \left( (9a^2 + 23b^2) \right)}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(7/2),x]

[Out] ((2\*(2\*(9\*a^3 + 9\*a^2\*b + 23\*a\*b^2 + 23\*b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))] - 2\*(9\*a^3 + 17\*a^2\*b + 23\*a\*b^2 + 15\*b^3)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)]\*Sqrt[(b + a\*Sec[c + d\*x])/((a + b)\*(1 + Sec[c + d\*x]))] + (9\*a^2 + 23\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(Sqrt[Sec[(c + d\*x)/2]^2]\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-1 + Tan[(c + d\*x)/2]^2)) + 2\*(a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]\*((9\*a^2 + 23\*b^2)\*Sin[c + d\*x] + a\*(11\*b + 3\*a\*Sec[c + d\*x])\*Tan[c + d\*x]))/(15\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 0.86, size = 0, normalized size = 0.00

$$\text{integral} \left( (b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{7/2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(7/2), x)

**maple [B]** time = 0.29, size = 1758, normalized size = 4.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2),x)

[Out] 
$$-2/15/d*(-34*\cos(d*x+c)^2*a*b^2-9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-3*a^3-23*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+17*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+23*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-23*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+23*\cos(d*x+c)^4*b^3+9*\cos(d*x+c)^3*a^3-14*\cos(d*x+c)*a^2*b+9*\cos(d*x+c)^4*a^2*b+11*\cos(d*x+c)^4*a*b^2+5*\cos(d*x+c)^3*a^2*b+23*\cos(d*x+c)^3*a*b^2-23*\cos(d*x+c)^3*b^3-6*\cos(d*x+c)^2*a^3+15*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3-9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+17*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+23*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-23*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+9*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-23*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3+15*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{7/2}/\sin(d*x+c)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{7/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^(5/2), x)

[Out] int((1/cos(c + d\*x))^(7/2)\*(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*sec(d\*x+c)\*\*(7/2), x)

[Out] Timed out

### 3.746 $\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx$

**Optimal.** Leaf size=452

$$\frac{2\sqrt{a+b} (a^2 - 7ab + 9b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{3d\sqrt{\sec(c+dx)}}$$

[Out]  $\frac{2/3*a^2*\sec(d*x+c)^{(3/2)}*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d+14/3*(a-b)*b*csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}+2/3*(a^2-7*a*b+9*b^2)*csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}-2*b^2*csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}}{3d\sqrt{\sec(c+dx)}}$

**Rubi [A]** time = 0.82, antiderivative size = 452, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2792, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (a^2 - 7ab + 9b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(14*(a - b)*b*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*\text{Sqrt}[a + b]*(a^2 - 7*a*b + 9*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*b^2*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/3*d)$

#### Rule 2792

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\text{Simp}(((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(n+1)*(c^2 - d^2)), x) + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-3)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[b*(m-2)*(b*c - a*d)^2 + a*d*(n+1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n+1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n+2)*(b*c - a*d)^2)*\text{Sin}[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n])$

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)])*(c_.)^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^2(c + dx)} dx \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\
&= -\frac{2b^2 \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d \sqrt{\sec(c + dx)}} \\
&= \frac{14(a - b)b \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 12.00, size = 399, normalized size = 0.88

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2}{3} a^2 \tan(c + dx) + \frac{14}{3} ab \sin(c + dx) \right) \cos^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( -4(a^3 + \dots) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2),x]

[Out] -1/3\*(Cos[(c + d\*x)/2]^2\*Sqrt[Sec[c + d\*x]]\*(28\*a\*b\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 4\*(a^3 + 7\*a^2\*b + 9\*a\*b^2 - 3\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 24\*b^3\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 14\*a\*b\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((14\*a\*b\*Sin[c + d\*x])/3 + (2\*a^2\*Tan[c + d\*x])/3))/d

**fricas [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2), x)



**maple [B]** time = 0.35, size = 1493, normalized size = 3.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*sec(d*x+c)^(5/2),x)`

[Out] 
$$-2/3/d*(\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3+7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+9*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3-7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3+7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+9*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+6*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b^3-7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+\cos(d*x+c)^3*a*b^2+\cos(d*x+c)^2*a^3+7*\cos(d*x+c)^2*a^2*b-7*\cos(d*x+c)^2*a*b^2-8*\cos(d*x+c)*a^2*b-a^3)*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{5/2}/\sin(d*x+c)$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2), x)`

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^{5/2} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2), x)
```

```
[Out] int((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*sec(d*x+c)**(5/2), x)
```

```
[Out] Timed out
```

### 3.747 $\int (a + b \cos(c + dx))^{5/2} \sec^3(c + dx) dx$

**Optimal.** Leaf size=505

$$\frac{(2a^2 - b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b} (2a^2 - 6ab - b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{d}$$

```
[Out] 2*a^2*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-(2*a^2-b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d+(a-b)*(2*a^2-b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/d/sec(d*x+c)^(1/2)-(2*a^2-6*a*b-b^2)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)-5*a*b*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 1.11, antiderivative size = 505, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2792, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2a^2 - b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b} (2a^2 - 6ab - b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(2*a^2 - b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*a^2 - 6*a*b - b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(d*Sqrt[Sec[c + d*x]]) - (5*a*b*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(d*Sqrt[Sec[c + d*x]]) + (2*a^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d - ((2*a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

**Rule 2792**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2*m, 2*n])
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

## Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

## Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{5/2} \sec^3(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\cos^3(c + dx)} dx \\
 &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (2\sqrt{\cos(c + dx)}) \\
 &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \frac{(2a^2 - b^2) \sqrt{a + b \cos(c + dx)}}{d} \\
 &= \frac{2a^2 \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \frac{(2a^2 - b^2) \sqrt{a + b \cos(c + dx)}}{d} \\
 &= -\frac{5ab\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d\sqrt{\sec(c + dx)}} \\
 &= -\frac{(a - b)\sqrt{a + b} (2a^2 - b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad\sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 16.68, size = 736, normalized size = 1.46

$$\frac{2a^2 \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} + \sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \left( 2a^3 \tan^5\left(\frac{1}{2}(c + dx)\right) - 2a^3 \tan\left(\frac{1}{2}(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-2\*a^3\*Tan[(c + d\*x)/2] - 2\*a^2\*b\*Tan[(c + d\*x)/2] + a\*b^2\*Tan[(c + d\*x)/2] + b^3\*Tan[(c + d\*x)/2] + 4\*a^2\*b\*Tan[(c + d\*x)/2]^3 - 2\*b^3\*Tan[(c + d\*x)/2]^3 + 2\*a^3\*Tan[(c + d\*x)/2]^5 - 2\*a^2\*b\*Tan[(c + d\*x)/2]^5 - a\*b^2\*Tan[(c + d\*x)/2]^5 + b^3\*Tan[(c + d\*x)/2]^5 + 10\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 10\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (2\*a^3 + 2\*a^2\*b - a\*b^2 - b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 2\*a\*(a^2 + 3\*a\*b - 3\*b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)

$2)/(a + b)])))/(d*(1 + \tan[(c + d*x)/2]^2)^{(3/2)}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(1 + \tan[(c + d*x)/2]^2)})$

**fricas** [F] time = 67.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2), x)

**maple** [B] time = 0.22, size = 1631, normalized size = 3.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(3/2),x)

[Out]  $-1/d*(-2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3-2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^3+10*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}*a*b^2+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3+6*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b-6*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3*\sin(d*x+c)-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^3*\sin(d*x+c)+10*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}*a*b^2*\sin(d*x+c)+2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}$

$$\left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) a^3 \sin(dx+c) + 6 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) a^2 b \sin(dx+c) - 6 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) a b^2 \sin(dx+c) + \cos(dx+c)^3 b^3 + 2 \cos(dx+c)^2 a^2 b + \cos(dx+c)^2 a b^2 - \cos(dx+c)^2 b^3 + 2 a^3 \cos(dx+c) - 2 \cos(dx+c) a^2 b - \cos(dx+c) a b^2 - 2 a^3 \cos(dx+c) \left(\frac{a+b\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{1}{\cos(dx+c)}\right)^{3/2} / \sin(dx+c)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^{5/2} \sec(dx+c)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*sec(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(dx+c) + a)^(5/2)\*sec(dx+c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a+b \cos(c+dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c+d\*x))^(3/2)\*(a+b\*cos(c+d\*x))^(5/2),x)

[Out] int((1/cos(c+d\*x))^(3/2)\*(a+b\*cos(c+d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(5/2)\*sec(dx+c)\*\*(3/2),x)

[Out] Timed out

### 3.748 $\int (a + b \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=503

$$\frac{\sqrt{a+b} (8a^2 + 9ab + 2b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4d\sqrt{\sec(c+dx)}}$$

[Out]  $\frac{1}{2}b^2\sin(dx+c)(a+b\cos(dx+c))^{1/2}/d/\sec(dx+c)^{1/2}+9/4*a*b*\sin(dx+c)*(a+b\cos(dx+c))^{1/2}*\sec(dx+c)^{1/2}/d-9/4*(a-b)*b*\csc(dx+c)*\text{EllipticE}((a+b\cos(dx+c))^{1/2}/(a+b)^{1/2}/\cos(dx+c)^{1/2},((-a-b)/(a-b))^{1/2})*\cos(dx+c)^{1/2}*(a*(1-\sec(dx+c))/(a+b))^{1/2}*(a*(1+\sec(dx+c))/(a-b))^{1/2}/d/\sec(dx+c)^{1/2}+1/4*(8*a^2+9*a*b+2*b^2)*\csc(dx+c)*\text{EllipticF}((a+b\cos(dx+c))^{1/2}/(a+b)^{1/2}/\cos(dx+c)^{1/2},((-a-b)/(a-b))^{1/2})*\cos(dx+c)^{1/2}*(a*(1-\sec(dx+c))/(a+b))^{1/2}*(a*(1+\sec(dx+c))/(a-b))^{1/2}/d/\sec(dx+c)^{1/2}-1/4*(15*a^2+4*b^2)*\csc(dx+c)*\text{EllipticPi}((a+b\cos(dx+c))^{1/2}/(a+b)^{1/2}/\cos(dx+c)^{1/2},(a+b)/b,((-a-b)/(a-b))^{1/2})*\cos(dx+c)^{1/2}*(a*(1-\sec(dx+c))/(a+b))^{1/2}*(a*(1+\sec(dx+c))/(a-b))^{1/2}/d/\sec(dx+c)^{1/2}$

**Rubi [A]** time = 1.10, antiderivative size = 503, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2793, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (8a^2 + 9ab + 2b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{4d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]], x]

[Out]  $(-9*(a-b)*b*\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\frac{\text{Sqrt}[a+b*\text{Cos}[c+d*x]]}{\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]}], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(4*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (\text{Sqrt}[a+b]*(8*a^2+9*a*b+2*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\frac{\text{Sqrt}[a+b*\text{Cos}[c+d*x]]}{\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]}], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(4*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (\text{Sqrt}[a+b]*(15*a^2+4*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticPi}[(a+b)/b, \text{ArcSin}[\frac{\text{Sqrt}[a+b*\text{Cos}[c+d*x]]}{\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]]}], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b))]/(4*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (b^2*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(2*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (9*a*b*\text{Sqrt}[a+b*\text{Cos}[c+d*x]]*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(4*d)$

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(m+n)), x] + Dist[1/(d\*(m+n)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m+n) + b^2\*(b\*c\*(m-2) + a\*d\*(n+1)) - b\*(a\*b\*c - b^2\*d\*(m+n-1) - 3\*a^2\*d\*(m+n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 2809



```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2}}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{9ab \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} \\
&= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{9ab \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} \\
&= -\frac{\sqrt{a + b} (15a^2 + 4b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4d \sqrt{\sec(c + dx)}} \\
&= -\frac{9(a - b)b \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [B]** time = 22.32, size = 3679, normalized size = 7.31

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (b^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*d) +
(((3*a^2*b)/(Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + b^3/(2*Sqrt[a +
b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^3*Sqrt[Sec[c + d*x]])/Sqrt[a + b*
Cos[c + d*x]] + (11*a*b^2*Sqrt[Sec[c + d*x]])/(8*Sqrt[a + b*Cos[c + d*x]])
+ (9*a*b^2*Cos[2*(c + d*x)]*Sqrt[Sec[c + d*x]])/(8*Sqrt[a + b*Cos[c + d*x]]
))*(-18*a*b*(a + b)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]],
(-a + b)/(a + b)] - 4*(4*a^3 - 12*a^2*b + a*b^2 - 2*b^3)*Sqrt[Cos[c + d*x]/
(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]
*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*b*(15*a^2 + 4*b^
2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)
*(1 + Cos[c + d*x]))]*EllipticPi[-1, ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a
+ b)] - 9*a*b*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c +
d*x)/2))/(4*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[
(c + d*x)/2]^2*Sec[c + d*x]]*(-1 + Tan[(c + d*x)/2]^2)*(-1/4*(Sqrt[Sec[(c +
d*x)/2]^2]*Tan[(c + d*x)/2]*(-18*a*b*(a + b)*Sqrt[Cos[c + d*x]/(1 + Cos[c
+ d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[
ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(4*a^3 - 12*a^2*b + a*b^2 -
2*b^3)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a
+ b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a
+ b)] - 4*b*(15*a^2 + 4*b^2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a
+ b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, ArcSin[Tan[
```

$$\begin{aligned}
& c + d*x)/2]], (-a + b)/(a + b)] - 9*a*b*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*S \\
& \text{ec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]))/(\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Cos}[(c \\
& + d*x)/2]^2*\text{Sec}[c + d*x]]*(-1 + \text{Tan}[(c + d*x)/2]^2)^2) + (b*\text{Sin}[c + d*x]*(- \\
& 18*a*b*(a + b)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d* \\
& x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) \\
& )/(a + b)] - 4*(4*a^3 - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \\
& \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Elli \\
& pticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - 4*b*(15*a^2 + 4*b^2)*\text{Sqr \\
& rt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \\
& \text{Cos}[c + d*x]))]*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] \\
& - 9*a*b*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*S\text{ec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x) \\
& /2]))/(8*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + \\
& d*x)/2]^2*\text{Sec}[c + d*x]]*(-1 + \text{Tan}[(c + d*x)/2]^2)) - (\text{Tan}[(c + d*x)/2]*(-18 \\
& *a*b*(a + b)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x] \\
& )/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) \\
& )/(a + b)] - 4*(4*a^3 - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Co \\
& s}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Elli \\
& pticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - 4*b*(15*a^2 + 4*b^2)*\text{Sqr \\
& t}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{C \\
& os}[c + d*x]))]*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - \\
& 9*a*b*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*S\text{ec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2 \\
& ])))/(8*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x) \\
& /2]^2*\text{Sec}[c + d*x]]*(-1 + \text{Tan}[(c + d*x)/2]^2)) + ((-9*a*b*\text{Cos}[c + d*x]*(a + \\
& b*\text{Cos}[c + d*x])*S\text{ec}[(c + d*x)/2]^4)/2 - (9*a*b*(a + b)*\text{Sqrt}[(a + b*\text{Cos}[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (- \\
& a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + \\
& d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (2*(4*a^ \\
& 3 - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + \\
& d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))) \\
& )/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (2*b*(15*a^2 + 4*b^2)*\text{Sqrt}[(a + b* \\
& \text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + \\
& d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x]) \\
& ^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
& ] - (9*a*b*(a + b)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{T \\
& an}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x])))) + ((a + b*\text{Cos}[c + d*x])*S\text{in}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x] \\
& )^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - (2*(4*a^3 \\
& - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF} \\
& [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*( \\
& 1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])*S\text{in}[c + d*x])/((a + b)*(1 + \text{Cos} \\
& [c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - ( \\
& 2*b*(15*a^2 + 4*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticPi}[-1, A \\
& rcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])*S\text{in}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + 9*a \\
& *b^2*\text{Cos}[c + d*x]*S\text{ec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + 9*a*b* \\
& (a + b*\text{Cos}[c + d*x])*S\text{ec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - 9*a \\
& *b*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*S\text{ec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 \\
& - (2*(4*a^3 - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x] \\
& )]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*S\text{ec}[(c + d*x)/2] \\
& ^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a \\
& + b)]) - (2*b*(15*a^2 + 4*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt} [ \\
& (a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*S\text{ec}[(c + d*x)/2]^2)/(\text{Sqr \\
& t}[1 - \text{Tan}[(c + d*x)/2]^2]*(1 + \text{Tan}[(c + d*x)/2]^2)*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[( \\
& c + d*x)/2]^2)/(a + b)]) - (9*a*b*(a + b)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d* \\
& x]])*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*S\text{ec}[(c + d*x)/ \\
& 2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x \\
& )/2]^2)]/(4*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c +
\end{aligned}$$

$$\begin{aligned} & d*x)/2]^2*\text{Sec}[c + d*x]]*(-1 + \text{Tan}[(c + d*x)/2]^2)) - ((-18*a*b*(a + b)*\text{Sqr} \\ & \text{t}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \\ & \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - 4*( \\ & 4*a^3 - 12*a^2*b + a*b^2 - 2*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] * \text{Sqr} \\ & \text{t}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[( \\ & c + d*x)/2]], (-a + b)/(a + b)] - 4*b*(15*a^2 + 4*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 \\ & + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] * \text{E} \\ & \text{llipticPi}[-1, \text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - 9*a*b*\text{Cos}[c + d \\ & *x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d \\ & *x)/2]* \text{Sec}[c + d*x]* \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]* \text{Tan} \\ & [c + d*x]))/(8*\text{Sqrt}[a + b*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2*(\text{Cos}[(c + \\ & d*x)/2]^2*\text{Sec}[c + d*x])^(3/2)*(-1 + \text{Tan}[(c + d*x)/2]^2)))) \end{aligned}$$

**fricas** [F] time = 59.20, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(sec(d\*x + c)), x)

**maple** [B] time = 0.24, size = 1631, normalized size = 3.24

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*sec(d\*x+c)^(1/2),x)

[Out] 
$$\begin{aligned} & -1/4/d*(1/\text{cos}(d*x+c))^{(1/2)}/(a+b*\text{cos}(d*x+c))^{(1/2)}*(30*\text{cos}(d*x+c)*\text{sin}(d*x+c) \\ & )*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b) \\ & ^{(1/2)}*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}*a^2*b \\ & +8*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+c) \\ & )/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticPi}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), -1, (-a \\ & -b)/(a+b))^{(1/2)}*b^3+8*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{( \\ & 1/2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c) \\ & )/\text{sin}(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3-24*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c) \\ & /(\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{Ellipti} \\ & \text{cF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+2*\text{cos}(d*x+c)*\text{sin} \\ & (d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/ \\ & (a+b))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b \\ & ^2-4*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+ \\ & c))/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b) \\ & )/(a+b))^{(1/2)}*b^3+9*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{(1/ \\ & 2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{EllipticE}((-1+\text{cos}(d*x+c))/ \\ & \text{sin}(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+9*\text{cos}(d*x+c)*\text{sin}(d*x+c)*(\text{cos}(d*x+c)/ \\ & (1+\text{cos}(d*x+c)))^{(1/2)}*((a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))/(a+b))^{(1/2)}*\text{Ellipti} \\ & \text{cE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2+2*\text{cos}(d*x+c)^4*b^ \end{aligned}$$

$$3+30*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b*\sin(dx+c)+8*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*b^3*\sin(dx+c)+8*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^3*\sin(dx+c)-24*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b*\sin(dx+c)+2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(dx+c)-4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^3*\sin(dx+c)+9*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b*\sin(dx+c)+9*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*((a+b*\cos(dx+c))/(1+\cos(dx+c)))/(a+b)^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(dx+c)+11*\cos(dx+c)^3*a*b^2+9*\cos(dx+c)^2*a^2*b-9*\cos(dx+c)^2*a*b^2-2*\cos(dx+c)^2*b^3-9*\cos(dx+c)*a^2*b-2*\cos(dx+c)*a*b^2)/\sin(dx+c)$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*sec(dx+c)^(1/2), x, algorithm="maxima")

[Out] integrate((b\*cos(dx + c) + a)^(5/2)\*sqrt(sec(dx + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sqrt{\frac{1}{\cos(c + dx)}} (a + b \cos(c + dx))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + dx))^(1/2)\*(a + b\*cos(c + dx))^(5/2), x)

[Out] int((1/cos(c + dx))^(1/2)\*(a + b\*cos(c + dx))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(5/2)\*sec(dx+c)\*\*(1/2), x)

[Out] Timed out

**3.749**  $\int \frac{(a+b \cos(c+dx))^{5/2}}{\sqrt{\sec(c+dx)}} dx$

**Optimal.** Leaf size=566

$$\frac{(33a^2 + 16b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24d} + \frac{\sqrt{a + b} (33a^2 + 26ab + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{2}$$

```
[Out] 1/3*b^2*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(3/2)+13/12*a*b*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/d/sec(d*x+c)^(1/2)+1/24*(33*a^2+16*b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/d-1/24*(a-b)*(33*a^2+16*b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/d/sec(d*x+c)^(1/2)+1/24*(33*a^2+26*a*b+16*b^2)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/d/sec(d*x+c)^(1/2)-5/8*a*(a^2+4*b^2)*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 1.45, antiderivative size = 566, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 25, number of rules / integrand size = 0.360, Rules used = {4222, 2793, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2 + 16b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24d} + \frac{\sqrt{a + b} (33a^2 + 26ab + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx)}{2}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)/Sqrt[Sec[c + d*x]], x]
[Out] -((a - b)*Sqrt[a + b]*(33*a^2 + 16*b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(33*a^2 + 26*a*b + 16*b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*d*Sqrt[Sec[c + d*x]]) - (5*a*Sqrt[a + b]*(a^2 + 4*b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(8*b*d*Sqrt[Sec[c + d*x]]) + (b^2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)) + (13*a*b*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Sec[c + d*x]]) + ((33*a^2 + 16*b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24*d)
```

**Rule 2793**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n)), x] + Dist[1/(d*(m + n)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^n*Simp[a^3*d*(m + n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*a^2*d*(m + n))*Sin[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |
```

| IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 2809

Int[Sqrt[(b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3049

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3053

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2]/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/

$\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x])], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3061

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{2/} / (\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]) / (d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 4222

$\text{Int}[(\text{csc}[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)*(u_.)}, x\_Symbol] :> \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] /;$  FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^{5/2}}{\sqrt{\sec(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{5/2} dx \\ &= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{1}{3} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}}{\sec^2(c + dx)} dx \\ &= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{12d \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)})^2}{12d \sqrt{\sec(c + dx)}} \\ &= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{12d \sqrt{\sec(c + dx)}} + \frac{(33a^2 - 16b^2) \sqrt{\cos(c + dx)}}{12d \sqrt{\sec(c + dx)}} \\ &= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \sec^2(c + dx)} + \frac{13ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{12d \sqrt{\sec(c + dx)}} + \frac{(33a^2 - 16b^2) \sqrt{\cos(c + dx)}}{12d \sqrt{\sec(c + dx)}} \\ &= \frac{5a \sqrt{a + b} (a^2 + 4b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - (a-b) \sqrt{a+b} (33a^2 + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{8bd \sqrt{\sec(c + dx)}} \\ &= \frac{(a-b) \sqrt{a+b} (33a^2 + 16b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - 5a \sqrt{a+b} (a^2 + 4b^2) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{24ad \sqrt{\sec(c + dx)}} \end{aligned}$$



**Mathematica [A]** time = 17.70, size = 970, normalized size = 1.71

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \left( \frac{1}{12} \sin(c + dx) b^2 + \frac{1}{12} \sin(3(c + dx)) b^2 + \frac{13}{24} a \sin(2(c + dx)) b \right)}{d} + \sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)/Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((b^2\*Sin[c + d\*x])/12 + (13\*a\*b\*Sin[2\*(c + d\*x)])/24 + (b^2\*Sin[3\*(c + d\*x)])/12))/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(33\*a^3\*Tan[(c + d\*x)/2] + 33\*a^2\*b\*Tan[(c + d\*x)/2] + 16\*a\*b^2\*Tan[(c + d\*x)/2] + 16\*b^3\*Tan[(c + d\*x)/2] - 66\*a^2\*b\*Tan[(c + d\*x)/2]^3 - 32\*b^3\*Tan[(c + d\*x)/2]^3 - 33\*a^3\*Tan[(c + d\*x)/2]^5 + 33\*a^2\*b\*Tan[(c + d\*x)/2]^5 - 16\*a\*b^2\*Tan[(c + d\*x)/2]^5 + 16\*b^3\*Tan[(c + d\*x)/2]^5 + 30\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 120\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 30\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 120\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (33\*a^3 + 33\*a^2\*b + 16\*a\*b^2 + 16\*b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 2\*a\*(24\*a^2 - 13\*a\*b + 38\*b^2)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(24\*d\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2))

**fricas [F]** time = 1.79, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx + c))^2 + 2ab \cos(dx + c) + a^2}{\sqrt{\sec(dx + c)}} \sqrt{b \cos(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.30, size = 1868, normalized size = 3.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x)`

[Out]  $\frac{1}{24}d \cdot (18 \cos(d*x+c)^2 a b^2 + 48 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)})^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 - 30 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} a^3 - 30 \cos(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} a^3 \sin(d*x+c) - 33 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 \sin(d*x+c) - 16 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 \sin(d*x+c) - 16 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 \sin(d*x+c) + 33 a^3 \cos(d*x+c) + 16 \cos(d*x+c) a^2 b^2 + 33 \cos(d*x+c)^2 a^2 b - 8 \cos(d*x+c)^5 b^3 + 16 \cos(d*x+c)^2 b^3 + 26 \cos(d*x+c) a^2 b - 34 \cos(d*x+c)^4 a^2 b - 59 \cos(d*x+c)^3 a^2 b - 8 \cos(d*x+c)^3 b^3 - 33 \cos(d*x+c)^2 a^3 - 33 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 - 16 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} b^3 - 120 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} a^2 b^2 \sin(d*x+c) - 33 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b^2 \sin(d*x+c) - 16 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b^2 \sin(d*x+c) - 26 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b^2 \sin(d*x+c) + 76 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b^2 \sin(d*x+c) + 48 \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^3 \sin(d*x+c) - 120 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticPi}(-1+\cos(d*x+c)/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} a^2 b^2 - 33 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b - 16 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticE}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b - 26 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b + 76 \cos(d*x+c) \sin(d*x+c) \frac{\cos(d*x+c)}{1+\cos(d*x+c)}^{1/2} \frac{(a+b \cos(d*x+c))}{(1+\cos(d*x+c))} \frac{1}{(a+b)^{1/2}} \text{EllipticF}(-1+\cos(d*x+c)/\sin(d*x+c), (-a-b)/(a+b))^{1/2} a^2 b^2 \frac{1}{\cos(d*x+c)}^{1/2} \frac{1}{\sin(d*x+c)} \frac{1}{(a+b \cos(d*x+c))^{1/2}}$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{5/2}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + d x))^{5/2}}{\sqrt{\frac{1}{\cos(c + d x)}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(1/2), x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(1/2), x)

[Out] Timed out

$$3.750 \quad \int \frac{(a+b \cos(c+dx))^{5/2}}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=638

$$\frac{(59a^2 + 36b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{96d \sqrt{\sec(c + dx)}} + \frac{a (15a^2 + 284b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{192bd}$$

[Out]  $1/4*b^2*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(5/2)}+17/24*a*b*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(3/2)}+1/96*(59*a^2+36*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}/d/\sec(d*x+c)^{(1/2)}+1/192*a*(15*a^2+284*b^2)*\sin(d*x+c)*(a+b*\cos(d*x+c))^{(1/2)}*\sec(d*x+c)^{(1/2)}/b/d-1/192*(a-b)*(15*a^2+284*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b/d/\sec(d*x+c)^{(1/2)}+1/192*(15*a^3+118*a^2*b+284*a*b^2+72*b^3)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b/d/\sec(d*x+c)^{(1/2)}+1/64*(5*a^4-120*a^2*b^2-48*b^4)*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b^2/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 1.88, antiderivative size = 638, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2793, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(59a^2 + 36b^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{96d \sqrt{\sec(c + dx)}} + \frac{a (15a^2 + 284b^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{192bd} + \dots$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)/Sec[c + d\*x]^(3/2), x]

[Out]  $-((a - b)*\text{Sqrt}[a + b]*(15*a^2 + 284*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(192*b*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (\text{Sqrt}[a + b]*(15*a^3 + 118*a^2*b + 284*a*b^2 + 72*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(192*b*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (\text{Sqrt}[a + b]*(5*a^4 - 120*a^2*b^2 - 48*b^4)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(64*b^2*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (b^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d*\text{Sec}[c + d*x]^(5/2)) + (17*a*b*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(24*d*\text{Sec}[c + d*x]^(3/2)) + ((59*a^2 + 36*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(96*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (a*(15*a^2 + 284*b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(192*b*d)$

**Rule 2793**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m

+ n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] | | (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 2809

Int[Sqrt[(b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]/Sqrt[(c\_) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_.) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_.) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3049

Int[((a\_) + (b\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_.) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_.) + (f\_)\*(x\_)]^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] | | (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2}}{\sec^3(c + dx)} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \cos^{3/2}(c + dx)(a + b \cos(c + dx))^{5/2} dx$$

$$= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\cos^{3/2}(c + dx)}{\sec^3(c + dx)} dx$$

$$= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \frac{17ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d \sec^3(c + dx)} + \frac{(\sqrt{\cos(c + dx)})^3}{24d \sec^3(c + dx)}$$

$$= \frac{b^2 \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sec^5(c + dx)} + \frac{17ab \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d \sec^3(c + dx)} + \frac{(59a^2 - 120a^2b^2 - 48b^4) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{64b^2 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{(a - b) \sqrt{a + b} (15a^2 + 284b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{192bd \sqrt{\sec(c + dx)}}$$

**Mathematica [C]** time = 16.61, size = 1642, normalized size = 2.57

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*cos[c + d\*x])^(5/2)/Sec[c + d\*x]^(3/2),x]

[Out] (Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((17\*a\*b\*sin[c + d\*x])/96 + ((59\*a^2 + 48\*b^2)\*sin[2\*(c + d\*x)]/192 + (17\*a\*b\*sin[3\*(c + d\*x)]/96 + (b^2\*sin[4\*(c + d\*x)]/32))/d + (-15\*a^4\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 15\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 284\*a^2\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 284\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + 30\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + 568\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + 15\*a^4\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - 15\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + 284\*a^2\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - 284\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - (30\*I)\*a^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (720\*I)\*a^2\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (288\*I)\*b^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (30\*I)\*a^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (720\*I)\*a^2\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (288\*I)\*b^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - I\*a\*(15\*a^3 - 15\*a^2\*b + 284\*a\*b^2 - 284\*b^3)\*EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (2\*I)\*(15\*a^4 + 59\*a^3\*b - 38\*a^2\*b^2 + 36\*a\*b^3 - 72\*b^4)\*EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)]/(192\*b\*Sqrt[(a - b)/(a + b)]\*d\*Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-1 + Tan[(c + d\*x)/2]^2)\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)])

**fricas [F]** time = 2.92, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(b\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.44, size = 2327, normalized size = 3.65

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2), x)

[Out] 
$$\begin{aligned} & -1/192/d \cdot (-30 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}) \cdot a^4 + 48 \cdot \cos(d*x+c)^6 \cdot b^4 - 72 \cdot \cos(d*x+c) \cdot a \cdot b^3 - 15 \cdot \cos(d*x+c)^2 \cdot a^3 \cdot b - 284 \cdot \cos(d*x+c)^2 \cdot a \cdot b^3 - 284 \cdot \cos(d*x+c) \cdot a^2 \cdot b^2 - 72 \cdot \cos(d*x+c)^2 \cdot b^4 + 184 \cdot \cos(d*x+c)^5 \cdot a \cdot b^3 + 254 \cdot \cos(d*x+c)^4 \cdot a^2 \cdot b^2 + 133 \cdot \cos(d*x+c)^3 \cdot a^3 \cdot b + 172 \cdot \cos(d*x+c)^3 \cdot a \cdot b^3 + 30 \cdot \cos(d*x+c)^2 \cdot a^2 \cdot b^2 - 118 \cdot \cos(d*x+c) \cdot a^3 \cdot b + 284 \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^2 \cdot b^2 + 284 \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a \cdot b^3 + 118 \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^3 \cdot b - 644 \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^2 \cdot b^2 + 15 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^4 + 15 \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^3 \cdot b + 284 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a \cdot b^3 + 118 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^3 \cdot b - 644 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^2 \cdot b^2 + 72 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a \cdot b^3 + 15 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^3 \cdot b + 284 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot a^2 \cdot b^2 - 30 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}) \cdot a^4 \cdot \sin(d*x+c) + 288 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}) \cdot b^4 \cdot \sin(d*x+c) - 144 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot b^4 \cdot \sin(d*x+c) + 15 \cdot \cos(d*x+c)^2 \cdot a^4 + 24 \cdot \cos(d*x+c)^4 \cdot b^4 + 288 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}) \cdot b^4 - 144 \cdot \cos(d*x+c) \cdot \sin(d*x+c) \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}) \cdot b^4 + 720 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)}) \cdot a^2 \cdot b^2 \cdot \sin(d*x+c) + 72 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)} \cdot b^4 \cdot \sin(d*x+c) + 72 \cdot (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cdot ((a+b \cdot \cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{(1/2)} \cdot \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)} \cdot b^4 \cdot \sin(d*x+c) \end{aligned}$$



$d*x+c)/\sqrt{1+\cos(d*x+c)}/\sqrt{a+b})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-\sqrt{a-b}/\sqrt{a+b})*a*b^3*\sin(d*x+c)-15*a^4*\cos(d*x+c)+15*\sin(d*x+c)*(\cos(d*x+c)/\sqrt{1+\cos(d*x+c)})^{\frac{1}{2}}*(\sqrt{a+b*\cos(d*x+c)})/\sqrt{1+\cos(d*x+c)})/\sqrt{a+b})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-\sqrt{a-b}/\sqrt{a+b})*a^4+720*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/\sqrt{1+\cos(d*x+c)})^{\frac{1}{2}}*(\sqrt{a+b*\cos(d*x+c)})/\sqrt{1+\cos(d*x+c)})/\sqrt{a+b})*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-\sqrt{a-b}/\sqrt{a+b})^{\frac{1}{2}})*a^2*b^2*\cos(d*x+c)*(1/\cos(d*x+c))^{\frac{3}{2}}/\sin(d*x+c)/\sqrt{a+b*\cos(d*x+c)})^{\frac{1}{2}}/b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^(5/2)/sec(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \cos(c + dx))^{\frac{5}{2}}}{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(3/2),x)

[Out] int((a + b\*cos(c + d\*x))^(5/2)/(1/cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**3.751** 
$$\int \frac{\sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=314

$$\frac{4b(a-b)\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a}}{3a^3 d \sqrt{\sec(c+dx)}}$$

```
[Out] 2/3*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a/d-4/3*(a-b)*b*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/sec(d*x+c)^(1/2)+2/3*(a+2*b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b)^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^2/d/sec(d*x+c)^(1/2))
```

**Rubi [A]** time = 0.48, antiderivative size = 314, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2802, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a+2b)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 4b(a-b)}{3a^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(5/2)/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (-4*(a-b)*b*Sqrt[a+b]*Sqrt[Cos[c+d*x]]*Csc[c+d*x]*EllipticE[ArcSin[Sqrt[a+b*Cos[c+d*x]]/(Sqrt[a+b]*Sqrt[Cos[c+d*x]])], -((a+b)/(a-b))]*Sqrt[(a*(1-Sec[c+d*x]))/(a+b)]*Sqrt[(a*(1+Sec[c+d*x]))/(a-b)])/(3*a^3*d*Sqrt[Sec[c+d*x]]) + (2*Sqrt[a+b]*(a+2*b)*Sqrt[Cos[c+d*x]]*Csc[c+d*x]*EllipticF[ArcSin[Sqrt[a+b*Cos[c+d*x]]/(Sqrt[a+b]*Sqrt[Cos[c+d*x]])], -((a+b)/(a-b))]*Sqrt[(a*(1-Sec[c+d*x]))/(a+b)]*Sqrt[(a*(1+Sec[c+d*x]))/(a-b)])/(3*a^2*d*Sqrt[Sec[c+d*x]]) + (2*Sqrt[a+b*Cos[c+d*x]]*Sec[c+d*x]^(3/2)*Sin[c+d*x])/(3*a*d)
```

**Rule 2802**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_) * sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] := Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\int \frac{\sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx = \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

$$= \frac{2\sqrt{a+b\cos(c+dx)}\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3a} \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

$$= \frac{2\sqrt{a+b\cos(c+dx)}\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3ad} - \frac{(2b\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3a} \int \frac{1}{\cos^{\frac{1}{2}}(c+dx)\sqrt{a+b\cos(c+dx)}} dx$$

$$= -\frac{4(a-b)b\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{a+b}}{3a^3d\sqrt{\sec(c+dx)}}$$

**Mathematica [A]** time = 14.04, size = 322, normalized size = 1.03

$$\frac{\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2\tan(c+dx)}{3a}-\frac{4b\sin(c+dx)}{3a^2}\right)+4\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}\sec(c+dx)\left(b\cos(c+dx)\tan\left(\frac{1}{2}(c+dx)\right)\right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sec[c + d*x]^(5/2)/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (4*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*b*(a + b)*Sqrt[Cos[c + d*x]/(1
+ Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*El
lipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + a*(a - 2*b)*Sqrt[Cos[
c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c
```

+ d\*x])))\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*cos[c + d\*x]\*(a + b\*cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2))/(3\*a^2\*d\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-4\*b\*sin[c + d\*x])/(3\*a^2) + (2\*Tan[c + d\*x])/(3\*a)))/d

**fricas** [F] time = 1.27, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(dx+c)^{\frac{5}{2}}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [B] time = 0.33, size = 891, normalized size = 2.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2/3/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*a\*b+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*a\*b+2\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2+EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*a^2-2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b+2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b+2\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*b^2+cos(d\*x+c)^3\*a\*b-2\*cos(d\*x+c)^3\*b^2+cos(d\*x+c)^2\*a^2-2\*cos(d\*x+c)^2\*a\*b+2\*cos(d\*x+c)^2\*b^2+a\*b\*cos(d\*x+c)-a^2)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)/a^2

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{\sqrt{b\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{\sqrt{a+b\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(1/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.752 \quad \int \frac{\sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=264

$$\frac{2(a-b)\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) 2\sqrt{a+b}}{a^2 d \sqrt{\sec(c+dx)}}$$

[Out] 2\*(a-b)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a^2/d/sec(d\*x+c)^(1/2)-2\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.31, antiderivative size = 264, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {4222, 2801, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) 2\sqrt{a+b}}{a^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))] \*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))] \*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]])

**Rule 2801**

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[1/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]]], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rule 2994**

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]]], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^m\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^2(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= - \left( \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx \right) + \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{2(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \middle| -\frac{a + b}{a - b} \right) \sqrt{\frac{a(1 - \cos(c + dx))}{a + b \cos(c + dx)}}}{a^2 d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 12.59, size = 296, normalized size = 1.12

$$\frac{2 \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{ad} - \frac{2 \sqrt{\cos^2 \left( \frac{1}{2}(c + dx) \right) \sec(c + dx)} \left( \cos(c + dx) \tan \left( \frac{1}{2}(c + dx) \right) \right)}{a^2 d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sec[c + d\*x]^(3/2)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) - (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(2\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*a\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2])

**fricas** [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**maple [B]** time = 0.24, size = 620, normalized size = 2.35

$$2 \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) a - \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] -2/d\*((cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)\*a-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)\*a-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)\*b+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*a\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)\*b\*sin(d\*x+c)+cos(d\*x+c)^2\*b+a\*cos(d\*x+c)-b\*cos(d\*x+c)-a\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)/a

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{\sqrt{b \cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{\frac{3}{2}}}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^(1/2),x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^(1/2), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)^{\frac{3}{2}}}{\sqrt{a+b \cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral(sec(c + d\*x)\*\*(3/2)/sqrt(a + b\*cos(c + d\*x)), x)



$$3.753 \quad \int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=129

$$\frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

[Out] 2\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2), ((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b))^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b))^(1/2)/a/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.13, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {4222, 2816}

$$\frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]])

**Rule 2816**

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

**Rule 4222**

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

**Rubi steps**

$$\int \frac{\sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx = \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} dx$$

$$= \frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad\sqrt{\sec(c+dx)}}$$

**Mathematica [A]** time = 0.87, size = 103, normalized size = 0.80

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{d\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]/(d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])])\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**fricas** [F] time = 0.51, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(sec(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**maple** [A] time = 0.29, size = 125, normalized size = 0.97

$$\frac{2\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\sqrt{\frac{a+b\cos(dx+c)}{(1+\cos(dx+c))(a+b)}}\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)\sqrt{\frac{1}{\cos(dx+c)}}(\sin^2(dx+c))}{d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*(1/cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^(1/2)/(a + b*cos(c + d*x))^(1/2), x)`

[Out] `int((1/cos(c + d*x))^(1/2)/(a + b*cos(c + d*x))^(1/2), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(sec(c + d*x))/sqrt(a + b*cos(c + d*x)), x)`

$$3.754 \quad \int \frac{1}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=136

$$\frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd\sqrt{\sec(c+dx)}}$$

[Out]  $-2*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^{(1/2)/(a+b)^{(1/2)/\cos(d*x+c)^{(1/2)}}, (a+b)/b, ((-a-b)/(a-b))^{(1/2)})*(a+b)^{(1/2)*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b))^{(1/2)}/b/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {4222, 2809}

$$\frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]), x]

[Out]  $(-2*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(b*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

**Rule 2809**

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

**Rule 4222**

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

**Rubi steps**

$$\int \frac{1}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx = \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

$$= -\frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd\sqrt{\sec(c+dx)}}$$

**Mathematica [A]** time = 1.79, size = 146, normalized size = 1.07

$$\frac{2\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c+dx)+1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) - 2\Pi\left(-1; \sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)\right)}{d\sqrt{\frac{1}{\cos(c+dx)+1}} \sqrt{a+b \cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]),x]

[Out] (-2\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* (EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]) \* Sqrt[1 + Sec[c + d\*x]]) / (d\*Sqrt[(1 + Cos[c + d\*x])^(-1)] \* Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**maple** [A] time = 0.22, size = 143, normalized size = 1.05

$$\frac{2 \left( \text{EllipticF} \left( \frac{-1 + \cos(dx+c)}{\sin(dx+c)}, \sqrt{-\frac{a-b}{a+b}} \right) - 2 \text{EllipticPi} \left( \frac{-1 + \cos(dx+c)}{\sin(dx+c)}, -1, \sqrt{-\frac{a-b}{a+b}} \right) \right) \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}}}{d \sqrt{a + b \cos(dx + c)} \sqrt{\frac{1}{\cos(dx+c)}} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x)

[Out] 2/d/(a+b\*cos(d\*x+c))^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(1/2)),x)`

[Out] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(1/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))**(1/2)/sec(d*x+c)**(1/2),x)`

[Out] `Integral(1/(sqrt(a + b*cos(c + d*x))*sqrt(sec(c + d*x))), x)`

$$3.755 \quad \int \frac{1}{\sqrt{a+b \cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=474

$$\frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{a \sin(c+dx)}{bd}}{b^2 d \sqrt{\sec(c+dx)}}$$

```
[Out] sin(d*x+c)/d/(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+a*sin(d*x+c)*sec(d*x+c)^(1/2)/b/d/(a+b*cos(d*x+c))^(1/2)-(a-b)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/a/b/d/sec(d*x+c)^(1/2)+csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b/d/sec(d*x+c)^(1/2)+a*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c)))/(a+b)^(1/2)*(a*(1+sec(d*x+c)))/(a-b)^(1/2)/b^2/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 0.80, antiderivative size = 474, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.360$ , Rules used = {4222, 2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \frac{a \sin(c+dx)}{bd}}{b^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[1/(Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)),x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b*d*Sqrt[Sec[c + d*x]]) + (a*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b^2*d*Sqrt[Sec[c + d*x]]) + Sin[c + d*x]/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 2801

```
Int[1/(((a_) + (b_) * sin[(e_) + (f_)*(x_)])^(3/2) * Sqrt[(c_) + (d_) * sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b * Sin[e + f*x]] * Sqrt[c + d * Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f*x]) / ((a + b * Sin[e + f*x])^(3/2) * Sqrt[c + d * Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2820

```
Int[((d_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]], x_Symbol] :> -Dist[(a*d)/(2*b), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a
+ b*Sin[e + f*x]], x], x] + Dist[d/(2*b), Int[(Sqrt[d*Sin[e + f*x]]*(a + 2
*b*Sin[e + f*x]))/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f}
, x] && NeQ[a^2 - b^2, 0]
```

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_)])*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] :> Simp[(2*(
A*b - a*B)*Cos[e + f*x]/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Sim
p[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2
*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A
*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)
*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f
*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B
}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ
[n^2, 1/4]
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Csc[a
```



$+ b*x])^m*(c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x]$   
 $] /; \text{FreeQ}\{a, b, c, m\}, x \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{KnownSineIntegrandQ}[u, x]$

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a+b \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{\cos^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx \\ &= \frac{\left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{\sqrt{\cos(c+dx)}(a+2b \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx}{2b} - \frac{(a\sqrt{\cos(c+dx)})}{2b} \\ &= \frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c+dx)}} - \frac{a\sqrt{\cos(c+dx)}}{2b} \\ &= \frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c+dx)}} \\ &= \frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c+dx)}} \\ &= \frac{a\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c+dx)}} \\ &= -\frac{(a-b)\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{abd \sqrt{\sec(c+dx)}} \end{aligned}$$

**Mathematica [C]** time = 12.10, size = 507, normalized size = 1.07

$$\frac{\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sec^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)+1} \left(2a\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) - b\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[1/(Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)), x]

[Out] (Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2]^2 \* Sqrt[1 + Sec[c + d\*x]] \* ((2\*I)\*(a - b)\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]) \* EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] - (4\*I)\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] + (4\*I)\*a\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))] + b\*Sqrt[(a - b)/(a + b)] \* Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* Sin[(3\*(c + d\*x))/2] + 2\*a\*Sqrt[(a - b)/(a + b)] \* Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Tan[(c + d\*x)/2] - b\*Sqrt[(a - b)/(a + b)] \* Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Tan[(c + d\*x)/2]) / (4\*b\*Sqrt[(a - b)/(a + b)] \* d \* ((1 + Cos[c + d\*x])^(-1))^(3/2) \* Sqrt[a + b\*Cos[c + d\*x]])

**fricas [F]** time = 2.13, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(1/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.28, size = 630, normalized size = 1.33

$$\left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}}\right) \cos(dx+c) \sin(dx+c) a + \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out]  $-1/d * ((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) * a + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) * b - 2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * \cos(d*x+c) * \sin(d*x+c) * a + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * \sin(d*x+c) + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * b * \sin(d*x+c) - 2 * a * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \operatorname{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * \sin(d*x+c) + \cos(d*x+c)^3 * b + a * \cos(d*x+c)^2 - \cos(d*x+c)^2 * b - a * \cos(d*x+c) * \cos(d*x+c) * (1/\cos(d*x+c))^{3/2} / (a+b*\cos(d*x+c))^{1/2} / \sin(d*x+c) / b$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(1/2)),x)`

[Out] `int(1/((1/cos(c + d*x))^(3/2)*(a + b*cos(c + d*x))^(1/2)), x)`

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(1/2),x)`

[Out] `Integral(1/(sqrt(a + b*cos(c + d*x))*sec(c + d*x)**(3/2)), x)`

$$3.756 \quad \int \frac{1}{\sqrt{a+b \cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=505

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+}{a-}}{4b^3 d \sqrt{\sec(c+dx)}}$$

[Out] 1/2\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)/b/d/sec(d\*x+c)^(1/2)-3/4\*a\*sin(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2)/b^2/d+3/4\*(a-b)\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b^2/d/sec(d\*x+c)^(1/2)-1/4\*(3\*a-2\*b)\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b^2/d/sec(d\*x+c)^(1/2)-1/4\*(3\*a^2+4\*b^2)\*csc(d\*x+c)\*EllipticPi((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))\*(a+b)^(1/2)\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/b^3/d/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.95, antiderivative size = 505, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2793, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2 + 4b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+}{a-}}{4b^3 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/(Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)), x]

[Out] (3\*(a - b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b^2\*d\*Sqrt[Sec[c + d\*x]]) - ((3\*a - 2\*b)\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b^2\*d\*Sqrt[Sec[c + d\*x]]) - (Sqrt[a + b]\*(3\*a^2 + 4\*b^2)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b^3\*d\*Sqrt[Sec[c + d\*x]]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*b\*d\*Sqrt[Sec[c + d\*x]]) - (3\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(4\*b^2\*d)

**Rule 2793**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 3053

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3061

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]]/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

## Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

## Rubi steps

$$\begin{aligned}
 \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{a+b \cos(c+dx)}{2} \sqrt{\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{2b} \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} - \frac{3a\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \operatorname{Si}\left(\frac{a+b \cos(c+dx)}{2}\right)}{4b^2d} \\
 &= \frac{\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd\sqrt{\sec(c + dx)}} - \frac{3a\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \operatorname{Si}\left(\frac{a+b \cos(c+dx)}{2}\right)}{4b^2d} \\
 &= -\frac{\sqrt{a + b} (3a^2 + 4b^2) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \operatorname{E}\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^3d\sqrt{\sec(c + dx)}} \\
 &= -\frac{3(a - b)\sqrt{a + b} \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \operatorname{E}\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^2d\sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [C]** time = 18.92, size = 1153, normalized size = 2.28

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(2(c + dx))}{4bd} \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) - b \tan^2\left(\frac{1}{2}(c+dx)\right) + a + b}{\tan^2\left(\frac{1}{2}(c+dx)\right) + 1}} \left( -3a^2 \sqrt{\frac{a-b}{a+b}} \tan^5\left(\frac{1}{2}(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/(Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[2\*(c + d\*x)]/(4\*b\*d) - (Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(3\*a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + 3\*a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 6\*a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 - 3\*a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + 3\*a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + (6\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (8\*I)\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (6\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (8\*I)\*

$$b^2 \text{EllipticPi}[(a+b)/(a-b), I \text{ArcSinh}[\text{Sqrt}[(a-b)/(a+b)] \text{Tan}[(c+dx)/2]], -(a+b)/(a-b)] \text{Tan}[(c+dx)/2]^2 \text{Sqrt}[1 - \text{Tan}[(c+dx)/2]^2] \text{Sqrt}[(a+b + a \text{Tan}[(c+dx)/2]^2 - b \text{Tan}[(c+dx)/2]^2)/(a+b)] + (3I) * a * (a-b) \text{EllipticE}[I \text{ArcSinh}[\text{Sqrt}[(a-b)/(a+b)] \text{Tan}[(c+dx)/2]], -(a+b)/(a-b)] \text{Sqrt}[1 - \text{Tan}[(c+dx)/2]^2] * (1 + \text{Tan}[(c+dx)/2]^2) \text{Sqrt}[(a+b + a \text{Tan}[(c+dx)/2]^2 - b \text{Tan}[(c+dx)/2]^2)/(a+b)] - (2I) * (3 * a^2 - a * b + 2 * b^2) \text{EllipticF}[I \text{ArcSinh}[\text{Sqrt}[(a-b)/(a+b)] \text{Tan}[(c+dx)/2]], -(a+b)/(a-b)] \text{Sqrt}[1 - \text{Tan}[(c+dx)/2]^2] * (1 + \text{Tan}[(c+dx)/2]^2) \text{Sqrt}[(a+b + a \text{Tan}[(c+dx)/2]^2 - b \text{Tan}[(c+dx)/2]^2)/(a+b))] / (4 * b^2 * \text{Sqrt}[(a-b)/(a+b)] * d * (-1 + \text{Tan}[(c+dx)/2]^2) * \text{Sqrt}[(1 + \text{Tan}[(c+dx)/2]^2)/(1 - \text{Tan}[(c+dx)/2]^2)] * (b * (-1 + \text{Tan}[(c+dx)/2]^2) - a * (1 + \text{Tan}[(c+dx)/2]^2)))$$

**fricas** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(dx+c)^(5/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/sec(dx+c)^(5/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(b\*cos(dx+c) + a)\*sec(dx+c)^(5/2)), x)

**maple** [B] time = 0.28, size = 1248, normalized size = 2.47

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/sec(dx+c)^(5/2)/(a+b\*cos(dx+c))^(1/2),x)

[Out]  $-1/4/d * (-3 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 - 3 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b + 6 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 + 8 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * b^2 + 2 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b - 4 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^2 + 2 * \cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 * \sin(dx+c) - 3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b * \sin(dx+c) + 6 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * ((a+b * \cos(dx+c))/(1+\cos(dx+c))/(a+b))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 * s$

```
in(d*x+c)+8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)-4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^2*sin(d*x+c)-cos(d*x+c)^3*a*b-3*cos(d*x+c)^2*a^2+3*cos(d*x+c)^2*a*b-2*cos(d*x+c)^2*b^2+3*a^2*cos(d*x+c)-2*a*b*cos(d*x+c))*cos(d*x+c)^2*(1/cos(d*x+c))^(5/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(1/2)/b^2
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate(1/(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} \sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(1/2)),x)
```

```
[Out] int(1/((1/cos(c + d*x))^(5/2)*(a + b*cos(c + d*x))^(1/2)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/sec(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```



**3.757** 
$$\int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=397

$$\frac{2(a+2b)(a+4b)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^3d\sqrt{a+b}\sqrt{\sec(c+dx)}} + \dots$$

```
[Out] 2*b^2*sec(d*x+c)^(3/2)*sin(d*x+c)/a/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)+2/3*(a^2-4*b^2)*sec(d*x+c)^(3/2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)/a^2/(a^2-b^2)/d-2/3*b*(5*a^2-8*b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^4/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)+2/3*(a+2*b)*(a+4*b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a^3/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 0.82, antiderivative size = 397, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2802, 3055, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx) \sec^3(c+dx)}{ad(a^2-b^2)\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-4b^2) \sin(c+dx) \sec^3(c+dx) \sqrt{a+b\cos(c+dx)}}{3a^2d(a^2-b^2)} - \frac{2b(5a^2-8b^2)\sqrt{\cos(c+dx)}}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[Sec[c + d*x]^(5/2)/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*b*(5*a^2 - 8*b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(3*a^4*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*(a + 2*b)*(a + 4*b)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(3*a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b^2*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^2 - 4*b^2)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)
```

**Rule 2802**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*Sin[e + f*x] - b^2*d*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
```

```
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]), -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 3055

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)])^(n_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)] + (C_)*sin[(e_)
+ (f_)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

#### Rule 4222

```
Int[(csc[(a_) + (b_)*(x_)]*(c_))^(m_)*(u_), x_Symbol] :> Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^{\frac{3}{2}}} dx &= \left(\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{3}{2}}} dx \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\left(2\sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}\right) \int \frac{\frac{1}{2}(a^2-4b^2)-\frac{1}{2}}{\cos^{\frac{5}{2}}(c+dx)}}{a(a^2-b^2)} \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-4b^2)\sqrt{a+b\cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)}{3a^2(a^2-b^2)d} \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{a(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(a^2-4b^2)\sqrt{a+b\cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)}{3a^2(a^2-b^2)d} \\
&= -\frac{2b(5a^2-8b^2)\sqrt{\cos(c+dx)} \csc(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{3a^4\sqrt{a+b}d\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 14.44, size = 440, normalized size = 1.11

$$\frac{\sqrt{\sec(c+dx)} \sqrt{a+b\cos(c+dx)} \left( -\frac{2b^3 \sin(c+dx)}{a^2(a^2-b^2)(a+b\cos(c+dx))} + \frac{2 \tan(c+dx)}{3a^2} - \frac{2b(5a^2-8b^2) \sin(c+dx)}{3a^3(a^2-b^2)} \right)}{d} \cdot 2\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(2\*b\*(-5\*a^3 - 5\*a^2\*b + 8\*a\*b^2 + 8\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*a\*(a^3 - 5\*a^2\*b + 2\*a\*b^2 + 8\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*(-5\*a^2 + 8\*b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(3\*a^3\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2] + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-2\*b\*(5\*a^2 - 8\*b^2)\*Sin[c + d\*x])/(3\*a^3\*(a^2 - b^2)) - (2\*b^3\*Sin[c + d\*x])/(a^2\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + (2\*Tan[c + d\*x])/(3\*a^2))))/d

**fricas [F]** time = 1.36, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{5}{2}}}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple [B]** time = 0.20, size = 1789, normalized size = 4.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/3/d*(-8*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*b^4-a^4-5*\cos(d*x+c)^3*a^2*b^2-4*\cos(d*x+c)*a*b^3-5*\cos(d*x+c)^2*a^3*b+8*\cos(d*x+c)^2*a*b^3+8*\cos(d*x+c)^3*b^4-8*\cos(d*x+c)^2*b^4+a^2*b^2+\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^4+\cos(d*x+c)^3*a^3*b-4*\cos(d*x+c)^3*a*b^3+4*\cos(d*x+c)^2*a^2*b^2+4*\cos(d*x+c)*a^3*b-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a*b^3-5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^3*b+2*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^2*b^2+8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a*b^3+5*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^3*b+5*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^2*b^2+8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a*b^3+5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^3*b+5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^2*b^2+\cos(d*x+c)^2*a^4-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*b^4+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c)), (-a-b)/(a+b))^{1/2})*a^4*\cos(d*x+c)*(1/\cos(d*x+c))^{5/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)/(a+b)/(a-b)/a^3$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(3/2),x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(3/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.758 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=325

$$\frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2-b^2) \sqrt{a+b \cos(c+dx)}} - \frac{2(a+2b) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^2 d \sqrt{a+b} \sqrt{\sec(c+dx)}}$$

[Out]  $2*b^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*(a^2-2*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^3/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-2*(a+2*b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.55, antiderivative size = 325, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2802, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{ad(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{2(a^2-2b^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^3 d \sqrt{a+b} \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2*(a^2-2*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a^3*\text{Sqrt}[a+b]*d*\text{Sqrt}[\text{Sec}[c+d*x]])-(2*(a+2*b)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])],-((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a^2*\text{Sqrt}[a+b]*d*\text{Sqrt}[\text{Sec}[c+d*x]])+(2*b^2*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(a*(a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])]$

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])<sup>3/2</sup>\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c<sup>2</sup>), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c<sup>2</sup> - d<sup>2</sup>, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])<sup>3/2</sup>\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])<sup>3/2</sup>\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a<sup>2</sup> - b<sup>2</sup>, 0] && NeQ[c<sup>2</sup> - d<sup>2</sup>, 0] && NeQ[A, B]

#### Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))<sup>(m\_)</sup>\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])<sup>m</sup>\*(c\*Sin[a + b\*x])<sup>m</sup>, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])<sup>m</sup>, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sec^3(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^3(c + dx)(a + b \cos(c + dx))^{3/2}} dx \\ &= \frac{2b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2}(a^2 - 2b^2) - \frac{1}{2}}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2b^2 \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{((a - b)(a + 2b) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a(a^2 - b^2)} \\ &= \frac{2(a^2 - 2b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b \cos(c + dx)}}}{a^3 \sqrt{a + b} d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 12.13, size = 369, normalized size = 1.14

$$\frac{2 \left( \sin(c + dx) \sqrt{\sec^2\left(\frac{1}{2}(c + dx)\right)} \sqrt{\sec(c + dx)} \left( (a^2 - 2b^2)(a + b \cos(c + dx)) + ab^2 \right) - \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right)} \sec(c + dx) \right)}{a^3 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(3/2), x]

```
[Out] (2*((a*b^2 + (a^2 - 2*b^2)*(a + b*cos[c + d*x]))*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Sec[c + d*x]]*Sin[c + d*x] - Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*(a^3 + a^2*b - 2*a*b^2 - 2*b^3)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*a*(a^2 - a*b - 2*b^2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + (a^2 - 2*b^2)*Cos[c + d*x]*(a + b*cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(a^2*(a^2 - b^2)*d*Sqrt[a + b*cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2])
```

**fricas** [F] time = 1.33, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)
```

**maple** [B] time = 0.27, size = 1457, normalized size = 4.48

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] 2/d*(cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b-2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2-2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b^3-cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3+cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b+2*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^2+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*sin(d*x+c)+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos
```



$(d*x+c)/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)} * a^2 * b * \sin(d*x+c) - 2 * (\cos(d*x+c)/(1 + \cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}) * a * b^2 * \sin(d*x+c) - 2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}) * b^3 * \sin(d*x+c) - (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}) * a^3 * \sin(d*x+c) + (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}) * a^2 * b * \sin(d*x+c) + 2 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{(1/2)} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}) * a * b^2 * \sin(d*x+c) - \cos(d*x+c)^2 * a^2 * b - \cos(d*x+c)^2 * a * b^2 + 2 * \cos(d*x+c)^2 * b^3 - a^3 * \cos(d*x+c) + \cos(d*x+c) * a^2 * b + 2 * \cos(d*x+c) * a * b^2 - 2 * \cos(d*x+c) * b^3 + a^3 - b^2 * a) * \cos(d*x+c) * (1/\cos(d*x+c))^{(3/2)} / (a+b*\cos(d*x+c))^{(1/2)} / \sin(d*x+c) / a^2 / (a-b) / (a+b)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int((1/cos(c + d\*x))^(3/2)/(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(c+dx)^{\frac{3}{2}}}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sec(c + d\*x)\*\*(3/2)/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.759 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=307

$$-\frac{2b \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{2b \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{a^2 d \sqrt{a+b} \sqrt{\sec(c+dx)}}$$

[Out]  $-2*b*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*b*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^2/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}+2*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.48, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2800, 2998, 2816, 2994}

$$-\frac{2b \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{2b \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{a^2 d \sqrt{a+b} \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(2*b*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a^2*\text{Sqrt}[a+b]*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(a*\text{Sqrt}[a+b]*d*\text{Sqrt}[\text{Sec}[c+d*x]]) - (2*b*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/((a^2-b^2)*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

Rule 2800

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)]]\*((a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)])^(3/2)), x\_Symbol] :> Simp[(2\*b\*Cos[e+f\*x])/(f\*(a^2-b^2)\*Sqrt[a+b\*Sin[e+f\*x]]\*Sqrt[d\*Sin[e+f\*x]]), x] + Dist[d/(a^2-b^2), Int[(b+a\*Sin[e+f\*x])/(Sqrt[a+b\*Sin[e+f\*x]]\*(d\*Sin[e+f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0]

Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)]]\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e+f\*x]\*Rt[(a+b)/d, 2]\*Sqrt[(a\*(1-Csc[e+f\*x]))/(a+b)]\*Sqrt[(a\*(1+Csc[e+f\*x]))/(a-b)]\*EllipticF[ArcSin[Sqrt[a+b\*Sin[e+f\*x]]]/(Sqrt[d\*Sin[e+f\*x]]\*Rt[(a+b)/d, 2])], -((a+b)/(a-b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

Rule 2994

Int[((A\_)+(B\_)\*sin[(e\_)+(f\_)\*(x\_)])/(((b\_)\*sin[(e\_)+(f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_)+(d\_)\*sin[(e\_)+(f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c-d)\*Tan[e+f\*x]\*Rt[(c+d)/b, 2]\*Sqrt[(c\*(1+Csc[e+f\*x]))/(c-d)]

\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]))^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^m\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\sec(c+dx)}}{(a+b\cos(c+dx))^{3/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx \\ &= -\frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{b+a\cos(c+dx)}{\cos^2(c+dx)\sqrt{a+b\cos(c+dx)}} dx}{a^2-b^2} \\ &= -\frac{2b\sqrt{\sec(c+dx)}\sin(c+dx)}{(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{\left((a-b)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{a^2-b^2} \\ &= \frac{2b\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{a^2\sqrt{a+b}d\sqrt{\sec(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 8.46, size = 237, normalized size = 0.77

$$\frac{2\sqrt{\sec(c+dx)}\left(b(b-a)\cos(c+dx)\tan\left(\frac{1}{2}(c+dx)\right)+2a(a+b)\cos^2\left(\frac{1}{2}(c+dx)\right)\sqrt{\frac{1}{\sec(c+dx)+1}}\sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}}\right)}{ad(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*Sqrt[Sec[c + d\*x]]\*(-2\*b\*(a + b)\*Cos[(c + d\*x)/2]^2\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)] + 2\*a\*(a + b)\*Cos[(c + d\*x)/2]^2\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[(1 + Sec[c + d\*x])^(-1)] + b\*(-a + b)\*Cos[c + d\*x]\*Tan[(c + d\*x)/2]))/(a\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**fricas** [F] time = 2.25, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} \sqrt{\sec(dx+c)}}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

**maple** [B] time = 0.31, size = 832, normalized size = 2.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2/d\*(1/cos(d\*x+c))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*(-EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*a^2-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b+EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*b^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b)^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+cos(d\*x+c)^2\*a\*b-cos(d\*x+c)^2\*b^2-a\*b\*cos(d\*x+c)+cos(d\*x+c)\*b^2/sin(d\*x+c)/(a+b)/(a-b)/a

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^(3/2), x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral(sqrt(sec(c + d\*x))/(a + b\*cos(c + d\*x))\*\*(3/2), x)

$$3.760 \quad \int \frac{1}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=306

$$\frac{2a \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{2\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad\sqrt{a+b} \sqrt{\sec(c+dx)}}$$

[Out] 2\*a\*sin(d\*x+c)\*sec(d\*x+c)^(1/2)/(a^2-b^2)/d/(a+b\*cos(d\*x+c))^(1/2)-2\*csc(d\*x+c)\*EllipticE((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d/(a+b)^(1/2)/sec(d\*x+c)^(1/2)+2\*csc(d\*x+c)\*EllipticF((a+b\*cos(d\*x+c))^(1/2)/(a+b)^(1/2)/cos(d\*x+c)^(1/2),((-a-b)/(a-b))^(1/2))\*cos(d\*x+c)^(1/2)\*(a\*(1-sec(d\*x+c)))/(a+b)^(1/2)\*(a\*(1+sec(d\*x+c)))/(a-b)^(1/2)/a/d/(a+b)^(1/2)/sec(d\*x+c)^(1/2)

**Rubi [A]** time = 0.42, antiderivative size = 306, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$ , Rules used = {4222, 2794, 2795, 2816, 2994}

$$\frac{2a \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a^2-b^2) \sqrt{a+b \cos(c+dx)}} + \frac{2\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ad\sqrt{a+b} \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (-2\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 2794

Int[Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*a\*d\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b\*Sin[e + f\*x]]/(d\*Sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2795

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(

$(a + b)/(a - b)))/(a*f), x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 4222

Int[(csc[(a\_) + (b\_)\*(x\_)]\*(c\_))^(m\_)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x]] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx$$

$$= \frac{2a \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2 - b^2} \int \dots$$

$$= \frac{2a \sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{a^2 - b^2} \int \dots$$

$$= - \frac{2 \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{a \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 4.02, size = 235, normalized size = 0.77

$$\frac{\sec^2\left(\frac{1}{2}(c + dx)\right) \left( (a - b) \sin(c + dx) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} - (a + b \cos(c + dx)) F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right) \right)}{d (a^2 - b^2) \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \sqrt{\dots}}$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Sec[(c + d\*x)/2]^2\*((a + b\*Cos[c + d\*x])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (a + b\*Cos[c + d\*x])\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + (a - b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*Sqrt[Sec[c + d\*x]]))

**fricas [F]** time = 1.52, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
[Out] integral(sqrt(b*cos(d*x + c) + a)/((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c)
+ a^2)*sqrt(sec(d*x + c))), x)
giac [F]   time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
[Out] integrate(1/((b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
maple [B]   time = 0.29, size = 811, normalized size = 2.65
```

$$2 \left( \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b \cos(dx+c)}{(1+\cos(dx+c))(a+b)}} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) a + \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \sqrt{\frac{a-b}{a+b}} \right) \cos(dx+c) \sin(dx+c) b \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x)
[Out] 2/d*((cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a+EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*b-(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a-(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*b+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*sin(d*x+c)+(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b*sin(d*x+c)-(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*sin(d*x+c)-(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b*sin(d*x+c)-a*cos(d*x+c)^2+cos(d*x+c)^2*b+a*cos(d*x+c)-b*cos(d*x+c))*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(1/2)/(a-b)/(a+b)
```

```
maxima [F]   time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
[Out] integrate(1/((b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
mupad [F]   time = 0.00, size = -1, normalized size = -0.00
```

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^{3/2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2)), x)`

[Out] `int(1/((1/cos(c + d*x))^(1/2)*(a + b*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \cos(c + dx))^{\frac{3}{2}} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2), x)`

[Out] `Integral(1/((a + b*cos(c + d*x))**(3/2)*sqrt(sec(c + d*x))), x)`

$$3.761 \quad \int \frac{1}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=447

$$\frac{2a^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{bd(a^2-b^2) \sqrt{a+b \cos(c+dx)}} - \frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\right)}{b^2 d \sqrt{\sec(c+dx)}}$$

[Out]  $-2*a^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(1/2)}+2*c$   
 $sc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-$   
 $a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+se$   
 $c(d*x+c))/(a-b))^{(1/2)}/b/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-2*csc(d*x+c)*\text{Ellipt$   
 $icF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)}$   
 $))*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/(a-b))$   
 $^{(1/2)}/b/d/(a+b)^{(1/2)}/\sec(d*x+c)^{(1/2)}-2*csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*$   
 $x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},(a+b)/b,((-a-b)/(a-b))^{(1/2)}*(a+b$   
 $)^{(1/2)}*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b))^{(1/2)}*(a*(1+\sec(d*x+c))/($   
 $a-b))^{(1/2)}/b^2/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.60, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$ , Rules used = {4222, 2797, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{bd(a^2-b^2) \sqrt{a+b \cos(c+dx)}} - \frac{2\sqrt{a+b} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\right)}{b^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)),x]

[Out]  $(2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]$   
 $]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]), -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c$   
 $+ d*x))]/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x))]/(a - b)]/(b*\text{Sqrt}[a + b]*d*\text{S}$   
 $\text{qrt}[\text{Sec}[c + d*x]]) - (2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqr}$   
 $\text{t}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]), -((a + b)/(a - b)$   
 $))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x))]/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x))]/(a - b)$   
 $]/(b*\text{Sqrt}[a + b]*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]$   
 $*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a$   
 $+ b]*\text{Sqrt}[\text{Cos}[c + d*x]]), -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))$   
 $]/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x))]/(a - b)]/(b^2*d*\text{Sqrt}[\text{Sec}[c + d*x]])$   
 $- (2*a^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(b*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c$   
 $+ d*x]])$

**Rule 2794**

Int[Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]^(3/2), x\_Symbol] :> Simp[(-2\*a\*d\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b\*Sin[e + f\*x]]/(d\*Sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

**Rule 2795**

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]^(3/2), x\_Symbol] :> Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b

$^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2797

$\text{Int}[(d \cdot \sin(e) + f \cdot x)^{3/2} / ((a) + (b \cdot \sin(e) + f \cdot x)^{3/2}), x\_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[\text{Sqrt}[d \cdot \sin[e + f \cdot x]] / \text{Sqrt}[a + b \cdot \sin[e + f \cdot x]], x], x] - \text{Dist}[(a \cdot d)/b, \text{Int}[\text{Sqrt}[d \cdot \sin[e + f \cdot x]] / (a + b \cdot \sin[e + f \cdot x])^{3/2}, x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2809

$\text{Int}[\text{Sqrt}[b \cdot \sin(e) + f \cdot x] / \text{Sqrt}[c + d \cdot \sin(e) + f \cdot x] \cdot (x), x\_Symbol] \rightarrow \text{Simp}[(2 \cdot b \cdot \tan[e + f \cdot x] \cdot \text{Rt}[(c + d)/b, 2] \cdot \text{Sqrt}[c \cdot (1 + \text{Csc}[e + f \cdot x]) / (c - d)] \cdot \text{Sqrt}[c \cdot (1 - \text{Csc}[e + f \cdot x]) / (c + d)] \cdot \text{EllipticPi}[c \cdot (c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d \cdot \sin[e + f \cdot x]] / (\text{Sqrt}[b \cdot \sin[e + f \cdot x]] \cdot \text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))] / (d \cdot f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 2816

$\text{Int}[1 / (\text{Sqrt}[d \cdot \sin(e) + f \cdot x] \cdot \text{Sqrt}[a + b \cdot \sin(e) + f \cdot x] \cdot (x)), x\_Symbol] \rightarrow \text{Simp}[(-2 \cdot \tan[e + f \cdot x] \cdot \text{Rt}[(a + b)/d, 2] \cdot \text{Sqrt}[a \cdot (1 - \text{Csc}[e + f \cdot x]) / (a + b)] \cdot \text{Sqrt}[a \cdot (1 + \text{Csc}[e + f \cdot x]) / (a - b)] \cdot \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b \cdot \sin[e + f \cdot x]] / (\text{Sqrt}[d \cdot \sin[e + f \cdot x]] \cdot \text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))] / (a \cdot f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

#### Rule 2994

$\text{Int}[(A + B \cdot \sin(e) + f \cdot x) / ((b \cdot \sin(e) + f \cdot x)^{3/2} \cdot \text{Sqrt}[c + d \cdot \sin(e) + f \cdot x]), x\_Symbol] \rightarrow \text{Simp}[(-2 \cdot A \cdot (c - d) \cdot \tan[e + f \cdot x] \cdot \text{Rt}[(c + d)/b, 2] \cdot \text{Sqrt}[c \cdot (1 + \text{Csc}[e + f \cdot x]) / (c - d)] \cdot \text{Sqrt}[c \cdot (1 - \text{Csc}[e + f \cdot x]) / (c + d)] \cdot \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d \cdot \sin[e + f \cdot x]] / (\text{Sqrt}[b \cdot \sin[e + f \cdot x]] \cdot \text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))] / (f \cdot b \cdot c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 4222

$\text{Int}[(\text{csc}[a + b \cdot x] + (b \cdot x) \cdot (c))^{m \cdot u}, x\_Symbol] \rightarrow \text{Dist}[(c \cdot \text{Csc}[a + b \cdot x])^m \cdot (c \cdot \sin[a + b \cdot x])^m, \text{Int}[\text{ActivateTrig}[u] / (c \cdot \sin[a + b \cdot x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^{3/2} \sec^3(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx \\
&= \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx}{b} - \frac{(a \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{2\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{2\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b\sqrt{a + b} d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 18.05, size = 1175, normalized size = 2.63

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \left( \frac{2 \sin(c+dx) a^2}{b(b^2 - a^2)(a + b \cos(c+dx))} + \frac{2 \sin(c+dx) a}{b(a^2 - b^2)} \right)}{d} - 2 \left( a^2 \sqrt{\frac{a-b}{a+b}} \tan^5\left(\frac{1}{2}(c + dx)\right) - ab \sqrt{\frac{a-b}{a+b}} \tan\left(\frac{1}{2}(c + dx)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*a\*Sin[c + d\*x])/(b\*(a^2 - b^2)) + (2\*a^2\*Sin[c + d\*x])/(b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])))/d - (2\*(-(a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]) - a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + 2\*a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + a^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - a\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - (2\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (2\*I)\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (2\*I)\*a^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (2\*I)\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - I\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + I\*(2\*a^2 - a\*b - b^2)\*EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)])))/(b\*Sqrt[(a - b)/(a + b)]\*(a^2 - b^2)\*d\*Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-1 + Tan[(c + d\*x)/2]^2)\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)])

**fricas** [F] time = 61.42, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{\left( (b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sec(dx + c)^{\frac{3}{2}} \right)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(3/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

**maple** [B] time = 0.37, size = 1214, normalized size = 2.72

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x)

[Out] 2/d\*(-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*a\*b-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b^2+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^2+cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b-2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*a^2+2\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*b^2-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)+(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*a^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*b^2\*sin(d\*x+c)+cos(d\*x+c)^2\*a^2-cos(d\*x+c)^2\*a\*b-a^2\*cos(d\*x+c)+a\*b\*cos(d\*x+c))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)/sin(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2)/(a+b)/(a-b)/b

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(3/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.762 \int \frac{1}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)^{5/2}} dx$$

**Optimal.** Leaf size=525

$$\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{(3a^2-b^2)\sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}}{b^2d(a^2-b^2)}$$

```
[Out] -2*a^2*sin(d*x+c)/b/(a^2-b^2)/d/(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(1/2)+(3*a^2-b^2)*sin(d*x+c)*(a+b*cos(d*x+c))^(1/2)*sec(d*x+c)^(1/2)/b^2/(a^2-b^2)/d-(3*a^2-b^2)*csc(d*x+c)*EllipticE((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/a/b^2/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)+(3*a+b)*csc(d*x+c)*EllipticF((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^2/d/(a+b)^(1/2)/sec(d*x+c)^(1/2)+3*a*csc(d*x+c)*EllipticPi((a+b*cos(d*x+c))^(1/2)/(a+b)^(1/2)/cos(d*x+c)^(1/2),(a+b)/b,((-a-b)/(a-b))^(1/2))*(a+b)^(1/2)*cos(d*x+c)^(1/2)*(a*(1-sec(d*x+c))/(a+b))^(1/2)*(a*(1+sec(d*x+c))/(a-b))^(1/2)/b^3/d/sec(d*x+c)^(1/2)
```

**Rubi [A]** time = 1.09, antiderivative size = 525, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2792, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a^2 \sin(c+dx)}{bd(a^2-b^2)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}} + \frac{(3a^2-b^2)\sin(c+dx)\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}}{b^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[1/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(5/2)),x]
```

```
[Out] -(((3*a^2 - b^2)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]])) + ((3*a + b)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (3*a*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d*Sqrt[Sec[c + d*x]]) - (2*a^2*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + ((3*a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d)
```

**Rule 2792**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b^2*c^2 - 2*a*b*c*d + a^2*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 3)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(m - 2)*(b*c - a*d)^2 + a*d*(n + 1)*(c*(a^2 + b^2) - 2*a*b*d) + (b*(n + 1)*(a*b*c^2 + c*d*(a^2 + b^2) - 3*a*b*d^2) - a*(n + 2)*(b*c - a*d)^2)*Sin[e + f*x] + b*(b^2*(c^2 - d^2) - m*(b*c - a*d)^2 + d*n*(2*a*b*c - d*(a^2 + b^2)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || Int
```

egersQ[2\*m, 2\*n])

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d,



0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^m\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

$$= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)})}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(3a^2 - b^2) \sqrt{a + b \cos(c + dx)}}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= -\frac{2a^2 \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(3a^2 - b^2) \sqrt{a + b \cos(c + dx)}}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{3a\sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{(3a^2 - b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ab^2 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 15.19, size = 1025, normalized size = 1.95

$$\frac{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \left( -\frac{2 \sin(c+dx)a^3}{b^2(b^2-a^2)(a+b \cos(c+dx))} - \frac{2 \sin(c+dx)a^2}{b^2(a^2-b^2)} \right) \sqrt{\frac{1}{1-\tan^2\left(\frac{1}{2}(c+dx)\right)}} \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) - b \tan^2\left(\frac{1}{2}(c+dx)\right)}{\tan^2\left(\frac{1}{2}(c+dx)\right)}}}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-2\*a^2\*Sin[c + d\*x])/(b^2\*(a^2 - b^2)) - (2\*a^3\*Sin[c + d\*x])/(b^2\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])))/d - (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(-3\*a^3\*Tan[(c + d\*x)/2] - 3\*a^2\*b\*Tan[(c + d\*x)/2] + a\*b^2\*Tan[(c + d\*x)/2] + b^3\*Tan[(c + d\*x)/2] + 6\*a^2\*b\*Tan[(c + d\*x)/2]^3 - 2\*b^3\*Tan[(c + d\*x)/2]^3 + 3\*a^3\*Tan[(c + d\*x)/2]^5 - 3\*a^2\*b\*Tan[(c + d\*x)/2]^5 - a\*b^2\*Tan[(c + d\*x)/2]^5 + b^3\*Tan[(c + d\*x)/2]^5 + 6\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 6\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)]

+ d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 6\*a^3\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 6\*a\*b^2\*EllipticPi[-1, ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (3\*a^3 + 3\*a^2\*b - a\*b^2 - b^3)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 2\*a\*b\*(a + b)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(b^2\*(-a^2 + b^2)\*d\*Sqrt[1 + Tan[(c + d\*x)/2]^2]\*(b\*(-1 + Tan[(c + d\*x)/2]^2) - a\*(1 + Tan[(c + d\*x)/2]^2)))

**fricas** [F] time = 40.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a}}{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(5/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.25, size = 1675, normalized size = 3.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(5/2),x)

[Out] -1/d\*(-cos(d\*x+c)^2\*a\*b^2-6\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*a^3-6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*a^3\*sin(d\*x+c)+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a^3\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b^3\*sin(d\*x+c)-3\*a^3\*cos(d\*x+c)+cos(d\*x+c)\*a\*b^2-3\*cos(d\*x+c)^2\*a^2\*b+cos(d\*x+c)^2\*b^3+2\*cos(d\*x+c)\*a^2\*b+cos(d\*x+c)^3\*a^2\*b-cos(d\*x+c)^3\*b^3+3\*cos(d\*x+c)^2\*a^3+3\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a^3-cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b^3+6\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(

$$\frac{1+\cos(dx+c)}{(a+b)^{1/2}} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \sin(dx+c) + 3 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \sin(dx+c) - \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \sin(dx+c) - 2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \sin(dx+c) - 2 \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \sin(dx+c) + 6 \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 + 3 \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 - \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 - 2 \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 - 2 \cos(dx+c) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \left(\frac{a+b \cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)^{1/2}}\right) + a^2 b^2 \cos(dx+c)^2 \left(\frac{1}{\cos(dx+c)}\right)^{5/2} / \sin(dx+c) / (a+b \cos(dx+c))^{1/2} / (a+b) / (a-b) / b^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx+c) + a)^{3/2} \sec(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(dx+c))^(3/2)/sec(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(dx+c) + a)^(3/2)\*sec(dx+c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a+b \cos(c+dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c+dx))^(5/2)\*(a+b\*cos(c+dx))^(3/2)),x)

[Out] int(1/((1/cos(c+dx))^(5/2)\*(a+b\*cos(c+dx))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(dx+c))\*\*(3/2)/sec(dx+c)\*\*(5/2),x)

[Out] Timed out

$$3.763 \quad \int \frac{\sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=513

$$\frac{4b^2(5a^2 - 3b^2) \sin(c+dx) \sec^2(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sec^2(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} - \frac{8b(2a^4 - 7a^2b^2 + 4b^4) \sqrt{\cos(c+dx)}}{3a^3d(a^2 - b^2)^2}$$

[Out]  $\frac{2}{3}b^2 \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a / (a^2 - b^2) / d / (a+b*\cos(d*x+c))^{(3/2)} + 4/3 * b^2 * (5*a^2 - 3*b^2) * \sec(d*x+c)^{(3/2)} * \sin(d*x+c) / a^2 / (a^2 - b^2)^2 / d / (a+b*\cos(d*x+c))^{(1/2)} + 2/3 * (a^4 - 13*a^2*b^2 + 8*b^4) * \sec(d*x+c)^{(3/2)} * \sin(d*x+c) * (a+b*\cos(d*x+c))^{(1/2)} / a^3 / (a^2 - b^2)^2 / d - 8/3 * b * (2*a^4 - 7*a^2*b^2 + 4*b^4) * \csc(d*x+c) * \text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)}) * \cos(d*x+c)^{(1/2)} * (a*(1 - \sec(d*x+c)) / (a+b))^{(1/2)} * (a*(1 + \sec(d*x+c)) / (a-b))^{(1/2)} / a^5 / (a-b) / (a+b)^{(3/2)} / d / \sec(d*x+c)^{(1/2)} + 2/3 * (a^4 + 9*a^3*b + 16*a^2*b^2 - 12*a*b^3 - 16*b^4) * \csc(d*x+c) * \text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)} / (a+b)^{(1/2)} / \cos(d*x+c)^{(1/2)}, ((-a-b)/(a-b))^{(1/2)}) * \cos(d*x+c)^{(1/2)} * (a*(1 - \sec(d*x+c)) / (a+b))^{(1/2)} * (a*(1 + \sec(d*x+c)) / (a-b))^{(1/2)} / a^4 / (a-b) / (a+b)^{(3/2)} / d / \sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 1.30, antiderivative size = 513, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2802, 3055, 2998, 2816, 2994}

$$\frac{4b^2(5a^2 - 3b^2) \sin(c+dx) \sec^2(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sec^2(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-13a^2b^2 + a^4 + 8b^4) \sin(c+dx)}{3a^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-8*b*(2*a^4 - 7*a^2*b^2 + 4*b^4) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c + d*x] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)) * \text{Sqrt}[(a*(1 - \text{Sec}[c + d*x])) / (a + b)] * \text{Sqrt}[(a*(1 + \text{Sec}[c + d*x])) / (a - b)]) / (3*a^5*(a - b)*(a + b)^{(3/2)} * d * \text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(a^4 + 9*a^3*b + 16*a^2*b^2 - 12*a*b^3 - 16*b^4) * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c + d*x] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]] / (\text{Sqrt}[a + b] * \text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)) * \text{Sqrt}[(a*(1 - \text{Sec}[c + d*x])) / (a + b)] * \text{Sqrt}[(a*(1 + \text{Sec}[c + d*x])) / (a - b)]) / (3*a^4*(a - b)*(a + b)^{(3/2)} * d * \text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b^2 * \text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (3*a*(a^2 - b^2) * d * (a + b * \text{Cos}[c + d*x])^{(3/2)}) + (4*b^2 * (5*a^2 - 3*b^2) * \text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (3*a^2 * (a^2 - b^2)^2 * d * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) + (2*(a^4 - 13*a^2*b^2 + 8*b^4) * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sec}[c + d*x]^{(3/2)} * \text{Sin}[c + d*x]) / (3*a^3 * (a^2 - b^2)^2 * d)$

**Rule 2802**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2 \* Cos[e + f\*x] \* (a + b \* Sin[e + f\*x])^(m + 1) \* (c + d \* Sin[e + f\*x])^(n + 1)) / (f \* (m + 1) \* (b \* c - a \* d) \* (a^2 - b^2)), x] + Dist[1 / ((m + 1) \* (b \* c - a \* d) \* (a^2 - b^2)), Int[(a + b \* Sin[e + f\*x])^(m + 1) \* (c + d \* Sin[e + f\*x])^n \* Simp[a \* (b \* c - a \* d) \* (m + 1) + b^2 \* d \* (m + n + 2) - (b^2 \* c + b \* (b \* c - a \* d) \* (m + 1)) \* Sin[e + f\*x] - b^2 \* d \* (m + n + 3) \* Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b \* c - a \* d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2 \* m, 2 \* n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2 \* n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)])*(c_.)^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{5}{2}}(c+dx)}{(a+b\cos(c+dx))^{\frac{5}{2}}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)(a+b\cos(c+dx))^{\frac{5}{2}}} dx \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\frac{3}{2}(a^2-2b^2)-\frac{3}{2}}{\cos^{\frac{5}{2}}(c+dx)}}{3a(a^2-b^2)} \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-3b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \dots \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-3b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \dots \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-3b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \dots \\
&= \frac{2b^2 \sec^{\frac{3}{2}}(c+dx) \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{\frac{3}{2}}} + \frac{4b^2(5a^2-3b^2)\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \dots \\
&= -\frac{8b(2a^4-7a^2b^2+4b^4)\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{3a^5(a-b)(a+b)^{\frac{3}{2}}d\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 17.55, size = 546, normalized size = 1.06

$$\frac{\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2\tan(c+dx)}{3a^3} - \frac{2b^3\sin(c+dx)}{3a^2(a^2-b^2)(a+b\cos(c+dx))^2} - \frac{8b(2a^4-7a^2b^2+4b^4)\sin(c+dx)}{3a^4(a^2-b^2)^2} - \frac{2(11a^2b^3\sin(c+dx)-7b^5\sin(c+dx))}{3a^3(a^2-b^2)^2(a+b\cos(c+dx))}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(5/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (4\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(4\*b\*(2\*a^5 + 2\*a^4\*b - 7\*a^3\*b^2 - 7\*a^2\*b^3 + 4\*a\*b^4 + 4\*b^5)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)] + a\*(a^5 - 8\*a^4\*b + 7\*a^3\*b^2 + 28\*a^2\*b^3 - 4\*a\*b^4 - 16\*b^5)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)] + 2\*b\*(2\*a^4 - 7\*a^2\*b^2 + 4\*b^4)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(3\*a^4\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-8\*b\*(2\*a^4 - 7\*a^2\*b^2 + 4\*b^4)\*Sin[c + d\*x])/(3\*a^4\*(a^2 - b^2)^2) - (2\*b^3\*Sin[c + d\*x])/(3\*a^2\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x]))^2 - (2\*(11\*a^2\*b^3\*Sin[c + d\*x] - 7\*b^5\*Sin[c + d\*x]))/(3\*a^3\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])) + (2\*Tan[c + d\*x])/(3\*a^3)))/d

**fricas [F]** time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\sec(dx+c)^{\frac{5}{2}}}{b^3\cos(dx+c)^3+3ab^2\cos(dx+c)^2+3a^2b\cos(dx+c)+a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.27, size = 4197, normalized size = 8.18

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-2/3/d*(16*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*b^7+\cos(d*x+c)^4*a^5*b^2-16*\cos(d*x+c)^2*a^2*b^5+24*\cos(d*x+c)^2*a*b^6+6*\cos(d*x+c)*a^6*b-12*\cos(d*x+c)*a^4*b^3+6*\cos(d*x+c)*a^2*b^5-8*\cos(d*x+c)^4*a^4*b^3-13*\cos(d*x+c)^4*a^3*b^4+28*\cos(d*x+c)^4*a^2*b^5+8*\cos(d*x+c)^4*a*b^6+2*\cos(d*x+c)^3*a^6*b-16*\cos(d*x+c)^3*a^5*b^2-8*\cos(d*x+c)^3*a^4*b^3+56*\cos(d*x+c)^3*a^3*b^4-18*\cos(d*x+c)^3*a^2*b^5-32*\cos(d*x+c)^3*a*b^6-8*\cos(d*x+c)^2*a^6*b+13*\cos(d*x+c)^2*a^5*b^2+28*\cos(d*x+c)^2*a^4*b^3-42*\cos(d*x+c)^2*a^3*b^4+\cos(d*x+c)^2*a^7-16*\cos(d*x+c)^4*b^7+16*\cos(d*x+c)^3*b^7-a^7+2*a^5*b^2-a^3*b^4+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*a^7+16*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*b^7+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*a^7+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^6*b-8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^5*b^2+7*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^4*b^3+28*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b^4-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^5-16*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a*b^6+8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^5*b^2+8*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^4*b^3-28*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b^4-28*(\cos(d$$

$$\begin{aligned}
& x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*El \\
& lipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d \\
& *x+c)*a^2*b^5+16*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos \\
& (d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2} \\
& )*\cos(d*x+c)^3*\sin(d*x+c)*a*b^6-7*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/( \\
& 1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*Elliptic \\
& F((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^6*b-\cos(d*x+c)^2*\sin(d \\
& *x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a \\
& +b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^5*b \\
& ^2+35*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d \\
& *x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-( \\
& a-b)/(a+b))^{1/2})*a^4*b^3+24*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d* \\
& x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^3*b^4-20*\cos(d*x+c)^2*\sin(d*x+ \\
& c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b) \\
& )^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b^5- \\
& 16*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+ \\
& c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b) \\
& )/(a+b))^{1/2})*a*b^6+8*\cos(d*x+c)^2*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/s \\
& in(d*x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos \\
& (d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^6*b+16*\cos(d*x+c)^2*\sin(d*x+c)*Ellip \\
& ticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d* \\
& x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^5*b^2-20*\cos(d \\
& *x+c)^2*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2} \\
& )*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b) \\
& )^{1/2}*a^4*b^3-56*\cos(d*x+c)^2*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d* \\
& x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+ \\
& c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^3*b^4-12*\cos(d*x+c)^2*\sin(d*x+c)*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c \\
& )))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^2*b^5+32*\cos(d*x+ \\
& c)^2*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})* \\
& (\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\
& )^{1/2}*a*b^6-8*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x \\
& +c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2} \\
& )*\cos(d*x+c)*\sin(d*x+c)*a^6*b+7*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos \\
& (d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a^5*b^2+28*\cos(d*x+c)*\sin(d*x+c) \\
& *(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2} \\
& )^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^4*b^3-4* \\
& \cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/( \\
& 1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+ \\
& b))^{1/2})*a^3*b^4-16*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2} \\
& )^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/ \\
& \sin(d*x+c),(-(a-b)/(a+b))^{1/2})*a^2*b^5+8*\cos(d*x+c)*\sin(d*x+c)*EllipticE( \\
& (-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)) \\
& )^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^6*b+8*(\cos(d*x+c)/( \\
& 1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a^ \\
& 5*b^2-28*\cos(d*x+c)*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b) \\
& )/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d \\
& *x+c))/(a+b))^{1/2}*a^4*b^3-28*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos( \\
& d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a^3*b^4+16*\cos(d*x+c)*\sin(d*x+c)* \\
& EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+c \\
& os(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*a^2*b^5+16* \\
& \cos(d*x+c)*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-(a-b)/(a+b))^{1/2} \\
& )*(\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a \\
& +b))^{1/2})*a*b^6)*\cos(d*x+c)*(1/\cos(d*x+c))^{5/2}/(a+b*\cos(d*x+c))^{3/2}/si \\
& n(d*x+c)/(a-b)^2/(a+b)^2/a^4
\end{aligned}$$



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{5}{2}}}{(b \cos(dx+c)+a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{5/2}}{(a+b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int((1/cos(c + d\*x))^(5/2)/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.764 \quad \int \frac{\sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=438

$$\frac{8b^2(2a^2 - b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(3a^4 - 15a^2b^2 + 8b^4) \sqrt{\cos(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

[Out]  $2/3*b^2*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{(3/2)}+8/3*b^2*(2*a^2-b^2)*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/a^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}+2/3*(3*a^4-15*a^2*b^2+8*b^4)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^4/(a-b)/(a+b)^{(3/2)}/d/\sec(d*x+c)^{(1/2)}-2/3*(3*a^3+9*a^2*b-6*a*b^2-8*b^3)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a^3/(a-b)/(a+b)^{(3/2)}/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.93, antiderivative size = 438, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2802, 3055, 2998, 2816, 2994}

$$\frac{8b^2(2a^2 - b^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} - \frac{2(9a^2b + 3a^3 - 6ab^2 - 8b^3) \sqrt{\cos(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b^2 \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(2*(3*a^4 - 15*a^2*b^2 + 8*b^4)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)))/(3*a^4*(a - b)*(a + b)^{(3/2)}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(3*a^3 + 9*a^2*b - 6*a*b^2 - 8*b^3)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)))/(3*a^3*(a - b)*(a + b)^{(3/2)}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*b^2*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{(3/2)}) + (8*b^2*(2*a^2 - b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

#### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegersQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1

$$- \text{Csc}[e + f*x])/(a + b)] * \text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)] * \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$$

#### Rule 2994

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)*(x_*)])]/((b_*)\text{sin}[(e_*) + (f_*)*(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)] * \text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)] * \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$$

#### Rule 2998

$$\text{Int}[(A + (B_*)\text{sin}[(e_*) + (f_*)*(x_*)])]/((a_*) + (b_*)\text{sin}[(e_*) + (f_*)*(x_*)])^{3/2} * \text{Sqrt}[(c_*) + (d_*)\text{sin}[(e_*) + (f_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2} * \text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$$

#### Rule 3055

$$\text{Int}[(a + (b_*)\text{sin}[(e_*) + (f_*)*(x_*)])^{(m_*)} * ((c_*) + (d_*)\text{sin}[(e_*) + (f_*)*(x_*)])^{(n_*)} * ((A_*) + (B_*)\text{sin}[(e_*) + (f_*)*(x_*)] + (C_*)\text{sin}[(e_*) + (f_*)*(x_*)])^2, x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m + 1)} * (c + d*\text{Sin}[e + f*x])^{(n + 1)} / (f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)} * (c + d*\text{Sin}[e + f*x])^n * \text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$$

#### Rule 4222

$$\text{Int}[(\text{csc}[(a_*) + (b_*)*(x_*)]) * (c_*)^{(m_*)} * (u_*)], x\_Symbol] \rightarrow \text{Dist}[(c*\text{Csc}[a + b*x])^m * (c*\text{Sin}[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\text{Sin}[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x\} \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$$

#### Rubi steps

$$\begin{aligned}
\int \frac{\sec^{\frac{3}{2}}(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)(a+b\cos(c+dx))^{5/2}} dx \\
&= \frac{2b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{\frac{1}{2}(3a^2-4b^2)-\frac{3}{2}}{\cos^{\frac{3}{2}}(c+dx)}}{3a(a^2-b^2)} \\
&= \frac{2b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{8b^2(2a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} + \dots \\
&= \frac{2b^2\sqrt{\sec(c+dx)}\sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{8b^2(2a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a^2(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} - \dots \\
&= \frac{2(3a^4-15a^2b^2+8b^4)\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^4(a-b)(a+b)^{3/2}d\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 17.27, size = 525, normalized size = 1.20

$$\frac{\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2b^2\sin(c+dx)}{3a(a^2-b^2)(a+b\cos(c+dx))^2} + \frac{8(2a^2b^2\sin(c+dx)-b^4\sin(c+dx))}{3a^2(a^2-b^2)^2(a+b\cos(c+dx))} + \frac{2(3a^4-15a^2b^2+8b^4)\sin(c+dx)}{3a^3(a^2-b^2)^2}\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sec[c + d\*x]^(3/2)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(3\*a^4 - 15\*a^2\*b^2 + 8\*b^4)\*Sin[c + d\*x])/(3\*a^3\*(a^2 - b^2)^2) + (2\*b^2\*Sin[c + d\*x])/(3\*a\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) + (8\*(2\*a^2\*b^2\*Sin[c + d\*x] - b^4\*Sin[c + d\*x]))/(3\*a^2\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])))/d + (2\*Sqrt[Cos[(c + d\*x)/2]]^2\*Sec[c + d\*x]]\*(-2\*(3\*a^5 + 3\*a^4\*b - 15\*a^3\*b^2 - 15\*a^2\*b^3 + 8\*a\*b^4 + 8\*b^5)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(3\*a^4 - 6\*a^3\*b - 15\*a^2\*b^2 + 2\*a\*b^3 + 8\*b^4)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (3\*a^4 - 15\*a^2\*b^2 + 8\*b^4)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(3\*a^3\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2])

**fricas [F]** time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\sec(dx+c)^{\frac{3}{2}}}{b^3\cos(dx+c)^3+3ab^2\cos(dx+c)^2+3a^2b\cos(dx+c)+a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c)+a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**maple** [B] time = 0.29, size = 3701, normalized size = 8.45

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\frac{2}{3} \frac{1}{d} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^4 b^2 \sin(dx+c) - 8 \cos(dx+c)^3 b^6 + 8 \cos(dx+c)^2 b^6 - 3 \cos(dx+c) a^6 - 6 b^2 a^4 + 3 b^4 a^2 + 3 a^6 - 3 \cos(dx+c)^3 a^4 b^2 + 15 \cos(dx+c)^3 a^2 b^4 + 4 \cos(dx+c)^3 a b^5 - 6 \cos(dx+c)^2 a^5 b + 30 \cos(dx+c)^2 a^3 b^3 - 10 \cos(dx+c)^2 a^2 b^4 - 16 \cos(dx+c)^2 a b^5 + 15 \cos(dx+c) a^4 b^2 - 22 \cos(dx+c) a^3 b^3 - 8 \cos(dx+c) a^2 b^4 + 12 \cos(dx+c) a b^5 - 3 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^6 \sin(dx+c) + 3 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^6 \sin(dx+c) - 8 \cos(dx+c)^3 a^3 b^3 - 6 \cos(dx+c)^2 a^4 b^2 + 6 \cos(dx+c) a^5 b - 2 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^3 b^3 \sin(dx+c) - 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^2 b^4 \sin(dx+c) + 3 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) a^5 b - 15 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) a^4 b^2 - 15 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) a^3 b^3 + 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^2 b^4 \sin(dx+c) + 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) a b^5 + 8 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \cos(dx+c)^2 \sin(dx+c) b^6 - 3 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^6 + 3 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^6 + 8 \cos(dx+c) \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} b^6 + 6 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} a^5 b \sin(dx+c) - 7 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \cos(dx+c) \sin(dx+c) a^2 b^4 + 16 \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{a+b\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \operatorname{Ellip$$

```

ticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)
*a*b^5+3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*co
s(d*x+c)*sin(d*x+c)*a^5*b+21*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a
-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^4*b^2+13*cos(d*x+c)*sin(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b^3-10*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/
2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*si
n(d*x+c)*a^2*b^4-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^5+6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a
+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*
x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^5*b-12*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^4*b^
2-30*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+
b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*
x+c)*sin(d*x+c)*a^3*b^3-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c
))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^5*b+6*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c
))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^4*b^2+15*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*si
n(d*x+c)*a^3*b^3-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+c
os(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b^4-8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a*b^5+3*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)
*a^5*b+3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*co
s(d*x+c)^2*sin(d*x+c)*a^4*b^2-15*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*co
s(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^3*b^3-15*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b
^4+8*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+
b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*
x+c)^2*sin(d*x+c)*a*b^5)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/(a+b*cos(d*x+c))^(
3/2)/sin(d*x+c)/(a-b)^2/(a+b)^2/a^3

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate(sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(\frac{1}{\cos(c+dx)}\right)^{3/2}}{(a+b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((1/cos(c + d*x))^(3/2)/(a + b*cos(c + d*x))^(5/2), x)
```

```
[Out] int((1/cos(c + d*x))^(3/2)/(a + b*cos(c + d*x))^(5/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)**(3/2)/(a+b*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

$$3.765 \quad \int \frac{\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=421

$$\frac{2b^2 \sin(c+dx)}{3ad(a^2-b^2)\sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2)\sin(c+dx)\sqrt{\sec(c+dx)}}{3ad(a^2-b^2)^2\sqrt{a+b \cos(c+dx)}} + \frac{2(3a^2-3ab-2b^2)\sqrt{\sec(c+dx)}}{3ad(a^2-b^2)\sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}}$$

[Out]  $2/3*b^2*\sin(d*x+c)/a/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(3/2)/\sec(d*x+c)^(1/2)-4/3*b*(3*a^2-b^2)*\sin(d*x+c)*\sec(d*x+c)^(1/2)/a/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^(1/2)+4/3*b*(3*a^2-b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/a^3/(a-b)/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)+2/3*(3*a^2-3*a*b-2*b^2)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c))/(a+b))^(1/2)*(a*(1+\sec(d*x+c))/(a-b))^(1/2)/a^2/(a-b)/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)$

**Rubi [A]** time = 0.84, antiderivative size = 421, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2802, 2993, 2998, 2816, 2994}

$$\frac{2b^2 \sin(c+dx)}{3ad(a^2-b^2)\sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{4b(3a^2-b^2)\sin(c+dx)\sqrt{\sec(c+dx)}}{3ad(a^2-b^2)^2\sqrt{a+b \cos(c+dx)}} + \frac{2(3a^2-3ab-2b^2)\sqrt{\sec(c+dx)}}{3ad(a^2-b^2)\sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(4*b*(3*a^2-b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^3*(a-b)*(a+b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*(3*a^2-3*a*b-2*b^2)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Csc}[c+d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a+b*\text{Cos}[c+d*x]]/(\text{Sqrt}[a+b]*\text{Sqrt}[\text{Cos}[c+d*x]])], -((a+b)/(a-b))]*\text{Sqrt}[(a*(1-\text{Sec}[c+d*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Sec}[c+d*x]))/(a-b)]/(3*a^2*(a-b)*(a+b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c+d*x]]) + (2*b^2*\text{Sin}[c+d*x])/(3*a*(a^2-b^2)*d*(a+b*\text{Cos}[c+d*x])^(3/2)*\text{Sqrt}[\text{Sec}[c+d*x]]) - (4*b*(3*a^2-b^2)*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(3*a*(a^2-b^2)^2*d*\text{Sqrt}[a+b*\text{Cos}[c+d*x]])$

Rule 2802

$\text{Int}(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^(n_), x\_Symbol] :> -\text{Simp}[(b^2*\text{Cos}[e+f*x]*(a+b*\text{Sin}[e+f*x])^(m+1)*(c+d*\text{Sin}[e+f*x])^(n+1))/(f*(m+1)*(b*c-a*d)*(a^2-b^2)), x] + \text{Dist}[1/((m+1)*(b*c-a*d)*(a^2-b^2)), \text{Int}[(a+b*\text{Sin}[e+f*x])^(m+1)*(c+d*\text{Sin}[e+f*x])^n*\text{Simp}[a*(b*c-a*d)*(m+1)+b^2*d*(m+n+2)-(b^2*c+b*(b*c-a*d)*(m+1))*\text{Sin}[e+f*x]-b^2*d*(m+n+3)*\text{Sin}[e+f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c-a*d, 0] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{NeQ}[c^2-d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \text{Simp}[(-2*\text{Tan}[e+f*x]*\text{Rt}[(a+b)/d, 2]*\text{Sqrt}[(a*(1-\text{Csc}[e+f*x]))/(a+b)]*\text{Sqrt}[(a*(1+\text{Csc}[e+f*x]))/(a-b)]*\text{EllipticF}[A$



```
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_.)]])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)), x_Symbol] :> Simp[(2*(
A*b - a*B)*Cos[e + f*x]]/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x]]/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

#### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_.)]*(c_.))^(m_.)*(u_), x_Symbol] :> Dist[(c*Csc[a
+ b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x
] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{\sec(c+dx)}}{(a+b\cos(c+dx))^{5/2}} dx &= (\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{5/2}} dx \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} + \frac{(2\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)})}{3a(a^2-b^2)} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} - \frac{4b(3a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} \\
&= \frac{2b^2 \sin(c+dx)}{3a(a^2-b^2)d(a+b\cos(c+dx))^{3/2}\sqrt{\sec(c+dx)}} - \frac{4b(3a^2-b^2)\sqrt{\sec(c+dx)}\sin(c+dx)}{3a(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}} \\
&= \frac{4b(3a^2-b^2)\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{3a^3(a-b)(a+b)^{3/2}d\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 14.45, size = 471, normalized size = 1.12

$$\frac{\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{4b(3a^2-b^2)\sin(c+dx)}{3a^2(a^2-b^2)^2} - \frac{2b\sin(c+dx)}{3(a^2-b^2)(a+b\cos(c+dx))^2} - \frac{2(5a^2b\sin(c+dx)-b^3\sin(c+dx))}{3a(a^2-b^2)^2(a+b\cos(c+dx))}\right)}{d} + 4\sqrt{\cos^2(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Sec[c + d\*x]]/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((4\*b\*(3\*a^2 - b^2)\*Sin[c + d\*x])/(3\*a^2\*(a^2 - b^2)^2) - (2\*b\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) - (2\*(5\*a^2\*b\*Sin[c + d\*x] - b^3\*Sin[c + d\*x]))/(3\*a\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])))/d + (4\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(2\*b\*(-3\*a^3 - 3\*a^2\*b + a\*b^2 + b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + a\*(3\*a^3 + 6\*a^2\*b + a\*b^2 - 2\*b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + b\*(-3\*a^2 + b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(3\*(a^3 - a\*b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2))

**fricas [F]** time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+a}\sqrt{\sec(dx+c)}}{b^3\cos(dx+c)^3+3ab^2\cos(dx+c)^2+3a^2b\cos(dx+c)+a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b\cos(dx+c)+a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate(sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(5/2), x)
```

**maple [B]** time = 0.31, size = 2745, normalized size = 6.52

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] 2/3/d*(1/cos(d*x+c))^(1/2)/(a+b*cos(d*x+c))^(3/2)*(6*cos(d*x+c)^2*a^4*b-6*cos(d*x+c)^3*a^2*b^3-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a*b^4*sin(d*x+c)+2*cos(d*x+c)^3*b^5-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*a^5-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*cos(d*x+c)*sin(d*x+c)*b^5+4*cos(d*x+c)^2*a^2*b^3+7*cos(d*x+c)*a^3*b^2-12*cos(d*x+c)^2*a^3*b^2-6*cos(d*x+c)*a^4*b-3*cos(d*x+c)*a*b^4-2*cos(d*x+c)^2*b^5+5*cos(d*x+c)^3*a^3*b^2-cos(d*x+c)^3*a*b^4+4*cos(d*x+c)^2*a*b^4+2*cos(d*x+c)*a^2*b^3-3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^5*sin(d*x+c)-6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^4*b*sin(d*x+c)-(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*b^2*sin(d*x+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b^3*sin(d*x+c)+6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^4*b*sin(d*x+c)+6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*b^2*sin(d*x+c)-2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b^3*sin(d*x+c)+2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a*b^4+12*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b^2-4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a*b^4+6*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^4*b+4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^2*b^3-9*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^4*b-7*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b^2-2*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*b^5-3*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^4*b-6*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a
```

$$\frac{d*x+c)}{(1+\cos(d*x+c))/(a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a^3 * b^2 - \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a^2 * b^3 + 2 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a * b^4 + 6 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a^3 * b^2 + 6 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a^2 * b^3 - 2 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * a * b^4 + (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)))/(a+b)^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-$$

$$(a-b)/(a+b))^{1/2}) * \sin(d*x+c) * \cos(d*x+c) * a^2 * b^3 / \sin(d*x+c) / a^2 / (a+b)^2 / (a-b)^2$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate(sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{\frac{1}{\cos(c+dx)}}}{(a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^(5/2),x)

[Out] int((1/cos(c + d\*x))^(1/2)/(a + b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.766 \quad \int \frac{1}{(a+b \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=399

$$\frac{2(3a^2 + b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2b \sin(c + dx)}{3d(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

[Out]  $-2/3*b*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{1/2}+2/3*(3*a^2+b^2)*\sin(d*x+c)*\sec(d*x+c)^{1/2}/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{1/2}-2/3*(3*a^2+b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/a^2/(a-b)/(a+b)^{3/2}/d/\sec(d*x+c)^{1/2}+2/3*(3*a-b)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^{1/2}/(a+b)^{1/2}/\cos(d*x+c)^{1/2},((-a-b)/(a-b))^{1/2})*\cos(d*x+c)^{1/2}*(a*(1-\sec(d*x+c)))/(a+b)^{1/2}*(a*(1+\sec(d*x+c)))/(a-b)^{1/2}/a/(a-b)/(a+b)^{3/2}/d/\sec(d*x+c)^{1/2}$

**Rubi [A]** time = 0.76, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2796, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2 + b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2b \sin(c + dx)}{3d(a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)}}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out]  $(-2*(3*a^2 + b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a^2*(a - b)*(a + b)^{3/2}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(3*a - b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b)))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b)]/(3*a*(a - b)*(a + b)^{3/2}*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*b*\text{Sin}[c + d*x])/(3*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2})*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*(3*a^2 + b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rule 2796**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*c\*(m + 1) + b\*d\*n + (a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[0, n, 1] && IntegersQ[2\*m, 2\*n]

**Rule 2816**

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,

0] && PosQ[(a + b)/d]

Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] :> Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{5/2}} dx$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)})}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 + b^2) \sqrt{\sec(c + dx)}}{3(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{2b \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 + b^2) \sqrt{\sec(c + dx)}}{3(a^2 - b^2)^2 d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{2(3a^2 + b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3a^2(a - b)(a + b)^{3/2} d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 13.51, size = 455, normalized size = 1.14

$$\frac{\sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)} \left( -\frac{2(3a^2+b^2) \sin(c+dx)}{3a(a^2-b^2)^2} + \frac{2a \sin(c+dx)}{3(a^2-b^2)(a+b \cos(c+dx))^2} + \frac{4(a^2 \sin(c+dx)+b^2 \sin(c+dx))}{3(a^2-b^2)^2(a+b \cos(c+dx))} \right)}{d} - 2\sqrt{\cos(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-2\*(3\*a^2 + b^2)\*Sin[c + d\*x])/((3\*a\*(a^2 - b^2)^2) + (2\*a\*Sin[c + d\*x])/((3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) + (4\*(a^2\*Sin[c + d\*x] + b^2\*Sin[c + d\*x]))/(3\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x]))))/d - (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(3\*a^3 + 3\*a^2\*b + a\*b^2 + b^3)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(3\*a^2 + 4\*a\*b + b^2)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (3\*a^2 + b^2)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(3\*a\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2])

**fricas [F]** time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sqrt(sec(d\*x + c))), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(sec(d\*x + c))), x)

**maple [B]** time = 0.27, size = 2419, normalized size = 6.06

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x)

[Out] -2/3/d\*(cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)\*b^4-3\*cos(d\*x+c)^3\*a^2\*b^2-6\*cos(d\*x+c)^2\*a^3\*b-2\*cos(d\*x+c)^2\*a\*b^3-cos(d\*x+c)\*a^2\*b^2-cos(d\*x+c)^3\*b^4+cos(d\*x+c)^2\*b^4+2\*cos(d\*x+c)^3\*a^3\*b+2\*cos(d\*x+c)^3\*a\*b^3+4\*cos(d\*x+c)^2\*a^2\*b^2+4\*cos(d\*x+c)\*a^3\*b+sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2))\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)

```

)*a^2*b^2+sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1
+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b
))^(1/2))*a*b^3-4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*
x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a
-b)/(a+b))^(1/2))*a^3*b-sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*
cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
),(-a-b)/(a+b))^(1/2))*a^2*b^2+3*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4+3*sin(d*x+c)*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+2*cos(d*x+c)*sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a
+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3
-7*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c)
)/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/
(a+b))^(1/2))*a^3*b-5*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*Ellipti
cF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3+3*cos(d*x+c)^2*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))
/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^
3*b+3*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d
*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-
a-b)/(a+b))^(1/2))*a^2*b^2+cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3-3*cos(d*x+c)^2*sin(d*x+c)*(co
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2
)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-4*cos(d*
x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+co
s(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(
1/2))*a^2*b^2-cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((
a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c),(-a-b)/(a+b))^(1/2))*a*b^3+6*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-
1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b+4*cos(d*x+c)*sin(d*x+c
)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))
^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2+3
*cos(d*x+c)^2*a^4-3*a^4*cos(d*x+c)+3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticE((-1+cos(d*x+
c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4-3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^4+cos(d*x+c)*sin(d*x+c)*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c))/(a+b))^(1/2)*E
llipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b^4-3*cos(d*x+c)*
sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*((a+b*cos(d*x+c))/(1+cos(d*x+c
)))/(a+b))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*
a^4*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(3/2)/a/(a+b)^2/(a-b)
^2

```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(sec(d\*x + c))), x)



mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{\frac{1}{\cos(c+dx)}} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(1/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.767 \quad \int \frac{1}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=382

$$-\frac{8ab \sin(c+dx) \sqrt{\sec(c+dx)}}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx)}{3d(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}} + \frac{2(a-3b) \sqrt{\cos(c+dx)} \operatorname{csc}(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx)}{3d(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}}$$

[Out]  $2/3*a*\sin(d*x+c)/(a^2-b^2)/d/(a+b*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{(1/2)}-8/3*a*b*\sin(d*x+c)*\sec(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^{(1/2)}+8/3*b*\cos(c+d*x)*\operatorname{EllipticE}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d/\sec(d*x+c)^{(1/2)}+2/3*(a-3*b)*\cos(c+d*x)*\operatorname{EllipticF}((a+b*\cos(d*x+c))^{(1/2)}/(a+b)^{(1/2)}/\cos(d*x+c)^{(1/2)},((-a-b)/(a-b))^{(1/2)})*\cos(d*x+c)^{(1/2)}*(a*(1-\sec(d*x+c)))/(a+b)^{(1/2)}*(a*(1+\sec(d*x+c)))/(a-b)^{(1/2)}/a/(a-b)/(a+b)^{(3/2)}/d/\sec(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.73, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$ , Rules used = {4222, 2799, 2993, 2998, 2816, 2994}

$$-\frac{8ab \sin(c+dx) \sqrt{\sec(c+dx)}}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx)}{3d(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}} + \frac{2(a-3b) \sqrt{\cos(c+dx)} \operatorname{csc}(c+dx)}{3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a \sin(c+dx)}{3d(a^2-b^2) \sqrt{\sec(c+dx)} (a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2)),x]

[Out]  $(8*b*\sqrt{\cos[c+d*x]}*csc[c+d*x]*\operatorname{EllipticE}[\operatorname{ArcSin}[\sqrt{a+b*\cos[c+d*x]}]/(\sqrt{a+b}*\sqrt{\cos[c+d*x]})], -((a+b)/(a-b))*\sqrt{(a*(1-\sec[c+d*x]))/(a+b)}*\sqrt{(a*(1+\sec[c+d*x]))/(a-b))}/(3*a*(a-b)*(a+b)^{(3/2)}*d*\sqrt{\sec[c+d*x]}) + (2*(a-3*b)*\sqrt{\cos[c+d*x]}*csc[c+d*x]*\operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{a+b*\cos[c+d*x]}]/(\sqrt{a+b}*\sqrt{\cos[c+d*x]})], -((a+b)/(a-b))*\sqrt{(a*(1-\sec[c+d*x]))/(a+b)}*\sqrt{(a*(1+\sec[c+d*x]))/(a-b))}/(3*a*(a-b)*(a+b)^{(3/2)}*d*\sqrt{\sec[c+d*x]}) + (2*a*\sin[c+d*x])/((3*(a^2-b^2)*d*(a+b*\cos[c+d*x])^{3/2}*\sqrt{\sec[c+d*x]}) - (8*a*b*\sqrt{\sec[c+d*x]}*\sin[c+d*x])/((3*(a^2-b^2)^2*d*\sqrt{a+b*\cos[c+d*x]}))$

#### Rule 2799

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 2)\*Simp[c\*(a\*c - b\*d)\*(m + 1) + d\*(b\*c - a\*d)\*(n - 1) + (d\*(a\*c - b\*d)\*(m + 1) - c\*(b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x] - d\*(b\*c - a\*d)\*(m + n + 1)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && LtQ[1, n, 2] && IntegersQ[2\*m, 2\*n]

#### Rule 2816

Int[1/(sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -

$(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

#### Rule 2993

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{3/2}), x\_Symbol] :> \text{Simp}[(2*(A*b - a*B)*\text{Cos}[e + f*x])/(f*(a^2 - b^2)*\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[d*\sin[e + f*x]]), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\sin[e + f*x])/( \text{Sqrt}[a + b*\sin[e + f*x]]*(d*\sin[e + f*x])^{3/2}), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2994

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(((b_.)*\sin[(e_.) + (f_.)*(x_.)]^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[c*(1 + \text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[c*(1 - \text{Csc}[e + f*x])]/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\sin[e + f*x]]/(\text{Sqrt}[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])/(a + b*\sin[e + f*x])^{3/2}*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

#### Rule 4222

$\text{Int}[(\text{csc}[(a_.) + (b_.)*(x_.)]*(c_.))^{(m_.)*(u_.)}, x\_Symbol] :> \text{Dist}[(c*\text{Csc}[a + b*x])^m*(c*\sin[a + b*x])^m, \text{Int}[\text{ActivateTrig}[u]/(c*\sin[a + b*x])^m, x], x] /; \text{FreeQ}\{a, b, c, m\}, x] \&\& !\text{IntegerQ}[m] \&\& \text{KnownSineIntegrandQ}[u, x]$

#### Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))^{5/2} \sec^3(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx \\
&= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \\
&= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{8ab \sqrt{\sec(c + dx)}}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \\
&= \frac{2a \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{8ab \sqrt{\sec(c + dx)}}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \\
&= \frac{8b \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{3a(a-b)(a+b)^{3/2} d \sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 8.41, size = 359, normalized size = 0.94

$$2\sqrt{\sec(c + dx)} \left( a^2 (a^2 - b^2) \sin(c + dx) - a (a^2 - 5b^2) \sin(c + dx)(a + b \cos(c + dx)) + 2b \cos^2\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2)),x]

[Out] (-2\*Sqrt[Sec[c + d\*x]]\*(a^2\*(a^2 - b^2)\*Sin[c + d\*x] - a\*(a^2 - 5\*b^2)\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x] - 4\*b^2\*(a + b\*Cos[c + d\*x])^2\*Sin[c + d\*x] + 2\*b\*Cos[(c + d\*x)/2]^2\*(a + b\*Cos[c + d\*x])\*(4\*b\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (a^2 + 4\*a\*b + 3\*b^2)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - b\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^3\*(Sin[(c + d\*x)/2] - Sin[(3\*(c + d\*x))/2])))/(3\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^(3/2))

**fricas [F]** time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2)), x)

**giac [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] Timed out

**maple [B]** time = 0.34, size = 1790, normalized size = 4.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x)

[Out] 
$$-2/3/d*(8*\cos(d*x+c)^2*a*b^2+\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3-a^3*\cos(d*x+c)-3*\cos(d*x+c)*a*b^2-4*\cos(d*x+c)^2*a^2*b-4*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-4*\cos(d*x+c)^2*b^3+\cos(d*x+c)^3*a^3+4*\cos(d*x+c)*a^2*b-5*\cos(d*x+c)^3*a*b^2+4*\cos(d*x+c)^3*b^3+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*b^3+3*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+4*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2-4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-4*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-4*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b-8*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2+5*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b+7*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*((a+b*\cos(d*x+c))/(1+\cos(d*x+c))/(a+b))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c)/(a+b*\cos(d*x+c))^{3/2}/(a+b)^2/(a-b)^2$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{3/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

[Out] int(1/((1/cos(c + d\*x))^(3/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

$$3.768 \quad \int \frac{1}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=557

$$\frac{2a^2(3a^2 - 7b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3b^2 d (a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2a^2 \sin(c + dx)}{3bd (a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + ab - 6b^2)}{3bd (a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}}$$

[Out]  $-2/3*a^2*\sin(d*x+c)/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))^(3/2)/\sec(d*x+c)^(1/2)-2/3*a^2*(3*a^2-7*b^2)*\sin(d*x+c)*\sec(d*x+c)^(1/2)/b^2/(a^2-b^2)^2/d/(a+b*\cos(d*x+c))^(1/2)+2/3*(3*a^2-7*b^2)*\csc(d*x+c)*\text{EllipticE}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b))^(1/2)*(a*(1+\sec(d*x+c)))/(a-b))^(1/2)/(a-b)/b^2/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)-2/3*(3*a^2+a*b-6*b^2)*\csc(d*x+c)*\text{EllipticF}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2),((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b))^(1/2)*(a*(1+\sec(d*x+c)))/(a-b))^(1/2)/(a-b)/b^2/(a+b)^(3/2)/d/\sec(d*x+c)^(1/2)-2*\csc(d*x+c)*\text{EllipticPi}((a+b*\cos(d*x+c))^(1/2)/(a+b)^(1/2)/\cos(d*x+c)^(1/2), (a+b)/b,((-a-b)/(a-b))^(1/2))*\cos(d*x+c)^(1/2)*(a*(1-\sec(d*x+c)))/(a+b))^(1/2)*(a*(1+\sec(d*x+c)))/(a-b))^(1/2)/b^3/d/\sec(d*x+c)^(1/2)$

**Rubi [A]** time = 1.21, antiderivative size = 557, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.320$ , Rules used = {4222, 2792, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{2a^2(3a^2 - 7b^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{3b^2 d (a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2a^2 \sin(c + dx)}{3bd (a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}} - \frac{2(3a^2 + ab - 6b^2)}{3bd (a^2 - b^2) \sqrt{\sec(c + dx)} (a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)),x]

[Out]  $(2*(3*a^2 - 7*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*(3*a^2 + a*b - 6*b^2)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*(a - b)*b^2*(a + b)^(3/2)*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Csc}[c + d*x]*\text{EllipticPi}[(a + b)/b, \text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))]*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(b^3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*a^2*\text{Sin}[c + d*x])/((3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[c + d*x]]) - (2*a^2*(3*a^2 - 7*b^2)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/((3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]))$

**Rule 2792**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b^2\*c^2 - 2\*a\*b\*c\*d + a^2\*d^2)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(m - 2)\*(b\*c - a\*d)^2 + a\*d\*(n + 1)\*(c\*(a^2 + b^2) - 2\*a\*b\*d) + (b\*(n + 1)\*(a\*b\*c^2 + c\*d\*(a^2 + b^2) - 3\*a\*b\*d^2) - a\*(n + 2)\*(b\*c - a\*d)^2)\*Sin[e + f\*x] + b\*(b^2\*(c^2 - d^2) - m\*(b\*c - a\*d)^2 + d\*n\*(2\*a\*b\*c - d\*(a^2 + b^2)))\*Sin[e + f\*x]^2, x], x

], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && LtQ[n, -1] && (IntegerQ[m] || IntegersQ[2\*m, 2\*n])

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] :> Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 3051

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[1/b, Int[(A\*b + (b\*B - a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]



Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Ssin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Ssin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^{5/2} \sec^2(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

$$= -\frac{2a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)})}{\dots}$$

$$= -\frac{2a^2 \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)})}{\dots}$$

$$= -\frac{2\sqrt{a+b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{2\sqrt{a+b} \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{2(3a^2 - 7b^2) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3(a-b)b^2(a+b)^{3/2} d \sqrt{\sec(c + dx)}}$$

Mathematica [C] time = 14.45, size = 1716, normalized size = 3.08

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*a\*(3\*a^2 - 7\*b^2)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)^2) - (2\*a^3\*Sin[c + d\*x])/(3\*b^2\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) - (8\*(a^4\*Sin[c + d\*x] - 2\*a^2\*b^2\*Sin[c + d\*x]))/(3\*b^2\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x])))/d + (2\*(3\*a^4\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + 3\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 7\*a^2\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 7\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - 6\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + 14\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 - 3\*a^4\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + 3\*a^3\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + 7\*a^2\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 - 7\*a\*b^3\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + (6\*I)\*a^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (12\*I)\*a^2\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]

2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (6\*I)\*b^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (6\*I)\*a^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (12\*I)\*a^2\*b^2\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (6\*I)\*b^4\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + I\*a\*(3\*a^3 - 3\*a^2\*b - 7\*a\*b^2 + 7\*b^3)\*EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - I\*(6\*a^4 - 2\*a^3\*b - 13\*a^2\*b^2 + 6\*a\*b^3 + 3\*b^4)\*EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -((a + b)/(a - b))]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(3\*b^2\*Sqrt[(a - b)/(a + b)]\*(a^2 - b^2)^2\*d\*Sqrt[(1 + Tan[(c + d\*x)/2]^2)/(1 - Tan[(c + d\*x)/2]^2)]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(-1 + Tan[(c + d\*x)/2]^4))

**fricas** [F] time = 45.66, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)/((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**maple** [B] time = 0.28, size = 3920, normalized size = 7.04

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x)

[Out] 2/3/d\*(-6\*cos(d\*x+c)^2\*a^4\*b-8\*cos(d\*x+c)^3\*a^2\*b^3+14\*cos(d\*x+c)^2\*a^2\*b^3+7\*cos(d\*x+c)\*a^3\*b^2+4\*cos(d\*x+c)^3\*a^4\*b-4\*cos(d\*x+c)^2\*a^3\*b^2+2\*cos(d\*x+c)\*a^4\*b+3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))/(a+b))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a^5\*sin(d\*x+c)-6\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*a^5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))



$(d*x+c))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * a^3 * b^2 + 12 * \cos(d*x+c) * \sin(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * a^2 * b^3 - 6 * \cos(d*x+c) * \sin(d*x+c) * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2} * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * a * b^4 - 2 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^3 * b^2 + \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^2 * b^3 + 6 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * b^4 + 3 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^4 * b + 3 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^3 * b^2 - 7 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^2 * b^3 - 7 * \cos(d*x+c)^2 * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a * b^4 + 7 * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ((a+b*\cos(d*x+c))/(1+\cos(d*x+c)) / (a+b))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * a^2 * b^3 * \cos(d*x+c)^2 * (1/\cos(d*x+c))^{5/2} / \sin(d*x+c) / (a+b*\cos(d*x+c))^{3/2} / b^2 / (a+b)^2 / (a-b)^2$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^{5/2} \sec(dx + c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate(1/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\left(\frac{1}{\cos(c+dx)}\right)^{5/2} (a + b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(5/2)),x)

[Out] int(1/((1/cos(c + d\*x))^(5/2)\*(a + b\*cos(c + d\*x))^(5/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

### 3.769 $\int \cos^m(c + dx)(a + b \cos(c + dx))^4 dx$

**Optimal.** Leaf size=330

$$\frac{4ab(a^2(m+3) + b^2(m+2)) \sin(c+dx) \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c+dx)\right) + b^2(a^2(5m+22) + b^2(m+2)) \cos^{m+2}(c+dx)}{d(m+2)(m+3)\sqrt{\sin^2(c+dx)}}$$

[Out]  $b^2(b^2(3+m)+a^2(22+5*m))*\cos(d*x+c)^{(1+m)}*\sin(d*x+c)/d/(2+m)/(4+m)+2*a*b^3*(5+m)*\cos(d*x+c)^{(2+m)}*\sin(d*x+c)/d/(3+m)/(4+m)+b^2*\cos(d*x+c)^{(1+m)}*(a+b*\cos(d*x+c))^2*\sin(d*x+c)/d/(4+m)-(b^4*(m^2+4*m+3)+6*a^2*b^2*(m^2+5*m+4)+a^4*(m^2+6*m+8))*\cos(d*x+c)^{(1+m)}*\text{hypergeom}([1/2, 1/2+1/2*m], [3/2+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(4+m)/(m^2+3*m+2)/(\sin(d*x+c)^2)^{(1/2)}-4*a*b*(b^2*(2+m)+a^2*(3+m))*\cos(d*x+c)^{(2+m)}*\text{hypergeom}([1/2, 1+1/2*m], [2+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(2+m)/(3+m)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.67, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {2793, 3033, 3023, 2748, 2643}

$$\frac{(6a^2b^2(m^2 + 5m + 4) + a^4(m^2 + 6m + 8) + b^4(m^2 + 4m + 3)) \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right)}{d(m+1)(m+2)(m+4)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x])^4, x]

[Out]  $(b^2*(b^2*(3+m)+a^2*(22+5*m))*\text{Cos}[c+d*x]^{(1+m)}*\text{Sin}[c+d*x])/d*(2+m)*(4+m)+(2*a*b^3*(5+m)*\text{Cos}[c+d*x]^{(2+m)}*\text{Sin}[c+d*x])/d*(3+m)*(4+m)+(b^2*\text{Cos}[c+d*x]^{(1+m)}*(a+b*\text{Cos}[c+d*x])^2*\text{Sin}[c+d*x])/d*(4+m)-((b^4*(3+4*m+m^2)+6*a^2*b^2*(4+5*m+m^2)+a^4*(8+6*m+m^2))*\text{Cos}[c+d*x]^{(1+m)}*\text{Hypergeometric2F1}[1/2, (1+m)/2, (3+m)/2, \text{Cos}[c+d*x]^2]*\text{Sin}[c+d*x])/d*(1+m)*(2+m)*(4+m)*\text{Sqrt}[\text{Sin}[c+d*x]^2])-(4*a*b*(b^2*(2+m)+a^2*(3+m))*\text{Cos}[c+d*x]^{(2+m)}*\text{Hypergeometric2F1}[1/2, (2+m)/2, (4+m)/2, \text{Cos}[c+d*x]^2]*\text{Sin}[c+d*x])/d*(2+m)*(3+m)*\text{Sqrt}[\text{Sin}[c+d*x]^2])$

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-2)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(m+n)), x] + Dist[1/(d\*(m+n)), Int[(a + b\*Sin[e + f\*x])^(m-3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m+n) + b^2\*(b\*c\*(m-2) + a\*d\*(n+1)) - b\*(a\*b\*c - b^2\*d\*(m+n-1) - 3\*a^2\*d\*(m+n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m-1) - a\*d\*(3\*m+2\*n-2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] |

| IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*d\*Cos[e + f\*x]\*Sin[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x] + Dist[1/(b\*(m + 3)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[a\*C\*d + A\*b\*c\*(m + 3) + b\*(B\*c\*(m + 3) + d\*(C\*(m + 2) + A\*(m + 3)))\*Sin[e + f\*x] - (2\*a\*C\*d - b\*(c\*C + B\*d))\*(m + 3))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

### Rubi steps

$$\begin{aligned} \int \cos^m(c + dx)(a + b \cos(c + dx))^4 dx &= \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{d(4 + m)} + \frac{\int \cos^m(c + dx)(a + b \cos(c + dx))^3 dx}{d(4 + m)} \\ &= \frac{2ab^3(5 + m) \cos^{2+m}(c + dx) \sin(c + dx)}{d(3 + m)(4 + m)} + \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{d(4 + m)} + \frac{\int \cos^m(c + dx)(a + b \cos(c + dx))^2 dx}{d(4 + m)} \\ &= \frac{b^2 (b^2(3 + m) + a^2(22 + 5m)) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(4 + m)} + \frac{2ab^3(5 + m) \cos^{2+m}(c + dx) \sin(c + dx)}{d(3 + m)(4 + m)} + \frac{\int \cos^m(c + dx)(a + b \cos(c + dx)) dx}{d(4 + m)} \\ &= \frac{b^2 (b^2(3 + m) + a^2(22 + 5m)) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(4 + m)} + \frac{2ab^3(5 + m) \cos^{2+m}(c + dx) \sin(c + dx)}{d(3 + m)(4 + m)} + \frac{a \cos^{m+1}(c + dx) \sin(c + dx)}{d(m + 1)} \\ &= \frac{b^2 (b^2(3 + m) + a^2(22 + 5m)) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(4 + m)} + \frac{2ab^3(5 + m) \cos^{2+m}(c + dx) \sin(c + dx)}{d(3 + m)(4 + m)} + \frac{a \cos^{m+1}(c + dx) \sin(c + dx)}{d(m + 1)} \end{aligned}$$

**Mathematica** [A] time = 1.78, size = 242, normalized size = 0.73

$$\frac{\sqrt{\sin^2(c + dx)} \csc(c + dx) \cos^{m+1}(c + dx) \left( b \cos(c + dx) \left( b \cos(c + dx) \left( b \cos(c + dx) \left( -\frac{4a {}_2F_1\left(\frac{1}{2}, \frac{m+4}{2}; \frac{m+6}{2}; \cos^2(c + dx)\right)}{m+4} \right) \right) \right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x])^4,x]

[Out] (Cos[c + d\*x]^(1 + m)\*Csc[c + d\*x]\*(-(a^4\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[c + d\*x]^2])/(1 + m)) + b\*Cos[c + d\*x]\*((-4\*a^3\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[c + d\*x]^2])/(2 + m) + b\*Cos[c + d\*x]\*((-6\*a^2\*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[c + d\*x]^2])/(3 + m) + b\*Cos[c + d\*x]\*((-4\*a\*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[c + d\*x]^2])/(4 + m) - (b\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Cos[c + d\*x]^2])/(5 + m))))\*Sqrt[Sin[c + d\*x]^2])/d

**fricas** [F] time = 1.00, size = 0, normalized size = 0.00

integral((b<sup>4</sup> cos(dx + c)<sup>4</sup> + 4 ab<sup>3</sup> cos(dx + c)<sup>3</sup> + 6 a<sup>2</sup>b<sup>2</sup> cos(dx + c)<sup>2</sup> + 4 a<sup>3</sup>b cos(dx + c) + a<sup>4</sup>) cos(dx + c)<sup>m</sup>

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)<sup>m</sup>\*(a+b\*cos(d\*x+c))<sup>4</sup>,x, algorithm="fricas")

[Out] integral((b<sup>4</sup>\*cos(d\*x + c)<sup>4</sup> + 4\*a\*b<sup>3</sup>\*cos(d\*x + c)<sup>3</sup> + 6\*a<sup>2</sup>\*b<sup>2</sup>\*cos(d\*x + c)<sup>2</sup> + 4\*a<sup>3</sup>\*b\*cos(d\*x + c) + a<sup>4</sup>)\*cos(d\*x + c)<sup>m</sup>, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^4 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)<sup>m</sup>\*(a+b\*cos(d\*x+c))<sup>4</sup>,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)<sup>4</sup>\*cos(d\*x + c)<sup>m</sup>, x)

**maple** [F] time = 1.54, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c))(a + b \cos(dx + c))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)<sup>m</sup>\*(a+b\*cos(d\*x+c))<sup>4</sup>,x)

[Out] int(cos(d\*x+c)<sup>m</sup>\*(a+b\*cos(d\*x+c))<sup>4</sup>,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^4 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)<sup>m</sup>\*(a+b\*cos(d\*x+c))<sup>4</sup>,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)<sup>4</sup>\*cos(d\*x + c)<sup>m</sup>, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^m (a + b \cos(c + dx))^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)<sup>m</sup>\*(a + b\*cos(c + d\*x))<sup>4</sup>,x)

[Out] int(cos(c + d\*x)<sup>m</sup>\*(a + b\*cos(c + d\*x))<sup>4</sup>, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

### 3.770 $\int \cos^m(c + dx)(a + b \cos(c + dx))^3 dx$

**Optimal.** Leaf size=250

$$\frac{a(a^2(m+2) + 3b^2(m+1)) \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right) + b(3a^2(m+3) + b^2(m+1)) \cos^{m+1}(c+dx)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}}$$

[Out] a\*b^2\*(7+2\*m)\*cos(d\*x+c)^(1+m)\*sin(d\*x+c)/d/(2+m)/(3+m)+b^2\*cos(d\*x+c)^(1+m)\*(a+b\*cos(d\*x+c))\*sin(d\*x+c)/d/(3+m)-a\*(3\*b^2\*(1+m)+a^2\*(2+m))\*cos(d\*x+c)^(1+m)\*hypergeom([1/2, 1/2+1/2\*m], [3/2+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(1+m)/(2+m)/(sin(d\*x+c)^2)^(1/2)-b\*(b^2\*(2+m)+3\*a^2\*(3+m))\*cos(d\*x+c)^(2+m)\*hypergeom([1/2, 1+1/2\*m], [2+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(2+m)/(3+m)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.32, antiderivative size = 250, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.190$ , Rules used = {2793, 3023, 2748, 2643}

$$\frac{a(a^2(m+2) + 3b^2(m+1)) \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right) + b(3a^2(m+3) + b^2(m+1)) \cos^{m+1}(c+dx)}{d(m+1)(m+2)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x])^3,x]

[Out] (a\*b^2\*(7 + 2\*m)\*Cos[c + d\*x]^(1 + m)\*Sin[c + d\*x])/(d\*(2 + m)\*(3 + m)) + (b^2\*Cos[c + d\*x]^(1 + m)\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(d\*(3 + m)) - (a\*(3\*b^2\*(1 + m) + a^2\*(2 + m))\*Cos[c + d\*x]^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(1 + m)\*(2 + m)\*Sqrt[Sin[c + d\*x]^2]) - (b\*(b^2\*(2 + m) + 3\*a^2\*(3 + m))\*Cos[c + d\*x]^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(2 + m)\*(3 + m)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))



Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \cos^m(c + dx)(a + b \cos(c + dx))^3 dx &= \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{d(3 + m)} + \frac{\int \cos^m(c + dx) (a + b \cos(c + dx))^2 dx}{d} \\ &= \frac{ab^2(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{d(3 + m)} \\ &= \frac{ab^2(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{d(3 + m)} \\ &= \frac{ab^2(7 + 2m) \cos^{1+m}(c + dx) \sin(c + dx)}{d(2 + m)(3 + m)} + \frac{b^2 \cos^{1+m}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{d(3 + m)} \end{aligned}$$

**Mathematica [A]** time = 0.91, size = 197, normalized size = 0.79

$$\frac{\sqrt{\sin^2(c + dx)} \csc(c + dx) \cos^{m+1}(c + dx) \left( b \cos(c + dx) \left( b \cos(c + dx) \left( -\frac{3a {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; \cos^2(c + dx)\right)}{m+3} - \frac{b \cos(c + dx)}{d} \right) \right) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^m*(a + b*Cos[c + d*x])^3,x]
```

```
[Out] (Cos[c + d*x]^(1 + m)*Csc[c + d*x]*(-(a^3*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[c + d*x]^2)]/(1 + m)) + b*Cos[c + d*x]*((-3*a^2*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[c + d*x]^2)]/(2 + m) + b*Cos[c + d*x]*((-3*a*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[c + d*x]^2)]/(3 + m) - (b*Cos[c + d*x]*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[c + d*x]^2)]/(4 + m)))*Sqrt[Sin[c + d*x]^2])/d
```

**fricas [F]** time = 0.89, size = 0, normalized size = 0.00

$$\text{integral} \left( (b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \cos(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*cos(d*x + c)^m, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

[Out] integrate((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^m, x)

**maple** [F] time = 1.30, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c)) (a + b \cos(dx + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^3,x)

[Out] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(c + dx)^m (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x))^3,x)

[Out] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x))^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

### 3.771 $\int \cos^m(c + dx)(a + b \cos(c + dx))^2 dx$

**Optimal.** Leaf size=179

$$\frac{(a^2(m+2) + b^2(m+1)) \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right) + 2ab \sin(c + dx) \cos^{m+2}(c + dx)}{d(m+1)(m+2)\sqrt{\sin^2(c + dx)}}$$

[Out]  $b^2 \cos(dx+c)^{(1+m)} \sin(dx+c) / d(2+m) - (b^2(1+m) + a^2(2+m)) \cos(dx+c)^{(1+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2} + \frac{1}{2}m\right], \left[\frac{3}{2} + \frac{1}{2}m\right], \cos(dx+c)^2\right) \sin(dx+c) / d(1+m) / (2+m) / (\sin(dx+c)^2)^{(1/2)} - 2ab \cos(dx+c)^{(2+m)} \operatorname{hypergeom}\left(\left[\frac{1}{2}, 1 + \frac{1}{2}m\right], \left[\frac{3}{2} + \frac{1}{2}m\right], \cos(dx+c)^2\right) \sin(dx+c) / d(2+m) / (\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 179, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2789, 2643, 3014}

$$\frac{(a^2(m+2) + b^2(m+1)) \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right) + 2ab \sin(c + dx) \cos^{m+2}(c + dx)}{d(m+1)(m+2)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^m * (a + b * \text{Cos}[c + d*x])^2, x]$

[Out]  $(b^2 \text{Cos}[c + d*x]^{(1+m)} \text{Sin}[c + d*x]) / (d(2+m)) - ((b^2(1+m) + a^2(2+m)) \text{Cos}[c + d*x]^{(1+m)} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, \text{Cos}[c + d*x]^2\right] \text{Sin}[c + d*x]) / (d(1+m)(2+m) \sqrt{\text{Sin}[c + d*x]^2}) - (2ab \text{Cos}[c + d*x]^{(2+m)} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, \text{Cos}[c + d*x]^2\right] \text{Sin}[c + d*x]) / (d(2+m) \sqrt{\text{Sin}[c + d*x]^2})$

#### Rule 2643

$\text{Int}[(b \sin(c + dx) + d(x))^{(n)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x] * (b \text{Sin}[c + d*x])^{(n+1)} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(n+1)}{2}, \frac{(n+3)}{2}, \text{Sin}[c + d*x]^2\right]) / (b*d*(n+1) \sqrt{\text{Cos}[c + d*x]^2}), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2789

$\text{Int}[(b \sin(e + fx) + f(x))^{(m)} * ((c + d \sin(e + fx) + f(x)))^2, x\_Symbol] := \text{Dist}[(2*c*d)/b, \text{Int}[(b \text{Sin}[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b \text{Sin}[e + f*x])^{(m)} * (c^2 + d^2 \text{Sin}[e + f*x]^2), x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3014

$\text{Int}[(b \sin(e + fx) + f(x))^{(m)} * ((A + C \sin(e + fx) + f(x)))^2, x\_Symbol] := -\text{Simp}[(C \text{Cos}[e + f*x] * (b \text{Sin}[e + f*x])^{(m+1)}) / (b*f*(m+2)), x] + \text{Dist}[(A*(m+2) + C*(m+1)) / (m+2), \text{Int}[(b \text{Sin}[e + f*x])^{(m)}, x], x] /;$  FreeQ[{b, e, f, A, C, m}, x] && !LtQ[m, -1]

#### Rubi steps

$$\begin{aligned} \int \cos^m(c+dx)(a+b\cos(c+dx))^2 dx &= (2ab) \int \cos^{1+m}(c+dx) dx + \int \cos^m(c+dx) (a^2 + b^2 \cos^2(c+dx)) dx \\ &= \frac{b^2 \cos^{1+m}(c+dx) \sin(c+dx)}{d(2+m)} - \frac{2ab \cos^{2+m}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2+m}{2}; \frac{4+m}{2}; \cos^2(c+dx)\right)}{d(2+m)\sqrt{\sin^2(c+dx)}} \\ &= \frac{b^2 \cos^{1+m}(c+dx) \sin(c+dx)}{d(2+m)} - \frac{\left(a^2 + \frac{b^2(1+m)}{2+m}\right) \cos^{1+m}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(c+dx)\right)}{d(1+m)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.36, size = 168, normalized size = 0.94

$$\frac{\sqrt{\sin^2(c+dx)} \csc(c+dx) \cos^{m+1}(c+dx) \left( a^2 (m^2 + 5m + 6) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c+dx)\right) + b(m+1) \cos(c+dx) \right)}{d(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x])^2,x]

[Out] -((Cos[c + d\*x]^(1 + m)\*Csc[c + d\*x]\*(a^2\*(6 + 5\*m + m^2)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[c + d\*x]^2] + b\*(1 + m)\*Cos[c + d\*x]\*(2\*a\*(3 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[c + d\*x]^2] + b\*(2 + m)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[c + d\*x]^2]))\*Sqrt[Sin[c + d\*x]^2])/(d\*(1 + m)\*(2 + m)\*(3 + m))

**fricas** [F] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2\right) \cos(dx+c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^m, x)

**maple** [F] time = 1.12, size = 0, normalized size = 0.00

$$\int (\cos^m(dx+c))(a+b\cos(dx+c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^2,x)

[Out] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \cos^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*2\*cos(c + d\*x)\*\*m, x)

### 3.772 $\int \cos^m(c + dx)(a + b \cos(c + dx)) dx$

**Optimal.** Leaf size=131

$$\frac{a \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)\sqrt{\sin^2(c + dx)}} - \frac{b \sin(c + dx) \cos^{m+2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c + dx)\right)}{d(m+2)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-a \cos(d*x+c)^{(1+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2}+\frac{1}{2}*m\right], \left[\frac{3}{2}+\frac{1}{2}*m\right], \cos(d*x+c)^2\right) * \sin(d*x+c)/d/(1+m)/(\sin(d*x+c)^2)^{(1/2)} - b \cos(d*x+c)^{(2+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{2}+\frac{1}{2}*m\right], \left[\frac{2}{2}+\frac{1}{2}*m\right], \cos(d*x+c)^2\right) * \sin(d*x+c)/d/(2+m)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {2748, 2643}

$$\frac{a \sin(c + dx) \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right)}{d(m+1)\sqrt{\sin^2(c + dx)}} - \frac{b \sin(c + dx) \cos^{m+2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c + dx)\right)}{d(m+2)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x]),x]

[Out]  $-((a \cos[c + d*x]^{(1+m)} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+m)}{2}, \frac{(3+m)}{2}, \cos^2[c + d*x]\right] * \sin[c + d*x]) / (d*(1+m)*\sqrt{\sin^2[c + d*x]}) - (b \cos[c + d*x]^{(2+m)} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2+m)}{2}, \frac{(4+m)}{2}, \cos^2[c + d*x]\right] * \sin[c + d*x]) / (d*(2+m)*\sqrt{\sin^2[c + d*x]})$

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^m(c + dx)(a + b \cos(c + dx)) dx &= a \int \cos^m(c + dx) dx + b \int \cos^{1+m}(c + dx) dx \\ &= -\frac{a \cos^{1+m}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(c + dx)\right) \sin(c + dx)}{d(1+m)\sqrt{\sin^2(c + dx)}} - \frac{b \cos^{2+m}(c + dx)}{d(m+2)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.17, size = 112, normalized size = 0.85

$$\frac{\sqrt{\sin^2(c + dx)} \csc(c + dx) \cos^{m+1}(c + dx) \left( a(m+2) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(c + dx)\right) + b(m+1) \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(c + dx)\right) \right)}{d(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(a + b\*Cos[c + d\*x]),x]

[Out]  $-\left(\left(\cos[c + dx]^{(1+m)} \operatorname{Csc}[c + dx] (a(2+m) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, (1+m)/2, (3+m)/2, \cos[c + dx]^2\right] + b(1+m) \cos[c + dx] \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, (2+m)/2, (4+m)/2, \cos[c + dx]^2\right]\right) \sqrt{\sin[c + dx]^2}\right) / (d(1+m)(2+m))$

**fricas** [F] time = 0.99, size = 0, normalized size = 0.00

$$\operatorname{integral}\left((b \cos(dx + c) + a) \cos(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**maple** [F] time = 1.06, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c)) (a + b \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(a + b\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \cos^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(a+b\*cos(d\*x+c)),x)

[Out] Integral((a + b\*cos(c + d\*x))\*cos(c + d\*x)\*\*m, x)

$$3.773 \quad \int \frac{\cos^m(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=190

$$\frac{a \sin(c+dx) \cos^{m-1}(c+dx) \cos^2(c+dx)^{\frac{1-m}{2}} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) b \sin(c+dx) \cos^m(c+dx)}{d(a^2-b^2)}$$

[Out] a\*AppellF1(1/2,1/2-1/2\*m,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*cos(d\*x+c)^(-1+m)\*(cos(d\*x+c)^2)^(1/2-1/2\*m)\*sin(d\*x+c)/(a^2-b^2)/d-b\*AppellF1(1/2,-1/2\*m,1,3/2,sin(d\*x+c)^2,-b^2\*sin(d\*x+c)^2/(a^2-b^2))\*cos(d\*x+c)^m\*sin(d\*x+c)/(a^2-b^2)/d/((cos(d\*x+c)^2)^(1/2\*m))

**Rubi [A]** time = 0.23, antiderivative size = 190, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2823, 3189, 429}

$$\frac{a \sin(c+dx) \cos^{m-1}(c+dx) \cos^2(c+dx)^{\frac{1-m}{2}} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) b \sin(c+dx) \cos^m(c+dx)}{d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m/(a + b\*Cos[c + d\*x]),x]

[Out] (a\*AppellF1[1/2, (1 - m)/2, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^(-1 + m)\*(Cos[c + d\*x]^2)^((1 - m)/2)\*Sin[c + d\*x])/((a^2 - b^2)\*d) - (b\*AppellF1[1/2, -m/2, 1, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^m\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(Cos[c + d\*x]^2)^(m/2))

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2823

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)/((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :> With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2])]/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^(m - 1)/2]\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps



$$\begin{aligned} \int \frac{\cos^m(c+dx)}{a+b\cos(c+dx)} dx &= a \int \frac{\cos^m(c+dx)}{a^2-b^2\cos^2(c+dx)} dx - b \int \frac{\cos^{1+m}(c+dx)}{a^2-b^2\cos^2(c+dx)} dx \\ &= \frac{\left( a \cos^{2\left(-\frac{1}{2}+\frac{m}{2}\right)}(c+dx) \cos^2(c+dx)^{\frac{1}{2}-\frac{m}{2}} \right) \text{Subst} \left( \int \frac{(1-x^2)^{\frac{1}{2}(-1+m)}}{a^2-b^2+b^2x^2} dx, x, \sin(c+dx) \right)}{d} \\ &= \frac{aF_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2\sin^2(c+dx)}{a^2-b^2}\right) \cos^{-1+m}(c+dx) \cos^2(c+dx)^{\frac{1-m}{2}} \sin(c+dx)}{(a^2-b^2)d} \end{aligned}$$

**Mathematica [B]** time = 24.62, size = 6703, normalized size = 35.28

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^m/(a + b\*Cos[c + d\*x]), x]

[Out] Result too large to show

**fricas [F]** time = 0.90, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^m}{b\cos(dx+c)+a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^m/(b\*cos(d\*x + c) + a), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^m}{b\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^m/(b\*cos(d\*x + c) + a), x)

**maple [F]** time = 0.77, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(dx+c)}{a+b\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m/(a+b\*cos(d\*x+c)), x)

[Out] int(cos(d\*x+c)^m/(a+b\*cos(d\*x+c)), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^m}{b\cos(dx+c)+a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^m/(b\*cos(d\*x + c) + a), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^m}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m/(a + b\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m/(a + b\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

$$3.774 \quad \int \frac{\cos^m(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=294

$$\frac{b^2 \sin(c+dx) \cos^{m+1}(c+dx) \cos^2(c+dx)^{\frac{1}{2}(-m-1)} F_1\left(\frac{1}{2}; \frac{1}{2}(-m-1), 2; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) a^2 \sin(c+dx) + \dots}{d(a^2-b^2)^2}$$

[Out] b^2\*AppellF1(1/2, -1/2-1/2\*m, 2, 3/2, sin(d\*x+c)^2, -b^2\*sin(d\*x+c)^2/(a^2-b^2)) \*cos(d\*x+c)^(1+m)\*(cos(d\*x+c)^2)^(-1/2-1/2\*m)\*sin(d\*x+c)/(a^2-b^2)^2/d+a^2\* AppellF1(1/2, 1/2-1/2\*m, 2, 3/2, sin(d\*x+c)^2, -b^2\*sin(d\*x+c)^2/(a^2-b^2))\*cos(d\*x+c)^(-1+m)\*(cos(d\*x+c)^2)^(1/2-1/2\*m)\*sin(d\*x+c)/(a^2-b^2)^2/d-2\*a\*b\*App ellF1(1/2, -1/2\*m, 2, 3/2, sin(d\*x+c)^2, -b^2\*sin(d\*x+c)^2/(a^2-b^2))\*cos(d\*x+c) ^m\*sin(d\*x+c)/(a^2-b^2)^2/d/((cos(d\*x+c)^2)^(1/2\*m))

**Rubi [A]** time = 0.35, antiderivative size = 294, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2824, 3189, 429}

$$\frac{b^2 \sin(c+dx) \cos^{m+1}(c+dx) \cos^2(c+dx)^{\frac{1}{2}(-m-1)} F_1\left(\frac{1}{2}; \frac{1}{2}(-m-1), 2; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2-b^2}\right) a^2 \sin(c+dx) + \dots}{d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m/(a + b\*Cos[c + d\*x])^2, x]

[Out] (b^2\*AppellF1[1/2, (-1 - m)/2, 2, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^(1 + m)\*(Cos[c + d\*x]^2)^((-1 - m)/2)\*Sin[c + d\*x])/((a^2 - b^2)^2\*d) + (a^2\*AppellF1[1/2, (1 - m)/2, 2, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^(-1 + m)\*(Cos[c + d\*x]^2)^((1 - m)/2)\*Sin[c + d\*x])/((a^2 - b^2)^2\*d) - (2\*a\*b\*AppellF1[1/2, -m/2, 2, 3/2, Sin[c + d\*x]^2, -((b^2\*Sin[c + d\*x]^2)/(a^2 - b^2))]\*Cos[c + d\*x]^m\*Sin[c + d\*x])/((a^2 - b^2)^2\*d\*(Cos[c + d\*x]^2)^(m/2))

#### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

#### Rule 2824

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.), x\_Symbol] :> Int[ExpandTrig[(d\*sin[e + f\*x])^n/((a - b\*sin[e + f\*x])^m/(a^2 - b^2\*sin[e + f\*x]^2)^m), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0] && ILtQ[m, -1]

#### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(p\_.), x\_Symbol] :> With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2]))/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^(m - 1)/2]\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^m(c+dx)}{(a+b\cos(c+dx))^2} dx &= \int \left( \frac{a^2 \cos^m(c+dx)}{(a^2 - b^2 \cos^2(c+dx))^2} - \frac{2ab \cos^{1+m}(c+dx)}{(a^2 - b^2 \cos^2(c+dx))^2} + \frac{b^2 \cos^{2+m}(c+dx)}{(-a^2 + b^2 \cos^2(c+dx))^2} \right) dx \\
&= a^2 \int \frac{\cos^m(c+dx)}{(a^2 - b^2 \cos^2(c+dx))^2} dx - (2ab) \int \frac{\cos^{1+m}(c+dx)}{(a^2 - b^2 \cos^2(c+dx))^2} dx + b^2 \int \frac{\cos^{2+m}(c+dx)}{(-a^2 + b^2 \cos^2(c+dx))^2} dx \\
&= \frac{\left( b^2 \cos^{2\left(\frac{1}{2} + \frac{m}{2}\right)}(c+dx) \cos^2(c+dx)^{-\frac{1}{2} - \frac{m}{2}} \right) \text{Subst} \left( \int \frac{(1-x^2)^{\frac{1+m}{2}}}{(-a^2 + b^2 - b^2 x^2)^2} dx, x, \sin(c+dx) \right)}{d} \\
&= \frac{b^2 F_1 \left( \frac{1}{2}; \frac{1}{2}(-1-m), 2; \frac{3}{2}; \sin^2(c+dx), -\frac{b^2 \sin^2(c+dx)}{a^2 - b^2} \right) \cos^{1+m}(c+dx) \cos^2(c+dx)^{\frac{1}{2}(-1-m)}}{(a^2 - b^2)^2 d}
\end{aligned}$$

**Mathematica [B]** time = 26.46, size = 7214, normalized size = 24.54

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^m/(a + b\*Cos[c + d\*x])^2,x]

[Out] Result too large to show

**fricas [F]** time = 0.84, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{\cos(dx+c)^m}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral(cos(d\*x + c)^m/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx+c)^m}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate(cos(d\*x + c)^m/(b\*cos(d\*x + c) + a)^2, x)

**maple [F]** time = 0.43, size = 0, normalized size = 0.00

$$\int \frac{\cos^m(dx+c)}{(a+b\cos(dx+c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m/(a+b\*cos(d\*x+c))^2,x)

[Out] int(cos(d\*x+c)^m/(a+b\*cos(d\*x+c))^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)^m}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate(cos(d\*x + c)^m/(b\*cos(d\*x + c) + a)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(c + dx)^m}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m/(a + b\*cos(c + d\*x))^2,x)

[Out] int(cos(c + d\*x)^m/(a + b\*cos(c + d\*x))^2, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

### 3.775 $\int (a + b \cos(c + dx))^3 \sec^m(c + dx) dx$

**Optimal.** Leaf size=282

$$\frac{b(3a^2(3-m) + b^2(2-m)) \sin(c+dx) \sec^{m-4}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(c+dx)\right) + a(a^2(2-m) + 3b^2(1-m)) \sqrt{\sin^2(c+dx)}}{d(2-m)(4-m)\sqrt{\sin^2(c+dx)}}$$

[Out]  $-a^2*b*(1-2*m)*\sec(d*x+c)^{-2+m}*\sin(d*x+c)/d/(m^2-3*m+2)-a^2*\sec(d*x+c)^{-2+m}*(b+a*\sec(d*x+c))*\sin(d*x+c)/d/(1-m)-b*(b^2*(2-m)+3*a^2*(3-m))*\text{hypergeom}([1/2, 2-1/2*m], [3-1/2*m], \cos(d*x+c)^2)*\sec(d*x+c)^{-4+m}*\sin(d*x+c)/d/(m^2-6*m+8)/(\sin(d*x+c)^2)^{(1/2)}-a*(3*b^2*(1-m)+a^2*(2-m))*\text{hypergeom}([1/2, 3/2-1/2*m], [5/2-1/2*m], \cos(d*x+c)^2)*\sec(d*x+c)^{-3+m}*\sin(d*x+c)/d/(m^2-4*m+3)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.42, antiderivative size = 282, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$ , Rules used = {3238, 3842, 4047, 3772, 2643, 4046}

$$\frac{b(3a^2(3-m) + b^2(2-m)) \sin(c+dx) \sec^{m-4}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(c+dx)\right) + a(a^2(2-m) + 3b^2(1-m)) \sqrt{\sin^2(c+dx)}}{d(2-m)(4-m)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^m,x]

[Out]  $-((a^2*b*(1-2*m)*\text{Sec}[c+d*x]^{-2+m}*\text{Sin}[c+d*x])/d*(1-m)*(2-m)) - (a^2*\text{Sec}[c+d*x]^{-2+m}*(b+a*\text{Sec}[c+d*x])*\text{Sin}[c+d*x])/d*(1-m) - (b*(b^2*(2-m)+3*a^2*(3-m))*\text{Hypergeometric2F1}[1/2, (4-m)/2, (6-m)/2, \text{Cos}[c+d*x]^2]*\text{Sec}[c+d*x]^{-4+m}*\text{Sin}[c+d*x])/d*(2-m)*(4-m)*\text{Sqrt}[\text{Sin}[c+d*x]^2]) - (a*(3*b^2*(1-m)+a^2*(2-m))*\text{Hypergeometric2F1}[1/2, (3-m)/2, (5-m)/2, \text{Cos}[c+d*x]^2]*\text{Sec}[c+d*x]^{-3+m}*\text{Sin}[c+d*x])/d*(1-m)*(3-m)*\text{Sqrt}[\text{Sin}[c+d*x]^2])$

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegerQ[n, p]

#### Rule 3772

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(b\*Csc[c + d\*x])^(n - 1)\*((Sin[c + d\*x]/b)^(n - 1)\*Int[1/(Sin[c + d\*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

#### Rule 3842

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] :> -Simp[(b^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 2))\*(d\*Csc[e + f\*x])^n/(f\*(m + n - 1)), x] + Dist[1/(d\*(m + n - 1)), Int[(a + b\*Csc[e + f\*x])^(m - 3)\*(d\*Csc[e + f\*x])^n\*Simp[a^3\*d\*(m + n - 1) + a\*b^2

```
*d*n + b*(b^2*d*(m + n - 2) + 3*a^2*d*(m + n - 1))*Csc[e + f*x] + a*b^2*d*(
3*m + 2*n - 4)*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, n}, x] &
& NeQ[a^2 - b^2, 0] && GtQ[m, 2] && (IntegerQ[m] || IntegersQ[2*m, 2*n]) &&
!(IGtQ[n, 2] && !IntegerQ[m])
```

#### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 \sec^m(c + dx) dx &= \int \sec^{-3+m}(c + dx)(b + a \sec(c + dx))^3 dx \\
&= -\frac{a^2 \sec^{-2+m}(c + dx)(b + a \sec(c + dx)) \sin(c + dx)}{d(1 - m)} + \frac{\int \sec^{-3+m}(c + dx)(b + a \sec(c + dx))^3 dx}{d(1 - m)} \\
&= -\frac{a^2 \sec^{-2+m}(c + dx)(b + a \sec(c + dx)) \sin(c + dx)}{d(1 - m)} + \left( a \left( 3b^2 + \frac{a^2(2 - m)}{1 - m} \right) \int \sec^{-3+m}(c + dx)(b + a \sec(c + dx))^2 dx \right. \\
&= -\frac{a^2 b(1 - 2m) \sec^{-2+m}(c + dx) \sin(c + dx)}{d(1 - m)(2 - m)} - \frac{a^2 \sec^{-2+m}(c + dx)(b + a \sec(c + dx))^2}{d(1 - m)} \\
&= -\frac{a^2 b(1 - 2m) \sec^{-2+m}(c + dx) \sin(c + dx)}{d(1 - m)(2 - m)} - \frac{a^2 \sec^{-2+m}(c + dx)(b + a \sec(c + dx))^2}{d(1 - m)} \\
&= -\frac{a^2 b(1 - 2m) \sec^{-2+m}(c + dx) \sin(c + dx)}{d(1 - m)(2 - m)} - \frac{a^2 \sec^{-2+m}(c + dx)(b + a \sec(c + dx))^2}{d(1 - m)}
\end{aligned}$$

**Mathematica [A]** time = 0.88, size = 222, normalized size = 0.79

$$\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{m-4}(c + dx) \left( \frac{1}{2} a(m-3) \sec^3(c + dx) \left( 2a(m-2) \left( a(m-1) {}_2F_1 \left( \frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \sec^2(c + dx) \right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*Sec[c + d*x]^m,x]
```

```
[Out] (Csc[c + d*x]*Sec[c + d*x]^(-4 + m)*(b^3*m*(2 - 3*m + m^2)*Hypergeometric2F
1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[c + d*x]^2] + (a*(-3 + m)*(6*b^2*(-1 + m)
)*m*Cos[c + d*x]^2*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[c + d*x]^2]
+ 2*a*(-2 + m)*(3*b*m*Cos[c + d*x]*Hypergeometric2F1[1/2, (-1 + m)/2, (1 +
m)/2, Sec[c + d*x]^2] + a*(-1 + m)*Hypergeometric2F1[1/2, m/2, (2 + m)/2, S
ec[c + d*x]^2]))*Sec[c + d*x]^3/2)*Sqrt[-Tan[c + d*x]^2])/(d*(-3 + m)*(-2
+ m)*(-1 + m)*m)
```

**fricas [F]** time = 0.97, size = 0, normalized size = 0.00

$$\text{integral} \left( (b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^m,x, algorithm="fricas")

[Out] integral((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^m,x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^m, x)

maple [F] time = 1.51, size = 0, normalized size = 0.00

$$\int (a + b \cos(dx + c))^3 (\sec^m(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^m,x)

[Out] int((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^m,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*sec(d\*x+c)^m,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^m (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^m\*(a + b\*cos(c + d\*x))^3,x)

[Out] int((1/cos(c + d\*x))^m\*(a + b\*cos(c + d\*x))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^3 \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*sec(d\*x+c)\*\*m,x)

[Out] Integral((a + b\*cos(c + d\*x))\*\*3\*sec(c + d\*x)\*\*m, x)



### 3.776 $\int (a + b \cos(c + dx))^2 \sec^m(c + dx) dx$

**Optimal.** Leaf size=200

$$\frac{(a^2(2-m) + b^2(1-m)) \sin(c + dx) \sec^{m-3}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(c + dx)\right)}{d(1-m)(3-m)\sqrt{\sin^2(c + dx)}} - \frac{a^2 \sin(c + dx) \sec^{m-1}(c + dx)}{d(1-m)}$$

[Out]  $-a^2 \sec(dx+c)^{-1+m} \sin(dx+c)/d/(1-m) - (b^2(1-m) + a^2(2-m)) \operatorname{hypergeom}\left(\left[\frac{1}{2}, \frac{3}{2}-\frac{1}{2}m\right], \left[\frac{5}{2}-\frac{1}{2}m\right], \cos(dx+c)^2\right) \sec(dx+c)^{-3+m} \sin(dx+c)/d/(m^2-4m+3) / (\sin(dx+c)^2)^{(1/2)} - 2ab \operatorname{hypergeom}\left(\left[\frac{1}{2}, 1-\frac{1}{2}m\right], \left[\frac{3}{2}-\frac{1}{2}m\right], \cos(dx+c)^2\right) \sec(dx+c)^{-2+m} \sin(dx+c)/d/(2-m) / (\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.19, antiderivative size = 200, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.238$ , Rules used = {3238, 3788, 3772, 2643, 4046}

$$\frac{(a^2(2-m) + b^2(1-m)) \sin(c + dx) \sec^{m-3}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(c + dx)\right)}{d(1-m)(3-m)\sqrt{\sin^2(c + dx)}} - \frac{a^2 \sin(c + dx) \sec^{m-1}(c + dx)}{d(1-m)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cos[c + dx])^2 \sec[c + dx]^m, x]$

[Out]  $-((a^2 \sec[c + dx]^{-1+m} \sin[c + dx]) / (d(1-m))) - ((b^2(1-m) + a^2(2-m)) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(3-m)}{2}, \frac{(5-m)}{2}, \cos[c + dx]^2\right] \sec[c + dx]^{-3+m} \sin[c + dx]) / (d(1-m)(3-m) \sqrt{\sin[c + dx]^2}) - (2ab \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2-m)}{2}, \frac{(4-m)}{2}, \cos[c + dx]^2\right] \sec[c + dx]^{-2+m} \sin[c + dx]) / (d(2-m) \sqrt{\sin[c + dx]^2})$

#### Rule 2643

$\text{Int}[(b \sin(c + dx) + d(x))^{n-1}, x\_Symbol] := \text{Simp}[(\cos[c + dx] * (b \sin[c + dx])^{n+1} \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(n+1)}{2}, \frac{(n+3)}{2}, \sin[c + dx]^2\right]) / (b*d*(n+1) \sqrt{\cos[c + dx]^2}), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 3238

$\text{Int}[(\csc(e + dx) + (f(x)) * (d))^{m-1} * ((a) + (b \sin(e + dx) + (f(x)) * (x))^{n-1})^{p-1}, x\_Symbol] := \text{Dist}[d^{n*p}, \text{Int}[(d \csc[e + f*x])^{m-n*p} * (b + a \csc[e + f*x]^n)^p, x] /;$  FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3772

$\text{Int}[(\csc(c + dx) + (d(x)) * (b))^{n-1}, x\_Symbol] := \text{Simp}[(b \csc[c + dx])^{n-1} * ((\sin[c + dx]/b)^{n-1} \text{Int}[1/(\sin[c + dx]/b)^n, x]) /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

#### Rule 3788

$\text{Int}[(\csc(e + dx) + (f(x)) * (d))^{n-1} * (\csc(e + dx) + (f(x)) * (x)) * (b) + (a)^2, x\_Symbol] := \text{Dist}[(2*a*b)/d, \text{Int}[(d \csc[e + f*x])^{n+1}, x] /;$  FreeQ[{a, b, d, e, f, n}, x]

#### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 \sec^m(c + dx) dx &= \int \sec^{-2+m}(c + dx)(b + a \sec(c + dx))^2 dx \\ &= (2ab) \int \sec^{-1+m}(c + dx) dx + \int \sec^{-2+m}(c + dx) (b^2 + a^2 \sec^2(c + dx)) dx \\ &= -\frac{a^2 \sec^{-1+m}(c + dx) \sin(c + dx)}{d(1 - m)} + \left(b^2 + \frac{a^2(2 - m)}{1 - m}\right) \int \sec^{-2+m}(c + dx) dx \\ &= -\frac{a^2 \sec^{-1+m}(c + dx) \sin(c + dx)}{d(1 - m)} - \frac{2ab {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(c + dx)\right) \sqrt{\sin^2(c + dx)}}{d(2 - m)\sqrt{\sin^2(c + dx)}} \\ &= -\frac{a^2 \sec^{-1+m}(c + dx) \sin(c + dx)}{d(1 - m)} - \frac{\left(b^2 + \frac{a^2(2-m)}{1-m}\right) {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(c + dx)\right) \sqrt{\sin^2(c + dx)}}{d(3 - m)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.34, size = 159, normalized size = 0.80

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{m-3}(c + dx) \left(a(m-2) \sec^2(c + dx) \left(a(m-1) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \sec^2(c + dx)\right) + 2bm\right)\right)}{d(m-2)(m-1)m}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*Sec[c + d*x]^m,x]
```

```
[Out] (Csc[c + d*x]*Sec[c + d*x]^(-3 + m)*(b^2*(-1 + m)*m*Hypergeometric2F1[1/2,
(-2 + m)/2, m/2, Sec[c + d*x]^2] + a*(-2 + m)*(2*b*m*Cos[c + d*x]*Hypergeom
etric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[c + d*x]^2] + a*(-1 + m)*Hypergeom
etric2F1[1/2, m/2, (2 + m)/2, Sec[c + d*x]^2])*Sec[c + d*x]^2)*Sqrt[-Tan[c
+ d*x]^2])/(d*(-2 + m)*(-1 + m)*m)
```

**fricas [F]** time = 1.89, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2\right) \sec(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^m,x, algorithm="fricas")
```

```
[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sec(d*x + c)^m, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^m,x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^2*sec(d*x + c)^m, x)
```

**maple [F]** time = 1.30, size = 0, normalized size = 0.00

$$\int (a + b \cos(dx + c))^2 (\sec^m(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*sec(d*x+c)^m,x)`

[Out] `int((a+b*cos(d*x+c))^2*sec(d*x+c)^m,x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*sec(d*x+c)^m,x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^2*sec(d*x + c)^m, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left( \frac{1}{\cos(c + dx)} \right)^m (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1/cos(c + d*x))^m*(a + b*cos(c + d*x))^2,x)`

[Out] `int((1/cos(c + d*x))^m*(a + b*cos(c + d*x))^2, x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx))^2 \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**2*sec(d*x+c)**m,x)`

[Out] `Integral((a + b*cos(c + d*x))**2*sec(c + d*x)**m, x)`

### 3.777 $\int (a + b \cos(c + dx)) \sec^m(c + dx) dx$

**Optimal.** Leaf size=143

$$\frac{a \sin(c + dx) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(c + dx)\right)}{d(1-m)\sqrt{\sin^2(c + dx)}} - \frac{b \sin(c + dx) \sec^{m-2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(c + dx)\right)}{d(2-m)\sqrt{\sin^2(c + dx)}}$$

[Out] -b\*hypergeom([1/2, 1-1/2\*m], [2-1/2\*m], cos(d\*x+c)^2)\*sec(d\*x+c)^(-2+m)\*sin(d\*x+c)/d/(2-m)/(sin(d\*x+c)^2)^(1/2)-a\*hypergeom([1/2, 1/2-1/2\*m], [3/2-1/2\*m], cos(d\*x+c)^2)\*sec(d\*x+c)^(-1+m)\*sin(d\*x+c)/d/(1-m)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.11, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.210$ , Rules used = {3238, 3787, 3772, 2643}

$$\frac{a \sin(c + dx) \sec^{m-1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(c + dx)\right)}{d(1-m)\sqrt{\sin^2(c + dx)}} - \frac{b \sin(c + dx) \sec^{m-2}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(c + dx)\right)}{d(2-m)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^m,x]

[Out] -((b\*Hypergeometric2F1[1/2, (2 - m)/2, (4 - m)/2, Cos[c + d\*x]^2]\*Sec[c + d\*x]^(-2 + m)\*Sin[c + d\*x])/(d\*(2 - m)\*Sqrt[Sin[c + d\*x]^2])) - (a\*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[c + d\*x]^2]\*Sec[c + d\*x]^(-1 + m)\*Sin[c + d\*x])/(d\*(1 - m)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 3238

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(m\_)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.))^(p\_.), x\_Symbol] :> Dist[d^(n\*p), Int[(d\*Csc[e + f\*x])^(m - n\*p)\*(b + a\*Csc[e + f\*x]^n)^p, x], x] /; FreeQ[{a, b, d, e, f, m, n, p}, x] && !IntegerQ[m] && IntegersQ[n, p]

#### Rule 3772

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(b\*Csc[c + d\*x])^(n - 1)\*((Sin[c + d\*x]/b)^(n - 1)\*Int[1/(Sin[c + d\*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx)) \sec^m(c + dx) dx &= \int \sec^{-1+m}(c + dx)(b + a \sec(c + dx)) dx \\
&= a \int \sec^m(c + dx) dx + b \int \sec^{-1+m}(c + dx) dx \\
&= (a \cos^m(c + dx) \sec^m(c + dx)) \int \cos^{-m}(c + dx) dx + (b \cos^m(c + dx) \sec^m(c + dx)) \int \sec^{-1+m}(c + dx) dx \\
&= \frac{b {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(c + dx)\right) \sec^{-2+m}(c + dx) \sin(c + dx)}{d(2-m)\sqrt{\sin^2(c + dx)}} - \frac{a {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \sec^2(c + dx)\right) \sec^{2-m}(c + dx) \tan(c + dx)}{d(m-1)\sqrt{\sin^2(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 107, normalized size = 0.75

$$\frac{\sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec^{m-1}(c + dx) \left( a(m-1) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \sec^2(c + dx)\right) + bm \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{m}{2}; \frac{m+2}{2}; \sec^2(c + dx)\right) \right)}{d(m-1)m}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^m, x]

[Out] (Csc[c + d\*x]\*(b\*m\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[c + d\*x]^2] + a\*(-1 + m)\*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[c + d\*x]^2])\*Sec[c + d\*x]^(-1 + m)\*Sqrt[-Tan[c + d\*x]^2])/(d\*(-1 + m)\*m)

**fricas [F]** time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left( (b \cos(dx + c) + a) \sec(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^m, x, algorithm="fricas")

[Out] integral((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^m, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^m, x, algorithm="giac")

[Out] integrate((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^m, x)

**maple [F]** time = 1.10, size = 0, normalized size = 0.00

$$\int (a + b \cos(dx + c)) (\sec^m(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^m, x)

[Out] int((a+b\*cos(d\*x+c))\*sec(d\*x+c)^m, x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) \sec(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)^m,x, algorithm="maxima")

[Out] integrate((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left( \frac{1}{\cos(c + dx)} \right)^m (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1/cos(c + d\*x))^m\*(a + b\*cos(c + d\*x)),x)

[Out] int((1/cos(c + d\*x))^m\*(a + b\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \cos(c + dx)) \sec^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*sec(d\*x+c)\*\*m,x)

[Out] Integral((a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*m, x)

$$3.778 \quad \int \frac{\sqrt{1-\cos(x)}}{\sqrt{a-\cos(x)}} dx$$

Optimal. Leaf size=26

$$-2 \tan^{-1} \left( \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right)$$

[Out]  $-2*\arctan(\sin(x)/(1-\cos(x))^{(1/2)/(a-\cos(x))^{(1/2)})}$

**Rubi [A]** time = 0.08, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2775, 204}

$$-2 \tan^{-1} \left( \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[1 - Cos[x]]/Sqrt[a - Cos[x]], x]

[Out]  $-2*\text{ArcTan}[\text{Sin}[x]/(\text{Sqrt}[1 - \text{Cos}[x]]*\text{Sqrt}[a - \text{Cos}[x]])]$

Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x])]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{1-\cos(x)}}{\sqrt{a-\cos(x)}} dx &= 2 \text{Subst} \left( \int \frac{1}{-1-x^2} dx, x, \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right) \\ &= -2 \tan^{-1} \left( \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right) \end{aligned}$$

**Mathematica [C]** time = 0.08, size = 47, normalized size = 1.81

$$i\sqrt{2-2\cos(x)} \csc\left(\frac{x}{2}\right) \log\left(\sqrt{a-\cos(x)} + i\sqrt{2}\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[1 - Cos[x]]/Sqrt[a - Cos[x]], x]

[Out]  $I*\text{Sqrt}[2 - 2*\text{Cos}[x]]*\text{Csc}[x/2]*\text{Log}[I*\text{Sqrt}[2]*\text{Cos}[x/2] + \text{Sqrt}[a - \text{Cos}[x]]]$

**fricas [A]** time = 1.85, size = 30, normalized size = 1.15

$$\arctan\left(\frac{(a-2\cos(x)-1)\sqrt{-\cos(x)+1}}{2\sqrt{a-\cos(x)}\sin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x))^(1/2)/(a-cos(x))^(1/2),x, algorithm="fricas")

[Out] arctan(1/2\*(a - 2\*cos(x) - 1)\*sqrt(-cos(x) + 1)/(sqrt(a - cos(x))\*sin(x)))

**giac** [B] time = 0.53, size = 71, normalized size = 2.73

$$4 \arctan\left(-\frac{1}{4}\sqrt{2}\left(\sqrt{a-1}\tan\left(\frac{1}{4}x\right)^2 - \sqrt{a}\tan\left(\frac{1}{4}x\right)^4 - \tan\left(\frac{1}{4}x\right)^4 + 2a\tan\left(\frac{1}{4}x\right)^2 + 6\tan\left(\frac{1}{4}x\right)^2 + a - 1 + \sqrt{a}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x))^(1/2)/(a-cos(x))^(1/2),x, algorithm="giac")

[Out] 4\*arctan(-1/4\*sqrt(2)\*(sqrt(a - 1)\*tan(1/4\*x)^2 - sqrt(a\*tan(1/4\*x)^4 - tan(1/4\*x)^4 + 2\*a\*tan(1/4\*x)^2 + 6\*tan(1/4\*x)^2 + a - 1) + sqrt(a - 1)))\*sgn(sin(1/2\*x))

**maple** [B] time = 0.19, size = 67, normalized size = 2.58

$$\frac{(2 - 2 \cos(x))^{\frac{3}{2}} \sqrt{a - \cos(x)} \arctan\left(\frac{\sqrt{\frac{-2(-a+\cos(x))}{\cos(x)+1}} \sqrt{2}}{2}\right)}{\sin(x) (-1 + \cos(x)) \sqrt{-\frac{2(-a+\cos(x))}{\cos(x)+1}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1-cos(x))^(1/2)/(a-cos(x))^(1/2),x)

[Out] -(2-2\*cos(x))^(3/2)\*(a-cos(x))^(1/2)\*arctan(1/2\*(-2\*(-a+cos(x))/(cos(x)+1))^(1/2)\*2^(1/2))/sin(x)/(-1+cos(x))/(-2\*(-a+cos(x))/(cos(x)+1))^(1/2)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1-cos(x))^(1/2)/(a-cos(x))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a-1>0)', see `assume?` for more details)Is a-1 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{1 - \cos(x)}}{\sqrt{a - \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1 - cos(x))^(1/2)/(a - cos(x))^(1/2),x)

[Out] int((1 - cos(x))^(1/2)/(a - cos(x))^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{1 - \cos(x)}}{\sqrt{a - \cos(x)}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((1-cos(x))**(1/2)/(a-cos(x))**(1/2),x)
```

```
[Out] Integral(sqrt(1 - cos(x))/sqrt(a - cos(x)), x)
```

$$3.779 \quad \int \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} dx$$

Optimal. Leaf size=65

$$\frac{2\sqrt{\frac{1-\cos(x)}{a-\cos(x)}} \sqrt{a-\cos(x)} \tan^{-1}\left(\frac{\sin(x)}{\sqrt{1-\cos(x)}\sqrt{a-\cos(x)}}\right)}{\sqrt{1-\cos(x)}}$$

[Out]  $-2*\arctan(\sin(x)/(1-\cos(x))^{(1/2)/(a-\cos(x))^{(1/2))}*((1-\cos(x))/(a-\cos(x)))^{(1/2)*(a-\cos(x))^{(1/2)/(1-\cos(x))^{(1/2)}}$

**Rubi [A]** time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$ , Rules used = {4400, 2775, 204}

$$\frac{2\sqrt{\frac{1-\cos(x)}{a-\cos(x)}} \sqrt{a-\cos(x)} \tan^{-1}\left(\frac{\sin(x)}{\sqrt{1-\cos(x)}\sqrt{a-\cos(x)}}\right)}{\sqrt{1-\cos(x)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[(1 - Cos[x])/(a - Cos[x])], x]

[Out]  $(-2*\text{ArcTan}[\text{Sin}[x]/(\text{Sqrt}[1 - \text{Cos}[x]]*\text{Sqrt}[a - \text{Cos}[x]])]*\text{Sqrt}[(1 - \text{Cos}[x])/(a - \text{Cos}[x])]*\text{Sqrt}[a - \text{Cos}[x]])/\text{Sqrt}[1 - \text{Cos}[x]]$

#### Rule 204

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]\*x)/Rt[-a, 2]]/(Rt[-a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

#### Rule 2775

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b + d\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 4400

Int[(u\_.)\*((v\_)^(m\_.)\*(w\_)^(n\_.))^p, x\_Symbol] :> With[{uu = ActivateTrig[u], vv = ActivateTrig[v], ww = ActivateTrig[w]}, Dist[(vv^m\*ww^n)^FracPart[p]/(vv^(m\*FracPart[p])\*ww^(n\*FracPart[p])), Int[uu\*vv^(m\*p)\*ww^(n\*p), x], x] /; FreeQ[{m, n, p}, x] && !IntegerQ[p] && (!InertTrigFreeQ[v] || !InertTrigFreeQ[w])

#### Rubi steps

$$\begin{aligned} \int \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} dx &= \frac{\left( \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} \sqrt{a-\cos(x)} \right) \int \frac{\sqrt{1-\cos(x)}}{\sqrt{a-\cos(x)}} dx}{\sqrt{1-\cos(x)}} \\ &= \frac{\left( 2\sqrt{\frac{1-\cos(x)}{a-\cos(x)}} \sqrt{a-\cos(x)} \right) \text{Subst} \left( \int \frac{1}{-1-x^2} dx, x, \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right)}{\sqrt{1-\cos(x)}} \\ &= \frac{2 \tan^{-1} \left( \frac{\sin(x)}{\sqrt{1-\cos(x)} \sqrt{a-\cos(x)}} \right) \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} \sqrt{a-\cos(x)}}{\sqrt{1-\cos(x)}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 64, normalized size = 0.98

$$-\sqrt{2} \csc\left(\frac{x}{2}\right) \sqrt{\frac{\cos(x)-1}{\cos(x)-a}} \sqrt{\cos(x)-a} \log\left(\sqrt{\cos(x)-a} + \sqrt{2} \cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[(1 - Cos[x])/(a - Cos[x])], x]

[Out] -(Sqrt[2]\*Sqrt[(-1 + Cos[x])]/(-a + Cos[x]))\*Sqrt[-a + Cos[x]]\*Csc[x/2]\*Log[Sqrt[2]\*Cos[x/2] + Sqrt[-a + Cos[x]]]

**fricas [A]** time = 1.47, size = 32, normalized size = 0.49

$$-\arctan\left(\frac{(a - 2 \cos(x) - 1) \sqrt{\frac{\cos(x)-1}{a-\cos(x)}}}{2 \sin(x)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((1-cos(x))/(a-cos(x)))^(1/2), x, algorithm="fricas")

[Out] -arctan(-1/2\*(a - 2\*cos(x) - 1)\*sqrt(-(cos(x) - 1)/(a - cos(x)))/sin(x))

**giac [A]** time = 0.86, size = 46, normalized size = 0.71

$$2 \arctan\left(\frac{1}{2} \sqrt{2} \sqrt{a \tan\left(\frac{1}{2} x\right)^2 + \tan\left(\frac{1}{2} x\right)^2 + a - 1}\right) \operatorname{sgn}\left(\tan\left(\frac{1}{2} x\right)^3 + \tan\left(\frac{1}{2} x\right)\right) \operatorname{sgn}(a - \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(((1-cos(x))/(a-cos(x)))^(1/2), x, algorithm="giac")

[Out] 2\*arctan(1/2\*sqrt(2)\*sqrt(a\*tan(1/2\*x)^2 + tan(1/2\*x)^2 + a - 1))\*sgn(tan(1/2\*x)^3 + tan(1/2\*x))\*sgn(a - cos(x))

**maple [A]** time = 0.14, size = 67, normalized size = 1.03

$$\frac{\sqrt{2} \sqrt{\frac{-1+\cos(x)}{-a+\cos(x)}} \sin(x) \sqrt{\frac{2(-a+\cos(x))}{\cos(x)+1}} \arctan\left(\frac{\sqrt{\frac{2(-a+\cos(x))}{\cos(x)+1}} \sqrt{2}}{2}\right)}{-1 + \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((1-cos(x))/(a-cos(x)))^(1/2),x)`

[Out] `-2^(1/2)*((-1+cos(x))/(-a+cos(x)))^(1/2)*sin(x)*(-2*(-a+cos(x))/(cos(x)+1))^(1/2)*arctan(1/2*(-2*(-a+cos(x))/(cos(x)+1))^(1/2)*2^(1/2))/(-1+cos(x))`

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((1-cos(x))/(a-cos(x)))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(a-1>0)', see `assume?` for more details)Is a-1 zero or nonzero?

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sqrt{-\frac{\cos(x)-1}{a-\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((-cos(x)-1)/(a-cos(x)))^(1/2),x)`

[Out] `int((-cos(x)-1)/(a-cos(x)))^(1/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\frac{1-\cos(x)}{a-\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(((1-cos(x))/(a-cos(x)))**(1/2),x)`

[Out] `Integral(sqrt((1-cos(x))/(a-cos(x))), x)`

$$3.780 \quad \int (a + a \cos(c + dx)) \left( -\frac{B}{2} + B \cos(c + dx) \right) dx$$

Optimal. Leaf size=37

$$\frac{aB \sin(c + dx)}{2d} + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] 1/2\*a\*B\*sin(d\*x+c)/d+1/2\*a\*B\*cos(d\*x+c)\*sin(d\*x+c)/d

**Rubi** [A] time = 0.02, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$ , Rules used = {2734}

$$\frac{aB \sin(c + dx)}{2d} + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(-B/2 + B\*Cos[c + d\*x]),x]

[Out] (a\*B\*Sin[c + d\*x])/(2\*d) + (a\*B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rubi steps

$$\int (a + a \cos(c + dx)) \left( -\frac{B}{2} + B \cos(c + dx) \right) dx = \frac{aB \sin(c + dx)}{2d} + \frac{aB \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica** [A] time = 0.06, size = 29, normalized size = 0.78

$$\frac{aB(2 \sin(c + dx) + \sin(2(c + dx)) + 2c)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(-1/2\*B + B\*Cos[c + d\*x]),x]

[Out] (a\*B\*(2\*c + 2\*Sin[c + d\*x] + Sin[2\*(c + d\*x)]))/(4\*d)

**fricas** [A] time = 0.74, size = 24, normalized size = 0.65

$$\frac{(Ba \cos(dx + c) + Ba) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(-1/2\*B+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/2\*(B\*a\*cos(d\*x + c) + B\*a)\*sin(d\*x + c)/d

**giac** [A] time = 0.50, size = 30, normalized size = 0.81

$$\frac{Ba \sin(2dx + 2c)}{4d} + \frac{Ba \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(-1/2\*B+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/4\*B\*a\*sin(2\*d\*x + 2\*c)/d + 1/2\*B\*a\*sin(d\*x + c)/d

**maple** [A] time = 0.05, size = 51, normalized size = 1.38

$$\frac{2aB \left( \frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aB \sin(dx+c) - aB(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))\*(-1/2\*B+B\*cos(d\*x+c)),x)

[Out] 1/2/d\*(2\*a\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a\*B\*sin(d\*x+c)-a\*B\*(d\*x+c))

**maxima** [A] time = 0.32, size = 45, normalized size = 1.22

$$\frac{(2dx + 2c + \sin(2dx + 2c))Ba - 2(dx + c)Ba + 2Ba \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(-1/2\*B+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/4\*((2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a - 2\*(d\*x + c)\*B\*a + 2\*B\*a\*sin(d\*x + c))/d

**mupad** [B] time = 0.63, size = 25, normalized size = 0.68

$$\frac{Ba (2 \sin(c + dx) + \sin(2c + 2dx))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(B/2 - B\*cos(c + d\*x))\*(a + a\*cos(c + d\*x)),x)

[Out] (B\*a\*(2\*sin(c + d\*x) + sin(2\*c + 2\*d\*x)))/(4\*d)

**sympy** [A] time = 0.28, size = 87, normalized size = 2.35

$$\left\{ \begin{array}{ll} \frac{Bax \sin^2(c+dx)}{2} + \frac{Bax \cos^2(c+dx)}{2} - \frac{Bax}{2} + \frac{Ba \sin(c+dx)\cos(c+dx)}{2d} + \frac{Ba \sin(c+dx)}{2d} & \text{for } d \neq 0 \\ x \left( B \cos(c) - \frac{B}{2} \right) (a \cos(c) + a) & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(-1/2\*B+B\*cos(d\*x+c)),x)

[Out] Piecewise((B\*a\*x\*sin(c + d\*x)\*\*2/2 + B\*a\*x\*cos(c + d\*x)\*\*2/2 - B\*a\*x/2 + B\*a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + B\*a\*sin(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(B\*cos(c) - B/2)\*(a\*cos(c) + a), True))

$$3.781 \quad \int (a + a \cos(c + dx))^4 \left( -\frac{4B}{5} + B \cos(c + dx) \right) dx$$

Optimal. Leaf size=26

$$\frac{B \sin(c + dx)(a \cos(c + dx) + a)^4}{5d}$$

[Out] 1/5\*B\*(a+a\*cos(d\*x+c))^4\*sin(d\*x+c)/d

Rubi [A] time = 0.03, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2749}

$$\frac{B \sin(c + dx)(a \cos(c + dx) + a)^4}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*((-4\*B)/5 + B\*Cos[c + d\*x]),x]

[Out] (B\*(a + a\*Cos[c + d\*x])^4\*Sin[c + d\*x])/(5\*d)

Rule 2749

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && EqQ[a\*d\*m + b\*c\*(m + 1), 0]

Rubi steps

$$\int (a + a \cos(c + dx))^4 \left( -\frac{4B}{5} + B \cos(c + dx) \right) dx = \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d}$$

Mathematica [A] time = 0.21, size = 31, normalized size = 1.19

$$\frac{a^4 B \sin^9(c + dx) \csc^8\left(\frac{1}{2}(c + dx)\right)}{80d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*((-4\*B)/5 + B\*Cos[c + d\*x]),x]

[Out] (a^4\*B\*Csc[(c + d\*x)/2]^8\*Sin[c + d\*x]^9)/(80\*d)

fricas [B] time = 0.82, size = 70, normalized size = 2.69

$$\frac{(Ba^4 \cos(dx + c)^4 + 4Ba^4 \cos(dx + c)^3 + 6Ba^4 \cos(dx + c)^2 + 4Ba^4 \cos(dx + c) + Ba^4) \sin(dx + c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(-4/5\*B+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/5\*(B\*a^4\*cos(d\*x + c)^4 + 4\*B\*a^4\*cos(d\*x + c)^3 + 6\*B\*a^4\*cos(d\*x + c)^2 + 4\*B\*a^4\*cos(d\*x + c) + B\*a^4)\*sin(d\*x + c)/d

giac [B] time = 0.40, size = 88, normalized size = 3.38

$$\frac{Ba^4 \sin(5dx + 5c)}{80d} + \frac{Ba^4 \sin(4dx + 4c)}{10d} + \frac{27Ba^4 \sin(3dx + 3c)}{80d} + \frac{3Ba^4 \sin(2dx + 2c)}{5d} + \frac{21Ba^4 \sin(dx + c)}{40d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(-4/5\*B+B\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $1/80*B*a^4*\sin(5*d*x + 5*c)/d + 1/10*B*a^4*\sin(4*d*x + 4*c)/d + 27/80*B*a^4*\sin(3*d*x + 3*c)/d + 3/5*B*a^4*\sin(2*d*x + 2*c)/d + 21/40*B*a^4*\sin(d*x + c)/d$

**maple** [B] time = 0.06, size = 150, normalized size = 5.77

$$\frac{a^4 B \left( \frac{8}{3} + \cos^4(dx+c) + \frac{4(\cos^2(dx+c))}{3} \right) \sin(dx+c) + 16a^4 B \left( \frac{(\cos^3(dx+c) + \frac{3\cos(dx+c)}{2}) \sin(dx+c)}{4} + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{14a^4 B(2+\cos^2(dx+c))}{5d}}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^4\*(-4/5\*B+B\*cos(d\*x+c)),x)

[Out]  $1/5/d*(a^4*B*(8/3+\cos(d*x+c)^4+4/3*\cos(d*x+c)^2)*\sin(d*x+c)+16*a^4*B*(1/4*(\cos(d*x+c)^3+3/2*\cos(d*x+c))*\sin(d*x+c)+3/8*d*x+3/8*c)+14/3*a^4*B*(2+\cos(d*x+c)^2)*\sin(d*x+c)-4*a^4*B*(1/2*\cos(d*x+c))*\sin(d*x+c)+1/2*d*x+1/2*c)-11*a^4*B*\sin(d*x+c)-4*a^4*B*(d*x+c))$

**maxima** [B] time = 0.34, size = 144, normalized size = 5.54

$$\frac{2(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Ba^4 - 28(\sin(dx+c)^3 - 3 \sin(dx+c))Ba^4 + 3(12 dx + 12c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(-4/5\*B+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $1/30*(2*(3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c))*B*a^4 - 28*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a^4 + 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^4 - 6*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^4 - 24*(d*x + c)*B*a^4 - 66*B*a^4*\sin(d*x + c))/d$

**mupad** [B] time = 0.68, size = 29, normalized size = 1.12

$$\frac{32 B a^4 \cos\left(\frac{c}{2} + \frac{dx}{2}\right)^9 \sin\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-((4\*B)/5 - B\*cos(c + d\*x))\*(a + a\*cos(c + d\*x))^4,x)

[Out]  $(32*B*a^4*\cos(c/2 + (d*x)/2)^9*\sin(c/2 + (d*x)/2))/(5*d)$

**sympy** [A] time = 2.46, size = 333, normalized size = 12.81

$$\left\{ \begin{array}{l} \frac{6Ba^4x \sin^4(c+dx)}{5} + \frac{12Ba^4x \sin^2(c+dx) \cos^2(c+dx)}{5} - \frac{2Ba^4x \sin^2(c+dx)}{5} + \frac{6Ba^4x \cos^4(c+dx)}{5} - \frac{2Ba^4x \cos^2(c+dx)}{5} - \frac{4Ba^4x}{5} + \frac{8Ba^4 \sin^5(c+dx)}{15d} \\ x \left( B \cos(c) - \frac{4B}{5} \right) (a \cos(c) + a)^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(-4/5\*B+B\*cos(d\*x+c)),x)

[Out]  $\text{Piecewise}((6*B*a**4*x*\sin(c + d*x)**4/5 + 12*B*a**4*x*\sin(c + d*x)**2*\cos(c + d*x)**2/5 - 2*B*a**4*x*\sin(c + d*x)**2/5 + 6*B*a**4*x*\cos(c + d*x)**4/5$



```

- 2*B*a**4*x*cos(c + d*x)**2/5 - 4*B*a**4*x/5 + 8*B*a**4*sin(c + d*x)**5/(1
5*d) + 4*B*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 6*B*a**4*sin(c + d*
x)**3*cos(c + d*x)/(5*d) + 28*B*a**4*sin(c + d*x)**3/(15*d) + B*a**4*sin(c
+ d*x)*cos(c + d*x)**4/d + 2*B*a**4*sin(c + d*x)*cos(c + d*x)**3/d + 14*B*a
**4*sin(c + d*x)*cos(c + d*x)**2/(5*d) - 2*B*a**4*sin(c + d*x)*cos(c + d*x)
/(5*d) - 11*B*a**4*sin(c + d*x)/(5*d), Ne(d, 0)), (x*(B*cos(c) - 4*B/5)*(a*
cos(c) + a)**4, True))

```

$$3.782 \quad \int (a + a \cos(c + dx))^n \left( -\frac{Bn}{1+n} + B \cos(c + dx) \right) dx$$

Optimal. Leaf size=28

$$\frac{B \sin(c + dx)(a \cos(c + dx) + a)^n}{d(n + 1)}$$

[Out] B\*(a+a\*cos(d\*x+c))^n\*sin(d\*x+c)/d/(1+n)

Rubi [A] time = 0.04, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.032$ , Rules used = {2749}

$$\frac{B \sin(c + dx)(a \cos(c + dx) + a)^n}{d(n + 1)}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^n\*(-((B\*n)/(1 + n)) + B\*Cos[c + d\*x]),x]

[Out] (B\*(a + a\*Cos[c + d\*x])^n\*Sin[c + d\*x])/(d\*(1 + n))

Rule 2749

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && EqQ[a\*d\*m + b\*c\*(m + 1), 0]

Rubi steps

$$\int (a + a \cos(c + dx))^n \left( -\frac{Bn}{1+n} + B \cos(c + dx) \right) dx = \frac{B(a + a \cos(c + dx))^n \sin(c + dx)}{d(1 + n)}$$

Mathematica [A] time = 0.20, size = 28, normalized size = 1.00

$$\frac{B \sin(c + dx)(a(\cos(c + dx) + 1))^n}{d(n + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^n\*(-((B\*n)/(1 + n)) + B\*Cos[c + d\*x]),x]

[Out] (B\*(a\*(1 + Cos[c + d\*x]))^n\*Sin[c + d\*x])/(d\*(1 + n))

fricas [A] time = 1.44, size = 27, normalized size = 0.96

$$\frac{(a \cos(dx + c) + a)^n B \sin(dx + c)}{dn + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^n\*(-B\*n/(1+n)+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] (a\*cos(d\*x + c) + a)^n\*B\*sin(d\*x + c)/(d\*n + d)

giac [B] time = 55.25, size = 1370, normalized size = 48.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^n*(-B*n/(1+n)+B*cos(d*x+c)),x, algorithm="giac")
[Out] -2*(B*(sqrt(-tan(d*x + c)^4*tan(1/2*d*x + 1/2*c)^4 + 2*tan(d*x + c)^4*tan(1/2*d*x + 1/2*c)^2 - tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^4 + 3*tan(d*x + c)^4 + 6*tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^2 + 7*tan(d*x + c)^2 + 4*tan(1/2*d*x + 1/2*c)^2 + 4)*abs(a)/(tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^2 + tan(d*x + c)^2 + tan(1/2*d*x + 1/2*c)^2 + 1))^n*tan(-1/4*pi*n*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*pi*n*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + pi*n*floor(1/4*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)) + 1/2) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)))^2*tan(1/2*d*x + 1/2*c) - B*(sqrt(-tan(d*x + c)^4*tan(1/2*d*x + 1/2*c)^4 + 2*tan(d*x + c)^4*tan(1/2*d*x + 1/2*c)^2 - tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^4 + 3*tan(d*x + c)^4 + 6*tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^2 + 7*tan(d*x + c)^2 + 4*tan(1/2*d*x + 1/2*c)^2 + 4)*abs(a)/(tan(d*x + c)^2*tan(1/2*d*x + 1/2*c)^2 + tan(d*x + c)^2 + tan(1/2*d*x + 1/2*c)^2 + 1))^n*tan(1/2*d*x + 1/2*c))/(d*n*tan(-1/4*pi*n*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*pi*n*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + pi*n*floor(1/4*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)) + 1/2) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)))^2*tan(1/2*d*x + 1/2*c)^2 + d*tan(-1/4*pi*n*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*pi*n*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + pi*n*floor(1/4*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)) + 1/2) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)))^2 + d*n*tan(1/2*d*x + 1/2*c)^2 + d*tan(-1/4*pi*n*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*pi*n*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) + pi*n*floor(1/4*sgn(4*a*tan(1/2*d*x + 1/2*c)^2 - 4*a)*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)^2 - 1)*sgn(tan(1/2*d*x + 1/2*c)) + 1/4*sgn(a)*sgn(tan(1/2*d*x + 1/2*c)) - 1/4*sgn(tan(1/2*d*x + 1/2*c)) + 1/2) + 1/4*pi*n*sgn(tan(1/2*d*x + 1/2*c)))^2 + d*n*tan(1/2*d*x + 1/2*c)^2 + d*n + d)
```

**maple [B]** time = 0.37, size = 74, normalized size = 2.64

$$\frac{2B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) e^{n \ln\left(a + \frac{a(1 - \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right))}{1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)}\right)}{d(1+n)\left(1 + \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^n*(-B*n/(1+n)+B*cos(d*x+c)),x)
[Out] 2*B/d/(1+n)*tan(1/2*d*x+1/2*c)*exp(n*ln(a+a*(1-tan(1/2*d*x+1/2*c)^2)/(1+tan(1/2*d*x+1/2*c)^2)))/(1+tan(1/2*d*x+1/2*c)^2)
```

**maxima [B]** time = 0.63, size = 143, normalized size = 5.11

$$\frac{(\cos(dx+c)^2 + \sin(dx+c)^2 + 2\cos(dx+c) + 1)^n Ba^n \sin(-(dx+c)(n+1) + 2n \arctan(\sin(dx+c), \cos(dx+c)))}{2^n d (n+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^n\*(-B\*n/(1+n)+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/2\*((cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)^n\*B\*a^n\*sin(-(d\*x + c)\*(n + 1) + 2\*n\*arctan2(sin(d\*x + c), cos(d\*x + c) + 1)) - (cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)^n\*B\*a^n\*sin(-(d\*x + c)\*(n - 1) + 2\*n\*arctan2(sin(d\*x + c), cos(d\*x + c) + 1)))/(2^n\*d\*(n + 1))

**mupad [B]** time = 0.89, size = 28, normalized size = 1.00

$$\frac{B \sin(c + dx) (a (\cos(c + dx) + 1))^n}{d (n + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B\*cos(c + d\*x) - (B\*n)/(n + 1))\*(a + a\*cos(c + d\*x))^n,x)

[Out] (B\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^n)/(d\*(n + 1))

**sympy [A]** time = 4.99, size = 114, normalized size = 4.07

$$\begin{cases} \frac{2B \left( a - \frac{a \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{\tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1} + \frac{a}{\tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 1} \right)^n \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{dn \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + dn + d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + d} & \text{for } d \neq 0 \\ x (a \cos(c) + a)^n \left( -\frac{Bn}{n+1} + B \cos(c) \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^n\*(-B\*n/(1+n)+B\*cos(d\*x+c)),x)

[Out] Piecewise((2\*B\*(a - a\*tan(c/2 + d\*x/2)\*\*2/(tan(c/2 + d\*x/2)\*\*2 + 1) + a/(tan(c/2 + d\*x/2)\*\*2 + 1))\*\*n\*tan(c/2 + d\*x/2)/(d\*n\*tan(c/2 + d\*x/2)\*\*2 + d\*n + d\*tan(c/2 + d\*x/2)\*\*2 + d), Ne(d, 0)), (x\*(a\*cos(c) + a)\*\*n\*(-B\*n/(n + 1) + B\*cos(c)), True))

$$3.783 \quad \int \frac{-\frac{3B}{2} + B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx$$

Optimal. Leaf size=26

$$-\frac{B \sin(c+dx)}{2d(a \cos(c+dx)+a)^3}$$

[Out]  $-1/2*B*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^3$

**Rubi [A]** time = 0.03, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.037$ , Rules used = {2749}

$$-\frac{B \sin(c+dx)}{2d(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[((-3\*B)/2 + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^3,x]

[Out] -(B\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^3)

Rule 2749

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && EqQ[a\*d\*m + b\*c\*(m + 1), 0]

Rubi steps

$$\int \frac{-\frac{3B}{2} + B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx = -\frac{B \sin(c+dx)}{2d(a+a \cos(c+dx))^3}$$

**Mathematica [A]** time = 0.13, size = 27, normalized size = 1.04

$$-\frac{B \sin(c+dx)}{2a^3d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[((-3\*B)/2 + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^3,x]

[Out]  $-1/2*(B*Sin[c + d*x])/(a^3*d*(1 + Cos[c + d*x])^3)$

**fricas [B]** time = 0.75, size = 56, normalized size = 2.15

$$\frac{B \sin(dx+c)}{2(a^3d \cos(dx+c)^3 + 3a^3d \cos(dx+c)^2 + 3a^3d \cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3/2\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $-1/2*B*\sin(d*x+c)/(a^3*d*\cos(d*x+c)^3 + 3*a^3*d*\cos(d*x+c)^2 + 3*a^3*d*\cos(d*x+c) + a^3*d)$

**giac** [A] time = 0.36, size = 47, normalized size = 1.81

$$\frac{B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{8 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3/2\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] -1/8\*(B\*tan(1/2\*d\*x + 1/2\*c)^5 + 2\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + B\*tan(1/2\*d\*x + 1/2\*c))/(a^3\*d)

**maple** [A] time = 0.07, size = 48, normalized size = 1.85

$$\frac{B \left( - \left( \tan^5 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \left( \tan^3 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \tan \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{8 d a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-3/2\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x)

[Out] 1/8/d\*B/a^3\*(-tan(1/2\*d\*x+1/2\*c)^5-2\*tan(1/2\*d\*x+1/2\*c)^3-tan(1/2\*d\*x+1/2\*c))

**maxima** [B] time = 0.34, size = 115, normalized size = 4.42

$$\frac{B \left( \frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} - \frac{2 B \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$$\frac{\hspace{10em}}{40 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-3/2\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] -1/40\*(B\*(15\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 10\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3 - 2\*B\*(5\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3/d

**mupad** [B] time = 0.64, size = 33, normalized size = 1.27

$$\frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \left( \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + 1 \right)^2}{8 a^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-((3\*B)/2 - B\*cos(c + d\*x))/(a + a\*cos(c + d\*x))^3,x)

[Out] -(B\*tan(c/2 + (d\*x)/2)\*(tan(c/2 + (d\*x)/2)^2 + 1)^2)/(8\*a^3\*d)

**sympy** [A] time = 2.37, size = 80, normalized size = 3.08

$$\begin{cases} \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{8 a^3 d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{4 a^3 d} - \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8 a^3 d} & \text{for } d \neq 0 \\ \frac{x \left( B \cos(c) - \frac{3B}{2} \right)}{(a \cos(c) + a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((-3/2*B+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise((-B*tan(c/2 + d*x/2)**5/(8*a**3*d) - B*tan(c/2 + d*x/2)**3/(4*a**3*d) - B*tan(c/2 + d*x/2)/(8*a**3*d), Ne(d, 0)), (x*(B*cos(c) - 3*B/2)/(a*cos(c) + a)**3, True))
```

$$3.784 \quad \int (a + a \cos(c + dx))^{3/2} \left( -\frac{3B}{5} + B \cos(c + dx) \right) dx$$

Optimal. Leaf size=28

$$\frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

[Out] 2/5\*B\*(a+a\*cos(d\*x+c))^(3/2)\*sin(d\*x+c)/d

**Rubi [A]** time = 0.04, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.034$ , Rules used = {2749}

$$\frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*((-3\*B)/5 + B\*Cos[c + d\*x]),x]

[Out] (2\*B\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

Rule 2749

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && EqQ[a\*d\*m + b\*c\*(m + 1), 0]

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} \left( -\frac{3B}{5} + B \cos(c + dx) \right) dx = \frac{2B(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d}$$

**Mathematica [A]** time = 0.12, size = 45, normalized size = 1.61

$$\frac{8aB \sin\left(\frac{1}{2}(c + dx)\right) \cos^3\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*((-3\*B)/5 + B\*Cos[c + d\*x]),x]

[Out] (8\*a\*B\*Cos[(c + d\*x)/2]^3\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sin[(c + d\*x)/2])/(5\*d)

**fricas [A]** time = 1.03, size = 36, normalized size = 1.29

$$\frac{2(Ba \cos(dx + c) + Ba)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(-3/5\*B+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/5\*(B\*a\*cos(d\*x + c) + B\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/d



**giac** [B] time = 0.45, size = 86, normalized size = 3.07

$$\frac{1}{10} \sqrt{2} \left( \frac{B a \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right)}{d} + \frac{3 B a \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right)}{d} + \frac{2 B a \operatorname{sgn} \left( \cos \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{d} \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(-3/5\*B+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/10\*sqrt(2)\*(B\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(5/2\*d\*x + 5/2\*c)/d + 3\*B\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(3/2\*d\*x + 3/2\*c)/d + 2\*B\*a\*sgn(cos(1/2\*d\*x + 1/2\*c))\*sin(1/2\*d\*x + 1/2\*c)/d)\*sqrt(a)

**maple** [A] time = 0.30, size = 48, normalized size = 1.71

$$\frac{8 \left( \cos^5 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) a^2 \sin \left( \frac{dx}{2} + \frac{c}{2} \right) B \sqrt{2}}{5 \sqrt{a \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(3/2)\*(-3/5\*B+B\*cos(d\*x+c)),x)

[Out] 8/5\*cos(1/2\*d\*x+1/2\*c)^5\*a^2\*sin(1/2\*d\*x+1/2\*c)\*B\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [B] time = 0.54, size = 92, normalized size = 3.29

$$\frac{\left( \sqrt{2} a \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right) + 5 \sqrt{2} a \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 20 \sqrt{2} a \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) B \sqrt{a} - 2 \left( \sqrt{2} a \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 9 \sqrt{2} a \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) B \sqrt{a}}{10 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(-3/5\*B+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/10\*((sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 5\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 20\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a) - 2\*(sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 9\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.04

$$\int - \left( \frac{3B}{5} - B \cos(c + dx) \right) (a + a \cos(c + dx))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-((3\*B)/5 - B\*cos(c + d\*x))\*(a + a\*cos(c + d\*x))^(3/2),x)

[Out] int(-((3\*B)/5 - B\*cos(c + d\*x))\*(a + a\*cos(c + d\*x))^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{B \left( \int \left( -3a \sqrt{a \cos(c + dx) + a} \right) dx + \int 2a \sqrt{a \cos(c + dx) + a} \cos(c + dx) dx + \int 5a \sqrt{a \cos(c + dx) + a} \cos^2(c + dx) dx \right)}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(-3/5\*B+B\*cos(d\*x+c)),x)

[Out] B\*(Integral(-3\*a\*sqrt(a\*cos(c + d\*x) + a), x) + Integral(2\*a\*sqrt(a\*cos(c + d\*x) + a)\*cos(c + d\*x), x) + Integral(5\*a\*sqrt(a\*cos(c + d\*x) + a)\*cos(c + d\*x)\*\*2, x))/5

$$3.785 \quad \int \frac{B+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=26

$$\frac{2B \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

[Out] 2\*B\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.02, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.080$ , Rules used = {21, 2646}

$$\frac{2B \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(B + B\*Cos[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

Rule 2646

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{B+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx &= \frac{B \int \sqrt{a+a \cos(c+dx)} dx}{a} \\ &= \frac{2B \sin(c+dx)}{d\sqrt{a+a \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 33, normalized size = 1.27

$$\frac{2B \tan\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)}}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[(B + B\*Cos[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*B\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Tan[(c + d\*x)/2])/(a\*d)

**fricas [A]** time = 0.97, size = 36, normalized size = 1.38

$$\frac{2\sqrt{a \cos(dx+c)+a} B \sin(dx+c)}{ad \cos(dx+c)+ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 2\*sqrt(a\*cos(d\*x + c) + a)\*B\*sin(d\*x + c)/(a\*d\*cos(d\*x + c) + a\*d)

**giac** [A] time = 0.96, size = 35, normalized size = 1.35

$$\frac{2\sqrt{2}B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 2\*sqrt(2)\*B\*tan(1/2\*d\*x + 1/2\*c)/(sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*d)

**maple** [A] time = 0.23, size = 43, normalized size = 1.65

$$\frac{2B \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2}}{\sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] 2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [B] time = 0.74, size = 37, normalized size = 1.42

$$\frac{2B \sin(c + dx) \sqrt{a (\cos(c + dx) + 1)}}{ad (\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((B + B\*cos(c + d\*x))/(a + a\*cos(c + d\*x))^(1/2),x)

[Out] (2\*B\*sin(c + d\*x)\*(a\*(cos(c + d\*x) + 1))^(1/2))/(a\*d\*(cos(c + d\*x) + 1))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$B \left( \int \frac{\cos(c + dx)}{\sqrt{a \cos(c + dx) + a}} dx + \int \frac{1}{\sqrt{a \cos(c + dx) + a}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] B\*(Integral(cos(c + d\*x)/sqrt(a\*cos(c + d\*x) + a), x) + Integral(1/sqrt(a\*cos(c + d\*x) + a), x))

$$3.786 \quad \int \frac{-\frac{5B}{3} + B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=28

$$-\frac{2B \sin(c+dx)}{3d(a \cos(c+dx) + a)^{5/2}}$$

[Out]  $-2/3*B*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^{(5/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.034$ , Rules used = {2749}

$$-\frac{2B \sin(c+dx)}{3d(a \cos(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{((-5*B)/3 + B*\text{Cos}[c + d*x])}{(a + a*\text{Cos}[c + d*x])^{(5/2)}}, x]$

[Out]  $(-2*B*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^{(5/2)})$

Rule 2749

$\text{Int}[\frac{(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])}}{x\_Symbol}] :> -\text{Simp}[(d*\text{Cos}[e + f*x])*(a + b*\text{Sin}[e + f*x])^m]/(f*(m + 1)), x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{EqQ}[a*d*m + b*c*(m + 1), 0]$

Rubi steps

$$\int \frac{-\frac{5B}{3} + B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx = -\frac{2B \sin(c+dx)}{3d(a+a \cos(c+dx))^{5/2}}$$

**Mathematica [A]** time = 0.08, size = 28, normalized size = 1.00

$$-\frac{2B \sin(c+dx)}{3d(a(\cos(c+dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[\frac{((-5*B)/3 + B*\text{Cos}[c + d*x])}{(a + a*\text{Cos}[c + d*x])^{(5/2)}}, x]$

[Out]  $(-2*B*\text{Sin}[c + d*x])/(3*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)})$

**fricas [B]** time = 0.96, size = 68, normalized size = 2.43

$$-\frac{2 \sqrt{a \cos(dx+c) + a} B \sin(dx+c)}{3(a^3 d \cos(dx+c)^3 + 3a^3 d \cos(dx+c)^2 + 3a^3 d \cos(dx+c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((-5/3*B+B*\cos(d*x+c))/(a+a*\cos(d*x+c))^{(5/2)}, x, \text{algorithm}=\text{"fricas"})$

[Out]  $-2/3*\text{sqrt}(a*\cos(d*x + c) + a)*B*\sin(d*x + c)/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

**giac** [B] time = 1.83, size = 59, normalized size = 2.11

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left( \frac{\sqrt{2} B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3} + \frac{\sqrt{2} B}{a^3} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5/3\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] -1/6\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(sqrt(2)\*B\*tan(1/2\*d\*x + 1/2\*c)^2/a^3 + sqrt(2)\*B/a^3)\*tan(1/2\*d\*x + 1/2\*c)/d

**maple** [A] time = 0.20, size = 48, normalized size = 1.71

$$\frac{\sin\left(\frac{dx}{2} + \frac{c}{2}\right) B \sqrt{2}}{6 \cos\left(\frac{dx}{2} + \frac{c}{2}\right)^3 a^2 \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((-5/3\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] -1/6/cos(1/2\*d\*x+1/2\*c)^3/a^2\*sin(1/2\*d\*x+1/2\*c)\*B\*2^(1/2)/(a\*cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/d

**maxima** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5/3\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**mupad** [B] time = 5.33, size = 85, normalized size = 3.04

$$\frac{8 B e^{c 2 i+d x 2 i} \sqrt{a+a\left(\frac{e^{-c 1 i-d x 1 i}}{2}+\frac{e^{c 1 i+d x 1 i}}{2}\right)}\left(e^{c 1 i+d x 1 i} 1 i-i\right)}{3 a^3 d\left(e^{c 1 i+d x 1 i}+1\right)^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-((5\*B)/3 - B\*cos(c + d\*x))/(a + a\*cos(c + d\*x))^(5/2),x)

[Out] (8\*B\*exp(c\*2i + d\*x\*2i)\*(a + a\*(exp(-c\*1i - d\*x\*1i)/2 + exp(c\*1i + d\*x\*1i)/2))^(1/2)\*(exp(c\*1i + d\*x\*1i)\*1i - 1i))/(3\*a^3\*d\*(exp(c\*1i + d\*x\*1i) + 1)^5)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((-5/3\*B+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] Timed out

### 3.787 $\int (a + a \cos(c + dx))^{2/3} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=104

$$\frac{2\sqrt[6]{2}(5A + 2B) \sin(c + dx)(a \cos(c + dx) + a)^{2/3} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{5d(\cos(c + dx) + 1)^{7/6}} + \frac{3B \sin(c + dx)(a \cos(c + dx))}{5d}$$

[Out]  $3/5*B*(a+a*\cos(d*x+c))^(2/3)*\sin(d*x+c)/d+2/5*2^(1/6)*(5*A+2*B)*(a+a*\cos(d*x+c))^(2/3)*\text{hypergeom}([-1/6, 1/2], [3/2], 1/2-1/2*\cos(d*x+c))*\sin(d*x+c)/d/(1+\cos(d*x+c))^(7/6)$

**Rubi [A]** time = 0.08, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2751, 2652, 2651}

$$\frac{2\sqrt[6]{2}(5A + 2B) \sin(c + dx)(a \cos(c + dx) + a)^{2/3} {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{5d(\cos(c + dx) + 1)^{7/6}} + \frac{3B \sin(c + dx)(a \cos(c + dx))}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^(2/3)*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(3*B*(a + a*\text{Cos}[c + d*x])^(2/3)*\text{Sin}[c + d*x])/(5*d) + (2*2^(1/6)*(5*A + 2*B)*(a + a*\text{Cos}[c + d*x])^(2/3)*\text{Hypergeometric2F1}[-1/6, 1/2, 3/2, (1 - \text{Cos}[c + d*x])/2]*\text{Sin}[c + d*x])/(5*d*(1 + \text{Cos}[c + d*x])^(7/6))$

#### Rule 2651

$\text{Int}[(a_ + (b_)*\sin[(c_ + (d_)*(x_))]^(n_), x\_Symbol] := -\text{Simp}[(2^(n + 1/2)*a^(n - 1/2)*b*\text{Cos}[c + d*x]*\text{Hypergeometric2F1}[1/2, 1/2 - n, 3/2, (1*(1 - (b*\text{Sin}[c + d*x])/a))/2])/(d*\text{Sqrt}[a + b*\text{Sin}[c + d*x]]), x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2*n] \&\& \text{GtQ}[a, 0]$

#### Rule 2652

$\text{Int}[(a_ + (b_)*\sin[(c_ + (d_)*(x_))]^(n_), x\_Symbol] := \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Sin}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Sin}[c + d*x])/a)^{\text{FracPart}[n]}, \text{Int}[(1 + (b*\text{Sin}[c + d*x])/a)^n, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{IntegerQ}[2*n] \&\& !\text{GtQ}[a, 0]$

#### Rule 2751

$\text{Int}[(a_ + (b_)*\sin[(e_ + (f_)*(x_))]^(m_)*((c_ + (d_)*\sin[(e_ + (f_)*(x_)]), x\_Symbol] := -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^(-1)]$

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{2/3} (A + B \cos(c + dx)) dx &= \frac{3B(a + a \cos(c + dx))^{2/3} \sin(c + dx)}{5d} + \frac{1}{5}(5A + 2B) \int (a + a \cos(c + dx))^{2/3} dx \\ &= \frac{3B(a + a \cos(c + dx))^{2/3} \sin(c + dx)}{5d} + \frac{((5A + 2B)(a + a \cos(c + dx))^{2/3})}{5(1 + \cos(c + dx))} \\ &= \frac{3B(a + a \cos(c + dx))^{2/3} \sin(c + dx)}{5d} + \frac{2\sqrt[6]{2}(5A + 2B)(a + a \cos(c + dx))^{2/3}}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.66, size = 164, normalized size = 1.58

$$\frac{\sec^2\left(\frac{1}{2}(c+dx)\right)(a(\cos(c+dx)+1))^{2/3}\left(3\cdot 2^{5/6}\sin(c+dx)(5A+2B\cos(c+dx)+4B)\sqrt[6]{1-\cos(dx-2\tan^{-1}\left(\frac{a\cos(dx+c)+a}{2}\right)}\right)}{20\cdot 2^{5/6}d\sqrt[6]{1-\cos(dx-2\tan^{-1}\left(\frac{a\cos(dx+c)+a}{2}\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(2/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] ((a\*(1 + Cos[c + d\*x]))^(2/3)\*Sec[(c + d\*x)/2]^2\*(3\*2^(5/6)\*(5\*A + 4\*B + 2\*B\*Cos[c + d\*x])\*(1 - Cos[d\*x - 2\*ArcTan[Cot[c/2]]])^(1/6)\*Sin[c + d\*x] - 2\*(5\*A + 2\*B)\*Hypergeometric2F1[1/2, 5/6, 3/2, Cos[(d\*x)/2 - ArcTan[Cot[c/2]]]^2]\*Sin[d\*x - 2\*ArcTan[Cot[c/2]]]))/(20\*2^(5/6)\*d\*(1 - Cos[d\*x - 2\*ArcTan[Cot[c/2]]])^(1/6))

**fricas [F]** time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B\cos(dx+c)+A\right)\left(a\cos(dx+c)+a\right)^{\frac{2}{3}},x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(2/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)\left(a\cos(dx+c)+a\right)^{\frac{2}{3}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(2/3), x)

**maple [F]** time = 0.23, size = 0, normalized size = 0.00

$$\int (a+a\cos(dx+c))^{\frac{2}{3}}(A+B\cos(dx+c))dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int((a+a\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)\left(a\cos(dx+c)+a\right)^{\frac{2}{3}}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(2/3), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int (A+B\cos(c+dx))(a+a\cos(c+dx))^{2/3}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(2/3), x)`

[Out] `int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a(\cos(c + dx) + 1))^{\frac{2}{3}} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(2/3)*(A+B*cos(d*x+c)), x)`

[Out] `Integral((a*(cos(c + d*x) + 1))**(2/3)*(A + B*cos(c + d*x)), x)`



### 3.788 $\int \sqrt[3]{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=102

$$\frac{(4A + B) \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{2\sqrt[6]{2} d (\cos(c + dx) + 1)^{5/6}} + \frac{3B \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a}}{4d}$$

[Out]  $3/4*B*(a+a*\cos(d*x+c))^{(1/3)}*\sin(d*x+c)/d+1/4*(4*A+B)*(a+a*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/6, 1/2], [3/2], 1/2-1/2*\cos(d*x+c))*\sin(d*x+c)*2^{(5/6)}/d/(1+\cos(d*x+c))^{(5/6)}$

**Rubi [A]** time = 0.08, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2751, 2652, 2651}

$$\frac{(4A + B) \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{2\sqrt[6]{2} d (\cos(c + dx) + 1)^{5/6}} + \frac{3B \sin(c + dx) \sqrt[3]{a \cos(c + dx) + a}}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(1/3)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(3*B*(a + a*\text{Cos}[c + d*x])^{(1/3)}*\text{Sin}[c + d*x])/(4*d) + ((4*A + B)*(a + a*\text{Cos}[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/6, 1/2, 3/2, (1 - \text{Cos}[c + d*x])/2])* \text{Sin}[c + d*x])/(2*2^{(1/6)}*d*(1 + \text{Cos}[c + d*x])^{(5/6)})$

#### Rule 2651

$\text{Int}[(a + b*\sin[(c + d*x)])^n, x\_Symbol] \rightarrow -\text{Simp}[(2^{(n + 1/2)}*a^{(n - 1/2)}*b*\text{Cos}[c + d*x]*\text{Hypergeometric2F1}[1/2, 1/2 - n, 3/2, (1*(1 - (b*\text{Sin}[c + d*x])/a))/2])/(d*\text{Sqrt}[a + b*\text{Sin}[c + d*x]]), x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{IntegerQ}[2*n] \ \&\& \ \text{GtQ}[a, 0]$

#### Rule 2652

$\text{Int}[(a + b*\sin[(c + d*x)])^n, x\_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[n]}*(a + b*\text{Sin}[c + d*x])^{\text{FracPart}[n]})/(1 + (b*\text{Sin}[c + d*x])/a)^{\text{FracPart}[n]}], \text{Int}[(1 + (b*\text{Sin}[c + d*x])/a)^n, x] /; \text{FreeQ}\{a, b, c, d, n\}, x \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{IntegerQ}[2*n] \ \&\& \ !\text{GtQ}[a, 0]$

#### Rule 2751

$\text{Int}[(a + b*\sin[(e + f*x)])^m*(c + d*\sin[(e + f*x)]), x\_Symbol] \rightarrow -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ !\text{LtQ}[m, -2^{(-1)}]$

#### Rubi steps

$$\begin{aligned} \int \sqrt[3]{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{3B \sqrt[3]{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{1}{4} (4A + B) \int \sqrt[3]{a + a \cos(c + dx)} dx \\ &= \frac{3B \sqrt[3]{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{((4A + B) \sqrt[3]{a + a \cos(c + dx)})}{4\sqrt[3]{1 + \cos(c + dx)}} \\ &= \frac{3B \sqrt[3]{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{(4A + B) \sqrt[3]{a + a \cos(c + dx)}}{2} \end{aligned}$$

**Mathematica** [C] time = 3.53, size = 213, normalized size = 2.09

$$3\sqrt[3]{a(\cos(c+dx)+1)} \left( \frac{2(4A+B) \csc\left(\frac{c}{4}\right) \sec\left(\frac{c}{4}\right) \sqrt[3]{i \sin(c)e^{idx} + \cos(c)e^{idx} + 1} \left( {}_2F_1\left(-\frac{1}{3}, \frac{1}{3}, \frac{2}{3}, -e^{idx}(\cos(c)+i \sin(c))\right) + e^{idx} {}_2F_1\left(\frac{1}{3}, \frac{2}{3}, \frac{5}{3}, -e^{idx}(\cos(c)+i \sin(c))\right) \right)}{i \sin\left(\frac{c}{2}\right)(-1+e^{idx}) + \cos\left(\frac{c}{2}\right)(1+e^{idx})} \right)$$

32d

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]), x]

[Out] (3\*(a\*(1 + Cos[c + d\*x]))^(1/3)\*(-8\*(4\*A + B)\*Cot[c/2] + 8\*B\*Cos[d\*x]\*Sin[c] + (2\*(4\*A + B)\*Csc[c/4]\*(2\*Hypergeometric2F1[-1/3, 1/3, 2/3, -(E^(I\*d\*x)\*(Cos[c] + I\*Sin[c]))] + E^(I\*d\*x)\*Hypergeometric2F1[1/3, 2/3, 5/3, -(E^(I\*d\*x)\*(Cos[c] + I\*Sin[c]))])\*Sec[c/4]\*(1 + E^(I\*d\*x)\*Cos[c] + I\*E^(I\*d\*x)\*Sin[c])^(1/3))/((1 + E^(I\*d\*x))\*Cos[c/2] + I\*(-1 + E^(I\*d\*x))\*Sin[c/2]) + 8\*B\*Cos[c]\*Sin[d\*x]))/(32\*d)

**fricas** [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(1/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(1/3), x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int (a + a \cos(dx + c))^{\frac{1}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x)

[Out] int((a+a\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(1/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (A + B \cos(c + dx)) (a + a \cos(c + dx))^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/3), x)`

[Out] `int((A + B*cos(c + d*x))*(a + a*cos(c + d*x))^(1/3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{a(\cos(c + dx) + 1)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c)), x)`

[Out] `Integral((a*(cos(c + d*x) + 1))**(1/3)*(A + B*cos(c + d*x)), x)`

$$3.789 \quad \int \frac{A+B \cos(c+dx)}{\sqrt[3]{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=101

$$\frac{(2A - B) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{2^{5/6} d \sqrt[6]{\cos(c + dx) + 1} \sqrt[3]{a \cos(c + dx) + a}} + \frac{3B \sin(c + dx)}{2d \sqrt[3]{a \cos(c + dx) + a}}$$

[Out] 3/2\*B\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(1/3)+1/2\*(2\*A-B)\*hypergeom([1/2, 5/6], [3/2], 1/2-1/2\*cos(d\*x+c))\*sin(d\*x+c)\*2^(1/6)/d/(1+cos(d\*x+c))^(1/6)/(a+a\*cos(d\*x+c))^(1/3)

**Rubi [A]** time = 0.08, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2751, 2652, 2651}

$$\frac{(2A - B) \sin(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right)}{2^{5/6} d \sqrt[6]{\cos(c + dx) + 1} \sqrt[3]{a \cos(c + dx) + a}} + \frac{3B \sin(c + dx)}{2d \sqrt[3]{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(1/3), x]

[Out] (3\*B\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(1/3)) + ((2\*A - B)\*Hypergeometric2F1[1/2, 5/6, 3/2, (1 - Cos[c + d\*x])/2]\*Sin[c + d\*x])/(2^(5/6)\*d\*(1 + Cos[c + d\*x])^(1/6)\*(a + a\*Cos[c + d\*x])^(1/3))

#### Rule 2651

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(2^(n + 1/2)\*a^(n - 1/2)\*b\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 1/2 - n, 3/2, (1\*(1 - (b\*Sin[c + d\*x])/a))/2])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2\*n] && GtQ[a, 0]

#### Rule 2652

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Dist[(a^IntPart[n]\*(a + b\*Sin[c + d\*x])^FracPart[n])/(1 + (b\*Sin[c + d\*x])/a)^FracPart[n], Int[(1 + (b\*Sin[c + d\*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2\*n] && !GtQ[a, 0]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt[3]{a + a \cos(c + dx)}} dx &= \frac{3B \sin(c + dx)}{2d \sqrt[3]{a + a \cos(c + dx)}} + \frac{1}{2}(2A - B) \int \frac{1}{\sqrt[3]{a + a \cos(c + dx)}} dx \\ &= \frac{3B \sin(c + dx)}{2d \sqrt[3]{a + a \cos(c + dx)}} + \frac{\left( (2A - B) \sqrt[3]{1 + \cos(c + dx)} \right) \int \frac{1}{\sqrt[3]{1 + \cos(c + dx)}} dx}{2 \sqrt[3]{a + a \cos(c + dx)}} \\ &= \frac{3B \sin(c + dx)}{2d \sqrt[3]{a + a \cos(c + dx)}} + \frac{(2A - B) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx))\right) \sin(c + dx)}{2^{5/6} d \sqrt[6]{1 + \cos(c + dx)} \sqrt[3]{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 133, normalized size = 1.32

$$\frac{3 \cdot 2^{5/6} B \sin(c + dx) \sqrt[6]{1 - \cos\left(dx - 2 \tan^{-1}\left(\cot\left(\frac{c}{2}\right)\right)\right)} - 2(2A - B) \sin\left(dx - 2 \tan^{-1}\left(\cot\left(\frac{c}{2}\right)\right)\right) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{3}{2}; \cos\left(\frac{dx - 2 \tan^{-1}\left(\cot\left(\frac{c}{2}\right)\right)\right)\right)}{4d \sqrt[3]{a(\cos(c + dx) + 1)} \sqrt[6]{\sin^2\left(\frac{dx}{2} - \tan^{-1}\left(\cot\left(\frac{c}{2}\right)\right)\right)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(1/3), x]

[Out] (3\*2^(5/6)\*B\*(1 - Cos[d\*x - 2\*ArcTan[Cot[c/2]]])^(1/6)\*Sin[c + d\*x] - 2\*(2\*A - B)\*Hypergeometric2F1[1/2, 5/6, 3/2, Cos[(d\*x)/2 - ArcTan[Cot[c/2]]]^2]\*Sin[d\*x - 2\*ArcTan[Cot[c/2]]]/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(1/3)\*(Sin[(d\*x)/2 - ArcTan[Cot[c/2]]]^2)^(1/6))

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(1/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(1/3), x)

**maple [F]** time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(a + a \cos(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/3), x)

[Out] int((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(1/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(a + a\*cos(c + d\*x))^(1/3),x)

[Out] int((A + B\*cos(c + d\*x))/(a + a\*cos(c + d\*x))^(1/3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt[3]{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/3),x)

[Out] Integral((A + B\*cos(c + d\*x))/(a\*(cos(c + d\*x) + 1))\*\*(1/3), x)

$$3.790 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=105

$$\frac{3(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)^{2/3}} - \frac{2^{5/6}(A-2B) \sin(c+dx) \sqrt[3]{a \cos(c+dx)+a} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1-\cos(c+dx))\right)}{ad(\cos(c+dx)+1)^{5/6}}$$

[Out] 3\*(A-B)\*sin(d\*x+c)/d/(a+a\*cos(d\*x+c))^(2/3)-2^(5/6)\*(A-2\*B)\*(a+a\*cos(d\*x+c))^(1/3)\*hypergeom([1/6, 1/2], [3/2], 1/2-1/2\*cos(d\*x+c))\*sin(d\*x+c)/a/d/(1+cos(d\*x+c))^(5/6)

**Rubi [A]** time = 0.09, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.120$ , Rules used = {2750, 2652, 2651}

$$\frac{3(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)^{2/3}} - \frac{2^{5/6}(A-2B) \sin(c+dx) \sqrt[3]{a \cos(c+dx)+a} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1-\cos(c+dx))\right)}{ad(\cos(c+dx)+1)^{5/6}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(2/3), x]

[Out] (3\*(A - B)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])^(2/3)) - (2^(5/6)\*(A - 2\*B)\*(a + a\*Cos[c + d\*x])^(1/3)\*Hypergeometric2F1[1/6, 1/2, 3/2, (1 - Cos[c + d\*x])/2]\*Sin[c + d\*x])/(a\*d\*(1 + Cos[c + d\*x])^(5/6))

#### Rule 2651

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(2^(n + 1/2)\*a^(n - 1/2)\*b\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 1/2 - n, 3/2, (1\*(1 - (b\*Sin[c + d\*x])/a))/2])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2\*n] && GtQ[a, 0]

#### Rule 2652

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Dist[(a^IntPart[n]\*(a + b\*Sin[c + d\*x])^FracPart[n])/(1 + (b\*Sin[c + d\*x])/a)^FracPart[n], Int[(1 + (b\*Sin[c + d\*x])/a)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && !IntegerQ[2\*n] && !GtQ[a, 0]

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{2/3}} dx &= \frac{3(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))^{2/3}} - \frac{(A-2B) \int \sqrt[3]{a+a \cos(c+dx)} dx}{a} \\ &= \frac{3(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))^{2/3}} - \frac{\left((A-2B) \sqrt[3]{a+a \cos(c+dx)}\right) \int \sqrt[3]{1+\cos(c+dx)} dx}{a \sqrt[3]{1+\cos(c+dx)}} \\ &= \frac{3(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))^{2/3}} - \frac{2^{5/6}(A-2B) \sqrt[3]{a+a \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{3}{2}; \frac{1}{2}(1-\cos(c+dx))\right)}{ad(1+\cos(c+dx))^{5/6}} \end{aligned}$$

**Mathematica** [C] time = 1.42, size = 197, normalized size = 1.88

$$\frac{3 \cos\left(\frac{1}{2}(c + dx)\right) \left(-4 \csc\left(\frac{c}{2}\right) \left((3B - 2A) \cos\left(\frac{dx}{2}\right) + B \cos\left(c + \frac{dx}{2}\right)\right) - (A - 2B) \csc\left(\frac{c}{4}\right) \sec\left(\frac{c}{4}\right) e^{-\frac{1}{2}idx} \sqrt[3]{i \sin(c)} e^{idx}\right)}{4d(a(\cos(c + dx)) -$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(2/3), x]

[Out] (3\*Cos[(c + d\*x)/2]\*(-4\*((-2\*A + 3\*B)\*Cos[(d\*x)/2] + B\*Cos[c + (d\*x)/2])\*Cs  
c[c/2] - ((A - 2\*B)\*Csc[c/4]\*(2\*Hypergeometric2F1[-1/3, 1/3, 2/3, -(E^(I\*d\*  
x)\*(Cos[c] + I\*Sin[c]))] + E^(I\*d\*x)\*Hypergeometric2F1[1/3, 2/3, 5/3, -(E^(  
I\*d\*x)\*(Cos[c] + I\*Sin[c]))])\*Sec[c/4]\*(1 + E^(I\*d\*x)\*Cos[c] + I\*E^(I\*d\*x)\*  
Sin[c])^(1/3))/E^((I/2)\*d\*x)))/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(2/3))

**fricas** [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{2}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(2/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(2/3), x)

**maple** [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(a + a \cos(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(2/3), x)

[Out] int((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(2/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(a\*cos(d\*x + c) + a)^(2/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{2/3}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(2/3), x)`

[Out] `int((A + B*cos(c + d*x))/(a + a*cos(c + d*x))^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(2/3), x)`

[Out] `Integral((A + B*cos(c + d*x))/(a*(cos(c + d*x) + 1))**(2/3), x)`

$$3.791 \quad \int \frac{\frac{bB}{a} + B \cos(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=63

$$\frac{Bx}{b} - \frac{2B\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd}$$

[Out] B\*x/b-2\*B\*arctan((a-b)^(1/2)\*tan(1/2\*d\*x+1/2\*c)/(a+b)^(1/2))\*(a-b)^(1/2)\*(a+b)^(1/2)/a/b/d

**Rubi [A]** time = 0.09, antiderivative size = 63, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {2735, 2659, 205}

$$\frac{Bx}{b} - \frac{2B\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd}$$

Antiderivative was successfully verified.

[In] Int[((b\*B)/a + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*x)/b - (2\*Sqrt[a - b]\*Sqrt[a + b]\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a\*b\*d)

**Rule 205**

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

**Rule 2659**

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rule 2735**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\frac{bB}{a} + B \cos(c+dx)}{a+b \cos(c+dx)} dx &= \frac{Bx}{b} - \frac{\left(aB - \frac{b^2B}{a}\right) \int \frac{1}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{Bx}{b} - \frac{\left(2\left(a - \frac{b^2}{a}\right)B\right) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{bd} \\ &= \frac{Bx}{b} - \frac{2\sqrt{a-b}\sqrt{a+b}B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{abd} \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 64, normalized size = 1.02

$$\frac{B \left( 2\sqrt{b^2 - a^2} \tanh^{-1} \left( \frac{(b-a) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}} \right) + a(c + dx) \right)}{abd}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*B)/a + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*(a\*(c + d\*x) + 2\*Sqrt[-a^2 + b^2]\*ArcTanh[((-a + b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]))/(a\*b\*d)

**fricas [A]** time = 3.91, size = 194, normalized size = 3.08

$$\left[ \frac{2Badx + \sqrt{-a^2 + b^2} B \log \left( \frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2} \right)}{2abd}, \frac{Badx - \sqrt{a^2 - b^2} B \arctan \left( \frac{(a \cos(dx+c) + b) \sin(dx+c)}{\sqrt{a^2 - b^2} \cos(dx+c)} \right)}{abd} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*B/a+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] [1/2\*(2\*B\*a\*d\*x + sqrt(-a^2 + b^2)\*B\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)))/(a\*b\*d), (B\*a\*d\*x - sqrt(a^2 - b^2)\*B\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))/(a\*b\*d)]

**giac [B]** time = 0.74, size = 281, normalized size = 4.46

$$\frac{\left( \sqrt{a^2 - b^2} B |a-b| |a| |b| + (2a^2 + ab) \sqrt{a^2 - b^2} B |a-b| \right) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] + \arctan \left( \frac{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{\frac{a^2 + \sqrt{a^4 - (a^2 + ab)(a^2 - ab)}}{a^2 - ab}}} \right) \right)}{(a-b)a^2b^2 + (a^3 - a^2b)|a||b|} + \frac{(2Ba^3 - Ba^2b - Bab^2 - Ba|a||b| + Bb|a||b|) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] + \arctan \left( \frac{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{\frac{a^2 + \sqrt{a^4 - (a^2 + ab)(a^2 - ab)}}{a^2 - ab}}} \right) \right)}{a^2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*B/a+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] -((sqrt(a^2 - b^2)\*B\*abs(a - b)\*abs(a)\*abs(b) + (2\*a^2 + a\*b)\*sqrt(a^2 - b^2)\*B\*abs(a - b))\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(tan(1/2\*d\*x + 1/2\*c)/sqrt((a^2 + sqrt(a^4 - (a^2 + a\*b)\*(a^2 - a\*b)))/(a^2 - a\*b))))/((a - b)\*a^2\*b^2 + (a^3 - a^2\*b)\*abs(a)\*abs(b) + (2\*B\*a^3 - B\*a^2\*b - B\*a\*b^2 - B\*a\*abs(a)\*abs(b) + B\*b\*abs(a)\*abs(b))\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2) + arctan(tan(1/2\*d\*x + 1/2\*c)/sqrt((a^2 - sqrt(a^4 - (a^2 + a\*b)\*(a^2 - a\*b)))/(a^2 - a\*b))))/(a^2\*b^2 - a^2\*abs(a)\*abs(b))/d

**maple [B]** time = 0.09, size = 117, normalized size = 1.86

$$-\frac{2Ba \arctan \left( \frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}} \right)}{db\sqrt{(a-b)(a+b)}} + \frac{2Bb \arctan \left( \frac{\tan\left(\frac{dx}{2} + \frac{c}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}} \right)}{da\sqrt{(a-b)(a+b)}} + \frac{2B \arctan \left( \tan \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{db}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*B/a+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out]  $-2/d*B*a/b/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})+2/d*B/a*b/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})+2/d*B/b*\arctan(\tan(1/2*d*x+1/2*c))$

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*B/a+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*b^2-4\*a^2>0)', see `assume?` for more details)Is 4\*b^2-4\*a^2 positive or negative?

**mupad** [B] time = 0.94, size = 93, normalized size = 1.48

$$\frac{2 B \operatorname{atan}\left(\frac{\sin\left(\frac{c}{2}+\frac{d x}{2}\right)}{\cos\left(\frac{c}{2}+\frac{d x}{2}\right)}\right)}{b d} + \frac{2 B \operatorname{atanh}\left(\frac{\sin\left(\frac{c}{2}+\frac{d x}{2}\right) \sqrt{b^2-a^2}}{\cos\left(\frac{c}{2}+\frac{d x}{2}\right)(a+b)}\right) \sqrt{b^2-a^2}}{a b d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((B*cos(c + d*x) + (B*b)/a)/(a + b*cos(c + d*x)),x)`

[Out]  $(2*B*\operatorname{atan}(\sin(c/2 + (d*x)/2)/\cos(c/2 + (d*x)/2)))/(b*d) + (2*B*\operatorname{atanh}((\sin(c/2 + (d*x)/2)*(b^2 - a^2)^{(1/2)})/(\cos(c/2 + (d*x)/2)*(a + b)))*(b^2 - a^2)^{(1/2)})/(a*b*d)$

**sympy** [A] time = 32.92, size = 235, normalized size = 3.73

$$\left\{ \begin{array}{l} \text{NaN} \\ \frac{x\left(B \cos (c)+\frac{B b}{a}\right)}{a+b \cos (c)} \\ \frac{B x}{b} \\ \frac{B \sin (c+d x)}{a d} \\ \frac{B x}{b} \\ \frac{B x}{b}-\frac{B \log \left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{c}{2}+\frac{d x}{2}\right)\right)}{b d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}+\frac{B \log \left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{c}{2}+\frac{d x}{2}\right)\right)}{b d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}-\frac{B \log \left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{c}{2}+\frac{d x}{2}\right)\right)}{a d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}+\frac{B \log \left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}+\tan \left(\frac{c}{2}+\frac{d x}{2}\right)\right)}{a d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*B/a+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((nan, Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (x*(B*cos(c) + B*b/a)/(a + b*cos(c)), Eq(d, 0)), (B*x/b, Eq(a, b)), (B*sin(c + d*x)/(a*d), Eq(b, 0)), (B*x/b, Eq(a, -b)), (B*x/b - B*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(b*d*sqrt(-a/(a - b) - b/(a - b))) + B*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(b*d*sqrt(-a/(a - b) - b/(a - b))) - B*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*d*sqrt(-a/(a - b) - b/(a - b))) + B*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*d*sqrt(-a/(a - b) - b/(a - b))), True))`

$$3.792 \quad \int \frac{a+b \cos(c+dx)}{(b+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=22

$$\frac{\sin(c+dx)}{d(a \cos(c+dx)+b)}$$

[Out] sin(d\*x+c)/d/(b+a\*cos(d\*x+c))

**Rubi [A]** time = 0.03, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2754, 8}

$$\frac{\sin(c+dx)}{d(a \cos(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])/(b + a\*Cos[c + d\*x])^2,x]

[Out] Sin[c + d\*x]/(d\*(b + a\*Cos[c + d\*x]))

**Rule 8**

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rule 2754**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

**Rubi steps**

$$\begin{aligned} \int \frac{a+b \cos(c+dx)}{(b+a \cos(c+dx))^2} dx &= \frac{\sin(c+dx)}{d(b+a \cos(c+dx))} + \frac{\int 0 dx}{a^2-b^2} \\ &= \frac{\sin(c+dx)}{d(b+a \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.11, size = 22, normalized size = 1.00

$$\frac{\sin(c+dx)}{d(a \cos(c+dx)+b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])/(b + a\*Cos[c + d\*x])^2,x]

[Out] Sin[c + d\*x]/(d\*(b + a\*Cos[c + d\*x]))

**fricas [A]** time = 0.82, size = 22, normalized size = 1.00

$$\frac{\sin(dx+c)}{ad \cos(dx+c)+bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))/(b+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] sin(d\*x + c)/(a\*d\*cos(d\*x + c) + b\*d)

**giac** [B] time = 1.09, size = 50, normalized size = 2.27

$$\frac{2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - a - b\right) d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))/(b+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -2\*tan(1/2\*d\*x + 1/2\*c)/((a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 - a - b)\*d)

**maple** [B] time = 0.06, size = 51, normalized size = 2.32

$$\frac{2 \tan\left(\frac{dx}{2} + \frac{c}{2}\right)}{d \left( a \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \tan^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b - a - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))/(b+a\*cos(d\*x+c))^2,x)

[Out] -2/d\*tan(1/2\*d\*x+1/2\*c)/(a\*tan(1/2\*d\*x+1/2\*c)^2-tan(1/2\*d\*x+1/2\*c)^2\*b-a-b)

**maxima** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))/(b+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation \*may\* help (example of legal syntax is 'assume(4\*a^2-4\*b^2>0)', see `assume?` for more details)Is 4\*a^2-4\*b^2 positive or negative?

**mupad** [B] time = 0.85, size = 37, normalized size = 1.68

$$\frac{2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{d \left( (b - a) \tan\left(\frac{c}{2} + \frac{dx}{2}\right)^2 + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b\*cos(c + d\*x))/(b + a\*cos(c + d\*x))^2,x)

[Out] (2\*tan(c/2 + (d\*x)/2))/(d\*(a + b - tan(c/2 + (d\*x)/2)^2\*(a - b)))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))/(b+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

$$3.793 \quad \int \frac{3+\cos(c+dx)}{2-\cos(c+dx)} dx$$

**Optimal.** Leaf size=47

$$\frac{10 \tan^{-1}\left(\frac{\sin(c+dx)}{-\cos(c+dx)+\sqrt{3}+2}\right)}{\sqrt{3}d} + \frac{5x}{\sqrt{3}} - x$$

[Out]  $-x+5/3*x*3^{(1/2)}+10/3*\arctan(\sin(d*x+c)/(2-\cos(d*x+c)+3^{(1/2)}))/d*3^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2735, 2657}

$$\frac{10 \tan^{-1}\left(\frac{\sin(c+dx)}{-\cos(c+dx)+\sqrt{3}+2}\right)}{\sqrt{3}d} + \frac{5x}{\sqrt{3}} - x$$

Antiderivative was successfully verified.

[In] Int[(3 + Cos[c + d\*x])/(2 - Cos[c + d\*x]),x]

[Out]  $-x + (5*x)/\text{Sqrt}[3] + (10*\text{ArcTan}[\text{Sin}[c + d*x]/(2 + \text{Sqrt}[3] - \text{Cos}[c + d*x])]) / (\text{Sqrt}[3]*d)$

Rule 2657

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{q = Rt[a^2 - b^2, 2]}, Simp[x/q, x] + Simp[(2\*ArcTan[(b\*Cos[c + d\*x])/(a + q + b\*Sin[c + d\*x])])/(d\*q), x] /; FreeQ[{a, b, c, d}, x] && GtQ[a^2 - b^2, 0] && PosQ[a]

Rule 2735

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rubi steps

$$\begin{aligned} \int \frac{3+\cos(c+dx)}{2-\cos(c+dx)} dx &= -x + 5 \int \frac{1}{2-\cos(c+dx)} dx \\ &= -x + \frac{5x}{\sqrt{3}} + \frac{10 \tan^{-1}\left(\frac{\sin(c+dx)}{2+\sqrt{3}-\cos(c+dx)}\right)}{\sqrt{3}d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 31, normalized size = 0.66

$$\frac{10 \tan^{-1}\left(\sqrt{3} \tan\left(\frac{1}{2}(c+dx)\right)\right)}{\sqrt{3}d} - x$$

Antiderivative was successfully verified.

[In] Integrate[(3 + Cos[c + d\*x])/(2 - Cos[c + d\*x]),x]

[Out]  $-x + (10*\text{ArcTan}[\text{Sqrt}[3]*\text{Tan}[(c + d*x)/2]]) / (\text{Sqrt}[3]*d)$

**fricas** [A] time = 1.88, size = 43, normalized size = 0.91

$$\frac{3 dx + 5 \sqrt{3} \arctan\left(\frac{2 \sqrt{3} \cos(dx+c) - \sqrt{3}}{3 \sin(dx+c)}\right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+cos(d\*x+c))/(2-cos(d\*x+c)),x, algorithm="fricas")

[Out] -1/3\*(3\*d\*x + 5\*sqrt(3)\*arctan(1/3\*(2\*sqrt(3)\*cos(d\*x + c) - sqrt(3))/sin(d\*x + c)))/d

**giac** [A] time = 0.33, size = 72, normalized size = 1.53

$$\frac{3 dx - 5 \sqrt{3} \left( dx + c + 2 \arctan\left(-\frac{\sqrt{3} \sin(dx+c) - 3 \sin(dx+c)}{\sqrt{3} \cos(dx+c) + \sqrt{3} - 3 \cos(dx+c) + 3}\right) \right) + 3 c}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+cos(d\*x+c))/(2-cos(d\*x+c)),x, algorithm="giac")

[Out] -1/3\*(3\*d\*x - 5\*sqrt(3)\*(d\*x + c + 2\*arctan(-(sqrt(3)\*sin(d\*x + c) - 3\*sin(d\*x + c))/(sqrt(3)\*cos(d\*x + c) + sqrt(3) - 3\*cos(d\*x + c) + 3))) + 3\*c)/d

**maple** [A] time = 0.10, size = 39, normalized size = 0.83

$$\frac{10\sqrt{3} \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{3}\right)}{3d} - \frac{2 \arctan\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((3+cos(d\*x+c))/(2-cos(d\*x+c)),x)

[Out] 10/3/d\*3^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*3^(1/2))-2/d\*arctan(tan(1/2\*d\*x+1/2\*c))

**maxima** [A] time = 0.43, size = 52, normalized size = 1.11

$$\frac{2 \left( 5 \sqrt{3} \arctan\left(\frac{\sqrt{3} \sin(dx+c)}{\cos(dx+c)+1}\right) - 3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) \right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+cos(d\*x+c))/(2-cos(d\*x+c)),x, algorithm="maxima")

[Out] 2/3\*(5\*sqrt(3)\*arctan(sqrt(3)\*sin(d\*x + c)/(cos(d\*x + c) + 1)) - 3\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1)))/d

**mupad** [B] time = 0.67, size = 74, normalized size = 1.57

$$\frac{\left(\frac{\pi - 5\pi\sqrt{3}}{3d} - \frac{\pi + 5\pi\sqrt{3}}{3d}\right) \left(\operatorname{atan}\left(\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) - \frac{dx}{2}\right)}{\pi} - \frac{dx - \frac{10\sqrt{3} \operatorname{atan}\left(\sqrt{3} \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-(cos(c + d\*x) + 3)/(cos(c + d\*x) - 2),x)

[Out] (((pi - (5\*3^(1/2)\*pi)/3)/d - (pi + (5\*3^(1/2)\*pi)/3)/d)\*(atan(tan(c/2 + (d\*x)/2)) - (d\*x)/2)) - (d\*x - (10\*3^(1/2)\*atan(3^(1/2)\*tan(c/2 + (d\*x)/2)))/3)/d



sympy [A] time = 2.42, size = 56, normalized size = 1.19

$$\begin{cases} -x + \frac{10\sqrt{3}\left(\operatorname{atan}\left(\sqrt{3}\tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right) + \pi\left\lfloor\frac{\frac{c}{2} + \frac{dx}{2} - \frac{\pi}{2}}{\pi}\right\rfloor\right)}{3d} & \text{for } d \neq 0 \\ \frac{x(\cos(c)+3)}{2-\cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((3+cos(d\*x+c))/(2-cos(d\*x+c)),x)

[Out] Piecewise((-x + 10\*sqrt(3)\*(atan(sqrt(3)\*tan(c/2 + d\*x/2)) + pi\*floor((c/2 + d\*x/2 - pi/2)/pi))/(3\*d), Ne(d, 0)), (x\*(cos(c) + 3)/(2 - cos(c)), True))

$$3.794 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

**Optimal.** Leaf size=58

$$\frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)}*(b/(a+b))^{(1/2)})*(a+b*\cos(d*x+c))^{(1/2)}/d/((a+b*\cos(d*x+c))/(a+b))^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {21, 2655, 2653}

$$\frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] `Int[(a*B + b*B*Cos[c + d*x])/Sqrt[a + b*Cos[c + d*x]],x]`

[Out]  $(2*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)])$

#### Rule 21

`Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])`

#### Rule 2653

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]`

#### Rule 2655

`Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]`

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= B \int \sqrt{a + b \cos(c + dx)} dx \\ &= \frac{(B\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 58, normalized size = 1.00

$$\frac{2B\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)])

**fricas [F]** time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{b \cos(dx + c) + a} B, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(d\*x + c) + a)\*B, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/sqrt(b\*cos(d\*x + c) + a), x)

**maple [B]** time = 0.98, size = 171, normalized size = 2.95

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a - b\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} B\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{\frac{2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^{b+a-b}}{a-b}} \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + (a+b)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{-2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + a + b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x)

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*cos(1/2*d*x+1/2*c)^2*b+a-b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*(a-b)/(-2*sin(1/2*d*x+1/2*c)^4*b+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{Bb \cos(dx + c) + Ba}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/sqrt(b*cos(d*x + c) + a), x)
```

**mupad** [B] time = 1.03, size = 56, normalized size = 0.97

$$\frac{2BE\left(\frac{c}{2} + \frac{dx}{2} \middle| \frac{2b}{a+b}\right) (a+b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d \sqrt{a+b \cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((B*a + B*b*cos(c + d*x))/(a + b*cos(c + d*x))^(1/2),x)
```

```
[Out] (2*B*ellipticE(c/2 + (d*x)/2, (2*b)/(a + b))*(a + b)*((a + b*cos(c + d*x))/(a + b))^(1/2))/(d*(a + b*cos(c + d*x))^(1/2))
```

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$B \int \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] B*Integral(sqrt(a + b*cos(c + d*x)), x)
```

### 3.795 $\int (a + b \cos(c + dx))^{2/3} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=229

$$\frac{\sqrt{2} (Ab - aB) \sin(c + dx) (a + b \cos(c + dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right)}{bd \sqrt{\cos(c + dx) + 1} \left(\frac{a + b \cos(c + dx)}{a + b}\right)^{2/3}} + \frac{\sqrt{2} B (a + b) \sin(c + dx)}{bd \sqrt{\cos(c + dx) + 1} \left(\frac{a + b \cos(c + dx)}{a + b}\right)^{2/3}}$$

[Out] (a+b)\*B\*AppellF1(1/2, -5/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\* (a+b\*cos(d\*x+c))^(2/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(2/3)/(1+cos(d\*x+c))^(1/2)+(A\*b-B\*a)\*AppellF1(1/2, -2/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\* (a+b\*cos(d\*x+c))^(2/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(2/3)/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.22, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2756, 2665, 139, 138}

$$\frac{\sqrt{2} (Ab - aB) \sin(c + dx) (a + b \cos(c + dx))^{2/3} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right)}{bd \sqrt{\cos(c + dx) + 1} \left(\frac{a + b \cos(c + dx)}{a + b}\right)^{2/3}} + \frac{\sqrt{2} B (a + b) \sin(c + dx)}{bd \sqrt{\cos(c + dx) + 1} \left(\frac{a + b \cos(c + dx)}{a + b}\right)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(2/3)\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[2]\*(a + b)\*B\*AppellF1[1/2, 1/2, -5/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(2/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(2/3)) + (Sqrt[2]\*(A\*b - a\*B)\*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(2/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(2/3))

#### Rule 138

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*AppellF1[m + 1, -n, -p, m + 2, -(d\*(a + b\*x))/(b\*c - a\*d), -(f\*(a + b\*x))/(b\*e - a\*f)])/(b\*(m + 1)\*(b/(b\*c - a\*d))^n\*(b/(b\*e - a\*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !(GtQ[d/(d\*a - c\*b), 0] && GtQ[d/(d\*e - c\*f), 0]) && SimplerQ[c + d\*x, a + b\*x] && !(GtQ[f/(f\*a - e\*b), 0] && GtQ[f/(f\*c - e\*d), 0]) && SimplerQ[e + f\*x, a + b\*x]

#### Rule 139

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Dist[(e + f\*x)^FracPart[p]/((b/(b\*e - a\*f))^IntPart[p]\*((b\*(e + f\*x))/(b\*e - a\*f))^FracPart[p]), Int[(a + b\*x)^m\*(c + d\*x)^n\*((b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && !GtQ[b/(b\*e - a\*f), 0]

#### Rule 2665

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[Cos[c + d\*x]/(d\*Sqrt[1 + Sin[c + d\*x]]\*Sqrt[1 - Sin[c + d\*x]]), Subst[Int[(a + b\*x)^n/(Sqrt[1 + x]\*Sqrt[1 - x]), x], x, Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d

, n}], x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2\*n]

### Rule 2756

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[(a + b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{2/3} (A + B \cos(c + dx)) dx &= \frac{B \int (a + b \cos(c + dx))^{5/3} dx}{b} + \frac{(Ab - aB) \int (a + b \cos(c + dx))^{2/3} dx}{b} \\ &= \frac{(B \sin(c + dx)) \operatorname{Subst}\left(\int \frac{(a+bx)^{5/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} - \frac{((Ab - aB) \int (a + b \cos(c + dx))^{2/3} dx)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} \\ &= \frac{((-a - b)B(a + b \cos(c + dx))^{2/3} \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\left(-\frac{a}{-a-b} - \frac{b}{-a-b}\right)}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} \left(-\frac{a+b\cos(c+dx)}{-a-b}\right) \\ &= \frac{\sqrt{2} (a + b) BF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{5}{3}; \frac{3}{2}; \frac{1}{2} (1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right) (a + b \cos(c + dx))^{2/3}}{bd\sqrt{1 + \cos(c + dx)} \left(\frac{a + b \cos(c + dx)}{a + b}\right)^{2/3}} \end{aligned}$$

**Mathematica** [A] time = 2.11, size = 259, normalized size = 1.13

$$3(a + b \cos(c + dx))^{2/3} \left(5B (a^2 - b^2) \csc(c + dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{-\frac{b(\cos(c+dx)+1)}{a-b}} F_1\left(\frac{2}{3}; \frac{1}{2}, \frac{1}{2}; \frac{5}{3}; \frac{a+b\cos(c+dx)}{a-b}, \frac{a+b\cos(c+dx)}{a+b}\right) + (A + B \cos(c + dx)) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{-\frac{b(\cos(c+dx)+1)}{a-b}}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(2/3)\*(A + B\*Cos[c + d\*x]), x]

[Out] (3\*(a + b\*Cos[c + d\*x])^(2/3)\*(5\*(a^2 - b^2)\*B\*AppellF1[2/3, 1/2, 1/2, 5/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)]\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))] \* Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))] \* Csc[c + d\*x] - (5\*A\*b + 2\*a\*B)\*AppellF1[5/3, 1/2, 1/2, 8/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)] \* Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))] \* Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)] \* (a + b\*Cos[c + d\*x]) \* Csc[c + d\*x] + 5\*b^2\*B\*Sin[c + d\*x]))/(25\*b^2\*d)

**fricas** [F] time = 1.20, size = 0, normalized size = 0.00

$$\operatorname{integral}\left((B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(2/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(2/3), x)

maple [F] time = 0.19, size = 0, normalized size = 0.00

$$\int (a + b \cos(dx + c))^{\frac{2}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int((a+b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(2/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))^(2/3),x)

[Out] int((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(2/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*\*(2/3), x)

### 3.796 $\int \sqrt[3]{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=229

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \sqrt[3]{a + b \cos(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right) + \sqrt{2} B(a + b) \sin(c + dx)}{bd \sqrt{\cos(c + dx) + 1} \sqrt[3]{\frac{a + b \cos(c + dx)}{a + b}}}$$

[Out] (a+b)\*B\*AppellF1(1/2, -4/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(1/3)/(1+cos(d\*x+c))^(1/2)+(A\*b-B\*a)\*AppellF1(1/2, -1/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(1/3)/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.19, antiderivative size = 229, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2756, 2665, 139, 138}

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \sqrt[3]{a + b \cos(c + dx)} F_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right) + \sqrt{2} B(a + b) \sin(c + dx)}{bd \sqrt{\cos(c + dx) + 1} \sqrt[3]{\frac{a + b \cos(c + dx)}{a + b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[2]\*(a + b)\*B\*AppellF1[1/2, 1/2, -4/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(1/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(1/3) + (Sqrt[2]\*(A\*b - a\*B)\*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(1/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(1/3))

#### Rule 138

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Simp[((a + b\*x)^(m + 1)\*AppellF1[m + 1, -n, -p, m + 2, -((d\*(a + b\*x))/(b\*c - a\*d)), -((f\*(a + b\*x))/(b\*e - a\*f))]/(b\*(m + 1)\*(b/(b\*c - a\*d))^n\*(b/(b\*e - a\*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !(GtQ[d/(d\*a - c\*b), 0] && GtQ[d/(d\*e - c\*f), 0]) && SimplifierQ[c + d\*x, a + b\*x] && !(GtQ[f/(f\*a - e\*b), 0] && GtQ[f/(f\*c - e\*d), 0]) && SimplifierQ[e + f\*x, a + b\*x]

#### Rule 139

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] :> Dist[(e + f\*x)^FracPart[p]/((b/(b\*e - a\*f))^IntPart[p]\*(b\*(e + f\*x)/(b\*e - a\*f))^FracPart[p]), Int[(a + b\*x)^m\*(c + d\*x)^n\*(b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f)^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && !GtQ[b/(b\*e - a\*f), 0]

#### Rule 2665

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Dist[Cos[c + d\*x]/(d\*Sqrt[1 + Sin[c + d\*x]]\*Sqrt[1 - Sin[c + d\*x]]), Subst[Int[(a + b\*x)^n/(Sqrt[1 + x]\*Sqrt[1 - x]), x], x, Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2\*n]



Rule 2756

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[(a + b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \sqrt[3]{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{B \int (a + b \cos(c + dx))^{4/3} dx}{b} + \frac{(Ab - aB) \int \sqrt[3]{a + b \cos(c + dx)} dx}{b} \\ &= -\frac{(B \sin(c + dx)) \operatorname{Subst}\left(\int \frac{(a+bx)^{4/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} - \frac{(A - B \cos(c + dx)) \operatorname{Subst}\left(\int \frac{(a+bx)^{4/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} \\ &= \frac{((-a - b)B\sqrt[3]{a + b \cos(c + dx)} \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\left(\frac{a}{-a-b} - \frac{b}{-a}\right)}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}\sqrt[3]{-\frac{a+b \cos(c + dx)}{a+b}}} \\ &= \frac{\sqrt{2}(a + b)BF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{4}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a+b}\right)}{bd\sqrt{1 + \cos(c + dx)}\sqrt[3]{\frac{a+b \cos(c + dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 1.92, size = 253, normalized size = 1.10

$$3 \csc(c + dx) \sqrt[3]{a + b \cos(c + dx)} \left( 4B(b^2 - a^2) \sqrt{-\frac{b(\cos(c + dx) - 1)}{a + b}} \sqrt{-\frac{b(\cos(c + dx) + 1)}{a - b}} F_1\left(\frac{1}{3}; \frac{1}{2}, \frac{1}{2}, \frac{4}{3}; \frac{a + b \cos(c + dx)}{a - b}, \frac{a + b \cos(c + dx)}{a - b}\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]), x]

[Out] (-3\*(a + b\*Cos[c + d\*x])^(1/3)\*Csc[c + d\*x]\*(4\*(-a^2 + b^2)\*B\*AppellF1[1/3, 1/2, 1/2, 4/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)]\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))] + (4\*A\*b + a\*B)\*AppellF1[4/3, 1/2, 1/2, 7/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)]\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*(a + b\*Cos[c + d\*x]) - 4\*b^2\*B\*Sin[c + d\*x]^2))/(16\*b^2\*d)

**fricas [F]** time = 0.99, size = 0, normalized size = 0.00

$$\operatorname{integral}\left((B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(1/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(1/3), x)

**maple** [F] time = 0.18, size = 0, normalized size = 0.00

$$\int (a + b \cos(dx + c))^{\frac{1}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int((a+b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(1/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))^(1/3),x)

[Out] int((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))^(1/3), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (A + B \cos(c + dx)) \sqrt[3]{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*\*(1/3), x)

$$3.797 \quad \int \frac{A+B \cos(c+dx)}{\sqrt[3]{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=226

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \sqrt[3]{\frac{a+b \cos(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c+dx))}{a+b}\right) + \sqrt{2} B \sin(c + dx)(a + b)}{bd \sqrt{\cos(c + dx) + 1} \sqrt[3]{a + b \cos(c + dx)}}$$

[Out] B\*AppellF1(1/2, -2/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(2/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(2/3)/(1+cos(d\*x+c))^(1/2)+(A\*b-B\*a)\*AppellF1(1/2, 1/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*((a+b\*cos(d\*x+c))/(a+b))^(1/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(1/3)/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.18, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2756, 2665, 139, 138}

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \sqrt[3]{\frac{a+b \cos(c+dx)}{a+b}} F_1\left(\frac{1}{2}; \frac{1}{2}, \frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c+dx))}{a+b}\right) + \sqrt{2} B \sin(c + dx)(a + b)}{bd \sqrt{\cos(c + dx) + 1} \sqrt[3]{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(1/3), x]

[Out] (Sqrt[2]\*B\*AppellF1[1/2, 1/2, -2/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(2/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(2/3)) + (Sqrt[2]\*(A\*b - a\*B)\*AppellF1[1/2, 1/2, 1/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*((a + b\*Cos[c + d\*x])/(a + b))^(1/3)\*Sin[c + d\*x])/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(1/3))

#### Rule 138

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*AppellF1[m + 1, -n, -p, m + 2, -((d\*(a + b\*x))/(b\*c - a\*d)), -((f\*(a + b\*x))/(b\*e - a\*f))]/(b\*(m + 1)\*(b/(b\*c - a\*d))^n\*(b/(b\*e - a\*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !(GtQ[d/(d\*a - c\*b), 0] && GtQ[d/(d\*e - c\*f), 0]) && SimplerQ[c + d\*x, a + b\*x] && !(GtQ[f/(f\*a - e\*b), 0] && GtQ[f/(f\*c - e\*d), 0]) && SimplerQ[e + f\*x, a + b\*x]

#### Rule 139

Int[((a\_) + (b\_.)\*(x\_))^(m\_)\*((c\_.) + (d\_.)\*(x\_))^(n\_)\*((e\_.) + (f\_.)\*(x\_))^(p\_), x\_Symbol] := Dist[(e + f\*x)^FracPart[p]/((b/(b\*e - a\*f))^IntPart[p]\*((b\*(e + f\*x))/(b\*e - a\*f))^FracPart[p]), Int[(a + b\*x)^m\*(c + d\*x)^n\*((b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && !GtQ[b/(b\*e - a\*f), 0]

#### Rule 2665

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Dist[Cos[c + d\*x]/(d\*Sqrt[1 + Sin[c + d\*x]]\*Sqrt[1 - Sin[c + d\*x]]), Subst[Int[(a + b\*x)^n/(Sqrt[1 + x]\*Sqrt[1 - x]), x], x, Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d

, n}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2\*n]

### Rule 2756

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[(a + b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt[3]{a + b \cos(c + dx)}} dx &= \frac{B \int (a + b \cos(c + dx))^{2/3} dx}{b} + \frac{(Ab - aB) \int \frac{1}{\sqrt[3]{a + b \cos(c + dx)}} dx}{b} \\ &= -\frac{(B \sin(c + dx)) \operatorname{Subst}\left(\int \frac{(a+bx)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} - \frac{((Ab - aB) \sin(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} \\ &= -\frac{(B(a + b \cos(c + dx))^{2/3} \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\left(\frac{-a}{-a-b} - \frac{bx}{-a-b}\right)^{2/3}}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} - \frac{((Ab - aB) \sin(c + dx)) \operatorname{Subst}\left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd\sqrt{1 - \cos(c + dx)}\sqrt{1 + \cos(c + dx)}} \\ &= \frac{\sqrt{2} BF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{2}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a+b}\right) (a + b \cos(c + dx))^{2/3} \sin(c + dx)}{bd\sqrt{1 + \cos(c + dx)}\left(\frac{a+b \cos(c + dx)}{a+b}\right)^{2/3}} \end{aligned}$$

**Mathematica [A]** time = 0.46, size = 189, normalized size = 0.84

$$\frac{3 \csc(c + dx) \sqrt{-\frac{b(\cos(c + dx) - 1)}{a + b}} \sqrt{\frac{b(\cos(c + dx) + 1)}{b - a}} (a + b \cos(c + dx))^{2/3} \left(5(Ab - aB) F_1\left(\frac{2}{3}; \frac{1}{2}, \frac{1}{2}, \frac{5}{3}; \frac{a + b \cos(c + dx)}{a - b}, \frac{a + b \cos(c + dx)}{a + b}\right)\right)}{10b^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(1/3), x]

[Out] (-3\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(2/3)\*(5\*(A\*b - a\*B)\*AppellF1[2/3, 1/2, 1/2, 5/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)] + 2\*B\*AppellF1[5/3, 1/2, 1/2, 8/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)]\*(a + b\*Cos[c + d\*x]))\*Csc[c + d\*x])/(10\*b^2\*d)

**fricas [F]** time = 1.07, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(1/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(1/3), x)

maple [F] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(a + b \cos(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/3),x)

[Out] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(1/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))^(1/3),x)

[Out] int((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt[3]{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/3),x)

[Out] Integral((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))\*\*(1/3), x)

$$3.798 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=226

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \left( \frac{a+b \cos(c+dx)}{a+b} \right)^{2/3} F_1 \left( \frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \cos(c + dx)), \frac{b(1 - \cos(c+dx))}{a+b} \right)}{bd \sqrt{\cos(c + dx) + 1} (a + b \cos(c + dx))^{2/3}} + \frac{\sqrt{2} B \sin(c + dx) \sqrt[3]{a + \cos(c + dx)}}{bd \sqrt{\cos(c + dx) + 1} (a + b \cos(c + dx))^{2/3}}$$

[Out] B\*AppellF1(1/2, -1/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/3)\*sin(d\*x+c)\*2^(1/2)/b/d/((a+b\*cos(d\*x+c))/(a+b))^(1/3)/(1+cos(d\*x+c))^(1/2)+(A\*b-B\*a)\*AppellF1(1/2, 2/3, 1/2, 3/2, b\*(1-cos(d\*x+c))/(a+b), 1/2-1/2\*cos(d\*x+c))\*((a+b\*cos(d\*x+c))/(a+b))^(2/3)\*sin(d\*x+c)\*2^(1/2)/b/d/(a+b\*cos(d\*x+c))^(2/3)/(1+cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.19, antiderivative size = 226, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$ , Rules used = {2756, 2665, 139, 138}

$$\frac{\sqrt{2}(Ab - aB) \sin(c + dx) \left( \frac{a+b \cos(c+dx)}{a+b} \right)^{2/3} F_1 \left( \frac{1}{2}; \frac{1}{2}, \frac{2}{3}; \frac{3}{2}; \frac{1}{2} (1 - \cos(c + dx)), \frac{b(1 - \cos(c+dx))}{a+b} \right)}{bd \sqrt{\cos(c + dx) + 1} (a + b \cos(c + dx))^{2/3}} + \frac{\sqrt{2} B \sin(c + dx) \sqrt[3]{a + \cos(c + dx)}}{bd \sqrt{\cos(c + dx) + 1} (a + b \cos(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(2/3), x]

[Out] (Sqrt[2]\*B\*AppellF1[1/2, 1/2, -1/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*(a + b\*Cos[c + d\*x])^(1/3)\*Sin[c + d\*x]/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*((a + b\*Cos[c + d\*x])/(a + b))^(1/3)) + (Sqrt[2]\*(A\*b - a\*B)\*AppellF1[1/2, 1/2, 2/3, 3/2, (1 - Cos[c + d\*x])/2, (b\*(1 - Cos[c + d\*x]))/(a + b)]\*((a + b\*Cos[c + d\*x])/(a + b))^(2/3)\*Sin[c + d\*x]/(b\*d\*Sqrt[1 + Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(2/3))

#### Rule 138

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Simp[((a + b\*x)^(m + 1)\*AppellF1[m + 1, -n, -p, m + 2, -((d\*(a + b\*x))/(b\*c - a\*d)), -((f\*(a + b\*x))/(b\*e - a\*f))]/(b\*(m + 1)\*(b/(b\*c - a\*d))^n\*(b/(b\*e - a\*f))^p), x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && GtQ[b/(b\*e - a\*f), 0] && !(GtQ[d/(d\*a - c\*b), 0] && GtQ[d/(d\*e - c\*f), 0]) && SimplifierQ[c + d\*x, a + b\*x] && !(GtQ[f/(f\*a - e\*b), 0] && GtQ[f/(f\*c - e\*d), 0]) && SimplifierQ[e + f\*x, a + b\*x]

#### Rule 139

Int[((a\_) + (b\_)\*(x\_))^(m\_)\*((c\_) + (d\_)\*(x\_))^(n\_)\*((e\_) + (f\_)\*(x\_))^(p\_), x\_Symbol] := Dist[(e + f\*x)^FracPart[p]/((b/(b\*e - a\*f))^IntPart[p]\*((b\*(e + f\*x))/(b\*e - a\*f))^FracPart[p]), Int[(a + b\*x)^m\*(c + d\*x)^n\*((b\*e)/(b\*e - a\*f) + (b\*f\*x)/(b\*e - a\*f))^p, x], x] /; FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b\*c - a\*d), 0] && !GtQ[b/(b\*e - a\*f), 0]

#### Rule 2665

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[Cos[c + d\*x]/(d\*Sqrt[1 + Sin[c + d\*x]]\*Sqrt[1 - Sin[c + d\*x]]), Subst[Int[(a + b\*x)^n/(Sqrt[1 + x]\*Sqrt[1 - x]), x], x, Sin[c + d\*x]], x] /; FreeQ[{a, b, c, d

, n}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2\*n]

### Rule 2756

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[(a + b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{2/3}} dx &= \frac{B \int \sqrt[3]{a + b \cos(c + dx)} dx}{b} + \frac{(Ab - aB) \int \frac{1}{(a + b \cos(c + dx))^{2/3}} dx}{b} \\ &= -\frac{(B \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\sqrt[3]{a + bx}}{\sqrt{1-x} \sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd \sqrt{1 - \cos(c + dx)} \sqrt{1 + \cos(c + dx)}} - \frac{((Ab - aB) \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\sqrt[3]{a + bx}}{\sqrt{1-x} \sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd \sqrt{1 - \cos(c + dx)} \sqrt{1 + \cos(c + dx)}} \\ &= -\frac{(B \sqrt[3]{a + b \cos(c + dx)} \sin(c + dx)) \operatorname{Subst}\left(\int \frac{\sqrt[3]{\frac{a}{-a-b} - \frac{bx}{-a-b}}}{\sqrt{1-x} \sqrt{1+x}} dx, x, \cos(c + dx)\right)}{bd \sqrt{1 - \cos(c + dx)} \sqrt{1 + \cos(c + dx)} \sqrt[3]{\frac{a + b \cos(c + dx)}{-a-b}}} \\ &= \frac{\sqrt{2} BF_1\left(\frac{1}{2}; \frac{1}{2}, -\frac{1}{3}; \frac{3}{2}; \frac{1}{2}(1 - \cos(c + dx)), \frac{b(1 - \cos(c + dx))}{a + b}\right) \sqrt[3]{a + b \cos(c + dx)} \sin(c + dx)}{bd \sqrt{1 + \cos(c + dx)} \sqrt[3]{\frac{a + b \cos(c + dx)}{a + b}}} \end{aligned}$$

**Mathematica [A]** time = 0.48, size = 188, normalized size = 0.83

$$\frac{3 \csc(c + dx) \sqrt{-\frac{b(\cos(c + dx) - 1)}{a + b}} \sqrt{\frac{b(\cos(c + dx) + 1)}{b - a}} \sqrt[3]{a + b \cos(c + dx)} \left(4(Ab - aB)F_1\left(\frac{1}{3}; \frac{1}{2}, \frac{1}{2}, \frac{4}{3}; \frac{a + b \cos(c + dx)}{a - b}, \frac{a + b \cos(c + dx)}{a + b}\right) + B \operatorname{AppellF1}\left[\frac{1}{3}, \frac{1}{2}, \frac{1}{2}, \frac{7}{3}; \frac{a + b \cos(c + dx)}{a - b}, \frac{a + b \cos(c + dx)}{a + b}\right] \right)}{4b^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(2/3), x]

[Out] (-3\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*(a + b\*Cos[c + d\*x])^(1/3)\*(4\*(A\*b - a\*B)\*AppellF1[1/3, 1/2, 1/2, 4/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)] + B\*AppellF1[4/3, 1/2, 1/2, 7/3, (a + b\*Cos[c + d\*x])/(a - b), (a + b\*Cos[c + d\*x])/(a + b)]\*(a + b\*Cos[c + d\*x]))\*Csc[c + d\*x])/(4\*b^2\*d)

**fricas [F]** time = 0.89, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{2/3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(2/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(2/3), x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(a + b \cos(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(2/3),x)

[Out] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(2/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(2/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))^(2/3),x)

[Out] int((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(2/3),x)

[Out] Integral((A + B\*cos(c + d\*x))/(a + b\*cos(c + d\*x))\*\*(2/3), x)



$$3.799 \quad \int \cos^2(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=168

$$\frac{2A \sin(c + dx)(b \cos(c + dx))^{3/2}}{5bd} + \frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2B \sin(c + dx)(b \cos(c + dx))^{5/2}}{7b^2d} + \frac{10B \sin(c + dx)(b \cos(c + dx))^{3/2}}{7b^2d}$$

[Out]  $\frac{2}{5}A*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b^2/d+10/21*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+10/21*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c + dx)(b \cos(c + dx))^{3/2}}{5bd} + \frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2B \sin(c + dx)(b \cos(c + dx))^{5/2}}{7b^2d} + \frac{10B \sin(c + dx)(b \cos(c + dx))^{3/2}}{7b^2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out]  $(6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(21*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*A*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*b*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*b^2*d)$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_)^(n\_)), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*SIN[c + d\*x]]/Sqrt[SIN[c + d\*x]], Int[Sqrt[SIN[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2642

```
Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c + dx))^{5/2} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b^3} \\ &= \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} + \frac{2B(b \cos(c + dx))^{5/2} \sin(c + dx)}{7b^2d} \\ &= \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21d} \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{10bB\sqrt{\cos(c + dx)} \sin(c + dx)}{21d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.58, size = 100, normalized size = 0.60

$$\frac{\sqrt{b \cos(c + dx)} \left( 2 \sin(c + dx) \sqrt{\cos(c + dx)} (42A \cos(c + dx) + 15B \cos(2(c + dx)) + 65B) + 252AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{210d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (Sqrt[b*Cos[c + d*x]]*(252*A*EllipticE[(c + d*x)/2, 2] + 100*B*EllipticF[(c
+ d*x)/2, 2] + 2*Sqrt[Cos[c + d*x]]*(65*B + 42*A*Cos[c + d*x] + 15*B*Cos[2
*(c + d*x)])*Sin[c + d*x]))/(210*d*Sqrt[Cos[c + d*x]])
```

**fricas** [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx + c)^3 + A \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*cos(d\*x + c)^2, x)

**maple** [A] time = 0.88, size = 299, normalized size = 1.78

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)} b\left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] -2/105\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b\*(240\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A-360\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(168\*A+280\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-42\*A-80\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-63\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+25\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*cos(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.800 \quad \int \cos(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=139

$$\frac{2A \sin(c + dx) \sqrt{b \cos(c + dx)}}{3d} + \frac{2Ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{b \cos(c + dx)}} + \frac{2B \sin(c + dx) (b \cos(c + dx))^{3/2}}{5bd} + \frac{6BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd}$$

[Out]  $\frac{2}{5} B (b \cos(dx+c))^{3/2} \sin(dx+c) / b/d + \frac{2}{3} A b (\cos(1/2 dx + 1/2 c))^2 (1/2) / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) * \cos(dx+c)^{(1/2)} / d + \frac{2}{3} A \sin(dx+c) * (b \cos(dx+c))^{(1/2)} / d + \frac{6}{5} B (\cos(1/2 dx + 1/2 c))^2 (1/2) / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) * (b \cos(dx+c))^{(1/2)} / d / \cos(dx+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2A \sin(c + dx) \sqrt{b \cos(c + dx)}}{3d} + \frac{2Ab \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{b \cos(c + dx)}} + \frac{2B \sin(c + dx) (b \cos(c + dx))^{3/2}}{5bd} + \frac{6BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(6*B*Sqrt[b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) / (5*d*Sqrt[Cos[c + d*x]]) + (2*A*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]) / (3*d*Sqrt[b*Cos[c + d*x]]) + (2*A*Sqrt[b*Cos[c + d*x]]*Sin[c + d*x]) / (3*d) + (2*B*(b*Cos[c + d*x])^{(3/2)}*Sin[c + d*x]) / (5*b*d)$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n-1))/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*Sin[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b\_)\sin[(c\_)\ + (d\_)\*(x\_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2748

$\text{Int}[(b\_)\sin[(e\_)\ + (f\_)\*(x\_)]^{(m\_)}*((c\_)\ + (d\_)\sin[(e\_)\ + (f\_)\*(x\_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int (b \cos(c + dx))^{3/2} dx}{b} + \frac{B \int (b \cos(c + dx))^{5/2} dx}{b^2} \\ &= \frac{2A \sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B (b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= \frac{2A \sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B (b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} \\ &= \frac{6B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d \sqrt{\cos(c + dx)}} + \frac{2Ab \sqrt{\cos(c + dx)}}{3d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 91, normalized size = 0.65

$$\frac{2(b \cos(c + dx))^{3/2} \left( \sin(c + dx) \sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF \left( \frac{1}{2}(c + dx) \middle| 2 \right) + 9BE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{15bd \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(b\*Cos[c + d\*x])^(3/2)\*(9\*B\*EllipticE[(c + d\*x)/2, 2] + 5\*A\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(5\*A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(15\*b\*d\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 2.36, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c))^2 + A \cos(dx + c) \right) \sqrt{b \cos(dx + c)}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*cos(d\*x + c), x)

**maple** [A] time = 0.89, size = 271, normalized size = 1.95

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out]  $-2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+24*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-6*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)\*(b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

### 3.801 $\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=108

$$\frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{2B \sin(c + dx) \sqrt{b \cos(c + dx)}}{3d} + \frac{2bB \sqrt{\cos(c + dx)} F \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d \sqrt{b \cos(c + dx)}}$$

[Out]  $2/3*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 108, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{2B \sin(c + dx) \sqrt{b \cos(c + dx)}}{3d} + \frac{2bB \sqrt{\cos(c + dx)} F \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]`

[Out]  $(2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2642

`Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= A \int \sqrt{b \cos(c + dx)} dx + \frac{B \int (b \cos(c + dx))^{3/2} dx}{b} \\ &= \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(bB) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + \frac{(A\sqrt{b \cos(c + dx)})}{3d} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.11, size = 75, normalized size = 0.69

$$\frac{2\sqrt{b \cos(c + dx)} \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\left(F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}\right) \right)}{3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*Sqrt[b*Cos[c + d*x]]*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])
```

**fricas** [F] time = 2.18, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c)), x)
```

**maple** [A] time = 0.98, size = 238, normalized size = 2.20

$$\frac{2\sqrt{b} \left( 2 \left( \cos^2\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right) \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b \left( -4B \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + 3A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right)} \right) \right)}{3\sqrt{-b} \left( 2 \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \right)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)`

[Out]  $2/3*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*(-4*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c)), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)),x)`

[Out] `int((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)`

[Out] `Integral(sqrt(b*cos(c + d*x))*(A + B*cos(c + d*x)), x)`

### 3.802 $\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=80

$$\frac{2Ab\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out]  $2A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {16, 2748, 2642, 2641, 2640, 2639}

$$\frac{2Ab\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x],x]`

[Out]  $(2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

`Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2642

`Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2748

`Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(`

$b \cdot \sin[e + f \cdot x]^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx \\ &= (Ab) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + B \int \sqrt{b \cos(c + dx)} dx \\ &= \frac{(Ab \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{2B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} + \frac{2Ab \sqrt{\cos(c + dx)}}{d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 55, normalized size = 0.69

$$\frac{2b \sqrt{\cos(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (2\*b\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2]))/(d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c), x)

**maple [A]** time = 0.94, size = 161, normalized size = 2.01

$$\frac{2 \sqrt{b \left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{\sqrt{-b \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)} \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{b \left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right)} \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 1} \left( A \text{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + B \text{EllipticE} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out]  $-2*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)))/cos(c + d*x),x)`

[Out] `int(((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)))/cos(c + d*x), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out] `Integral(sqrt(b*cos(c + d*x))*(A + B*cos(c + d*x))*sec(c + d*x), x)`

### 3.803 $\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=105

$$\frac{2Ab \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2AE \left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{\cos(c + dx)} F \left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

[Out]  $2A*b*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2AE \left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{\cos(c + dx)} F \left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]`

[Out]  $(-2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

`Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2636

`Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{3/2}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx + (bB) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - A \int \sqrt{b \cos(c + dx)} dx + \frac{(bB\sqrt{\cos(c + dx)})}{d\sqrt{b \cos(c + dx)}} \\ &= \frac{2bB\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}} + \frac{2Ab \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} \\ &= -\frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{\cos(c + dx)}}{d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.19, size = 73, normalized size = 0.70

$$\frac{2\sqrt{b \cos(c + dx)} \left( -AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{A \sin(c + dx)}{\sqrt{\cos(c + dx)}} + BF\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (2*Sqrt[b*Cos[c + d*x]]*(-(A*EllipticE[(c + d*x)/2, 2]) + B*EllipticF[(c + d*x)/2, 2] + (A*Sin[c + d*x])/Sqrt[Cos[c + d*x]]))/(d*Sqrt[Cos[c + d*x]])
```

**fricas** [F] time = 1.34, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c)^2, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^2, x)

**maple** [A] time = 0.99, size = 213, normalized size = 2.03

$$\frac{2b\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b} \left( A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out]  $-2*b*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^2,x)

[Out] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^2, x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Integral(sqrt(b\*cos(c + d\*x))\*(A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2, x)

$$3.804 \quad \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=136

$$\frac{2Ab^2 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2bB \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

[Out]  $2/3*A*b^2*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+2*b*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2Ab^2 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2bB \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]`

[Out] `(-2*B*Sqrt[b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]) + (2*A*b*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2])/(3*d*Sqrt[b*Cos[c + d*x]]) + (2*A*b^2*Sin[c + d*x])/(3*d*(b*Cos[c + d*x])^(3/2)) + (2*b*B*Sin[c + d*x])/(d*Sqrt[b*Cos[c + d*x]])`

#### Rule 16

`Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2636

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`



Rule 2642

`Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

Rule 2748

`Int[((b_)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rubi steps

$$\begin{aligned}
 \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= b^3 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx \\
 &= (Ab^3) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + (b^2 B) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\
 &= \frac{2Ab^2 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2bB \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{1}{3}(Ab) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\
 &= \frac{2Ab^2 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2bB \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{(Ab\sqrt{\cos(c + dx)})}{3d\sqrt{b \cos(c + dx)}} \\
 &= -\frac{2B\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2Ab\sqrt{\cos(c + dx)}}{3d\sqrt{b \cos(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.26, size = 85, normalized size = 0.62

$$\frac{2b \left( A \tan(c + dx) + A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3B \sin(c + dx) - 3B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (2\*b\*(-3\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 3\*B\*Sin[c + d\*x] + A\*Tan[c + d\*x]))/(3\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 1.04, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^3, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^3, x)

**maple [B]** time = 1.09, size = 453, normalized size = 3.33

$$2 \left( 12B \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b} \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 
$$-2/3*(12*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+A*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*b/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^3, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^3,x)

[Out] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^3, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

$$3.805 \quad \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=169

$$\frac{2Ab^3 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2bB\sqrt{\cos(c + dx)}}{3d}$$

[Out]  $2/5 * A * b^3 * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(5/2)} + 2/3 * b^2 * B * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(3/2)} + 6/5 * A * b * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(1/2)} + 2/3 * b * B * (\cos(1/2 * d * x + 1/2 * c))^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(d * x + c)^{(1/2)} / d / (b * \cos(d * x + c))^{(1/2)} - 6/5 * A * (\cos(1/2 * d * x + 1/2 * c))^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (b * \cos(d * x + c))^{(1/2)} / d / \cos(d * x + c)^{(1/2)}$

**Rubi [A]** time = 0.16, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^3 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6AE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2bB\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[b \* Cos[c + d \* x]] \* (A + B \* Cos[c + d \* x]) \* Sec[c + d \* x]^4, x]

[Out]  $(-6 * A * \text{Sqrt}[b * \text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, 2]) / (5 * d * \text{Sqrt}[\text{Cos}[c + d * x]]) + (2 * b * B * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticF}[(c + d * x) / 2, 2]) / (3 * d * \text{Sqrt}[b * \text{Cos}[c + d * x]]) + (2 * A * b^3 * \text{Sin}[c + d * x]) / (5 * d * (b * \text{Cos}[c + d * x])^{(5/2)}) + (2 * b^2 * B * \text{Sin}[c + d * x]) / (3 * d * (b * \text{Cos}[c + d * x])^{(3/2)}) + (6 * A * b * \text{Sin}[c + d * x]) / (5 * d * \text{Sqrt}[b * \text{Cos}[c + d * x]])$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_)^(n\_)), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d \* x] \* (b \* Sin[c + d \* x])^(n + 1)) / (b \* d \* (n + 1)), x] + Dist[(n + 2) / (b^2 \* (n + 1)), Int[(b \* Sin[c + d \* x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2 \* n]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2 \* EllipticE[(1 \* (c - P i / 2 + d \* x)) / 2, 2]) / d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b \* Sin[c + d \* x]] / Sqrt[Sin[c + d \* x]], Int[Sqrt[Sin[c + d \* x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned}
 \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= b^4 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\
 &= (Ab^4) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + (b^3 B) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx \\
 &= \frac{2Ab^3 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^2 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{1}{5} (3Ab^2) \\
 &= \frac{2Ab^3 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^2 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{6Ab \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} \\
 &= \frac{2bB\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2Ab^3 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} \\
 &= -\frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{\cos(c + dx)}}{3d\sqrt{b \cos(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 0.49, size = 107, normalized size = 0.63

$$\frac{2 \sec^2(c + dx) \sqrt{b \cos(c + dx)} \left( \frac{9}{2} A \sin(2(c + dx)) + 3A \tan(c + dx) - 9A \cos^3(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 5B \sin(c + dx) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (2*Sqrt[b*Cos[c + d*x]]*Sec[c + d*x]^2*(-9*A*Cos[c + d*x]^(3/2)*EllipticE[(
c + d*x)/2, 2] + 5*B*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 5*B*Sin
[c + d*x] + (9*A*Sin[2*(c + d*x)])/2 + 3*A*Tan[c + d*x]))/(15*d)
```

**fricas [F]** time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)^4, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="
fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c)^4, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^4, x)

**maple** [B] time = 2.37, size = 575, normalized size = 3.40

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 2/15\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)^3/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)\*(36\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-72\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+20\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-36\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+72\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4-20\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+20\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+9\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-24\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-10\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+b\*sin(1/2\*d\*x+1/2\*c)^2\*b)^(1/2)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^4, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4,x)

[Out] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

$$3.806 \quad \int \cos(c + dx)(b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$$

Optimal. Leaf size=169

$$\frac{2A \sin(c + dx)(b \cos(c + dx))^{3/2}}{5d} + \frac{6AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{10b^2B\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d\sqrt{b \cos(c + dx)}} + \dots$$

[Out]  $2/5*A*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b/d+10/21*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+10/21*b*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+6/5*A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c + dx)(b \cos(c + dx))^{3/2}}{5d} + \frac{6AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{10b^2B\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d\sqrt{b \cos(c + dx)}} + \dots$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out]  $(6*A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(21*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*A*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*b*d)$

Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_)^(n\_)), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*SIN[c + d\*x]]/Sqrt[SIN[c + d\*x]], Int[Sqrt[SIN[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int (b \cos(c + dx))^{5/2} dx}{b} + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b^2} \\ &= \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2B(b \cos(c + dx))^{5/2}}{7bd} \\ &= \frac{10bB\sqrt{b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2A(b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{6Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{10bB\sqrt{b \cos(c + dx)}}{21d} \\ &= \frac{6Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{10b^2B\sqrt{\cos(c + dx)}}{21d\sqrt{bc}} \end{aligned}$$

**Mathematica** [A] time = 0.30, size = 103, normalized size = 0.61

$$\frac{(b \cos(c + dx))^{5/2} \left( 2 \sin(c + dx) \sqrt{\cos(c + dx)} (42A \cos(c + dx) + 15B \cos(2(c + dx))) + 65B \right) + 252AE \left( \frac{1}{2}(c + dx) \right)}{210bd \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] ((b*Cos[c + d*x])^(5/2)*(252*A*EllipticE[(c + d*x)/2, 2] + 100*B*EllipticF[
(c + d*x)/2, 2] + 2*Sqrt[Cos[c + d*x]]*(65*B + 42*A*Cos[c + d*x] + 15*B*Cos
[2*(c + d*x)])*Sin[c + d*x]))/(210*b*d*Cos[c + d*x]^(5/2))
```

**fricas** [F] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left( (Bb \cos(dx + c)^3 + Ab \cos(dx + c)^2) \sqrt{b \cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fr
icas")
```

```
[Out] integral((B*b*cos(d*x + c)^3 + A*b*cos(d*x + c)^2)*sqrt(b*cos(d*x + c)), x)
```



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*cos(d\*x + c), x)

**maple** [A] time = 0.79, size = 301, normalized size = 1.78

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^2 \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out]  $-2/105*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(240*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-360*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2)^{(1/2))+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2)^{(1/2)})/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)\*(b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)\*(b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

### 3.807 $\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=140

$$\frac{2Ab^2\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2Ab\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d} + \frac{2B\sin(c+dx)(b\cos(c+dx))^{3/2}}{5d} + \frac{6bBE\left(\frac{1}{2}\right)}{5d}$$

[Out]  $2/5*B*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/3*A*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*b*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+6/5*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2Ab^2\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2Ab\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d} + \frac{2B\sin(c+dx)(b\cos(c+dx))^{3/2}}{5d} + \frac{6bBE\left(\frac{1}{2}\right)}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x]),x]$

[Out]  $(6*b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*B*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= A \int (b \cos(c + dx))^{3/2} dx + \frac{B \int (b \cos(c + dx))^{5/2} dx}{b} \\ &= \frac{2Ab\sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2Ab\sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{6bB\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{2Ab^2\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 88, normalized size = 0.63

$$\frac{2(b \cos(c + dx))^{3/2} \left( \sin(c + dx) \sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(b\*Cos[c + d\*x])^(3/2)\*(9\*B\*EllipticE[(c + d\*x)/2, 2] + 5\*A\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(5\*A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(15\*d\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Ab \cos(dx + c)\right)\sqrt{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2), x)

**maple [A]** time = 0.87, size = 273, normalized size = 1.95

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^2 \left(-24B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+24*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-6*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)),x)`

[Out] `int((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)`

[Out] Timed out

### 3.808 $\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=112

$$\frac{2AbE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2bB\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d}$$

[Out]  $2/3*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*b*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+2*A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2AbE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2bB\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out]  $(2*A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx \\ &= (Ab) \int \sqrt{b \cos(c + dx)} dx + B \int (b \cos(c + dx))^{3/2} dx \\ &= \frac{2bB\sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} (b^2 B) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2bB\sqrt{b \cos(c + dx)}}{3d} \\ &= \frac{2Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)}}{3d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.04, size = 76, normalized size = 0.68

$$\frac{2b\sqrt{b \cos(c + dx)} \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\left(F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}\right) \right)}{3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x],x]
```

```
[Out] (2*b*Sqrt[b*Cos[c + d*x]]*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])
```

**fricas** [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Ab \cos(dx + c)\right)\sqrt{b \cos(dx + c)} \sec(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*b*cos(d*x + c))*sqrt(b*cos(d*x + c))*sec(d*x + c), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{3/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
```

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c), x)

**maple** [A] time = 0.90, size = 240, normalized size = 2.14

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^2\left(-4B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out]  $\frac{2}{3}*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(-4*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx))}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x), x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] Timed out

$$3.809 \quad \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=83

$$\frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} + \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

[Out]  $2A*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2*b*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {16, 2748, 2642, 2641, 2640, 2639}

$$\frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} + \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2, x]$

[Out]  $(2*b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[($



$b \cdot \sin[e + f \cdot x]^{m+1}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx \\ &= (Ab^2) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + (bB) \int \sqrt{b \cos(c + dx)} dx \\ &= \frac{(Ab^2 \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{b \cos(c + dx)}} + \frac{(bB \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{2bB \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} + \frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 57, normalized size = 0.69

$$\frac{2b^2 \sqrt{\cos(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (2\*b^2\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2]))/(d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 2.30, size = 0, normalized size = 0.00

$$\text{integral} \left( (Bb \cos(dx + c)^2 + Ab \cos(dx + c)) \sqrt{b \cos(dx + c)} \sec(dx + c)^2, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{3/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^2, x)

**maple [A]** time = 0.85, size = 163, normalized size = 1.96

$$\frac{2 \sqrt{b \left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b^2 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + 1} \left( A \text{EllipticF} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}{\sqrt{-b \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right) \sin \left( \frac{dx}{2} + \frac{c}{2} \right) \sqrt{b \left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)`

[Out]  $-2*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(3/2)*sec(d*x + c)^2, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^2,x)`

[Out] `int(((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^2, x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] Timed out

$$3.810 \quad \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=110

$$\frac{2Ab^2 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

[Out]  $2A*b^2*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*A*b*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^2 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3, x]$

[Out]  $(-2*A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}, x\_Symbol] := \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= b^3 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{3/2}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx + (b^2 B) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab^2 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - (Ab) \int \sqrt{b \cos(c + dx)} dx + \frac{(b^2 B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}} + \frac{2Ab^2 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} \\ &= -\frac{2Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)}}{d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 73, normalized size = 0.66

$$\frac{2(b \cos(c + dx))^{3/2} \left( -AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{A \sin(c + dx)}{\sqrt{\cos(c + dx)}} + BF\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (2*(b*Cos[c + d*x])^(3/2)*(-A*EllipticE[(c + d*x)/2, 2]) + B*EllipticF[(c + d*x)/2, 2] + (A*Sin[c + d*x])/Sqrt[Cos[c + d*x]])/(d*Cos[c + d*x]^(3/2))
```

**fricas [F]** time = 3.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Ab \cos(dx + c)\right) \sqrt{b \cos(dx + c)} \sec(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*b*cos(d*x + c))*sqrt(b*cos(d*x + c))*sec(d*x + c)^3, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{3/2} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^3, x)

**maple** [A] time = 1.02, size = 215, normalized size = 1.95

$$\frac{2b^2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \left( A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticE} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{\sqrt{-b \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out]  $-2*b^2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^3,x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^3, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

### 3.811 $\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=141

$$\frac{2Ab^3 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2b^2 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

[Out]  $2/3*A*b^3*\sin(d*x+c)/d/(b*\cos(d*x+c))^(3/2)+2*b^2*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^(1/2)+2/3*A*b^2*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^(1/2))*\cos(d*x+c)^(1/2)/d/(b*\cos(d*x+c))^(1/2)-2*b*B*(\cos(1/2*d*x+1/2*c)^2)^(1/2)/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^(1/2))*(b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(1/2)$

**Rubi [A]** time = 0.14, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2Ab^3 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab^2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2b^2 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2bBE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^(3/2)*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out]  $(-2*b*B*\text{Sqrt}[b*\text{Cos}[c + d*x])* \text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sqrt}[\text{Cos}[c + d*x])* \text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^3*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^(3/2)) + (2*b^2*B*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_)^(m_*)*((b_)*(v_))^(n_), x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^(m+n), x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^(n_), x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^(n+1))/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^(n+2), x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b\_)\sin[(c\_)] + (d\_)(x\_)], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2748

$\text{Int}[(b\_)\sin[(e\_)] + (f\_)(x\_)]^{(m\_)}*((c\_)] + (d\_)\sin[(e\_)] + (f\_)(x\_)), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= b^4 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx \\ &= (Ab^4) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + (b^3 B) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\ &= \frac{2Ab^3 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^2 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{1}{3} (Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \\ &= \frac{2Ab^3 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^2 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{(Ab^2 \sqrt{\cos(c + dx)}) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\ &= -\frac{2bB\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2Ab^2 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.16, size = 87, normalized size = 0.62

$$\frac{2b^2 \left( A \tan(c + dx) + A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) + 3B \sin(c + dx) - 3B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]  
 [Out] (2\*b^2\*(-3\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 3\*B\*Sin[c + d\*x] + A\*Tan[c + d\*x]))/(3\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral} \left( (Bb \cos(dx + c)^2 + Ab \cos(dx + c)) \sqrt{b \cos(dx + c)} \sec(dx + c)^4, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^4, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^4, x)

**maple [B]** time = 0.97, size = 455, normalized size = 3.23

$$2 \left( 12B \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 
$$-2/3*(12*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+A*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*b^2/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^4, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4,x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out



$$3.812 \quad \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$$

**Optimal.** Leaf size=174

$$\frac{2Ab^4 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab^2 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^2 B \sqrt{c}}{\dots}$$

[Out]  $2/5*A*b^4*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(5/2)}+2/3*b^3*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+6/5*A*b^2*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2/3*b^2*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-6/5*A*b*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.16, antiderivative size = 174, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^4 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab^2 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6AbE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^2 B \sqrt{c}}{\dots}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^5, x]$

[Out]  $(-6*A*b*\text{Sqrt}[b*\text{Cos}[c + d*x] ]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x] ]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x] ]) + (2*A*b^4*\text{Sin}[c + d*x])/(5*d*(b*\text{Cos}[c + d*x])^{(5/2)}) + (2*b^3*B*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (6*A*b^2*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[b*\text{Cos}[c + d*x] ])$

**Rule 16**

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}, x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

**Rule 2636**

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

**Rule 2639**

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

**Rule 2640**

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] :> \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned}
\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= b^5 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\
&= (Ab^5) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + (b^4 B) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx \\
&= \frac{2Ab^4 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^3 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{1}{5} (3Ab^3) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\
&= \frac{2Ab^4 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^3 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{6Ab^2 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} \\
&= \frac{2b^2 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2Ab^4 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} \\
&= -\frac{6Ab\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)}}{3d\sqrt{b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 0.29, size = 107, normalized size = 0.61

$$\frac{2 \sec^3(c + dx)(b \cos(c + dx))^{3/2} \left( \frac{9}{2} A \sin(2(c + dx)) + 3A \tan(c + dx) - 9A \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 5B \sin(c + dx) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] (2*(b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^3*(-9*A*Cos[c + d*x]^(3/2)*EllipticE
[(c + d*x)/2, 2] + 5*B*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 5*B*S
in[c + d*x] + (9*A*Sin[2*(c + d*x)]/2 + 3*A*Tan[c + d*x]))/(15*d)
```

**fricas** [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Ab \cos(dx + c)\right)\sqrt{b \cos(dx + c)} \sec(dx + c)^5, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="
fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*b*cos(d*x + c))*sqrt(b*cos(d*x + c))*sec(d
*x + c)^5, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^5, x)

**maple** [B] time = 2.37, size = 576, normalized size = 3.31

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b\left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2}\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 
$$\frac{2}{15} \cdot (b \cdot (2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot b / \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 / (8 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^6 - 12 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 + 6 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1) \cdot (36 \cdot A \cdot \operatorname{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 - 72 \cdot A \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^6 + 20 \cdot B \cdot \operatorname{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 - 36 \cdot A \cdot \operatorname{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 72 \cdot A \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 - 20 \cdot B \cdot \operatorname{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 20 \cdot B \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^4 + 9 \cdot A \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot \operatorname{EllipticE}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) - 24 \cdot A \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 5 \cdot B \cdot (\sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2)^{(1/2)} \cdot (2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} \cdot \operatorname{EllipticF}(\cos(1/2 \cdot d \cdot x + 1/2 \cdot c), 2^{(1/2)}) - 10 \cdot B \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot (-2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c))^4 + b \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot b)^{(1/2)} / (b \cdot (2 \cdot \cos(1/2 \cdot d \cdot x + 1/2 \cdot c))^{2-1})^{(1/2)} / d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)\*sec(d\*x + c)^5, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{3}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^5,x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^5, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

### 3.813 $\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=171

$$\frac{6Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{5d\sqrt{\cos(c+dx)}} + \frac{2Ab\sin(c+dx)(b\cos(c+dx))^{3/2}}{5d} + \frac{10b^3B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d\sqrt{b\cos(c+dx)}}$$

[Out]  $2/5*A*b*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/d+10/21*b^3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+10/21*b^2*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+6/5*A*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{6Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{5d\sqrt{\cos(c+dx)}} + \frac{2Ab\sin(c+dx)(b\cos(c+dx))^{3/2}}{5d} + \frac{10b^2B\sin(c+dx)\sqrt{b\cos(c+dx)}}{21d} +$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x]),x]$

[Out]  $(6*A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*b^3*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(21*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*b^2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*d) + (2*A*b*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*d)$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P\pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - P\pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c,$

d}, x]

### Rule 2748

$\text{Int}[(b \cdot \sin[e \cdot x] + (f \cdot x)^m) \cdot ((c \cdot x) + (d \cdot \sin[e \cdot x] + (f \cdot x)^m))], x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \cdot \sin[e \cdot x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \cdot \sin[e \cdot x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= A \int (b \cos(c + dx))^{5/2} dx + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b} \\ &= \frac{2Ab(b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2B(b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\ &= \frac{10b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{21d} + \frac{2Ab(b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{6Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d \sqrt{\cos(c + dx)}} + \frac{10b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{21d} \\ &= \frac{6Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d \sqrt{\cos(c + dx)}} + \frac{10b^3 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.06, size = 100, normalized size = 0.58

$$\frac{(b \cos(c + dx))^{5/2} \left( 2 \sin(c + dx) \sqrt{\cos(c + dx)} (42A \cos(c + dx) + 15B \cos(2(c + dx))) + 65B \right) + 252AE \left( \frac{1}{2}(c + dx) \right)}{210d \cos^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] ((b\*Cos[c + d\*x])^(5/2)\*(252\*A\*EllipticE[(c + d\*x)/2, 2] + 100\*B\*EllipticF[(c + d\*x)/2, 2] + 2\*Sqrt[Cos[c + d\*x]]\*(65\*B + 42\*A\*Cos[c + d\*x] + 15\*B\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x]))/(210\*d\*Cos[c + d\*x]^(5/2))

**fricas** [F] time = 2.22, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*b^2\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.90, size = 301, normalized size = 1.76

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^3 \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)), x)

[Out] 
$$-2/105*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*(240*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-360*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)), x)

[Out] int((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c)), x)

[Out] Timed out

### 3.814 $\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=145

$$\frac{2Ab^3\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2Ab^2\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d} + \frac{6b^2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{5d\sqrt{\cos(c+dx)}} + \dots$$

[Out]  $2/5*b*B*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/d+2/3*A*b^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*b^2*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+6/5*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2Ab^2\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d} + \frac{2Ab^3\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{6b^2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{5d\sqrt{\cos(c+dx)}} + \dots$$

Antiderivative was successfully verified.

[In] `Int[(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x],x]`

[Out]  $(6*b^2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*b*B*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*d)$

#### Rule 16

`Int[(u_.)*(v_)^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*SIN[c + d*x]]/Sqrt[SIN[c + d*x]], Int[Sqrt[SIN[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`



Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2748

```
Int[((b_)*sin[(e_.) + (f_)*(x_)]^(m_)*((c_.) + (d_)*sin[(e_.) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx \\ &= (Ab) \int (b \cos(c + dx))^{3/2} dx + B \int (b \cos(c + dx))^{5/2} dx \\ &= \frac{2Ab^2 \sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2bB(b \cos(c + dx))^{5/2}}{5d} \\ &= \frac{2Ab^2 \sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2bB(b \cos(c + dx))^{5/2}}{5d} \\ &= \frac{6b^2 B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d \sqrt{\cos(c + dx)}} + \frac{2Ab^3 \sqrt{\cos(c + dx)}}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 89, normalized size = 0.61

$$\frac{2b(b \cos(c + dx))^{3/2} \left( \sin(c + dx) \sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF \left( \frac{1}{2}(c + dx) \middle| 2 \right) + 9BE \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{15d \cos^3(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x],x]
[Out] (2*b*(b*Cos[c + d*x])^(3/2)*(9*B*EllipticE[(c + d*x)/2, 2] + 5*A*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A + 3*B*Cos[c + d*x])*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

**fricas [F]** time = 1.16, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)} \sec(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")
[Out] integral((B*b^2*cos(d*x + c)^3 + A*b^2*cos(d*x + c)^2)*sqrt(b*cos(d*x + c))*sec(d*x + c), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{5/2} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c), x)

**maple [A]** time = 0.96, size = 273, normalized size = 1.88

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^3\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] 
$$-2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+24*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-6*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x),x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

$$3.815 \quad \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=116

$$\frac{2Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}} + \frac{2b^3B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}} + \frac{2b^2B\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d}$$

[Out]  $2/3*b^3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*b^2*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+2*A*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2Ab^2E\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B\sin(c+dx)\sqrt{b\cos(c+dx)}}{3d} + \frac{2b^3B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2, x]$

[Out]  $(2*A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^3*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx \\ &= (Ab^2) \int \sqrt{b \cos(c + dx)} dx + (bB) \int (b \cos(c + dx))^{3/2} dx \\ &= \frac{2b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} (b^3 B) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{b \cos(c + dx)}}{3d \sqrt{b \cos(c + dx)}} \\ &= \frac{2Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} + \frac{2b^3 B \sqrt{\cos(c + dx)}}{3d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 78, normalized size = 0.67

$$\frac{2b^2 \sqrt{b \cos(c + dx)} \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \left( F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx) \sqrt{\cos(c + dx)} \right) \right)}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (2*b^2*Sqrt[b*Cos[c + d*x]]*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])
```

**fricas [F]** time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*b^2*cos(d*x + c)^2)*sqrt(b*cos(d*x + c))*sec(d*x + c)^2, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{5/2} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^2, x)

**maple [A]** time = 0.88, size = 240, normalized size = 2.07

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}{3\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right)}} b^3 \left(-4B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\right) \sqrt{2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out]  $\frac{2}{3}*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*(-4*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^2,x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^2, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

$$3.816 \quad \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=85

$$\frac{2Ab^3\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b\cos(c+dx)}} + \frac{2b^2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out]  $2A*b^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {16, 2748, 2642, 2641, 2640, 2639}

$$\frac{2Ab^3\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b\cos(c+dx)}} + \frac{2b^2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3, x]$

[Out]  $(2*b^2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^3*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[($

$b \cdot \sin[e + f \cdot x]^{m+1}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= b^3 \int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx \\ &= (Ab^3) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + (b^2 B) \int \sqrt{b \cos(c + dx)} dx \\ &= \frac{(Ab^3 \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{b \cos(c + dx)}} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{2b^2 B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{\cos(c + dx)}} + \frac{2Ab^3 \sqrt{\cos(c + dx)}}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 54, normalized size = 0.64

$$\frac{2(b \cos(c + dx))^{5/2} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(b \* Cos[c + d \* x])^(5/2) \* (A + B \* Cos[c + d \* x]) \* Sec[c + d \* x]^3, x]

[Out] (2 \* (b \* Cos[c + d \* x])^(5/2) \* (B \* EllipticE[(c + d \* x)/2, 2] + A \* EllipticF[(c + d \* x)/2, 2])) / (d \* Cos[c + d \* x]^(5/2))

**fricas [F]** time = 2.04, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)} \sec(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*b^2\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{5/2} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^3, x)

**maple [A]** time = 0.81, size = 163, normalized size = 1.92

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^3 \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1} \left(A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + B \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)} \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)`

[Out]  $-2*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(5/2)*sec(d*x + c)^3, x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^3,x)`

[Out] `int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^3, x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)`

[Out] Timed out



$$3.817 \quad \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=112

$$\frac{2Ab^3 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2Ab^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

[Out]  $2A*b^3*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2*b^3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*A*b^2*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^3 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2Ab^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out]  $(-2*A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^3*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^3*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= b^4 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{3/2}} dx \\ &= (Ab^4) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx + (b^3 B) \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab^3 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - (Ab^2) \int \sqrt{b \cos(c + dx)} dx + \frac{(b^3 B) \sqrt{b \cos(c + dx)}}{d} \\ &= \frac{2b^3 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{b \cos(c + dx)}} + \frac{2Ab^3 \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} \\ &= -\frac{2Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sqrt{\cos(c + dx)}}{d\sqrt{b}} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 73, normalized size = 0.65

$$\frac{2(b \cos(c + dx))^{5/2} \left( -AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{A \sin(c + dx)}{\sqrt{\cos(c + dx)}} + BF\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (2*(b*Cos[c + d*x])^(5/2)*(-A*EllipticE[(c + d*x)/2, 2]) + B*EllipticF[(c + d*x)/2, 2] + (A*Sin[c + d*x])/Sqrt[Cos[c + d*x]])/(d*Cos[c + d*x]^(5/2))
```

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right) \sqrt{b \cos(dx + c)} \sec(dx + c)^4, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*b^2*cos(d*x + c)^2)*sqrt(b*cos(d*x + c))*sec(d*x + c)^4, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{5/2} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^4, x)

**maple** [A] time = 0.99, size = 215, normalized size = 1.92

$$\frac{2b^3 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \left( A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1} \operatorname{EllipticE} \left( \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \right)}{\sqrt{-b \left( 2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out]  $-2*b^3*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^4, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4,x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^4, x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

$$3.818 \quad \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$$

**Optimal.** Leaf size=143

$$\frac{2Ab^4 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2b^3 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2b^2 BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

[Out]  $2/3*A*b^4*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+2*b^3*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*b^3*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*b^2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2Ab^4 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2Ab^3 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2b^3 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} - \frac{2b^2 BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^5, x]$

[Out]  $(-2*b^2*B*\text{Sqrt}[b*\text{Cos}[c + d*x])* \text{EllipticE}[(c + d*x)/2, 2])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*b^3*\text{Sqrt}[\text{Cos}[c + d*x])* \text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^4*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (2*b^3*B*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] := \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$   $\text{FreeQ}\{b, n\}, x \&\& \text{IntegerQ}[m]$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /;$   $\text{FreeQ}\{b, c, d\}, x \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d\}, x]$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$   $\text{FreeQ}\{b, c, d\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b\_)\sin[(c\_)] + (d\_)(x\_)], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2748

$\text{Int}[(b\_)\sin[(e\_)] + (f\_)(x\_)]^{(m\_)}*((c\_)] + (d\_)\sin[(e\_)] + (f\_)(x\_)), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= b^5 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx \\ &= (Ab^5) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + (b^4 B) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\ &= \frac{2Ab^4 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^3 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{1}{3} (Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \\ &= \frac{2Ab^4 \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^3 B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{(Ab^3 \sqrt{\cos(c + dx)}) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{\cos(c + dx)}} \\ &= -\frac{2b^2 B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d\sqrt{\cos(c + dx)}} + \frac{2Ab^3 \sqrt{\cos(c + dx)}}{3d} \end{aligned}$$

**Mathematica** [A] time = 0.21, size = 87, normalized size = 0.61

$$\frac{2b^3 \left( A \tan(c + dx) + A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3B \sin(c + dx) - 3B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]  
 [Out] (2\*b^3\*(-3\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 3\*B\*Sin[c + d\*x] + A\*Tan[c + d\*x]))/(3\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [F] time = 1.04, size = 0, normalized size = 0.00

$$\text{integral} \left( (Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2) \sqrt{b \cos(dx + c)} \sec(dx + c)^5, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*b^2\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^5, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^5, x)

**maple [B]** time = 1.14, size = 455, normalized size = 3.18

$$2 \left( 12B \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 
$$-2/3*(12*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+A*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*b^3/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^5, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^5,x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^5, x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

$$3.819 \quad \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx$$

Optimal. Leaf size=176

$$\frac{2Ab^5 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab^3 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6Ab^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^4 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^3 B \sqrt{b \cos(c + dx)}}{3d(b \cos(c + dx))^{3/2}}$$

[Out]  $2/5 * A * b^5 * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(5/2)} + 2/3 * b^4 * B * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(3/2)} + 6/5 * A * b^3 * \sin(d * x + c) / d / (b * \cos(d * x + c))^{(1/2)} + 2/3 * b^3 * B * (\cos(1/2 * d * x + 1/2 * c))^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticF}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * \cos(d * x + c)^{(1/2)} / d / (b * \cos(d * x + c))^{(1/2)} - 6/5 * A * b^2 * (\cos(1/2 * d * x + 1/2 * c))^{(1/2)} / \cos(1/2 * d * x + 1/2 * c) * \text{EllipticE}(\sin(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * (b * \cos(d * x + c))^{(1/2)} / d / \cos(d * x + c)^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^5 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{6Ab^3 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{6Ab^2 E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{b \cos(c + dx)}}{5d\sqrt{\cos(c + dx)}} + \frac{2b^4 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2b^3 B \sqrt{b \cos(c + dx)}}{3d(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(b \* Cos[c + d \* x])^(5/2) \* (A + B \* Cos[c + d \* x]) \* Sec[c + d \* x]^6, x]

[Out]  $(-6 * A * b^2 * \text{Sqrt}[b * \text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, 2]) / (5 * d * \text{Sqrt}[\text{Cos}[c + d * x]]) + (2 * b^3 * B * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticF}[(c + d * x) / 2, 2]) / (3 * d * \text{Sqrt}[b * \text{Cos}[c + d * x]]) + (2 * A * b^5 * \text{Sin}[c + d * x]) / (5 * d * (b * \text{Cos}[c + d * x])^{(5/2)}) + (2 * b^4 * B * \text{Sin}[c + d * x]) / (3 * d * (b * \text{Cos}[c + d * x])^{(3/2)}) + (6 * A * b^3 * \text{Sin}[c + d * x]) / (5 * d * \text{Sqrt}[b * \text{Cos}[c + d * x]])$

Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d \* x] \* (b \* Sin[c + d \* x])^(n + 1)) / (b \* d \* (n + 1)), x] + Dist[(n + 2) / (b^2 \* (n + 1)), Int[(b \* Sin[c + d \* x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2 \* n]

Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2 \* EllipticE[(1 \* (c - P i / 2 + d \* x)) / 2, 2]) / d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b \* Sin[c + d \* x]] / Sqrt[Sin[c + d \* x]], Int[Sqrt[Sin[c + d \* x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned}
 \int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx &= b^6 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\
 &= (Ab^6) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + (b^5 B) \int \frac{1}{(b \cos(c + dx))^{7/2}} \cos(c + dx) dx \\
 &= \frac{2Ab^5 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^4 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{1}{5} (3Ab^4) \\
 &= \frac{2Ab^5 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2b^4 B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{6Ab^3 \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} \\
 &= \frac{2b^3 B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2Ab^5 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} \\
 &= -\frac{6Ab^2 \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d\sqrt{\cos(c + dx)}} + \frac{2b^3 B \sqrt{\cos(c + dx)}}{3d\sqrt{b \cos(c + dx)}}
 \end{aligned}$$

**Mathematica** [A] time = 0.29, size = 102, normalized size = 0.58

$$\frac{2b^4 \left( -\frac{9}{2} A \sin(2(c + dx)) - 3A \tan(c + dx) + 9A \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) - 5B \sin(c + dx) - 5B \cos^{\frac{3}{2}}(c + dx) \right)}{15d(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] (-2*b^4*(9*A*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] - 5*B*Cos[c + d*x]
)^(3/2)*EllipticF[(c + d*x)/2, 2] - 5*B*Sin[c + d*x] - (9*A*Sin[2*(c + d*x)
])/2 - 3*A*Tan[c + d*x]))/(15*d*(b*Cos[c + d*x])^(3/2))
```

**fricas** [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Ab^2 \cos(dx + c)^2\right)\sqrt{b \cos(dx + c)} \sec(dx + c)^6, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="
fricas")
```



[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*b^2\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)^6, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^6 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^6, x)

**maple** [B] time = 2.44, size = 578, normalized size = 3.28

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} b^2 \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out] 2/15\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b^2/sin(1/2\*d\*x+1/2\*c)^3/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)\*(36\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-72\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+20\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-36\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+72\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4-20\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+20\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+9\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-24\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-10\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4\*b+sin(1/2\*d\*x+1/2\*c)^2\*b)^(1/2)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}} \sec(dx + c)^6 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)\*sec(d\*x + c)^6, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{\frac{5}{2}} (A + B \cos(c + dx))}{\cos(c + dx)^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^6,x)
```

```
[Out] int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^6, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**6,x)
```

```
[Out] Timed out
```

$$3.820 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$$

Optimal. Leaf size=173

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^2d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5bd \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^3d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^3d}$$

[Out]  $2/5*A*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^2/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b^3/d+10/21*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+10/21*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b/d+6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^2d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5bd \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^3d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^3d}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]], x]`

[Out]  $(6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(21*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*b*d) + (2*A*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*b^2*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*b^3*d)$

#### Rule 16

`Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2635

`Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*SIN[c + d*x])^(n-1))/(d*n), x] + Dist[(b^2*(n-1))/n, Int[(b*SIN[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*SIN[c + d*x]]/Sqrt[SIN[c + d*x]], Int[Sqrt[SIN[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b\_)\sin[(c\_)] + (d\_)(x\_)], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2748

$\text{Int}[(b\_)\sin[(e\_)] + (f\_)(x\_)]^{(m\_)}*((c\_)] + (d\_)\sin[(e\_)] + (f\_)(x\_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{b \cos(c + dx)}} dx &= \frac{\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx}{b^3} \\ &= \frac{A \int (b \cos(c + dx))^{5/2} dx}{b^3} + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b^4} \\ &= \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^2d} + \frac{2B(b \cos(c + dx))^{5/2} \sin(c + dx)}{7b^3d} + \dots \\ &= \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21bd} + \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^2d} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd\sqrt{\cos(c + dx)}} + \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21bd} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd\sqrt{\cos(c + dx)}} + \frac{10B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.45, size = 101, normalized size = 0.58

$$\frac{\sin(2(c + dx))(42A \cos(c + dx) + 15B \cos(2(c + dx)) + 65B) + 252A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 100B\sqrt{\cos(c + dx)}}{210d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (252\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 100\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (65\*B + 42\*A\*Cos[c + d\*x] + 15\*B\*Cos[2\*(c + d\*x)])\*Sin[2\*(c + d\*x)]/(210\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 1.23, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2)\sqrt{b \cos(dx + c)}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c))/b, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c)), x)

**maple** [A] time = 0.96, size = 298, normalized size = 1.72

$$2\sqrt{b} \left( 2 \left( \cos^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 1 \right) \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \left( 240B \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^8 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) + (-168A - 360B) \left( \sin^6 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] -2/105\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A-360\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(168\*A+280\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-42\*A-80\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-63\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+25\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2),x)

[Out] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.821 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$$

Optimal. Leaf size=144

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3bd} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^2 d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5bd}$$

[Out]  $\frac{2}{5} B (b \cos(dx+c))^{3/2} \sin(dx+c) / b^2 d + \frac{2}{3} A (\cos(1/2 dx + 1/2 c))^2 \sqrt{\cos(1/2 dx + 1/2 c)} \operatorname{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{1/2}) \cos(dx+c)^{1/2} / d + \frac{2}{3} A \sin(dx+c) (b \cos(dx+c))^{1/2} / b d + \frac{6}{5} B (\cos(1/2 dx + 1/2 c))^{1/2} \sqrt{\cos(1/2 dx + 1/2 c)} \operatorname{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{1/2}) (b \cos(dx+c))^{1/2} / b d \cos(dx+c)^{1/2}$

**Rubi [A]** time = 0.11, antiderivative size = 144, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3bd} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^2 d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5bd}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]],x]`

[Out]  $(6*B*\sqrt{b*\cos[c + d*x]}*\operatorname{EllipticE}[(c + d*x)/2, 2])/(5*b*d*\sqrt{\cos[c + d*x]}) + (2*A*\sqrt{\cos[c + d*x]}*\operatorname{EllipticF}[(c + d*x)/2, 2])/(3*d*\sqrt{b*\cos[c + d*x]}) + (2*A*\sqrt{b*\cos[c + d*x]}*\sin[c + d*x])/(3*b*d) + (2*B*(b*\cos[c + d*x])^{3/2}*\sin[c + d*x])/(5*b^2*d)$

#### Rule 16

`Int[(u_)*(v_)^(m_)*((b_)*(v_))^(n_), x_Symbol] := Dist[1/b^m, Int[u*(b*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]`

#### Rule 2635

`Int[((b_)*sin[(c_.) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2640

`Int[Sqrt[(b_)*sin[(c_.) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

#### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{\sqrt{b \cos(c + dx)}} dx &= \frac{\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c + dx))^{3/2} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{5/2} dx}{b^3} \\ &= \frac{2A \sqrt{b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2B (b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^2 d} + \\ &= \frac{2A \sqrt{b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2B (b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^2 d} + \\ &= \frac{6B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd \sqrt{\cos(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.21, size = 88, normalized size = 0.61

$$\frac{2\sqrt{\cos(c + dx)} \left( \sin(c + dx) \sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]], x]
[Out] (2*Sqrt[Cos[c + d*x]]*(9*B*EllipticE[(c + d*x)/2, 2] + 5*A*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A + 3*B*Cos[c + d*x])*Sin[c + d*x]))/(15*d*Sqrt[b*Cos[c + d*x]])
```

**fricas [F]** time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c))^2 + A \cos(dx + c)}{b} \sqrt{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c))^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c))/b, x
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c)), x)

**maple** [A] time = 0.96, size = 270, normalized size = 1.88

$$2\sqrt{b}\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] -2/15\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(20\*A+24\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*A-6\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-9\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2))^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2),x)

[Out] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out



$$3.822 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=113

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{3bd} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b \cos(c+dx)}}$$

[Out]  $2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{3bd} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/Sqrt[b\*Cos[c + d\*x]],x]

[Out]  $(2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b*d)$

#### Rule 16

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_)^(n\_.), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*SIN[c + d\*x]]/Sqrt[SIN[c + d\*x]], Int[Sqrt[SIN[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{\sqrt{b \cos(c + dx)}} dx &= \frac{\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int \sqrt{b \cos(c + dx)} dx}{b} + \frac{B \int (b \cos(c + dx))^{3/2} dx}{b^2} \\ &= \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{1}{3}B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + \frac{(A\sqrt{b \cos(c + dx)})}{b} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3bd} + \frac{(A\sqrt{b \cos(c + dx)})}{b} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{(A\sqrt{b \cos(c + dx)})}{b} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 78, normalized size = 0.69

$$\frac{2\sqrt{b \cos(c + dx)} \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\left(F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}\right) \right)}{3bd\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]],x]
```

```
[Out] (2*Sqrt[b*Cos[c + d*x]]*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*b*d*Sqrt[Cos[c + d*x]])
```

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/b, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/sqrt(b\*cos(d\*x + c)), x)

**maple [A]** time = 1.01, size = 237, normalized size = 2.10

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-4B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] 2/3\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2))^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/sqrt(b\*cos(d\*x + c)), x)

**mupad [B]** time = 0.28, size = 94, normalized size = 0.83

$$\frac{2B \sin(c + dx) \sqrt{b \cos(c + dx)}}{3bd} + \frac{2A \sqrt{\cos(c + dx)} E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right)}{3d \sqrt{b \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2),x)

[Out] (2\*B\*sin(c + d\*x)\*(b\*cos(c + d\*x))^(1/2))/(3\*b\*d) + (2\*A\*cos(c + d\*x)^(1/2)\*ellipticE(c/2 + (d\*x)/2, 2))/(d\*(b\*cos(c + d\*x))^(1/2)) + (2\*B\*cos(c + d\*x)^(1/2)\*ellipticF(c/2 + (d\*x)/2, 2))/(3\*d\*(b\*cos(c + d\*x))^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] Timed out

$$3.823 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=82

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b \cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

[Out] 2\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)/d/(b\*cos(d\*x+c))^(1/2)+2\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*(b\*cos(d\*x+c))^(1/2)/b/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.07, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.217$ , Rules used = {2748, 2642, 2641, 2640, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d\sqrt{b \cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (2\*B\*Sqrt[b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2])/(b\*d\*Sqrt[Cos[c + d\*x]]) + (2\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2])/(d\*Sqrt[b\*Cos[c + d\*x]])

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

Int[1/Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[Sin[c + d\*x]]/Sqrt[b\*Sin[c + d\*x]], Int[1/Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx &= A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx + \frac{B \int \sqrt{b \cos(c + dx)} dx}{b} \\ &= \frac{(A \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b \sqrt{\cos(c + dx)}} \\ &= \frac{2B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd \sqrt{\cos(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 54, normalized size = 0.66

$$\frac{2\sqrt{\cos(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2]))/(d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 1.20, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/(b\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(b\*cos(d\*x + c)), x)

**maple [A]** time = 0.90, size = 160, normalized size = 1.95

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A\text{EllipticF}\left(\cos\left(\frac{dx}{2}\right)\right)\right)}{\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2}\right)\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] -2\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-b\*(2\*sin(1/2\*d\*x+

$\frac{1}{2}c)^4 - \sin(\frac{1}{2}d*x + \frac{1}{2}c)^2)^{(1/2)} / \sin(\frac{1}{2}d*x + \frac{1}{2}c) / (b * (2 * \cos(\frac{1}{2}d*x + \frac{1}{2}c)^2 - 1))^{(1/2)} / d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(b\*cos(d\*x + c)), x)

**mupad** [B] time = 0.34, size = 48, normalized size = 0.59

$$\frac{2 \sqrt{\cos(c + dx)} \left( A F\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) + B E\left(\frac{c}{2} + \frac{dx}{2} \middle| 2\right) \right)}{d \sqrt{b \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(1/2),x)

[Out] (2\*cos(c + d\*x)^(1/2)\*(A\*ellipticF(c/2 + (d\*x)/2, 2) + B\*ellipticE(c/2 + (d\*x)/2, 2)))/(d\*(b\*cos(c + d\*x))^(1/2))

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/sqrt(b\*cos(c + d\*x)), x)

$$3.824 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=106

$$\frac{2A \sin(c+dx)}{d\sqrt{b \cos(c+dx)}} - \frac{2AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{d\sqrt{b \cos(c+dx)}}$$

[Out] 2\*A\*sin(d\*x+c)/d/(b\*cos(d\*x+c))^(1/2)+2\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)/d/(b\*cos(d\*x+c))^(1/2)-2\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*(b\*cos(d\*x+c))^(1/2)/b/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c+dx)}{d\sqrt{b \cos(c+dx)}} - \frac{2AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (-2\*A\*Sqrt[b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2])/(b\*d\*Sqrt[Cos[c + d\*x]]) + (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2])/(d\*Sqrt[b\*Cos[c + d\*x]]) + (2\*A\*Sin[c + d\*x])/(d\*Sqrt[b\*Cos[c + d\*x]])

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1))/(b\*d\*(n+1)), x] + Dist[(n+2)/(b^2\*(n+1)), Int[(b\*Sin[c + d\*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

Int[1/Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[Sin[c + d\*x]]/Sqrt[b\*Sin[c + d\*x]], Int[1/Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c,

d}, x]

### Rule 2748

$\text{Int}[(b \sin(e + f x) + (c + d \sin(e + f x)))^m, x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \sin(e + f x))^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin(e + f x))^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{b \cos(c + dx)}} dx &= b \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{3/2}} dx \\ &= (Ab) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx + B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2A \sin(c + dx)}{d \sqrt{b \cos(c + dx)}} - \frac{A \int \sqrt{b \cos(c + dx)} dx}{b} + \frac{(B \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{d \sqrt{b \cos(c + dx)}} - \frac{(A \sqrt{b \cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b \sqrt{\cos(c + dx)}} \\ &= -\frac{2A \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd \sqrt{\cos(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 73, normalized size = 0.69

$$\frac{2 \left( A \sin(c + dx) - A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (2\*(-(A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]) + B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + A\*Sin[c + d\*x]))/(d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)}{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)/(b\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/sqrt(b\*cos(d\*x + c)), x)

**maple [A]** time = 1.16, size = 212, normalized size = 2.00

$$\frac{2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b \left(A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}{\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(1/2),x)

[Out]  $-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/sqrt(b\*cos(d\*x + c)), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(1/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(1/2)), x)

**sympy [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/sqrt(b\*cos(c + d\*x)), x)

$$3.825 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{b \cos(c+dx)}} dx$$

Optimal. Leaf size=135

$$\frac{2Ab \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d\sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx)}{d\sqrt{b \cos(c+dx)}} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

[Out]  $2/3*A*b*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+2*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2Ab \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d\sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx)}{d\sqrt{b \cos(c+dx)}} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{b \cos(c+dx)}}{bd\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/Sqrt[b\*Cos[c + d\*x]], x]

[Out]  $(-2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (2*B*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1))/(b\*d\*(n+1)), x] + Dist[(n+2)/(b^2\*(n+1)), Int[(b\*Sin[c + d\*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{b \cos(c + dx)}} dx &= b^2 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + (bB) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\ &= \frac{2Ab \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{1}{3}A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx \\ &= \frac{2Ab \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{d\sqrt{b \cos(c + dx)}} + \frac{(A\sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{3\sqrt{b \cos(c + dx)}} \\ &= -\frac{2B\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd\sqrt{\cos(c + dx)}} + \frac{2A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.16, size = 84, normalized size = 0.62

$$\frac{2\left(A \tan(c + dx) + A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3B \sin(c + dx) - 3B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)\right)}{3d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/Sqrt[b*Cos[c + d*x]], x]
```

```
[Out] (2*(-3*B*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 3*B*Sin[c + d*x] + A*Tan[c + d*x]))/(3*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^2}{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c)^2/(b*cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/sqrt(b\*cos(d\*x + c)), x)

**maple** [B] time = 2.31, size = 405, normalized size = 3.00

$$2\sqrt{b}\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(2A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}\operatorname{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(1/2),x)

[Out]  $\frac{2}{3}(b(2\cos(1/2dx+1/2c)^2-1)\sin(1/2dx+1/2c)^2)^{1/2}/b/\sin(1/2dx+1/2c)^3/(4\sin(1/2dx+1/2c)^4-4\sin(1/2dx+1/2c)^2+1)(2A(\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}\operatorname{EllipticF}(\cos(1/2dx+1/2c),2^{1/2})\sin(1/2dx+1/2c)^2+6B(\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}\operatorname{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})\sin(1/2dx+1/2c)^2-12B\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^4-A(\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}\operatorname{EllipticF}(\cos(1/2dx+1/2c),2^{1/2})+2A\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2-3B(\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}\operatorname{EllipticE}(\cos(1/2dx+1/2c),2^{1/2})+6B\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2)(-2\sin(1/2dx+1/2c)^4*b+\sin(1/2dx+1/2c)^2*b)^{1/2}/(b(2\cos(1/2dx+1/2c)^2-1))^{1/2}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/sqrt(b\*cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(1/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(1/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/sqrt(b\*cos(c + d\*x)), x)

$$3.826 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{b \cos(c+dx)}} dx$$

Optimal. Leaf size=168

$$\frac{2Ab^2 \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{6A \sin(c+dx)}{5d\sqrt{b \cos(c+dx)}} - \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5bd\sqrt{\cos(c+dx)}} + \frac{2bB \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2B\sqrt{\cos(c+dx)}}{3d}$$

[Out]  $2/5*A*b^2*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(5/2)}+2/3*b*B*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+6/5*A*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-6/5*A*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b/d/\cos(d*x+c)^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2Ab^2 \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{6A \sin(c+dx)}{5d\sqrt{b \cos(c+dx)}} - \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5bd\sqrt{\cos(c+dx)}} + \frac{2bB \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2B\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/Sqrt[b\*Cos[c + d\*x]], x]

[Out]  $(-6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*b^2*\text{Sin}[c + d*x])/(5*d*(b*\text{Cos}[c + d*x])^{(5/2)}) + (2*b*B*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (6*A*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1))/(b\*d\*(n+1)), x] + Dist[(n+2)/(b^(2\*(n+1))), Int[(b\*Sin[c + d\*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{b \cos(c + dx)}} dx &= b^3 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + (b^2 B) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx \\ &= \frac{2Ab^2 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2bB \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{1}{5}(3Ab) \int \frac{1}{(b \cos(c + dx))} dx \\ &= \frac{2Ab^2 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2bB \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{6A \sin(c + dx)}{5d\sqrt{b \cos(c + dx)}} - \frac{(3A)}{5d} \int \frac{1}{\cos(c + dx)} dx \\ &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} + \frac{2Ab^2 \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2bB \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} \\ &= -\frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5bd\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.26, size = 101, normalized size = 0.60

$$\frac{2\left(9A \sin(c + dx) - 9A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3A \tan(c + dx) \sec(c + dx) + 5B \tan(c + dx) + 5B\sqrt{\cos(c + dx)}\right)}{15d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/Sqrt[b*Cos[c + d*x]], x]
```

```
[Out] (2*(-9*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 9*A*Sin[c + d*x] + 5*B*Tan[c + d*x] + 3*A*Sec[c + d*x]*Tan[c + d*x]))/(15*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^3}{b \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(b*cos(d*x+c))^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c)^3/(b*cos(d*x + c)), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/sqrt(b\*cos(d\*x + c)), x)

**maple** [B] time = 2.60, size = 578, normalized size = 3.44

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(1/2),x)

[Out]  $2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b/\sin(1/2*d*x+1/2*c)^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)*(36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-10*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/sqrt(b\*cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^3\*(b\*cos(c + d\*x))^(1/2)),x)

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^3*(b*cos(c + d*x))^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(b*cos(d*x+c))**(1/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/sqrt(b*cos(c + d*x)), x)`



$$3.827 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^3d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^2d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^4d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^4d}$$

[Out]  $2/5*A*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^3/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b^4/d+10/21*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}+10/21*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b^2/d+6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^2/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^3d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^2d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^4d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^4d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/((5*b^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]))/(21*b*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/((21*b^2*d) + (2*A*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x]))/(5*b^3*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/((7*b^4*d)$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n-1))/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*SIN[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*SIN[c + d\*x]]/Sqrt[SIN[c + d\*x]], Int[Sqrt[SIN[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx &= \frac{\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx}{b^4} \\ &= \frac{A \int (b \cos(c + dx))^{5/2} dx}{b^4} + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b^5} \\ &= \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^3d} + \frac{2B(b \cos(c + dx))^{5/2} \sin(c + dx)}{7b^4d} + \dots \\ &= \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21b^2d} + \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^3d} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^2d\sqrt{\cos(c + dx)}} + \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21b^2d} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^2d\sqrt{\cos(c + dx)}} + \frac{10B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21bd\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.17, size = 104, normalized size = 0.59

$$\frac{\sin(2(c + dx))(42A \cos(c + dx) + 15B \cos(2(c + dx)) + 65B) + 252A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 100B\sqrt{\cos(c + dx)}}{210bd\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (252*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 100*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (65*B + 42*A*Cos[c + d*x] + 15*B*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(210*b*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2)\sqrt{b \cos(dx + c)}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c))/b^2, x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^4/(b\*cos(d\*x + c))^(3/2), x)

**maple** [A] time = 1.08, size = 301, normalized size = 1.71

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/105*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b*(240*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-360*B)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^4/(b\*cos(d\*x + c))^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^4 (A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^4\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2),x)

[Out] int((cos(c + d\*x)^4\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.828 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=147

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3b^2d} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^3d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^2d}$$

[Out]  $\frac{2}{5} B (b \cos(dx+c))^{3/2} \sin(dx+c) / b^{3/d} + \frac{2}{3} A (\cos(1/2 dx + 1/2 c))^{2(1/2)} / \cos(1/2 dx + 1/2 c) * \text{EllipticF}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) * \cos(dx+c)^{(1/2)} / b/d / (b \cos(dx+c))^{(1/2)} + \frac{2}{3} A \sin(dx+c) * (b \cos(dx+c))^{(1/2)} / b^{2/d} + \frac{6}{5} B (\cos(1/2 dx + 1/2 c))^{(1/2)} / \cos(1/2 dx + 1/2 c) * \text{EllipticE}(\sin(1/2 dx + 1/2 c), 2^{(1/2)}) * (b \cos(dx+c))^{(1/2)} / b^{2/d} / \cos(dx+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3b^2d} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^3d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + dx])^3 (A + B \text{Cos}[c + dx]) / (b \text{Cos}[c + dx])^{3/2}, x]$

[Out]  $(6*B*\text{Sqrt}[b*\text{Cos}[c + dx]]*\text{EllipticE}[(c + dx)/2, 2]) / (5*b^2*d*\text{Sqrt}[\text{Cos}[c + dx]]) + (2*A*\text{Sqrt}[\text{Cos}[c + dx]]*\text{EllipticF}[(c + dx)/2, 2]) / (3*b*d*\text{Sqrt}[b*\text{Cos}[c + dx]]) + (2*A*\text{Sqrt}[b*\text{Cos}[c + dx]]*\text{Sin}[c + dx]) / (3*b^2*d) + (2*B*(b*\text{Cos}[c + dx])^{3/2}*\text{Sin}[c + dx]) / (5*b^3*d)$

#### Rule 16

$\text{Int}[(u_*)^{m_*} (v_*)^{n_*} ((b_*)^{m_*} (v_*))^{n_*}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

$\text{Int}[(b_*)^m \sin[(c_*) + (d_*)(x_*)]^{n_*}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + dx])^m (b*\text{Sin}[c + dx])^{n-1}] / (d*n), x] + \text{Dist}[(b^{2*(n-1)})/n, \text{Int}[(b*\text{Sin}[c + dx])^{n-2}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + dx))/2, 2]) / d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)^m \sin[(c_*) + (d_*)(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + dx]] / \text{Sqrt}[\text{Sin}[c + dx]], \text{Int}[\text{Sqrt}[\text{Sin}[c + dx]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + dx))/2, 2]) / d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]] , x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx &= \frac{\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx}{b^3} \\ &= \frac{A \int (b \cos(c + dx))^{3/2} dx}{b^3} + \frac{B \int (b \cos(c + dx))^{5/2} dx}{b^4} \\ &= \frac{2A\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^2d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^3d} + \\ &= \frac{2A\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^2d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^3d} + \\ &= \frac{6B\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^2d\sqrt{\cos(c + dx)}} + \frac{2A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 88, normalized size = 0.60

$$\frac{2 \cos^{\frac{3}{2}}(c + dx) \left( \sin(c + dx) \sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15d(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(3/2), x]
[Out] (2*Cos[c + d*x]^(3/2)*(9*B*EllipticE[(c + d*x)/2, 2] + 5*A*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A + 3*B*Cos[c + d*x])*Sin[c + d*x]))/(15*d*(b*Cos[c + d*x])^(3/2))
```

**fricas [F]** time = 1.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c)}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c))/b^2, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c))^(3/2), x)

**maple** [A] time = 0.99, size = 273, normalized size = 1.86

$$2\sqrt{b}\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x)

[Out] -2/15\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/b\*(-24\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(20\*A+24\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*A-6\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-9\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c))^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2),x)

[Out] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.829 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=116

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{b^2 d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{3b^2 d} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3bd\sqrt{b \cos(c+dx)}}$$

[Out]  $2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b^2/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^2/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b \cos(c+dx)}}{b^2 d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{3b^2 d} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3bd\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out]  $(2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^2*d)$

**Rule 16**

$\text{Int}[(u_.)*(v_)^{(m_.)*((b_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2635**

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2639**

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rule 2640**

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rule 2642**

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx &= \frac{\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int \sqrt{b \cos(c + dx)} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{3/2} dx}{b^3} \\ &= \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^2d} + \frac{B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b} + \frac{(A\sqrt{b \cos(c + dx)})}{b^2\sqrt{c}} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^2d} + \dots \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 75, normalized size = 0.65

$$\frac{2 \cos^{\frac{3}{2}}(c + dx) \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\left(F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}\right) \right)}{3d(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*Cos[c + d*x]^(3/2)*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]*Sin[c + d*x])))/(3*d*(b*Cos[c + d*x])^(3/2))
```

**fricas [F]** time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/b^2, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos^2(dx + c)^2}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(3/2), x)

**maple [A]** time = 0.94, size = 240, normalized size = 2.07

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-4B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3b\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x)

[Out] 2/3\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/b\*(-4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2))^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(3/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2),x)

[Out] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.830 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=85

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}}$$

[Out]  $2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^2/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {16, 2748, 2642, 2641, 2640, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out]  $(2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(b*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[($

$b \cdot \sin[e + f \cdot x]^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx &= \frac{\int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx}{b} \\ &= \frac{A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{b} + \frac{B \int \sqrt{b \cos(c + dx)} dx}{b^2} \\ &= \frac{(A \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b^2 \sqrt{\cos(c + dx)}} \\ &= \frac{2B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 57, normalized size = 0.67

$$\frac{2\sqrt{\cos(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{bd \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2),x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2]))/(b\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/(b^2\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(3/2), x)

**maple [A]** time = 0.85, size = 163, normalized size = 1.92

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{b\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2),x)`

[Out]  $-2*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/b/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c))^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(3/2),x)`

[Out] `int((cos(c + d*x)*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(3/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(3/2),x)`

[Out] Timed out

$$3.831 \quad \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=112

$$-\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}} + \frac{2A\sin(c+dx)}{bd\sqrt{b\cos(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{b\cos(c+dx)}}$$

[Out] 2\*A\*sin(d\*x+c)/b/d/(b\*cos(d\*x+c))^(1/2)+2\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)/b/d/(b\*cos(d\*x+c))^(1/2)-2\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*(b\*cos(d\*x+c))^(1/2)/b^2/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2636, 2640, 2639, 2642, 2641}

$$-\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}} + \frac{2A\sin(c+dx)}{bd\sqrt{b\cos(c+dx)}} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd\sqrt{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(3/2),x]

[Out] (-2\*A\*Sqrt[b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2])/(b^2\*d\*Sqrt[Cos[c + d\*x]]) + (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2])/(b\*d\*Sqrt[b\*Cos[c + d\*x]]) + (2\*A\*Sin[c + d\*x])/(b\*d\*Sqrt[b\*Cos[c + d\*x]])

**Rule 2636**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2640**

Int[Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2642**

Int[1/Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[Sin[c + d\*x]]/Sqrt[b\*Sin[c + d\*x]], Int[1/Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

**Rule 2748**

`Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{3/2}} dx &= A \int \frac{1}{(b \cos(c + dx))^{3/2}} dx + \frac{B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{b} \\ &= \frac{2A \sin(c + dx)}{bd \sqrt{b \cos(c + dx)}} - \frac{A \int \sqrt{b \cos(c + dx)} dx}{b^2} + \frac{(B \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b \sqrt{b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{bd \sqrt{b \cos(c + dx)}} - \frac{(A \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b^2 \sqrt{\cos(c + dx)}} \\ &= -\frac{2A \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{bd \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 76, normalized size = 0.68

$$\frac{2 \left( A \sin(c + dx) - A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{bd \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Integrate[(A + B*Cos[c + d*x])/(b*Cos[c + d*x])^(3/2), x]`

[Out] `(2*(-(A*Sqrt[Cos[c + d*x])*EllipticE[(c + d*x)/2, 2]) + B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + A*Sin[c + d*x]))/(b*d*Sqrt[b*Cos[c + d*x]])`

**fricas** [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)}}{b^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2), x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/(b^2*cos(d*x + c)^2), x)`

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c))^(3/2), x)`

**maple** [A] time = 1.00, size = 215, normalized size = 1.92

$$\frac{2 \sqrt{-2 \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b + \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) b \left( A \sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2 \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - 1} \text{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \right)}{b \sqrt{-b \left( 2 \left( \sin^4\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \left( \sin^2\left(\frac{dx}{2} + \frac{c}{2}\right) \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2),x)`

[Out] 
$$\frac{-2/b*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))}{(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c))^(3/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(b*cos(c + d*x))^(3/2),x)`

[Out] `int((A + B*cos(c + d*x))/(b*cos(c + d*x))^(3/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(b*cos(d*x+c))**(3/2),x)`

[Out] Timed out

$$3.832 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=140

$$\frac{2A \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd\sqrt{b \cos(c+dx)}} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{b \cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)}{bd\sqrt{b \cos(c+dx)}}$$

[Out]  $2/3*A*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(3/2)}+2*B*\sin(d*x+c)/b/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}-2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^2/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2A \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3bd\sqrt{b \cos(c+dx)}} - \frac{2BE\left(\frac{1}{2}(c+dx) \middle| 2\right) \sqrt{b \cos(c+dx)}}{b^2d\sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)}{bd\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]/(b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out]  $(-2*B*\text{Sqrt}[b*\text{Cos}[c + d*x] ]*\text{EllipticE}[(c + d*x)/2, 2])/(b^2*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x] ]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b*d*\text{Sqrt}[b*\text{Cos}[c + d*x] ]) + (2*A*\text{Sin}[c + d*x])/(3*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (2*B*\text{Sin}[c + d*x])/(b*d*\text{Sqrt}[b*\text{Cos}[c + d*x] ])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \ \&\& \ \text{IntegerQ}[m]$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2642



`Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

### Rule 2748

`Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(b \cos(c + dx))^{3/2}} dx &= b \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx \\ &= (Ab) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + B \int \frac{1}{(b \cos(c + dx))^{3/2}} dx \\ &= \frac{2A \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{bd\sqrt{b \cos(c + dx)}} + \frac{A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b} - \frac{B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b} \\ &= \frac{2A \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{bd\sqrt{b \cos(c + dx)}} + \frac{(A\sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{3b\sqrt{b \cos(c + dx)}} \\ &= -\frac{2B\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{\cos(c + dx)}} + \frac{2A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 87, normalized size = 0.62

$$\frac{2 \left( A \tan(c + dx) + A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) + 3B \sin(c + dx) - 3B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(3/2), x]  
 [Out] (2\*(-3\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 3\*B\*Sin[c + d\*x] + A\*Tan[c + d\*x]))/(3\*b\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)}{b^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)/(b^2\*cos(d\*x + c)^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(3/2), x)

**maple** [B] time = 1.06, size = 455, normalized size = 3.25

$$2 \left( 12B \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b} \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(3/2),x)

[Out] 
$$-2/3*(12*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+A*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})/b/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(3/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(b\*cos(c + d\*x))\*\*(3/2), x)

$$3.833 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=171

$$\frac{6AE \left( \frac{1}{2}(c+dx) \right) \sqrt{b \cos(c+dx)}}{5b^2 d \sqrt{\cos(c+dx)}} + \frac{6A \sin(c+dx)}{5bd \sqrt{b \cos(c+dx)}} + \frac{2Ab \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{2B \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2B \sqrt{\cos(c+dx)}}{3d(b \cos(c+dx))^{3/2}}$$

[Out]  $\frac{2}{5} A b \sin(d x+c) / d / (b \cos(d x+c))^{5 / 2}+2 / 3 B \sin(d x+c) / d / (b \cos(d x+c))^{3 / 2}+6 / 5 A \sin(d x+c) / b d / (b \cos(d x+c))^{1 / 2}+2 / 3 B(\cos(1 / 2 d x+1 / 2 c))^{2(1 / 2)} / \cos(1 / 2 d x+1 / 2 c) * \text{EllipticF}(\sin(1 / 2 d x+1 / 2 c), 2^{1 / 2}) * \cos(d x+c)^{(1 / 2)} / b d / (b \cos(d x+c))^{1 / 2}-6 / 5 A(\cos(1 / 2 d x+1 / 2 c))^{2(1 / 2)} / \cos(1 / 2 d x+1 / 2 c) * \text{EllipticE}(\sin(1 / 2 d x+1 / 2 c), 2^{1 / 2}) * (b \cos(d x+c))^{1 / 2} / b^2 d / \cos(d x+c)^{(1 / 2)}$

**Rubi [A]** time = 0.16, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{6AE \left( \frac{1}{2}(c+dx) \right) \sqrt{b \cos(c+dx)}}{5b^2 d \sqrt{\cos(c+dx)}} + \frac{6A \sin(c+dx)}{5bd \sqrt{b \cos(c+dx)}} + \frac{2Ab \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{2B \sin(c+dx)}{3d(b \cos(c+dx))^{3/2}} + \frac{2B \sqrt{\cos(c+dx)}}{3d(b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(b\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-6 * A * \text{Sqrt}[b * \text{Cos}[c + d * x]] * \text{EllipticE}[(c + d * x) / 2, 2]) / (5 * b^2 * d * \text{Sqrt}[\text{Cos}[c + d * x]]) + (2 * B * \text{Sqrt}[\text{Cos}[c + d * x]] * \text{EllipticF}[(c + d * x) / 2, 2]) / (3 * b * d * \text{Sqrt}[b * \text{Cos}[c + d * x]]) + (2 * A * b * \text{Sin}[c + d * x]) / (5 * d * (b * \text{Cos}[c + d * x])^{5 / 2}) + (2 * B * \text{Sin}[c + d * x]) / (3 * d * (b * \text{Cos}[c + d * x])^{3 / 2}) + (6 * A * \text{Sin}[c + d * x]) / (5 * b * d * \text{Sqrt}[b * \text{Cos}[c + d * x]])$

#### Rule 16

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1))/(b\*d\*(n+1)), x] + Dist[(n+2)/(b^2\*(n+1)), Int[(b\*Sin[c + d\*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(b \cos(c + dx))^{3/2}} dx &= b^2 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + (bB) \int \frac{1}{(b \cos(c + dx))^{5/2}} dx \\ &= \frac{2Ab \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{1}{5}(3A) \int \frac{1}{(b \cos(c + dx))} dx \\ &= \frac{2Ab \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} + \frac{6A \sin(c + dx)}{5bd\sqrt{b \cos(c + dx)}} - \frac{(3A)}{5bd\sqrt{b \cos(c + dx)}} \\ &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}} + \frac{2Ab \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3d(b \cos(c + dx))^{3/2}} \\ &= -\frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^2d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3bd\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.11, size = 104, normalized size = 0.61

$$\frac{2\left(9A \sin(c + dx) - 9A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)\right) + 3A \tan(c + dx) \sec(c + dx) + 5B \tan(c + dx) + 5B\sqrt{\cos(c + dx)}}{15bd\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(-9*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 9*A*Sin[c + d*x] + 5*B*Tan[c + d*x] + 3*A*Sec[c + d*x]*Tan[c + d*x]))/(15*b*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)} \sec(dx + c)^2}{b^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(b*cos(d*x+c))^(3/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sec(d*x + c)^2/(b^2*cos(d*x + c)^2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(3/2), x)

**maple** [B] time = 2.73, size = 578, normalized size = 3.38

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} - 1\right) \sqrt{\frac{1}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(3/2),x)

[Out]  $2/15*(b*(2*\cos(1/2*d*x+1/2*c))^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b^2/\sin(1/2*d*x+1/2*c)^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)*(36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-10*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}/(b*(2*\cos(1/2*d*x+1/2*c))^2-1)^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(3/2)),x)

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^2*(b*cos(c + d*x))^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(b*cos(d*x+c))**(3/2), x)`

[Out] `Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(b*cos(c + d*x))**(3/2), x)`

$$3.834 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^4d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^3d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^5d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^5d}$$

[Out]  $2/5*A*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^4/d+2/7*B*(b*\cos(d*x+c))^{(5/2)}*\sin(d*x+c)/b^5/d+10/21*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}+10/21*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b^3/d+6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.13, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^{3/2}}{5b^4d} + \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^3d \sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)(b \cos(c+dx))^{5/2}}{7b^5d} + \frac{10B \sin(c+dx)(b \cos(c+dx))^{3/2}}{7b^5d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^5\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(21*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (10*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(21*b^3*d) + (2*A*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*b^4*d) + (2*B*(b*\text{Cos}[c + d*x])^{(5/2)}*\text{Sin}[c + d*x])/(7*b^5*d)$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n-1))/(d\*n), x] + Dist[(b^2\*(n-1))/n, Int[(b\*SIN[c + d\*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*SIN[c + d\*x]]/Sqrt[SIN[c + d\*x]], Int[Sqrt[SIN[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx &= \frac{\int (b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx}{b^5} \\ &= \frac{A \int (b \cos(c + dx))^{5/2} dx}{b^5} + \frac{B \int (b \cos(c + dx))^{7/2} dx}{b^6} \\ &= \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^4 d} + \frac{2B(b \cos(c + dx))^{5/2} \sin(c + dx)}{7b^5 d} + \dots \\ &= \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21b^3 d} + \frac{2A(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^4 d} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3 d \sqrt{\cos(c + dx)}} + \frac{10B\sqrt{b \cos(c + dx)} \sin(c + dx)}{21b^3 d} + \dots \\ &= \frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3 d \sqrt{\cos(c + dx)}} + \frac{10B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21b^2 d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.10, size = 104, normalized size = 0.59

$$\frac{\sin(2(c + dx))(42A \cos(c + dx) + 15B \cos(2(c + dx)) + 65B) + 252A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 100B\sqrt{\cos(c + dx)}}{210b^2 d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^5*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (252*A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 100*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (65*B + 42*A*Cos[c + d*x] + 15*B*Cos[2*(c + d*x)])*Sin[2*(c + d*x)])/(210*b^2*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{b \cos(dx + c)}}{b^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^5*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c))/b^3, x)
```



**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^5}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^5/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.93, size = 301, normalized size = 1.71

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(240B \cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^8\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (-168A - 360B)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -2/105*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b^2*(240*B \\ & * \cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A-360*B)*\sin(1/2*d*x+1/2*c)^6 \\ & * \cos(1/2*d*x+1/2*c)+(168*A+280*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+ \\ & (-42*A-80*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2 \\ & ^{(1/2)})+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \\ & EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d \\ & *x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d \end{aligned}$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^5}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^5/(b\*cos(d\*x + c))^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^5 (A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^5\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((cos(c + d\*x)^5\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.835 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=147

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3b^3 d} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^2 d \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^4 d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^3 d}$$

[Out]  $2/5*B*(b*\cos(d*x+c))^{(3/2)}*\sin(d*x+c)/b^4/d+2/3*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b^3/d+6/5*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.11, antiderivative size = 147, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2635, 2642, 2641, 2640, 2639}

$$\frac{2A \sin(c+dx) \sqrt{b \cos(c+dx)}}{3b^3 d} + \frac{2A \sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^2 d \sqrt{b \cos(c+dx)}} + \frac{2B \sin(c+dx) (b \cos(c+dx))^{3/2}}{5b^4 d} + \frac{6BE\left(\frac{1}{2}(c+dx) \middle| 2\right)}{5b^3 d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^4*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(6*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^3*d) + (2*B*(b*\text{Cos}[c + d*x])^{(3/2)}*\text{Sin}[c + d*x])/(5*b^4*d)$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \ \&\& \ \text{IntegerQ}[m]$

#### Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2642

`Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]] , x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

### Rule 2748

`Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]) , x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx &= \frac{\int (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx}{b^4} \\ &= \frac{A \int (b \cos(c + dx))^{3/2} dx}{b^4} + \frac{B \int (b \cos(c + dx))^{5/2} dx}{b^5} \\ &= \frac{2A\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^3d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^4d} + \\ &= \frac{2A\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^3d} + \frac{2B(b \cos(c + dx))^{3/2} \sin(c + dx)}{5b^4d} + \\ &= \frac{6B\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d\sqrt{\cos(c + dx)}} + \frac{2A\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 91, normalized size = 0.62

$$\frac{2\sqrt{\cos(c + dx)} \left( \sin(c + dx)\sqrt{\cos(c + dx)} (5A + 3B \cos(c + dx)) + 5AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{15b^2d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*(9\*B\*EllipticE[(c + d\*x)/2, 2] + 5\*A\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(5\*A + 3\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(15\*b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c)}}{b^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c))/b^3, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^4/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.92, size = 273, normalized size = 1.86

$$2\sqrt{b}\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-24B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^6\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + (20A + 24B)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b^2*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+24*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-6*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^4/(b\*cos(d\*x + c))^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^4 (A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^4\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((cos(c + d\*x)^4\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.836 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=116

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}} + \frac{2B\sin(c+dx)\sqrt{b\cos(c+dx)}}{3b^3d} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^2d\sqrt{b\cos(c+dx)}}$$

[Out]  $2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/b^3/d+2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {16, 2748, 2640, 2639, 2635, 2642, 2641}

$$\frac{2AE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}} + \frac{2B\sin(c+dx)\sqrt{b\cos(c+dx)}}{3b^3d} + \frac{2B\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^2d\sqrt{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^3*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^3*d)$

**Rule 16**

$\text{Int}[(u_.)*(v_)^{(m_.)*((b_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2635**

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2639**

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rule 2640**

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$  FreeQ[{b, c, d}, x]

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rule 2642**

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx &= \frac{\int \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx}{b^3} \\ &= \frac{A \int \sqrt{b \cos(c + dx)} dx}{b^3} + \frac{B \int (b \cos(c + dx))^{3/2} dx}{b^4} \\ &= \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^3d} + \frac{B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b^2} + \frac{(A\sqrt{b \cos(c + dx)})}{b^3\sqrt{c}} \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{b \cos(c + dx)} \sin(c + dx)}{3b^3d} + \dots \\ &= \frac{2A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2d\sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 78, normalized size = 0.67

$$\frac{2\sqrt{\cos(c + dx)} \left( 3AE\left(\frac{1}{2}(c + dx) \middle| 2\right) + B\left(F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}\right) \right)}{3b^2d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*Sqrt[Cos[c + d*x]]*(3*A*EllipticE[(c + d*x)/2, 2] + B*(EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*Sin[c + d*x]))/(3*b^2*d*Sqrt[b*Cos[c + d*x]])
```

**fricas [F]** time = 0.93, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/b^3, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 1.05, size = 240, normalized size = 2.07

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\left(-4B\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 3A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}\right)}{3b^2\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + \dots\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 2/3\*(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/b^2\*(-4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/(-b\*(2\*sin(1/2\*d\*x+1/2\*c)^4-sin(1/2\*d\*x+1/2\*c)^2))^(1/2)/sin(1/2\*d\*x+1/2\*c)/(b\*(2\*cos(1/2\*d\*x+1/2\*c)^2-1))^(1/2)/d

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c))^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^3 (A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((cos(c + d\*x)^3\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.837 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=85

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}}$$

[Out] 2\*A\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticF(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(d\*x+c)^(1/2)/b^2/d/(b\*cos(d\*x+c))^(1/2)+2\*B\*(cos(1/2\*d\*x+1/2\*c)^2)^(1/2)/cos(1/2\*d\*x+1/2\*c)\*EllipticE(sin(1/2\*d\*x+1/2\*c),2^(1/2))\*(b\*cos(d\*x+c))^(1/2)/b^3/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.07, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {16, 2748, 2642, 2641, 2640, 2639}

$$\frac{2A\sqrt{\cos(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d\sqrt{b\cos(c+dx)}} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)\sqrt{b\cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(5/2)),x]

[Out] (2\*B\*Sqrt[b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2])/(b^3\*d\*Sqrt[Cos[c + d\*x]]) + (2\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2])/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

Int[1/Sqrt[(b\_)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[Sin[c + d\*x]]/Sqrt[b\*Sin[c + d\*x]], Int[1/Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2748

Int[((b\_)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(



$b \cdot \sin[e + f \cdot x]^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx &= \frac{\int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)}} dx}{b^2} \\ &= \frac{A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{b^2} + \frac{B \int \sqrt{b \cos(c + dx)} dx}{b^3} \\ &= \frac{(A \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b^2 \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{b \cos(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b^3 \sqrt{\cos(c + dx)}} \\ &= \frac{2B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d \sqrt{\cos(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.05, size = 57, normalized size = 0.67

$$\frac{2\sqrt{\cos(c + dx)} \left( AF\left(\frac{1}{2}(c + dx) \middle| 2\right) + BE\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{b^2 d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*(B\*EllipticE[(c + d\*x)/2, 2] + A\*EllipticF[(c + d\*x)/2, 2]))/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [F] time = 1.06, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/(b^3\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 1.00, size = 163, normalized size = 1.92

$$\frac{2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}}\sqrt{-2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) + 1}\left(A \text{EllipticF}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}{b^2\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right) - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2),x)`

[Out]  $-2*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/b^2/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c))^(5/2), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(5/2),x)`

[Out] `int((cos(c + d*x)^2*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(5/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(5/2),x)`

[Out] Timed out

$$3.838 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=112

$$\frac{2AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{b^3 d \sqrt{\cos(c+dx)}} + \frac{2A \sin(c+dx)}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{b^2 d \sqrt{b \cos(c+dx)}}$$

[Out]  $2*A*\sin(d*x+c)/b^2/d/(b*\cos(d*x+c))^{(1/2)}+2*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}-2*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{2A \sin(c+dx)}{b^2 d \sqrt{b \cos(c+dx)}} - \frac{2AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{b^3 d \sqrt{\cos(c+dx)}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-2*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*\text{Sin}[c + d*x])/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2636

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1))/(b\*d\*(n+1)), x] + Dist[(n+2)/(b^2\*(n+1)), Int[(b\*Sin[c + d\*x])^(n+2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_)\*sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx &= \frac{\int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{3/2}} dx}{b} \\ &= \frac{A \int \frac{1}{(b \cos(c+dx))^{3/2}} dx}{b} + \frac{B \int \frac{1}{\sqrt{b \cos(c+dx)}} dx}{b^2} \\ &= \frac{2A \sin(c + dx)}{b^2 d \sqrt{b \cos(c + dx)}} - \frac{A \int \sqrt{b \cos(c + dx)} dx}{b^3} + \frac{(B \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b^2 \sqrt{b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{b^2 d \sqrt{b \cos(c + dx)}} - \frac{(A \sqrt{b \cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b^3 \sqrt{b \cos(c + dx)}} \\ &= -\frac{2A \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d \sqrt{\cos(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 76, normalized size = 0.68

$$\frac{2 \left( A \sin(c + dx) - A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) + B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{b^2 d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(-(A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + A*Sin[c + d*x]))/(b^2*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)}}{b^3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/(b^3*cos(d*x + c)^2), x)
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(5/2), x)

**maple [A]** time = 1.11, size = 215, normalized size = 1.92

$$\frac{2\sqrt{-2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b + \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)b \left(A\sqrt{\frac{1}{2} - \frac{\cos(dx+c)}{2}} \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1}{b^2\sqrt{-b\left(2\left(\sin^4\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - \left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-2/b^2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] Timed out

$$3.839 \quad \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=143

$$\frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^2d\sqrt{b \cos(c+dx)}} + \frac{2A \sin(c+dx)}{3bd(b \cos(c+dx))^{3/2}} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right) \sqrt{b \cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}} + \frac{2B \sin(c+dx)}{b^2d\sqrt{b \cos(c+dx)}}$$

[Out]  $2/3*A*\sin(d*x+c)/b/d/(b*\cos(d*x+c))^{(3/2)}+2*B*\sin(d*x+c)/b^2/d/(b*\cos(d*x+c))^{(1/2)}+2/3*A*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}-2*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c),2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2636, 2642, 2641, 2640, 2639}

$$\frac{2A\sqrt{\cos(c+dx)} F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^2d\sqrt{b \cos(c+dx)}} + \frac{2A \sin(c+dx)}{3bd(b \cos(c+dx))^{3/2}} + \frac{2B \sin(c+dx)}{b^2d\sqrt{b \cos(c+dx)}} - \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right) \sqrt{b \cos(c+dx)}}{b^3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])/(b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(-2*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*\text{Sin}[c + d*x])/(3*b*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (2*B*\text{Sin}[c + d*x])/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$   $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$   $\text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$   $\text{FreeQ}\{c, d, x\}$

#### Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$   $\text{FreeQ}\{b, c, d, x\}$

Rule 2748

$\text{Int}[(b \cdot \sin(e \cdot x) + f \cdot x)^m \cdot (c + d \cdot \sin(e \cdot x) + f \cdot x)], x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \cdot \sin[e + f \cdot x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \cdot \sin[e + f \cdot x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/2}} dx &= A \int \frac{1}{(b \cos(c + dx))^{5/2}} dx + \frac{B \int \frac{1}{(b \cos(c + dx))^{3/2}} dx}{b} \\ &= \frac{2A \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{b^2 d \sqrt{b \cos(c + dx)}} + \frac{A \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b^2} - \frac{B \int \sqrt{b \cos(c + dx)} dx}{b^3} \\ &= \frac{2A \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} + \frac{2B \sin(c + dx)}{b^2 d \sqrt{b \cos(c + dx)}} + \frac{(A \sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{3b^2 \sqrt{b \cos(c + dx)}} - \\ &= -\frac{2B \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d \sqrt{\cos(c + dx)}} + \frac{2A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2 d \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 87, normalized size = 0.61

$$\frac{2 \left( A \tan(c + dx) + A \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3B \sin(c + dx) - 3B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3b^2 d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(-3\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 3\*B\*Sin[c + d\*x] + A\*Tan[c + d\*x]))/(3\*b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)}}{b^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/(b^3\*cos(d\*x + c)^3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(5/2), x)

**maple [B]** time = 1.06, size = 455, normalized size = 3.18

$$2 \left( 12B \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) - 2 \sqrt{-2 \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b + \left( \sin^2 \left( \frac{dx}{2} + \frac{c}{2} \right) \right) b \cos \left( \frac{dx}{2} + \frac{c}{2} \right) \left( \sin^4 \left( \frac{dx}{2} + \frac{c}{2} \right) \right)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$-2/3*(12*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+A*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/b^2/(2*\cos(1/2*d*x+1/2*c)^2-1)/(-b*(2*\sin(1/2*d*x+1/2*c)^4-\sin(1/2*d*x+1/2*c)^2))^{(1/2)}/\sin(1/2*d*x+1/2*c)/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(5/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(5/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] Timed out



$$3.840 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=173

$$-\frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^3 d \sqrt{\cos(c+dx)}} + \frac{6A \sin(c+dx)}{5b^2 d \sqrt{b \cos(c+dx)}} + \frac{2A \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \right)}{3b^2 d \sqrt{b \cos(c+dx)}}$$

[Out]  $2/5*A*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(5/2)}+2/3*B*\sin(d*x+c)/b/d/(b*\cos(d*x+c))^{(3/2)}+6/5*A*\sin(d*x+c)/b^2/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}-6/5*A*(\cos(1/2*d*x+1/2*c))^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^3/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.14, antiderivative size = 173, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {16, 2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{6A \sin(c+dx)}{5b^2 d \sqrt{b \cos(c+dx)}} - \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^3 d \sqrt{\cos(c+dx)}} + \frac{2A \sin(c+dx)}{5d(b \cos(c+dx))^{5/2}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \right)}{3b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]/(b*\text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $(-6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*\text{Sin}[c + d*x])/(5*d*(b*\text{Cos}[c + d*x])^{(5/2)}) + (2*B*\text{Sin}[c + d*x])/(3*b*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (6*A*\text{Sin}[c + d*x])/(5*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \ \&\& \ \text{IntegerQ}[m]$

#### Rule 2636

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n+1)}]/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n+2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

#### Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2642

`Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

Rule 2748

`Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(b \cos(c + dx))^{5/2}} dx &= b \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx \\
 &= (Ab) \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + B \int \frac{1}{(b \cos(c + dx))^{5/2}} dx \\
 &= \frac{2A \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} + \frac{(3A) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx}{5b} + \dots \\
 &= \frac{2A \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} + \frac{6A \sin(c + dx)}{5b^2 d \sqrt{b \cos(c + dx)}} - \dots \\
 &= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2 d \sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{5d(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3bd(b \cos(c + dx))^{3/2}} + \dots \\
 &= -\frac{6A \sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3 d \sqrt{\cos(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^2 d \sqrt{b \cos(c + dx)}} + \dots
 \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 104, normalized size = 0.60

$$\frac{2 \left( 9A \sin(c + dx) - 9A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) + 3A \tan(c + dx) \sec(c + dx) + 5B \tan(c + dx) + 5B \sqrt{\cos(c + dx)}}{15b^2 d \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(-9\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 5\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 9\*A\*Sin[c + d\*x] + 5\*B\*Tan[c + d\*x] + 3\*A\*Sec[c + d\*x]\*Tan[c + d\*x]))/(15\*b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [F]** time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sec(dx + c)}{b^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sec(d\*x + c)/(b^3\*cos(d\*x + c)^3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(5/2), x)

**maple** [B] time = 2.53, size = 578, normalized size = 3.34

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(5/2),x)

[Out]  $2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b^3/\sin(1/2*d*x+1/2*c)^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)*(36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-10*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (b \cos(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(5/2)),x)

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)*(b*cos(c + d*x))^(5/2)), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.841 \quad \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^4 d \sqrt{\cos(c+dx)}} + \frac{6A \sin(c+dx)}{5b^3 d \sqrt{b \cos(c+dx)}} + \frac{2A \sin(c+dx)}{5bd(b \cos(c+dx))^{5/2}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{3b^3 d \sqrt{b \cos(c+dx)}}$$

[Out]  $2/5*A*\sin(d*x+c)/b/d/(b*\cos(d*x+c))^{(5/2)}+2/3*B*\sin(d*x+c)/b^2/d/(b*\cos(d*x+c))^{(3/2)}+6/5*A*\sin(d*x+c)/b^3/d/(b*\cos(d*x+c))^{(1/2)}+2/3*B*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticF}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(d*x+c)^{(1/2)}/b^3/d/(b*\cos(d*x+c))^{(1/2)}-6/5*A*(\cos(1/2*d*x+1/2*c)^2)^{(1/2)}/\cos(1/2*d*x+1/2*c)*\text{EllipticE}(\sin(1/2*d*x+1/2*c), 2^{(1/2)})*(b*\cos(d*x+c))^{(1/2)}/b^4/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.12, antiderivative size = 176, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2748, 2636, 2640, 2639, 2642, 2641}

$$\frac{6A \sin(c+dx)}{5b^3 d \sqrt{b \cos(c+dx)}} - \frac{6AE \left( \frac{1}{2}(c+dx) \middle| 2 \right) \sqrt{b \cos(c+dx)}}{5b^4 d \sqrt{\cos(c+dx)}} + \frac{2A \sin(c+dx)}{5bd(b \cos(c+dx))^{5/2}} + \frac{2B \sin(c+dx)}{3b^2 d (b \cos(c+dx))^{3/2}} + \frac{2B \sqrt{\cos(c+dx)} F \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{3b^3 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(7/2), x]

[Out]  $(-6*A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^4*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (2*A*\text{Sin}[c + d*x])/(5*b*d*(b*\text{Cos}[c + d*x])^{(5/2)}) + (2*B*\text{Sin}[c + d*x])/(3*b^2*d*(b*\text{Cos}[c + d*x])^{(3/2)}) + (6*A*\text{Sin}[c + d*x])/(5*b^3*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2640

Int[Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[b\*Sin[c + d\*x]]/Sqrt[Sin[c + d\*x]], Int[Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2642

Int[1/Sqrt[(b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[Sin[c + d\*x]]/Sqrt[b\*Sin[c + d\*x]], Int[1/Sqrt[Sin[c + d\*x]], x], x] /; FreeQ[{b, c, d}, x]

d}, x]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{7/2}} dx &= A \int \frac{1}{(b \cos(c + dx))^{7/2}} dx + \frac{B \int \frac{1}{(b \cos(c + dx))^{5/2}} dx}{b} \\
 &= \frac{2A \sin(c + dx)}{5bd(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3b^2d(b \cos(c + dx))^{3/2}} + \frac{(3A) \int \frac{1}{(b \cos(c + dx))^{3/2}} dx}{5b^2} + \frac{B \int \frac{1}{\sqrt{b \cos(c + dx)}} dx}{3b} \\
 &= \frac{2A \sin(c + dx)}{5bd(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3b^2d(b \cos(c + dx))^{3/2}} + \frac{6A \sin(c + dx)}{5b^3d\sqrt{b \cos(c + dx)}} - \frac{(3A) \int \sqrt{b \cos(c + dx)} dx}{5b^2} \\
 &= \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d\sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{5bd(b \cos(c + dx))^{5/2}} + \frac{2B \sin(c + dx)}{3b^2d(b \cos(c + dx))^{3/2}} + \frac{2A \sin(c + dx)}{5bd(b \cos(c + dx))^{5/2}} \\
 &= -\frac{6A\sqrt{b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^4d\sqrt{\cos(c + dx)}} + \frac{2B\sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d\sqrt{b \cos(c + dx)}} + \frac{2A \sin(c + dx)}{5bd(b \cos(c + dx))^{5/2}}
 \end{aligned}$$

**Mathematica** [A] time = 0.08, size = 104, normalized size = 0.59

$$\frac{2\left(9A \sin(c + dx) - 9A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)\right) + 3A \tan(c + dx) \sec(c + dx) + 5B \tan(c + dx) + 5B\sqrt{\cos(c + dx)}}{15b^3d\sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(7/2), x]

[Out] (2\*(-9\*A\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 5\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 9\*A\*Sin[c + d\*x] + 5\*B\*Tan[c + d\*x] + 3\*A\*Sec[c + d\*x]\*Tan[c + d\*x]))/(15\*b^3\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c)}}{b^4 \cos(dx + c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(7/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/(b^4\*cos(d\*x + c)^4), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(7/2), x)

**maple [B]** time = 2.51, size = 578, normalized size = 3.28

$$2\sqrt{b\left(2\left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \left(36A \operatorname{EllipticE}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2\left(\sin^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right) - 1} \sqrt{\frac{1}{2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(7/2),x)

[Out]  $2/15*(b*(2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/b^4/\sin(1/2*d*x+1/2*c)^3/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)*(36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-72*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-36*A*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-20*B*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+20*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+9*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-24*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\operatorname{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-10*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2*(-2*\sin(1/2*d*x+1/2*c)^4*b+\sin(1/2*d*x+1/2*c)^2*b)^{(1/2)}/(b*(2*\cos(1/2*d*x+1/2*c)^2-1))^{(1/2)}/d$

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(7/2), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(7/2),x)

[Out] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(7/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

$$3.842 \quad \int \cos^5(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=172

$$-\frac{A \sin^3(c + dx) \sqrt{b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} + \frac{A \sin(c + dx) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{3Bx \sqrt{b \cos(c + dx)}}{8 \sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx) \cos^5(c + dx)}{4d}$$

[Out] 1/4\*B\*cos(d\*x+c)^(5/2)\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d+3/8\*B\*x\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)+A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)-1/3\*A\*sin(d\*x+c)^3\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)+3/8\*B\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)\*(b\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.07, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2633, 2635, 8}

$$-\frac{A \sin^3(c + dx) \sqrt{b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} + \frac{A \sin(c + dx) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{3Bx \sqrt{b \cos(c + dx)}}{8 \sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx) \cos^5(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (3\*B\*x\*Sqrt[b\*Cos[c + d\*x]])/(8\*Sqrt[Cos[c + d\*x]]) + (A\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (3\*B\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(8\*d) + (B\*Cos[c + d\*x]^(5/2)\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d) - (A\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x]^3)/(3\*d\*Sqrt[Cos[c + d\*x]])

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)]/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]



Rubi steps

$$\begin{aligned}
\int \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)} (A+B \cos(c+dx)) dx &= \frac{\sqrt{b \cos(c+dx)} \int \cos^3(c+dx) (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{(A\sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} + \frac{(B\sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{B \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)} \sin(c+dx)}{4d} + \frac{(3B\sqrt{b \cos(c+dx)}) \int \cos^2(c+dx) dx}{4d} \\
&= \frac{A\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{3B\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{4d} \\
&= \frac{3Bx\sqrt{b \cos(c+dx)}}{8\sqrt{\cos(c+dx)}} + \frac{A\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.17, size = 81, normalized size = 0.47

$$\frac{\sqrt{b \cos(c+dx)} (72A \sin(c+dx) + 8A \sin(3(c+dx)) + 24B \sin(2(c+dx)) + 3B \sin(4(c+dx)) + 36Bc + 36Bdx)}{96d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[b\*Cos[c + d\*x]]\*(36\*B\*c + 36\*B\*d\*x + 72\*A\*Sin[c + d\*x] + 24\*B\*Sin[2\*(c + d\*x)] + 8\*A\*Sin[3\*(c + d\*x)] + 3\*B\*Sin[4\*(c + d\*x)]))/(96\*d\*Sqrt[Cos[c + d\*x]])

**fricas [A]** time = 0.84, size = 252, normalized size = 1.47

$$\left[ \frac{9B\sqrt{-b} \cos(dx+c) \log(2b \cos(dx+c)^2 - 2\sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b) + 2(6B \cos(dx+c) + 3B \sin(2(dx+c)) + 3B \sin(4(dx+c)))}{48d \cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [1/48\*(9\*B\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*(6\*B\*cos(d\*x + c)^3 + 8\*A\*cos(d\*x + c)^2 + 9\*B\*cos(d\*x + c) + 16\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), 1/24\*(9\*B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (6\*B\*cos(d\*x + c)^3 + 8\*A\*cos(d\*x + c)^2 + 9\*B\*cos(d\*x + c) + 16\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)), x, algorithm="giac")























```
*d*x*tan((c+d*x)/2)^6+54*sqrt(b)*B*d*x*tan((c+d*x)/2)^4+36*sqrt(b)*B*d*x*tan((c+d*x)/2)^2+9*sqrt(b)*B*d*x+(-30*sqrt(b))*B*tan((c+d*x)/2)^7+18*sqrt(b)*B*tan((c+d*x)/2)^5+(-18*sqrt(b))*B*tan((c+d*x)/2)^3+30*sqrt(b)*B*tan((c+d*x)/2))/((24*d*tan((c+d*x)/2)^8+96*d*tan((c+d*x)/2)^6+144*d*tan((c+d*x)/2)^4+96*d*tan((c+d*x)/2)^2+24*d)
```

**maple [A]** time = 0.32, size = 91, normalized size = 0.53

$$\frac{\sqrt{b \cos(dx + c)} \left( 6B \left( \cos^3(dx + c) \right) \sin(dx + c) + 8A \left( \cos^2(dx + c) \right) \sin(dx + c) + 9B \cos(dx + c) \sin(dx + c) + 9A \right)}{24d \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] 1/24/d*(b*cos(d*x+c))^(1/2)*(6*B*cos(d*x+c)^3*sin(d*x+c)+8*A*cos(d*x+c)^2*sin(d*x+c)+9*B*cos(d*x+c)*sin(d*x+c)+16*A*sin(d*x+c)+9*B*(d*x+c))/cos(d*x+c)^(1/2)
```

**maxima [A]** time = 0.71, size = 93, normalized size = 0.54

$$\frac{3 \left( 12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin\left(\frac{1}{2} \arctan(\sin(4 dx + 4 c), \cos(4 dx + 4 c))\right) \right) B \sqrt{b} + 8 A \sqrt{b} \left( \sin(3 dx + 3 c) + 9 \sin\left(\frac{1}{3} \arctan(\sin(3 dx + 3 c), \cos(3 dx + 3 c))\right) \right)}{96 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/96*(3*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*B*sqrt(b) + 8*A*sqrt(b)*(sin(3*d*x + 3*c) + 9*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))))/d
```

**mupad [B]** time = 2.30, size = 105, normalized size = 0.61

$$\frac{\sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (24 B \sin(c + dx) + 80 A \sin(2c + 2dx) + 8 A \sin(4c + 4dx) + 27 B \sin(3c + 3dx) + 9 A)}{96 d (\cos(2c + 2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(5/2)*(b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)),x)
```

```
[Out] (cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(1/2)*(24*B*sin(c + d*x) + 80*A*sin(2*c + 2*d*x) + 8*A*sin(4*c + 4*d*x) + 27*B*sin(3*c + 3*d*x) + 3*B*sin(5*c + 5*d*x) + 72*B*d*x*cos(c + d*x)))/(96*d*(cos(2*c + 2*d*x) + 1))
```

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.843 \quad \int \cos^3(c + dx) \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=136

$$\frac{Ax\sqrt{b \cos(c + dx)}}{2\sqrt{\cos(c + dx)}} + \frac{A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}{2d} - \frac{B \sin^3(c + dx) \sqrt{b \cos(c + dx)}}{3d\sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] 1/2\*A\*x\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)+B\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)-1/3\*B\*sin(d\*x+c)^3\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)+1/2\*A\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)\*(b\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.06, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Ax\sqrt{b \cos(c + dx)}}{2\sqrt{\cos(c + dx)}} + \frac{A \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}{2d} - \frac{B \sin^3(c + dx) \sqrt{b \cos(c + dx)}}{3d\sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (A\*x\*Sqrt[b\*Cos[c + d\*x]])/(2\*Sqrt[Cos[c + d\*x]]) + (B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (A\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) - (B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x]^3)/(3\*d\*Sqrt[Cos[c + d\*x]])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 17

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

#### Rule 2633

Int[sin[(c\_.) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1)/2], x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_)\*sin[(c\_.) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Ssin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Ssin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)]^(m\_)\*((c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps





















$$3.844 \quad \int \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=98

$$\frac{A \sin(c + dx) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{Bx \sqrt{b \cos(c + dx)}}{2 \sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}{2d}$$

[Out]  $\frac{1}{2} B x (b \cos(dx+c))^{1/2} / \cos(dx+c)^{1/2} + A \sin(dx+c) (b \cos(dx+c))^{1/2} / d \cos(dx+c)^{1/2} + \frac{1}{2} B \sin(dx+c) \cos(dx+c)^{1/2} (b \cos(dx+c))^{1/2} / d$

**Rubi [A]** time = 0.02, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{A \sin(c + dx) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{Bx \sqrt{b \cos(c + dx)}}{2 \sqrt{\cos(c + dx)}} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(2*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

**Rule 17**

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2734**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{\sqrt{b \cos(c + dx)} \int \cos(c + dx) (A + B \cos(c + dx)) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{Bx \sqrt{b \cos(c + dx)}}{2 \sqrt{\cos(c + dx)}} + \frac{A \sqrt{b \cos(c + dx)} \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.12, size = 57, normalized size = 0.58

$$\frac{\sqrt{b \cos(c + dx)} (4A \sin(c + dx) + B(2(c + dx) + \sin(2(c + dx))))}{4d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

```
[Out] (Sqrt[b*Cos[c + d*x]]*(4*A*Sin[c + d*x] + B*(2*(c + d*x) + Sin[2*(c + d*x)]
)))/(4*d*Sqrt[Cos[c + d*x]])
```

**fricas** [A] time = 0.68, size = 204, normalized size = 2.08

$$\frac{B\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 - 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) + 2(B \cos(dx + c) + 2A) \sqrt{b \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c)}{4d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorit
hm="fricas")
```

```
[Out] [1/4*(B*sqrt(-b)*cos(d*x + c)*log(2*b*cos(d*x + c)^2 - 2*sqrt(b*cos(d*x + c
))*sqrt(-b)*sqrt(cos(d*x + c))*sin(d*x + c) - b) + 2*(B*cos(d*x + c) + 2*A)
*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)), 1/
2*(B*sqrt(b)*arctan(sqrt(b*cos(d*x + c))*sin(d*x + c)/(sqrt(b)*cos(d*x + c)
^(3/2)))*cos(d*x + c) + (B*cos(d*x + c) + 2*A)*sqrt(b*cos(d*x + c))*sqrt(co
s(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))]
```

**giac** [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorit
hm="giac")
```

```
[Out] Exception raised: NotImplementedError >> Unable to parse Giac output: Unabl
e to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2
*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (
2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to
check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x
/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/
x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check
sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Un
able to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>
(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign
: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unabl
e to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*
pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*
pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to ch
eck sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2
)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/
2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check s
ign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unab
le to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-
2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign:
(2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to
check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/
x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi
/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to chec
k sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)U
nable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)
>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sig
n: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*pi/x/2)Unabl
e to check sign: (2*pi/x/2)>(-2*pi/x/2)Unable to check sign: (2*pi/x/2)>(-2*
```













$$3.845 \quad \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Optimal. Leaf size=59

$$\frac{Ax\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out]  $A*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Ax\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (A\*x\*Sqrt[b\*Cos[c + d\*x]])/Sqrt[Cos[c + d\*x]] + (B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx &= \frac{\sqrt{b \cos(c+dx)} \int (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Ax\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(B\sqrt{b \cos(c+dx)}) \int \cos(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Ax\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{B\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 42, normalized size = 0.71

$$\frac{\sqrt{b \cos(c+dx)} (A(c+dx) + B \sin(c+dx))}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (Sqrt[b\*Cos[c + d\*x]]\*(A\*(c + d\*x) + B\*Sin[c + d\*x]))/(d\*Sqrt[Cos[c + d\*x]])

**fricas** [A] time = 0.94, size = 181, normalized size = 3.07

$$\left[ \frac{A\sqrt{-b} \cos(dx+c) \log\left(2b \cos(dx+c)^2 - 2\sqrt{b} \cos(dx+c) \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b\right) + 2\sqrt{b} \cos(dx+c)}{2d \cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/2\*(A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), (A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)\sqrt{b \cos(dx+c)}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.18, size = 39, normalized size = 0.66

$$\frac{\sqrt{b \cos(dx+c)} (A(dx+c) + B \sin(dx+c))}{d\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] 1/d\*(b\*cos(d\*x+c))^(1/2)\*(A\*(d\*x+c)+B\*sin(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [A] time = 0.60, size = 40, normalized size = 0.68

$$\frac{2A\sqrt{b} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + B\sqrt{b} \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] (2\*A\*sqrt(b)\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1)) + B\*sqrt(b)\*sin(d\*x + c))/d

**mupad** [B] time = 0.29, size = 35, normalized size = 0.59

$$\frac{\sqrt{b \cos(c+dx)} (B \sin(c+dx) + Adx)}{d\sqrt{\cos(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(1/2),x)
```

```
[Out] ((b*cos(c + d*x))^(1/2)*(B*sin(c + d*x) + A*d*x))/(d*cos(c + d*x)^(1/2))
```

**sympy [A]** time = 12.09, size = 46, normalized size = 0.78

$$\begin{cases} A\sqrt{b}x + \frac{B\sqrt{b}\sin(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x\sqrt{b\cos(c)}(A+B\cos(c))}{\sqrt{\cos(c)}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Piecewise((A*sqrt(b)*x + B*sqrt(b)*sin(c + d*x)/d, Ne(d, 0)), (x*sqrt(b*cos(c))*(A + B*cos(c))/sqrt(cos(c)), True))
```



$$3.846 \quad \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Optimal. Leaf size=60

$$\frac{A\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}} + \frac{Bx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

[Out]  $B*x*(b*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}+A*\operatorname{arctanh}(\sin(d*x+c))*(b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{1/2}$

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {17, 2735, 3770}

$$\frac{A\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}} + \frac{Bx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[b*\text{Cos}[c + d*x]])*(A + B*\text{Cos}[c + d*x]))/\text{Cos}[c + d*x]^{3/2}, x]$

[Out]  $(B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/\text{Sqrt}[\text{Cos}[c + d*x]] + (A*\text{ArcTanh}[\text{Sin}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

Rule 17

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x\_Symbol] \rightarrow \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/\text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /;$  FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2735

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx &= \frac{\sqrt{b \cos(c+dx)} \int (A+B \cos(c+dx)) \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Bx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(A\sqrt{b \cos(c+dx)}) \int \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Bx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{A \tanh^{-1}(\sin(c+dx))\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 40, normalized size = 0.67

$$\frac{\sqrt{b \cos(c+dx)} (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2),x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*Sqrt[b\*Cos[c + d\*x]])/(d\*Sqrt[Cos[c + d\*x]])

**fricas** [A] time = 1.86, size = 210, normalized size = 3.50

$$\frac{2 A \sqrt{-b} \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) - B \sqrt{-b} \log\left(2 b \cos(dx+c)^2 - 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)}\right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) - B\*sqrt(-b)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/d, 1/2\*(2\*B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*sqrt(b)\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3))/d]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c)}}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.16, size = 54, normalized size = 0.90

$$\frac{\sqrt{b \cos(dx+c)} \left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right)}{d \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x)

[Out] -1/d\*(b\*cos(d\*x+c))^(1/2)\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))/cos(d\*x+c)^(1/2)

**maxima** [A] time = 0.59, size = 92, normalized size = 1.53

$$\frac{A \sqrt{b} \left( \log\left(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1\right) - \log\left(\cos(dx+c)^2 + \sin(dx+c)^2 - 2 \sin(dx+c) + 1\right) \right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out]  $\frac{1}{2} * (A * \sqrt{b}) * (\log(\cos(dx + c)^2 + \sin(dx + c)^2 + 2 * \sin(dx + c) + 1) - \log(\cos(dx + c)^2 + \sin(dx + c)^2 - 2 * \sin(dx + c) + 1)) + 4 * B * \sqrt{b} * \arctan(\frac{\sin(dx + c)}{\cos(dx + c) + 1}) / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(3/2), x)`

[Out] `int(((b*cos(c + d*x))^(1/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(3/2), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2), x)`

[Out] `Integral(sqrt(b*cos(c + d*x))*(A + B*cos(c + d*x))/cos(c + d*x)**(3/2), x)`

$$3.847 \quad \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=68

$$\frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^3(c+dx)} + \frac{B \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}}$$

[Out] A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+B\*arctanh(sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 8, 3770}

$$\frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^3(c+dx)} + \frac{B \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (B\*ArcTanh[Sin[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])/(d\*Sqrt[Cos[c + d\*x]]) + (A\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2))

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{b \cos(c+dx)} (A + B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx &= \frac{\sqrt{b \cos(c+dx)} \int (A + B \cos(c+dx)) \sec^2(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{(A\sqrt{b \cos(c+dx)}) \int \sec^2(c+dx) dx}{\sqrt{\cos(c+dx)}} + \frac{(B\sqrt{b \cos(c+dx)}) \int \sec^2(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c+dx)) \sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}} - \frac{(A\sqrt{b \cos(c+dx)}) \operatorname{Subst}}{d\sqrt{\cos(c+dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c+dx)) \sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}} + \frac{A\sqrt{b \cos(c+dx)} \sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 50, normalized size = 0.74

$$\frac{\sqrt{b \cos(c+dx)} (A \sin(c+dx) + B \cos(c+dx) \tanh^{-1}(\sin(c+dx)))}{d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (Sqrt[b\*Cos[c + d\*x]]\*(B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x]))/(d\*Cos[c + d\*x]^(3/2))

**fricas [A]** time = 0.96, size = 205, normalized size = 3.01

$$\left[ \frac{B\sqrt{b} \cos(dx+c)^2 \log\left(\frac{-b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2\sqrt{b \cos(dx+c)} A \sqrt{\cos(dx+c)}}{2d \cos(dx+c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] [1/2\*(B\*sqrt(b)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)\sqrt{b \cos(dx+c)}}{\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/cos(d\*x + c)^(5/2), x)

**maple [A]** time = 0.17, size = 59, normalized size = 0.87

$$\frac{(-2B \cos(dx+c) \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) + A \sin(dx+c)) \sqrt{b \cos(dx+c)}}{d \cos(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)`

[Out]  $1/d*(-2*B*cos(d*x+c)*\operatorname{arctanh}((-1+\cos(d*x+c))/\sin(d*x+c))+A*\sin(d*x+c))*(b*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{3/2}$

**maxima** [A] time = 0.65, size = 120, normalized size = 1.76

$$\frac{B\sqrt{b}\left(\log\left(\cos(dx+c)^2+\sin(dx+c)^2+2\sin(dx+c)+1\right)-\log\left(\cos(dx+c)^2+\sin(dx+c)^2-2\sin(dx+c)+1\right)\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")`

[Out]  $1/2*(B*\sqrt{b}*(\log(\cos(d*x+c)^2+\sin(d*x+c)^2+2*\sin(d*x+c)+1)-\log(\cos(d*x+c)^2+\sin(d*x+c)^2-2*\sin(d*x+c)+1))+4*A*\sqrt{b}*\sin(2*d*x+2*c)/(\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b} \cos(c+dx) (A+B \cos(c+dx))}{\cos(c+dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c+d*x))^(1/2)*(A+B*cos(c+d*x)))/cos(c+d*x)^(5/2),x)`

[Out] `int(((b*cos(c+d*x))^(1/2)*(A+B*cos(c+d*x)))/cos(c+d*x)^(5/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)`

[Out] Timed out

$$3.848 \quad \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=107

$$\frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{\frac{5}{2}}(c+dx)} + \frac{A \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{B \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] 1/2\*A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(5/2)+B\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+1/2\*A\*arctanh(sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.05, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {17, 2748, 3768, 3770, 3767, 8}

$$\frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{\frac{5}{2}}(c+dx)} + \frac{A \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{B \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (A\*ArcTanh[Sin[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])/(2\*d\*Sqrt[Cos[c + d\*x]]) + (A\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Cos[c + d\*x]^(5/2)) + (B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2))

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2748**

Int[((b\_)\*sin[(e\_.) + (f\_)\*(x\_)]^(m\_)\*((c\_.) + (d\_)\*sin[(e\_.) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 3767**

Int[csc[(c\_.) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

**Rule 3768**

Int[(csc[(c\_.) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 3770**

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{\sqrt{b \cos(c + dx)} \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{(A \sqrt{b \cos(c + dx)}) \int \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(B \sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{A \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} + \frac{(A \sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{2 \sqrt{\cos(c + dx)}} \\ &= \frac{A \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{2d \sqrt{\cos(c + dx)}} + \frac{A \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} \end{aligned}$$

**Mathematica** [A] time = 0.11, size = 65, normalized size = 0.61

$$\frac{\sqrt{b \cos(c + dx)} (\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{2d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (Sqrt[b*Cos[c + d*x]]*(A*ArcTanh[Sin[c + d*x]]*Cos[c + d*x]^2 + (A + 2*B*Cos[c + d*x])*Sin[c + d*x]))/(2*d*Cos[c + d*x]^(5/2))
```

**fricas** [A] time = 1.02, size = 225, normalized size = 2.10

$$\left[ \frac{A \sqrt{b} \cos(dx + c)^3 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(2B \cos(dx + c) + A) \sqrt{b} \cos(dx + c)}{4d \cos(dx + c)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="fricas")
```

```
[Out] [1/4*(A*sqrt(b)*cos(d*x + c)^3*log(-(b*cos(d*x + c))^3 - 2*sqrt(b*cos(d*x + c))*sqrt(b)*sqrt(cos(d*x + c))*sin(d*x + c) - 2*b*cos(d*x + c))/cos(d*x + c)^3) + 2*(2*B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^3), -1/2*(A*sqrt(-b)*arctan(sqrt(b*cos(d*x + c))*sqrt(-b)*sin(d*x + c)/(b*sqrt(cos(d*x + c))))*cos(d*x + c)^3 - (2*B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^3)]
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="giac")
```



[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))/cos(d\*x + c)^(7/2), x)

**maple [A]** time = 0.23, size = 120, normalized size = 1.12

$$\frac{\left(-A \left(\cos^2(dx + c)\right) \ln\left(-\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)}\right) + A \left(\cos^2(dx + c)\right) \ln\left(\frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)}\right) + 2B \cos(dx + c) \sin(dx + c)\right)}{2d \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] 1/2/d\*(-A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+2\*B\*cos(d\*x+c)\*sin(d\*x+c)+A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2)

**maxima [B]** time = 0.71, size = 716, normalized size = 6.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="maxima")

[Out] -1/4\*((4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1) - 8\*B\*sqrt(b)\*sin(2\*d\*x + 2\*c)/(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2), x)

[Out] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2), x)

[Out] Timed out

$$3.849 \quad \int \frac{\sqrt{b \cos(c+dx)} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=145

$$\frac{A \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^2(c+dx)} + \frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^2(c+dx)} + \frac{B \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^2(c+dx)} + \frac{B \sqrt{b \cos(c+dx)}}{2d \sqrt{\cos(c+dx)}}$$

[Out]  $1/2*B*\sin(d*x+c)*(b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(5/2)+A*\sin(d*x+c)*(b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(3/2)+1/3*A*\sin(d*x+c)^3*(b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(7/2)+1/2*B*\operatorname{arctanh}(\sin(d*x+c))*(b*\cos(d*x+c))^(1/2)/d/\cos(d*x+c)^(1/2)$

**Rubi [A]** time = 0.06, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 3768, 3770}

$$\frac{A \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^2(c+dx)} + \frac{A \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^2(c+dx)} + \frac{B \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^2(c+dx)} + \frac{B \sqrt{b \cos(c+dx)}}{2d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]`

[Out] `(B*ArcTanh[Sin[c + d*x]]*Sqrt[b*Cos[c + d*x]])/(2*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Cos[c + d*x]^(5/2)) + (A*Sqrt[b*Cos[c + d*x]]*Sin[c + d*x])/(d*Cos[c + d*x]^(3/2)) + (A*Sqrt[b*Cos[c + d*x]]*Sin[c + d*x]^3)/(3*d*Cos[c + d*x]^(7/2))`

#### Rule 17

`Int[(u_.)*((a_.)*(v_.))^(m_.)*((b_.)*(v_.))^(n_.), x_Symbol] := Dist[(a^(m + 1/2)*b^(n - 1/2)*Sqrt[b*v])/Sqrt[a*v], Int[u*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{b \cos(c+dx)} (A + B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx &= \frac{\sqrt{b \cos(c+dx)} \int (A + B \cos(c+dx)) \sec^4(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{(A\sqrt{b \cos(c+dx)}) \int \sec^4(c+dx) dx}{\sqrt{\cos(c+dx)}} + \frac{(B\sqrt{b \cos(c+dx)}) \int \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{B\sqrt{b \cos(c+dx)} \sin(c+dx)}{2d \cos^{\frac{5}{2}}(c+dx)} + \frac{(B\sqrt{b \cos(c+dx)}) \int \sec(c+dx) dx}{2\sqrt{\cos(c+dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c+dx))\sqrt{b \cos(c+dx)}}{2d\sqrt{\cos(c+dx)}} + \frac{B\sqrt{b \cos(c+dx)} \sin(c+dx)}{2d \cos^{\frac{5}{2}}(c+dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.32, size = 76, normalized size = 0.52

$$\frac{\sqrt{b \cos(c+dx)} (2A(\cos(2(c+dx)) + 2) \tan(c+dx) + 3B \sin(c+dx) + 3B \cos^2(c+dx) \tanh^{-1}(\sin(c+dx)))}{6d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
[Out] (Sqrt[b*Cos[c + d*x]]*(3*B*ArcTanh[Sin[c + d*x]]*Cos[c + d*x]^2 + 3*B*Sin[c + d*x] + 2*A*(2 + Cos[2*(c + d*x)])*Tan[c + d*x]))/(6*d*Cos[c + d*x]^(5/2))
```

**fricas [A]** time = 1.07, size = 253, normalized size = 1.74

$$\left[ \frac{3B\sqrt{b} \cos(dx+c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(4A \cos(dx+c)^2 + 3B \cos(dx+c))}{12d \cos(dx+c)^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorithm="fricas")
[Out] [1/12*(3*B*sqrt(b)*cos(d*x + c)^4*log(-(b*cos(d*x + c))^3 - 2*sqrt(b*cos(d*x + c))*sqrt(b)*sqrt(cos(d*x + c))*sin(d*x + c) - 2*b*cos(d*x + c))/cos(d*x + c)^3) + 2*(4*A*cos(d*x + c)^2 + 3*B*cos(d*x + c) + 2*A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4), -1/6*(3*B*sqrt(-b)*arctan(sqrt(b*cos(d*x + c))*sqrt(-b)*sin(d*x + c)/(b*sqrt(cos(d*x + c))))*cos(d*x + c)^4 - (4*A*cos(d*x + c)^2 + 3*B*cos(d*x + c) + 2*A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^4)]
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)\sqrt{b \cos(dx+c)}}{\cos(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c))/cos(d*x + c)^(9/2), x)
```

**maple [A]** time = 0.24, size = 139, normalized size = 0.96

$$\frac{\left(-3B \left(\cos^3(dx+c)\right) \ln\left(-\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 3B \left(\cos^3(dx+c)\right) \ln\left(\frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 4A \left(\cos^2(dx+c)\right)}{6d \cos(dx+c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(7/2)

**maxima [B]** time = 0.72, size = 957, normalized size = 6.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 1/12\*(16\*((3\*cos(2\*d\*x + 2\*c) + 1)\*sin(6\*d\*x + 6\*c) + 3\*(3\*cos(2\*d\*x + 2\*c) + 1)\*sin(4\*d\*x + 4\*c) - 3\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) - 9\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c))\*A\*sqrt(b)/(2\*(3\*cos(4\*d\*x + 4\*c) + 3\*cos(2\*d\*x + 2\*c) + 1)\*cos(6\*d\*x + 6\*c) + cos(6\*d\*x + 6\*c)^2 + 6\*(3\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + 9\*cos(4\*d\*x + 4\*c)^2 + 9\*cos(2\*d\*x + 2\*c)^2 + 6\*(sin(4\*d\*x + 4\*c) + sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c) + sin(6\*d\*x + 6\*c)^2 + 9\*sin(4\*d\*x + 4\*c)^2 + 18\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*sin(2\*d\*x + 2\*c)^2 + 6\*cos(2\*d\*x + 2\*c) + 1) - 3\*(4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{b \cos(c + dx)} (A + B \cos(c + dx))}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2),x)

[Out] int(((b\*cos(c + d\*x))^(1/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2), x)

[Out] Timed out

$$3.850 \quad \int \cos^2(c + dx)(b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=177

$$-\frac{Ab \sin^3(c + dx)\sqrt{b \cos(c + dx)}}{3d\sqrt{\cos(c + dx)}} + \frac{Ab \sin(c + dx)\sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{3bBx\sqrt{b \cos(c + dx)}}{8\sqrt{\cos(c + dx)}} + \frac{bB \sin(c + dx) \cos^2(c + dx)}{4d}$$

[Out]  $1/4*b*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+3/8*b*B*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+A*b*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}-1/3*A*b*\sin(d*x+c)^3*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}+3/8*b*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)*(b*\cos(d*x+c))^{(1/2)}/d}$

**Rubi [A]** time = 0.07, antiderivative size = 177, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2633, 2635, 8}

$$-\frac{Ab \sin^3(c + dx)\sqrt{b \cos(c + dx)}}{3d\sqrt{\cos(c + dx)}} + \frac{Ab \sin(c + dx)\sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{3bBx\sqrt{b \cos(c + dx)}}{8\sqrt{\cos(c + dx)}} + \frac{bB \sin(c + dx) \cos^2(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(3*b*B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(8*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (3*b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(8*d) + (b*B*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d) - (A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]^3)/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sine[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sine[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sine[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sine[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c+dx)(b \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) dx &= \frac{(b\sqrt{b \cos(c+dx)}) \int \cos^3(c+dx)(A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{(Ab\sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} + \frac{(bB\sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{bB \cos^{\frac{5}{2}}(c+dx)\sqrt{b \cos(c+dx)} \sin(c+dx)}{4d} + \frac{(3bB) \cos^{\frac{3}{2}}(c+dx)\sqrt{b \cos(c+dx)} \sin(c+dx)}{4d} \\
&= \frac{Ab\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{3bB\sqrt{\cos(c+dx)}}{d\sqrt{\cos(c+dx)}} \\
&= \frac{3bBx\sqrt{b \cos(c+dx)}}{8\sqrt{\cos(c+dx)}} + \frac{Ab\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 81, normalized size = 0.46

$$\frac{(b \cos(c+dx))^{\frac{3}{2}}(72A \sin(c+dx) + 8A \sin(3(c+dx)) + 24B \sin(2(c+dx)) + 3B \sin(4(c+dx)) + 36Bc + 36Bd)}{96d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] ((b\*Cos[c + d\*x])^(3/2)\*(36\*B\*c + 36\*B\*d\*x + 72\*A\*Sin[c + d\*x] + 24\*B\*Sin[2\*(c + d\*x)] + 8\*A\*Sin[3\*(c + d\*x)] + 3\*B\*Sin[4\*(c + d\*x)]))/(96\*d\*Cos[c + d\*x]^(3/2))

**fricas [A]** time = 1.13, size = 261, normalized size = 1.47

$$\left[ \frac{9B\sqrt{-b}b \cos(dx+c) \log(2b \cos(dx+c)^2 - 2\sqrt{b \cos(dx+c)}\sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b) + 2(6Bb \cos(dx+c) + 3B^2 \cos^2(dx+c)) \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c)}{48d \cos(dx+c)^{\frac{3}{2}}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] [1/48\*(9\*B\*sqrt(-b)\*b\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*(6\*B\*b\*cos(d\*x + c)^3 + 8\*A\*b\*cos(d\*x + c)^2 + 9\*B\*b\*cos(d\*x + c) + 16\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), 1/24\*(9\*B\*b^(3/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (6\*B\*b\*cos(d\*x + c)^3 + 8\*A\*b\*cos(d\*x + c)^2 + 9\*B\*b\*cos(d\*x + c) + 16\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.

























$\int (\cos(dx+c) + 9B\cos(dx+c)\sin(dx+c) + 16A\sin(dx+c) + 9B(dx+c)) / \cos(dx+c)^{3/2}$

**maxima** [A] time = 0.75, size = 100, normalized size = 0.56

$$\frac{8 \left( b \sin(3dx + 3c) + 9b \sin\left(\frac{1}{3} \arctan(\sin(3dx + 3c), \cos(3dx + 3c))\right) \right) A\sqrt{b} + 3 \left( 12(dx + c)b + b \sin(4dx + 4c) \right)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)\*(b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c)),x, algorithm="maxima")

[Out] 1/96\*(8\*(b\*sin(3\*d\*x + 3\*c) + 9\*b\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))\*A\*sqrt(b) + 3\*(12\*(d\*x + c)\*b + b\*sin(4\*d\*x + 4\*c) + 8\*b\*sin(1/2\*arctan2(sin(4\*d\*x + 4\*c), cos(4\*d\*x + 4\*c))))\*B\*sqrt(b))/d

**mupad** [B] time = 1.91, size = 106, normalized size = 0.60

$$\frac{b \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (24B \sin(c + dx) + 80A \sin(2c + 2dx) + 8A \sin(4c + 4dx) + 27B \sin(3c + 3dx) + 3B \sin(5c + 5dx) + 72B dx \cos(c + dx))}{96d (\cos(2c + 2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)),x)

[Out] (b\*cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(1/2)\*(24\*B\*sin(c + d\*x) + 80\*A\*sin(2\*c + 2\*d\*x) + 8\*A\*sin(4\*c + 4\*d\*x) + 27\*B\*sin(3\*c + 3\*d\*x) + 3\*B\*sin(5\*c + 5\*d\*x) + 72\*B\*d\*x\*cos(c + d\*x)))/(96\*d\*(cos(2\*c + 2\*d\*x) + 1))

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(3/2)\*(b\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c)),x)

[Out] Timed out

$$3.851 \quad \int \sqrt{\cos(c + dx)} (b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=140

$$\frac{Abx\sqrt{b\cos(c+dx)}}{2\sqrt{\cos(c+dx)}} + \frac{Ab\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{b\cos(c+dx)}}{2d} - \frac{bB\sin^3(c+dx)\sqrt{b\cos(c+dx)}}{3d\sqrt{\cos(c+dx)}} + \frac{bB\sin(c+dx)}{d}$$

[Out]  $1/2*A*b*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+b*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}-1/3*b*B*\sin(d*x+c)^3*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}+1/2*A*b*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}*(b*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.06, antiderivative size = 140, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Abx\sqrt{b\cos(c+dx)}}{2\sqrt{\cos(c+dx)}} + \frac{Ab\sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{b\cos(c+dx)}}{2d} - \frac{bB\sin^3(c+dx)\sqrt{b\cos(c+dx)}}{3d\sqrt{\cos(c+dx)}} + \frac{bB\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(A*b*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(2*\text{Sqrt}[\text{Cos}[c + d*x]]) + (b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d) - (b*B*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]^3)/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**





















$$3.852 \quad \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=101

$$\frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{bBx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{2d}$$

[Out]  $1/2*b*B*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+A*b*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}+1/2*b*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}*(b*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.02, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{bBx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out]  $(b*B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(2*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (b*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2734**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx &= \frac{(b \sqrt{b \cos(c+dx)}) \int \cos(c+dx) (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{bBx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{Ab \sqrt{b \cos(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}} + \frac{bB \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 58, normalized size = 0.57

$$\frac{b \sqrt{b \cos(c+dx)} (4A \sin(c+dx) + B(2(c+dx) + \sin(2(c+dx))))}{4d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (b\*Sqrt[b\*Cos[c + d\*x]]\*(4\*A\*Sin[c + d\*x] + B\*(2\*(c + d\*x) + Sin[2\*(c + d\*x)])))/(4\*d\*Sqrt[Cos[c + d\*x]])

**fricas** [A] time = 1.99, size = 209, normalized size = 2.07

$$\frac{B\sqrt{-b}b\cos(dx+c)\log\left(2b\cos(dx+c)^2-2\sqrt{b\cos(dx+c)}\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c)-b\right)+2(Bb\cos(dx+c))}{4d\cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/4\*(B\*sqrt(-b)\*b\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*(B\*b\*cos(d\*x + c) + 2\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), 1/2\*(B\*b^(3/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (B\*b\*cos(d\*x + c) + 2\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)/sqrt(cos(d\*x + c)), x)

**maple** [A] time = 0.19, size = 55, normalized size = 0.54

$$\frac{(b \cos(dx + c))^{\frac{3}{2}} (B \cos(dx + c) \sin(dx + c) + 2A \sin(dx + c) + B(dx + c))}{2d \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] 1/2/d\*(b\*cos(d\*x+c))^(3/2)\*(B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c)+B\*(d\*x+c))/cos(d\*x+c)^(3/2)

**maxima** [A] time = 1.01, size = 43, normalized size = 0.43

$$\frac{4Ab^{\frac{3}{2}}\sin(dx+c)+(2(dx+c)b+b\sin(2dx+2c))B\sqrt{b}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/4\*(4\*A\*b^(3/2)\*sin(d\*x + c) + (2\*(d\*x + c)\*b + b\*sin(2\*d\*x + 2\*c))\*B\*sqrt(b))/d

**mupad [B]** time = 0.52, size = 50, normalized size = 0.50

$$\frac{b \sqrt{b \cos(c + dx)} (4A \sin(c + dx) + B \sin(2c + 2dx) + 2Bdx)}{4d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(1/2),x)

[Out] (b\*(b\*cos(c + d\*x))^(1/2)\*(4\*A\*sin(c + d\*x) + B\*sin(2\*c + 2\*d\*x) + 2\*B\*d\*x))/(4\*d\*cos(c + d\*x)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.853 \quad \int \frac{(b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=61

$$\frac{Abx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out] A\*b\*x\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)+b\*B\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.01, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Abx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (A\*b\*x\*Sqrt[b\*Cos[c + d\*x]])/Sqrt[Cos[c + d\*x]] + (b\*B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx &= \frac{(b\sqrt{b \cos(c+dx)}) \int (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Abx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(bB\sqrt{b \cos(c+dx)}) \int \cos(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Abx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{bB\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 42, normalized size = 0.69

$$\frac{(b \cos(c+dx))^{3/2}(A(c+dx) + B \sin(c+dx))}{d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]



[Out]  $((b \cos[c + dx])^{3/2} (A(c + dx) + B \sin[c + dx])) / (d \cos[c + dx]^{3/2})$

**fricas** [A] time = 0.82, size = 184, normalized size = 3.02

$$\frac{A \sqrt{-b} b \cos(dx + c) \log(2b \cos(dx + c)^2 - 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b) + 2\sqrt{b \cos(dx + c)}}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="fricas")`

[Out]  $[1/2*(A*\sqrt{-b}*b*\cos(dx + c)*\log(2*b*\cos(dx + c)^2 - 2*\sqrt{b*\cos(dx + c)}*\sqrt{-b}*\sqrt{\cos(dx + c)}*\sin(dx + c) - b) + 2*\sqrt{b*\cos(dx + c)}*B*b*\sqrt{\cos(dx + c)}*\sin(dx + c))/(d*\cos(dx + c)), (A*b^{3/2}*\arctan(\sqrt{b*\cos(dx + c)}*\sin(dx + c)/(\sqrt{b}*\cos(dx + c)^{3/2}))*\cos(dx + c) + \sqrt{b*\cos(dx + c)}*B*b*\sqrt{\cos(dx + c)}*\sin(dx + c))/(d*\cos(dx + c))]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{3/2}}{\cos(dx + c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="giac")`

[Out] `integrate((B*cos(dx + c) + A)*(b*cos(dx + c))^(3/2)/cos(dx + c)^(3/2), x)`

**maple** [A] time = 0.18, size = 39, normalized size = 0.64

$$\frac{(b \cos(dx + c))^{3/2} (A(dx + c) + B \sin(dx + c))}{d \cos(dx + c)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2),x)`

[Out]  $1/d*(b*\cos(dx+c))^{3/2}*(A*(dx+c)+B*\sin(dx+c))/\cos(dx+c)^{3/2}$

**maxima** [A] time = 1.14, size = 40, normalized size = 0.66

$$\frac{2Ab^{3/2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + Bb^{3/2} \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(dx+c))^(3/2)*(A+B*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="maxima")`

[Out]  $(2*A*b^{3/2}*\arctan(\sin(dx + c)/(\cos(dx + c) + 1)) + B*b^{3/2}*\sin(dx + c))/d$

mupad [B] time = 0.85, size = 36, normalized size = 0.59

$$\frac{b \sqrt{b \cos(c + dx)} (B \sin(c + dx) + A dx)}{d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(3/2),x)

[Out] (b\*(b\*cos(c + d\*x))^(1/2)\*(B\*sin(c + d\*x) + A\*d\*x))/(d\*cos(c + d\*x)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

$$3.854 \quad \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=62

$$\frac{Ab\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}} + \frac{bBx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

[Out] b\*B\*x\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)+A\*b\*arctanh(sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {17, 2735, 3770}

$$\frac{Ab\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}} + \frac{bBx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (b\*B\*x\*Sqrt[b\*Cos[c + d\*x]])/Sqrt[Cos[c + d\*x]] + (A\*b\*ArcTanh[Sin[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])/(d\*Sqrt[Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(c\_. + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sine[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx &= \frac{(b\sqrt{b \cos(c+dx)}) \int (A+B \cos(c+dx)) \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{bBx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(Ab\sqrt{b \cos(c+dx)}) \int \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{bBx\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{Ab \tanh^{-1}(\sin(c+dx))\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 40, normalized size = 0.65

$$\frac{(b \cos(c+dx))^{3/2} (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/cos[c + d\*x]^(5/2), x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*(b\*cos[c + d\*x])^(3/2))/(d\*cos[c + d\*x]^(3/2))

**fricas** [A] time = 1.10, size = 212, normalized size = 3.42

$$\frac{2 A \sqrt{-b} b \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) - B \sqrt{-b} b \log\left(2 b \cos(dx+c)^2 - 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)}\right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*b\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) - B\*sqrt(-b)\*b\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/d, 1/2\*(2\*B\*b^(3/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*b^(3/2)\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3)/d]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{3}{2}}}{\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)/cos(d\*x + c)^(5/2), x)

**maple** [A] time = 0.15, size = 54, normalized size = 0.87

$$\frac{(b \cos(dx+c))^{\frac{3}{2}} \left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right)}{d \cos(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x)

[Out] -1/d\*(b\*cos(d\*x+c))^(3/2)\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))/cos(d\*x+c)^(3/2)

**maxima** [A] time = 1.25, size = 95, normalized size = 1.53

$$\frac{4 B b^{\frac{3}{2}} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + (b \log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1) - b \log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1))}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 1/2\*(4\*B\*b^(3/2)\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1)) + (b\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*sin(d\*x + c) + 1) - b\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 - 2\*sin(d\*x + c) + 1))\*A\*sqrt(b))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(5/2),x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.855 \quad \int \frac{(b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

Optimal. Leaf size=70

$$\frac{Ab \sin(c+dx)\sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)} + \frac{bB\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}}$$

[Out] A\*b\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+b\*B\*arctanh(sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 8, 3770}

$$\frac{Ab \sin(c+dx)\sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)} + \frac{bB\sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(7/2),x]

[Out] (b\*B\*ArcTanh[Sin[c + d\*x]]\*Sqrt[b\*cos[c + d\*x]])/(d\*Sqrt[Cos[c + d\*x]]) + (A\*b\*Sqrt[b\*cos[c + d\*x]]\*Sin[c + d\*x])/(d\*cos[c + d\*x]^(3/2))

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{7/2}(c + dx)} dx &= \frac{(b\sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{(Ab\sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(bB\sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{bB \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} - \frac{(Ab\sqrt{b \cos(c + dx)}) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\
&= \frac{bB \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} + \frac{Ab\sqrt{b \cos(c + dx)} \sin(c + dx)}{d \cos^{3/2}(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 50, normalized size = 0.71

$$\frac{(b \cos(c + dx))^{3/2} (A \sin(c + dx) + B \cos(c + dx) \tanh^{-1}(\sin(c + dx)))}{d \cos^{5/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] ((b\*cos[c + d\*x])^(3/2)\*(B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x]))/(d\*cos[c + d\*x]^(5/2))

**fricas [A]** time = 1.22, size = 208, normalized size = 2.97

$$\left[ \frac{Bb^2 \cos(dx + c)^2 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2\sqrt{b \cos(dx+c)} Ab\sqrt{\cos(dx+c)}}{2d \cos(dx+c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] [1/2\*(B\*b^(3/2)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*b\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*b\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c))/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*b\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{3/2}}{\cos(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)/cos(d\*x + c)^(7/2), x)

**maple** [A] time = 0.16, size = 59, normalized size = 0.84

$$\frac{\left(-2B \cos(dx+c) \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) + A \sin(dx+c)\right) (b \cos(dx+c))^{\frac{3}{2}}}{d \cos(dx+c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)`

[Out] `1/d*(-2*B*cos(d*x+c)*arctanh((-1+cos(d*x+c))/sin(d*x+c))+A*sin(d*x+c))*(b*cos(d*x+c))^(3/2)/cos(d*x+c)^(5/2)`

**maxima** [A] time = 1.13, size = 123, normalized size = 1.76

$$\frac{(b \log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1) - b \log(\cos(dx+c)^2 + \sin(dx+c)^2 - 2 \sin(dx+c) + 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `1/2*((b*log(cos(d*x+c)^2 + sin(d*x+c)^2 + 2*sin(d*x+c) + 1) - b*log(cos(d*x+c)^2 + sin(d*x+c)^2 - 2*sin(d*x+c) + 1))*B*sqrt(b) + 4*A*b^(3/2)*sin(2*d*x + 2*c)/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c+dx))^{\frac{3}{2}} (A+B \cos(c+dx))}{\cos(c+dx)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c+d*x))^(3/2)*(A+B*cos(c+d*x)))/cos(c+d*x)^(7/2),x)`

[Out] `int(((b*cos(c+d*x))^(3/2)*(A+B*cos(c+d*x)))/cos(c+d*x)^(7/2),x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)`

[Out] Timed out



$$3.856 \quad \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=110

$$\frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{\frac{5}{2}}(c+dx)} + \frac{Ab \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $1/2 * A * b * \sin(d * x + c) * (b * \cos(d * x + c))^{1/2} / d / \cos(d * x + c)^{5/2} + b * B * \sin(d * x + c) * (b * \cos(d * x + c))^{1/2} / d / \cos(d * x + c)^{3/2} + 1/2 * A * b * \operatorname{arctanh}(\sin(d * x + c)) * (b * \cos(d * x + c))^{1/2} / d / \cos(d * x + c)^{1/2}$

**Rubi [A]** time = 0.06, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {17, 2748, 3768, 3770, 3767, 8}

$$\frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{\frac{5}{2}}(c+dx)} + \frac{Ab \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{bB \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(b * \operatorname{Cos}[c + d * x])^{3/2} * (A + B * \operatorname{Cos}[c + d * x])] / \operatorname{Cos}[c + d * x]^{9/2}, x]$

[Out]  $(A * b * \operatorname{ArcTanh}[\operatorname{Sin}[c + d * x]] * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d * x]]) / (2 * d * \operatorname{Sqrt}[\operatorname{Cos}[c + d * x]]) + (A * b * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d * x]] * \operatorname{Sin}[c + d * x]) / (2 * d * \operatorname{Cos}[c + d * x]^{5/2}) + (b * B * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d * x]] * \operatorname{Sin}[c + d * x]) / (d * \operatorname{Cos}[c + d * x]^{3/2})$

**Rule 8**

$\operatorname{Int}[a_, x\_Symbol] \rightarrow \operatorname{Simp}[a * x, x] /; \operatorname{FreeQ}[a, x]$

**Rule 17**

$\operatorname{Int}[(u_.) * ((a_.) * (v_))^{(m_)} * ((b_.) * (v_))^{(n_)}, x\_Symbol] \rightarrow \operatorname{Dist}[(a^{(m+1/2)} * b^{(n-1/2)} * \operatorname{Sqrt}[b * v]) / \operatorname{Sqrt}[a * v], \operatorname{Int}[u * v^{(m+n)}, x], x] /; \operatorname{FreeQ}[\{a, b, m\}, x] \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{IGtQ}[n + 1/2, 0] \&\& \operatorname{IntegerQ}[m + n]$

**Rule 2748**

$\operatorname{Int}[(b_.) * \sin[(e_.) + (f_.) * (x_)]^{(m_)} * ((c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_)]), x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b * \operatorname{Sin}[e + f * x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b * \operatorname{Sin}[e + f * x])^{(m+1)}, x], x] /; \operatorname{FreeQ}[\{b, c, d, e, f, m\}, x]$

**Rule 3767**

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.) * (x_)]^{(n_)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c + d * x]], x] /; \operatorname{FreeQ}[\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

**Rule 3768**

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.) * (x_)] * (b_.)^{(n_)}), x\_Symbol] \rightarrow -\operatorname{Simp}[(b * \operatorname{Cos}[c + d * x] * (b * \operatorname{Csc}[c + d * x])^{(n-1)}) / (d * (n-1)), x] + \operatorname{Dist}[(b^{2 * (n-2)}) / (n-1), \operatorname{Int}[(b * \operatorname{Csc}[c + d * x])^{(n-2)}, x], x] /; \operatorname{FreeQ}[\{b, c, d\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2 * n]$

**Rule 3770**

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{(b\sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{(Ab\sqrt{b \cos(c + dx)}) \int \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(bB\sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{Ab\sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} + \frac{(Ab\sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{2\sqrt{\cos(c + dx)}} \\ &= \frac{Ab \tanh^{-1}(\sin(c + dx))\sqrt{b \cos(c + dx)}}{2d\sqrt{\cos(c + dx)}} + \frac{Ab\sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 65, normalized size = 0.59

$$\frac{(b \cos(c + dx))^{3/2} (\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{2d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] ((b\*cos[c + d\*x])^(3/2)\*(A\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + (A + 2\*B\*cos[c + d\*x])\*Sin[c + d\*x]))/(2\*d\*cos[c + d\*x]^(7/2))

**fricas [A]** time = 1.09, size = 232, normalized size = 2.11

$$\left[ \frac{Ab^{\frac{3}{2}} \cos(dx + c)^3 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(2Bb \cos(dx + c) + Ab)\sqrt{b \cos(dx+c)}}{4d \cos(dx + c)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] [1/4\*(A\*b^(3/2)\*cos(d\*x + c)^3\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(2\*B\*b\*cos(d\*x + c) + A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3), -1/2\*(A\*sqrt(-b)\*b\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^3 - (2\*B\*b\*cos(d\*x + c) + A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)/cos(d\*x + c)^(9/2), x)

**maple** [A] time = 0.17, size = 120, normalized size = 1.09

$$\frac{\left(-A \left(\cos^2(dx+c)\right) \ln\left(-\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + A \left(\cos^2(dx+c)\right) \ln\left(\frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 2B \cos(dx+c) \sin(dx+c)\right)}{2d \cos(dx+c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x)

[Out] 1/2/d\*(-A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+2\*B\*cos(d\*x+c)\*sin(d\*x+c)+A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(7/2)

**maxima** [B] time = 1.27, size = 747, normalized size = 6.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 1/4\*(8\*B\*b^(3/2)\*sin(2\*d\*x + 2\*c)/(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1) - (4\*(b\*sin(4\*d\*x + 4\*c) + 2\*b\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(b\*sin(4\*d\*x + 4\*c) + 2\*b\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (b\*cos(4\*d\*x + 4\*c)^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) + (b\*cos(4\*d\*x + 4\*c)^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) - 4\*(b\*cos(4\*d\*x + 4\*c) + 2\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(b\*cos(4\*d\*x + 4\*c) + 2\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2),x)

[Out] int(((b\*cos(c + d\*x))^(3/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.857 \quad \int \frac{(b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^{11/2}(c+dx)} dx$$

**Optimal.** Leaf size=149

$$\frac{Ab \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^{7/2}(c+dx)} + \frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)} + \frac{bB \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{bB \sqrt{b \cos(c+dx)}}{2d \cos^{1/2}(c+dx)}$$

[Out]  $\frac{1}{2} b B \sin(d*x+c) (b \cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{5/2} + A b \sin(d*x+c) (b \cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{3/2} + \frac{1}{3} A b \sin(d*x+c)^3 (b \cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{7/2} + \frac{1}{2} b B \operatorname{arctanh}(\sin(d*x+c)) (b \cos(d*x+c))^{1/2} / d / \cos(d*x+c)^{1/2}$

**Rubi [A]** time = 0.06, antiderivative size = 149, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 3768, 3770}

$$\frac{Ab \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^{7/2}(c+dx)} + \frac{Ab \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)} + \frac{bB \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{bB \sqrt{b \cos(c+dx)}}{2d \cos^{1/2}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b \cos[c + d*x])^{3/2} (A + B \cos[c + d*x]) / \cos[c + d*x]^{11/2}, x]$

[Out]  $(b*B \operatorname{ArcTanh}[\sin[c + d*x]] \operatorname{Sqrt}[b \cos[c + d*x]]) / (2*d \operatorname{Sqrt}[\cos[c + d*x]]) + (b*B \operatorname{Sqrt}[b \cos[c + d*x]] \sin[c + d*x]) / (2*d \cos[c + d*x]^{5/2}) + (A*b \operatorname{Sqrt}[b \cos[c + d*x]] \sin[c + d*x]) / (d \cos[c + d*x]^{3/2}) + (A*b \operatorname{Sqrt}[b \cos[c + d*x]] \sin[c + d*x]^3) / (3*d \cos[c + d*x]^{7/2})$

#### Rule 17

$\text{Int}[(u_.) * ((a_.) * (v_.))^{(m_.)} * ((b_.) * (v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{(m+1/2)} * b^{(n-1/2)} \operatorname{Sqrt}[b*v]) / \operatorname{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /;$   $\text{FreeQ}[\{a, b, m\}, x] \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ \text{IGtQ}[n + 1/2, 0] \ \&\& \ \text{IntegerQ}[m + n]$

#### Rule 2748

$\text{Int}[(b_.) * \sin[(e_.) + (f_.) * (x_.)]^{(m_.)} * ((c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin[e + f*x])^{(m+1)}, x], x] /;$   $\text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\csc[(c_.) + (d_.) * (x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], \text{Cot}[c + d*x], x] /;$   $\text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\csc[(c_.) + (d_.) * (x_.)] * (b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b \cos[c + d*x]) * (b \csc[c + d*x])^{(n-1)} / (d * (n-1)), x] + \text{Dist}[(b^2 * (n-2)) / (n-1), \text{Int}[(b \csc[c + d*x])^{(n-2)}, x], x] /;$   $\text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\csc[(c_.) + (d_.) * (x_.)], x\_Symbol] \rightarrow -\text{Simp}[\operatorname{ArcTanh}[\cos[c + d*x]] / d, x] /;$   $\text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx &= \frac{(b\sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^4(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{(Ab\sqrt{b \cos(c + dx)}) \int \sec^4(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(bB\sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{bB\sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} + \frac{(bB\sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{2\sqrt{\cos(c + dx)}} \\
&= \frac{bB \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{2d \sqrt{\cos(c + dx)}} + \frac{bB\sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

**Mathematica** [A] time = 0.05, size = 77, normalized size = 0.52

$$\frac{b\sqrt{b \cos(c + dx)} (2A(\cos(2(c + dx)) + 2) \tan(c + dx) + 3B \sin(c + dx) + 3B \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{6d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] (b\*Sqrt[b\*cos[c + d\*x]]\*(3\*B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + 3\*B\*Sin[c + d\*x] + 2\*A\*(2 + Cos[2\*(c + d\*x)])\*Tan[c + d\*x]))/(6\*d\*cos[c + d\*x]^(5/2))

**fricas** [A] time = 1.04, size = 260, normalized size = 1.74

$$\left[ \frac{3Bb^{\frac{3}{2}} \cos(dx + c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(4Ab \cos(dx + c)^2 + 3Bb)}{12d \cos(dx + c)^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="fricas")

[Out] [1/12\*(3\*B\*b^(3/2)\*cos(d\*x + c)^4\*log(-(b\*cos(d\*x + c)^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(4\*A\*b\*cos(d\*x + c)^2 + 3\*B\*b\*cos(d\*x + c) + 2\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^4), -1/6\*(3\*B\*sqrt(-b)\*b\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^4 - (4\*A\*b\*cos(d\*x + c)^2 + 3\*B\*b\*cos(d\*x + c) + 2\*A\*b)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(3/2)/cos(d\*x + c)^(11/2), x)

maple [A] time = 0.20, size = 139, normalized size = 0.93

$$\frac{\left(-3B\left(\cos^3(dx+c)\right)\ln\left(-\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right)+3B\left(\cos^3(dx+c)\right)\ln\left(\frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right)+4A\left(\cos^2(dx+c)\right)\right)}{6d\cos(dx+c)^{\frac{9}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))\*(b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(9/2)

maxima [B] time = 1.13, size = 992, normalized size = 6.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="maxima")

[Out] -1/12\*(16\*(3\*b\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) + 9\*b\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) - (3\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(6\*d\*x + 6\*c) - 3\*(3\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(4\*d\*x + 4\*c))\*A\*sqrt(b)/(2\*(3\*cos(4\*d\*x + 4\*c) + 3\*cos(2\*d\*x + 2\*c) + 1)\*cos(6\*d\*x + 6\*c) + cos(6\*d\*x + 6\*c)^2 + 6\*(3\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + 9\*cos(4\*d\*x + 4\*c)^2 + 9\*cos(2\*d\*x + 2\*c)^2 + 6\*(sin(4\*d\*x + 4\*c) + sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c) + sin(6\*d\*x + 6\*c)^2 + 9\*sin(4\*d\*x + 4\*c)^2 + 18\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*sin(2\*d\*x + 2\*c)^2 + 6\*cos(2\*d\*x + 2\*c) + 1) + 3\*(4\*(b\*sin(4\*d\*x + 4\*c) + 2\*b\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(b\*sin(4\*d\*x + 4\*c) + 2\*b\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (b\*cos(4\*d\*x + 4\*c)^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (b\*cos(4\*d\*x + 4\*c)^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(b\*cos(4\*d\*x + 4\*c) + 2\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(b\*cos(4\*d\*x + 4\*c) + 2\*b\*cos(2\*d\*x + 2\*c) + b)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos(c + dx)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(11/2),x)
[Out] int(((b*cos(c + d*x))^(3/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(11/2), x)
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)
[Out] Timed out
```



$$3.858 \quad \int \sqrt{\cos(c+dx)} (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$$

**Optimal.** Leaf size=187

$$\frac{Ab^2 \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \sqrt{\cos(c+dx)}} + \frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{3b^2 Bx \sqrt{b \cos(c+dx)}}{8 \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \cos(c+dx)}{8 \sqrt{\cos(c+dx)}}$$

[Out]  $1/4*b^2*B*\cos(d*x+c)^{(5/2)}*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d+3/8*b^2*B*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+A*b^2*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}-1/3*A*b^2*\sin(d*x+c)^3*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}+3/8*b^2*B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}*(b*\cos(d*x+c))^{(1/2)}/d$

**Rubi [A]** time = 0.07, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2633, 2635, 8}

$$\frac{Ab^2 \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \sqrt{\cos(c+dx)}} + \frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{3b^2 Bx \sqrt{b \cos(c+dx)}}{8 \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \cos(c+dx)}{8 \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(3*b^2*B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(8*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (3*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]/(8*d) + (b^2*B*\text{Cos}[c + d*x]^{(5/2)}*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(4*d) - (A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]^3)/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c+dx)} (b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx &= \frac{(b^2 \sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{(Ab^2 \sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} + \frac{(b^2 B \sqrt{b \cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{\cos(c+dx)}} \\
&= \frac{b^2 B \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)} \sin(c+dx)}{4d} + \frac{(3b^2 B \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}) \sin(c+dx)}{4d} \\
&= \frac{Ab^2 \sqrt{b \cos(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}} + \frac{3b^2 B \sqrt{\cos(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}} \\
&= \frac{3b^2 B x \sqrt{b \cos(c+dx)}}{8 \sqrt{\cos(c+dx)}} + \frac{Ab^2 \sqrt{b \cos(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.20, size = 81, normalized size = 0.43

$$\frac{(b \cos(c+dx))^{5/2} (72A \sin(c+dx) + 8A \sin(3(c+dx)) + 24B \sin(2(c+dx)) + 3B \sin(4(c+dx)) + 36Bc + 36Bdx)}{96d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
[Out] ((b*Cos[c + d*x])^(5/2)*(36*B*c + 36*B*d*x + 72*A*Sin[c + d*x] + 24*B*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + 3*B*Sin[4*(c + d*x)]))/(96*d*Cos[c + d*x]^(5/2))
```

**fricas [A]** time = 1.03, size = 279, normalized size = 1.49

$$\left[ \frac{9B\sqrt{-b}b^2 \cos(dx+c) \log(2b \cos(dx+c)^2 - 2\sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b) + 2(6Bb^2 \cos(dx+c) + 8A\sqrt{-b}b^2 \cos(dx+c) \log(2b \cos(dx+c)^2 - 2\sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b) + 2(6Bb^2 \cos(dx+c) + 8A\sqrt{-b}b^2 \cos(dx+c) \log(2b \cos(dx+c)^2 - 2\sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b))}{48d \cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
[Out] [1/48*(9*B*sqrt(-b)*b^2*cos(d*x + c)*log(2*b*cos(d*x + c)^2 - 2*sqrt(b*cos(d*x + c))*sqrt(-b)*sqrt(cos(d*x + c))*sin(d*x + c) - b) + 2*(6*B*b^2*cos(d*x + c)^3 + 8*A*b^2*cos(d*x + c)^2 + 9*B*b^2*cos(d*x + c) + 16*A*b^2)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)), 1/24*(9*B*b^(5/2)*arctan(sqrt(b*cos(d*x + c))*sin(d*x + c)/(sqrt(b)*cos(d*x + c)^(3/2)))*cos(d*x + c) + (6*B*b^2*cos(d*x + c)^3 + 8*A*b^2*cos(d*x + c)^2 + 9*B*b^2*cos(d*x + c) + 16*A*b^2)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))]
```

**giac [F(-2)]** time = 0.00, size = 0, normalized size = 0.00

Exception raised: NotImplementedError

Verification of antiderivative is not currently implemented for this CAS.























k sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)U  
 nable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)  
 >(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sig  
 n: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable  
 to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*  
 pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2  
 \*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to c  
 heck sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/  
 2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/  
 2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check  
 sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Una  
 ble to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-  
 2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign:  
 (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable t  
 o check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi  
 /x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*p  
 i/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to che  
 ck sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)  
 Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2  
 )>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check si  
 gn: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unabl  
 e to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2  
 \*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (  
 2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to  
 check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x  
 /2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/  
 x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check  
 sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Un  
 able to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>  
 (-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign  
 : (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable  
 to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*p  
 i/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*  
 pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to ch  
 eck sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2  
 )Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/  
 2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check s  
 ign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unab  
 le to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-  
 2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign:  
 (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to  
 check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/  
 x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi  
 /x/2)>(-2\*pi/x/2)Unable to check sign: (2\*pi/x/2)>(-2\*pi/x/2)Unable to chec  
 k sign: (2\*pi/x/2)>(-2\*pi/x/2)(48\*b^2\*sqrt(b)\*A\*tan((c+d\*x)/2)^7+80\*b^2\*sqrt  
 (b)\*A\*tan((c+d\*x)/2)^5+80\*b^2\*sqrt(b)\*A\*tan((c+d\*x)/2)^3+48\*b^2\*sqrt(b)\*A\*  
 tan((c+d\*x)/2)+9\*b^2\*sqrt(b)\*B\*d\*x\*tan((c+d\*x)/2)^8+36\*b^2\*sqrt(b)\*B\*d\*x\*ta  
 n((c+d\*x)/2)^6+54\*b^2\*sqrt(b)\*B\*d\*x\*tan((c+d\*x)/2)^4+36\*b^2\*sqrt(b)\*B\*d\*x\*  
 tan((c+d\*x)/2)^2+9\*b^2\*sqrt(b)\*B\*d\*x+(-30\*b^2\*sqrt(b))\*B\*tan((c+d\*x)/2)^7+18  
 \*b^2\*sqrt(b)\*B\*tan((c+d\*x)/2)^5+(-18\*b^2\*sqrt(b))\*B\*tan((c+d\*x)/2)^3+30\*b^2  
 \*sqrt(b)\*B\*tan((c+d\*x)/2))/(24\*d\*tan((c+d\*x)/2)^8+96\*d\*tan((c+d\*x)/2)^6+144  
 \*d\*tan((c+d\*x)/2)^4+96\*d\*tan((c+d\*x)/2)^2+24\*d)

**maple [A]** time = 0.26, size = 91, normalized size = 0.49

$$\frac{(b \cos(dx + c))^{\frac{5}{2}} \left( 6B \left( \cos^3(dx + c) \right) \sin(dx + c) + 8A \left( \cos^2(dx + c) \right) \sin(dx + c) + 9B \cos(dx + c) \sin(dx + c) \right)}{24d \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)`

[Out]  $\frac{1}{24}d(b\cos(dx+c))^{5/2}(6B\cos(dx+c)^3\sin(dx+c)+8A\cos(dx+c)^2\sin(dx+c)+9B\cos(dx+c)\sin(dx+c)+16A\sin(dx+c)+9B(dx+c))/\cos(dx+c)^{5/2}$

**maxima** [A] time = 0.66, size = 110, normalized size = 0.59

$$\frac{8\left(b^2\sin(3dx+3c)+9b^2\sin\left(\frac{1}{3}\arctan(\sin(3dx+3c),\cos(3dx+3c))\right)\right)A\sqrt{b}+3\left(12(dx+c)b^2+b^2\sin(4dx+4c)\right)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{96}(8(b^2\sin(3dx+3c)+9b^2\sin(\frac{1}{3}\arctan2(\sin(3dx+3c),\cos(3dx+3c))))A\sqrt{b}+3(12(dx+c)b^2+b^2\sin(4dx+4c)+8b^2\sin(\frac{1}{2}\arctan2(\sin(4dx+4c),\cos(4dx+4c))))B\sqrt{b})/d$

**mupad** [B] time = 2.19, size = 108, normalized size = 0.58

$$\frac{b^2\sqrt{\cos(c+dx)}\sqrt{b\cos(c+dx)}(24B\sin(c+dx)+80A\sin(2c+2dx)+8A\sin(4c+4dx)+27B\sin(3c+3dx)+3B\sin(5c+5dx)+72Bdx\cos(c+dx))}{96d(\cos(2c+2dx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c+d*x)^(1/2)*(b*cos(c+d*x))^(5/2)*(A+B*cos(c+d*x)),x)`

[Out]  $(b^2\cos(c+dx)^{1/2}(b\cos(c+dx))^{5/2}(24B\sin(c+dx)+80A\sin(2c+2dx)+8A\sin(4c+4dx)+27B\sin(3c+3dx)+3B\sin(5c+5dx)+72Bdx\cos(c+dx)))/(96d(\cos(2c+2dx)+1))$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)`

[Out] Timed out

$$3.859 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=148

$$\frac{Ab^2x\sqrt{b \cos(c+dx)}}{2\sqrt{\cos(c+dx)}} + \frac{Ab^2 \sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}}{2d} - \frac{b^2B \sin^3(c+dx)\sqrt{b \cos(c+dx)}}{3d\sqrt{\cos(c+dx)}} + \frac{b^2B \sin^3(c+dx)\sqrt{b \cos(c+dx)}}{3d\sqrt{\cos(c+dx)}}$$

[Out] 1/2\*A\*b^2\*x\*(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(1/2)+b^2\*B\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)-1/3\*b^2\*B\*sin(d\*x+c)^3\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)+1/2\*A\*b^2\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)\*(b\*cos(d\*x+c))^(1/2)/d

**Rubi [A]** time = 0.06, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Ab^2x\sqrt{b \cos(c+dx)}}{2\sqrt{\cos(c+dx)}} + \frac{Ab^2 \sin(c+dx)\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}}{2d} - \frac{b^2B \sin^3(c+dx)\sqrt{b \cos(c+dx)}}{3d\sqrt{\cos(c+dx)}} + \frac{b^2B \sin^3(c+dx)\sqrt{b \cos(c+dx)}}{3d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (A\*b^2\*x\*Sqrt[b\*Cos[c + d\*x]])/(2\*Sqrt[Cos[c + d\*x]]) + (b^2\*B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (A\*b^2\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) - (b^2\*B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x]^3)/(3\*d\*Sqrt[Cos[c + d\*x]])

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^(n - 1/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{(b^2 \sqrt{b \cos(c + dx)}) \int \cos^2(c + dx) (A + B \cos(c + dx)) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \cos^2(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \cos(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{Ab^2 \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \cos(c + dx) dx}{2\sqrt{\cos(c + dx)}} \\
&= \frac{Ab^2 x \sqrt{b \cos(c + dx)}}{2\sqrt{\cos(c + dx)}} + \frac{b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{Ab^2 \sqrt{\cos(c + dx)}}{2\sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.16, size = 69, normalized size = 0.47

$$\frac{(b \cos(c + dx))^{5/2} (3A \sin(2(c + dx)) + 6Ac + 6Adx + 9B \sin(c + dx) + B \sin(3(c + dx)))}{12d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] ((b\*Cos[c + d\*x])^(5/2)\*(6\*A\*c + 6\*A\*d\*x + 9\*B\*Sin[c + d\*x] + 3\*A\*Sin[2\*(c + d\*x)] + B\*Sin[3\*(c + d\*x)]))/(12\*d\*Cos[c + d\*x]^(5/2))

**fricas [A]** time = 1.01, size = 251, normalized size = 1.70

$$\left[ \frac{3 A \sqrt{-b} b^2 \cos(dx + c) \log(2 b \cos(dx + c)^2 - 2 \sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b) + 2 (2 B b^2 \cos(dx + c) + 3 A b^2 \cos(dx + c) + 4 B b^2) \sqrt{b \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c)}{12 d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] [1/12\*(3\*A\*sqrt(-b)\*b^2\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*(2\*B\*b^2\*cos(d\*x + c)^2 + 3\*A\*b^2\*cos(d\*x + c) + 4\*B\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), 1/6\*(3\*A\*b^(5/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (2\*B\*b^2\*cos(d\*x + c)^2 + 3\*A\*b^2\*cos(d\*x + c) + 4\*B\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{5/2}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((B\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/sqrt(cos(d\*x + c)), x)



**maple [A]** time = 0.22, size = 74, normalized size = 0.50

$$\frac{(b \cos(dx + c))^{\frac{5}{2}} (2B \sin(dx + c) (\cos^2(dx + c)) + 3A \cos(dx + c) \sin(dx + c) + 3A(dx + c) + 4B \sin(dx + c))}{6d \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] 1/6/d\*(b\*cos(d\*x+c))^(5/2)\*(2\*B\*sin(d\*x+c)\*cos(d\*x+c)^2+3\*A\*cos(d\*x+c)\*sin(d\*x+c)+3\*A\*(d\*x+c)+4\*B\*sin(d\*x+c))/cos(d\*x+c)^(5/2)

**maxima [A]** time = 0.66, size = 82, normalized size = 0.55

$$\frac{3(2(dx+c)b^2 + b^2 \sin(2dx+2c))A\sqrt{b} + (b^2 \sin(3dx+3c) + 9b^2 \sin\left(\frac{1}{3} \arctan(\sin(3dx+3c), \cos(3dx+3c))\right))B\sqrt{b}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*(d\*x+c)\*b^2 + b^2\*sin(2\*d\*x+2\*c))\*A\*sqrt(b) + (b^2\*sin(3\*d\*x+3\*c) + 9\*b^2\*sin(1/3\*arctan2(sin(3\*d\*x+3\*c), cos(3\*d\*x+3\*c))))\*B\*sqrt(b))/d

**mupad [B]** time = 0.71, size = 64, normalized size = 0.43

$$\frac{b^2 \sqrt{b \cos(c + dx)} (9B \sin(c + dx) + 3A \sin(2c + 2dx) + B \sin(3c + 3dx) + 6Adx)}{12d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c+d\*x))^(5/2)\*(A+B\*cos(c+d\*x)))/cos(c+d\*x)^(1/2),x)

[Out] (b^2\*(b\*cos(c+d\*x))^(1/2)\*(9\*B\*sin(c+d\*x) + 3\*A\*sin(2\*c+2\*d\*x) + B\*sin(3\*c+3\*d\*x) + 6\*A\*d\*x))/(12\*d\*cos(c+d\*x)^(1/2))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

$$3.860 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx$$

**Optimal.** Leaf size=107

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{2d}$$

[Out]  $1/2*b^2*B*x*(b*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}+A*b^2*\sin(d*x+c)*(b*\cos(d*x+c))^{1/2}/d/\cos(d*x+c)^{1/2}+1/2*b^2*B*\sin(d*x+c)*\cos(d*x+c)^{1/2}*(b*\cos(d*x+c))^{1/2}/d$

**Rubi [A]** time = 0.02, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} + \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out]  $(b^2*B*x*\text{Sqrt}[b*\text{Cos}[c + d*x]])/(2*\text{Sqrt}[\text{Cos}[c + d*x]]) + (A*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(2*d)$

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2734**

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx &= \frac{(b^2 \sqrt{b \cos(c+dx)})}{\sqrt{\cos(c+dx)}} \int \frac{\cos(c+dx) (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{2 \sqrt{\cos(c+dx)}} + \frac{Ab^2 \sqrt{b \cos(c+dx)} \sin(c+dx)}{d \sqrt{\cos(c+dx)}} + \frac{b^2 B \sqrt{\cos(c+dx)}}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 57, normalized size = 0.53

$$\frac{(b \cos(c+dx))^{5/2} (4A \sin(c+dx) + B(2(c+dx) + \sin(2(c+dx))))}{4d \cos^5(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x]))/cos[c + d\*x]^(3/2), x]

[Out] ((b\*cos[c + d\*x])^(5/2)\*(4\*A\*sin[c + d\*x] + B\*(2\*(c + d\*x) + Sin[2\*(c + d\*x)])))/(4\*d\*cos[c + d\*x]^(5/2))

**fricas** [A] time = 2.47, size = 219, normalized size = 2.05

$$\left[ \frac{B\sqrt{-b}b^2 \cos(dx + c) \log\left(2b \cos(dx + c)^2 - 2\sqrt{b \cos(dx + c)}\sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) + 2(Bb^2 \cos(dx + c) + 2A\sqrt{-b}b^2 \cos(dx + c))}{4d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] [1/4\*(B\*sqrt(-b)\*b^2\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) + 2\*(B\*b^2\*cos(d\*x + c) + 2\*A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)), 1/2\*(B\*b^(5/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (B\*b^2\*cos(d\*x + c) + 2\*A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/cos(d\*x + c)^(3/2), x)

**maple** [A] time = 0.17, size = 55, normalized size = 0.51

$$\frac{(b \cos(dx + c))^{\frac{5}{2}} (B \cos(dx + c) \sin(dx + c) + 2A \sin(dx + c) + B(dx + c))}{2d \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] 1/2/d\*(b\*cos(d\*x+c))^(5/2)\*(B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c)+B\*(d\*x+c))/cos(d\*x+c)^(5/2)

**maxima** [A] time = 0.65, size = 47, normalized size = 0.44

$$\frac{4Ab^{\frac{5}{2}} \sin(dx + c) + (2(dx + c)b^2 + b^2 \sin(2dx + 2c))B\sqrt{b}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="maxima")

[Out]  $\frac{1}{4} \cdot (4 \cdot A \cdot b^{5/2} \cdot \sin(dx + c) + (2 \cdot (dx + c) \cdot b^2 + b^2 \cdot \sin(2 \cdot dx + 2 \cdot c)) \cdot B \cdot \sqrt{b}) / d$

**mupad** [B] time = 1.05, size = 52, normalized size = 0.49

$$\frac{b^2 \sqrt{b \cos(c + dx)} (4 A \sin(c + dx) + B \sin(2c + 2dx) + 2 B dx)}{4 d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(3/2),x)`

[Out]  $(b^2 \cdot (b \cdot \cos(c + dx))^{1/2} \cdot (4 \cdot A \cdot \sin(c + dx) + B \cdot \sin(2 \cdot c + 2 \cdot dx) + 2 \cdot B \cdot dx)) / (4 \cdot d \cdot \cos(c + dx)^{1/2})$

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)`

[Out] Timed out

$$3.861 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=65

$$\frac{Ab^2x\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{b^2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

[Out]  $A*b^2*x*(b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}+b^2*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Ab^2x\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{b^2B \sin(c+dx)\sqrt{b \cos(c+dx)}}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (A\*b^2\*x\*Sqrt[b\*Cos[c + d\*x]])/Sqrt[Cos[c + d\*x]] + (b^2\*B\*Sqrt[b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx &= \frac{(b^2\sqrt{b \cos(c+dx)}) \int (A+B \cos(c+dx)) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Ab^2x\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(b^2B\sqrt{b \cos(c+dx)}) \int \cos(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{Ab^2x\sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{b^2B\sqrt{b \cos(c+dx)} \sin(c+dx)}{d\sqrt{\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.08, size = 42, normalized size = 0.65

$$\frac{(b \cos(c+dx))^{5/2} (A(c+dx) + B \sin(c+dx))}{d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out]  $((b \cos[c + dx])^{5/2} (A(c + dx) + B \sin[c + dx])) / (d \cos[c + dx]^{5/2})$

**fricas** [A] time = 1.97, size = 190, normalized size = 2.92

$$\left[ \frac{A \sqrt{-b} b^2 \cos(dx + c) \log(2b \cos(dx + c)^2 - 2 \sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b) + 2 \sqrt{b \cos(dx + c)}}{2d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="fricas")

[Out]  $[1/2*(A*\sqrt{-b}*b^2*\cos(dx + c)*\log(2*b*\cos(dx + c)^2 - 2*\sqrt{b*\cos(dx + c)}*\sqrt{-b}*\sqrt{\cos(dx + c)}*\sin(dx + c) - b) + 2*\sqrt{b*\cos(dx + c)})*B*b^2*\sqrt{\cos(dx + c)}*\sin(dx + c))/(d*\cos(dx + c)), (A*b^{5/2}*\arctan(\sqrt{b*\cos(dx + c)}*\sin(dx + c)/(\sqrt{b}*\cos(dx + c)^{3/2}))*\cos(dx + c) + \sqrt{b*\cos(dx + c)}*B*b^2*\sqrt{\cos(dx + c)}*\sin(dx + c))/(d*\cos(dx + c))]$

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*(b\*cos(dx + c))^(5/2)/cos(dx + c)^(5/2), x)

**maple** [A] time = 0.14, size = 39, normalized size = 0.60

$$\frac{(b \cos(dx + c))^{\frac{5}{2}} (A(dx + c) + B \sin(dx + c))}{d \cos(dx + c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(5/2),x)

[Out]  $1/d*(b*\cos(dx+c))^{5/2}*(A*(dx+c)+B*\sin(dx+c))/\cos(dx+c)^{5/2}$

**maxima** [A] time = 0.58, size = 40, normalized size = 0.62

$$\frac{2Ab^{\frac{5}{2}} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + Bb^{\frac{5}{2}} \sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(5/2),x, algorithm="maxima")

[Out]  $(2*A*b^{5/2}*\arctan(\sin(dx + c)/(\cos(dx + c) + 1)) + B*b^{5/2}*\sin(dx + c))/d$

mupad [B] time = 1.04, size = 38, normalized size = 0.58

$$\frac{b^2 \sqrt{b \cos(c + dx)} (B \sin(c + dx) + A dx)}{d \sqrt{\cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(5/2),x)

[Out] (b^2\*(b\*cos(c + d\*x))^(1/2)\*(B\*sin(c + d\*x) + A\*d\*x))/(d\*cos(c + d\*x)^(1/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

$$3.862 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=66

$$\frac{Ab^2 \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}} + \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

[Out]  $b^2 B x \sqrt{b \cos(d x+c)} / \cos(d x+c)^{(1/2)} + A b^2 \operatorname{arctanh}(\sin(d x+c)) * (b \cos(d x+c))^{(1/2)} / d / \cos(d x+c)^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {17, 2735, 3770}

$$\frac{Ab^2 \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}} + \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2),x]

[Out]  $(b^2 B x \sqrt{b \cos[c + d x]}) / \sqrt{\cos[c + d x]} + (A b^2 \operatorname{ArcTanh}[\sin[c + d x]]) * \sqrt{b \cos[c + d x]} / (d \sqrt{\cos[c + d x]})$

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx &= \frac{(b^2 \sqrt{b \cos(c+dx)}) \int (A+B \cos(c+dx)) \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{(Ab^2 \sqrt{b \cos(c+dx)}) \int \sec(c+dx) dx}{\sqrt{\cos(c+dx)}} \\ &= \frac{b^2 Bx \sqrt{b \cos(c+dx)}}{\sqrt{\cos(c+dx)}} + \frac{Ab^2 \tanh^{-1}(\sin(c+dx)) \sqrt{b \cos(c+dx)}}{d \sqrt{\cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 40, normalized size = 0.61

$$\frac{(b \cos(c+dx))^{5/2} (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{d \cos^2(c+dx)}$$



Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x]))/cos[c + d\*x]^(7/2), x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*(b\*cos[c + d\*x])^(5/2))/(d\*cos[c + d\*x]^(5/2))

**fricas** [A] time = 1.69, size = 216, normalized size = 3.27

$$\frac{2 A \sqrt{-b} b^2 \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) - B \sqrt{-b} b^2 \log\left(2 b \cos(dx+c)^2 - 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)}\right)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*b^2\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) - B\*sqrt(-b)\*b^2\*log(2\*b\*cos(d\*x + c)^2 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/d, 1/2\*(2\*B\*b^(5/2)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*b^(5/2)\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3))/d]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c))^{\frac{5}{2}}}{\cos(dx+c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/cos(d\*x + c)^(7/2), x)

**maple** [A] time = 0.19, size = 54, normalized size = 0.82

$$\frac{(b \cos(dx+c))^{\frac{5}{2}} \left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right)}{d \cos(dx+c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] -1/d\*(b\*cos(d\*x+c))^(5/2)\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))/cos(d\*x+c)^(5/2)

**maxima** [A] time = 0.59, size = 99, normalized size = 1.50

$$\frac{4 B b^{\frac{5}{2}} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + (b^2 \log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1) - b^2 \log(\cos(dx+c)^2))}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] 1/2\*(4\*B\*b^(5/2)\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1)) + (b^2\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*sin(d\*x + c) + 1) - b^2\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 - 2\*sin(d\*x + c) + 1))\*A\*sqrt(b))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2),x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.863 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

Optimal. Leaf size=74

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^2(c+dx)} + \frac{b^2 B \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}}$$

[Out]  $A*b^2*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}+b^2*B*\operatorname{arctanh}(\sin(d*x+c))*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 8, 3770}

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^2(c+dx)} + \frac{b^2 B \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c+d*x])^{(5/2)}*(A+B*\text{Cos}[c+d*x])]/\text{Cos}[c+d*x]^{(9/2)},x]$

[Out]  $(b^2*B*\text{ArcTanh}[\text{Sin}[c+d*x]]*\text{Sqrt}[b*\text{Cos}[c+d*x]])/(d*\text{Sqrt}[\text{Cos}[c+d*x]])+(A*b^2*\text{Sqrt}[b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(d*\text{Cos}[c+d*x]^{(3/2)})$

Rule 8

$\text{Int}[a_, x\_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 17

$\text{Int}[(u_.)*((a_.)*(v_.))^{(m_.)}*((b_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/ \text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /; \text{FreeQ}[\{a, b, m\}, x] \&\amp; \text{IntegerQ}[m] \&\amp; \text{IGtQ}[n+1/2, 0] \&\amp; \text{IntegerQ}[m+n]$

Rule 2748

$\text{Int}[(b_.)*\sin[(e_.)+(f_.)*(x_.)]^{(m_.)}*((c_.)+(d_.)*\sin[(e_.)+(f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

Rule 3767

$\text{Int}[\text{csc}[(c_.)+(d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1+x^2)^{(n/2-1)}, x], x], x, \text{Cot}[c+d*x]], x] /; \text{FreeQ}[\{c, d\}, x] \&\amp; \text{IGtQ}[n/2, 0]$

Rule 3770

$\text{Int}[\text{csc}[(c_.)+(d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c+d*x]]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{(b^2 \sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{b^2 B \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \operatorname{Su}}{d \sqrt{\cos(c + dx)}} \\
&= \frac{b^2 B \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} + \frac{Ab^2 \sqrt{b \cos(c + dx)} \sin(c + dx)}{d \cos^3(c + dx)}
\end{aligned}$$

**Mathematica** [A] time = 0.09, size = 50, normalized size = 0.68

$$\frac{(b \cos(c + dx))^{5/2} (A \sin(c + dx) + B \cos(c + dx) \tanh^{-1}(\sin(c + dx)))}{d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] ((b\*Cos[c + d\*x])^(5/2)\*(B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x]))/(d\*Cos[c + d\*x]^(7/2))

**fricas** [A] time = 1.43, size = 214, normalized size = 2.89

$$\left[ \frac{Bb^{\frac{5}{2}} \cos(dx + c)^2 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2 \sqrt{b \cos(dx + c)} Ab^2 \sqrt{\cos(dx + c)}}{2d \cos(dx + c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] [1/2\*(B\*b^(5/2)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*b^2\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*b^2\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*b^2\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/cos(d\*x + c)^(9/2), x)

**maple** [A] time = 0.16, size = 59, normalized size = 0.80

$$\frac{\left(-2B \cos(dx + c) \operatorname{arctanh}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) + A \sin(dx + c)\right) (b \cos(dx + c))^{\frac{5}{2}}}{d \cos(dx + c)^{\frac{7}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x)

[Out] 1/d\*(-2\*B\*cos(d\*x+c)\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))+A\*sin(d\*x+c))\*(b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(7/2)

**maxima** [A] time = 0.65, size = 127, normalized size = 1.72

$$\frac{\frac{4 A b^2 \sin(2 d x+2 c)}{\cos(2 d x+2 c)^2+\sin(2 d x+2 c)^2+2 \cos(2 d x+2 c)+1} + \left(b^2 \log(\cos(dx + c)^2 + \sin(dx + c)^2 + 2 \sin(dx + c) + 1) - b^2 \log(\cos(dx + c)^2 + \sin(dx + c)^2 - 2 \sin(dx + c) + 1)\right) B \sqrt{b}}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 1/2\*(4\*A\*b^(5/2)\*sin(2\*d\*x + 2\*c)/(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1) + (b^2\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*sin(d\*x + c) + 1) - b^2\*log(cos(d\*x + c)^2 + sin(d\*x + c)^2 - 2\*sin(d\*x + c) + 1))\*B\*sqrt(b))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + d x))^{\frac{5}{2}} (A + B \cos(c + d x))}{\cos(c + d x)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2),x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.864 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^{11/2}(c+dx)} dx$$

**Optimal.** Leaf size=116

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{Ab^2 \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)}$$

[Out] 1/2\*A\*b^2\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(5/2)+b^2\*B\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(3/2)+1/2\*A\*b^2\*arctanh(sin(d\*x+c))\*(b\*cos(d\*x+c))^(1/2)/d/cos(d\*x+c)^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {17, 2748, 3768, 3770, 3767, 8}

$$\frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{Ab^2 \sqrt{b \cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{\cos(c+dx)}} + \frac{b^2 B \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] (A\*b^2\*ArcTanh[Sin[c + d\*x]]\*Sqrt[b\*cos[c + d\*x]])/(2\*d\*Sqrt[Cos[c + d\*x]]) + (A\*b^2\*Sqrt[b\*cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*cos[c + d\*x]^(5/2)) + (b^2\*B\*Sqrt[b\*cos[c + d\*x]]\*Sin[c + d\*x])/(d\*cos[c + d\*x]^(3/2))

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx &= \frac{(b^2 \sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \sec^3(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{\sqrt{\cos(c + dx)}} \\ &= \frac{Ab^2 \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{5/2}(c + dx)} + \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{2\sqrt{\cos(c + dx)}} \\ &= \frac{Ab^2 \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{2d \sqrt{\cos(c + dx)}} + \frac{Ab^2 \sqrt{b \cos(c + dx)} \operatorname{arctan}\left(\frac{\sin(c + dx)}{\sqrt{\cos(c + dx)}}\right)}{2d \cos^{5/2}(c + dx)} \end{aligned}$$

**Mathematica [A]** time = 0.15, size = 65, normalized size = 0.56

$$\frac{(b \cos(c + dx))^{5/2} (\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{2d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] ((b\*Cos[c + d\*x])^(5/2)\*(A\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + (A + 2\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(2\*d\*Cos[c + d\*x]^(9/2))

**fricas [A]** time = 0.94, size = 242, normalized size = 2.09

$$\frac{Ab^2 \cos(dx + c)^3 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(2Bb^2 \cos(dx + c) + Ab^2)}{4d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="fricas")

[Out] [1/4\*(A\*b^(5/2)\*cos(d\*x + c)^3\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(2\*B\*b^2\*cos(d\*x + c) + A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3), -1/2\*(A\*sqrt(-b)\*b^2\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^3 - (2\*B\*b^2\*cos(d\*x + c) + A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^3)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{5/2}}{\cos(dx + c)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/cos(d\*x + c)^(11/2), x)

maple [A] time = 0.18, size = 121, normalized size = 1.04

$$\frac{\left( A \left( \cos^2(dx + c) \right) \ln \left( -\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) - A \left( \cos^2(dx + c) \right) \ln \left( \frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) - 2B \cos(dx + c) \sin(dx + c) \right)}{2d \cos(dx + c)^{\frac{9}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x)

[Out] -1/2/d\*(A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))-A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))-2\*B\*cos(d\*x+c)\*sin(d\*x+c)-A\*sin(d\*x+c)\*(b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(9/2)

maxima [B] time = 0.70, size = 803, normalized size = 6.92

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="maxima")

[Out] 1/4\*(8\*B\*b^(5/2)\*sin(2\*d\*x + 2\*c)/(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1) - (4\*(b^2\*sin(4\*d\*x + 4\*c) + 2\*b^2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(b^2\*sin(4\*d\*x + 4\*c) + 2\*b^2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(b^2\*cos(4\*d\*x + 4\*c) + 2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(b^2\*cos(4\*d\*x + 4\*c) + 2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos(c + dx)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(11/2),x)

[Out] int(((b\*cos(c + d\*x))^(5/2)\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(11/2), x)



sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(11/2),x)

[Out] Timed out

$$3.865 \quad \int \frac{(b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^{13/2}(c+dx)} dx$$

**Optimal.** Leaf size=157

$$\frac{Ab^2 \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^{7/2}(c+dx)} + \frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)} + \frac{b^2 B \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{b^2 B \sqrt{b \cos(c+dx)}}{2d \cos^{1/2}(c+dx)}$$

[Out]  $1/2*b^2*B*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(5/2)}+A*b^2*\sin(d*x+c)*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(3/2)}+1/3*A*b^2*\sin(d*x+c)^3*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(7/2)}+1/2*b^2*B*\operatorname{arctanh}(\sin(d*x+c))*(b*\cos(d*x+c))^{(1/2)}/d/\cos(d*x+c)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 3768, 3770}

$$\frac{Ab^2 \sin^3(c+dx) \sqrt{b \cos(c+dx)}}{3d \cos^{7/2}(c+dx)} + \frac{Ab^2 \sin(c+dx) \sqrt{b \cos(c+dx)}}{d \cos^{3/2}(c+dx)} + \frac{b^2 B \sin(c+dx) \sqrt{b \cos(c+dx)}}{2d \cos^{5/2}(c+dx)} + \frac{b^2 B \sqrt{b \cos(c+dx)}}{2d \cos^{1/2}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c+d*x])^{(5/2)}*(A+B*\text{Cos}[c+d*x])]/\text{Cos}[c+d*x]^{(13/2)},x]$

[Out]  $(b^2*B*\text{ArcTanh}[\text{Sin}[c+d*x]]*\text{Sqrt}[b*\text{Cos}[c+d*x]])/(2*d*\text{Sqrt}[\text{Cos}[c+d*x]]) + (b^2*B*\text{Sqrt}[b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(2*d*\text{Cos}[c+d*x]^{(5/2)}) + (A*b^2*\text{Sqrt}[b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(d*\text{Cos}[c+d*x]^{(3/2)}) + (A*b^2*\text{Sqrt}[b*\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]^3)/(3*d*\text{Cos}[c+d*x]^{(7/2)})$

#### Rule 17

$\text{Int}[(u_.)*((a_.)*(v_.))^{(m_.)}*((b_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/ \text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, m\}, x \&\& \text{IntegerQ}[m] \&\& \text{IGtQ}[n+1/2, 0] \&\& \text{IntegerQ}[m+n]$

#### Rule 2748

$\text{Int}[(b_.)*\sin[(e_.)+(f_.)*(x_.)]^{(m_.)}*((c_.)+(d_.)*\sin[(e_.)+(f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\text{csc}[(c_.)+(d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1+x^2)^{(n/2-1)}, x], x], x, \text{Cot}[c+d*x]], x] /; \text{FreeQ}\{c, d\}, x \&\& \text{IGtQ}[n/2, 0]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.)+(d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c+d*x])*(b*\text{Csc}[c+d*x])^{(n-1)})/(d*(n-1)), x] + \text{Dist}[(b^2*(n-2))/(n-1), \text{Int}[(b*\text{Csc}[c+d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_.)+(d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c+d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned}
\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{\frac{13}{2}}(c + dx)} dx &= \frac{(b^2 \sqrt{b \cos(c + dx)}) \int (A + B \cos(c + dx)) \sec^4(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{(Ab^2 \sqrt{b \cos(c + dx)}) \int \sec^4(c + dx) dx}{\sqrt{\cos(c + dx)}} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{\sqrt{\cos(c + dx)}} \\
&= \frac{b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)} + \frac{(b^2 B \sqrt{b \cos(c + dx)}) \int \sec(c + dx) dx}{2\sqrt{\cos(c + dx)}} \\
&= \frac{b^2 B \tanh^{-1}(\sin(c + dx)) \sqrt{b \cos(c + dx)}}{2d \sqrt{\cos(c + dx)}} + \frac{b^2 B \sqrt{b \cos(c + dx)} \sin(c + dx)}{2d \cos^{\frac{5}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.19, size = 76, normalized size = 0.48

$$\frac{(b \cos(c + dx))^{5/2} (2A(\cos(2(c + dx)) + 2) \tan(c + dx) + 3B \sin(c + dx) + 3B \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{6d \cos^{\frac{9}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(13/2), x]

[Out] ((b\*Cos[c + d\*x])^(5/2)\*(3\*B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + 3\*B\*Sin[c + d\*x] + 2\*A\*(2 + Cos[2\*(c + d\*x)])\*Tan[c + d\*x]))/(6\*d\*Cos[c + d\*x]^(9/2))

**fricas [A]** time = 1.03, size = 274, normalized size = 1.75

$$\frac{3 B b^{\frac{5}{2}} \cos(dx + c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2 b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2 (4 A b^2 \cos(dx + c)^2 + 3 B b^2 \cos(dx + c) \sin(dx + c) + 2 A b^2 \cos(dx + c) \sin(dx + c))}{12 d \cos(dx + c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x, algorithm="fricas")

[Out] [1/12\*(3\*B\*b^(5/2)\*cos(d\*x + c)^4\*log(-(b\*cos(d\*x + c)^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(4\*A\*b^2\*cos(d\*x + c)^2 + 3\*B\*b^2\*cos(d\*x + c) + 2\*A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^4), -1/6\*(3\*B\*sqrt(-b)\*b^2\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^4 - (4\*A\*b^2\*cos(d\*x + c)^2 + 3\*B\*b^2\*cos(d\*x + c) + 2\*A\*b^2)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(5/2)/cos(d\*x + c)^(13/2), x)

maple [A] time = 0.21, size = 139, normalized size = 0.89

$$\frac{\left(-3B \left(\cos^3(dx + c)\right) \ln\left(-\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 3B \left(\cos^3(dx + c)\right) \ln\left(\frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 4A \left(\cos^2(dx + c)\right)}{6d \cos(dx + c)^{\frac{11}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))\*(b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(11/2)

maxima [B] time = 0.70, size = 1060, normalized size = 6.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x, algorithm="maxima")

[Out] -1/12\*(16\*(3\*b^2\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) + 9\*b^2\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) - (3\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(6\*d\*x + 6\*c) - 3\*(3\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(4\*d\*x + 4\*c))\*A\*sqrt(b)/(2\*(3\*cos(4\*d\*x + 4\*c) + 3\*cos(2\*d\*x + 2\*c) + 1)\*cos(6\*d\*x + 6\*c) + cos(6\*d\*x + 6\*c)^2 + 6\*(3\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + 9\*cos(4\*d\*x + 4\*c)^2 + 9\*cos(2\*d\*x + 2\*c)^2 + 6\*(sin(4\*d\*x + 4\*c) + sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c) + sin(6\*d\*x + 6\*c)^2 + 9\*sin(4\*d\*x + 4\*c)^2 + 18\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*sin(2\*d\*x + 2\*c)^2 + 6\*cos(2\*d\*x + 2\*c) + 1) + 3\*(4\*(b^2\*sin(4\*d\*x + 4\*c) + 2\*b^2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(b^2\*sin(4\*d\*x + 4\*c) + 2\*b^2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(b^2\*cos(4\*d\*x + 4\*c) + 2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 4\*(b^2\*cos(4\*d\*x + 4\*c) + 2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B\*sqrt(b)/(2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos(c + dx)^{13/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(13/2), x)
```

```
[Out] int(((b*cos(c + d*x))^(5/2)*(A + B*cos(c + d*x)))/cos(c + d*x)^(13/2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(13/2), x)
```

```
[Out] Timed out
```

$$3.866 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=136

$$\frac{Ax\sqrt{\cos(c+dx)}}{2\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{b \cos(c+dx)}} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3d\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b \cos(c+dx)}}$$

[Out]  $1/2*A*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+1/2*A*x*\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}-1/3*B*\sin(d*x+c)^3*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Ax\sqrt{\cos(c+dx)}}{2\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{b \cos(c+dx)}} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3d\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]],x]`

[Out] `(A*x*Sqrt[Cos[c + d*x]])/(2*Sqrt[b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[b*Cos[c + d*x]]) + (A*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*Sqrt[b*Cos[c + d*x]]) - (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x]^3)/(3*d*Sqrt[b*Cos[c + d*x]])`

### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

### Rule 17

`Int[(u_.)*((a_.)*(v_))^(m_)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(a^(m + 1/2)*b^(n - 1/2)*Sqrt[b*v])/Sqrt[a*v], Int[u*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]`

### Rule 2633

`Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]`

### Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{\sqrt{b\cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos^2(c+dx)(A+B\cos(c+dx)) dx}{\sqrt{b\cos(c+dx)}} \\
&= \frac{(A\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{\sqrt{b\cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos^3(c+dx) dx}{\sqrt{b\cos(c+dx)}} \\
&= \frac{A \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{b\cos(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}) \int 1 dx}{2\sqrt{b\cos(c+dx)}} - \frac{(B\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{2\sqrt{b\cos(c+dx)}} \\
&= \frac{Ax\sqrt{\cos(c+dx)}}{2\sqrt{b\cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{b\cos(c+dx)}} + \frac{A \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{b\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 69, normalized size = 0.51

$$\frac{\sqrt{\cos(c+dx)} (3A \sin(2(c+dx)) + 6Ac + 6Adx + 9B \sin(c+dx) + B \sin(3(c+dx)))}{12d\sqrt{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[b\*Cos[c + d\*x]], x]

[Out] (Sqrt[Cos[c + d\*x]]\*(6\*A\*c + 6\*A\*d\*x + 9\*B\*Sin[c + d\*x] + 3\*A\*Sin[2\*(c + d\*x)] + B\*Sin[3\*(c + d\*x)]))/(12\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [A]** time = 2.00, size = 236, normalized size = 1.74

$$\left[ \frac{3A\sqrt{-b}\cos(dx+c)\log\left(2b\cos(dx+c)^2+2\sqrt{b\cos(dx+c)}\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c)-b\right)-2(2B\cos(dx+c)+A)\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c)}{12bd\cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] [-1/12\*(3\*A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*(2\*B\*cos(d\*x + c)^2 + 3\*A\*cos(d\*x + c) + 4\*B)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c)), 1/6\*(3\*A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (2\*B\*cos(d\*x + c)^2 + 3\*A\*cos(d\*x + c) + 4\*B)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c))]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{5}{2}}}{\sqrt{b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c)), x)

**maple [A]** time = 0.26, size = 74, normalized size = 0.54

$$\frac{(\sqrt{\cos(dx+c)})(2B \sin(dx+c)(\cos^2(dx+c)) + 3A \cos(dx+c) \sin(dx+c) + 3A(dx+c) + 4B \sin(dx+c))}{6d\sqrt{b \cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] 1/6/d\*cos(d\*x+c)^(1/2)\*(2\*B\*sin(d\*x+c)\*cos(d\*x+c)^2+3\*A\*cos(d\*x+c)\*sin(d\*x+c)+3\*A\*(d\*x+c)+4\*B\*sin(d\*x+c))/(b\*cos(d\*x+c))^(1/2)

**maxima [A]** time = 0.67, size = 68, normalized size = 0.50

$$\frac{\frac{3(2dx+2c+\sin(2dx+2c))A}{\sqrt{b}} + \frac{B(\sin(3dx+3c)+9 \sin(\frac{1}{3} \arctan(\sin(3dx+3c), \cos(3dx+3c))))}{\sqrt{b}}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A/sqrt(b) + B\*(sin(3\*d\*x + 3\*c) + 9\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))/sqrt(b))/d

**mupad [B]** time = 1.82, size = 95, normalized size = 0.70

$$\frac{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)} (3A \sin(c+dx) + 3A \sin(3c+3dx) + 10B \sin(2c+2dx) + B \sin(4c+4dx))}{12bd(\cos(2c+2dx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d\*x)^(5/2)\*(A+B\*cos(c+d\*x)))/(b\*cos(c+d\*x))^(1/2),x)

[Out] (cos(c+d\*x)^(1/2)\*(b\*cos(c+d\*x))^(1/2)\*(3\*A\*sin(c+d\*x) + 3\*A\*sin(3\*c+3\*d\*x) + 10\*B\*sin(2\*c+2\*d\*x) + B\*sin(4\*c+4\*d\*x) + 12\*A\*d\*x\*cos(c+d\*x)))/(12\*b\*d\*(cos(2\*c+2\*d\*x)+1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out



$$3.867 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{b} \cos(c+dx)} dx$$

Optimal. Leaf size=98

$$\frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b} \cos(c+dx)} + \frac{Bx\sqrt{\cos(c+dx)}}{2\sqrt{b} \cos(c+dx)} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{b} \cos(c+dx)}$$

[Out]  $1/2*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(1/2)}+1/2*B*x*\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+A*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b} \cos(c+dx)} + \frac{Bx\sqrt{\cos(c+dx)}}{2\sqrt{b} \cos(c+dx)} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2d\sqrt{b} \cos(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])]/\text{Sqrt}[b*\text{Cos}[c + d*x]], x]$

[Out]  $(B*x*\text{Sqrt}[\text{Cos}[c + d*x]])/(2*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

Rule 17

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x\_Symbol] :> \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/ \text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, m\}, x] \&\& \text{IntegerQ}[m] \&\& \text{IGtQ}[n + 1/2, 0] \&\& \text{IntegerQ}[m + n]$

Rule 2734

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] :> \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\text{Cos}[e + f*x]/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x]) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{b} \cos(c+dx)} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos(c+dx)(A+B \cos(c+dx)) dx}{\sqrt{b} \cos(c+dx)} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{2\sqrt{b} \cos(c+dx)} + \frac{A\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{b} \cos(c+dx)} + \frac{B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2d\sqrt{b} \cos(c+dx)} \end{aligned}$$

Mathematica [A] time = 0.09, size = 57, normalized size = 0.58

$$\frac{\sqrt{\cos(c+dx)}(4A \sin(c+dx) + B(2(c+dx) + \sin(2(c+dx))))}{4d\sqrt{b} \cos(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[b*Cos[c + d*x]],x]
[Out] (Sqrt[Cos[c + d*x]]*(4*A*Sin[c + d*x] + B*(2*(c + d*x) + Sin[2*(c + d*x)]))
)/(4*d*Sqrt[b*Cos[c + d*x]])
```

**fricas** [A] time = 0.94, size = 210, normalized size = 2.14

$$\left[ \frac{B\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 + 2\sqrt{b} \cos(dx + c) \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) - 2(B \cos(dx + c) + A) \sqrt{b} \cos(dx + c) \sin(dx + c)}{4bd \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] [-1/4*(B*sqrt(-b)*cos(d*x + c)*log(2*b*cos(d*x + c)^2 + 2*sqrt(b*cos(d*x + c))*sqrt(-b)*sqrt(cos(d*x + c))*sin(d*x + c) - b) - 2*(B*cos(d*x + c) + 2*A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(b*d*cos(d*x + c)), 1/2*(B*sqrt(b)*arctan(sqrt(b*cos(d*x + c))*sin(d*x + c)/(sqrt(b)*cos(d*x + c))^(3/2)))*cos(d*x + c) + (B*cos(d*x + c) + 2*A)*sqrt(b*cos(d*x + c))*sqrt(cos(d*x + c))*sin(d*x + c))/(b*d*cos(d*x + c))]
```

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b} \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(b*cos(d*x + c)), x)
```

**maple** [A] time = 0.23, size = 55, normalized size = 0.56

$$\frac{(\sqrt{\cos(dx + c)})(B \cos(dx + c) \sin(dx + c) + 2A \sin(dx + c) + B(dx + c))}{2d\sqrt{b} \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2),x)
```

```
[Out] 1/2/d*cos(d*x+c)^(1/2)*(B*cos(d*x+c)*sin(d*x+c)+2*A*sin(d*x+c)+B*(d*x+c))/(b*cos(d*x+c))^(1/2)
```

**maxima** [A] time = 0.66, size = 40, normalized size = 0.41

$$\frac{\frac{(2dx+2c+\sin(2dx+2c))B}{\sqrt{b}} + \frac{4A \sin(dx+c)}{\sqrt{b}}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] 1/4*((2*d*x + 2*c + sin(2*d*x + 2*c))*B/sqrt(b) + 4*A*sin(d*x + c)/sqrt(b))/d
```

**mupad [B]** time = 1.37, size = 82, normalized size = 0.84

$$\frac{\sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (B \sin(c + dx) + 4A \sin(2c + 2dx) + B \sin(3c + 3dx) + 4Bdx \cos(c + dx))}{4bd (\cos(2c + 2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^(3/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(1/2), x)

[Out] (cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(1/2)\*(B\*sin(c + d\*x) + 4\*A\*sin(2\*c + 2\*d\*x) + B\*sin(3\*c + 3\*d\*x) + 4\*B\*d\*x\*cos(c + d\*x)))/(4\*b\*d\*(cos(2\*c + 2\*d\*x) + 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(1/2), x)

[Out] Timed out

$$3.868 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx$$

Optimal. Leaf size=59

$$\frac{Ax\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b \cos(c+dx)}}$$

[Out]  $A*x*\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Ax\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (A\*x\*Sqrt[Cos[c + d\*x]])/Sqrt[b\*Cos[c + d\*x]] + (B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[b\*Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{\sqrt{b \cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) dx}{\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos(c+dx) dx}{\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \sin(c+dx)}{d\sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 42, normalized size = 0.71

$$\frac{\sqrt{\cos(c+dx)} (A(c+dx) + B \sin(c+dx))}{d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[b\*Cos[c + d\*x]],x]

[Out] (Sqrt[Cos[c + d\*x]]\*(A\*(c + d\*x) + B\*SIn[c + d\*x]))/(d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 0.93, size = 187, normalized size = 3.17

$$\left[ \frac{A\sqrt{-b} \cos(dx+c) \log\left(2b \cos(dx+c)^2 + 2\sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} \sin(dx+c) - b\right) - 2\sqrt{b \cos(dx+c)}}{2bd \cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/2\*(A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c)), (A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A)\sqrt{\cos(dx+c)}}{\sqrt{b \cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c)), x)

**maple** [A] time = 0.18, size = 39, normalized size = 0.66

$$\frac{(\sqrt{\cos(dx+c)})(A(dx+c) + B \sin(dx+c))}{d\sqrt{b \cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x)

[Out] 1/d\*cos(d\*x+c)^(1/2)\*(A\*(d\*x+c)+B\*sin(d\*x+c))/(b\*cos(d\*x+c))^(1/2)

**maxima** [A] time = 0.59, size = 40, normalized size = 0.68

$$\frac{\frac{2A \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{\sqrt{b}} + \frac{B \sin(dx+c)}{\sqrt{b}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] (2\*A\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/sqrt(b) + B\*sin(d\*x + c)/sqrt(b))/d

**mupad** [B] time = 0.54, size = 61, normalized size = 1.03

$$\frac{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)} (B \sin(2c+2dx) + 2Adx \cos(c+dx))}{bd (\cos(2c+2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((cos(c + d*x)^(1/2)*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(1/2),x)
```

```
[Out] (cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(1/2)*(B*sin(2*c + 2*d*x) + 2*A*d*x*cos(c + d*x)))/(b*d*(cos(2*c + 2*d*x) + 1))
```

**sympy** [A] time = 12.68, size = 46, normalized size = 0.78

$$\begin{cases} \frac{Ax}{\sqrt{b}} + \frac{B \sin(c+dx)}{\sqrt{bd}} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))\sqrt{\cos(c)}}{\sqrt{b \cos(c)}} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(1/2),x)
```

```
[Out] Piecewise((A*x/sqrt(b) + B*sin(c + d*x)/(sqrt(b)*d), Ne(d, 0)), (x*(A + B*cos(c))*sqrt(cos(c))/sqrt(b*cos(c)), True))
```

$$3.869 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=60

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}}$$

[Out]  $B*x*\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+A*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {18, 2735, 3770}

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d\sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]]),x]

[Out]  $(B*x*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])/\operatorname{Sqrt}[b*\operatorname{Cos}[c + d*x]] + (A*\operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]]*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]])/(d*\operatorname{Sqrt}[b*\operatorname{Cos}[c + d*x]])$

**Rule 18**

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m - 1/2)\*b^(n + 1/2)\*Sqrt[a\*v])/Sqrt[b\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]

**Rule 2735**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rule 3770**

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) \sec(c+dx) dx}{\sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}) \int \sec(c+dx) dx}{\sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{\sqrt{b \cos(c+dx)}} + \frac{A \tanh^{-1}(\sin(c+dx))\sqrt{\cos(c+dx)}}{d\sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.04, size = 40, normalized size = 0.67

$$\frac{\sqrt{\cos(c+dx)} (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[b\*cos[c + d\*x]]),x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*Sqrt[Cos[c + d\*x]])/(d\*Sqrt[b\*cos[c + d\*x]])

**fricas** [B] time = 1.11, size = 215, normalized size = 3.58

$$\frac{2 A \sqrt{-b} \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) + B \sqrt{-b} \log\left(2 b \cos(dx+c)^2 + 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)}\right)}{2 b d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) + B\*sqrt(-b)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/(b\*d), 1/2\*(2\*B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*sqrt(b)\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3))/(b\*d)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx+c) + A}{\sqrt{b \cos(dx+c)} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))), x)

**maple** [A] time = 0.18, size = 54, normalized size = 0.90

$$\frac{\left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right) \left(\sqrt{\cos(dx+c)}\right)}{d \sqrt{b \cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2),x)

[Out] -1/d\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))\*cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2)

**maxima** [A] time = 0.59, size = 92, normalized size = 1.53

$$\frac{A(\log(\cos(dx+c)^2+\sin(dx+c)^2+2 \sin(dx+c)+1)-\log(\cos(dx+c)^2+\sin(dx+c)^2-2 \sin(dx+c)+1))}{\sqrt{b}} + \frac{4 B \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{\sqrt{b}}$$

$$2 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")



[Out]  $\frac{1}{2} * (A * (\log(\cos(dx + c)^2 + \sin(dx + c)^2 + 2 * \sin(dx + c) + 1) - \log(\cos(dx + c)^2 + \sin(dx + c)^2 - 2 * \sin(dx + c) + 1)) / \sqrt{b} + 4 * B * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / \sqrt{b}) / d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(1/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(1/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(b*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/(sqrt(b*cos(c + d*x))*sqrt(cos(c + d*x))), x)`

$$3.870 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx) \sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=68

$$\frac{A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{b \cos(c+dx)}}$$

[Out] A\*sin(d\*x+c)/d/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2)+B\*arctanh(sin(d\*x+c))\*cos(d\*x+c)^(1/2)/d/(b\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {18, 2748, 3767, 8, 3770}

$$\frac{A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]]),x]

[Out] (B\*ArcTanh[Sin[c + d\*x]]\*Sqrt[Cos[c + d\*x]])/(d\*Sqrt[b\*Cos[c + d\*x]]) + (A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 18**

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m - 1/2)\*b^(n + 1/2)\*Sqrt[a\*v])/Sqrt[b\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rule 3767**

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

**Rule 3770**

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^2(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\
&= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{d \sqrt{b \cos(c + dx)}} - \frac{(A \sqrt{\cos(c + dx)}) \operatorname{Subst}(\int 1 dx, x)}{d \sqrt{b \cos(c + dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{d \sqrt{b \cos(c + dx)}} + \frac{A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 0.05, size = 50, normalized size = 0.74

$$\frac{A \sin(c + dx) + B \cos(c + dx) \tanh^{-1}(\sin(c + dx))}{d \sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]]),x]  
[Out] (B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 1.06, size = 211, normalized size = 3.10

$$\left[ \frac{B \sqrt{b} \cos(dx + c)^2 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b \cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2 \sqrt{b \cos(dx+c)} A \sqrt{\cos(dx+c)}}{2bd \cos(dx+c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2\*(B\*sqrt(b)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b\*d\*cos(d\*x + c)^2)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c)} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c))\*cos(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.17, size = 59, normalized size = 0.87

$$\frac{-2B \cos(dx + c) \operatorname{arctanh}\left(\frac{-1 + \cos(dx+c)}{\sin(dx+c)}\right) + A \sin(dx + c)}{d \sqrt{b \cos(dx + c)} \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(b*cos(d*x+c))^(1/2),x)`

[Out] `1/d*(-2*B*cos(d*x+c)*arctanh((-1+cos(d*x+c))/sin(d*x+c))+A*sin(d*x+c))/(b*cos(d*x+c))^(1/2)/cos(d*x+c)^(1/2)`

**maxima** [B] time = 0.67, size = 125, normalized size = 1.84

$$\frac{B(\log(\cos(dx+c)^2+\sin(dx+c)^2+2\sin(dx+c)+1)-\log(\cos(dx+c)^2+\sin(dx+c)^2-2\sin(dx+c)+1))}{\sqrt{b}} + \frac{4A\sqrt{b}\sin(2dx+2c)}{b\cos(2dx+2c)^2+b\sin(2dx+2c)^2+2b\cos(2dx+2c)}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `1/2*(B*(log(cos(d*x+c)^2+sin(d*x+c)^2+2*sin(d*x+c)+1)-log(cos(d*x+c)^2+sin(d*x+c)^2-2*sin(d*x+c)+1))/sqrt(b)+4*A*sqrt(b)*sin(2*d*x+2*c)/(b*cos(2*d*x+2*c)^2+b*sin(2*d*x+2*c)^2+2*b*cos(2*d*x+2*c)+b))/d`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(b*cos(c + d*x))^(1/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(b*cos(c + d*x))^(1/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{\sqrt{b \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(b*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/(sqrt(b*cos(c + d*x))*cos(c + d*x)**(3/2)), x)`

$$3.871 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=107

$$\frac{A \sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

[Out]  $1/2*A*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+1/2*A*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.05, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {18, 2748, 3768, 3770, 3767, 8}

$$\frac{A \sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2d \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[b*Cos[c + d*x]]), x]`

[Out] `(A*ArcTanh[Sin[c + d*x]]*Sqrt[Cos[c + d*x]])/(2*d*Sqrt[b*Cos[c + d*x]]) + (A*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*Sqrt[b*Cos[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Cos[c + d*x]])`

#### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

#### Rule 18

`Int[(u_.)*((a_.)*(v_.))^(m_.)*((b_.)*(v_.))^(n_.), x_Symbol] := Dist[(a^(m - 1/2)*b^(n + 1/2)*Sqrt[a*v])/Sqrt[b*v], Int[u*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]  
/; FreeQ[{c, d}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{b \cos(c + dx)}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{\sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec^2(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\ &= \frac{A \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{(A \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2 \sqrt{b \cos(c + dx)}} - \frac{(B \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2 \sqrt{b \cos(c + dx)}} \\ &= \frac{A \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{2d \sqrt{b \cos(c + dx)}} + \frac{A \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{B \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 65, normalized size = 0.61

$$\frac{\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx))}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*Sqrt[b\*Cos[c + d\*x]]),x]

[Out] (A\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + (A + 2\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/((2\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 0.88, size = 231, normalized size = 2.16

$$\left[ \frac{A \sqrt{b} \cos(dx + c)^3 \log\left(\frac{-b \cos(dx + c)^3 - 2 \sqrt{b \cos(dx + c)} \sqrt{b \cos(dx + c)} \sin(dx + c) - 2b \cos(dx + c)}{\cos(dx + c)^3}\right) + 2(2B \cos(dx + c) + A) \sqrt{b \cos(dx + c)}}{4bd \cos(dx + c)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/4\*(A\*sqrt(b)\*cos(d\*x + c)^3\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b\*d\*cos(d\*x + c)^3), -1/2\*(A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^3 - (2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b\*d\*cos(d\*x + c)^3)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c)} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c))\*cos(d\*x + c)^(5/2)), x)

**maple** [A] time = 0.20, size = 120, normalized size = 1.12

$$\frac{-A \left( \cos^2(dx + c) \right) \ln \left( -\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + A \left( \cos^2(dx + c) \right) \ln \left( \frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + 2B \cos(dx + c) \sin(dx + c)}{2d\sqrt{b \cos(dx + c)} \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(1/2),x)

[Out] 1/2/d\*(-A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+2\*B\*cos(d\*x+c)\*sin(d\*x+c)+A\*sin(d\*x+c))/(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(3/2)

**maxima** [B] time = 0.71, size = 722, normalized size = 6.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/4\*(8\*B\*sqrt(b)\*sin(2\*d\*x + 2\*c)/(b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(2\*d\*x + 2\*c)^2 + 2\*b\*cos(2\*d\*x + 2\*c) + b) - (4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A/((2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*sqrt(b))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(5/2)\*(b\*cos(c + d\*x))^(1/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(5/2)\*(b\*cos(c + d\*x))^(1/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(b*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```



$$3.872 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx) \sqrt{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=145

$$\frac{A \sin^3(c+dx)}{3d \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)}}{2d}$$

[Out]  $1/2*B*\sin(d*x+c)/d/\cos(d*x+c)^{(3/2)}/(b*\cos(d*x+c))^{(1/2)}+1/3*A*\sin(d*x+c)^3/d/\cos(d*x+c)^{(5/2)}/(b*\cos(d*x+c))^{(1/2)}+A*\sin(d*x+c)/d/\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+1/2*B*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {18, 2748, 3767, 3768, 3770}

$$\frac{A \sin^3(c+dx)}{3d \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2d \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[b*Cos[c + d*x]]),x]`

[Out] `(B*ArcTanh[Sin[c + d*x]]*Sqrt[Cos[c + d*x]])/(2*d*Sqrt[b*Cos[c + d*x]]) + (B*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*Sqrt[b*Cos[c + d*x]]) + (A*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]*Sqrt[b*Cos[c + d*x]]) + (A*Sin[c + d*x]^3)/(3*d*Cos[c + d*x]^(5/2)*Sqrt[b*Cos[c + d*x]])`

#### Rule 18

`Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_), x_Symbol] := Dist[(a^(m - 1/2)*b^(n + 1/2)*Sqrt[a*v])/Sqrt[b*v], Int[u*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], Cot[c + d*x], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

#### Rule 3768

`Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx) \sqrt{b \cos(c + dx)}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^4(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\
&= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^4(c + dx) dx}{\sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{\sqrt{b \cos(c + dx)}} \\
&= \frac{B \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2 \sqrt{b \cos(c + dx)}} - \frac{(A \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2 \sqrt{b \cos(c + dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{2d \sqrt{b \cos(c + dx)}} + \frac{B \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{A \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}}
\end{aligned}$$

**Mathematica** [A] time = 0.09, size = 76, normalized size = 0.52

$$\frac{2A(\cos(2(c + dx)) + 2) \tan(c + dx) + 3B \sin(c + dx) + 3B \cos^2(c + dx) \tanh^{-1}(\sin(c + dx))}{6d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(7/2)\*Sqrt[b\*Cos[c + d\*x]]),x]

[Out] (3\*B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + 3\*B\*Sin[c + d\*x] + 2\*A\*(2 + Cos[2\*(c + d\*x)])\*Tan[c + d\*x])/(6\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 0.85, size = 259, normalized size = 1.79

$$\left[ \frac{3B\sqrt{b} \cos(dx + c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(4A \cos(dx + c)^2 + 3B \cos(dx + c))}{12bd \cos(dx + c)^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/12\*(3\*B\*sqrt(b)\*cos(d\*x + c)^4\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b\*d\*cos(d\*x + c)^4), -1/6\*(3\*B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^4 - (4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b\*d\*cos(d\*x + c)^4)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c)} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c))\*cos(d\*x + c)^(7/2)), x)

**maple [A]** time = 0.22, size = 139, normalized size = 0.96

$$\frac{-3B \left( \cos^3(dx+c) \right) \ln \left( -\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)} \right) + 3B \left( \cos^3(dx+c) \right) \ln \left( \frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)} \right) + 4A \left( \cos^2(dx+c) \right)}{6d\sqrt{b \cos(dx+c)} \cos(dx+c)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(b\*cos(d\*x+c))^(1/2),x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))/(b\*cos(d\*x+c))^(1/2)/cos(d\*x+c)^(5/2)

**maxima [B]** time = 0.71, size = 957, normalized size = 6.60

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 1/12\*(16\*((3\*cos(2\*d\*x + 2\*c) + 1)\*sin(6\*d\*x + 6\*c) + 3\*(3\*cos(2\*d\*x + 2\*c) + 1)\*sin(4\*d\*x + 4\*c) - 3\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) - 9\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c))\*A/((2\*(3\*cos(4\*d\*x + 4\*c) + 3\*cos(2\*d\*x + 2\*c) + 1)\*cos(6\*d\*x + 6\*c) + cos(6\*d\*x + 6\*c)^2 + 6\*(3\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + 9\*cos(4\*d\*x + 4\*c)^2 + 9\*cos(2\*d\*x + 2\*c)^2 + 6\*(sin(4\*d\*x + 4\*c) + sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c) + sin(6\*d\*x + 6\*c)^2 + 9\*sin(4\*d\*x + 4\*c)^2 + 18\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*sin(2\*d\*x + 2\*c)^2 + 6\*cos(2\*d\*x + 2\*c) + 1)\*sqrt(b)) - 3\*(4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B/((2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*sqrt(b))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{7/2} \sqrt{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(7/2)\*(b\*cos(c + d\*x))^(1/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(7/2)\*(b\*cos(c + d\*x))^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2)/(b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

$$3.873 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=148

$$\frac{Ax\sqrt{\cos(c+dx)}}{2b\sqrt{b}\cos(c+dx)} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2bd\sqrt{b}\cos(c+dx)} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3bd\sqrt{b}\cos(c+dx)} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{bd\sqrt{b}\cos(c+dx)}$$

[Out]  $\frac{1}{2}A\cos(dx+c)^{(3/2)}\sin(dx+c)/b/d/(b\cos(dx+c))^{(1/2)} + \frac{1}{2}A\sin(dx+c)\cos(dx+c)^{(1/2)}/b/(b\cos(dx+c))^{(1/2)} + B\sin(dx+c)\cos(dx+c)^{(1/2)}/b/d/(b\cos(dx+c))^{(1/2)} - \frac{1}{3}B\sin(dx+c)^3\cos(dx+c)^{(1/2)}/b/d/(b\cos(dx+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Ax\sqrt{\cos(c+dx)}}{2b\sqrt{b}\cos(c+dx)} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2bd\sqrt{b}\cos(c+dx)} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3bd\sqrt{b}\cos(c+dx)} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{bd\sqrt{b}\cos(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(3/2)), x]

[Out] (A\*x\*sqrt[Cos[c + d\*x]]/(2\*b\*sqrt[b\*Cos[c + d\*x]]) + (B\*sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]/(b\*d\*sqrt[b\*Cos[c + d\*x]])) + (A\*cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*b\*d\*sqrt[b\*Cos[c + d\*x]]) - (B\*sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]^3)/(3\*b\*d\*sqrt[b\*Cos[c + d\*x]]))

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 17**

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*sqrt[b\*v])/sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

**Rule 2635**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(b\cos(c+dx))^{\frac{3}{2}}} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos^2(c+dx)(A+B\cos(c+dx)) dx}{b\sqrt{b}\cos(c+dx)} \\
&= \frac{(A\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{b\sqrt{b}\cos(c+dx)} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos^3(c+dx) dx}{b\sqrt{b}\cos(c+dx)} \\
&= \frac{A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2bd\sqrt{b}\cos(c+dx)} + \frac{(A\sqrt{\cos(c+dx)}) \int 1 dx}{2b\sqrt{b}\cos(c+dx)} - \frac{(B\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{2bd\sqrt{b}\cos(c+dx)} \\
&= \frac{Ax\sqrt{\cos(c+dx)}}{2b\sqrt{b}\cos(c+dx)} + \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{bd\sqrt{b}\cos(c+dx)} + \frac{A\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2bd\sqrt{b}\cos(c+dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.09, size = 69, normalized size = 0.47

$$\frac{\cos^{\frac{3}{2}}(c+dx)(3A\sin(2(c+dx)) + 6Ac + 6Adx + 9B\sin(c+dx) + B\sin(3(c+dx)))}{12d(b\cos(c+dx))^{\frac{3}{2}}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[c + d\*x]^(3/2)\*(6\*A\*c + 6\*A\*d\*x + 9\*B\*Sin[c + d\*x] + 3\*A\*Sin[2\*(c + d\*x)] + B\*Sin[3\*(c + d\*x)]))/(12\*d\*(b\*Cos[c + d\*x])^(3/2))

**fricas [A]** time = 1.18, size = 236, normalized size = 1.59

$$\left[ \frac{3A\sqrt{-b}\cos(dx+c)\log(2b\cos(dx+c)^2 + 2\sqrt{b}\cos(dx+c)\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c) - b) - 2(2B\cos(dx+c) + A)\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c)}{12b^2d\cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/12\*(3\*A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*(2\*B\*cos(d\*x + c)^2 + 3\*A\*cos(d\*x + c) + 4\*B)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)), 1/6\*(3\*A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (2\*B\*cos(d\*x + c)^2 + 3\*A\*cos(d\*x + c) + 4\*B)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c))]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\cos(dx+c)^{\frac{7}{2}}}{(b\cos(dx+c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c))^(3/2), x)

**maple [A]** time = 0.22, size = 74, normalized size = 0.50

$$\frac{\left(\cos^{\frac{3}{2}}(dx+c)\right)\left(2B\sin(dx+c)\left(\cos^2(dx+c)\right)+3A\cos(dx+c)\sin(dx+c)+3A(dx+c)+4B\sin(dx+c)\right)}{6d(b\cos(dx+c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x)

[Out] 1/6/d\*cos(d\*x+c)^(3/2)\*(2\*B\*sin(d\*x+c)\*cos(d\*x+c)^2+3\*A\*cos(d\*x+c)\*sin(d\*x+c)+3\*A\*(d\*x+c)+4\*B\*sin(d\*x+c))/(b\*cos(d\*x+c))^(3/2)

**maxima [A]** time = 0.69, size = 68, normalized size = 0.46

$$\frac{\frac{3(2dx+2c+\sin(2dx+2c))A}{b^{\frac{3}{2}}} + \frac{B\left(\sin(3dx+3c)+9\sin\left(\frac{1}{3}\arctan(\sin(3dx+3c),\cos(3dx+3c))\right)\right)}{b^{\frac{3}{2}}}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A/b^(3/2) + B\*(sin(3\*d\*x + 3\*c) + 9\*sin(1/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))/b^(3/2))/d

**mupad [B]** time = 1.57, size = 95, normalized size = 0.64

$$\frac{\sqrt{\cos(c+dx)}\sqrt{b\cos(c+dx)}(3A\sin(c+dx)+3A\sin(3c+3dx)+10B\sin(2c+2dx)+B\sin(4c+4dx))}{12b^2d(\cos(2c+2dx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c+d\*x)^(7/2)\*(A+B\*cos(c+d\*x)))/(b\*cos(c+d\*x))^(3/2),x)

[Out] (cos(c+d\*x)^(1/2)\*(b\*cos(c+d\*x))^(1/2)\*(3\*A\*sin(c+d\*x)+3\*A\*sin(3\*c+3\*d\*x)+10\*B\*sin(2\*c+2\*d\*x)+B\*sin(4\*c+4\*d\*x)+12\*A\*d\*x\*cos(c+d\*x)))/(12\*b^2\*d\*(cos(2\*c+2\*d\*x)+1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

$$3.874 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{A \sin(c+dx) \sqrt{\cos(c+dx)}}{bd \sqrt{b \cos(c+dx)}} + \frac{Bx \sqrt{\cos(c+dx)}}{2b \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2bd \sqrt{b \cos(c+dx)}}$$

[Out]  $1/2*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/b/d/(b*\cos(d*x+c))^{(1/2)}+1/2*B*x*\cos(d*x+c)^{(1/2)}/b/(b*\cos(d*x+c))^{(1/2)}+A*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{A \sin(c+dx) \sqrt{\cos(c+dx)}}{bd \sqrt{b \cos(c+dx)}} + \frac{Bx \sqrt{\cos(c+dx)}}{2b \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2bd \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x])^{(5/2)}*(A + B*\text{Cos}[c + d*x])]/(b*\text{Cos}[c + d*x])^{(3/2)}, x]$

[Out]  $(B*x*\text{Sqrt}[\text{Cos}[c + d*x]])/(2*b*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*b*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

**Rule 17**

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_)}*((b_*)*(v_))^{(n_)}, x\_Symbol] := \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/ \text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, m\}, x \ \&\& \ \text{IntegerQ}[m] \ \&\& \ \text{IGtQ}[n+1/2, 0] \ \&\& \ \text{IntegerQ}[m+n]$

**Rule 2734**

$\text{Int}[(a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)])*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] := \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\text{Cos}[e + f*x])/f, x] - \text{Simp}[b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x]/(2*f), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

**Rubi steps**

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos(c+dx)(A+B \cos(c+dx)) dx}{b \sqrt{b \cos(c+dx)}} \\ &= \frac{Bx \sqrt{\cos(c+dx)}}{2b \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \sin(c+dx)}{bd \sqrt{b \cos(c+dx)}} + \frac{B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2bd \sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 57, normalized size = 0.53

$$\frac{\cos^{\frac{3}{2}}(c+dx)(4A \sin(c+dx) + B(2(c+dx) + \sin(2(c+dx))))}{4d(b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.



[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[c + d\*x]^(3/2)\*(4\*A\*Sin[c + d\*x] + B\*(2\*(c + d\*x) + Sin[2\*(c + d\*x)])))/(4\*d\*(b\*Cos[c + d\*x])^(3/2))

**fricas** [A] time = 1.16, size = 210, normalized size = 1.96

$$\left[ \frac{B\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 + 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) - 2(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c)}{4b^2d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] [-1/4\*(B\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*(B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)), 1/2\*(B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c))^(3/2), x)

**maple** [A] time = 0.17, size = 55, normalized size = 0.51

$$\frac{\left(\cos^{\frac{3}{2}}(dx + c)\right) (B \cos(dx + c) \sin(dx + c) + 2A \sin(dx + c) + B(dx + c))}{2d (b \cos(dx + c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x)

[Out] 1/2/d\*cos(d\*x+c)^(3/2)\*(B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c)+B\*(d\*x+c))/(b\*cos(d\*x+c))^(3/2)

**maxima** [A] time = 0.68, size = 40, normalized size = 0.37

$$\frac{\frac{(2dx+2c+\sin(2dx+2c))B}{b^{\frac{3}{2}}} + \frac{4A \sin(dx+c)}{b^{\frac{3}{2}}}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out]  $\frac{1}{4} * ((2 * d * x + 2 * c + \sin(2 * d * x + 2 * c)) * B / b^{(3/2)} + 4 * A * \sin(d * x + c) / b^{(3/2)}) / d$

mupad [B] time = 0.69, size = 82, normalized size = 0.77

$$\frac{\sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (B \sin(c + dx) + 4 A \sin(2c + 2dx) + B \sin(3c + 3dx) + 4 B dx \cos(c + dx))}{4 b^2 d (\cos(2c + 2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(5/2)*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(3/2),x)`

[Out]  $(\cos(c + d * x)^{(1/2)} * (b * \cos(c + d * x))^{(1/2)} * (B * \sin(c + d * x) + 4 * A * \sin(2 * c + 2 * d * x) + B * \sin(3 * c + 3 * d * x) + 4 * B * d * x * \cos(c + d * x))) / (4 * b^2 * d * (\cos(2 * c + 2 * d * x) + 1))$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(3/2),x)`

[Out] Timed out

$$3.875 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=65

$$\frac{Ax\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{bd\sqrt{b \cos(c+dx)}}$$

[Out]  $A*x*\cos(d*x+c)^{(1/2)}/b/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b/d/(b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Ax\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{bd\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(3/2), x]

[Out] (A\*x\*Sqrt[Cos[c + d\*x]])/(b\*Sqrt[b\*Cos[c + d\*x]]) + (B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*d\*Sqrt[b\*Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) dx}{b\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos(c+dx) dx}{b\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \sin(c+dx)}{bd\sqrt{b \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 42, normalized size = 0.65

$$\frac{\cos^3(c+dx)(A(c+dx) + B \sin(c+dx))}{d(b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(3/2), x]

[Out] (Cos[c + d\*x]^(3/2)\*(A\*(c + d\*x) + B\*Sin[c + d\*x]))/(d\*(b\*Cos[c + d\*x])^(3/2))

**fricas** [A] time = 1.10, size = 187, normalized size = 2.88

$$\frac{A\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 + 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) - 2\sqrt{b \cos(dx + c)}}{2b^2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] [-1/2\*(A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)), (A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c))^(3/2), x)

**maple** [A] time = 0.17, size = 39, normalized size = 0.60

$$\frac{\left(\cos^{\frac{3}{2}}(dx + c)\right) (A(dx + c) + B \sin(dx + c))}{d (b \cos(dx + c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x)

[Out] 1/d\*cos(d\*x+c)^(3/2)\*(A\*(d\*x+c)+B\*sin(d\*x+c))/(b\*cos(d\*x+c))^(3/2)

**maxima** [A] time = 0.60, size = 40, normalized size = 0.62

$$\frac{\frac{2A \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{b^{\frac{3}{2}}} + \frac{B \sin(dx+c)}{b^{\frac{3}{2}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] (2\*A\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/b^(3/2) + B\*sin(d\*x + c)/b^(3/2))/d

**mupad [B]** time = 1.02, size = 61, normalized size = 0.94

$$\frac{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)} (B \sin(2c+2dx) + 2Adx \cos(c+dx))}{b^2 d (\cos(2c+2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^(3/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2), x)

[Out] (cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(1/2)\*(B\*sin(2\*c + 2\*d\*x) + 2\*A\*d\*x\*cos(c + d\*x)))/(b^2\*d\*(cos(2\*c + 2\*d\*x) + 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

$$3.876 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=66

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{bd\sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}}$$

[Out] B\*x\*cos(d\*x+c)^(1/2)/b/(b\*cos(d\*x+c))^(1/2)+A\*arctanh(sin(d\*x+c))\*cos(d\*x+c)^(1/2)/b/d/(b\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {17, 2735, 3770}

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{bd\sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2),x]

[Out] (B\*x\*Sqrt[Cos[c + d\*x]])/(b\*Sqrt[b\*Cos[c + d\*x]]) + (A\*ArcTanh[Sin[c + d\*x]]\*Sqrt[Cos[c + d\*x]])/(b\*d\*Sqrt[b\*Cos[c + d\*x]])

Rule 17

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(b \cos(c+dx))^{3/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) \sec(c+dx) dx}{b\sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}) \int \sec(c+dx) dx}{b\sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{b\sqrt{b \cos(c+dx)}} + \frac{A \tanh^{-1}(\sin(c+dx))\sqrt{\cos(c+dx)}}{bd\sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 40, normalized size = 0.61

$$\frac{\cos^3(c+dx) (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{d(b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(3/2), x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*Cos[c + d\*x]^(3/2))/(d\*(b\*Cos[c + d\*x])^(3/2))

**fricas** [A] time = 1.19, size = 215, normalized size = 3.26

$$\frac{2 A \sqrt{-b} \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) + B \sqrt{-b} \log\left(2 b \cos(dx+c)^2 + 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)} - b\right)}{2 b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) + B\*sqrt(-b)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/(b^2\*d), 1/2\*(2\*B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*sqrt(b)\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3))/(b^2\*d)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \sqrt{\cos(dx+c)}}{(b \cos(dx+c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c))^(3/2), x)

**maple** [A] time = 0.16, size = 54, normalized size = 0.82

$$\frac{\left(\cos^{\frac{3}{2}}(dx+c)\right) \left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right)}{d(b \cos(dx+c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2), x)

[Out] -1/d\*cos(d\*x+c)^(3/2)\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))/(b\*cos(d\*x+c))^(3/2)

**maxima** [A] time = 0.60, size = 92, normalized size = 1.39

$$\frac{A(\log(\cos(dx+c)^2+\sin(dx+c)^2+2 \sin(dx+c)+1)-\log(\cos(dx+c)^2+\sin(dx+c)^2-2 \sin(dx+c)+1))}{b^{\frac{3}{2}}} + \frac{4 B \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{b^{\frac{3}{2}}}$$


---


$$2 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/2\*(A\*(log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*sin(d\*x + c) + 1) - log(cos(d\*x + c)^2 + sin(d\*x + c)^2 - 2\*sin(d\*x + c) + 1))/b^(3/2) + 4\*B\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/b^(3/2))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^(1/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2),x)

[Out] int((cos(c + d\*x)^(1/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(cos(c + d\*x))/(b\*cos(c + d\*x))\*\*(3/2), x)



$$3.877 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (b \cos(c+dx))^{3/2}} dx$$

Optimal. Leaf size=74

$$\frac{A \sin(c+dx)}{bd\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{bd\sqrt{b \cos(c+dx)}}$$

[Out] A\*sin(d\*x+c)/b/d/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2)+B\*arctanh(sin(d\*x+c))\*cos(d\*x+c)^(1/2)/b/d/(b\*cos(d\*x+c))^(1/2)

Rubi [A] time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {18, 2748, 3767, 8, 3770}

$$\frac{A \sin(c+dx)}{bd\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{bd\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(3/2)),x]

[Out] (B\*ArcTanh[Sin[c + d\*x]]\*Sqrt[Cos[c + d\*x]])/(b\*d\*Sqrt[b\*Cos[c + d\*x]]) + (A\*Sin[c + d\*x])/(b\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 18

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m - 1/2)\*b^(n + 1/2)\*Sqrt[a\*v])/Sqrt[b\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (b \cos(c + dx))^{3/2}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^2(c + dx) dx}{b\sqrt{b} \cos(c + dx)} \\
&= \frac{(A\sqrt{\cos(c + dx)}) \int \sec^2(c + dx) dx}{b\sqrt{b} \cos(c + dx)} + \frac{(B\sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{b\sqrt{b} \cos(c + dx)} \\
&= \frac{B \tanh^{-1}(\sin(c + dx))\sqrt{\cos(c + dx)}}{bd\sqrt{b} \cos(c + dx)} - \frac{(A\sqrt{\cos(c + dx)}) \text{Subst}(\int 1 dx, x)}{bd\sqrt{b} \cos(c + dx)} \\
&= \frac{B \tanh^{-1}(\sin(c + dx))\sqrt{\cos(c + dx)}}{bd\sqrt{b} \cos(c + dx)} + \frac{A \sin(c + dx)}{bd\sqrt{\cos(c + dx)} \sqrt{b} \cos(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.06, size = 50, normalized size = 0.68

$$\frac{\sqrt{\cos(c + dx)} (A \sin(c + dx) + B \cos(c + dx) \tanh^{-1}(\sin(c + dx)))}{d(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(3/2)), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x]))/(d\*(b\*Cos[c + d\*x])^(3/2))

**fricas [A]** time = 0.73, size = 211, normalized size = 2.85

$$\left[ \frac{B\sqrt{b} \cos(dx + c)^2 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2\sqrt{b \cos(dx + c)} A \sqrt{\cos(dx + c)}}{2b^2d \cos(dx + c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] [1/2\*(B\*sqrt(b)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c))/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)^2)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c))^(3/2)\*sqrt(cos(d\*x + c))), x)

**maple [A]** time = 0.19, size = 59, normalized size = 0.80

$$\frac{(-2B \cos(dx + c) \operatorname{arctanh}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) + A \sin(dx + c)) \left(\sqrt{\cos(dx + c)}\right)}{d (b \cos(dx + c))^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(b*cos(d*x+c))^(3/2),x)`

[Out]  $1/d*(-2*B*cos(d*x+c)*arctanh((-1+cos(d*x+c))/sin(d*x+c))+A*sin(d*x+c))*cos(d*x+c)^(1/2)/(b*cos(d*x+c))^(3/2)$

**maxima** [B] time = 0.67, size = 133, normalized size = 1.80

$$\frac{4A\sqrt{b}\sin(2dx+2c)}{b^2\cos(2dx+2c)^2+b^2\sin(2dx+2c)^2+2b^2\cos(2dx+2c)+b^2} + \frac{B(\log(\cos(dx+c)^2+\sin(dx+c)^2+2\sin(dx+c)+1)-\log(\cos(dx+c)^2+\sin(dx+c)^2-2\sin(dx+c)+1))}{b^{\frac{3}{2}}}$$


---


$$2d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out]  $1/2*(4*A*\sqrt{b}*\sin(2*d*x + 2*c)/(b^2*\cos(2*d*x + 2*c)^2 + b^2*\sin(2*d*x + 2*c)^2 + 2*b^2*\cos(2*d*x + 2*c) + b^2) + B*(\log(\cos(d*x + c)^2 + \sin(d*x + c)^2 + 2*\sin(d*x + c) + 1) - \log(\cos(d*x + c)^2 + \sin(d*x + c)^2 - 2*\sin(d*x + c) + 1))/b^(3/2))/d$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(3/2)),x)`

[Out] `int((A + B*cos(c + d*x))/(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^(3/2)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{\frac{3}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(b*cos(d*x+c))**(3/2),x)`

[Out] `Integral((A + B*cos(c + d*x))/((b*cos(c + d*x))**(3/2)*sqrt(cos(c + d*x))), x)`

$$3.878 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=116

$$\frac{A \sin(c+dx)}{2bd \cos^2(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2bd \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{bd \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

[Out] 1/2\*A\*sin(d\*x+c)/b/d/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(1/2)+B\*sin(d\*x+c)/b/d/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2)+1/2\*A\*arctanh(sin(d\*x+c))\*cos(d\*x+c)^(1/2)/b/d/(b\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {18, 2748, 3768, 3770, 3767, 8}

$$\frac{A \sin(c+dx)}{2bd \cos^2(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2bd \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{bd \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(3/2)),x]

[Out] (A\*ArcTanh[Sin[c + d\*x]]\*Sqrt[Cos[c + d\*x]]/(2\*b\*d\*Sqrt[b\*Cos[c + d\*x]]) + (A\*Sin[c + d\*x])/(2\*b\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[b\*Cos[c + d\*x]]) + (B\*Sin[c + d\*x])/(b\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 18

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m - 1/2)\*b^(n + 1/2)\*Sqrt[a\*v])/Sqrt[b\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b \cos(c + dx))^{3/2}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{b \sqrt{b} \cos(c + dx)} \\ &= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{b \sqrt{b} \cos(c + dx)} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec^2(c + dx) dx}{b \sqrt{b} \cos(c + dx)} \\ &= \frac{A \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx) \sqrt{b} \cos(c + dx)} + \frac{(A \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2b \sqrt{b} \cos(c + dx)} \\ &= \frac{A \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{2bd \sqrt{b} \cos(c + dx)} + \frac{A \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx) \sqrt{b} \cos(c + dx)} \end{aligned}$$

**Mathematica [A]** time = 0.07, size = 65, normalized size = 0.56

$$\frac{\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx))}{2d \sqrt{\cos(c + dx)} (b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(3/2)), x]

[Out] (A\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + (A + 2\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d\*Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(3/2))

**fricas [A]** time = 0.88, size = 231, normalized size = 1.99

$$\left[ \frac{A \sqrt{b} \cos(dx + c)^3 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b} \cos(dx+c) \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(2B \cos(dx + c) + A) \sqrt{\cos(dx+c)}}{4 b^2 d \cos(dx + c)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] [1/4\*(A\*sqrt(b)\*cos(d\*x + c)^3\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b^2\*d\*cos(d\*x + c)^3), -1/2\*(A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^3 - (2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^2\*d\*cos(d\*x + c)^3)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c))^(3/2)\*cos(d\*x + c)^(3/2)), x)

**maple** [A] time = 0.18, size = 121, normalized size = 1.04

$$\frac{A \left( \cos^2(dx + c) \right) \ln \left( -\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) - A \left( \cos^2(dx + c) \right) \ln \left( \frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) - 2B \cos(dx + c) \sin(dx + c)}{2d (b \cos(dx + c))^{\frac{3}{2}} \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(3/2),x)

[Out] -1/2/d\*(A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))-A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))-2\*B\*cos(d\*x+c)\*sin(d\*x+c)-A\*sin(d\*x+c))/(b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(1/2)

**maxima** [B] time = 0.70, size = 739, normalized size = 6.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] 1/4\*(8\*B\*sqrt(b)\*sin(2\*d\*x + 2\*c)/(b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(2\*d\*x + 2\*c)^2 + 2\*b^2\*cos(2\*d\*x + 2\*c) + b^2) - (4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c))^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c))^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A/((b\*cos(4\*d\*x + 4\*c)^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*sqrt(b))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(3/2)\*(b\*cos(c + d\*x))^(3/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(3/2)\*(b\*cos(c + d\*x))^(3/2)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(b*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

$$3.879 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=157

$$\frac{A \sin^3(c+dx)}{3bd \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{bd \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2bd \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)}}{2bd}$$

[Out]  $\frac{1}{2} B \sin(d*x+c) / b / d / \cos(d*x+c)^{(3/2)} / (b * \cos(d*x+c))^{(1/2)} + \frac{1}{3} A * \sin(d*x+c) ^3 / b / d / \cos(d*x+c)^{(5/2)} / (b * \cos(d*x+c))^{(1/2)} + A * \sin(d*x+c) / b / d / \cos(d*x+c)^{(1/2)} / (b * \cos(d*x+c))^{(1/2)} + \frac{1}{2} B * \operatorname{arctanh}(\sin(d*x+c)) * \cos(d*x+c)^{(1/2)} / b / d / (b * \cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {18, 2748, 3767, 3768, 3770}

$$\frac{A \sin^3(c+dx)}{3bd \cos^{\frac{5}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{bd \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2bd \cos^{\frac{3}{2}}(c+dx) \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)}}{2bd}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + B \operatorname{Cos}[c + d*x]) / (\operatorname{Cos}[c + d*x]^{(5/2)} * (b * \operatorname{Cos}[c + d*x])^{(3/2)})], x]$

[Out]  $(B * \operatorname{ArcTanh}[\operatorname{Sin}[c + d*x]] * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]) / (2 * b * d * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d*x]]) + (B * \operatorname{Sin}[c + d*x]) / (2 * b * d * \operatorname{Cos}[c + d*x]^{(3/2)} * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d*x]]) + (A * \operatorname{Sin}[c + d*x]) / (b * d * \operatorname{Sqrt}[\operatorname{Cos}[c + d*x]] * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d*x]]) + (A * \operatorname{Sin}[c + d*x]^3) / (3 * b * d * \operatorname{Cos}[c + d*x]^{(5/2)} * \operatorname{Sqrt}[b * \operatorname{Cos}[c + d*x]])$

#### Rule 18

$\operatorname{Int}[(u_.) * ((a_.) * (v_.))^{(m_.)} * ((b_.) * (v_.))^{(n_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[(a^{(m-1/2)} * b^{(n+1/2)} * \operatorname{Sqrt}[a*v]) / \operatorname{Sqrt}[b*v], \operatorname{Int}[u*v^{(m+n)}, x], x] /;$   $\operatorname{FreeQ}\{a, b, m\}, x \&\& \operatorname{IntegerQ}[m] \&\& \operatorname{ILtQ}[n-1/2, 0] \&\& \operatorname{IntegerQ}[m+n]$

#### Rule 2748

$\operatorname{Int}[(b_.) * \sin[(e_.) + (f_.) * (x_.)]^{(m_.)} * ((c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_.)]), x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b * \operatorname{Sin}[e + f*x])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b * \operatorname{Sin}[e + f*x])^{(m+1)}, x], x] /;$   $\operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.) * (x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2-1)}, x], x], x, \operatorname{Cot}[c + d*x]], x] /;$   $\operatorname{FreeQ}\{c, d\}, x \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

$\operatorname{Int}[(\operatorname{csc}[(c_.) + (d_.) * (x_.)] * (b_.))^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(b * \operatorname{Cos}[c + d*x]) * (b * \operatorname{Csc}[c + d*x])^{(n-1)} / (d * (n-1)), x] + \operatorname{Dist}[(b^2 * (n-2)) / (n-1), \operatorname{Int}[(b * \operatorname{Csc}[c + d*x])^{(n-2)}, x], x] /;$   $\operatorname{FreeQ}\{b, c, d\}, x \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

#### Rule 3770

$\operatorname{Int}[\operatorname{csc}[(c_.) + (d_.) * (x_.)], x\_Symbol] \rightarrow -\operatorname{Simp}[\operatorname{ArcTanh}[\operatorname{Cos}[c + d*x]] / d, x] /;$   $\operatorname{FreeQ}\{c, d\}, x]$



Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(b \cos(c + dx))^{3/2}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^4(c + dx) dx}{b\sqrt{b} \cos(c + dx)} \\
&= \frac{(A\sqrt{\cos(c + dx)}) \int \sec^4(c + dx) dx}{b\sqrt{b} \cos(c + dx)} + \frac{(B\sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{b\sqrt{b} \cos(c + dx)} \\
&= \frac{B \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)\sqrt{b} \cos(c + dx)} + \frac{(B\sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2b\sqrt{b} \cos(c + dx)} \\
&= \frac{B \tanh^{-1}(\sin(c + dx))\sqrt{\cos(c + dx)}}{2bd\sqrt{b} \cos(c + dx)} + \frac{B \sin(c + dx)}{2bd \cos^{\frac{3}{2}}(c + dx)\sqrt{b} \cos(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 76, normalized size = 0.48

$$\frac{2A(\cos(2(c + dx)) + 2) \tan(c + dx) + 3B \sin(c + dx) + 3B \cos^2(c + dx) \tanh^{-1}(\sin(c + dx))}{6d\sqrt{\cos(c + dx)}(b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(b\*Cos[c + d\*x])^(3/2)), x]

[Out] (3\*B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + 3\*B\*Sin[c + d\*x] + 2\*A\*(2 + Cos[2\*(c + d\*x)])\*Tan[c + d\*x])/(6\*d\*Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(3/2))

**fricas [A]** time = 0.90, size = 259, normalized size = 1.65

$$\left[ \frac{3B\sqrt{b} \cos(dx + c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2\sqrt{b} \cos(dx+c) \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(4A \cos(dx + c)^2 + 3B \sin(dx + c))}{12b^2d \cos(dx + c)^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] [1/12\*(3\*B\*sqrt(b)\*cos(d\*x + c)^4\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3 + 2\*(4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b^2\*d\*cos(d\*x + c)^4), -1/6\*(3\*B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^4 - (4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b^2\*d\*cos(d\*x + c)^4)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c))^(3/2)\*cos(d\*x + c)^(5/2)), x)

maple [A] time = 0.20, size = 139, normalized size = 0.89

$$\frac{-3B \left( \cos^3(dx + c) \right) \ln \left( -\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + 3B \left( \cos^3(dx + c) \right) \ln \left( \frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + 4A \left( \cos^2(dx + c) \right)}{6d (b \cos(dx + c))^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(3/2), x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))/(b\*cos(d\*x+c))^(3/2)/cos(d\*x+c)^(3/2)

maxima [B] time = 0.72, size = 983, normalized size = 6.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] 1/12\*(16\*((3\*cos(2\*d\*x + 2\*c) + 1)\*sin(6\*d\*x + 6\*c) + 3\*(3\*cos(2\*d\*x + 2\*c) + 1)\*sin(4\*d\*x + 4\*c) - 3\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) - 9\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c))\*A/((b\*cos(6\*d\*x + 6\*c))^2 + 9\*b\*cos(4\*d\*x + 4\*c)^2 + 9\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(6\*d\*x + 6\*c)^2 + 9\*b\*sin(4\*d\*x + 4\*c)^2 + 18\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(3\*b\*cos(4\*d\*x + 4\*c) + 3\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(6\*d\*x + 6\*c) + 6\*(3\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 6\*b\*cos(2\*d\*x + 2\*c) + 6\*(b\*sin(4\*d\*x + 4\*c) + b\*sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c) + b)\*sqrt(b)) - 3\*(4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B/((b\*cos(4\*d\*x + 4\*c))^2 + 4\*b\*cos(2\*d\*x + 2\*c)^2 + b\*sin(4\*d\*x + 4\*c)^2 + 4\*b\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b\*sin(2\*d\*x + 2\*c)^2 + 2\*(2\*b\*cos(2\*d\*x + 2\*c) + b)\*cos(4\*d\*x + 4\*c) + 4\*b\*cos(2\*d\*x + 2\*c) + b)\*sqrt(b))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{5/2} (b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(b*cos(c + d*x))^(3/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(5/2)*(b*cos(c + d*x))^(3/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(b*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

$$3.880 \quad \int \frac{\cos^{\frac{9}{2}}(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{\frac{5}{2}}} dx$$

**Optimal.** Leaf size=148

$$\frac{Ax\sqrt{\cos(c+dx)}}{2b^2\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2b^2d\sqrt{b \cos(c+dx)}} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3b^2d\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2d\sqrt{b \cos(c+dx)}}$$

[Out]  $\frac{1}{2}Ax\cos(dx+c)^{\frac{3}{2}}\sin(dx+c)/b^2d/(b\cos(dx+c))^{\frac{1}{2}} + \frac{1}{2}A\sin(dx+c)^{\frac{1}{2}}/b^2d/(b\cos(dx+c))^{\frac{1}{2}} + B\sin(dx+c)\cos(dx+c)^{\frac{1}{2}}/b^2d/(b\cos(dx+c))^{\frac{1}{2}} - \frac{1}{3}B\sin(dx+c)^3\cos(dx+c)^{\frac{1}{2}}/b^2d/(b\cos(dx+c))^{\frac{1}{2}}$

**Rubi [A]** time = 0.06, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 2635, 8, 2633}

$$\frac{Ax\sqrt{\cos(c+dx)}}{2b^2\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2b^2d\sqrt{b \cos(c+dx)}} - \frac{B \sin^3(c+dx)\sqrt{\cos(c+dx)}}{3b^2d\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(9/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(5/2)),x]

[Out]  $(A*x*\text{Sqrt}[\text{Cos}[c + d*x]])/(2*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (A*\text{Cos}[c + d*x]^{3/2}*\text{Sin}[c + d*x])/(2*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) - (B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x]^3)/(3*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1)/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{9}{2}}(c+dx)(A+B\cos(c+dx))}{(b\cos(c+dx))^{\frac{5}{2}}} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos^2(c+dx)(A+B\cos(c+dx)) dx}{b^2\sqrt{b\cos(c+dx)}} \\
&= \frac{(A\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{b^2\sqrt{b\cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos^3(c+dx) dx}{b^2\sqrt{b\cos(c+dx)}} \\
&= \frac{A \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{2b^2d\sqrt{b\cos(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}) \int 1 dx}{2b^2\sqrt{b\cos(c+dx)}} - \frac{(B\sqrt{\cos(c+dx)}) \int \cos^2(c+dx) dx}{2b^2d\sqrt{b\cos(c+dx)}} \\
&= \frac{Ax\sqrt{\cos(c+dx)}}{2b^2\sqrt{b\cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \sin(c+dx)}{b^2d\sqrt{b\cos(c+dx)}} + \frac{A \cos^{\frac{3}{2}}(c+dx)}{2b^2d\sqrt{b\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.07, size = 72, normalized size = 0.49

$$\frac{\sqrt{\cos(c+dx)}(3A \sin(2(c+dx)) + 6Ac + 6Adx + 9B \sin(c+dx) + B \sin(3(c+dx)))}{12b^2d\sqrt{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(9/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(6\*A\*c + 6\*A\*d\*x + 9\*B\*Sin[c + d\*x] + 3\*A\*Sin[2\*(c + d\*x)] + B\*Sin[3\*(c + d\*x)]))/(12\*b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas [A]** time = 0.81, size = 236, normalized size = 1.59

$$\left[ \frac{3A\sqrt{-b}\cos(dx+c)\log(2b\cos(dx+c)^2 + 2\sqrt{b\cos(dx+c)}\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c) - b) - 2(2B\cos(dx+c) + A)\sqrt{-b}\sqrt{\cos(dx+c)}\sin(dx+c) - 2(2B\cos(dx+c) + A)\sqrt{b\cos(dx+c)}}{12b^3d\cos(dx+c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] [-1/12\*(3\*A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*(2\*B\*cos(d\*x + c) + A)\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*(2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)), 1/6\*(3\*A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c))]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\cos(dx+c)^{\frac{9}{2}}}{(b\cos(dx+c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(9/2)/(b\*cos(d\*x + c))^(5/2), x)

**maple [A]** time = 0.21, size = 74, normalized size = 0.50

$$\frac{\left(\cos^{\frac{5}{2}}(dx+c)\right)\left(2B\sin(dx+c)\left(\cos^2(dx+c)\right)+3A\cos(dx+c)\sin(dx+c)+3A(dx+c)+4B\sin(dx+c)\right)}{6d(b\cos(dx+c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2),x)`

[Out] `1/6/d*cos(d*x+c)^(5/2)*(2*B*sin(d*x+c)*cos(d*x+c)^2+3*A*cos(d*x+c)*sin(d*x+c)+3*A*(d*x+c)+4*B*sin(d*x+c))/(b*cos(d*x+c))^(5/2)`

**maxima [A]** time = 0.67, size = 68, normalized size = 0.46

$$\frac{\frac{3(2dx+2c+\sin(2dx+2c))A}{b^{\frac{5}{2}}} + \frac{B\left(\sin(3dx+3c)+9\sin\left(\frac{1}{3}\arctan(\sin(3dx+3c),\cos(3dx+3c))\right)\right)}{b^{\frac{5}{2}}}}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(9/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `1/12*(3*(2*d*x + 2*c + sin(2*d*x + 2*c))*A/b^(5/2) + B*(sin(3*d*x + 3*c) + 9*sin(1/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))/b^(5/2))/d`

**mupad [B]** time = 1.56, size = 95, normalized size = 0.64

$$\frac{\sqrt{\cos(c+dx)}\sqrt{b\cos(c+dx)}(3A\sin(c+dx)+3A\sin(3c+3dx)+10B\sin(2c+2dx)+B\sin(4c+4dx))}{12b^3d(\cos(2c+2dx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c+d*x)^(9/2)*(A+B*cos(c+d*x)))/(b*cos(c+d*x))^(5/2),x)`

[Out] `(cos(c+d*x)^(1/2)*(b*cos(c+d*x))^(1/2)*(3*A*sin(c+d*x)+3*A*sin(3*c+3*d*x)+10*B*sin(2*c+2*d*x)+B*sin(4*c+4*d*x)+12*A*d*x*cos(c+d*x)))/(12*b^3*d*(cos(2*c+2*d*x)+1))`

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(9/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(5/2),x)`

[Out] Timed out

$$3.881 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{2b^2 \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2b^2 d \sqrt{b \cos(c+dx)}}$$

[Out]  $1/2*B*\cos(d*x+c)^{(3/2)}*\sin(d*x+c)/b^2/d/(b*\cos(d*x+c))^{(1/2)}+1/2*B*x*\cos(d*x+c)^{(1/2)}/b^2/(b*\cos(d*x+c))^{(1/2)}+A*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.02, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2734}

$$\frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{2b^2 \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{2b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out]  $(B*x*\text{Sqrt}[\text{Cos}[c + d*x]])/(2*b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (A*\text{Sqrt}[\text{Cos}[c + d*x]])*\text{Sin}[c + d*x]/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (B*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(2*b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

**Rule 17**

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

**Rule 2734**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int \cos(c+dx)(A+B \cos(c+dx)) dx}{b^2 \sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{2b^2 \sqrt{b \cos(c+dx)}} + \frac{A\sqrt{\cos(c+dx)} \sin(c+dx)}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{B \cos^{\frac{3}{2}}(c+dx)}{2b^2 d \sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.06, size = 60, normalized size = 0.56

$$\frac{\sqrt{\cos(c+dx)}(4A \sin(c+dx) + B(2(c+dx) + \sin(2(c+dx))))}{4b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(4\*A\*Sin[c + d\*x] + B\*(2\*(c + d\*x) + Sin[2\*(c + d\*x)])))/(4\*b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 1.02, size = 210, normalized size = 1.96

$$\left[ \frac{B\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 + 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) - 2(B \cos(dx + c) + A) \sqrt{b \cos(dx + c)} \sqrt{\cos(dx + c)} \sin(dx + c)}{4b^3d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/4\*(B\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*(B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)), 1/2\*(B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + (B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(7/2)/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.18, size = 55, normalized size = 0.51

$$\frac{\left(\cos^{\frac{5}{2}}(dx + c)\right) (B \cos(dx + c) \sin(dx + c) + 2A \sin(dx + c) + B(dx + c))}{2d (b \cos(dx + c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 1/2/d\*cos(d\*x+c)^(5/2)\*(B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c)+B\*(d\*x+c))/(b\*cos(d\*x+c))^(5/2)

**maxima** [A] time = 0.68, size = 40, normalized size = 0.37

$$\frac{\frac{(2dx+2c+\sin(2dx+2c))B}{b^{\frac{5}{2}}} + \frac{4A \sin(dx+c)}{b^{\frac{5}{2}}}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")



[Out]  $\frac{1}{4} \cdot ((2dx + 2c + \sin(2dx + 2c)) \cdot B/b^{5/2} + 4A \cdot \sin(dx + c)/b^{5/2}) / d$

**mupad [B]** time = 0.70, size = 82, normalized size = 0.77

$$\frac{\sqrt{\cos(c + dx)} \sqrt{b \cos(c + dx)} (B \sin(c + dx) + 4A \sin(2c + 2dx) + B \sin(3c + 3dx) + 4Bdx \cos(c + dx))}{4b^3 d (\cos(2c + 2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^(7/2)*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(5/2), x)`

[Out]  $(\cos(c + dx)^{1/2} \cdot (b \cos(c + dx))^{1/2} \cdot (B \sin(c + dx) + 4A \sin(2c + 2dx) + B \sin(3c + 3dx) + 4Bdx \cos(c + dx))) / (4b^3 d (\cos(2c + 2dx) + 1))$

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(7/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(5/2), x)`

[Out] Timed out

$$3.882 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{\frac{5}{2}}} dx$$

Optimal. Leaf size=65

$$\frac{Ax\sqrt{\cos(c+dx)}}{b^2\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2d\sqrt{b \cos(c+dx)}}$$

[Out]  $A*x*\cos(d*x+c)^{(1/2)}/b^2/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.01, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {17, 2637}

$$\frac{Ax\sqrt{\cos(c+dx)}}{b^2\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{b^2d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(5/2), x]

[Out] (A\*x\*Sqrt[Cos[c + d\*x]])/(b^2\*Sqrt[b\*Cos[c + d\*x]]) + (B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{\frac{5}{2}}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) dx}{b^2\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{b^2\sqrt{b \cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \cos(c+dx) dx}{b^2\sqrt{b \cos(c+dx)}} \\ &= \frac{Ax\sqrt{\cos(c+dx)}}{b^2\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)} \sin(c+dx)}{b^2d\sqrt{b \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 45, normalized size = 0.69

$$\frac{\sqrt{\cos(c+dx)}(A(c+dx)+B \sin(c+dx))}{b^2d\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x]^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(A\*(c + d\*x) + B\*Sin[c + d\*x]))/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 1.53, size = 187, normalized size = 2.88

$$\left[ \frac{A\sqrt{-b} \cos(dx + c) \log\left(2b \cos(dx + c)^2 + 2\sqrt{b \cos(dx + c)} \sqrt{-b} \sqrt{\cos(dx + c)} \sin(dx + c) - b\right) - 2\sqrt{b \cos(dx + c)}}{2b^3d \cos(dx + c)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] [-1/2\*(A\*sqrt(-b)\*cos(d\*x + c)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b) - 2\*sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)), (A\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2)))\*cos(d\*x + c) + sqrt(b\*cos(d\*x + c))\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c))]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.15, size = 39, normalized size = 0.60

$$\frac{\left(\cos^{\frac{5}{2}}(dx + c)\right) (A(dx + c) + B \sin(dx + c))}{d (b \cos(dx + c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x)

[Out] 1/d\*cos(d\*x+c)^(5/2)\*(A\*(d\*x+c)+B\*sin(d\*x+c))/(b\*cos(d\*x+c))^(5/2)

**maxima** [A] time = 0.60, size = 40, normalized size = 0.62

$$\frac{\frac{2A \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{b^{\frac{5}{2}}} + \frac{B \sin(dx+c)}{b^{\frac{5}{2}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] (2\*A\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/b^(5/2) + B\*sin(d\*x + c)/b^(5/2))/d

**mupad [B]** time = 0.48, size = 61, normalized size = 0.94

$$\frac{\sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)} (B \sin(2c+2dx) + 2Adx \cos(c+dx))}{b^3 d (\cos(2c+2dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^(5/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] (cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(1/2)\*(B\*sin(2\*c + 2\*d\*x) + 2\*A\*d\*x\*cos(c + d\*x)))/(b^3\*d\*(cos(2\*c + 2\*d\*x) + 1))

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.883 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=66

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{b^2 \sqrt{b \cos(c+dx)}}$$

[Out]  $B*x*\cos(d*x+c)^{(1/2)}/b^2/(b*\cos(d*x+c))^{(1/2)}+A*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {17, 2735, 3770}

$$\frac{A\sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{b^2 d \sqrt{b \cos(c+dx)}} + \frac{Bx\sqrt{\cos(c+dx)}}{b^2 \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^{(3/2)}*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x]^{(5/2)}), x]$

[Out]  $(B*x*\text{Sqrt}[\text{Cos}[c + d*x]])/(b^2*\text{Sqrt}[b*\text{Cos}[c + d*x]]) + (A*\text{ArcTanh}[\text{Sin}[c + d*x]]*\text{Sqrt}[\text{Cos}[c + d*x]])/(b^2*d*\text{Sqrt}[b*\text{Cos}[c + d*x]])$

Rule 17

$\text{Int}[(u_.)*((a_.)*(v_))^{(m_)}*((b_.)*(v_))^{(n_)}, x\_Symbol] \rightarrow \text{Dist}[(a^{(m+1/2)}*b^{(n-1/2)}*\text{Sqrt}[b*v])/ \text{Sqrt}[a*v], \text{Int}[u*v^{(m+n)}, x], x] /;$  FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

Rule 2735

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]]/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

$\text{Int}[\csc[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B \cos(c+dx)) \sec(c+dx) dx}{b^2 \sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{b^2 \sqrt{b \cos(c+dx)}} + \frac{(A\sqrt{\cos(c+dx)}) \int \sec(c+dx) dx}{b^2 \sqrt{b \cos(c+dx)}} \\ &= \frac{Bx\sqrt{\cos(c+dx)}}{b^2 \sqrt{b \cos(c+dx)}} + \frac{A \tanh^{-1}(\sin(c+dx))\sqrt{\cos(c+dx)}}{b^2 d \sqrt{b \cos(c+dx)}} \end{aligned}$$

Mathematica [A] time = 0.04, size = 43, normalized size = 0.65

$$\frac{\sqrt{\cos(c+dx)} (A \tanh^{-1}(\sin(c+dx)) + Bdx)}{b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] ((B\*d\*x + A\*ArcTanh[Sin[c + d\*x]])\*Sqrt[Cos[c + d\*x]])/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]])

**fricas** [A] time = 0.87, size = 215, normalized size = 3.26

$$\left[ \frac{2 A \sqrt{-b} \arctan\left(\frac{\sqrt{b \cos(dx+c)} \sqrt{-b} \sin(dx+c)}{b \sqrt{\cos(dx+c)}}\right) + B \sqrt{-b} \log\left(2 b \cos(dx+c)^2 + 2 \sqrt{b \cos(dx+c)} \sqrt{-b} \sqrt{\cos(dx+c)}\right)}{2 b^3 d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] [-1/2\*(2\*A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c)))) + B\*sqrt(-b)\*log(2\*b\*cos(d\*x + c)^2 + 2\*sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - b))/(b^3\*d), 1/2\*(2\*B\*sqrt(b)\*arctan(sqrt(b\*cos(d\*x + c))\*sin(d\*x + c)/(sqrt(b)\*cos(d\*x + c)^(3/2))) + A\*sqrt(b)\*log(-(b\*cos(d\*x + c)^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3))/(b^3\*d)]

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.14, size = 54, normalized size = 0.82

$$\frac{\left(\cos^{\frac{5}{2}}(dx+c)\right)\left(2A \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) - B(dx+c)\right)}{d(b \cos(dx+c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x)

[Out] -1/d\*cos(d\*x+c)^(5/2)\*(2\*A\*arctanh((-1+cos(d\*x+c))/sin(d\*x+c))-B\*(d\*x+c))/(b\*cos(d\*x+c))^(5/2)

**maxima** [A] time = 0.60, size = 92, normalized size = 1.39

$$\frac{A\left(\log\left(\cos(dx+c)^2+\sin(dx+c)^2+2 \sin(dx+c)+1\right)-\log\left(\cos(dx+c)^2+\sin(dx+c)^2-2 \sin(dx+c)+1\right)\right)}{b^{\frac{5}{2}}} + \frac{4 B \operatorname{arctan}\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{b^{\frac{5}{2}}}$$


---


$$2 d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] 1/2\*(A\*(log(cos(d\*x + c)^2 + sin(d\*x + c)^2 + 2\*sin(d\*x + c) + 1) - log(cos(d\*x + c)^2 + sin(d\*x + c)^2 - 2\*sin(d\*x + c) + 1))/b^(5/2) + 4\*B\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/b^(5/2))/d

**mupad** [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(c + dx)^{3/2} (A + B \cos(c + dx))}{(b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^(3/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2),x)

[Out] int((cos(c + d\*x)^(3/2)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.884 \quad \int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

Optimal. Leaf size=74

$$\frac{A \sin(c+dx)}{b^2 d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{b^2 d \sqrt{b \cos(c+dx)}}$$

[Out] A\*sin(d\*x+c)/b^2/d/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(1/2)+B\*arctanh(sin(d\*x+c))\*cos(d\*x+c)^(1/2)/b^2/d/(b\*cos(d\*x+c))^(1/2)

**Rubi [A]** time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {17, 2748, 3767, 8, 3770}

$$\frac{A \sin(c+dx)}{b^2 d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}} + \frac{B \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{b^2 d \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (B\*ArcTanh[Sin[c + d\*x]]\*Sqrt[Cos[c + d\*x]])/(b^2\*d\*Sqrt[b\*Cos[c + d\*x]]) + (A\*SIN[c + d\*x])/(b^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[b\*Cos[c + d\*x]])

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 17

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(a^(m + 1/2)\*b^(n - 1/2)\*Sqrt[b\*v])/Sqrt[a\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && IGtQ[n + 1/2, 0] && IntegerQ[m + n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(b\cos(c+dx))^{5/2}} dx &= \frac{\sqrt{\cos(c+dx)} \int (A+B\cos(c+dx)) \sec^2(c+dx) dx}{b^2 \sqrt{b\cos(c+dx)}} \\
&= \frac{(A\sqrt{\cos(c+dx)}) \int \sec^2(c+dx) dx}{b^2 \sqrt{b\cos(c+dx)}} + \frac{(B\sqrt{\cos(c+dx)}) \int \sec(c+dx) dx}{b^2 \sqrt{b\cos(c+dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c+dx)) \sqrt{\cos(c+dx)}}{b^2 d \sqrt{b\cos(c+dx)}} - \frac{(A\sqrt{\cos(c+dx)}) \operatorname{Subst}(\int 1/x dx, x, \sin(c+dx))}{b^2 d \sqrt{b\cos(c+dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c+dx)) \sqrt{\cos(c+dx)}}{b^2 d \sqrt{b\cos(c+dx)}} + \frac{A \sin(c+dx)}{b^2 d \sqrt{\cos(c+dx)} \sqrt{b\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.05, size = 50, normalized size = 0.68

$$\frac{\cos^{\frac{3}{2}}(c+dx) (A \sin(c+dx) + B \cos(c+dx) \tanh^{-1}(\sin(c+dx)))}{d(b\cos(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(5/2), x]

[Out] (Cos[c + d\*x]^(3/2)\*(B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x] + A\*Sin[c + d\*x]))/(d\*(b\*Cos[c + d\*x])^(5/2))

**fricas [A]** time = 0.92, size = 211, normalized size = 2.85

$$\left[ \frac{B\sqrt{b}\cos(dx+c)^2 \log\left(\frac{-b\cos(dx+c)^3 - 2\sqrt{b\cos(dx+c)}\sqrt{b\cos(dx+c)}\sin(dx+c) - 2b\cos(dx+c)}{\cos(dx+c)^3}\right) + 2\sqrt{b\cos(dx+c)}A\sqrt{\cos(dx+c)}}{2b^3d\cos(dx+c)^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] [1/2\*(B\*sqrt(b)\*cos(d\*x + c)^2\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b^3\*d\*cos(d\*x + c)^2), -(B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^2 - sqrt(b\*cos(d\*x + c))\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)^2)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\sqrt{\cos(dx+c)}}{(b\cos(dx+c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c))^(5/2), x)

**maple** [A] time = 0.17, size = 59, normalized size = 0.80

$$\frac{\left(-2B \cos(dx+c) \operatorname{arctanh}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) + A \sin(dx+c)\right) \left(\cos^{\frac{3}{2}}(dx+c)\right)}{d(b \cos(dx+c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2), x)`

[Out] `1/d*(-2*B*cos(d*x+c)*arctanh((-1+cos(d*x+c))/sin(d*x+c))+A*sin(d*x+c))*cos(d*x+c)^(3/2)/(b*cos(d*x+c))^(5/2)`

**maxima** [B] time = 0.66, size = 133, normalized size = 1.80

$$\frac{4A\sqrt{b} \sin(2dx+2c)}{b^3 \cos(2dx+2c)^2 + b^3 \sin(2dx+2c)^2 + 2b^3 \cos(2dx+2c) + b^3} + \frac{B(\log(\cos(dx+c)^2 + \sin(dx+c)^2 + 2 \sin(dx+c) + 1) - \log(\cos(dx+c)^2 + \sin(dx+c)^2 - 2 \sin(dx+c) + 1))}{b^{\frac{5}{2}}}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(5/2), x, algorithm="maxima")`

[Out] `1/2*(4*A*sqrt(b)*sin(2*d*x + 2*c)/(b^3*cos(2*d*x + 2*c)^2 + b^3*sin(2*d*x + 2*c)^2 + 2*b^3*cos(2*d*x + 2*c) + b^3) + B*(log(cos(d*x + c)^2 + sin(d*x + c)^2 + 2*sin(d*x + c) + 1) - log(cos(d*x + c)^2 + sin(d*x + c)^2 - 2*sin(d*x + c) + 1))/b^(5/2))/d`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{\cos(c+dx)} (A+B \cos(c+dx))}{(b \cos(c+dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c+d*x)^(1/2)*(A+B*cos(c+d*x)))/(b*cos(c+d*x))^(5/2), x)`

[Out] `int((cos(c+d*x)^(1/2)*(A+B*cos(c+d*x)))/(b*cos(c+d*x))^(5/2), x)`

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(5/2), x)`

[Out] Timed out

$$3.885 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)} (b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=116

$$\frac{A \sin(c+dx)}{2b^2 d \cos^2(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2b^2 d \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{b^2 d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

[Out]  $1/2*A*\sin(d*x+c)/b^2/d/\cos(d*x+c)^{(3/2)}/(b*\cos(d*x+c))^{(1/2)}+B*\sin(d*x+c)/b^2/d/\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+1/2*A*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {18, 2748, 3768, 3770, 3767, 8}

$$\frac{A \sin(c+dx)}{2b^2 d \cos^2(c+dx) \sqrt{b \cos(c+dx)}} + \frac{A \sqrt{\cos(c+dx)} \tanh^{-1}(\sin(c+dx))}{2b^2 d \sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{b^2 d \sqrt{\cos(c+dx)} \sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(b*Cos[c + d*x])^(5/2)), x]`

[Out] `(A*ArcTanh[Sin[c + d*x]]*Sqrt[Cos[c + d*x]])/(2*b^2*d*Sqrt[b*Cos[c + d*x]]) + (A*Sin[c + d*x])/(2*b^2*d*Cos[c + d*x]^(3/2)*Sqrt[b*Cos[c + d*x]]) + (B*Sin[c + d*x])/(b^2*d*Sqrt[Cos[c + d*x]]*Sqrt[b*Cos[c + d*x]])`

**Rule 8**

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

**Rule 18**

`Int[(u_.)*((a_.)*(v_.))^(m_.)*((b_.)*(v_.))^(n_.), x_Symbol] := Dist[(a^(m - 1/2)*b^(n + 1/2)*Sqrt[a*v])/Sqrt[b*v], Int[u*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]`

**Rule 2748**

`Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

**Rule 3767**

`Int[csc[(c_.) + (d_.)*(x_.)]^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

**Rule 3768**

`Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Csc[c + d*x])^(n - 1)/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

**Rule 3770**

`Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (b \cos(c + dx))^{5/2}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^3(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec^2(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{A \sin(c + dx)}{2b^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{(A \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{A \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{2b^2 d \sqrt{b \cos(c + dx)}} + \frac{A \sin(c + dx)}{2b^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.08, size = 65, normalized size = 0.56

$$\frac{\sqrt{\cos(c + dx)} (\sin(c + dx)(A + 2B \cos(c + dx)) + A \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{2d(b \cos(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^(5/2)), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(A\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + (A + 2\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(2\*d\*(b\*Cos[c + d\*x])^(5/2))

**fricas [A]** time = 0.89, size = 231, normalized size = 1.99

$$\left[ \frac{A \sqrt{b} \cos(dx + c)^3 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2(2B \cos(dx + c) + A) \sqrt{b \cos(dx+c)}}{4 b^3 d \cos(dx + c)^3} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] [1/4\*(A\*sqrt(b)\*cos(d\*x + c)^3\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3) + 2\*(2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(b^3\*d\*cos(d\*x + c)^3), -1/2\*(A\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^3 - (2\*B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)^3)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c))^(5/2)\*sqrt(cos(d\*x + c))), x)

**maple [A]** time = 0.20, size = 120, normalized size = 1.03

$$\frac{\left(-A \left(\cos^2(dx+c)\right) \ln\left(-\frac{-1+\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + A \left(\cos^2(dx+c)\right) \ln\left(\frac{1-\cos(dx+c)+\sin(dx+c)}{\sin(dx+c)}\right) + 2B \cos(dx+c)\right)}{2d(b \cos(dx+c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(5/2),x)

[Out] 1/2/d\*(-A\*cos(d\*x+c)^2\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+A\*cos(d\*x+c)^2\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+2\*B\*cos(d\*x+c)\*sin(d\*x+c)+A\*sin(d\*x+c))\*cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(5/2)

**maxima [B]** time = 0.69, size = 757, normalized size = 6.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] 1/4\*(8\*B\*sqrt(b)\*sin(2\*d\*x + 2\*c)/(b^3\*cos(2\*d\*x + 2\*c)^2 + b^3\*sin(2\*d\*x + 2\*c)^2 + 2\*b^3\*cos(2\*d\*x + 2\*c) + b^3) - (4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*A/((b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*sqrt(b))/d

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} (b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(5/2)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^(1/2)\*(b\*cos(c + d\*x))^(5/2)), x)

**sympy [F(-1)]** time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

$$3.886 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=157

$$\frac{A \sin^3(c+dx)}{3b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{b^2d\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)}}{b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}}$$

[Out]  $\frac{1}{2}B\sin(d*x+c)/b^2/d/\cos(d*x+c)^{(3/2)}/(b*\cos(d*x+c))^{(1/2)}+1/3*A*\sin(d*x+c)^3/b^2/d/\cos(d*x+c)^{(5/2)}/(b*\cos(d*x+c))^{(1/2)}+A*\sin(d*x+c)/b^2/d/\cos(d*x+c)^{(1/2)}/(b*\cos(d*x+c))^{(1/2)}+1/2*B*\operatorname{arctanh}(\sin(d*x+c))*\cos(d*x+c)^{(1/2)}/b^2/d/(b*\cos(d*x+c))^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {18, 2748, 3767, 3768, 3770}

$$\frac{A \sin^3(c+dx)}{3b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}} + \frac{A \sin(c+dx)}{b^2d\sqrt{\cos(c+dx)}\sqrt{b \cos(c+dx)}} + \frac{B \sin(c+dx)}{2b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}} + \frac{B\sqrt{\cos(c+dx)}}{b^2d \cos^2(c+dx)\sqrt{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(5/2)),x]

[Out]  $(B*\operatorname{ArcTanh}[\sin[c + d*x]]*\sqrt{\cos[c + d*x]})/(2*b^2*d*\sqrt{b*\cos[c + d*x]}) + (B*\sin[c + d*x])/(2*b^2*d*\cos[c + d*x]^{(3/2)}*\sqrt{b*\cos[c + d*x]}) + (A*\sin[c + d*x])/(b^2*d*\sqrt{\cos[c + d*x]}*\sqrt{b*\cos[c + d*x]}) + (A*\sin[c + d*x]^3)/(3*b^2*d*\cos[c + d*x]^{(5/2)}*\sqrt{b*\cos[c + d*x]})$

#### Rule 18

Int[(u\_.)\*((a\_.)\*(v\_.))^(m\_.)\*((b\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(a^(m - 1/2)\*b^(n + 1/2)\*Sqrt[a\*v])/Sqrt[b\*v], Int[u\*v^(m + n), x], x] /; FreeQ[{a, b, m}, x] && !IntegerQ[m] && ILtQ[n - 1/2, 0] && IntegerQ[m + n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(b \cos(c + dx))^{5/2}} dx &= \frac{\sqrt{\cos(c + dx)} \int (A + B \cos(c + dx)) \sec^4(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{(A \sqrt{\cos(c + dx)}) \int \sec^4(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec^3(c + dx) dx}{b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{B \sin(c + dx)}{2b^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}} + \frac{(B \sqrt{\cos(c + dx)}) \int \sec(c + dx) dx}{2b^2 \sqrt{b \cos(c + dx)}} \\
&= \frac{B \tanh^{-1}(\sin(c + dx)) \sqrt{\cos(c + dx)}}{2b^2 d \sqrt{b \cos(c + dx)}} + \frac{B \sin(c + dx)}{2b^2 d \cos^{\frac{3}{2}}(c + dx) \sqrt{b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.11, size = 76, normalized size = 0.48

$$\frac{\sqrt{\cos(c + dx)} (2A(\cos(2(c + dx)) + 2) \tan(c + dx) + 3B \sin(c + dx) + 3B \cos^2(c + dx) \tanh^{-1}(\sin(c + dx)))}{6d(b \cos(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^(5/2)), x]

[Out] (Sqrt[Cos[c + d\*x]]\*(3\*B\*ArcTanh[Sin[c + d\*x]]\*Cos[c + d\*x]^2 + 3\*B\*Sin[c + d\*x] + 2\*A\*(2 + Cos[2\*(c + d\*x)])\*Tan[c + d\*x]))/(6\*d\*(b\*Cos[c + d\*x])^(5/2))

**fricas [A]** time = 0.94, size = 259, normalized size = 1.65

$$\left[ \frac{3 B \sqrt{b} \cos(dx + c)^4 \log\left(-\frac{b \cos(dx+c)^3 - 2 \sqrt{b \cos(dx+c)} \sqrt{b} \sqrt{\cos(dx+c)} \sin(dx+c) - 2 b \cos(dx+c)}{\cos(dx+c)^3}\right) + 2 (4 A \cos(dx + c)^2 + 3 B \cos(dx + c)) \sqrt{b \cos(dx + c)}}{12 b^3 d \cos(dx + c)^4} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] [1/12\*(3\*B\*sqrt(b)\*cos(d\*x + c)^4\*log(-(b\*cos(d\*x + c))^3 - 2\*sqrt(b\*cos(d\*x + c))\*sqrt(b)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 2\*b\*cos(d\*x + c))/cos(d\*x + c)^3 + 2\*(4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)^4), -1/6\*(3\*B\*sqrt(-b)\*arctan(sqrt(b\*cos(d\*x + c))\*sqrt(-b)\*sin(d\*x + c)/(b\*sqrt(cos(d\*x + c))))\*cos(d\*x + c)^4 - (4\*A\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + 2\*A)\*sqrt(b\*cos(d\*x + c))\*sqrt(cos(d\*x + c))\*sin(d\*x + c))/(b^3\*d\*cos(d\*x + c)^4)]

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c))^(5/2)\*cos(d\*x + c)^(3/2)), x)

maple [A] time = 0.20, size = 139, normalized size = 0.89

$$\frac{-3B \left( \cos^3(dx + c) \right) \ln \left( -\frac{-1 + \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + 3B \left( \cos^3(dx + c) \right) \ln \left( \frac{1 - \cos(dx + c) + \sin(dx + c)}{\sin(dx + c)} \right) + 4A \left( \cos^2(dx + c) \right)}{6d (b \cos(dx + c))^{\frac{5}{2}} \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(5/2), x)

[Out] 1/6/d\*(-3\*B\*cos(d\*x+c)^3\*ln(-(-1+cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+3\*B\*cos(d\*x+c)^3\*ln((1-cos(d\*x+c)+sin(d\*x+c))/sin(d\*x+c))+4\*A\*cos(d\*x+c)^2\*sin(d\*x+c)+3\*B\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*sin(d\*x+c))/(b\*cos(d\*x+c))^(5/2)/cos(d\*x+c)^(1/2)

maxima [B] time = 0.71, size = 1033, normalized size = 6.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(b\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] 1/12\*(16\*((3\*cos(2\*d\*x + 2\*c) + 1)\*sin(6\*d\*x + 6\*c) + 3\*(3\*cos(2\*d\*x + 2\*c) + 1)\*sin(4\*d\*x + 4\*c) - 3\*cos(6\*d\*x + 6\*c)\*sin(2\*d\*x + 2\*c) - 9\*cos(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c))\*A/((b^2\*cos(6\*d\*x + 6\*c)^2 + 9\*b^2\*cos(4\*d\*x + 4\*c)^2 + 9\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(6\*d\*x + 6\*c)^2 + 9\*b^2\*sin(4\*d\*x + 4\*c)^2 + 18\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 9\*b^2\*sin(2\*d\*x + 2\*c)^2 + 6\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(3\*b^2\*cos(4\*d\*x + 4\*c) + 3\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(6\*d\*x + 6\*c) + 6\*(3\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c) + 6\*(b^2\*sin(4\*d\*x + 4\*c) + b^2\*sin(2\*d\*x + 2\*c))\*sin(6\*d\*x + 6\*c))\*sqrt(b) - 3\*(4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - 4\*(sin(4\*d\*x + 4\*c) + 2\*sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) + (2\*(2\*cos(2\*d\*x + 2\*c) + 1)\*cos(4\*d\*x + 4\*c) + cos(4\*d\*x + 4\*c)^2 + 4\*cos(2\*d\*x + 2\*c)^2 + sin(4\*d\*x + 4\*c)^2 + 4\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*sin(2\*d\*x + 2\*c)^2 + 4\*cos(2\*d\*x + 2\*c) + 1)\*log(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))^2 - 2\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 1) - 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(3/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + 4\*(cos(4\*d\*x + 4\*c) + 2\*cos(2\*d\*x + 2\*c) + 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*B/((b^2\*cos(4\*d\*x + 4\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c)^2 + b^2\*sin(4\*d\*x + 4\*c)^2 + 4\*b^2\*sin(4\*d\*x + 4\*c)\*sin(2\*d\*x + 2\*c) + 4\*b^2\*sin(2\*d\*x + 2\*c)^2 + 4\*b^2\*cos(2\*d\*x + 2\*c) + b^2 + 2\*(2\*b^2\*cos(2\*d\*x + 2\*c) + b^2)\*cos(4\*d\*x + 4\*c))\*sqrt(b))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^{3/2} (b \cos(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(b*cos(c + d*x))^(5/2)),x)
```

```
[Out] int((A + B*cos(c + d*x))/(cos(c + d*x)^(3/2)*(b*cos(c + d*x))^(5/2)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.887 \quad \int \cos^2(c + dx) \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^3 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^4 d \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/10*A*(b*\cos(d*x+c))^{(10/3)*\text{hypergeom}([1/2, 5/3], [8/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)} - 3/13*B*(b*\cos(d*x+c))^{(13/3)*\text{hypergeom}([1/2, 13/6], [19/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^4/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^3 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^4 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(b*\text{Cos}[c + d*x])^{(1/3)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(10/3)*\text{Hypergeometric2F1}[1/2, 5/3, 8/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(10*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(13/3)*\text{Hypergeometric2F1}[1/2, 13/6, 19/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(13*b^4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)^{(v_*)^{(m_*)}*((b_*)^{(v_*)^{(n_*)})}, x\_Symbol] := \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)^{(c_*)} \sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& \text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)^{(e_*)} \sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)^{(e_*)} \sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx) \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{7/3} (A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c + dx))^{7/3} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{10/3} dx}{b^3} \\ &= -\frac{3A(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{10b^3 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 94, normalized size = 0.79

$$\frac{3\sqrt{\sin^2(c+dx)} \cos^2(c+dx) \cot(c+dx) \sqrt[3]{b \cos(c+dx)} \left(13A {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right) + 10B \cos(c+dx)\right)}{130d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*Cos[c + d\*x]^2\*(b\*Cos[c + d\*x])^(1/3)\*Cot[c + d\*x]\*(13\*A\*Hypergeometric2F1[1/2, 5/3, 8/3, Cos[c + d\*x]^2] + 10\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 13/6, 19/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(130\*d)

**fricas [F]** time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx+c)^3 + A \cos(dx+c)^2\right) (b \cos(dx+c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*(b\*cos(d\*x + c))^(1/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{1}{3}} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^2, x)

**maple [F]** time = 0.40, size = 0, normalized size = 0.00

$$\int (\cos^2(dx+c)) (b \cos(dx+c))^{\frac{1}{3}} (A + B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{1}{3}} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c+dx)^2 (b \cos(c+dx))^{\frac{1}{3}} (A + B \cos(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2*(b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^2*(b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(b*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.888 \quad \int \cos(c + dx) \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^3 d \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/7*A*(b*\cos(d*x+c))^{7/3}*hypergeom([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}-3/10*B*(b*\cos(d*x+c))^{10/3}*hypergeom([1/2, 5/3], [8/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^3 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]), x]

[Out]  $(-3*A*(b*\cos[c + d*x])^{7/3}*Hypergeometric2F1[1/2, 7/6, 13/6, \cos[c + d*x]^2]*\sin[c + d*x])/(7*b^2*d*\sqrt{[\sin[c + d*x]^2]}) - (3*B*(b*\cos[c + d*x])^{10/3}*Hypergeometric2F1[1/2, 5/3, 8/3, \cos[c + d*x]^2]*\sin[c + d*x])/(10*b^3*d*\sqrt{[\sin[c + d*x]^2]})$

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx) \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int (b \cos(c + dx))^{4/3} dx}{b} + \frac{B \int (b \cos(c + dx))^{7/3} dx}{b^2} \\ &= -\frac{3A(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{7b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.15, size = 89, normalized size = 0.75

$$\frac{3\sqrt{\sin^2(c+dx)} \cot(c+dx)(b \cos(c+dx))^{4/3} \left(10A {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) + 7B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right)\right)}{70bd}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*(b\*Cos[c + d\*x])^(4/3)\*Cot[c + d\*x]\*(10\*A\*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d\*x]^2] + 7\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 5/3, 8/3, Cos[c + d\*x]^2]))\*Sqrt[Sin[c + d\*x]^2]/(70\*b\*d)

**fricas** [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx+c)^2 + A \cos(dx+c)\right) (b \cos(dx+c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{1}{3}} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c), x)

**maple** [F] time = 0.29, size = 0, normalized size = 0.00

$$\int \cos(dx+c) (b \cos(dx+c))^{\frac{1}{3}} (A + B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{1}{3}} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c+dx) (b \cos(c+dx))^{1/3} (A + B \cos(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)*(b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)*(b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.889 \quad \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4bd\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7b^2d\sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/4*A*(b*\cos(d*x+c))^{4/3}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(\sin(d*x+c)^2)^{(1/2)}-3/7*B*(b*\cos(d*x+c))^{7/3}*\text{hypergeom}([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4bd\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7b^2d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{1/3}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{4/3}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*b*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{7/3}*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 2643**

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \&\& \text{IntegerQ}[2*n]$

**Rule 2748**

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

**Rubi steps**

$$\begin{aligned} \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx &= A \int \sqrt[3]{b \cos(c + dx)} dx + \frac{B \int (b \cos(c + dx))^{4/3} dx}{b} \\ &= \frac{3A(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{4bd\sqrt{\sin^2(c + dx)}} - \frac{3B(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{7b^2d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.09, size = 86, normalized size = 0.72

$$\frac{3\sqrt{\sin^2(c + dx)} \cot(c + dx) \sqrt[3]{b \cos(c + dx)} \left(7A {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) + 4B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)\right)}{28d}$$

Antiderivative was successfully verified.



[In] Integrate[(b\*cos[c + d\*x])^(1/3)\*(A + B\*cos[c + d\*x]),x]

[Out]  $(-3*(b*\cos[c + d*x])^{1/3}*\cot[c + d*x]*(7*A*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \cos[c + d*x]^2] + 4*B*\cos[c + d*x]*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \cos[c + d*x]^2])*\sqrt{\sin[c + d*x]^2})/(28*d)$

**fricas** [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3), x)

**maple** [F] time = 0.16, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^{\frac{1}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \cos(c + dx))^{1/3} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(c + d\*x))^(1/3)\*(A + B\*cos(c + d\*x)),x)

[Out] int((b\*cos(c + d\*x))^(1/3)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.890 \quad \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$$

**Optimal.** Leaf size=114

$$\frac{3A \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx) (b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4bd \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3*A*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/6, 1/2], [7/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(\sin(d*x+c)^2)^{(1/2)}-3/4*B*(b*\cos(d*x+c))^{(4/3)}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx) (b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4bd \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(1/3)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(4/3)}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*b*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \ \&\amp; \ \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \ \&\amp; \ !\text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps

$$\begin{aligned} \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{2/3}} dx \\ &= (Ab) \int \frac{1}{(b \cos(c + dx))^{2/3}} dx + B \int \sqrt[3]{b \cos(c + dx)} dx \\ &= -\frac{3A \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.10, size = 86, normalized size = 0.75

$$\frac{3b\sqrt{\sin^2(c+dx)} \cot(c+dx) \left( 4A {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right) + B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right) \right)}{4d(b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (-3\*b\*Cot[c + d\*x]\*(4\*A\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2] + B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(4\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas [F]** time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c), x)

**maple [F]** time = 0.28, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^{1/3} (A + B \cos(dx + c)) \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{1/3} (A + B \cos(c + dx))}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x), x)`

[Out] `int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((b*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c))*sec(d*x+c), x)`

[Out] `Integral((b*cos(c + d*x))**(1/3)*(A + B*cos(c + d*x))*sec(c + d*x), x)`

$$3.891 \quad \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=112

$$\frac{3Ab \sin(c + dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{2/3}} - \frac{3B \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}}$$

[Out]  $3/2 * A * b * \text{hypergeom}([-1/3, 1/2], [2/3], \cos(d*x+c)^2) * \sin(d*x+c) / d / (b * \cos(d*x+c))^{2/3} / (\sin(d*x+c)^2)^{1/2} - 3 * B * (b * \cos(d*x+c))^{1/3} * \text{hypergeom}([1/6, 1/2], [7/6], \cos(d*x+c)^2) * \sin(d*x+c) / d / (\sin(d*x+c)^2)^{1/2}$

**Rubi [A]** time = 0.09, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab \sin(c + dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{2/3}} - \frac{3B \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b * \text{Cos}[c + d*x])^{1/3} * (A + B * \text{Cos}[c + d*x]) * \text{Sec}[c + d*x]^2, x]$

[Out]  $(3 * A * b * \text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (2 * d * (b * \text{Cos}[c + d*x])^{2/3} * \text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3 * B * (b * \text{Cos}[c + d*x])^{1/3} * \text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (d * \text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 16**

$\text{Int}[(u\_)*(v\_)^{(m\_)}*((b\_)*(v\_))^{(n\_)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

$\text{Int}[(b\_)*\sin[(c\_)+(d\_)*(x\_)]^{(n\_)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x] * (b * \text{Sin}[c + d*x])^{(n+1)} * \text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2]) / (b * d * (n+1) * \text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

$\text{Int}[(b\_)*\sin[(e\_)+(f\_)*(x\_)]^{(m\_)}*((c\_)+(d\_)*\sin[(e\_)+(f\_)*(x\_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b * \text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b * \text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{5/3}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c + dx))^{5/3}} dx + (bB) \int \frac{1}{(b \cos(c + dx))^{2/3}} dx \\ &= \frac{3Ab {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{2d(b \cos(c + dx))^{2/3} \sqrt{\sin^2(c + dx)}} - \frac{3B \sqrt[3]{b}}{2d(b \cos(c + dx))^{2/3} \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.13, size = 86, normalized size = 0.77

$$\frac{3b\sqrt{\sin^2(c+dx)} \csc(c+dx) \left( A {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) - 2B \cos(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right) \right)}{2d(b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (3\*b\*Csc[c + d\*x]\*(A\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2] - 2\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(2\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas** [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^2, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^2, x)

**maple** [F] time = 0.26, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^{1/3} (A + B \cos(dx + c)) (\sec^2(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{1/3} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{1/3} (A + B \cos(c + dx))}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^2,x)
```

```
[Out] int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

$$3.892 \quad \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=117

$$\frac{3Ab^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{5/3}} + \frac{3bB \sin(c + dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{2/3}}$$

[Out]  $3/5 * A * b^2 * \text{hypergeom}([-5/6, 1/2], [1/6], \cos(d*x+c)^2) * \sin(d*x+c) / d / (b * \cos(d*x+c))^{(5/3)} / (\sin(d*x+c)^2)^{(1/2)} + 3/2 * b * B * \text{hypergeom}([-1/3, 1/2], [2/3], \cos(d*x+c)^2) * \sin(d*x+c) / d / (b * \cos(d*x+c))^{(2/3)} / (\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab^2 \sin(c + dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right)}{5d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{5/3}} + \frac{3bB \sin(c + dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right)}{2d\sqrt{\sin^2(c + dx)} (b \cos(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b * \text{Cos}[c + d*x])^{(1/3)} * (A + B * \text{Cos}[c + d*x]) * \text{Sec}[c + d*x]^3, x]$

[Out]  $(3 * A * b^2 * \text{Hypergeometric2F1}[-5/6, 1/2, 1/6, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (5 * d * (b * \text{Cos}[c + d*x])^{(5/3)} * \text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3 * b * B * \text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2] * \text{Sin}[c + d*x]) / (2 * d * (b * \text{Cos}[c + d*x])^{(2/3)} * \text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 16**

$\text{Int}[(u\_)*(v\_)^{(m\_)}*((b\_)*(v\_))^{(n\_)}, x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

**Rule 2643**

$\text{Int}[(b\_)*\sin[(c\_)+(d\_)*(x\_)]^{(n\_)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x] * (b * \text{Sin}[c + d*x])^{(n+1)} * \text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2]) / (b * d * (n+1) * \text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& \text{IntegerQ}[2*n]$

**Rule 2748**

$\text{Int}[(b\_)*\sin[(e\_)+(f\_)*(x\_)]^{(m\_)}*((c\_)+(d\_)*\sin[(e\_)+(f\_)*(x\_)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b * \text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b * \text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

**Rubi steps**

$$\begin{aligned} \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= b^3 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{8/3}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c + dx))^{8/3}} dx + (b^2B) \int \frac{1}{(b \cos(c + dx))^{5/3}} dx \\ &= \frac{3Ab^2 {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{5d(b \cos(c + dx))^{5/3} \sqrt{\sin^2(c + dx)}} + \frac{3bB {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{2d(b \cos(c + dx))^{2/3} \sqrt{\sin^2(c + dx)}} \end{aligned}$$



**Mathematica** [A] time = 0.09, size = 94, normalized size = 0.80

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx) \sec^2(c+dx) \sqrt[3]{b \cos(c+dx)} \left( 2A {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right) + 5B \cos(c+dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right) \right)}{10d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (3\*(b\*Cos[c + d\*x])^(1/3)\*Csc[c + d\*x]\*(2\*A\*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d\*x]^2] + 5\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2])\*Sec[c + d\*x]^2\*Sqrt[Sin[c + d\*x]^2])/(10\*d)

**fricas** [F] time = 1.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx + c) + A\right) (b \cos(dx + c))^{\frac{1}{3}} \sec(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^3, x)

**maple** [F] time = 0.26, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^{\frac{1}{3}} (A + B \cos(dx + c)) (\sec^3(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] int((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^{1/3} (A + B \cos(c + dx))}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^3,x)
```

```
[Out] int(((b*cos(c + d*x))^(1/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(1/3)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

$$3.893 \quad \int \cos^2(c + dx)(b \cos(c + dx))^{4/3}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^3 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{16/3} {}_2F_1\left(\frac{1}{2}, \frac{8}{3}; \frac{11}{3}; \cos^2(c + dx)\right)}{16b^4 d \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/13*A*(b*\cos(d*x+c))^{13/3}*hypergeom([1/2, 13/6], [19/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}-3/16*B*(b*\cos(d*x+c))^{16/3}*hypergeom([1/2, 8/3], [11/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^4/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^3 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{16/3} {}_2F_1\left(\frac{1}{2}, \frac{8}{3}; \frac{11}{3}; \cos^2(c + dx)\right)}{16b^4 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(b*\text{Cos}[c + d*x])^{4/3}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{13/3}*Hypergeometric2F1[1/2, 13/6, 19/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(13*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{16/3}*Hypergeometric2F1[1/2, 8/3, 11/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(16*b^4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& !\text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \cos(c + dx))^{4/3}(A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{10/3}(A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c + dx))^{10/3} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{13/3} dx}{b^3} \\ &= -\frac{3A(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^3 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.21, size = 94, normalized size = 0.79

$$\frac{3\sqrt{\sin^2(c+dx)} \cos^2(c+dx) \cot(c+dx) (b \cos(c+dx))^{4/3} \left(16A {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c+dx)\right) + 13B \cos(c+dx)\right)}{208d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*Cos[c + d\*x]^2\*(b\*Cos[c + d\*x])^(4/3)\*Cot[c + d\*x]\*(16\*A\*Hypergeometric2F1[1/2, 13/6, 19/6, Cos[c + d\*x]^2] + 13\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 8/3, 11/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(208\*d)

**fricas** [F] time = 0.96, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx+c)^4 + Ab \cos(dx+c)^3\right) (b \cos(dx+c))^{1/3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^4 + A\*b\*cos(d\*x + c)^3)\*(b\*cos(d\*x + c))^(1/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{4/3} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c)^2, x)

**maple** [F] time = 0.36, size = 0, normalized size = 0.00

$$\int (\cos^2(dx+c)) (b \cos(dx+c))^{4/3} (A + B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{4/3} \cos(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c+dx)^2 (b \cos(c+dx))^{4/3} (A + B \cos(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2*(b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^2*(b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(b*cos(d*x+c))**(4/3)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.894 \quad \int \cos(c + dx)(b \cos(c + dx))^{4/3}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^3 d \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/10*A*(b*\cos(d*x+c))^{(10/3)*\text{hypergeom}([1/2, 5/3], [8/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}-3/13*B*(b*\cos(d*x+c))^{(13/3)*\text{hypergeom}([1/2, 13/6], [19/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^2 d \sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{13/3} {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c + dx)\right)}{13b^3 d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]*(b*\text{Cos}[c + d*x])^{(4/3)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(10/3)}*\text{Hypergeometric2F1}[1/2, 5/3, 8/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(10*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(13/3)}*\text{Hypergeometric2F1}[1/2, 13/6, 19/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(13*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)^{(v_*)}*(b_*)^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)^n*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& \text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)^m*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \cos(c + dx))^{4/3}(A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{7/3}(A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int (b \cos(c + dx))^{7/3} dx}{b} + \frac{B \int (b \cos(c + dx))^{10/3} dx}{b^2} \\ &= -\frac{3A(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{10b^2 d \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 89, normalized size = 0.75

$$\frac{3\sqrt{\sin^2(c+dx)} \cot(c+dx)(b \cos(c+dx))^{7/3} \left(13A {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right) + 10B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{13}{6}; \frac{19}{6}; \cos^2(c+dx)\right)\right)}{130bd}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*(b\*Cos[c + d\*x])^(7/3)\*Cot[c + d\*x]\*(13\*A\*Hypergeometric2F1[1/2, 5/3, 8/3, Cos[c + d\*x]^2] + 10\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 13/6, 19/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(130\*b\*d)

**fricas [F]** time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx+c)^3 + Ab \cos(dx+c)^2\right)(b \cos(dx+c))^{1/3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^3 + A\*b\*cos(d\*x + c)^2)\*(b\*cos(d\*x + c))^(1/3), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^{4/3} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c), x)

**maple [F]** time = 0.30, size = 0, normalized size = 0.00

$$\int \cos(dx+c)(b \cos(dx+c))^{4/3}(A+B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^{4/3} \cos(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)*(b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)*(b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(b*cos(d*x+c))**(4/3)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```



### 3.895 $\int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^2d\sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/7*A*(b*\cos(d*x+c))^{(7/3)}*\text{hypergeom}([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(\sin(d*x+c)^2)^{(1/2)} - 3/10*B*(b*\cos(d*x+c))^{(10/3)}*\text{hypergeom}([1/2, 5/3], [8/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.06, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)}{10b^2d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(4/3)}*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(7/3)}*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*b*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(10/3)}*\text{Hypergeometric2F1}[1/2, 5/3, 8/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(10*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) dx &= A \int (b \cos(c + dx))^{4/3} dx + \frac{B \int (b \cos(c + dx))^{7/3} dx}{b} \\ &= -\frac{3A(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{7bd\sqrt{\sin^2(c + dx)}} - \frac{3B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{10b^2d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.05, size = 86, normalized size = 0.72

$$\frac{3\sqrt{\sin^2(c + dx)} \cot(c + dx)(b \cos(c + dx))^{4/3} \left(10A {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right) + 7B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c + dx)\right)\right)}{70d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*cos[c + d\*x])^(4/3)\*(A + B\*cos[c + d\*x]),x]

[Out]  $(-3*(b*\cos[c + d*x])^{4/3}*\cot[c + d*x]*(10*A*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \cos[c + d*x]^2] + 7*B*\cos[c + d*x]*\text{Hypergeometric2F1}[1/2, 5/3, 8/3, \cos[c + d*x]^2])*Sqrt[\sin[c + d*x]^2])/(70*d)$

**fricas** [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Ab \cos(dx + c)\right)(b \cos(dx + c))^{\frac{1}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3), x)

**maple** [F] time = 0.14, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^{\frac{4}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{4}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(c + d\*x))^(4/3)\*(A + B\*cos(c + d\*x)),x)

[Out] int((b\*cos(c + d\*x))^(4/3)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

### 3.896 $\int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=116

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}}$$

[Out]  $-3/4*A*(b*\cos(d*x+c))^{(4/3)}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(\sin(d*x+c)^2)^{(1/2)}-3/7*B*(b*\cos(d*x+c))^{(7/3)}*\text{hypergeom}([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c + dx)(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx)(b \cos(c + dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c + dx)\right)}{7bd\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(4/3)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(4/3)}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(7/3)}*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*b*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}), x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx \\ &= (Ab) \int \sqrt[3]{b \cos(c + dx)} dx + B \int (b \cos(c + dx))^{4/3} dx \\ &= -\frac{3A(b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right) \sin(c + dx)}{4d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.01, size = 87, normalized size = 0.75

$$\frac{3b\sqrt{\sin^2(c+dx)} \cot(c+dx) \sqrt[3]{b \cos(c+dx)} \left( 7A {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right) + 4B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) \right)}{28d}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (-3\*b\*(b\*Cos[c + d\*x])^(1/3)\*Cot[c + d\*x]\*(7\*A\*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d\*x]^2] + 4\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(28\*d)

**fricas** [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx+c)^2 + Ab \cos(dx+c)\right) (b \cos(dx+c))^{\frac{1}{3}} \sec(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{4}{3}} \sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c), x)

**maple** [F] time = 0.23, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c))^{\frac{4}{3}} (A + B \cos(dx+c)) \sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^{\frac{4}{3}} \sec(dx+c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c+dx))^{\frac{4}{3}} (A + B \cos(c+dx))}{\cos(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x),x)
```

```
[Out] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(4/3)*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] Timed out
```

$$3.897 \quad \int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=112

$$\frac{3Ab \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx) (b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d\sqrt{\sin^2(c + dx)}}$$

[Out]  $-3A*b*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/6, 1/2], [7/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(\sin(d*x+c)^2)^{(1/2)}-3/4*B*(b*\cos(d*x+c))^{(4/3)}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab \sin(c + dx) \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right)}{d\sqrt{\sin^2(c + dx)}} - \frac{3B \sin(c + dx) (b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4d\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^{(4/3)}*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2, x]$

[Out]  $(-3A*b*(b*\text{Cos}[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3B*(b*\text{Cos}[c + d*x])^{(4/3)}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 16**

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}), x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

**Rule 2643**

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& \text{IntegerQ}[2*n]$

**Rule 2748**

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

**Rubi steps**

$$\begin{aligned} \int (b \cos(c + dx))^{4/3} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{2/3}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c + dx))^{2/3}} dx + (bB) \int \sqrt[3]{b \cos(c + dx)} dx \\ &= -\frac{3Ab \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{d\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.03, size = 88, normalized size = 0.79

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\cot(c+dx)\left(4A{}_2F_1\left(\frac{1}{6},\frac{1}{2};\frac{7}{6};\cos^2(c+dx)\right)+B\cos(c+dx){}_2F_1\left(\frac{1}{2},\frac{2}{3};\frac{5}{3};\cos^2(c+dx)\right)\right)}{4d(b\cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (-3\*b^2\*Cot[c + d\*x]\*(4\*A\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2] + B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(4\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb\cos(dx+c)^2+Ab\cos(dx+c)\right)(b\cos(dx+c))^{1/3}\sec(dx+c)^2,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)(b\cos(dx+c))^{4/3}\sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c)^2, x)

**maple [F]** time = 0.24, size = 0, normalized size = 0.00

$$\int (b\cos(dx+c))^{4/3}(A+B\cos(dx+c))(\sec^2(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)(b\cos(dx+c))^{4/3}\sec(dx+c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b\cos(c+dx))^{4/3}(A+B\cos(c+dx))}{\cos(c+dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^2,x)
```

```
[Out] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^2, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(4/3)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```



$$3.898 \quad \int (b \cos(c+dx))^{4/3} (A+B \cos(c+dx)) \sec^3(c+dx) dx$$

**Optimal.** Leaf size=115

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{2/3}} - \frac{3bB \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{d\sqrt{\sin^2(c+dx)}}$$

[Out]  $3/2*A*b^2*\text{hypergeom}([-1/3, 1/2], [2/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(2/3)}/(\sin(d*x+c)^2)^{(1/2)}-3*b*B*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/6, 1/2], [7/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{2/3}} - \frac{3bB \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{d\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c+d*x])^{(4/3)}*(A+B*\text{Cos}[c+d*x])* \text{Sec}[c+d*x]^3, x]$

[Out]  $(3*A*b^2*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c+d*x]^2]*\text{Sin}[c+d*x])/(2*d*(b*\text{Cos}[c+d*x])^{(2/3)}*\text{Sqrt}[\text{Sin}[c+d*x]^2]) - (3*b*B*(b*\text{Cos}[c+d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c+d*x]^2]*\text{Sin}[c+d*x])/(d*\text{Sqrt}[\text{Sin}[c+d*x]^2])$

**Rule 16**

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*)^{(n_*)}), x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

$\text{Int}[(b_*)*\sin[(c_*)+(d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c+d*x]*(b*\text{Sin}[c+d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c+d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c+d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

$\text{Int}[(b_*)*\sin[(e_*)+(f_*)*(x_*)]^{(m_*)}*((c_*)+(d_*)*\sin[(e_*)+(f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int (b \cos(c+dx))^{4/3} (A+B \cos(c+dx)) \sec^3(c+dx) dx &= b^3 \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{5/3}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c+dx))^{5/3}} dx + (b^2B) \int \frac{1}{(b \cos(c+dx))^{2/3}} dx \\ &= \frac{3Ab^2 {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{2d(b \cos(c+dx))^{2/3} \sqrt{\sin^2(c+dx)}} - \frac{3bB}{d\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.11, size = 88, normalized size = 0.77

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\csc(c+dx)\left(A{}_2F_1\left(-\frac{1}{3},\frac{1}{2};\frac{2}{3};\cos^2(c+dx)\right)-2B\cos(c+dx){}_2F_1\left(\frac{1}{6},\frac{1}{2};\frac{7}{6};\cos^2(c+dx)\right)\right)}{2d(b\cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (3\*b^2\*Csc[c + d\*x]\*(A\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2] - 2\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(2\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas** [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb\cos(dx+c)^2+Ab\cos(dx+c)\right)(b\cos(dx+c))^{1/3}\sec(dx+c)^3,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)(b\cos(dx+c))^{4/3}\sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c)^3, x)

**maple** [F] time = 0.27, size = 0, normalized size = 0.00

$$\int (b\cos(dx+c))^{4/3}(A+B\cos(dx+c))(\sec^3(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] int((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B\cos(dx+c)+A)(b\cos(dx+c))^{4/3}\sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b\cos(c+dx))^{4/3}(A+B\cos(c+dx))}{\cos(c+dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^3,x)
```

```
[Out] int(((b*cos(c + d*x))^(4/3)*(A + B*cos(c + d*x)))/cos(c + d*x)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**(4/3)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

$$3.899 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right)}{10b^4 d \sqrt{\sin^2(c+dx)}}$$

[Out]  $-3/7*A*(b*\cos(d*x+c))^{7/3}*hypergeom([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}-3/10*B*(b*\cos(d*x+c))^{10/3}*hypergeom([1/2, 5/3], [8/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^4/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right)}{10b^4 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x]^{2/3}), x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{7/3}*Hypergeometric2F1[1/2, 7/6, 13/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{10/3}*Hypergeometric2F1[1/2, 5/3, 8/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(10*b^4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx &= \frac{\int (b \cos(c+dx))^{4/3} (A+B \cos(c+dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c+dx))^{4/3} dx}{b^2} + \frac{B \int (b \cos(c+dx))^{7/3} dx}{b^3} \\ &= \frac{3A(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{7b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B(b \cos(c+dx))^{10/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{10b^4 d \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 94, normalized size = 0.79

$$\frac{3\sqrt{\sin^2(c+dx)} \cos^2(c+dx) \cot(c+dx) \left(10A {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) + 7B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{3}; \frac{8}{3}; \cos^2(c+dx)\right)\right)}{70d(b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(2/3), x]

[Out] (-3\*Cos[c + d\*x]^2\*Cot[c + d\*x]\*(10\*A\*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d\*x]^2] + 7\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 5/3, 8/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(70\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas [F]** time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx+c)^2 + A \cos(dx+c)) (b \cos(dx+c))^{1/3}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3)/b, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^2}{(b \cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(2/3), x)

**maple [F]** time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{(\cos^2(dx+c))(A+B \cos(dx+c))}{(b \cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x)

[Out] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^2}{(b \cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(2/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(2/3), x)

[Out] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(2/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(2/3), x)

[Out] Timed out

$$3.900 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7b^3 d \sqrt{\sin^2(c+dx)}}$$

[Out]  $-3/4*A*(b*\cos(d*x+c))^{4/3}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}-3/7*B*(b*\cos(d*x+c))^{7/3}*\text{hypergeom}([1/2, 7/6], [13/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right)}{7b^3 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{2/3}, x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{4/3}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x]/(4*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{7/3}*\text{Hypergeometric2F1}[1/2, 7/6, 13/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]))$

**Rule 16**

$\text{Int}[(u_)*(v_)^{(m_)*((b_)*(v_))^{(n_)}}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

$\text{Int}[(b_)*\sin[(c_)+(d_)*(x_)]^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

$\text{Int}[(b_)*\sin[(e_)+(f_)*(x_)]^{(m_)*((c_)+(d_)*\sin[(e_)+(f_)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx &= \frac{\int \sqrt[3]{b \cos(c+dx)} (A+B \cos(c+dx)) dx}{b} \\ &= \frac{A \int \sqrt[3]{b \cos(c+dx)} dx}{b} + \frac{B \int (b \cos(c+dx))^{4/3} dx}{b^2} \\ &= \frac{3A(b \cos(c+dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{4b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B(b \cos(c+dx))^{7/3} {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{7b^3 d \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.02, size = 89, normalized size = 0.75

$$\frac{3\sqrt{\sin^2(c+dx)} \cot(c+dx) \sqrt[3]{b \cos(c+dx)} \left( 7A {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right) + 4B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{7}{6}; \frac{13}{6}; \cos^2(c+dx)\right) \right)}{28bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(2/3), x]

[Out] (-3\*(b\*Cos[c + d\*x])^(1/3)\*Cot[c + d\*x]\*(7\*A\*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d\*x]^2] + 4\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 7/6, 13/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(28\*b\*d)

**fricas** [F] time = 0.91, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{1/3}}{b}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)/b, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(2/3), x)

**maple** [F] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c)(A + B \cos(dx + c))}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x)

[Out] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(2/3), x)



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(2/3), x)

[Out] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(2/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(2/3), x)

[Out] Timed out

$$3.901 \quad \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=117

$$\frac{3A \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx) (b \cos(c+dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

[Out]  $-3*A*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/6, 1/2], [7/6], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(\sin(d*x+c)^2)^{(1/2)}-3/4*B*(b*\cos(d*x+c))^{(4/3)}*\text{hypergeom}([1/2, 2/3], [5/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2748, 2643}

$$\frac{3A \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx) (b \cos(c+dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c+dx)\right)}{4b^2 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(2/3), x]

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/6, 1/2, 7/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(4/3)}*\text{Hypergeometric2F1}[1/2, 2/3, 5/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 2643**

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{2/3}} dx = A \int \frac{1}{(b \cos(c + dx))^{2/3}} dx + \frac{B \int \sqrt[3]{b \cos(c + dx)} dx}{b}$$

$$= -\frac{3A \sqrt[3]{b \cos(c + dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) \sin(c + dx)}{bd \sqrt{\sin^2(c + dx)}} - \frac{3B (b \cos(c + dx))^{4/3} {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)}{4b^2 d}$$

**Mathematica [A]** time = 0.02, size = 85, normalized size = 0.73

$$\frac{3 \sqrt{\sin^2(c + dx)} \cot(c + dx) \left(4A {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c + dx)\right) + B \cos(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{2}{3}; \frac{5}{3}; \cos^2(c + dx)\right)\right)}{4d (b \cos(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(2/3),x]

[Out] (-3\*Cot[c + d\*x]\*(4\*A\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2] + B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 2/3, 5/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(4\*d\*(b\*Cos[c + d\*x])^(2/3))

fricas [F] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}}}{b \cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)/(b\*cos(d\*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(2/3), x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(b \cos(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3),x)

[Out] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(2/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(2/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(2/3),x)

[Out] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(2/3),x)

[Out] Integral((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))\*\*(2/3), x)

$$3.902 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=114

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}} - \frac{3B \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}}$$

[Out] 3/2\*A\*hypergeom([-1/3, 1/2], [2/3], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(b\*cos(d\*x+c))^(2/3)/(sin(d\*x+c)^2)^(1/2)-3\*B\*(b\*cos(d\*x+c))^(1/3)\*hypergeom([1/6, 1/2], [7/6], cos(d\*x+c)^2)\*sin(d\*x+c)/b/d/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}} - \frac{3B \sin(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(2/3), x]

[Out] (3\*A\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(2\*d\*(b\*Cos[c + d\*x])^(2/3)\*Sqrt[Sin[c + d\*x]^2]) - (3\*B\*(b\*Cos[c + d\*x])^(1/3)\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(b\*d\*Sqrt[Sin[c + d\*x]^2])

**Rule 16**

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_)^(n\_)), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{2/3}} dx &= b \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{5/3}} dx \\ &= (Ab) \int \frac{1}{(b \cos(c+dx))^{5/3}} dx + B \int \frac{1}{(b \cos(c+dx))^{2/3}} dx \\ &= \frac{3A {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{2d(b \cos(c+dx))^{2/3} \sqrt{\sin^2(c+dx)}} - \frac{3B \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.07, size = 85, normalized size = 0.75

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx) \left( A {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right) - 2B \cos(c+dx) {}_2F_1\left(\frac{1}{6}, \frac{1}{2}; \frac{7}{6}; \cos^2(c+dx)\right) \right)}{2d(b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(2/3),x]

[Out] (3\*Csc[c + d\*x]\*(A\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2] - 2\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/6, 1/2, 7/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(2\*d\*(b\*Cos[c + d\*x])^(2/3))

**fricas** [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{1/3} \sec(dx + c)}{b \cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(2/3),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)/(b\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(2/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(2/3), x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(dx + c)) \sec(dx + c)}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(2/3),x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(2/3),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(2/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(2/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(2/3)), x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(2/3)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))\*\*(2/3), x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(b\*cos(c + d\*x))\*\*(2/3), x)

$$3.903 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=114

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{5/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{2/3}}$$

[Out]  $3/5*A*b*\text{hypergeom}([-5/6, 1/2], [1/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(5/3)}/(\sin(d*x+c)^2)^{(1/2)}+3/2*B*\text{hypergeom}([-1/3, 1/2], [2/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(2/3)}/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{5/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2/(b*\text{Cos}[c + d*x])^{(2/3)}, x]$

[Out]  $(3*A*b*\text{Hypergeometric2F1}[-5/6, 1/2, 1/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*d*(b*\text{Cos}[c + d*x])^{(5/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-1/3, 1/2, 2/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(2*d*(b*\text{Cos}[c + d*x])^{(2/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n\}, x \ \&\& \ \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \ \&\& \ !\text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{2/3}} dx &= b^2 \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{8/3}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c+dx))^{8/3}} dx + (bB) \int \frac{1}{(b \cos(c+dx))^{5/3}} dx \\ &= \frac{3Ab {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{5d(b \cos(c+dx))^{5/3} \sqrt{\sin^2(c+dx)}} + \frac{3B {}_2F_1\left(-\frac{1}{3}, \frac{1}{2}; \frac{2}{3}; \cos^2(c+dx)\right)}{2d(b \cos(c+dx))^{2/3}} \end{aligned}$$



**Mathematica [A]** time = 0.16, size = 89, normalized size = 0.78

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\cot(c+dx)\left(2A{}_2F_1\left(-\frac{5}{6},\frac{1}{2};\frac{1}{6};\cos^2(c+dx)\right)+5B\cos(c+dx){}_2F_1\left(-\frac{1}{3},\frac{1}{2};\frac{2}{3};\cos^2(c+dx)\right)\right)}{10d(b\cos(c+dx))^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(b\*Cos[c + d\*x]^(2/3), x]

[Out] (3\*b^2\*Cot[c + d\*x]\*(2\*A\*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d\*x]^2] + 5\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-1/3, 1/2, 2/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(10\*d\*(b\*Cos[c + d\*x])^(8/3))

**fricas [F]** time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)(b\cos(dx+c))^{1/3}\sec(dx+c)^2}{b\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^2/(b\*cos(d\*x + c)), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^2}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(2/3), x)

**maple [F]** time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{(A+B\cos(dx+c))\left(\sec^2(dx+c)\right)}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(2/3), x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(2/3), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^2}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(2/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(2/3)), x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(2/3)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(b\*cos(d\*x+c))\*\*(2/3), x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/(b\*cos(c + d\*x))\*\*(2/3), x)

$$3.904 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=117

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{4}{3}, \frac{1}{2}; -\frac{1}{3}; \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{8/3}} + \frac{3bB \sin(c+dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{5/3}}$$

[Out]  $3/8*A*b^2*\text{hypergeom}([-4/3, 1/2], [-1/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(8/3)}/(\sin(d*x+c)^2)^{(1/2)}+3/5*b*B*\text{hypergeom}([-5/6, 1/2], [1/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(5/3)}/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{4}{3}, \frac{1}{2}; -\frac{1}{3}; \cos^2(c+dx)\right)}{8d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{8/3}} + \frac{3bB \sin(c+dx) {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right)}{5d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{5/3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3/(b*\text{Cos}[c + d*x])^{(2/3)}, x]$

[Out]  $(3*A*b^2*\text{Hypergeometric2F1}[-4/3, 1/2, -1/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(8*d*(b*\text{Cos}[c + d*x])^{(8/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*b*B*\text{Hypergeometric2F1}[-5/6, 1/2, 1/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*d*(b*\text{Cos}[c + d*x])^{(5/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

**Rule 16**

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{2/3}} dx &= b^3 \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{11/3}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c+dx))^{11/3}} dx + (b^2B) \int \frac{1}{(b \cos(c+dx))^{8/3}} dx \\ &= \frac{3Ab^2 {}_2F_1\left(-\frac{4}{3}, \frac{1}{2}; -\frac{1}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{8d(b \cos(c+dx))^{8/3} \sqrt{\sin^2(c+dx)}} + \frac{3bB {}_2F_1\left(-\frac{5}{6}, \frac{1}{2}; \frac{1}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{5d(b \cos(c+dx))^{5/3} \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.15, size = 89, normalized size = 0.76

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\csc(c+dx)\left(5A{}_2F_1\left(-\frac{4}{3},\frac{1}{2};-\frac{1}{3};\cos^2(c+dx)\right)+8B\cos(c+dx){}_2F_1\left(-\frac{5}{6},\frac{1}{2};\frac{1}{6};\cos^2(c+dx)\right)\right)}{40d(b\cos(c+dx))^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(b\*Cos[c + d\*x]^(2/3), x]

[Out] (3\*b^2\*Csc[c + d\*x]\*(5\*A\*Hypergeometric2F1[-4/3, 1/2, -1/3, Cos[c + d\*x]^2] + 8\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-5/6, 1/2, 1/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(40\*d\*(b\*Cos[c + d\*x])^(8/3))

**fricas** [F] time = 1.09, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)(b\cos(dx+c))^{1/3}\sec(dx+c)^3}{b\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(2/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*sec(d\*x + c)^3/(b\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^3}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(2/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/(b\*cos(d\*x + c))^(2/3), x)

**maple** [F] time = 0.28, size = 0, normalized size = 0.00

$$\int \frac{(A+B\cos(dx+c))(\sec^3(dx+c))}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(2/3), x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(2/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^3}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(2/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/(b\*cos(d\*x + c))^(2/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (b \cos(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^3\*(b\*cos(c + d\*x))^(2/3)), x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^3\*(b\*cos(c + d\*x))^(2/3)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(b\*cos(d\*x+c))\*\*(2/3), x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*3/(b\*cos(c + d\*x))\*\*(2/3), x)

$$3.905 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{8/3} {}_2F_1\left(\frac{1}{2}, \frac{4}{3}; \frac{7}{3}; \cos^2(c+dx)\right)}{8b^4 d \sqrt{\sin^2(c+dx)}}$$

[Out]  $-3/5*A*(b*\cos(d*x+c))^{5/3}*hypergeom([1/2, 5/6], [11/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}-3/8*B*(b*\cos(d*x+c))^{8/3}*hypergeom([1/2, 4/3], [7/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^4/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{8/3} {}_2F_1\left(\frac{1}{2}, \frac{4}{3}; \frac{7}{3}; \cos^2(c+dx)\right)}{8b^4 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{4/3}, x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{5/3}*Hypergeometric2F1[1/2, 5/6, 11/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{8/3}*Hypergeometric2F1[1/2, 4/3, 7/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(8*b^4*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n\}, x \ \&\& \ \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \ \&\& \ !\text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx &= \frac{\int (b \cos(c+dx))^{2/3} (A+B \cos(c+dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c+dx))^{2/3} dx}{b^2} + \frac{B \int (b \cos(c+dx))^{5/3} dx}{b^3} \\ &= \frac{3A(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{5b^3 d \sqrt{\sin^2(c+dx)}} - \frac{3B(b \cos(c+dx))^{8/3} {}_2F_1\left(\frac{1}{2}, \frac{4}{3}; \frac{7}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{8b^4 d \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 94, normalized size = 0.79

$$\frac{3\sqrt{\sin^2(c+dx)} \cos^2(c+dx) \cot(c+dx) \left(8A {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right) + 5B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{4}{3}; \frac{7}{3}; \cos^2(c+dx)\right)\right)}{40d(b \cos(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (-3\*Cos[c + d\*x]^2\*Cot[c + d\*x]\*(8\*A\*Hypergeometric2F1[1/2, 5/6, 11/6, Cos[c + d\*x]^2] + 5\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 4/3, 7/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(40\*d\*(b\*Cos[c + d\*x])^(4/3))

**fricas [F]** time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{2/3}}{b^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)/b^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(4/3), x)

**maple [F]** time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{(\cos^2(dx + c))(A + B \cos(dx + c))}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x)

[Out] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c))^(4/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^2 (A + B \cos(c + dx))}{(b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(4/3), x)

[Out] int((cos(c + d\*x)^2\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(4/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(4/3), x)

[Out] Timed out



$$3.906 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=119

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5b^3 d \sqrt{\sin^2(c+dx)}}$$

[Out]  $-3/2*A*(b*\cos(d*x+c))^{(2/3)}*\text{hypergeom}([1/3, 1/2], [4/3], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(\sin(d*x+c)^2)^{(1/2)}-3/5*B*(b*\cos(d*x+c))^{(5/3)}*\text{hypergeom}([1/2, 5/6], [11/6], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.07, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right)}{5b^3 d \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x])^{(4/3)}, x]$

[Out]  $(-3*A*(b*\text{Cos}[c + d*x])^{(2/3)}*\text{Hypergeometric2F1}[1/3, 1/2, 4/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(2*b^2*d*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*(b*\text{Cos}[c + d*x])^{(5/3)}*\text{Hypergeometric2F1}[1/2, 5/6, 11/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(5*b^3*d*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx &= \frac{\int \frac{A+B \cos(c+dx)}{\sqrt[3]{b \cos(c+dx)}} dx}{b} \\ &= \frac{A \int \frac{1}{\sqrt[3]{b \cos(c+dx)}} dx}{b} + \frac{B \int (b \cos(c+dx))^{2/3} dx}{b^2} \\ &= -\frac{3A(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{2b^2 d \sqrt{\sin^2(c+dx)}} - \frac{3B(b \cos(c+dx))^{5/3} {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{5b^3 d \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.09, size = 89, normalized size = 0.75

$$\frac{3\sqrt{\sin^2(c+dx)} \cot(c+dx) \left( 5A {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right) + 2B \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{5}{6}; \frac{11}{6}; \cos^2(c+dx)\right) \right)}{10bd\sqrt[3]{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (-3\*Cot[c + d\*x]\*(5\*A\*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d\*x]^2] + 2\*B\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 5/6, 11/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(10\*b\*d\*(b\*Cos[c + d\*x])^(1/3))

**fricas** [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{2}{3}}}{b^2 \cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)/(b^2\*cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(4/3), x)

**maple** [F] time = 0.32, size = 0, normalized size = 0.00

$$\int \frac{\cos(dx + c) (A + B \cos(dx + c))}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x)

[Out] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c))^(4/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx) (A + B \cos(c + dx))}{(b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(4/3), x)

[Out] int((cos(c + d\*x)\*(A + B\*cos(c + d\*x)))/(b\*cos(c + d\*x))^(4/3), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(4/3), x)

[Out] Timed out

$$3.907 \quad \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=117

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2b^2d\sqrt{\sin^2(c+dx)}}$$

[Out] 3\*A\*hypergeom([-1/6, 1/2], [5/6], cos(d\*x+c)^2)\*sin(d\*x+c)/b/d/(b\*cos(d\*x+c))^(1/3)/(sin(d\*x+c)^2)^(1/2)-3/2\*B\*(b\*cos(d\*x+c))^(2/3)\*hypergeom([1/3, 1/2], [4/3], cos(d\*x+c)^2)\*sin(d\*x+c)/b^2/d/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.06, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2748, 2643}

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx)(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2b^2d\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*A\*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(b\*d\*(b\*Cos[c + d\*x])^(1/3)\*Sqrt[Sin[c + d\*x]^2]) - (3\*B\*(b\*Cos[c + d\*x])^(2/3)\*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(2\*b^2\*d\*Sqrt[Sin[c + d\*x]^2])

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c+dx)}{(b \cos(c+dx))^{4/3}} dx &= A \int \frac{1}{(b \cos(c+dx))^{4/3}} dx + \frac{B \int \frac{1}{\sqrt[3]{b \cos(c+dx)}} dx}{b} \\ &= \frac{3A {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{bd\sqrt[3]{b \cos(c+dx)} \sqrt{\sin^2(c+dx)}} - \frac{3B(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right)}{2b^2d\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.13, size = 85, normalized size = 0.73

$$\frac{3\sqrt{\sin^2(c+dx)} \cot(c+dx) \left( B \cos(c+dx) {}_2F_1\left(\frac{1}{3}, \frac{1}{2}; \frac{4}{3}; \cos^2(c+dx)\right) - 2A {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right) \right)}{2d(b \cos(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(b\*Cos[c + d\*x])^(4/3),x]

[Out] (-3\*Cot[c + d\*x]\*(-2\*A\*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d\*x]^2] + B\*Cos[c + d\*x]\*Hypergeometric2F1[1/3, 1/2, 4/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(2\*d\*(b\*Cos[c + d\*x])^(4/3))

**fricas** [F] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^{\frac{2}{3}}}{b^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)/(b^2\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(4/3), x)

**maple** [F] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{A + B \cos(dx + c)}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3),x)

[Out] int((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c))^(4/3), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{(b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(4/3),x)

[Out] int((A + B\*cos(c + d\*x))/(b\*cos(c + d\*x))^(4/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))\*\*(4/3),x)

[Out] Timed out

$$3.908 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=114

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{4/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}\sqrt[3]{b \cos(c+dx)}}$$

[Out] 3/4\*A\*hypergeom([-2/3, 1/2], [1/3], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(b\*cos(d\*x+c))^(4/3)/(sin(d\*x+c)^2)^(1/2)+3\*B\*hypergeom([-1/6, 1/2], [5/6], cos(d\*x+c)^2)\*sin(d\*x+c)/b/d/(b\*cos(d\*x+c))^(1/3)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.08, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{3A \sin(c+dx) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{4/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt{\sin^2(c+dx)}\sqrt[3]{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*A\*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(4\*d\*(b\*Cos[c + d\*x])^(4/3)\*Sqrt[Sin[c + d\*x]^2]) + (3\*B\*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(b\*d\*(b\*Cos[c + d\*x])^(1/3)\*Sqrt[Sin[c + d\*x]^2])

**Rule 16**

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_)^(n\_)), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(b \cos(c+dx))^{4/3}} dx &= b \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{7/3}} dx \\ &= (Ab) \int \frac{1}{(b \cos(c+dx))^{7/3}} dx + B \int \frac{1}{(b \cos(c+dx))^{4/3}} dx \\ &= \frac{3A {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{4d(b \cos(c+dx))^{4/3} \sqrt{\sin^2(c+dx)}} + \frac{3B {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right)}{bd\sqrt[3]{b \cos(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.15, size = 86, normalized size = 0.75

$$\frac{3b\sqrt{\sin^2(c+dx)} \cot(c+dx) \left( A {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right) + 4B \cos(c+dx) {}_2F_1\left(-\frac{1}{6}, \frac{1}{2}; \frac{5}{6}; \cos^2(c+dx)\right) \right)}{4d(b \cos(c+dx))^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(b\*Cos[c + d\*x])^(4/3),x]

[Out] (3\*b\*Cot[c + d\*x]\*(A\*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d\*x]^2] + 4\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-1/6, 1/2, 5/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(4\*d\*(b\*Cos[c + d\*x])^(7/3))

**fricas** [F] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^{2/3} \sec(dx + c)}{b^2 \cos(dx + c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(4/3),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)\*sec(d\*x + c)/(b^2\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(4/3),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(4/3), x)

**maple** [F] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(dx + c)) \sec(dx + c)}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(4/3),x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(4/3),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))^(4/3),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c))^(4/3), x)



mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx) (b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(4/3)), x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)\*(b\*cos(c + d\*x))^(4/3)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(b\*cos(d\*x+c))\*\*(4/3), x)

[Out] Timed out

$$3.909 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=114

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{7/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{4/3}}$$

[Out]  $3/7*A*b*\text{hypergeom}([-7/6, 1/2], [-1/6], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(7/3)}/(\sin(d*x+c)^2)^{(1/2)}+3/4*B*\text{hypergeom}([-2/3, 1/2], [1/3], \cos(d*x+c)^2)*\sin(d*x+c)/d/(b*\cos(d*x+c))^{(4/3)}/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab \sin(c+dx) {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{7/3}} + \frac{3B \sin(c+dx) {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d\sqrt{\sin^2(c+dx)} (b \cos(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^2/(b*\text{Cos}[c + d*x])^{(4/3)}, x]$

[Out]  $(3*A*b*\text{Hypergeometric2F1}[-7/6, 1/2, -1/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(7*d*(b*\text{Cos}[c + d*x])^{(7/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) + (3*B*\text{Hypergeometric2F1}[-2/3, 1/2, 1/3, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(4*d*(b*\text{Cos}[c + d*x])^{(4/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_*)^{(m_*)}*((b_*)*(v_*))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(b \cos(c+dx))^{4/3}} dx &= b^2 \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{10/3}} dx \\ &= (Ab^2) \int \frac{1}{(b \cos(c+dx))^{10/3}} dx + (bB) \int \frac{1}{(b \cos(c+dx))^{7/3}} dx \\ &= \frac{3Ab {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right) \sin(c+dx)}{7d(b \cos(c+dx))^{7/3} \sqrt{\sin^2(c+dx)}} + \frac{3B {}_2F_1\left(-\frac{2}{3}, \frac{1}{2}; \frac{1}{3}; \cos^2(c+dx)\right)}{4d(b \cos(c+dx))^{4/3}} \end{aligned}$$

**Mathematica [A]** time = 0.20, size = 89, normalized size = 0.78

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\cot(c+dx)\left(4A{}_2F_1\left(-\frac{7}{6},\frac{1}{2};-\frac{1}{6};\cos^2(c+dx)\right)+7B\cos(c+dx){}_2F_1\left(-\frac{2}{3},\frac{1}{2};\frac{1}{3};\cos^2(c+dx)\right)\right)}{28d(b\cos(c+dx))^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*b^2\*Cot[c + d\*x]\*(4\*A\*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d\*x]^2] + 7\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-2/3, 1/2, 1/3, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(28\*d\*(b\*Cos[c + d\*x])^(10/3))

**fricas [F]** time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)(b\cos(dx+c))^{\frac{2}{3}}\sec(dx+c)^2}{b^2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)\*sec(d\*x + c)^2/(b^2\*cos(d\*x + c)^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^2}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(4/3), x)

**maple [F]** time = 0.22, size = 0, normalized size = 0.00

$$\int \frac{(A+B\cos(dx+c))\left(\sec^2(dx+c)\right)}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(4/3), x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(4/3), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^2}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(b\*cos(d\*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c))^(4/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^2 (b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(4/3)),x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^2\*(b\*cos(c + d\*x))^(4/3)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(b\*cos(d\*x+c))\*\*(4/3),x)

[Out] Timed out

$$3.910 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=117

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{5}{3}, \frac{1}{2}; -\frac{2}{3}; \cos^2(c+dx)\right)}{10d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{10/3}} + \frac{3bB \sin(c+dx) {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{7/3}}$$

[Out] 3/10\*A\*b^2\*hypergeom([-5/3, 1/2], [-2/3], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(b\*cos(d\*x+c))^(10/3)/(sin(d\*x+c)^2)^(1/2)+3/7\*b\*B\*hypergeom([-7/6, 1/2], [-1/6], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(b\*cos(d\*x+c))^(7/3)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {16, 2748, 2643}

$$\frac{3Ab^2 \sin(c+dx) {}_2F_1\left(-\frac{5}{3}, \frac{1}{2}; -\frac{2}{3}; \cos^2(c+dx)\right)}{10d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{10/3}} + \frac{3bB \sin(c+dx) {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7d\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{7/3}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*A\*b^2\*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(10\*d\*(b\*Cos[c + d\*x])^(10/3)\*Sqrt[Sin[c + d\*x]^2]) + (3\*b\*B\*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(7\*d\*(b\*Cos[c + d\*x])^(7/3)\*Sqrt[Sin[c + d\*x]^2])

**Rule 16**

Int[(u\_.)\*(v\_)^(m\_.)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m+n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

**Rule 2643**

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

**Rule 2748**

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

**Rubi steps**

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(b \cos(c+dx))^{4/3}} dx &= b^3 \int \frac{A+B \cos(c+dx)}{(b \cos(c+dx))^{13/3}} dx \\ &= (Ab^3) \int \frac{1}{(b \cos(c+dx))^{13/3}} dx + (b^2B) \int \frac{1}{(b \cos(c+dx))^{10/3}} dx \\ &= \frac{3Ab^2 {}_2F_1\left(-\frac{5}{3}, \frac{1}{2}; -\frac{2}{3}; \cos^2(c+dx)\right) \sin(c+dx)}{10d(b \cos(c+dx))^{10/3} \sqrt{\sin^2(c+dx)}} + \frac{3bB {}_2F_1\left(-\frac{7}{6}, \frac{1}{2}; -\frac{1}{6}; \cos^2(c+dx)\right)}{7d(b \cos(c+dx))^{7/3}} \end{aligned}$$

**Mathematica** [A] time = 0.20, size = 89, normalized size = 0.76

$$\frac{3b^2\sqrt{\sin^2(c+dx)}\csc(c+dx)\left(7A{}_2F_1\left(-\frac{5}{3},\frac{1}{2};-\frac{2}{3};\cos^2(c+dx)\right)+10B\cos(c+dx){}_2F_1\left(-\frac{7}{6},\frac{1}{2};-\frac{1}{6};\cos^2(c+dx)\right)\right)}{70d(b\cos(c+dx))^{10/3}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*b^2\*Csc[c + d\*x]\*(7\*A\*Hypergeometric2F1[-5/3, 1/2, -2/3, Cos[c + d\*x]^2] + 10\*B\*Cos[c + d\*x]\*Hypergeometric2F1[-7/6, 1/2, -1/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(70\*d\*(b\*Cos[c + d\*x])^(10/3))

**fricas** [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)(b\cos(dx+c))^{\frac{2}{3}}\sec(dx+c)^3}{b^2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)\*sec(d\*x + c)^3/(b^2\*cos(d\*x + c)^2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^3}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/(b\*cos(d\*x + c))^(4/3), x)

**maple** [F] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{(A+B\cos(dx+c))(\sec^3(dx+c))}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(4/3), x)

[Out] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(4/3), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\sec(dx+c)^3}{(b\cos(dx+c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(b\*cos(d\*x+c))^(4/3), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/(b\*cos(d\*x + c))^(4/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{A + B \cos(c + dx)}{\cos(c + dx)^3 (b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^3\*(b\*cos(c + d\*x))^(4/3)), x)

[Out] int((A + B\*cos(c + d\*x))/(cos(c + d\*x)^3\*(b\*cos(c + d\*x))^(4/3)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(b\*cos(d\*x+c))\*\*(4/3), x)

[Out] Timed out

$$3.911 \quad \int \cos^m(c + dx)(b \cos(c + dx))^n(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=157

$$\frac{A \sin(c + dx) \cos^{m+1}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(m + n + 1); \frac{1}{2}(m + n + 3); \cos^2(c + dx)\right) + B \sin(c + dx) \cos^m(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(m + n + 1); \frac{1}{2}(m + n + 3); \cos^2(c + dx)\right)}{d(m + n + 1)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-A*\cos(d*x+c)^{(1+m)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 1/2+1/2*m+1/2*n], [3/2+1/2*m+1/2*n], \cos(d*x+c)^2*\sin(d*x+c)/d/(1+m+n)/(\sin(d*x+c)^2)^{(1/2)}-B*\cos(d*x+c)^{(2+m)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 1+1/2*m+1/2*n], [2+1/2*m+1/2*n], \cos(d*x+c)^2*\sin(d*x+c)/d/(2+m+n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {20, 2748, 2643}

$$\frac{A \sin(c + dx) \cos^{m+1}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(m + n + 1); \frac{1}{2}(m + n + 3); \cos^2(c + dx)\right) + B \sin(c + dx) \cos^m(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(m + n + 1); \frac{1}{2}(m + n + 3); \cos^2(c + dx)\right)}{d(m + n + 1)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]),x]

[Out]  $-((A*\text{Cos}[c + d*x]^{(1 + m)}*(b*\text{Cos}[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (1 + m + n)/2, (3 + m + n)/2, \text{Cos}[c + d*x]^2*\text{Sin}[c + d*x]]/(d*(1 + m + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (B*\text{Cos}[c + d*x]^{(2 + m)}*(b*\text{Cos}[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (2 + m + n)/2, (4 + m + n)/2, \text{Cos}[c + d*x]^2*\text{Sin}[c + d*x]]/(d*(2 + m + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2]))$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m + n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps



$$\begin{aligned} \int \cos^m(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx &= (\cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{m+n}(c+dx)(A+B \cos(c+dx)) dx \\ &= (A \cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{m+n}(c+dx) dx \\ &= -\frac{A \cos^{1+m}(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(1+m+n); \frac{1}{2}, \frac{1}{2}(1+m+n+1)\right)}{d(1+m+n)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.27, size = 130, normalized size = 0.83

$$\frac{\sqrt{\sin^2(c+dx)} \csc(c+dx) \cos^{m+1}(c+dx)(b \cos(c+dx))^n \left( A(m+n+2) {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(m+n+1); \frac{1}{2}, \frac{1}{2}(m+n+3)\right) + B(m+n+1) \cos(c+dx) \right)}{d(m+n+1)(m+n)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]), x]

[Out] -((Cos[c + d\*x]^(1 + m)\*(b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(2 + m + n)\*Hypergeometric2F1[1/2, (1 + m + n)/2, (3 + m + n)/2, Cos[c + d\*x]^2] + B\*(1 + m + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (2 + m + n)/2, (4 + m + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(1 + m + n)\*(2 + m + n))

**fricas [F]** time = 0.66, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c)^m, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^m, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^m, x)

**maple [F]** time = 1.68, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c)) (b \cos(dx + c))^n (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)), x)

[Out] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)), x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \cos^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c)),x)

[Out] Integral((b\*cos(c + d\*x))\*\*n\*(A + B\*cos(c + d\*x))\*cos(c + d\*x)\*\*m, x)

### 3.912 $\int \cos^2(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=141

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+3} {}_2F_1\left(\frac{1}{2}, \frac{n+3}{2}; \frac{n+5}{2}; \cos^2(c + dx)\right)}{b^3 d(n+3) \sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+4} {}_2F_1\left(\frac{1}{2}, \frac{n+4}{2}; \frac{n+6}{2}; \cos^2(c + dx)\right)}{b^4 d(n+4) \sqrt{\sin^2(c + dx)}}$$

[Out]  $-A*(b*\cos(d*x+c))^{(3+n)}*\text{hypergeom}([1/2, 3/2+1/2*n], [5/2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(3+n)/(\sin(d*x+c)^2)^{(1/2)}-B*(b*\cos(d*x+c))^{(4+n)}*\text{hypergeom}([1/2, 2+1/2*n], [3+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b^4/d/(4+n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+3} {}_2F_1\left(\frac{1}{2}, \frac{n+3}{2}; \frac{n+5}{2}; \cos^2(c + dx)\right)}{b^3 d(n+3) \sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+4} {}_2F_1\left(\frac{1}{2}, \frac{n+4}{2}; \frac{n+6}{2}; \cos^2(c + dx)\right)}{b^4 d(n+4) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(b*\text{Cos}[c + d*x])^n*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $-((A*(b*\text{Cos}[c + d*x])^{(3 + n)}*\text{Hypergeometric2F1}[1/2, (3 + n)/2, (5 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b^3*d*(3 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (B*(b*\text{Cos}[c + d*x])^{(4 + n)}*\text{Hypergeometric2F1}[1/2, (4 + n)/2, (6 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b^4*d*(4 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{2+n} (A + B \cos(c + dx)) dx}{b^2} \\ &= \frac{A \int (b \cos(c + dx))^{2+n} dx}{b^2} + \frac{B \int (b \cos(c + dx))^{3+n} dx}{b^3} \\ &= -\frac{A(b \cos(c + dx))^{3+n} {}_2F_1\left(\frac{1}{2}, \frac{3+n}{2}; \frac{5+n}{2}; \cos^2(c + dx)\right)}{b^3 d(3+n) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.31, size = 120, normalized size = 0.85

$$\frac{\sqrt{\sin^2(c+dx)} \cos^2(c+dx) \cot(c+dx) (b \cos(c+dx))^n \left( A(n+4) {}_2F_1\left(\frac{1}{2}, \frac{n+3}{2}; \frac{n+5}{2}; \cos^2(c+dx)\right) + B(n+3) \cos^2(c+dx) \right)}{d(n+3)(n+4)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]),x]

[Out] -((Cos[c + d\*x]^2\*(b\*cos[c + d\*x])^n\*Cot[c + d\*x]\*(A\*(4 + n)\*Hypergeometric2F1[1/2, (3 + n)/2, (5 + n)/2, Cos[c + d\*x]^2] + B\*(3 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (4 + n)/2, (6 + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(3 + n)\*(4 + n))

**fricas** [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c)^3 + A \cos(dx + c)^2) (b \cos(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*(b\*cos(d\*x + c))^n, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^2, x)

**maple** [F] time = 1.64, size = 0, normalized size = 0.00

$$\int (\cos^2(dx + c)) (b \cos(dx + c))^n (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^2, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^2 (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^2*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^2*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(b*cos(d*x+c))**n*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

### 3.913 $\int \cos(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=141

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+2} {}_2F_1\left(\frac{1}{2}, \frac{n+2}{2}; \frac{n+4}{2}; \cos^2(c + dx)\right)}{b^2 d(n+2) \sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+3} {}_2F_1\left(\frac{1}{2}, \frac{n+3}{2}; \frac{n+5}{2}; \cos^2(c + dx)\right)}{b^3 d(n+3) \sqrt{\sin^2(c + dx)}}$$

[Out]  $-A*(b*\cos(d*x+c))^{(2+n)*\text{hypergeom}([1/2, 1+1/2*n], [2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(2+n)/(\sin(d*x+c)^2)^{(1/2)} - B*(b*\cos(d*x+c))^{(3+n)*\text{hypergeom}([1/2, 3/2+1/2*n], [5/2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b^3/d/(3+n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {16, 2748, 2643}

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+2} {}_2F_1\left(\frac{1}{2}, \frac{n+2}{2}; \frac{n+4}{2}; \cos^2(c + dx)\right)}{b^2 d(n+2) \sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+3} {}_2F_1\left(\frac{1}{2}, \frac{n+3}{2}; \frac{n+5}{2}; \cos^2(c + dx)\right)}{b^3 d(n+3) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]*(b*\text{Cos}[c + d*x])^n*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $-((A*(b*\text{Cos}[c + d*x])^{(2 + n)*\text{Hypergeometric2F1}[1/2, (2 + n)/2, (4 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b^2*d*(2 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (B*(b*\text{Cos}[c + d*x])^{(3 + n)*\text{Hypergeometric2F1}[1/2, (3 + n)/2, (5 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b^3*d*(3 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)^{(v_*)^m}*((b_*)^{(v_*)^n}), x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m+n)}, x], x] /; \text{FreeQ}\{b, n, x\} \&\& \text{IntegerQ}[m]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^n, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& !\text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^m*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx &= \frac{\int (b \cos(c + dx))^{1+n} (A + B \cos(c + dx)) dx}{b} \\ &= \frac{A \int (b \cos(c + dx))^{1+n} dx}{b} + \frac{B \int (b \cos(c + dx))^{2+n} dx}{b^2} \\ &= -\frac{A(b \cos(c + dx))^{2+n} {}_2F_1\left(\frac{1}{2}, \frac{2+n}{2}; \frac{4+n}{2}; \cos^2(c + dx)\right) \sin(c + dx)}{b^2 d(2+n) \sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.25, size = 118, normalized size = 0.84

$$\frac{\sqrt{\sin^2(c + dx)} \cos(c + dx) \cot(c + dx) (b \cos(c + dx))^n \left( A(n + 3) {}_2F_1\left(\frac{1}{2}, \frac{n+2}{2}; \frac{n+4}{2}; \cos^2(c + dx)\right) + B(n + 2) \right)}{d(n + 2)(n + 3)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]),x]

[Out] -((Cos[c + d\*x]\*(b\*Cos[c + d\*x])^n\*Cot[c + d\*x]\*(A\*(3 + n)\*Hypergeometric2F1[1/2, (2 + n)/2, (4 + n)/2, Cos[c + d\*x]^2] + B\*(2 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (3 + n)/2, (5 + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(2 + n)\*(3 + n))

**fricas [F]** time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c)^2 + A \cos(dx + c)) (b \cos(dx + c))^n, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*(b\*cos(d\*x + c))^n, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c), x)

**maple [F]** time = 1.18, size = 0, normalized size = 0.00

$$\int \cos(dx + c) (b \cos(dx + c))^n (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c), x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx) (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(c + d*x)*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)),x)`

[Out] `int(cos(c + d*x)*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \cos(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(b*cos(d*x+c))^n*(A+B*cos(d*x+c)),x)`

[Out] `Integral((b*cos(c + d*x))^n*(A + B*cos(c + d*x))*cos(c + d*x), x)`



### 3.914 $\int (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=141

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right)}{bd(n+1)\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+2} {}_2F_1\left(\frac{1}{2}, \frac{n+2}{2}; \frac{n+4}{2}; \cos^2(c + dx)\right)}{b^2d(n+2)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-A*(b*\cos(d*x+c))^{(1+n)}*\text{hypergeom}([1/2, 1/2+1/2*n], [3/2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(1+n)/(\sin(d*x+c)^2)^{(1/2)}-B*(b*\cos(d*x+c))^{(2+n)}*\text{hypergeom}([1/2, 1+1/2*n], [2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b^2/d/(2+n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$ , Rules used = {2748, 2643}

$$\frac{A \sin(c + dx)(b \cos(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right)}{bd(n+1)\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+2} {}_2F_1\left(\frac{1}{2}, \frac{n+2}{2}; \frac{n+4}{2}; \cos^2(c + dx)\right)}{b^2d(n+2)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^n*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $-((A*(b*\text{Cos}[c + d*x])^{(1 + n)}*\text{Hypergeometric2F1}[1/2, (1 + n)/2, (3 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b*d*(1 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (B*(b*\text{Cos}[c + d*x])^{(2 + n)}*\text{Hypergeometric2F1}[1/2, (2 + n)/2, (4 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b^2*d*(2 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \&\amp; \text{IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_*)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^n (A + B \cos(c + dx)) dx &= A \int (b \cos(c + dx))^n dx + \frac{B \int (b \cos(c + dx))^{1+n} dx}{b} \\ &= \frac{A(b \cos(c + dx))^{1+n} {}_2F_1\left(\frac{1}{2}, \frac{1+n}{2}; \frac{3+n}{2}; \cos^2(c + dx)\right) \sin(c + dx)}{bd(1+n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 112, normalized size = 0.79

$$\frac{\sqrt{\sin^2(c + dx)} \cot(c + dx)(b \cos(c + dx))^n \left( A(n+2) {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right) + B(n+1) \cos(c + dx) \right)}{d(n+1)(n+2)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]),x]

[Out] -(((b\*cos[c + d\*x])^n\*Cot[c + d\*x]\*(A\*(2 + n)\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x]^2] + B\*(1 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (2 + n)/2, (4 + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(1 + n)\*(2 + n)))

**fricas** [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A)(b \cos(dx + c))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n, x)

**maple** [F] time = 1.16, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^n (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)),x)

[Out] int((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

[Out] Integral((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)), x)

### 3.915 $\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=132

$$\frac{A \sin(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c + dx)\right)}{dn\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right)}{bd(n+1)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-A*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 1/2*n], [1+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/n/(\sin(d*x+c)^2)^{(1/2)}-B*(b*\cos(d*x+c))^{(1+n)}*\text{hypergeom}([1/2, 1/2+1/2*n], [3/2+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/b/d/(1+n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {16, 2748, 2643}

$$\frac{A \sin(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c + dx)\right)}{dn\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^{n+1} {}_2F_1\left(\frac{1}{2}, \frac{n+1}{2}; \frac{n+3}{2}; \cos^2(c + dx)\right)}{bd(n+1)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(b*\text{Cos}[c + d*x])^n*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x], x]$

[Out]  $-((A*(b*\text{Cos}[c + d*x])^n*\text{Hypergeometric2F1}[1/2, n/2, (2 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(d*n*\text{Sqrt}[\text{Sin}[c + d*x]^2])) - (B*(b*\text{Cos}[c + d*x])^{(1 + n)}*\text{Hypergeometric2F1}[1/2, (1 + n)/2, (3 + n)/2, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x])/(b*d*(1 + n)*\text{Sqrt}[\text{Sin}[c + d*x]^2])$

#### Rule 16

$\text{Int}[(u_*)*(v_)^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] :> \text{Dist}[1/b^m, \text{Int}[u*(b*v)^{(m + n)}, x], x] /;$  FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /;$  FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec(c + dx) dx &= b \int (b \cos(c + dx))^{-1+n} (A + B \cos(c + dx)) dx \\ &= (Ab) \int (b \cos(c + dx))^{-1+n} dx + B \int (b \cos(c + dx))^n dx \\ &= -\frac{A(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{2+n}{2}; \cos^2(c + dx)\right) \sin(c + dx)}{dn\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.20, size = 109, normalized size = 0.83

$$\frac{b\sqrt{\sin^2(c+dx)} \cot(c+dx)(b \cos(c+dx))^{n-1} \left( A(n+1) {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c+dx)\right) + Bn \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c+dx)\right) \right)}{dn(n+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] -((b\*(b\*Cos[c + d\*x])^(-1 + n)\*Cot[c + d\*x]\*(A\*(1 + n)\*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Cos[c + d\*x]^2] + B\*n\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (1 + n)/2, (3 + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*n\*(1 + n))

**fricas** [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A)(b \cos(dx + c))^n \sec(dx + c), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c), x)

**maple** [F] time = 0.89, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^n (A + B \cos(dx + c)) \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A)(b \cos(dx + c))^n \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x), x)
```

```
[Out] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**n*(A+B*cos(d*x+c))*sec(d*x+c), x)
```

```
[Out] Integral((b*cos(c + d*x))**n*(A + B*cos(c + d*x))*sec(c + d*x), x)
```

### 3.916 $\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=131

$$\frac{Ab \sin(c + dx)(b \cos(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n+1}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c + dx)\right)}{dn\sqrt{\sin^2(c + dx)}}$$

[Out] A\*b\*(b\*cos(d\*x+c))<sup>(-1+n)</sup>\*hypergeom([1/2, -1/2+1/2\*n], [1/2+1/2\*n], cos(d\*x+c)<sup>2</sup>)\*sin(d\*x+c)/d/(1-n)/(sin(d\*x+c)<sup>2</sup>)<sup>(1/2)</sup>-B\*(b\*cos(d\*x+c))<sup>n</sup>\*hypergeom([1/2, 1/2\*n], [1+1/2\*n], cos(d\*x+c)<sup>2</sup>)\*sin(d\*x+c)/d/n/(sin(d\*x+c)<sup>2</sup>)<sup>(1/2)</sup>

**Rubi [A]** time = 0.11, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{Ab \sin(c + dx)(b \cos(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n+1}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}} - \frac{B \sin(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{n}{2}; \frac{n+2}{2}; \cos^2(c + dx)\right)}{dn\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b\*Cos[c + d\*x])<sup>n</sup>\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]<sup>2</sup>,x]

[Out] (A\*b\*(b\*Cos[c + d\*x])<sup>(-1 + n)</sup>\*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Cos[c + d\*x]<sup>2</sup>\*Sin[c + d\*x])/(d\*(1 - n)\*Sqrt[Sin[c + d\*x]<sup>2</sup>]) - (B\*(b\*Cos[c + d\*x])<sup>n</sup>\*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Cos[c + d\*x]<sup>2</sup>\*Sin[c + d\*x])/(d\*n\*Sqrt[Sin[c + d\*x]<sup>2</sup>])

#### Rule 16

Int[(u\_)\*(v\_)<sup>(m\_)</sup>\*((b\_)\*(v\_))<sup>(n\_)</sup>, x\_Symbol] := Dist[1/b<sup>m</sup>, Int[u\*(b\*v)<sup>(m + n)</sup>, x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])<sup>(n\_)</sup>, x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])<sup>(n + 1)</sup>\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]<sup>2</sup>])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]<sup>2</sup>]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])<sup>(m\_)</sup>\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])<sup>(n\_)</sup>, x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])<sup>m</sup>, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])<sup>(m + 1)</sup>, x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^2(c + dx) dx &= b^2 \int (b \cos(c + dx))^{-2+n} (A + B \cos(c + dx)) dx \\ &= (Ab^2) \int (b \cos(c + dx))^{-2+n} dx + (bB) \int (b \cos(c + dx))^{-1+n} dx \\ &= \frac{Ab(b \cos(c + dx))^{-1+n} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-1 + n); \frac{1+n}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.19, size = 109, normalized size = 0.83

$$\frac{b\sqrt{\sin^2(c+dx)} \csc(c+dx)(b \cos(c+dx))^{n-1} \left( A n {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n+1}{2}; \cos^2(c+dx)\right) + B(n-1) \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n+1}{2}; \cos^2(c+dx)\right) \right)}{d(n-1)n}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] -((b\*(b\*Cos[c + d\*x])^(-1 + n)\*Csc[c + d\*x]\*(A\*n\*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Cos[c + d\*x]^2] + B\*(-1 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, n/2, (2 + n)/2, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(-1 + n)\*n)

**fricas [F]** time = 0.94, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^2, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^2, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^2, x)

**maple [F]** time = 1.08, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^n (A + B \cos(dx + c)) (\sec^2(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^2, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^2, x)
```

```
[Out] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^n*(A+B*cos(d*x+c))*sec(d*x+c)**2, x)
```

```
[Out] Integral((b*cos(c + d*x))^n*(A + B*cos(c + d*x))*sec(c + d*x)**2, x)
```



### 3.917 $\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=139

$$\frac{Ab^2 \sin(c + dx)(b \cos(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{n-2}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} + \frac{bB \sin(c + dx)(b \cos(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}}$$

[Out] A\*b^2\*(b\*cos(d\*x+c))^(n-2)\*hypergeom([1/2, -1+1/2\*n], [1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(2-n)/(sin(d\*x+c)^2)^(1/2)+b\*B\*(b\*cos(d\*x+c))^(n-1)\*hypergeom([1/2, -1/2+1/2\*n], [1/2+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(1-n)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{Ab^2 \sin(c + dx)(b \cos(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{n-2}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} + \frac{bB \sin(c + dx)(b \cos(c + dx))^{n-1} {}_2F_1\left(\frac{1}{2}, \frac{n-1}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(1-n)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (A\*b^2\*(b\*cos[c + d\*x])^(n-2)\*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(2 - n)\*Sqrt[Sin[c + d\*x]^2]) + (b\*B\*(b\*cos[c + d\*x])^(n-1)\*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(1 - n)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^3(c + dx) dx &= b^3 \int (b \cos(c + dx))^{-3+n} (A + B \cos(c + dx)) dx \\ &= (Ab^3) \int (b \cos(c + dx))^{-3+n} dx + (b^2 B) \int (b \cos(c + dx))^{-3+n} \cos(c + dx) dx \\ &= \frac{Ab^2 (b \cos(c + dx))^{-2+n} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-2+n); \frac{n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.18, size = 118, normalized size = 0.85

$$\frac{\sqrt{\sin^2(c + dx)} \csc(c + dx) \sec^2(c + dx) (b \cos(c + dx))^n \left( A(n-1) {}_2F_1\left(\frac{1}{2}, \frac{n-2}{2}; \frac{n}{2}; \cos^2(c + dx)\right) + B(n-2) \cos(c + dx) \right)}{d(n-2)(n-1)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] -(((b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(-1 + n)\*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Cos[c + d\*x]^2] + B\*(-2 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-1 + n)/2, (1 + n)/2, Cos[c + d\*x]^2])\*Sec[c + d\*x]^2\*sqrt[Sin[c + d\*x]^2])/(d\*(-2 + n)\*(-1 + n)))

**fricas** [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}((B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^3, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^3, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^3, x)

**maple** [F] time = 1.37, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^n (A + B \cos(dx + c)) (\sec^3(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^3, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^3,x)
```

```
[Out] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**n*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

### 3.918 $\int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=141

$$\frac{Ab^3 \sin(c + dx)(b \cos(c + dx))^{n-3} {}_2F_1\left(\frac{1}{2}, \frac{n-3}{2}; \frac{n-1}{2}; \cos^2(c + dx)\right)}{d(3-n)\sqrt{\sin^2(c + dx)}} + \frac{b^2 B \sin(c + dx)(b \cos(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{n-2}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}}$$

[Out] A\*b^3\*(b\*cos(d\*x+c))^(n-3)\*hypergeom([1/2, -3/2+1/2\*n], [-1/2+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(3-n)/(sin(d\*x+c)^2)^(1/2)+b^2\*B\*(b\*cos(d\*x+c))^(n-2)\*hypergeom([1/2, -1+1/2\*n], [1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(2-n)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.12, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {16, 2748, 2643}

$$\frac{Ab^3 \sin(c + dx)(b \cos(c + dx))^{n-3} {}_2F_1\left(\frac{1}{2}, \frac{n-3}{2}; \frac{n-1}{2}; \cos^2(c + dx)\right)}{d(3-n)\sqrt{\sin^2(c + dx)}} + \frac{b^2 B \sin(c + dx)(b \cos(c + dx))^{n-2} {}_2F_1\left(\frac{1}{2}, \frac{n-2}{2}; \frac{n}{2}; \cos^2(c + dx)\right)}{d(2-n)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (A\*b^3\*(b\*cos[c + d\*x])^(n-3)\*Hypergeometric2F1[1/2, (-3 + n)/2, (-1 + n)/2, Cos[c + d\*x]^2]\*Sin[c + d\*x]/(d\*(3 - n)\*Sqrt[Sin[c + d\*x]^2]) + (b^2\*B\*(b\*cos[c + d\*x])^(n-2)\*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Cos[c + d\*x]^2]\*Sin[c + d\*x])/d\*(2 - n)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 16

Int[(u\_)\*(v\_)^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[1/b^m, Int[u\*(b\*v)^(m + n), x], x] /; FreeQ[{b, n}, x] && IntegerQ[m]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int (b \cos(c + dx))^n (A + B \cos(c + dx)) \sec^4(c + dx) dx &= b^4 \int (b \cos(c + dx))^{-4+n} (A + B \cos(c + dx)) dx \\ &= (Ab^4) \int (b \cos(c + dx))^{-4+n} dx + (b^3 B) \int (b \cos(c + dx))^{-4+n} \cos(c + dx) dx \\ &= \frac{Ab^3 (b \cos(c + dx))^{-3+n} {}_2F_1\left(\frac{1}{2}, \frac{1}{2}(-3 + n); \frac{1}{2}(-1 + n); \cos^2(c + dx)\right)}{d(3-n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.18, size = 118, normalized size = 0.84

$$\frac{\sqrt{\sin^2(c + dx)} \csc(c + dx) \sec^3(c + dx) (b \cos(c + dx))^n \left( A(n-2) {}_2F_1\left(\frac{1}{2}, \frac{n-3}{2}; \frac{n-1}{2}; \cos^2(c + dx)\right) + B(n-3) \right)}{d(n-3)(n-2)}$$

Antiderivative was successfully verified.

[In] Integrate[(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] -(((b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(-2 + n)\*Hypergeometric2F1[1/2, (-3 + n)/2, (-1 + n)/2, Cos[c + d\*x]^2] + B\*(-3 + n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-2 + n)/2, n/2, Cos[c + d\*x]^2])\*Sec[c + d\*x]^3\*sqrt[Sin[c + d\*x]^2])/(d\*(-3 + n)\*(-2 + n)))

**fricas [F]** time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left( (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^4, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^4, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^4, x)

**maple [F]** time = 0.82, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c))^n (A + B \cos(dx + c)) (\sec^4(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^n \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sec(d\*x + c)^4, x)

**mupad [F]** time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^4,x)
```

```
[Out] int(((b*cos(c + d*x))^n*(A + B*cos(c + d*x)))/cos(c + d*x)^4, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^n*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

$$3.919 \quad \int \cos^{\frac{5}{2}}(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 7); \frac{1}{4}(2n + 11); \cos^2(c + dx)\right) - 2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{d(2n + 7)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-2*A*\cos(d*x+c)^{(7/2)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 7/4+1/2*n], [11/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/(7+2*n)/(\sin(d*x+c)^2)^{(1/2)}-2*B*\cos(d*x+c)^{(9/2)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 9/4+1/2*n], [13/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/(9+2*n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 7); \frac{1}{4}(2n + 11); \cos^2(c + dx)\right) - 2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{d(2n + 7)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(5/2)*(b*Cos[c + d*x])^n*(A + B*Cos[c + d*x]),x]`

[Out]  $(-2*A*\cos[c + d*x]^{(7/2)}*(b*\cos[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (7 + 2*n)/4, (11 + 2*n)/4, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(7 + 2*n)*\text{Sqrt}[\sin[c + d*x]^2]) - (2*B*\cos[c + d*x]^{(9/2)}*(b*\cos[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (9 + 2*n)/4, (13 + 2*n)/4, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(9 + 2*n)*\text{Sqrt}[\sin[c + d*x]^2])$

**Rule 20**

`Int[(u_.)*((a_.)*(v_.))^(m_.)*((b_.)*(v_.))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m + n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]`

**Rule 2643**

`Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*SIN[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]`

**Rule 2748**

`Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*SIN[e + f*x])^m, x], x] + Dist[d/b, Int[(b*SIN[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

**Rubi steps**

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx &= (\cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{\frac{5}{2}+n}(c+dx)(A+B \cos(c+dx)) dx \\ &= (A \cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{\frac{5}{2}+n}(c+dx) dx \\ &= \frac{2A \cos^{\frac{7}{2}}(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(7+2n); \frac{1}{4}(7+2n+1); \cos^2(c+dx)\right)}{d(7+2n)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.45, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c+dx)} \cos^{\frac{7}{2}}(c+dx) \csc(c+dx)(b \cos(c+dx))^n \left( A(2n+9) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n+7); \frac{1}{4}(2n+11); \cos^2(c+dx)\right) + B(7+2n) \cos[c+dx] \right)}{d(2n+7)(2n+9)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]),x]

[Out] (-2\*Cos[c + d\*x]^(7/2)\*(b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(9 + 2\*n)\*Hypergeometric2F1[1/2, (7 + 2\*n)/4, (11 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(7 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (9 + 2\*n)/4, (13 + 2\*n)/4, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(7 + 2\*n)\*(9 + 2\*n))

**fricas** [F] time = 0.90, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx+c)^3 + A \cos(dx+c)^2\right) (b \cos(dx+c))^n \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*(b\*cos(d\*x + c))^n\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^n \cos(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^(5/2), x)

**maple** [F] time = 0.34, size = 0, normalized size = 0.00

$$\int \left( \cos^{\frac{5}{2}}(dx+c) \right) (b \cos(dx+c))^n (A+B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^n \cos(dx+c)^{\frac{5}{2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{5/2} (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(5/2)\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(5/2)\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.920 \quad \int \cos^{\frac{3}{2}}(c + dx)(b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 5); \frac{1}{4}(2n + 9); \cos^2(c + dx)\right) + 2B \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{d(2n + 5)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-2A \cos(d*x+c)^{(5/2)} * (b \cos(d*x+c))^n * \text{hypergeom}([1/2, 5/4+1/2*n], [9/4+1/2*n], \cos(d*x+c)^2) * \sin(d*x+c) / d / (5+2*n) / (\sin(d*x+c)^2)^{(1/2)} - 2B \cos(d*x+c)^{(7/2)} * (b \cos(d*x+c))^n * \text{hypergeom}([1/2, 7/4+1/2*n], [11/4+1/2*n], \cos(d*x+c)^2) * \sin(d*x+c) / d / (7+2*n) / (\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 5); \frac{1}{4}(2n + 9); \cos^2(c + dx)\right) + 2B \sin(c + dx) \cos^{\frac{7}{2}}(c + dx)}{d(2n + 5)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[c + d*x]^(3/2)*(b*Cos[c + d*x])^n*(A + B*Cos[c + d*x]),x]`

[Out]  $(-2A \cos[c + d*x]^{(5/2)} * (b \cos[c + d*x])^n * \text{Hypergeometric2F1}[1/2, (5 + 2*n)/4, (9 + 2*n)/4, \cos[c + d*x]^2 * \sin[c + d*x]] / (d * (5 + 2*n) * \text{Sqrt}[\sin[c + d*x]^2]) - (2B \cos[c + d*x]^{(7/2)} * (b \cos[c + d*x])^n * \text{Hypergeometric2F1}[1/2, (7 + 2*n)/4, (11 + 2*n)/4, \cos[c + d*x]^2 * \sin[c + d*x]] / (d * (7 + 2*n) * \text{Sqrt}[\sin[c + d*x]^2])$

#### Rule 20

`Int[(u_.)*((a_.)*(v_))^(m_.)*((b_.)*(v_))^(n_.), x_Symbol] := Dist[(b^IntPart[n]*(b*v)^FracPart[n])/(a^IntPart[n]*(a*v)^FracPart[n]), Int[u*(a*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]`

#### Rule 2643

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n+1)*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d*x]^2])/(b*d*(n+1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]`

#### Rule 2748

`Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]`

#### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c+dx)(b \cos(c+dx))^n(A+B \cos(c+dx)) dx &= (\cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{\frac{3}{2}+n}(c+dx)(A+B \cos(c+dx)) dx \\ &= (A \cos^{-n}(c+dx)(b \cos(c+dx))^n) \int \cos^{\frac{3}{2}+n}(c+dx) dx \\ &= \frac{2A \cos^{\frac{5}{2}}(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5+2n); \frac{1}{4}(5+2n); \cos^2(c+dx)\right)}{d(5+2n)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.36, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c+dx)} \cos^{\frac{5}{2}}(c+dx) \csc(c+dx)(b \cos(c+dx))^n \left( A(2n+7) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n+5); \frac{1}{4}(2n+9); \cos^2(c+dx)\right) + B(2n+5) \right)}{d(2n+5)(2n+7)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(b*Cos[c + d*x])^n*(A + B*Cos[c + d*x]), x]
[Out] (-2*Cos[c + d*x]^(5/2)*(b*Cos[c + d*x])^n*Csc[c + d*x]*(A*(7 + 2*n)*Hypergeometric2F1[1/2, (5 + 2*n)/4, (9 + 2*n)/4, Cos[c + d*x]^2] + B*(5 + 2*n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (7 + 2*n)/4, (11 + 2*n)/4, Cos[c + d*x]^2])*Sqrt[Sin[c + d*x]^2]/(d*(5 + 2*n)*(7 + 2*n))
```

**fricas [F]** time = 0.85, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(B \cos(dx+c)^2 + A \cos(dx+c)\right) (b \cos(dx+c))^n \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(b*cos(d*x+c))^n*(A+B*cos(d*x+c)), x, algorithm="fricas")
[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*(b*cos(d*x + c))^n*sqrt(cos(d*x + c)), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^n \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(b*cos(d*x+c))^n*(A+B*cos(d*x+c)), x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^n*cos(d*x + c)^(3/2), x)
```

**maple [F]** time = 0.28, size = 0, normalized size = 0.00

$$\int \left( \cos^{\frac{3}{2}}(dx+c) \right) (b \cos(dx+c))^n (A+B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(b*cos(d*x+c))^n*(A+B*cos(d*x+c)), x)
[Out] int(cos(d*x+c)^(3/2)*(b*cos(d*x+c))^n*(A+B*cos(d*x+c)), x)
```

**maxima [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^n \cos(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^{3/2} (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^(3/2)\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^(3/2)\*(b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.921 \quad \int \sqrt{\cos(c + dx)} (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 3); \frac{1}{4}(2n + 7); \cos^2(c + dx)\right) + 2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{d(2n + 3)\sqrt{\sin^2(c + dx)}}$$

[Out]  $-2A*\cos(d*x+c)^{(3/2)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 3/4+1/2*n], [7/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/(3+2*n)/(\sin(d*x+c)^2)^{(1/2)}-2*B*\cos(d*x+c)^{(5/2)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 5/4+1/2*n], [9/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/(5+2*n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c + dx) \cos^{\frac{3}{2}}(c + dx) (b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 3); \frac{1}{4}(2n + 7); \cos^2(c + dx)\right) + 2B \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{d(2n + 3)\sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(-2*A*\cos[c + d*x]^{(3/2)}*(b*\cos[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (3 + 2*n)/4, (7 + 2*n)/4, \cos[c + d*x]^2*\sin[c + d*x]]/(d*(3 + 2*n)*\text{Sqrt}[\sin[c + d*x]^2]) - (2*B*\cos[c + d*x]^{(5/2)}*(b*\cos[c + d*x])^n*\text{Hypergeometric2F1}[1/2, (5 + 2*n)/4, (9 + 2*n)/4, \cos[c + d*x]^2*\sin[c + d*x]]/(d*(5 + 2*n)*\text{Sqrt}[\sin[c + d*x]^2])$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)} (b \cos(c+dx))^n (A+B \cos(c+dx)) dx &= (\cos^{-n}(c+dx) (b \cos(c+dx))^n) \int \cos^{\frac{1}{2}+n}(c+dx) (A+B \cos(c+dx)) dx \\ &= (A \cos^{-n}(c+dx) (b \cos(c+dx))^n) \int \cos^{\frac{1}{2}+n}(c+dx) dx \\ &= \frac{2A \cos^{\frac{3}{2}}(c+dx) (b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(3+2n); \frac{1}{4}(3+2n); \cos^2(c+dx)\right)}{d(3+2n)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.26, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c+dx)} \cos^{\frac{3}{2}}(c+dx) \csc(c+dx) (b \cos(c+dx))^n \left( A(2n+5) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n+3); \frac{1}{4}(2n+7); \cos^2(c+dx)\right) + B(3+2n) \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(5+2n); \frac{1}{4}(9+2n); \cos^2(c+dx)\right) \right)}{d(2n+3)(2n+5)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]),x]

[Out] (-2\*Cos[c + d\*x]^(3/2)\*(b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(5 + 2\*n)\*Hypergeometric2F1[1/2, (3 + 2\*n)/4, (7 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(3 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (5 + 2\*n)/4, (9 + 2\*n)/4, Cos[c + d\*x]^2])/Sqrt[Sin[c + d\*x]^2]/(d\*(3 + 2\*n)\*(5 + 2\*n))

**fricas** [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx+c) + A) (b \cos(dx+c))^n \sqrt{\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sqrt(cos(d\*x + c)), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^n \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n\*sqrt(cos(d\*x + c)), x)

**maple** [F] time = 0.26, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c))^n (A+B \cos(dx+c)) (\sqrt{\cos(dx+c)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A) (b \cos(dx+c))^n \sqrt{\cos(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^n*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^n*sqrt(cos(d*x + c)), x)
```

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{\cos(c + dx)} (b \cos(c + dx))^n (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)),x)
```

```
[Out] int(cos(c + d*x)^(1/2)*(b*cos(c + d*x))^n*(A + B*cos(c + d*x)), x)
```

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))**n*(A+B*cos(d*x+c))*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

$$3.922 \quad \int \frac{(b \cos(c+dx))^n (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c+dx) \sqrt{\cos(c+dx)} (b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n+1); \frac{1}{4}(2n+5); \cos^2(c+dx)\right) - 2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{d(2n+1) \sqrt{\sin^2(c+dx)}}$$

[Out]  $-2*B*\cos(d*x+c)^{(3/2)}*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 3/4+1/2*n], [7/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)/d/(3+2*n)/(\sin(d*x+c)^2)^{(1/2)}-2*A*(b*\cos(d*x+c))^n*\text{hypergeom}([1/2, 1/4+1/2*n], [5/4+1/2*n], \cos(d*x+c)^2)*\sin(d*x+c)*\cos(d*x+c)^{(1/2)}/d/(1+2*n)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.08, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c+dx) \sqrt{\cos(c+dx)} (b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n+1); \frac{1}{4}(2n+5); \cos^2(c+dx)\right) - 2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{d(2n+1) \sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(b*\text{Cos}[c+d*x])^n*(A+B*\text{Cos}[c+d*x])}{\text{Sqrt}[\text{Cos}[c+d*x]]}, x]$

[Out]  $(-2*A*\text{Sqrt}[\text{Cos}[c+d*x]]*(b*\text{Cos}[c+d*x])^n*\text{Hypergeometric2F1}[1/2, (1+2*n)/4, (5+2*n)/4, \text{Cos}[c+d*x]^2*\text{Sin}[c+d*x]]/(d*(1+2*n)*\text{Sqrt}[\text{Sin}[c+d*x]^2]) - (2*B*\text{Cos}[c+d*x]^{(3/2)}*(b*\text{Cos}[c+d*x])^n*\text{Hypergeometric2F1}[1/2, (3+2*n)/4, (7+2*n)/4, \text{Cos}[c+d*x]^2*\text{Sin}[c+d*x]]/(d*(3+2*n)*\text{Sqrt}[\text{Sin}[c+d*x]^2]))$

**Rule 20**

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, m, n\}, x \ \&\& \ !\text{IntegerQ}[m] \ \&\& \ !\text{IntegerQ}[n] \ \&\& \ !\text{IntegerQ}[m+n]$

**Rule 2643**

$\text{Int}[(b_*)*\sin[(c_*)+(d_*)*(x_)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c+d*x]*(b*\text{Sin}[c+d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c+d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c+d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x \ \&\& \ !\text{IntegerQ}[2*n]$

**Rule 2748**

$\text{Int}[(b_*)*\sin[(e_*)+(f_*)*(x_)]^{(m_*)}*((c_*)+(d_*)*\sin[(e_*)+(f_*)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e+f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e+f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

**Rubi steps**



$$\begin{aligned} \int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= (\cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{1}{2}+n}(c + dx)(A + B \cos(c + dx)) dx \\ &= (A \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{1}{2}+n}(c + dx) dx + (B \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{1}{2}+n}(c + dx) \cos(c + dx) dx \\ &= \frac{2A\sqrt{\cos(c + dx)}(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(1 + 2n); \frac{1}{4}(5 + 2n); \cos^2(c + dx)\right) + B(b \cos(c + dx))^n \int \cos^{-\frac{1}{2}+n}(c + dx) \cos(c + dx) dx}{d(1 + 2n)\sqrt{\sin^2(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.24, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c + dx)}\sqrt{\cos(c + dx)}\csc(c + dx)(b \cos(c + dx))^n \left( A(2n + 3) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n + 1); \frac{1}{4}(2n + 5); \cos^2(c + dx)\right) + B \int \cos^{-\frac{1}{2}+n}(c + dx) \cos(c + dx) dx \right)}{d(2n + 1)(2n + 3)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((b*cos[c + d*x])^n*(A + B*cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
[Out] (-2*Sqrt[Cos[c + d*x]]*(b*cos[c + d*x])^n*Csc[c + d*x]*(A*(3 + 2*n)*Hypergeometric2F1[1/2, (1 + 2*n)/4, (5 + 2*n)/4, Cos[c + d*x]^2] + B*(1 + 2*n)*Cos[c + d*x]*Hypergeometric2F1[1/2, (3 + 2*n)/4, (7 + 2*n)/4, Cos[c + d*x]^2]))*Sqrt[Sin[c + d*x]^2]/(d*(1 + 2*n)*(3 + 2*n))
```

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^n*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*(b*cos(d*x + c))^n/sqrt(cos(d*x + c)), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((b*cos(d*x+c))^n*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^n/sqrt(cos(d*x + c)), x)
```

**maple [F]** time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c))^n (A + B \cos(dx + c))}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((b*cos(d*x+c))^n*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x)
```

```
[Out] int((b*cos(d*x+c))^n*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^n}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/sqrt(cos(d\*x + c)), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(1/2),x)

[Out] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(1/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Integral((b\*cos(c + d\*x))\*\*n\*(A + B\*cos(c + d\*x))/sqrt(cos(c + d\*x)), x)

$$3.923 \quad \int \frac{(b \cos(c+dx))^n (A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-1); \frac{1}{4}(2n+3); \cos^2(c+dx)\right) - 2B \sin(c+dx)\sqrt{\cos(c+dx)}(b \cos(c+dx))^{n-1}}{d(1-2n)\sqrt{\sin^2(c+dx)}\sqrt{\cos(c+dx)}} \quad d(2n)$$

[Out] 2\*A\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -1/4+1/2\*n], [3/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(1-2\*n)/cos(d\*x+c)^(1/2)/(sin(d\*x+c)^2)^(1/2)-2\*B\*(b\*cos(d\*x+c))^(n-1)\*hypergeom([1/2, 1/4+1/2\*n], [5/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)\*cos(d\*x+c)^(1/2)/d/(1+2\*n)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-1); \frac{1}{4}(2n+3); \cos^2(c+dx)\right) - 2B \sin(c+dx)\sqrt{\cos(c+dx)}(b \cos(c+dx))^{n-1}}{d(1-2n)\sqrt{\sin^2(c+dx)}\sqrt{\cos(c+dx)}} \quad d(2n)$$

Antiderivative was successfully verified.

[In] Int[((b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(3/2),x]

[Out] (2\*A\*(b\*cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-1 + 2\*n)/4, (3 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(1 - 2\*n)\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sin[c + d\*x]^2]) - (2\*B\*Sqrt[Cos[c + d\*x]]\*(b\*cos[c + d\*x])^(n-1)\*Hypergeometric2F1[1/2, (1 + 2\*n)/4, (5 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(1 + 2\*n)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Ssin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = (\cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{3}{2}+n}(c + dx)(A + B \cos(c + dx)) dx$$

$$= (A \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{3}{2}+n}(c + dx) dx + (B \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{3}{2}+n}(c + dx) \cos(c + dx) dx$$

$$= \frac{2A(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-1 + 2n); \frac{1}{4}(3 + 2n); \cos^2(c + dx)\right) \sin(c + dx) + B(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-1 + 2n); \frac{1}{4}(3 + 2n); \cos^2(c + dx)\right) \cos(c + dx)}{d(1 - 2n)\sqrt{\cos(c + dx)}\sqrt{\sin^2(c + dx)}}$$

**Mathematica** [A] time = 0.27, size = 133, normalized size = 0.82

$$\frac{2\sqrt{\sin^2(c + dx)} \csc(c + dx)(b \cos(c + dx))^n \left( A(2n + 1) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 1); \frac{1}{4}(2n + 3); \cos^2(c + dx)\right) + B(2n - 1) \cos(c + dx) \right)}{d(4n^2 - 1)\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (-2\*(b\*cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(1 + 2\*n)\*Hypergeometric2F1[1/2, (-1 + 2\*n)/4, (3 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(-1 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (1 + 2\*n)/4, (5 + 2\*n)/4, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(-1 + 4\*n^2)\*Sqrt[Cos[c + d\*x]])

**fricas** [F] time = 0.98, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(3/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(3/2), x)

**maple** [F] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c))^n (A + B \cos(dx + c))}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^n}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(3/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(3/2),x)

[Out] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(3/2), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral((b\*cos(c + d\*x))\*\*n\*(A + B\*cos(c + d\*x))/cos(c + d\*x)\*\*(3/2), x)

$$3.924 \quad \int \frac{(b \cos(c+dx))^n (A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-3); \frac{1}{4}(2n+1); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{3}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-3); \frac{1}{4}(2n+1); \cos^2(c+dx)\right)}{d(1-2n)\sqrt{\sin^2(c+dx)}}$$

[Out] 2\*A\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -3/4+1/2\*n], [1/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(3-2\*n)/cos(d\*x+c)^(3/2)/(sin(d\*x+c)^2)^(1/2)+2\*B\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -1/4+1/2\*n], [3/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(1-2\*n)/cos(d\*x+c)^(1/2)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-3); \frac{1}{4}(2n+1); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{3}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-3); \frac{1}{4}(2n+1); \cos^2(c+dx)\right)}{d(1-2n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*A\*(b\*Cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-3 + 2\*n)/4, (1 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x]/(d\*(3 - 2\*n)\*Cos[c + d\*x]^(3/2)\*Sqrt[Sin[c + d\*x]^2]) + (2\*B\*(b\*Cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-1 + 2\*n)/4, (3 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x]/(d\*(1 - 2\*n)\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sin[c + d\*x]^2])

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = (\cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{5}{2}+n}(c + dx)(A + B \cos(c + dx)) dx$$

$$= (A \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{5}{2}+n}(c + dx) dx + (B \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{5}{2}+n}(c + dx) \cos(c + dx) dx$$

$$= \frac{2A(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-3 + 2n); \frac{1}{4}(1 + 2n); \cos^2(c + dx)\right) + B(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-3 + 2n); \frac{1}{4}(1 + 2n); \cos^2(c + dx)\right)}{d(3 - 2n) \cos^{\frac{3}{2}}(c + dx) \sqrt{\sin^2(c + dx)}}$$

**Mathematica [A]** time = 0.23, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c + dx)} \csc(c + dx)(b \cos(c + dx))^n \left( A(2n - 1) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 3); \frac{1}{4}(2n + 1); \cos^2(c + dx)\right) + B(2n - 3) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 3); \frac{1}{4}(2n + 1); \cos^2(c + dx)\right) \right)}{d(2n - 3)(2n - 1) \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]  
 [Out] (-2\*(b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(-1 + 2\*n)\*Hypergeometric2F1[1/2, (-3 + 2\*n)/4, (1 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(-3 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-1 + 2\*n)/4, (3 + 2\*n)/4, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(-3 + 2\*n)\*(-1 + 2\*n)\*Cos[c + d\*x]^(3/2))

**fricas [F]** time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(5/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(5/2), x)

**maple [F]** time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c))^n (A + B \cos(dx + c))}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^n}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(5/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(5/2),x)

[Out] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(5/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out



$$3.925 \quad \int \frac{(b \cos(c+dx))^n (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-1); \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{5}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-1); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)}}$$

[Out] 2\*A\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -5/4+1/2\*n], [-1/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(5-2\*n)/cos(d\*x+c)^(5/2)/(sin(d\*x+c)^2)^(1/2)+2\*B\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -3/4+1/2\*n], [1/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(3-2\*n)/cos(d\*x+c)^(3/2)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-1); \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{5}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-1); \cos^2(c+dx)\right)}{d(3-2n)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(7/2),x]

[Out] (2\*A\*(b\*cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-5 + 2\*n)/4, (-1 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(5 - 2\*n)\*Cos[c + d\*x]^(5/2)\*Sqrt[Sin[c + d\*x]^2]) + (2\*B\*(b\*cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-3 + 2\*n)/4, (1 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(3 - 2\*n)\*Cos[c + d\*x]^(3/2)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = (\cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{7}{2}+n}(c + dx)(A + B \cos(c + dx)) dx$$

$$= (A \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{7}{2}+n}(c + dx) dx + (B \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{7}{2}+n}(c + dx) \cos(c + dx) dx$$

$$= \frac{2A(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-5 + 2n); \frac{1}{4}(-1 + 2n); \cos^2(c + dx)\right) \sin(c + dx) + B(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-5 + 2n); \frac{1}{4}(-1 + 2n); \cos^2(c + dx)\right) \cos(c + dx)}{d(5 - 2n) \cos^{\frac{5}{2}}(c + dx) \sqrt{\sin^2(c + dx)}}$$

**Mathematica** [A] time = 0.24, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c + dx)} \csc(c + dx)(b \cos(c + dx))^n \left( A(2n - 3) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 5); \frac{1}{4}(2n - 1); \cos^2(c + dx)\right) + B(2n - 5) \cos(c + dx) \right) + B(2n - 5) \cos(c + dx)}{d(2n - 5)(2n - 3) \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*cos[c + d\*x])^n\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]  
 [Out] (-2\*(b\*cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(-3 + 2\*n)\*Hypergeometric2F1[1/2, (-5 + 2\*n)/4, (-1 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(-5 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-3 + 2\*n)/4, (1 + 2\*n)/4, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(-5 + 2\*n)\*(-3 + 2\*n)\*Cos[c + d\*x]^(5/2))

**fricas** [F] time = 0.99, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(7/2), x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(7/2), x)

**maple** [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c))^n (A + B \cos(dx + c))}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^n}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(7/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2),x)

[Out] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(7/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

$$3.926 \quad \int \frac{(b \cos(c+dx))^n (A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=163

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-7); \frac{1}{4}(2n-3); \cos^2(c+dx)\right)}{d(7-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{7}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-3); \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{7}{2}}(c+dx)}$$

[Out] 2\*A\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -7/4+1/2\*n], [-3/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(7-2\*n)/cos(d\*x+c)^(7/2)/(sin(d\*x+c)^2)^(1/2)+2\*B\*(b\*cos(d\*x+c))^n\*hypergeom([1/2, -5/4+1/2\*n], [-1/4+1/2\*n], cos(d\*x+c)^2)\*sin(d\*x+c)/d/(5-2\*n)/cos(d\*x+c)^(5/2)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.09, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{2A \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-7); \frac{1}{4}(2n-3); \cos^2(c+dx)\right)}{d(7-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{7}{2}}(c+dx)} + \frac{2B \sin(c+dx)(b \cos(c+dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n-5); \frac{1}{4}(2n-3); \cos^2(c+dx)\right)}{d(5-2n)\sqrt{\sin^2(c+dx)} \cos^{\frac{7}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (2\*A\*(b\*Cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-7 + 2\*n)/4, (-3 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(7 - 2\*n)\*Cos[c + d\*x]^(7/2)\*Sqrt[Sin[c + d\*x]^2]) + (2\*B\*(b\*Cos[c + d\*x])^n\*Hypergeometric2F1[1/2, (-5 + 2\*n)/4, (-1 + 2\*n)/4, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(d\*(5 - 2\*n)\*Cos[c + d\*x]^(5/2)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx = (\cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{9}{2}+n}(c + dx)(A + B \cos(c + dx)) dx$$

$$= (A \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{9}{2}+n}(c + dx) dx + (B \cos^{-n}(c + dx)(b \cos(c + dx))^n) \int \cos^{-\frac{9}{2}+n}(c + dx) \cos(c + dx) dx$$

$$= \frac{2A(b \cos(c + dx))^n {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(-7 + 2n); \frac{1}{4}(-3 + 2n); \cos^2(c + dx)\right) + B(2n - 7)(b \cos(c + dx))^{n-1} \cos(c + dx)}{d(7 - 2n) \cos^{\frac{7}{2}}(c + dx) \sqrt{\sin^2(c + dx)}}$$

**Mathematica [A]** time = 0.24, size = 138, normalized size = 0.85

$$\frac{2\sqrt{\sin^2(c + dx)} \csc(c + dx)(b \cos(c + dx))^n \left( A(2n - 5) {}_2F_1\left(\frac{1}{2}, \frac{1}{4}(2n - 7); \frac{1}{4}(2n - 3); \cos^2(c + dx)\right) + B(2n - 7) \right)}{d(2n - 7)(2n - 5) \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((b\*Cos[c + d\*x])^n\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (-2\*(b\*Cos[c + d\*x])^n\*Csc[c + d\*x]\*(A\*(-5 + 2\*n)\*Hypergeometric2F1[1/2, (-7 + 2\*n)/4, (-3 + 2\*n)/4, Cos[c + d\*x]^2] + B\*(-7 + 2\*n)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (-5 + 2\*n)/4, (-1 + 2\*n)/4, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(-7 + 2\*n)\*(-5 + 2\*n)\*Cos[c + d\*x]^(7/2))

**fricas [F]** time = 0.50, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(9/2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c))^n}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(9/2), x)

**maple [F]** time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c))^n (A + B \cos(dx + c))}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x)

[Out] int((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) (b \cos(dx + c))^n}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))^n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^n/cos(d\*x + c)^(9/2), x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(b \cos(c + dx))^n (A + B \cos(c + dx))}{\cos(c + dx)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2),x)

[Out] int(((b\*cos(c + d\*x))^n\*(A + B\*cos(c + d\*x)))/cos(c + d\*x)^(9/2), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((b\*cos(d\*x+c))\*\*n\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

$$3.927 \quad \int \cos^m(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx$$

**Optimal.** Leaf size=169

$$\frac{3Ab \sin(c+dx) \sqrt[3]{b \cos(c+dx)} \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+7); \frac{1}{6}(3m+13); \cos^2(c+dx)\right) + 3bB \sin(c+dx)}{d(3m+7)\sqrt{\sin^2(c+dx)}}$$

[Out]  $-3A*b*\cos(d*x+c)^{(2+m)}*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/2, 7/6+1/2*m], [13/6+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(7+3*m)/(\sin(d*x+c)^2)^{(1/2)}-3*b*B*\cos(d*x+c)^{(3+m)}*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/2, 5/3+1/2*m], [8/3+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(10+3*m)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.10, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3Ab \sin(c+dx) \sqrt[3]{b \cos(c+dx)} \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+7); \frac{1}{6}(3m+13); \cos^2(c+dx)\right) + 3bB \sin(c+dx)}{d(3m+7)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(-3A*b*\cos[c + d*x]^{(2 + m)}*(b*\cos[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/2, (7 + 3*m)/6, (13 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(7 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2]) - (3*b*B*\cos[c + d*x]^{(3 + m)}*(b*\cos[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/2, (10 + 3*m)/6, (16 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(10 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2])$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_)+(d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_)+(f\_)\*(x\_)])^(m\_)\*((c\_)+(d\_)\*sin[(e\_)+(f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \cos^m(c+dx)(b \cos(c+dx))^{4/3}(A+B \cos(c+dx)) dx = \frac{(b\sqrt[3]{b \cos(c+dx)}) \int \cos^{4/3+m}(c+dx)(A+B \cos(c+dx)) dx}{\sqrt[3]{\cos(c+dx)}}$$

$$= \frac{(Ab\sqrt[3]{b \cos(c+dx)}) \int \cos^{4/3+m}(c+dx) dx}{\sqrt[3]{\cos(c+dx)}} + \frac{(bB\sqrt[3]{b \cos(c+dx)}) \int \cos^{4/3+m}(c+dx) dx}{\sqrt[3]{\cos(c+dx)}}$$

$$= -\frac{3Ab \cos^{2+m}(c+dx)\sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(7+3m); \frac{1}{6}(7+3m); \cos^2(c+dx)\right)}{d(7+3m)\sqrt{\sin^2(c+dx)}}$$

**Mathematica [A]** time = 0.51, size = 140, normalized size = 0.83

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx)(b \cos(c+dx))^{4/3} \cos^{m+1}(c+dx) \left( A(3m+10) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+7); \frac{1}{6}(3m+13); \cos^2(c+dx)\right) + B(7+3m) \right)}{d(3m+7)(3m+10)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^(4/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*Cos[c + d\*x]^(1 + m)\*(b\*Cos[c + d\*x])^(4/3)\*Csc[c + d\*x]\*(B\*(7 + 3\*m)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, 5/3 + m/2, 8/3 + m/2, Cos[c + d\*x]^2] + A\*(10 + 3\*m)\*Hypergeometric2F1[1/2, (7 + 3\*m)/6, (13 + 3\*m)/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(7 + 3\*m)\*(10 + 3\*m))

**fricas [F]** time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(Bb \cos(dx+c)^2 + Ab \cos(dx+c)\right)(b \cos(dx+c))^{1/3} \cos(dx+c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*b\*cos(d\*x + c))\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^m, x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^{4/3} \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c)^m, x)

**maple [F]** time = 0.24, size = 0, normalized size = 0.00

$$\int (\cos^m(dx+c))(b \cos(dx+c))^{4/3} (A+B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x)



**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{4}{3}} \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(4/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(4/3)\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (b \cos(c + dx))^{\frac{4}{3}} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(4/3)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(4/3)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(b\*cos(d\*x+c))\*\*(4/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.928 \quad \int \cos^m(c+dx)(b \cos(c+dx))^{2/3}(A+B \cos(c+dx)) dx$$

**Optimal.** Leaf size=167

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{2/3} \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+5); \frac{1}{6}(3m+11); \cos^2(c+dx)\right) + 3B \sin(c+dx)(b \cos(c+dx))^{2/3} \cos^{m+1}(c+dx)}{d(3m+5)\sqrt{\sin^2(c+dx)}}$$

[Out]  $-3*A*\cos(d*x+c)^{(1+m)}*(b*\cos(d*x+c))^{(2/3)}*\text{hypergeom}([1/2, 5/6+1/2*m], [11/6+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(5+3*m)/(\sin(d*x+c)^2)^{(1/2)}-3*B*\cos(d*x+c)^{(2+m)}*(b*\cos(d*x+c))^{(2/3)}*\text{hypergeom}([1/2, 4/3+1/2*m], [7/3+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(8+3*m)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3A \sin(c+dx)(b \cos(c+dx))^{2/3} \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+5); \frac{1}{6}(3m+11); \cos^2(c+dx)\right) + 3B \sin(c+dx)(b \cos(c+dx))^{2/3} \cos^{m+1}(c+dx)}{d(3m+5)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^(2/3)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(-3*A*\cos[c + d*x]^{(1 + m)}*(b*\cos[c + d*x])^{(2/3)}*\text{Hypergeometric2F1}[1/2, (5 + 3*m)/6, (11 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x]/(d*(5 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2]) - (3*B*\cos[c + d*x]^{(2 + m)}*(b*\cos[c + d*x])^{(2/3)}*\text{Hypergeometric2F1}[1/2, (8 + 3*m)/6, (14 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x]/(d*(8 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2])$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^m(c+dx)(b \cos(c+dx))^{2/3}(A+B \cos(c+dx)) dx &= \frac{(b \cos(c+dx))^{2/3} \int \cos^{\frac{2}{3}+m}(c+dx)(A+B \cos(c+dx)) dx}{\cos^{\frac{2}{3}}(c+dx)} \\ &= \frac{(A(b \cos(c+dx))^{2/3}) \int \cos^{\frac{2}{3}+m}(c+dx) dx}{\cos^{\frac{2}{3}}(c+dx)} + \frac{(B(b \cos(c+dx))^{2/3}) \int \cos^{\frac{2}{3}+m}(c+dx) dx}{\cos^{\frac{2}{3}}(c+dx)} \\ &= -\frac{3A \cos^{1+m}(c+dx)(b \cos(c+dx))^{2/3} {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(5+3m); \frac{1}{6}(3m+11); \cos^2(c+dx)\right)}{d(5+3m)\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 140, normalized size = 0.84

$$\frac{3\sqrt{\sin^2(c+dx)} \operatorname{csc}(c+dx)(b \cos(c+dx))^{2/3} \cos^{m+1}(c+dx) \left( A(3m+8) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+5); \frac{1}{6}(3m+11); \cos^2(c+dx)\right) + B(5+3m) \cos(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+5); \frac{1}{6}(3m+11); \cos^2(c+dx)\right) \right)}{d(3m+5)(3m+8)}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^m*(b*Cos[c + d*x])^(2/3)*(A + B*Cos[c + d*x]), x]
[Out] (-3*Cos[c + d*x]^(1 + m)*(b*Cos[c + d*x])^(2/3)*Csc[c + d*x]*(A*(8 + 3*m)*Hypergeometric2F1[1/2, (5 + 3*m)/6, (11 + 3*m)/6, Cos[c + d*x]^2] + B*(5 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (8 + 3*m)/6, 7/3 + m/2, Cos[c + d*x]^2])*Sqrt[Sin[c + d*x]^2])/(d*(5 + 3*m)*(8 + 3*m))
```

**fricas [F]** time = 0.90, size = 0, normalized size = 0.00

$$\operatorname{integral}\left((B \cos(dx+c) + A)(b \cos(dx+c))^{\frac{2}{3}} \cos(dx+c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(b*cos(d*x+c))^(2/3)*(A+B*cos(d*x+c)), x, algorithm="fricas")
[Out] integral((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(2/3)*cos(d*x + c)^m, x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx+c) + A)(b \cos(dx+c))^{\frac{2}{3}} \cos(dx+c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(b*cos(d*x+c))^(2/3)*(A+B*cos(d*x+c)), x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(2/3)*cos(d*x + c)^m, x)
```

**maple [F]** time = 0.24, size = 0, normalized size = 0.00

$$\int (\cos^m(dx+c))(b \cos(dx+c))^{\frac{2}{3}}(A+B \cos(dx+c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^m*(b*cos(d*x+c))^(2/3)*(A+B*cos(d*x+c)), x)
[Out] int(cos(d*x+c)^m*(b*cos(d*x+c))^(2/3)*(A+B*cos(d*x+c)), x)
```

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{2}{3}} \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(2/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (b \cos(c + dx))^{2/3} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(2/3)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(2/3)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(b\*cos(d\*x+c))\*\*(2/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

$$3.929 \quad \int \cos^m(c + dx) \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=167

$$\frac{3A \sin(c + dx) \sqrt[3]{b \cos(c + dx)} \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m + 4); \frac{1}{6}(3m + 10); \cos^2(c + dx)\right) + 3B \sin(c + dx) \sqrt[3]{b \cos(c + dx)}}{d(3m + 4) \sqrt{\sin^2(c + dx)}}$$

[Out]  $-3*A*\cos(d*x+c)^{(1+m)}*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/2, 2/3+1/2*m], [5/3+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(4+3*m)/(\sin(d*x+c)^2)^{(1/2)}-3*B*\cos(d*x+c)^{(2+m)}*(b*\cos(d*x+c))^{(1/3)}*\text{hypergeom}([1/2, 7/6+1/2*m], [13/6+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(7+3*m)/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3A \sin(c + dx) \sqrt[3]{b \cos(c + dx)} \cos^{m+1}(c + dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m + 4); \frac{1}{6}(3m + 10); \cos^2(c + dx)\right) + 3B \sin(c + dx) \sqrt[3]{b \cos(c + dx)}}{d(3m + 4) \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(-3*A*\cos[c + d*x]^{(1 + m)}*(b*\cos[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/2, (4 + 3*m)/6, (10 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(4 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2]) - (3*B*\cos[c + d*x]^{(2 + m)}*(b*\cos[c + d*x])^{(1/3)}*\text{Hypergeometric2F1}[1/2, (7 + 3*m)/6, (13 + 3*m)/6, \cos[c + d*x]^2]*\sin[c + d*x])/(d*(7 + 3*m)*\text{Sqrt}[\sin[c + d*x]^2])$

#### Rule 20

Int[(u\_)\*((a\_)\*(v\_))^(m\_)\*((b\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m + n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m + n]

#### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \cos^m(c+dx) \sqrt[3]{b \cos(c+dx)} (A+B \cos(c+dx)) dx &= \frac{\sqrt[3]{b \cos(c+dx)} \int \cos^{\frac{1}{3}+m}(c+dx) (A+B \cos(c+dx)) dx}{\sqrt[3]{\cos(c+dx)}} \\ &= \frac{(A \sqrt[3]{b \cos(c+dx)}) \int \cos^{\frac{1}{3}+m}(c+dx) dx}{\sqrt[3]{\cos(c+dx)}} + \frac{(B \sqrt[3]{b \cos(c+dx)}) \int \cos^{\frac{1}{3}+m}(c+dx) dx}{\sqrt[3]{\cos(c+dx)}} \\ &= -\frac{3A \cos^{1+m}(c+dx) \sqrt[3]{b \cos(c+dx)} {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(4+3m); \frac{1}{6}\right)}{d(4+3m) \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica** [A] time = 0.31, size = 140, normalized size = 0.84

$$\frac{3 \sqrt{\sin^2(c+dx)} \csc(c+dx) \sqrt[3]{b \cos(c+dx)} \cos^{m+1}(c+dx) \left( A(3m+7) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+4); \frac{m}{2} + \frac{5}{3}; \cos^2(c+dx)\right) + B(4+3m) \right)}{d(3m+4)(3m+7)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^m\*(b\*Cos[c + d\*x])^(1/3)\*(A + B\*Cos[c + d\*x]),x]

[Out] (-3\*Cos[c + d\*x]^(1 + m)\*(b\*Cos[c + d\*x])^(1/3)\*Csc[c + d\*x]\*(A\*(7 + 3\*m)\*Hypergeometric2F1[1/2, (4 + 3\*m)/6, 5/3 + m/2, Cos[c + d\*x]^2] + B\*(4 + 3\*m)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (7 + 3\*m)/6, (13 + 3\*m)/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2])/(d\*(4 + 3\*m)\*(7 + 3\*m))

**fricas** [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral}\left((B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}} \cos(dx + c)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^m, x)

**giac** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}} \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^m, x)

**maple** [F] time = 0.22, size = 0, normalized size = 0.00

$$\int (\cos^m(dx + c)) (b \cos(dx + c))^{\frac{1}{3}} (A + B \cos(dx + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] int(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x)

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (B \cos(dx + c) + A) (b \cos(dx + c))^{\frac{1}{3}} \cos(dx + c)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(b\*cos(d\*x+c))^(1/3)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(1/3)\*cos(d\*x + c)^m, x)

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(c + dx)^m (b \cos(c + dx))^{1/3} (A + B \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(1/3)\*(A + B\*cos(c + d\*x)),x)

[Out] int(cos(c + d\*x)^m\*(b\*cos(c + d\*x))^(1/3)\*(A + B\*cos(c + d\*x)), x)

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{b \cos(c + dx)} (A + B \cos(c + dx)) \cos^m(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*m\*(b\*cos(d\*x+c))\*\*(1/3)\*(A+B\*cos(d\*x+c)),x)

[Out] Integral((b\*cos(c + d\*x))\*\*(1/3)\*(A + B\*cos(c + d\*x))\*cos(c + d\*x)\*\*m, x)

$$3.930 \quad \int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{\sqrt[3]{b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=167

$$\frac{3A \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+8); \cos^2(c+dx)\right)}{d(3m+2)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx) \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+8); \cos^2(c+dx)\right)}{d(3m+5)\sqrt{\sin^2(c+dx)}}$$

[Out]  $-3*A*\cos(d*x+c)^{(1+m)}*\text{hypergeom}([1/2, 1/3+1/2*m], [4/3+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(2+3*m)/(b*\cos(d*x+c))^{(1/3)}/(\sin(d*x+c)^2)^{(1/2)}-3*B*\cos(d*x+c)^{(2+m)}*\text{hypergeom}([1/2, 5/6+1/2*m], [11/6+1/2*m], \cos(d*x+c)^2)*\sin(d*x+c)/d/(5+3*m)/(b*\cos(d*x+c))^{(1/3)}/(\sin(d*x+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3A \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+8); \cos^2(c+dx)\right)}{d(3m+2)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx) \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+8); \cos^2(c+dx)\right)}{d(3m+5)\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^m*(A + B*\text{Cos}[c + d*x]))/(b*\text{Cos}[c + d*x]^{(1/3)}), x]$

[Out]  $(-3*A*\text{Cos}[c + d*x]^{(1 + m)}*\text{Hypergeometric2F1}[1/2, (2 + 3*m)/6, (8 + 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x]/(d*(2 + 3*m)*(b*\text{Cos}[c + d*x]^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]) - (3*B*\text{Cos}[c + d*x]^{(2 + m)}*\text{Hypergeometric2F1}[1/2, (5 + 3*m)/6, (11 + 3*m)/6, \text{Cos}[c + d*x]^2]*\text{Sin}[c + d*x]/(d*(5 + 3*m)*(b*\text{Cos}[c + d*x]^{(1/3)}*\text{Sqrt}[\text{Sin}[c + d*x]^2]))$

#### Rule 20

$\text{Int}[(u_*)*((a_*)*(v_))^{(m_*)}*((b_*)*(v_))^{(n_*)}, x\_Symbol] \rightarrow \text{Dist}[(b^{\text{IntPart}[n]}*(b*v)^{\text{FracPart}[n]})/(a^{\text{IntPart}[n]}*(a*v)^{\text{FracPart}[n]}), \text{Int}[u*(a*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, m, n, x\} \&\& \text{!IntegerQ}[m] \&\& \text{!IntegerQ}[n] \&\& \text{!IntegerQ}[m+n]$

#### Rule 2643

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)}*\text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n+1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n, x\} \&\& \text{!IntegerQ}[2*n]$

#### Rule 2748

$\text{Int}[(b_*)*\sin[(e_*) + (f_*)*(x_)]^{(m_*)}*((c_*) + (d_*)*\sin[(e_*) + (f_*)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m, x\}$

#### Rubi steps



$$\begin{aligned} \int \frac{\cos^m(c+dx)(A+B\cos(c+dx))}{\sqrt[3]{b\cos(c+dx)}} dx &= \frac{\sqrt[3]{\cos(c+dx)} \int \cos^{-\frac{1}{3}+m}(c+dx)(A+B\cos(c+dx)) dx}{\sqrt[3]{b\cos(c+dx)}} \\ &= \frac{(A\sqrt[3]{\cos(c+dx)}) \int \cos^{-\frac{1}{3}+m}(c+dx) dx}{\sqrt[3]{b\cos(c+dx)}} + \frac{(B\sqrt[3]{\cos(c+dx)}) \int \cos^{\frac{2}{3}+m}(c+dx) dx}{\sqrt[3]{b\cos(c+dx)}} \\ &= \frac{3A \cos^{1+m}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(2+3m); \frac{1}{6}(8+3m); \cos^2(c+dx)\right) \sin^{\frac{2}{3}}(c+dx)}{d(2+3m)\sqrt[3]{b\cos(c+dx)}\sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.32, size = 140, normalized size = 0.84

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx) \cos^{m+1}(c+dx) \left( A(3m+5) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+8); \cos^2(c+dx)\right) + B(3m+2) \right)}{d(3m+2)(3m+5)\sqrt[3]{b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^m*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(1/3), x]
[Out] (-3*Cos[c + d*x]^(1 + m)*Csc[c + d*x]*(A*(5 + 3*m)*Hypergeometric2F1[1/2, (2 + 3*m)/6, (8 + 3*m)/6, Cos[c + d*x]^2] + B*(2 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (5 + 3*m)/6, (11 + 3*m)/6, Cos[c + d*x]^2])*Sqrt[Sin[c + d*x]^2]/(d*(2 + 3*m)*(5 + 3*m)*(b*Cos[c + d*x])^(1/3))
```

**fricas [F]** time = 0.88, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B \cos(dx+c) + A)(b \cos(dx+c))^{\frac{2}{3}} \cos(dx+c)^m}{b \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/3), x, algorithm="fricas")
[Out] integral((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(2/3)*cos(d*x + c)^m/(b*cos(d*x + c)), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^m}{(b \cos(dx+c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/3), x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^m/(b*cos(d*x + c))^(1/3), x)
```

**maple [F]** time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(\cos^m(dx+c))(A+B\cos(dx+c))}{(b\cos(dx+c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/3),x)`

[Out] `int(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/3),x)`

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^m}{(b \cos(dx + c))^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(1/3),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^m/(b*cos(d*x + c))^(1/3), x)`

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^m (A + B \cos(c + dx))}{(b \cos(c + dx))^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((cos(c + d*x)^m*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(1/3),x)`

[Out] `int((cos(c + d*x)^m*(A + B*cos(c + d*x)))/(b*cos(c + d*x))^(1/3), x)`

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \cos^m(c + dx)}{\sqrt[3]{b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**m*(A+B*cos(d*x+c))/(b*cos(d*x+c))**(1/3),x)`

[Out] `Integral((A + B*cos(c + d*x))*cos(c + d*x)**m/(b*cos(c + d*x))**(1/3), x)`

$$3.931 \quad \int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$$

**Optimal.** Leaf size=167

$$\frac{3A \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+1); \frac{1}{6}(3m+7); \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}} - \frac{3B \sin(c+dx) \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+1); \frac{1}{6}(3m+7); \cos^2(c+dx)\right)}{d(3m+4)\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}}$$

[Out]  $-3A \cos(dx+c)^{(1+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{1}{6}+1/2*m\right], \left[\frac{7}{6}+1/2*m\right], \cos(dx+c)^2\right) \sin(dx+c)/d/(1+3*m)/(b \cos(dx+c))^{(2/3)}/(\sin(dx+c)^2)^{(1/2)} - 3B \cos(dx+c)^{(2+m)} \text{hypergeom}\left(\left[\frac{1}{2}, \frac{2}{3}+1/2*m\right], \left[\frac{5}{3}+1/2*m\right], \cos(dx+c)^2\right) \sin(dx+c)/d/(4+3*m)/(b \cos(dx+c))^{(2/3)}/(\sin(dx+c)^2)^{(1/2)}$

**Rubi [A]** time = 0.09, antiderivative size = 167, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3A \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+1); \frac{1}{6}(3m+7); \cos^2(c+dx)\right)}{d(3m+1)\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}} - \frac{3B \sin(c+dx) \cos^{m+2}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+1); \frac{1}{6}(3m+7); \cos^2(c+dx)\right)}{d(3m+4)\sqrt{\sin^2(c+dx)}(b \cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^m\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(2/3),x]

[Out]  $(-3A \cos[c+dx]^{(1+m)} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(1+3m)}{6}, \frac{(7+3m)}{6}, \cos[c+dx]^2\right] \sin[c+dx]) / (d(1+3m)(b \cos[c+dx])^{(2/3)} \sqrt{\sin[c+dx]^2}) - (3B \cos[c+dx]^{(2+m)} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(4+3m)}{6}, \frac{(10+3m)}{6}, \cos[c+dx]^2\right] \sin[c+dx]) / (d(4+3m)(b \cos[c+dx])^{(2/3)} \sqrt{\sin[c+dx]^2})$

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_)\*((b\_.)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^m(c+dx)(A+B\cos(c+dx))}{(b\cos(c+dx))^{2/3}} dx &= \frac{\cos^{2/3}(c+dx) \int \cos^{-2/3+m}(c+dx)(A+B\cos(c+dx)) dx}{(b\cos(c+dx))^{2/3}} \\ &= \frac{\left(A\cos^{2/3}(c+dx)\right) \int \cos^{-2/3+m}(c+dx) dx}{(b\cos(c+dx))^{2/3}} + \frac{\left(B\cos^{2/3}(c+dx)\right) \int \cos^{1/3+m}(c+dx) dx}{(b\cos(c+dx))^{2/3}} \\ &= -\frac{3A\cos^{1+m}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(1+3m); \frac{1}{6}(7+3m); \cos^2(c+dx)\right) \sin(c+dx)}{d(1+3m)(b\cos(c+dx))^{2/3} \sqrt{\sin^2(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.31, size = 140, normalized size = 0.84

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx) \cos^{m+1}(c+dx) \left(A(3m+4) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+1); \frac{1}{6}(3m+7); \cos^2(c+dx)\right) + B(3m+1)\right)}{d(3m+1)(3m+4)(b\cos(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^m*(A + B*Cos[c + d*x]))/(b*Cos[c + d*x])^(2/3), x]
[Out] (-3*Cos[c + d*x]^(1 + m)*Csc[c + d*x]*(A*(4 + 3*m)*Hypergeometric2F1[1/2, (1 + 3*m)/6, (7 + 3*m)/6, Cos[c + d*x]^2] + B*(1 + 3*m)*Cos[c + d*x]*Hypergeometric2F1[1/2, (4 + 3*m)/6, 5/3 + m/2, Cos[c + d*x]^2])*Sqrt[Sin[c + d*x]^2]/(d*(1 + 3*m)*(4 + 3*m)*(b*Cos[c + d*x])^(2/3))
```

**fricas [F]** time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c) + A)(b\cos(dx+c))^{1/3} \cos(dx+c)^m}{b\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(2/3), x, algorithm="fricas")
[Out] integral((B*cos(d*x + c) + A)*(b*cos(d*x + c))^(1/3)*cos(d*x + c)^m/(b*cos(d*x + c)), x)
```

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c) + A)\cos(dx+c)^m}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(2/3), x, algorithm="giac")
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^m/(b*cos(d*x + c))^(2/3), x)
```

**maple [F]** time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{(\cos^m(dx+c)(A+B\cos(dx+c)))}{(b\cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^m*(A+B*cos(d*x+c))/(b*cos(d*x+c))^(2/3), x)
```

[Out]  $\text{int}(\cos(dx+c)^m(A+B\cos(dx+c))/(b\cos(dx+c))^{2/3}, x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^m}{(b \cos(dx+c))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^m(A+B\cos(dx+c))/(b\cos(dx+c))^{2/3}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B\cos(dx+c) + A)\cos(dx+c)^m/(b\cos(dx+c))^{2/3}, x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c+dx)^m (A + B \cos(c+dx))}{(b \cos(c+dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((\cos(c+dx))^m(A+B\cos(c+dx)))/(b\cos(c+dx))^{2/3}, x)$

[Out]  $\text{int}((\cos(c+dx))^m(A+B\cos(c+dx)))/(b\cos(c+dx))^{2/3}, x)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c+dx)) \cos^m(c+dx)}{(b \cos(c+dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)**m(A+B\cos(dx+c))/(b\cos(dx+c))^{2/3}, x)$

[Out]  $\text{Integral}((A + B\cos(c+dx))\cos(c+dx)**m/(b\cos(c+dx))^{2/3}, x)$

$$3.932 \quad \int \frac{\cos^m(c+dx)(A+B \cos(c+dx))}{(b \cos(c+dx))^{4/3}} dx$$

**Optimal.** Leaf size=171

$$\frac{3A \sin(c+dx) \cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m-1); \frac{1}{6}(3m+5); \cos^2(c+dx)\right)}{bd(1-3m)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+5); \cos^2(c+dx)\right)}{bd(3m+2)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}}$$

[Out] 3\*A\*cos(d\*x+c)^m\*hypergeom([1/2, -1/6+1/2\*m], [5/6+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/b/d/(1-3\*m)/(b\*cos(d\*x+c))^(1/3)/(sin(d\*x+c)^2)^(1/2)-3\*B\*cos(d\*x+c)^(1+m)\*hypergeom([1/2, 1/3+1/2\*m], [4/3+1/2\*m], cos(d\*x+c)^2)\*sin(d\*x+c)/b/d/(2+3\*m)/(b\*cos(d\*x+c))^(1/3)/(sin(d\*x+c)^2)^(1/2)

**Rubi [A]** time = 0.10, antiderivative size = 171, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {20, 2748, 2643}

$$\frac{3A \sin(c+dx) \cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m-1); \frac{1}{6}(3m+5); \cos^2(c+dx)\right)}{bd(1-3m)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}} - \frac{3B \sin(c+dx) \cos^{m+1}(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m+2); \frac{1}{6}(3m+5); \cos^2(c+dx)\right)}{bd(3m+2)\sqrt{\sin^2(c+dx)} \sqrt[3]{b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^m\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (3\*A\*Cos[c + d\*x]^m\*Hypergeometric2F1[1/2, (-1 + 3\*m)/6, (5 + 3\*m)/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(b\*d\*(1 - 3\*m)\*(b\*Cos[c + d\*x])^(1/3)\*Sqrt[Sin[c + d\*x]^2]) - (3\*B\*Cos[c + d\*x]^(1 + m)\*Hypergeometric2F1[1/2, (2 + 3\*m)/6, (8 + 3\*m)/6, Cos[c + d\*x]^2]\*Sin[c + d\*x])/(b\*d\*(2 + 3\*m)\*(b\*Cos[c + d\*x])^(1/3)\*Sqrt[Sin[c + d\*x]^2])

#### Rule 20

Int[(u\_.)\*((a\_.)\*(v\_))^(m\_.)\*((b\_.)\*(v\_))^(n\_.), x\_Symbol] := Dist[(b^IntPart[n]\*(b\*v)^FracPart[n])/(a^IntPart[n]\*(a\*v)^FracPart[n]), Int[u\*(a\*v)^(m+n), x], x] /; FreeQ[{a, b, m, n}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[m+n]

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n+1)\*Hypergeometric2F1[1/2, (n+1)/2, (n+3)/2, Sin[c + d\*x]^2])/(b\*d\*(n+1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m+1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rubi steps

$$\int \frac{\cos^m(c+dx)(A+B\cos(c+dx))}{(b\cos(c+dx))^{4/3}} dx = \frac{\sqrt[3]{\cos(c+dx)} \int \cos^{-\frac{4}{3}+m}(c+dx)(A+B\cos(c+dx)) dx}{b\sqrt[3]{b\cos(c+dx)}}$$

$$= \frac{(A\sqrt[3]{\cos(c+dx)}) \int \cos^{-\frac{4}{3}+m}(c+dx) dx}{b\sqrt[3]{b\cos(c+dx)}} + \frac{(B\sqrt[3]{\cos(c+dx)}) \int \cos^{-\frac{4}{3}+m}(c+dx) dx}{b\sqrt[3]{b\cos(c+dx)}}$$

$$= \frac{3A\cos^m(c+dx) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(-1+3m); \frac{1}{6}(5+3m); \cos^2(c+dx)\right) \sin(c+dx)}{bd(1-3m)\sqrt[3]{b\cos(c+dx)}\sqrt{\sin^2(c+dx)}}$$

**Mathematica [A]** time = 0.34, size = 140, normalized size = 0.82

$$\frac{3\sqrt{\sin^2(c+dx)} \csc(c+dx) \cos^{m+1}(c+dx) \left( A(3m+2) {}_2F_1\left(\frac{1}{2}, \frac{1}{6}(3m-1); \frac{1}{6}(3m+5); \cos^2(c+dx)\right) + B(3m+2) \right)}{d(3m-1)(3m+2)(b\cos(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^m\*(A + B\*Cos[c + d\*x]))/(b\*Cos[c + d\*x])^(4/3), x]

[Out] (-3\*Cos[c + d\*x]^(1 + m)\*Csc[c + d\*x]\*(A\*(2 + 3\*m)\*Hypergeometric2F1[1/2, (-1 + 3\*m)/6, (5 + 3\*m)/6, Cos[c + d\*x]^2] + B\*(-1 + 3\*m)\*Cos[c + d\*x]\*Hypergeometric2F1[1/2, (2 + 3\*m)/6, (8 + 3\*m)/6, Cos[c + d\*x]^2])\*Sqrt[Sin[c + d\*x]^2]/(d\*(-1 + 3\*m)\*(2 + 3\*m)\*(b\*Cos[c + d\*x])^(4/3))

**fricas [F]** time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(B\cos(dx+c)+A)(b\cos(dx+c))^{2/3}\cos(dx+c)^m}{b^2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c))^(2/3)\*cos(d\*x + c)^m/(b^2\*cos(d\*x + c)^2), x)

**giac [F]** time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B\cos(dx+c)+A)\cos(dx+c)^m}{(b\cos(dx+c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^m\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^m/(b\*cos(d\*x + c))^(4/3), x)

**maple [F]** time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{(\cos^m(dx+c))(A+B\cos(dx+c))}{(b\cos(dx+c))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^m\*(A+B\*cos(d\*x+c))/(b\*cos(d\*x+c))^(4/3), x)

[Out]  $\text{int}(\cos(dx+c)^m(A+B\cos(dx+c))/(b\cos(dx+c))^{4/3}, x)$

**maxima** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^m}{(b \cos(dx + c))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^m(A+B\cos(dx+c))/(b\cos(dx+c))^{4/3}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B\cos(dx + c) + A)\cos(dx + c)^m/(b\cos(dx + c))^{4/3}, x)$

**mupad** [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(c + dx)^m (A + B \cos(c + dx))}{(b \cos(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((\cos(c + dx)^m(A + B\cos(c + dx)))/(b\cos(c + dx))^{4/3}, x)$

[Out]  $\text{int}((\cos(c + dx)^m(A + B\cos(c + dx)))/(b\cos(c + dx))^{4/3}, x)$

**sympy** [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(A + B \cos(c + dx)) \cos^m(c + dx)}{(b \cos(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)**m(A+B\cos(dx+c))/(b\cos(dx+c))**(4/3), x)$

[Out]  $\text{Integral}((A + B\cos(c + dx))*\cos(c + dx)**m/(b\cos(c + dx))**(4/3), x)$



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
    If[ListQ[expn],
      Max[Map[ExpnType, expn]],
      If[Head[expn]===Power,
        If[IntegerQ[expn[[2]]],
          ExpnType[expn[[1]]],
          If[Head[expn[[2]]]===Rational,
            If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
              1,
              Max[ExpnType[expn[[1]], 2]],
            Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
          If[Head[expn]===Plus || Head[expn]===Times,
            Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
          If[ElementaryFunctionQ[Head[expn]],
            Max[3, ExpnType[expn[[1]]],
          If[SpecialFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
          If[HypergeometricFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
          If[AppellFunctionQ[Head[expn]],
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
          If[Head[expn]===RootSum,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
          If[Head[expn]===Integrate || Head[expn]===Int,
            Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
          9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

## 4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```

```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

### 4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

## 4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```



```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print(">>>>Enter expnType, expn=", expn)
        print(">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands(
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```